




COMPUTER GAMES

INSERT 25 SECTOR DISK

A new small computer that won't limit you tomorrow



New Cromemco System One shown with our high-capability terminal and printer.



Expandability

Here's a low-priced computer that won't run out of memory capacity or expandability halfway through your project.

Typically, computer usage tends to grow, requiring more capability, more memory, more storage. Without a lot of capability and expandability, your computer can be obsolete from the start.

The new System One is a real building-block machine. It has capability and expandability by the carload.

Look at these features:

- **Z80-A processor**
- 64K of RAM
- 780K of disk storage
- CRT and printer interfaces
- Eight S-100 card slots, allowing expansion with
 - color graphics
 - additional memory
 - additional interfaces for telecommunications, data acquisition, etc.
- **■** Small size

GENEROUS DISK STORAGE

The 780K of disk storage in the System One Model CS-1 is much greater than what is typically available in small computers. But here, too, you have a choice since a second version, Model CS-1H, has a 5" Winchester drive that gives you 5 megabytes of disk storage.

MULTI-USER, MULTI-TASKING CAPABILITY

Believe it or not, this new computer even offers multi-user capability when used with our advanced CROMIX* operating system option. Not only does this outstanding O/S support multiple users on this computer but does so with powerful features like multi-

ple directories, file protection and record level lock. CROMIX lets you run multiple jobs as well.

In addition to our highly-acclaimed CROMIX, there is our CDOS*. This is an enhanced CP/M[†] type system designed for single-user applications. CP/M and a wealth of CP/M-compatible software are also available for the new System One through third-party vendors.

COLOR GRAPHICS/WORD PROCESSING

This small computer even gives you the option of outstanding high-resolution color graphics with our Model SDI interface and two-port RAM cards.

Then there's our tremendously wide range of Cromemco software including packages for word processing, business, and much more, all usable with the new System One.

ANTI-OBSOLESCENCE/LOW-PRICED

As you can see, the new One offers you a lot of performance. It's obviously designed with antiobsolescence in mind.

What's more, it's priced at only \$3,995. That's considerably less than many machines with much less capability. And it's not that much more than many machines that have little or nothing in the way of expandability.


Physically, the One is small -7'' high. And it's allmetal in construction. It's only $14^{1/8''}$ wide, ideal for desk top use. A rack mount option is also available.

CONTACT YOUR REP NOW

Get all the details on this important building-block computer. Get in touch with your Cromemco rep now. He'll show you how the new System One can grow with your task.

*CROMIX and CDOS are trademarks of Cromemco Inc. †CP/M is a trademark of Digital Research





CROMIX*— Cromemco's outstanding UNIX†—like operating system

CROMIX is just the kind of major development you've come to expect from Cromemco. After all, we're already well-known for the most respected software in the microcomputer field.

And now we've come up with the industry's first UNIX-lookalike for microcomputers. It's a tried and proven operating system. It's available on both 5" and 8" diskettes for Cromemco systems with 128K or more of memory.

Here are just some of the features you get in this powerful Cromemco system:

- Multi-user and multi-tasking capability
- Hierarchical directories
- Completely compatible file, device, and interprocess I/O
- Extensive subsystem support

FILE SYSTEM

One of the important features of our CROMIX is its file system comprised of hierarchical directories. It's a tree structure of three types of files: data files,

*CROMIX is a trademark of Cromemco, Inc. †UNIX is a trademark of Bell Telephone Laboratories directories, and device files. File, device, and interprocess I/O are compatible among these file types (input and output may be redirected interchangeably from and to any source or destination).

The tree structure allows different directories to be maintained for different users or functions with no chance of conflict.

PROTECTED FILES

Because of the hierarchical structure of the file system, CROMIX maintains separate ownership of every file and directory. All files can thus be protected from access by other users of the system. In fact, each file is protected by four separate access privileges in each of the three user categories.

TREMENDOUS ADDRESS SPACE, FAST ACCESS

The flexible file system and generalized disk structure of CROMIX give a disk address space in excess of one gigabyte per volume — file size is limited only by available disk capacity.

Speed of access to disk files has also been optimized. Average access speeds far surpass any yet implemented on microcomputers.

'C' COMPILER AVAILABLE, TOO

Cromemco offers a wide range of languages that operate under CROMIX. These include a high-level command process language and extensive subsystem support such as COBOL, FORTRAN IV, RATFOR, LISP, and 32K and 16K BASICS.

There is even our highly-acclaimed 'C' compiler which allows a programmer fingertip access to CROMIX system calls.

THE STANDARD O-S FOR THE FUTURE

The power and breadth of its features make CROMIX the standard for the next generation of microcomputer operating systems.

And yet it is available for a surprisingly low \$595.

The thing to do is to get all this capability working for you now. Get in touch with your Cromemco rep today.



Cromemco To

280 BERNARDO AVE., MOUNTAIN VIEW, CA 94040 • (415) 964-7400 Tomorrow's computers today

Features

36 The Colnless Arcade by Gregg Williams / With microcomputer games, you can have your fun and your quarters too

4 Build a Touch Tone Decoder for Remote Control by Steve Ciarcia / Once you get your computer to answer the telephone and decode tone signals, you can use it for remote control.

134 Color Computer from A to D, Make Your Color Computer "See" and "Feel" Better by William Barden Jr / Hardware and software projects to tie your Color Computer to the real world.

166 The Atarl Tutorial, Part 4: Display-List Interrupts by Chris Crawford / How to get the most out of the Atari 400 and 800's color-graphics features.

190 How to Bulld a Maze by David Matuszek / Generate unique random mazes for puzzles and games.

198 Toward a Structured 6809 Assembly Language, Part 2: Implementing a Structured Assembler by Gregory Walker I Implementing GOTO-less structure in an already existing language is easy with macroinstructions.

229 MIKBUG and the TRS-80, Part 1: A Cross-Assembler for the Motorola 6800 by Robert

Labenski / A TRS-80 cross-assembler package for those who are tired of hand-assembling code and loading it two bytes at a time into MIKBUG.

258 What Makes Computer Games Fun? by Thomas W Malone I Why the average outer-space game may be more educational than many classroom drill-and-practice programs.

320 Computer Scrabble by Joseph J Roehrig / Give your computer a vocabulary and challenge it to a fascinating game of micro-Scrabble.

352 Generating Programs Automatically by Jacob R Jacobs / Three utility programs help write the Applesoft BASIC program for you.

366 BYTE's Cumulative Index prepared by Microcomputer Information Services / Our six-year cumulative index will put an end to your random searches through past issues of BYTE for that specific article.

452 Online Information Retrieval: Promise and Problems by Steven K Roberts / The public must be convinced that online databases provide efficiency, economy, and

Handl-Writer, A Video Note Pad for the Physically Handicapped by Howard Batie / How to turn the TRS-80 into a communications device for severely handicapped persons.

Reviews

Robotwar by Curtis Feigel

BYTE's Arcade: Olympic Decathlon by David A Kater; Missile Defense vs ABM by Robert Moskowitz; Gorgon by Peter V Callamaras; Commbat: A Tele-Game for Two by George

108 alphaSyntauri Music Synthesizer by Steve Levine and Bill Mauchly


163 Battle of the Asteroids by Gregg Williams

304 Pascal-80 by Rowland Archer


486 Starfighter by Eric Grammer

Nucleus

- 6 Editorial: New Games, New Directions
- Letters
- 22, 132 BYTE's Bits
- 132, 483 Book Reviews: AIM 65 Laboratory Manual and Study Guide; Apple Machine Language
- 278 System Notes: The Game of Left/Right
- 302 BYTE Game Contest
- 314 BYTELINES
- 462 Event Queue
- 465 Books Received
- **466** Clubs and Newsletters
- 467 Software Received 469 Technical Forum: Apple X10 Control
- 484 Languages Forum: APL Runs Circles
- What's New?
- Unclassified Ads
- **543** Reader Service
- 544 BOMB, BOMB Results




Page 36



Page 42



Page 74



Page 190



Editor in Chief

Christopher Morgan

Managing Editor

Mark Haas

Technical Editors

Gregg Williams, Senior Editor; Richard S Shuford; Curtis P Feigel; George Stewart; Arthur Little; Stanley Wszola; Charles Freiberg, New Products Editor; Steve Ciarcia; Mark Dahmke: Philip Lemmons. Consulting Editors; Jon Swanson, Draftsman

Copy Editors

Beverly Cronin, Chief; Faith Hanson; Warren Williamson; Anthony J Lockwood; Ann Graves; David R Anderson; Bob Reinert; Linda M Evers

Assistants

Faith Ferry; Debe Wheeler; Karen A Cilley; Susan Ferber; Marie Hennessy

Production

Nancy Estle, Director; Christine Destrempes, Asst Director; Jonathan M Graves, Creative Consultant; Wai Chiu Li; Patrice Scribner; Damian Henriques: Jan Muller: Linda J Sweeney; Sherry McCarthy, Chief Typographer; Debi Fredericks; Donna Sweeney; Valerie Horn

Advertising

Thomas Harvey, Director; Marion Carlson; Rob Hannings; Marilyn Williams; Deborah Porter; Vicki Reynolds; Cathy A R Drew; Jacqueline Earnshaw, Reader Service Coordinator

Circulation

Gregory Spitzfaden, Manager; Andrew Jackson, Asst Manager; Agnes E Perry; Barbara Varnum; Louise Menegus; Pinky Krulis; James Bingham, Dealer Sales; Deborah J Cadwell, Asst.

Controller's Office

Daniel Rodrigues, Controller; Mary E Fluhr, Acct. & D/P Mgr; Karen Burgess; Jeanne Cilley; Linda Fluhr; Vicki Bennett

N Scott Gagnon; Michael Bacon; Scott Jackson

Publishers

Virginia Londoner; Gordon R Williamson; John E Hayes, Associate Publisher; Cheryl A Hurd; Michele P Verville, Publisher's Assistants:

Officers of McGraw-Hill Publications Company: Paul F McPherson, President; Executive Vice Presidents: James E Boddorf, Daniel A McMillan, III, Gene W Simpson; Senior Vice President-Editorial: Ralph R Schulz; Vice Presidents: Kemp Anderson, Business Systems Development; Robert B Doll, Circulation; James E Hackett, Controller; Eric B Herr, Planning and Development; H John Sweger, Jr., Marketing, Officers of the Corporation: Harold W McGraw Jr, Chairman and Chief Executive Officer; Joseph L Dionne, President and Chief Operating Officer, Robert F Landes, Senior Vice President and Secretary; Ralph J Webb, Treasurer. Officers of McGraw-Hill Publications Com-



n This Issue

Playing games may not be the most important task your computer does, but it sure makes for a lot of fun. As Robert Tinney's cover illustrates, computers play a central role in our recreational activites. BYTE's writers have been working hard at playing games, and their articles and reviews will help you pick and choose from among the many computer games available. Senior editor Gregg Williams speculates on the shape of games to come in the editorial, "New Games, New Directions." Thomas W Malone analyzes the attraction of computer games in "What Makes Computer Games Fun?" To learn how you can turn your game ideas into cash, see the rules for the BYTE Game Contest, page 302.

On a more serious note, the Atari Tutorial continues with Part 4, "Display-List Interrupts" and William Barden Jr presents the first installment of a new series on Radio Shack computers, "Color Computer from A to D, Make your Color Computer 'See' and 'Feel' Better." BYTE's six-year cumulative index will eliminate those random searches for that specific article. See page 366. All this, plus our regular features.

BYTE is published monthly by BYTE Publications Inc, 70 Main St, Peterborough NH 03458, phone (603) 924-9281, a wholly-owned subsidiary of McGraw-Hill, Inc. Address subscriptions, change of address, USPS Form 3579, and fulfillment questions to BYTE Subscriptions, POB 590, Martinsville NJ 08836. Second class postage paid at Waseca, Minnesota 56093 - USPS Publication No. 528890 (ISSN 0360-5280). Canadian second class registration number 9321. Subscriptions are \$19 for one year, \$34 for two years, and \$49 for three years in the USA and its possessions. In Canada and Mexico, \$21 for one year, \$38 for two years, \$55 for three years. \$43 for one year air delivery to Europe. \$35 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$2.50 in the USA and its possessions, \$2.95 in Canada and Mexico, \$4.00 in Europe, and \$4.50 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a US bank. Printed in United States of America.

Address all editorial correspondence to the editor at BYTE, POB 372, Hancock NH 03449. Unacceptable manuscripts will be returned if accompanied by sufficient first class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Entire contents copyright © 1981 by BYTE Publications Inc. All rights reserved. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the base fee of \$1.00 per copy of the article or item plus 25 cents per page. Payment should be sent directly to the CCC, 21 Congress St, Salem MA 01970. Copying done for other than personal or internal reference use without the permission of McGraw-Hill is prohibited. Requests for special permission or bulk orders should be addressed to the publisher.

BYTE® is available in microform from University Microfilms International, 300 N Zeeb Rd, Dept PR, Ann Arbor MI 48106 USA or 18 Bedford Row, Dept PR, London WC1R 4EJ England.

Subscription WATS Line: (800) 258-5485 Office hours: Mon-Thur 8:30 AM - 4:30 PM, Friday 8:30 AM - Noon, Eastern Time

NATIONAL ADVERTISING SALES REPRESENTATIVES:

NORTHEAST (617) 444-3946

Hajar Associates 280 Hillside Ave Needham Heights MA 02194

MIDWEST (312) 966-0160

Hajar Associates 5225 Old Orchard Road Suite 50 Skokie IL 60076

MID ATLANTIC (201) 741-7744 SOUTHEAST (305) 886-7210

Hajar Associates 321 Broad Street Red Bank N J 07701 New York NY (212) 682-5844

NORTHWEST (415) 964-0706

Hajar Associates 1000 Elwell Ct, Suite 227 Palo Alto CA 94303

Hajar Associates 1220 Prairie Lane Apopka FL 32703

SOUTHWEST (714) 540-3554

Hajar Associates 3303 Harbor Blvd Suite K-4 Costa Mesa CA 92626

MicroAngelo and beyond.

SCION Corporation pioneered advanced information display systems with the elegantly simple MicroAngeloTM high resolution S100 single board graphics computer. With MicroAngeloTM came a powerful, flexible CP/M* compatible, high level firmware called Screenware.TM For MicroAngeloTM Color System, Colorpak software evolved. Easy to integrate, easy to convert and easy to use. This software gave MicroAngeloTM unparalleled capacity to manipulate color transparencies. Beyond MicroAngelo,TM with the prototype Advanced Congressional Workstation developed for the U.S. Congress, SCION Corporation proved an interactive, very high resolution text/graphics display system can be built with existing technology. SCION Corporation grows at its unprecedented rate by evolving beyond today's triumphs, to develop graphics engines to solve tomorrow's problems. SCION Corporation. More than a graphics company.

For information on the next generation of advanced information display systems, call today. If the image is important, it has to be SCION.

If the image is important.

12310 Pinecrest Road/Reston, Virginia 22091 703/476-6100 TWX: 710-833-0684

ACCESS/80 ACCESS/80 ACCESS/80

The reason you bought your computer in the first place.

Your system is incomplete without the ability to access ASCII data files and generate reports that make sense.

Now you can have mainframe report functionality, comparable to RAMIS", SPSS", and NOMAD" on your microcomputer.

Virtually any report you can describe with a pencil and paper can be generated with ACCESS/80. With user friendly ACCESS/80 you can produce customized reports and statistical summary tables from standard application packages, or extract files down loaded from a remote computer.

ACCESS/80 is available in three levels:

Level I: Report Generator

and Cross-Tabulator - **\$295**. Manual alone **\$45**.

Level II: Level I plus Output and Logic Processor-\$495. Manual alone \$55.

Level III: Information management System (Available 1st Qtr. 1982) - \$795.

Manual alone \$65.

ACCESS/80 requires CP/M" or MP/M" and 48K RAM. Formats supported include 8" IBM softsectored, NorthStar, Micropolis Mod. II, Superbrain 3.0, Apple II.



2670 Cherry Lane • Walnut Creek • CA 94596 (415) 938-2880 Telex 17-1852 (DIGMKTG WNCK)

ACCESS/80 trademark of Friends Software CP/M & MP/M trademarks of Digital Research RAMIS trademark Mathmatica Inc SPSS trademark SPSS Inc NOMAD trademark National CSS

A PRODUCT OF



Editorial

New Games New Directions

by Gregg Williams, Senior Editor

An editor leads a hard life, believe it or not. For example, in preparing for this issue, more than \$1000 worth of game software passed across my desk before being returned to the manufacturers. This may sound like software heaven to you—it did to me at first. But even with this intriguing software temporarily floating around the office and my own computer and games to tempt me at home, I can't manage to spare an hour (let alone ten) playing the newest adventure game.

Sometimes I'm not even sure I like games. But I know I like the idea—board games, card games, computer games, even books on game design. I think about games a lot and subscribe to two games magazines. Occasionally, I fantasize about designing the ultimate game, one that would leave the whole world breathless (and, not coincidentally, make me very wealthy). Looking for some family resemblance to games I enjoy, I search the face of every new game as if it were a person. The following sections depict a few of my findings.


New Machines, New Games

Games will take new directions with new machines. For sound and video graphics, the Atari 400 and 800 computers are hard to beat. These two machines have special hardware that accomplishes what most game programmers have to do in software. This not only makes the game faster but also makes programming faster, simpler, and much easier.

Another exciting machine is the IBM Personal Computer. Although I'll be reviewing it in-depth next month, several features are of interest to game players and programmers. First, the advanced disk BASIC has a number of very powerful commands for generating graphic images and music. You can store drawing and music commands as standard Microsoft BASIC string variables (somewhat akin to the "shape tables" for specifying graphic images in the Apple II). Not only can the program manipulate these strings, but a command string can refer to another string within its definition. The advanced BASIC also offers built-in commands for drawing and filling in rectangles, ellipses, circles, and pie wedges. Rectangular areas of graphics can be saved in arrays, then later returned to the screen with a single command. Light pens and joysticks are possible input devices, and advanced BASIC commands allow a BASIC subroutine to be executed when certain real-time events occur (the computer then returns to the interrupted BASIC program). All this, coupled with the speed of an extended Microsoft BASIC running on a 16-bit machine, makes the IBM Personal Computer an excellent gaming device. Since the BASIC is very fast by current standards, IBM Personal Computer owners will be able to write rather interesting graphics games without leaving BASIC!

Multiplayer Games

I think there's a large market for multiplayer games. Two-player games are fine, but it's really fun to get a group of people together for an exciting game. I realized this while playing some two- and four-player video games on the Atari Video Computer System (the game cartridge system, not the microcomputer). Even though the games were simple, it was a lot of fun to be playing a game with three other people.



New! Z Controller and Z Drives . . .

Expect more from Percom. You won't be disappointed.

Percom's double-density Z Controller for the H-89 is now available. Besides its many outstanding drive control features, the Z Controller includes a bonus parallel port that lets you directly connect your computer to a standard, off-the-shelf Epson MX-80, Okidata Microline 80 or other low-cost printer.

Controls up to four single- or double-headed mini-disk drives.
 Handles 35-, 40-, 77- and 80-track drives, and other standard track densities.
 Formatted data storage capacity of 80-track diskettes is over 368 Kbytes. Forty-track diskettes store over 184 Kbytes. Capacities for other track densities are proportional. A Z system with four double-headed, 80-track drives provides almost 3 megabytes of on-line data.
 The Z Controller co-resides with your H-89 disk drive controller. Your software can select either, and you don't have to move drives around when switching between systems.
 The Z Controller includes Percom's proven digital data separator circuit and a dependable write-precompensation circuit. Expect reliable disk operation for a long, long time under 'Z' control.
 The Percom Z Controller is priced at only \$249.95, complete with HDOS-compatible disk drivers on diskette, internal interconnecting cable and comprehensive users manual.

System requirements – H-89 Computer with 24 Kbytes memory (min), Replacement ROM Kit H-88-7 and HDOS 2.0.



PERCOM DATA COMPANY, INC. 11220 PAGEMILL RD. DALLAS, TX 75243 (214) 340-7081

Toll-Free Order Number: 1-800-527-1222

© 1981 PERCOM DATA COMPANY, Inc. PERCOM, ZFD-40 and ZFD-80 are trademarks of Percom Data Company. CP/M is a trademark of Digital Research Corporation.

Add-On Z Drives for H-89, H-8 Computers

• Forty- and eighty-track densities in either 1- or 2-drive modules.
• All drives are rated for single- and double-density operation. With a Z Controller, an 80-track drive can store over 364 Kbytes (formatted, one-side), a 40-track drive can store over 184 Kbytes.
• Some models permit "flippy" storage, letting you flip a diskette and store files on the second side. • Z drives are fully tested, including a 48-hour operating burn-in to prevent shipment of drives with latent defects. • Assembled and tested one-drive units from only \$399, two-drive units from only \$795.

System requirements – H-89 or H-8 computer with 16-Kbyte RAM, Heath first-drive floppy disk system, HDOS and drives interconnecting cable. (Two-drive interconnecting cable optionally available from Percom)

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

Watch for announcement of 'Z' CP/M.

zip	state phone number
street	
name	
	A COMPANY, Inc., Dept. 26 -B02 I. Dallas, TX 75243
Z Controller. Rus	b know more about Percom Z drives and the sh me free literature.

Pascal/Z NEW 41.0)

SYMBOLIC DEBUGGER

This fourth generation version of our reliable, Z-80 native code compiler adds the two features professionals ask for:

- ◆ SWAT™—an interactive symbolic Pascal debugger that allows easy error detection.
- ◆ Overlays—that allow larger programs to run in limited memory.

A compiler for Professional programmers

Pascal/Z is a true Pascal. It closely follows the Jensen and Wirth standard with a minimum of extensions designed to aid the serious program developer in producing extremely compact, bug-free code that runs FAST.

Pascal/Z generates Z-80 native code that is ROMable and Re-entrant. Permits separate compilation, direct file access, external routines and includes a relocating macro assembler and Microsoft compatible linker. And code written for Pascal/Z is fully compatible with I-PAS 8000, our new native code Pascal compiler for Z-8000, to guarantee graceful migration to 16 bit operation.

Get "The FACTS about Pascal"

Confused about which Pascal to buy?
Pseudo-code...Native code...M, MT or
Z? Compare the *unbiased* benchmarks
in our new booklet. Don't buy a Pascal
compiler until you've read it.

Call us for a free copy: 800-847-2088

(outside NYS)

or 607-257-0190

And ask your local full-service computer dealer about our Pascal/Z demo package.



Micros for bigger ideas.

Ithaca Intersystems Inc.

1650 Hanshaw Rd • Ithaca, NY 14850 • TWX 510 255-4346

U.K. Distributor:

Ithaca Intersystems (U.K.)Ltd.

Coleridge Road London N8 8ED Phone: 01-341 2447 Telex: 299568

Editorial_

Certainly one of the most engaging and innovative games produced in the last year or so is Timothy Smith's Olympic Decathlon, distributed by Microsoft Consumer Products (see page 74 of this issue). Not only are the graphics overwhelming and the idea clever, but the involvement of up to eight people in Decathlon's ten athletic events makes it a great party game. Even though only one or two people are actively participating at once, the game is interesting to watch, and everyone wants to see how the new player affects the cumulative ratings. Olympic Decathlon is the first true party game for microcomputers, but I'm certain it won't be the last.

Microcomputers and War Games

"War gaming," which usually calls to mind historical simulations with maps laid out on a hexagonal grid and plenty of cardboard playing pieces, is an area that is begging for the assistance of microcomputers. Many of us have tried war games and have balked at the hundreds of cardboard counters, the long and often unclear rule books, and the tedious resolution of combat through dice rolls and large tables. With microcomputers we can eliminate (or at least lessen) these problems; they can also do things never before possible with conventional war games.

Another advantage microcomputers can bring to war gaming is the ability to give each player only partial (or even misleading) information about troop positions and other aspects of the game. (This is in contrast with the complete information conveyed by having the game board and pieces in full view, as is done in most war games.) Microcomputer-based war games also provide a fairly intelligent enemy for solitary play.

Microcomputers are beginning to be taken seriously by war game producers. Several programs help ease the more tedious and time-consuming portions of existing war games; these do not replace the map-and-cardboard-counters game but are used to make play easier and faster. Avalon Hill, the company that started war gaming as we know it in the late 1950s, now offers a line of microcomputer games, some of which have military themes. Although these can't be called war games as such, Avalon Hill's entry into the microcomputer game market is important, and I'm sure that the company will make additional, more successful entries into the market.

Simulations Publications, Incorporated (SPI), which publishes the leading American war-gaming magazine, Strategy and Tactics, is also showing some interest in microcomputers. As this article is going to press, SPI is advertising for a microcomputer programmer/war-gamester for their staff. Their magazine on game design, Moves, occasionally contains microcomputer game reviews and speculations on the future of war gaming. (For people like me who can't get interested in historical war gaming, SPI also publishes Ares, a magazine that deals with science-fiction gaming. Like Strategy and Tac-



The PDS-80™ with Cache BIOS™ is a professional system designed for the most rigorous single user CP/M* environments...in business, software development, scientific, educational and industrial research... where speed and program space are critical factors.

SymBIOSis quadruples speed

No matter what high-level language you use ... Cobol, Basic, Fortran, PL/1, or Pascal... PDS-80 offers more speed, power and reliability than any other floppy based CP/M system currently on the market. The InterSystems Cache BIOS fully exploits the advanced DMA and interrupt features of our reliable Series II hardware to buffer whole tracks in extended memory so most operations run two to four times faster than on other floppy based systems...actually equals the speed of many small hard disk systems. And Cache BIOS also provides many sophisticated system test and protection features to assure reliable operation.

An advanced CP/M application system


PDS-80 has all you need for commercial systems integration and applications software development... including a choice of the industry's only integral 8 bit front panel. Best of all, PDS-80 allows the systems integrator or applications developer addressing a vertical market to develop on the same components he configures for resale. The highly expandable modular design with

20 slot S-100 mainframe allows almost unlimited options to suit any end use environment...including a choice of tabletop or rackmount design.

InterSystems will work with you at whatever level is appropriate to configure the target system you need ... right up to fully assembled and tested systems with floppy and Winchester disk drives.

Full software support

In addition to InterSystems' Cache BIOS and the CP/M operating



our highly acclaimed Z-80® native code Pascal compiler, and InterPak 80™, a special set of utilities including a powerful screen editor and versatile spelling editor to assist in the rapid editing, proofing and documentation of your code. These powerful programming aids are also available as standalone products.

It's upgradeable!

Both hardware and software are designed to provide for upgrade to 16 bit operation. Programs written for Pascal/Z are fully compatible with I•Pas 8000™, our Z-8000® native code compiler, and all PDS-80 systems are upgradeable to our 16 bit multi-user DPS-8000.

We build micros for bigger ideas.

Your big ideas. We're dedicated to providing the computer professional ... Systems Integrators, commercial program developers, scientific and industrial programmers... with professional hardware and software tools. And we support our customers to the fullest, with complete, professional documentation, application engineering consultation, and prompt, responsive service both from the factory and through factory-authorized service centers.

Call us toll free: 800-847-2088

for complete information on any of our 8 or 16 bit systems and software products.

Distributor Inquiries Invited

DODTOP STATEMENT OF THE PROPERTY OF THE PROPER

Circle 204 on inquiry card.

Micros for bigger ideas.

Ithaca Intersystems Inc. • 1650 Hanshaw Road • Ithaca, NY 14850 • Phone (607) 257-0190 • TWX: 510 255 4346 U.K. Distributor Ithaca Intersystems (U.K.)Ltd. Coleridge Road London N8 8ED Phone: 01-341 2447 Telex: 299568

tics, each bimonthly issue contains a complete game. SPI's address is 257 Park Ave S, New York NY 10010; Avalon Hill's address is 4517 Hartford Rd, Baltimore MD 21214.)

A very interesting computer war game is Chris Crawford's Eastern Front (1941), mentioned in this issue's "The Coinless Arcade," page 36. Apart from its excellent graphics, the computer automatically takes care of all movement and combat calculations—you just make your moves and await the consequences. Not only is this a lot more fun (for me, at least), but it also brings war gaming closer to the experiences of the generals who fought the original battles.

Mixed-Media Games

Using microcomputers to assist in playing a conventional war game reminds me of a new kind of game that is beginning to appear. The *mixed-media* game uses a microcomputer (or a hand-held unit with a microprocessor in it) to control or influence a board game of some sort.

Two new arrivals to the mixed-media format are Milton Bradley's Dark Tower and Mattel's Dungeons and Dragons. In Dark Tower, the microcomputer is housed in a black plastic tower that dominates the center of the board. It can be turned toward one player at a time to give exclusive information regarding the player's quest to retrieve a magic scepter. In Dungeons and Dragons, a microprocessor housed beneath a chess-like game board randomly generates a maze and gives players audible clues in their search for a dragon's treasure.

A third mixed-media game is of interest here because its microprocessor is in a unit that is closer to a full microcomputer. The Quest for the Rings is a board-and-cartridge game used with Magnavox's Odyssey² video game system. The Odyssey² system relies on interchangeable cartridges for video games but includes a touch-sensitive keyboard in standard typewriter layout. Although I've only seen the packaged unit in a store, I get the impression that most of the action takes place on the video display, while the board, a map of an imaginary world, is used to chart the game's progress. This is an exciting development because it combines a conventional board setting with the real-time action of a video game, complete with sound, color graphics, and the manual dexterity such a game requires.

In all these cases, the computer is more than simply a game aid—it is a unique part of the game that incorporates otherwise-impossible elements. The computer can supply an unknown intelligence that guides the game and can often adapt to players of varying skill, but it can also provide color, sound, graphics, and interaction through novel forms of input and output (eg: light pen, joystick, music synthesizer, etc).

There's no doubt that mixed-media games possess tremendous potential. As microcomputer game manufac-

turers keep striving for something new to offer the market, I'm sure we'll have computer-based board games in the next year or so. (Another reason these games will be attractive to manufacturers is that the necessary physical components of the game—board, playing pieces, rule book—make software piracy less attractive to the potential pirate).

What of the future? It's limited only by the imagination of inventors. I'm sure you've thought of an augmented video game that puts the player inside a "space capsule" and heightens the sensation of space flight by tilting or vibrating the capsule. An ambitious microcomputer hobbyist or club could build something like that. Laser videodiscs or videotape recorders could add even more realism. In games yet to come, you might be participating in scenes like those of Star Wars or Dragonslayer—who knows?

Such games are not far off. Rod Daynes of the University of Nebraska's Videodisk Design/Production Group is working on an adventure game that helps deaf children learn basic coping skills. In one such game, a child is asked to solve a mystery. Through the use of multiple-choice questions superimposed on the video display, the child is led through a decision tree of over 160 nodes. Each node is not merely a static picture—it's a moving image with sound!

A Call for Imagination

As I look at the stunning video games and new micro-computers that have even more capabilities than previous machines, I dream of the games we'll be playing two or three years from now. But is bigger and more sophisticated the only new direction we have? A good graphics game takes several months to write, and the complexity of the required effort discourages many of us from trying to write one. I've been working on an arcade-like game for several months now, and I feel that the satisfaction I'll get from seeing the game work is small compared to all the months of drudgery I've put myself through. In fact, I feel more like a project manager than a hobbyist.

Because of this, I think it should be said that *games do* not have to be complicated to be fun. Many people enjoy adventure programs, and the best ones are still text-only. But the problem is this: it's always easier to implement an existing idea than to create a new one.

This brings me to the BYTE Game Contest (see page 302). Here is a chance for you to share your creative efforts with the rest of our readers. Even if you have only a little time to spend on programming, you may come up with that simple but fun game that proves irresistible. Simple or sophisticated, the most important thing is "Be original!" We can't wait to see what you're going to come up with.

S-100 Fast-Aid.

Including 3 new boards for system design relief.

The MB64.

An economical, highperformance 64K static RAM memory.

Just what the doctor ordered. A new 64K static RAM configured as two 32K blocks that's fast (in excess of 6MHz), reliable and economical. The MB64 supports IEEE 696/S-100 24-bit extended addressing for up to 16MB of RAM. Bank switching permits compatibility with popular multi-user computer systems (such as CROMIX*). Up to 8K can be replaced with 2716 EPROMs. The MB64 offers low power consumption (typically less than 600 milliamps). And a provision for optional battery backup.

(The MB64 is priced at less than \$850.)

*CROMIX is a trademark of Cromemco, Inc.

The 108.

An I/O board featuring eight serial interfaces, individually programmable baud rates, and an interrupt clock.

Give your system fast-aid—including easier testing and speedier diagnosis—with SSM's new IO8. This board features eight asynchronous serial RS-232 I/O ports with LED data transfer indicators. Individually programmable I/O port baud rates (110-19,200) meet all your specific configuration requirements. A timer (50/60 Hz) supports real-time or multi-user applications.

And all our Fast-Aid boards offer:

- Card ejectors for painless card removal.
- LEDs for easy troubleshooting and monitoring.

The 105.

A two-serial/three-parallel I/O board with programmable timer.

The perfect remedy for fast system integration, more precise diagnosis, and far healthier system operation. The IO5 features two RS-232 asynchronous serial interfaces for maximum peripheral compatibility. The board supports a variety of devices with high-speed serial data transmission (110-19,200 baud). Three parallel ports, providing a total of 32 bits, support various I/O configurations: a 16-bit software programmable bi-directional interface, and two 8-bit interfaces. One 8-bit interface supports direct connection to Centronicscompatible printers. The other provides 8 bits of parallel input for such devices as keyboards. The IO5 also offers a softwareprogrammable timer for real-time or multi-user applications.




Baked Apple.

Last Thanksgiving, a designer from Lynn/Ohio Corporation took one of the company's Apple Personal Computers home for the holidays.

While he was out eating turkey, it

got baked.

His cat, perhaps miffed at being left alone, knocked over a lamp which started



a fire which, among other unpleasantries, melted his TV set all over his computer. He thought his goose was cooked.

But when he took the

Apple to Cincinnati Computer Store, mirabile dictu, it still worked.

A new case and keyboard made it

as good as new.

Nearly 1,000 Apple dealers have complete service centers that can quickly fix just about anything that might go wrong, no matter how bizarre.

So if you're looking for a personal computer that solves problems instead of creating them, look to your authorized

Apple dealer.

You'll find everything well-done.

The personal computer.



SERVICE

Letters

Benchmark Flawed

Ithaca Intersystems Inc is the vendor of the Pascal/Z compiler. We have just received a copy of the September 1981 BYTE and are quite concerned with Mr Jim Gilbreath's article "A High-Level Language Benchmark" (see page 180). Since we have no basis for comparison of other high-level languages, we do not dispute Mr Gilbreath's results in benchmarking these, but we do wish to criticize his testing of Pascal implementations.

First, Mr Gilbreath could not have run the Pascal program given in his article under Pascal/Z because it uses the nonstandard FILLCHAR construct, which we did not implement in Pascal/Z as it is not part of either the Jensen and Wirth definition of the language or of the proposed International Standards Organization standard. We have seen this program before in a benchmark performed and publicized by MT Microsystems. We feel that the use of this program, when taken with the "special thanks" to Mike Lehman, the author of Pascal/MT+, cannot by any stretch of the imagination be viewed as objective. If you are testing a high-level language compiler against other implementations of the same language, it seems only fair that the program tested under each implementation is identical to that tested under the others.

Second, no information is given regarding testing conditions. Most compilers offer a number of checking features that have varying defaults. Mr Gilbreath gives extremely little specific information regarding the status of these options.

Third, no version numbers are given for any of the software except BD Systems' C.

Fourth, Mr Gilbreath fails to mention that not all of the implementations he tested were true compilers. Several were p-code versions that require an interpreter. Additionally, the Pascal Microengine and Pascal 100 are machines that accept p-code as their native "assembly language."

Fifth, our company was not included in the vendor address list on page 198, although most other software vendors (and all other microcomputer software vendors) mentioned in the article were.

We feel that one test does not constitute a benchmark. We have spent a great deal of time conducting our own benchmarks on our compiler and on MT Microsys-

tems' Pascal/MT+. The results prove that our product is far superior to MT+, which we consider to be our closest competition. Copies of these reports are available to the public.

In conclusion, we would like to quote from a letter we received recently from Mr Peter Grogono, author of Programming in Pascal (Reading MA: Addison-Wesley, 1978). He is a Pascal/Z user:

... I am very pleased with Pascal/Z and have used it extensively in my recent work. To the best of my knowledge, it is the highest quality Pascal compiler available to users of microprocessors. . . .

We welcome questions from BYTE and its readers because we are very anxious to dispel the negative effects of Mr Gilbreath's article.

Laurie Hanselman, Software Products Manager Ithaca Intersystems Inc 1650 Hanshaw Rd, POB 91 Ithaca NY 14850

Jim Gilbreath Replies:

There has been a surprising amount of interest shown in the benchmark article. I have received at least 30 telephone calls and so many letters that it is beyond my ability to respond to each individually. So far, all the letters but Ithaca Intersystems' have been complimentary and many have supplied additional timing data on other languages and computers, such as the CRAY-1 supercomputer, that I did not test.

In the article, I was careful to point out (on page 198): ". . . to the software suppliers who are upset because I didn't use the latest and greatest version, I apologize: I had to use what was available." My article was not a commissioned assignment for BYTE. It was simply a computer experimenter's report of his experiences collecting data in a "fun" project for presentation at the local computer club. The data were collected over a ninemonth period whenever an opportunity presented itself. It was another seven months before the article appeared in BYTE.

Much of the data was obtained in computer stores and in conference exhibition environments before I ever thought of writing a magazine article. Pascal/Z was

PERCON

Quality Percom products are available from the following authorized Percom retailers. If a retailer is not listed for your area, call Percom toll free at 1-800-527-1222 for the address of a nearby retailer. or to order directly from Percom.

or to order directly from Fercom.				
MICROCOMPUTER SYSTEMS, IN	ANSAS	(501) 623-5209		
ARIZ	ZONA			
SIMUTEK	Tucson	(602) 886-5880		
ALPHA BYTE STORES BERKELEY MICRO COMPUTERS COMPUTER INFORMATION EXC	Calabasas Berkeley	(213) 883-8594 (415) 848-7122		
	San Luis Rey	(714) 757-4849		
COMPUTER SERVICE CENTER DESMAR ELECTRONICS	Hollywood Santa Clara	(213) 851-3434 (408) 988-2208		
HOBBYWORLD	Northridge	(213) 886-9200		
COLO	DRADO			
MICROCOMPUTER APPLICATIO	NS Denver	(202) 000 6410		
	F COLUMBIA	(303) 922-6410		
THE PROGRAM STORE	Washington RIDA	(202) 337-4691		
EN-TRON, INC.	Largo	(813) 586-5012		
MICROCOMPUTER CONSULTAN	Ormond Beach	(904) 673-5787		
MICROSYSTEMS SOFTWARE, IN	IC. Hollywood	(305) 983-3390		
	RGIA			
DAVIS SYSTEMS, INC.	Atlanta WAII	(404) 634-2300		
COMPUTER CENTER	Honolulu	(808) 488-2171		
OFFICE MAGIC COMPUTERS	AHO Boise	(208) 376-4613		
ILLIN	NOIS			
GARCIA & ASSOCIATES KAN	Chicago	(312) 782-9750		
BESCO ELECTRONICS	Shawnee	(913) 268-7633		
CARDENS, INC.	Hutchinson	(316) 669-8261		
COMPUTER MAGIC	Louisville	(502) 893-9334		
MASSACI		16171 OF 1 4500		
OMNITEK MARY	Tewksbury LAND	(617) 851-4580		
DAMASCUS RADIO SHACK MICH	Damascus	(301) 253-2101		
ALTERNATE SOURCE	Lansing	(517) 487-3358		
THE CODE ROOM MINNE	Eden Prairie	(612) 934-1826		
LEMBERGER CO.		(314) 422-3353		
SOFTWARE CENTER	Vienna Florissant	(314) 838-7755		
COLUMBUS TV NEBR		(400) 564 5521		
CURTRONICS	Columbus Lincoln	(402) 564-5531 (402) 423-7771		
HARDSIDE NEW HAM		(000) 050 1700		
NEW JI	Milford ERSEY	(800) 258-1790		
CHANNEL 1 RADIO SHACK NEW M	Medford	(609) 654-7454		
AUTEL ELECTRONICS	Albuquerque	(505) 255-6451		
PCS COMPUTER NEVA	ADA Las Vegas	(702) 870-4138		
NEW Y	ORK	(702)870-4138		
H & E COMPUTRONICS 80 MICRO COMPUTER SERVICES	Spring Valley	(914) 425-1535 (518) 235-9007		
MICRO 80 SYSTEMS	Brooklyn	(212) 748-3236		
STONY CLOVE OHI	New York City	(212) 391-8337		
FELDMAN ENTERPRISES	Akron	(216) 724-5583		
JERRY'S COMPUTER PENNSYI	Cleveland LVANIA	(216) 641-6719		
ADVANCED MECHANIZATION	lvyland	(215) 672-9000		
COMPUTER ANALYSTS SUNRISE ELECTRONICS	New Brighton	(412) 846-9323		
TENNE	-	(717) 264-8214		
COMPUTER WORLD, INC.	Nashville	(615) 255-8330		
TEX				
ACCESS UNLIMITED	Richardson	(800) 527-3475 (214) 690-0206		
COMPUTEX	Webster	(713) 488-8022		
QUALITY SOFTWARE TEXAS COMPUTER SYSTEMS	Dallas Brady	(214) 484-2976 (915) 577-2931		
MICRO MNEMONICS	Н			
WASHIN	Sunset GTON	(801) 298-6809		
COMPUTER SERVICES	Kennewick	(509) 582-9759		
BYTE SHOP MILWAUKEE	NSIN Greenfield	(414) 281-7004		
FINAMORES	Marshfield	(715) 384-9610		
FOREIGN DEALERS				
AUSTRALIA DICK SMITH ELECTRONICS P.O. Box 321 North Tyde NSW 2113				
CANA	NDA	ryde NSW 2113		
VALERIOTE AND ASSOC.	Guelph Ontario			
MEXI	Surrey B.C.	(604) 576-1045		

CIBERMATIC, S.A. Mexico
COMPUTADORAS Y ASESORAMIENTO

CIBERMATIC, S.A.

Rio Panvco 14 Mexico 5 D.F



Disk Storage: It's No Place to Compromise.

dependable disk system means everything to the highperformance operation of your computer. At Percom, we know this. And we do something about it.

For example, the connectors on our TFD drive systems are gold plated.

Why? Because solder-plated contacts oxidize, forming an insidious insulation that can cause erratic operation. And then total failure.

Gold-plated connectors are just one way we make better drive systems than the competition.

Now #1 for the Model III

Quality Percom TFD drives provide more features, cost less. Add-on drives start at only \$439.00. Complete First-Drive Systems start at only \$749.95. Features: "Flippy" Capability — Record your

programs and data on either side of a diskette. Greater Storage Capacity -Store 180 Kbytes — formatted — on one side of a 40-track TFD drive. Store over twice as much on a TFD 80-track drive. Think Megabytes — Your TFD drive controller will handle up to four drives. You can access almost 1.5 million bytes of on-line program and data files. Either Add-in or Add-On — Your TFD First Drive System can be either internal (add-in) or external (add-on). In either case, you get a complete system including the disk controller, drive, power supplies and disk-operating software. BASIC-Language DOS — Included on diskette with each First Drive System is Percom's OS-80/III™. This easy-to-use disk-operating system loads into 7 Kbytes of RAM and then frees the drive for other use. With OS-80™ programs, you can have full, read-write interchangeability between Model I and Model III diskettes. Or Model III TRSDOS* TFD 40track drives work with Tandy's Model III TRSDOS, without modification. For 80track operation, TRSDOS can be easily

Plug a DOUBLER™ in your Expansion density disk storge capacity as Model III owners. Included with each DOUBLER is a TRSDOS compatible double-density disk-operating system. DOUBLEZAP programs are available for upgrading other popular DOSs for DOUBLER operation. And our double-density version of OS-80[™] costs just \$49.95.

Of course you don't have to upgrade your Model I for double-density operation to use Percom disk drives. But it's nice to know you can.

Percom TFD drives for the TRS-80* Model I are available in 40-, 77- and 80track versions, in 1-, 2- and 3-drive configurations. Prices start at \$399.00.

System requirements: Model III TFD drives work with a 16-Kbyte system (min) and Model III BASIC. The initial drive must be a first-drive system. An optional interconnecting cable is available for expanding with external drives #3 and #4. Model I TFD drives work with a 16-Kbyte system (min) equipped with an Expansion Interface, Level II BASIC and DOS software, and an interconnecting cable. Twoand four-drive interconnecting cables are available from Percom

the best for my TRS-80 computer.

Percom products.

Send me free literature about quality

MAIL TODAY!

. . I'd like to know more about

phone number

☐ Model II ☐ Model III modified with diskette patches supplied. PERCOM DATA COMPANY, Inc., 8-B Still #1 for the Model I 11220 Pagemill Rd. Dallas, TX 75243 To order products, or for the name of your authorized Percom retailer, call toll free: Besides greater storage capacities, more quality control measures and lower pri-1-800-527-1222 ces, all Percom Model I drives are rated for double-density operation. Interface and enjoy the same double-

PERCOM DATA COMPANY, INC.

11220 PAGEMILL RD. DALLAS, TX 75243

(214) 340-7081

"trademark of Percom Data Company, Inc. *trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company.

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

tested using an early version in a computer store, and I am certain Ithaca Intersystems now has a greatly superior model. As I recall, it was necessary to assemble the entire library along with the compiled code on that version. I was unable to run the benchmark on a later version of Pascal/Z at Ithaca Intersystems' booth at the Anaheim National Computer Conference exhibit.

There were several slightly different versions of the benchmark program in all of the languages, but only one was printed for each case to save space. FILLCHAR was used in Pascal/MT+ because it was there and it corresponded to the ARYSET function in the ZSPL language that was used as the teaching tool. Other Pascal versions used a FOR statement. The difference was not major (e.g., about 3 seconds for MT+).

This program has been used in benchmarks publicized by MT Microsystems and also Digital Research, as Miss Hanselman indicated. But they copied it (with permission) from me, not the reverse. The "special thanks" given to Frank MacLachlan, Mike Lehman, and Pete Ridley referred to their encouragement to submit the data for publication following the computer society meeting and to their help in obtaining some of the assembly-language timing data on processors such as the 68000. I must respectfully disagree with the contention regarding loss of objectivity.

I regret that I cannot say what specific version of Pascal/Z was used. It was tested well over a year ago, and I am guilty of forgetting to write down the version number. There are several other in-

stances where data are missing that could have been collected with more time available on the system. It is indeed unfortunate that Pascal/Z's options default to ON, because I used the products pretty much as they "came out of the box."

I agree with Miss Hanselman's point that the Microengine and the Pascal 100 are hardware interpreters. In response to Ithaca Intersystems not being mentioned in the list of vendors, the list was added by the BYTE editors, and I only supplied the addresses I was asked for. Regular BYTE advertisers, such as Ithaca Intersystems, were supplied by the editors.

I am sorry if my article has damaged Ithaca Intersystems' market. That was not my intent, but I did point out at the beginning and the end of the article that one benchmark does not tell the whole story.

Oll Drilling: Nyet

Readers of the September 1981 BYTE may be interested in the following secret communication regarding artificial intelligence.

General Petr Ivanovich Ivashutin Glavnoe Razvedyvatelnoe Upravlenie Dzerzinsky Square Moskva

Comrade,

Important info about British North Sea oil-drilling platforms. September 1981 BYTE, page 262, reports that one Donald Michie is working on artificial intelligence program "to diagnose operating problems on North Sea oil platforms" (see "Knowledge-Based Expert Systems Come of Age," pages 238281). Same BYTE issue reports on page 200 (see "Science Fiction's Intelligent Computers," pages 200-214) about "an article in Scientific American that describes how to teach a matchbox to play tic-tac-toe." Diligent search reveals that mentioned article is Martian Guarder's column 'Mentalmagical Games" in the March 1962 Scientific American, page 138. Note good that creator of matchbox tic-tac-toe is same British genius Donald Michie ("Trial and Error," Penguin Science Survey 1961, vol. 2) as is hopping around North Sea oil platforms, Donald Michie easy to spot, is always carrying 300 coded matchboxes filled with rattling colored beads.

Conclusions: British is not drilling for oil in North Sea, but rather is playing huge tic-tac-toe game with oildrilling platforms.


Yours,


Boris Goofitup

PS: Above correlation discovered by using Knowledge-Based Expert System on Moskva Center supplied 1-bit parallel processor. Please requisition "carry bit" circuit as I getting aching eyes watching for overflow bit.

This message was intercepted in early September on a Drake short-wave receiver using a tracking variable-frequency detector and a Fast Fourier Transform speech desynthesizer.

Dr John E Shively 404 Plymouth Court Benicia CA 94510





PASCAL PROGRAMS for Scientists and Engineers

by Alan R. Miller

Here is a comprehensive collection of frequently used algorithms for scientific and technical applications programmed in Pascal. This time-saving book includes programs for curve fitting, approximations, random number generation, integrals, statistical techniques and more.

250 pp., 80 illustr., Ref. P340 \$16.95 paper \$29.00 cloth

BASIC PROGRAMS for Scientists and Engineers

by Alan R. Miller

This is the second book in the SYBEX Programs for Scientists and Engineers series. It presents a comprehensive set of important scientific algorithms, and their BASIC implementations. The programs can be run on most BASICs; any implementation differences are described and clearly analyzed.

275 pp., 120 illustr., Ref. B240 7" × 9", \$14.95 paper

Circle 400 on inquiry card

	P	LEASE SEND	ME BAS	IC PROGRA	MS for Sc	ientists and	Engineers
--	---	------------	--------	-----------	-----------	--------------	-----------

PACCAL	DDOCDAMC	Inv Calantinta	and Englasses
LIPASCAL	PHUGHAMS	for Scientists	and Engineers



NAME		D	SEND ME YOUR FREE	CATALOG
CITY	S1	ATE	ZIP	BOOKE
ADD S1.50/book UPS or 75¢/bo	ook 4th class mail		k overseas airmail (CA EMY 🗆 VISA 🗆 MC	SEASON STORY
CARD NO	EXP.	DATE		
SIGNATURE				62 48 FEE



SOFTWARE FREE OFFER

WITH PURCHASE OF ANY 3 PROGRAMS, YOU WILL RECEIVE FREE THE ORIGINAL ADVENTURE GAME, CONVERTED TO LOAD ENTIRELY INTO 48K RAM ON APPLE. NOTHING LEFT OUT. AMAZING!

Capple

SOFTWARE

0,	0.		, 41 the
Adventures #1, 2, 3	39.95	WOW	\$32.50
Adventures #1, 2, 3	39.95	NOW	\$32.50
Adventures #7, 8, 9	39.95	MOM	\$32.50 \$32.50
☐ Project Omega	24 95	NOW	\$19.50
☐ Pro Picks	24.95	NOW	\$19.50
☐ 16K Expansion Card\$1	195 00	NOW	\$149.50
Hodge Podge (age 2/5) Teacher's Pet Temple of Apshai	23.95	NOW	\$21.50
☐ Teacher's Pet	15.95	NOW	\$14.50 \$32.50
Hellfire Warrior	39.95	HOW	\$32.50
Crush, Crumble and Chomp.	29.95	NOW	\$24.50
☐ Book of Apple Software	\$19.95	NOW	\$15.50
Apple Panic	\$29.95	MOM	\$24.50
☐ Raster Blaster	\$29.95	MOM	\$26.50 \$22.50
Alien Typhoon	\$24.95	NOW	\$22.50
Crush, Crumble and Chomp. Book of Apple Software Apple Panic. Raster Blaster Alien Rain (Galaxian) Alien Typhoon Snoggle (Puckman) Space Warrior HEAD ON Fantasyland 2041 Bridge 2.0 Uttima	\$24.95	NOW	\$22.50
☐ Space Warrior	\$24.95	NOW	\$20.50
☐ HEAD ON	\$24.95	MOM	\$22.50
Bridge 2.0	\$39.93 \$31.05	NOW	\$52.50 \$19.50
Ultima	\$39.95	HOW	\$34.50
☐ Home Money Minder	\$34.95	NOW	\$29.50
Compu-Math Arithmetic	\$49.95	MOM	\$39.50
☐ Compu-Math Fractions	\$39.95	NOW	\$33.50 \$33.50
Algebra 1	\$39.95 \$30.95	NOW	\$33.50
Home Money Minder Compu-Math Arithmetic Compu-Math Fractions Compu-Math Decimals Algebra 1 Spelling Bee The Prisoner	\$29.95	NOW	\$25.50
☐ The Prisoner	\$29.95	NOM	\$25.50
☐ Sargon II (chess)	\$34.95	NOW	\$29.50
☐ Sargon II (chess)	\$34.95	NOW	\$29.50 \$245.50
Sup'R' Terminal 80 Col\$		NOW.	\$309.50
☐ Memorex 3401 Box of 10	\$45.00	NOW	\$24.50
☐ Word Star\$	375.00	NOW	\$275.50
☐ Z-80 Softcard With CP/M\$: ☐ Robot Wars	399.00	NOW	\$299.50
12" Hi-Res Green Mon \$1	285 00	WOW	\$34.50 \$236.00
A.B.M.	\$24.95	NOW	\$22.50
Lastie Worrenstein		MOM	\$25.50
☐ Mission Asteroids	\$19.95	NOW	\$17.50
☐ Mystery House	\$24.49	NOW	\$21.50
☐ Wizard and the Princess ☐ Cranston Manor ☐ Pegasus II		WOM	\$29.50 \$29.50
Pegasus II	\$29.95	NOW	\$25.50
☐ Hi-Res Football	\$39.95	NOW	\$34.50
☐ Hi-Res Soccer	\$29.95	NOW	\$25.50
☐ Soft Porn Adventure		NOW	\$25.50 \$19.50
Zork	\$39.95	NOW	\$33.50
Gobblers Zork Visicalc 3.3 \$ Magic Wand 80 Column Fastgammon	199.95	MOW	\$169.50
Magic Wand 80 Column\$	395.00	NOW	\$289.50
☐ Falcons Fastgammon	\$29.95	MOM	\$25.50 \$20.50
☐ International Grand Prix	\$29.95	NOW	\$25.50
☐ Space Eggs	\$29.95	NOW	\$24.50
Orbitron	\$29.95	NOW	\$24.50
☐ Orbitron	\$29.95	HOW	\$24.50 \$28.50
□ Pulsar II	\$29.95	NOW	\$24.50
☐ Autobahn	\$29.95	NOW	\$24.50
Autobahn Sneakers Galactic Attack Magic Window Word Proc. IFO Database Manager. \$ D-B Master. \$		NOW	\$24.50
Galactic Attack	\$29.95	MOM	\$25.50
☐ Magic Window Word Proc ☐ IFO Database Manager\$	120.00	WOW	\$84.50 \$99.50
D-B Master\$	229.00	NOW	\$189.50
☐ The Warp Factor	\$39.95	WOM	\$33.50
☐ Flight Simulator	\$33.50	NOW	\$29.50
Pro Football Pt. Pred	\$26.95	NOW	\$22.50
☐ Win AT The Races	345.00	WOW	\$34.50 \$279.50
☐ Multiple Regression	\$29.95	NOW	\$25.50

* SEND FOR FREE PRICE LIST & CATALOG *

DEDUCT 3% IF PAYMENT ACCOMPÁNIES ORDER. WE PAY SHIPPING AND IF YOU PHONE YOUR ORDER WILL CREDIT \$1.00 FOR CALL. CALIFORNIA RESIDENTS ADD 6% SALES TAX. ALL ORDERS SHIPPED FROM STOCK WITHIN 48 HOURS. WE ACCEPT MASTER CARD AND VISA. C.O.D.'S ADD \$5.00.

★ 518 E. ECHO CT., SAN BERNARDINO, CA 92404 PHONE ORDERS (714) 886-0761

Knowledge, Ethics, and Piracy

I was not moved to respond to Chris Morgan's editorial on software piracy (see "How Can We Stop Software Piracy?" May 1981 BYTE, page 6), but having read the wave of letters in the September 1981 BYTE, I feel one point of view has been missed.

A few hundred years ago, before printing was invented, bands of monks painstakingly copied manuscripts by hand to pass knowledge and learning to others. These documents were closely guarded and available only to the rich. "Education" existed only in these monasteries and for the elite.

After the invention of the printing press with movable type, books became less expensive and easier to duplicate. Learning filtered down to the "middle classes."

Somewhere in our social development we realized that the impoverished masses had not received the benefits of learning, and the free lending library evolved.

The author of a novel gets paid by the publisher, who happily sells to both the bookstore and the library. If I own a book and a friend wants to borrow it, I lend it and, in so doing, deny the publisher a sale. Society does not condemn either of these actions. But the authors of software would have us believe these acts are felonies when extended to their product. Our attitude toward literature is mature, but our feelings are "monastic" toward software.

Of course, there is a distinction. When a book is borrowed, the recipient has temporary use and returns the original. No copy is made. If it is a reference book, the user may buy his or her own or copy a few pages. One is more likely to purchase paperbacks than to make copies.

Extending this analogy then, what is needed are plentiful, inexpensive libraries of software for the impoverished masses to borrow and return. Couple this with inexpensive originals, analogous to paperbacks, and the problem could be solved.

Martin Oakes 2100 Oriole Dr Freeport IL 61032

There have been many discussions recently in BYTE regarding the problem of program theft. In many jurisdictions this theft becomes a felony because of the value of the product stolen.

In the discussions regarding this problem, the primary thrust seems to be technological means to render theft extremely difficult. But it seems to me that the primary cause is of a social nature. For at least two decades, the philosophy that crimes against property—i.e., crimes that do not physically harm people—are of no consequence has been part of the changing social fabric of this and other nations.

The most effective solution to this problem would be a demand that the educational establishment return to the traditional teaching of morals, ethics, and responsibility that prevailed prior to the embracing of what is now proven to be a fallacious theory. *All* crimes do hurt *all* people.

By concentrating only on technological solutions to complex problems that involve social aspects of the world in which we live, we technologists do ourselves and the general population a disservice.

Finally, it seems to me that BYTE might well emulate *Quality* magazine by inviting commentary from social scientists as was done in its September 1981 issue.

Walter D Nichols, President YES Computer Sciences Inc 3090 Acushnet Ave New Bedford MA 02745


More Intelligent Computers

I'd like to comment on Donald Byrd's article "Science Fiction's Intelligent Computers." (See the September 1981 BYTE, page 200.) I have been a science fiction fanatic for most of my life and am especially interested in computer-related stories.

I credit my interest in computers and science fiction to one story that Mr Byrd overlooked, "The Moon Is a Harsh Mistress," by Robert Heinlein. This story is possibly the earliest tale of its type. Heinlein is vague about the origin of the intelligence (named "Mycroft," after Sherlock Holmes' "Smarter Brother"), but he is quite accurate about its capabilities. I'm surprised that Byrd did not mention it.

In Byrd's subsection called "The Adolescence of P-1," he does not mention that Greg Burgess endows P-1 with two very human emotions: fear and hunger. Hunger is the "primary" emotion, being the quest for more and more storage. The fear element is that P-1 constantly looks to see if it has been detected. I would credit these emotions as responsible for

MOUNTAIN MUSIC AINT WHAT IS E TO BE



MUSICSYSTEM" FROM MOUNTAIN COMPUTER.

MusicSystem generates the sound of any musical instrument—real or imagined! Solo or sextet. Rock or classical. Laid-back or loud. At home, the concert hall, or the classroom. MusicSystem sets new standards for computer generated music.

- Works in your Apple®.
- Digital Synthesizer with 16 voices.
- Stereo output.
- Polyphonic—multivoice chords and note sequences.
- Additive synthesis of instruments.
- Waveforms are fully programmable for each voice to create instrument definitions and music dynamics.
- 35Khz sample rate.
- Frequency resolution is .5Hz steps.
- Graphical input of sheet music with a graphics printer.
- Complete software operating system.
- Graphical music editor using light pen (provided), game paddles, or keyboard.

- Pre-entered music provided for immediate playing and enjoyment.
- Thorough documentation and tutorial user's manual.
 Drop by your Apple® Dealer and ask to hear "Mountain Music" for yourself.

NOW ONLY \$395.00

suggested retail



Mountain Computer

300 El Pueblo, Scotts Valley, CA 95066 TWX: 910 598-4504 [408]438-6650

The word "Mountain" in Mountain Computer and the logo are trademarks of Mountain Computer Inc.

Apple is a Trademark of Apple Computer, Inc.





Did you know that with the new

UCSD*

P-SYSTEM WERSION IV

you can write programs in



and run them on

ALTOS, APPLE, COMMODORE, CROMEMCO, DEC, IBM, INTERTEC, PHILIPS, OHIO SCIENTIFIC, RADIO SHACK, TERAK, TEXAS INSTRUMENTS, VECTOR GRAPHIC, XEROX, ZENITH, and many more...

without change!

(Think about that next time you want a larger market)

We support systems software and applications ready-to-run on APPLE, DEC LSI-II‡, RADIO SHACK MODEL II§ and ALTOS.

PCD SYSTEMS P.O. Box 143 Penn Yan, NY 14527 315-536-3734

‡TM Digital Equipment §TM of Tandy Corp. *TM U. of California

Letters.

P-1's development of intelligence. One thing to note is that P-1 was written in PL/I, and 800,000 lines of code (Byrd's figure) in PL/I can go a long way.

Some other works that contain intelligent computers are the book *Man Plus*, by Fred Pohl, and the movies *Colossus: The Forbin Project* and *Demon Seed*.

All in all, Mr Byrd wrote an excellent article for an excellent magazine.

Dana W Cline 4725 S Lowell #18 Littleton CO 80123

No Mincing of Words

Thank you, BYTE and Christopher O Kern, for a factual, straightforward review of the MINCE text editor. (See "MINCE, A Text Editor," September 1981 BYTE, page 150.) In response to earlier suggestions from users, MINCE 2.6 now runs the redisplay three to five times faster than the version that was reviewed and found to be flawed in this respect.

Additionally, source code (in C) is now included with MINCE. The price has been changed to \$175.

Brian N Hess Mark of the Unicorn POB 423 Arlington MA 02174

One Club Too Many

Somehow our organization has been erroneously listed in BYTE as being a computer club. I'm not sure of how or why this happened, but we get several calls and letters per month of inquiry.

Culpepper and Associates is a management-consulting organization that supports vendors of large software products. While we publish a newsletter, Salt 'n' Pepper, it would not be of interest to BYTE readers and we provide no services that the typical reader of BYTE would be interested in.

Warren L Culpepper, President Culpepper and Associates Inc 4922 Heatherdale Ln Atlanta GA 30360

Indexing Your BYTEs

As a professional small-computer user, I find BYTE magazine a source of varied technical and product information, as it is intended. Unfortunately, accessing a particular article can be quite a chore when I need to refer to a large stack of BYTEs. It would certainly enhance the magazine if a cumulative index extending back 48 months were to be provided. An ideal example of this can be found in Consumer Reports magazine, published by Consumers Union, Mount Vernon, New York.

It would be helpful if a code could be added to each article title indicating the computer and programming language referred to in the story. It would also be great if the programs listed in BYTE were available on tape or disk at a nominal charge.

Gary Oppenheimer 79th Street Boat Basin, #39 New York NY 10024

We have received many requests similar to yours. As a result, we present a cumulative index to BYTE in this issue. Unfortunately, producing tapes and disks in the myriad formats in use today is an expensive proposition; however, we do encourage authors to attempt to provide this service for our readers. . . . CPF

BYTE's Bits

National Leaves Bubbles Behind

National Semiconductor Corporation is withdrawing from the bubble-memory business. According to Charles E Sporck, president and chief executive officer, the move comes because of a period of slow semiconductor business activity. To keep spending in line with sales, and because the bubble-memory business is not projected to reach previously anticipated levels, National is discontinuing production of bubble-memory devices. Fortunately for users of National devices, Motorola will make bubble-memory parts using National's specifications.

Earlier this year, Rockwell International and Texas Instruments gave up on bubble memory, citing similar reasons. At this point, Intel Corporation and Motorola are the sole American bubble-memory manufacturers.

Peachtree Software says, Pardon us for being so-

Did you know that the peach, that delicious and succulent fruit borne on a drupiferous

tree, is an indehiscent fruit? In fact, the peach is classified as being "fleshy indehiscent." Perhaps that's why most peaches seem to be blushing.

ing about being indehiscent. (Sorry, fellas.) It simply means that the

Actually, there is nothing naughty or reveal-

peach doesn't burst open when it is mature. And that's nice. It certainly makes harvesting a lot less messy.

oo many software users go all to pieces. And it's easy to understand why. Even the most mature individuals can come apart at the seams, trying to master the variety of different instructional formats with off-the-shelf software. Peachtree Software's documentation and user manuals are so simplified that it's downright indehiscent! With the same easy-to-use format package after package -you'll eat 'em up like peaches and cream. And that, in turn, will do wonders for your nervous system.

ide variety of packages, all from the same Tree. The "one source" advantage becomes increasingly important as you expand your system. And the Tree is loaded with a great variety of time-tested business software. Here's just a sample. Magic Wand TM - With this extremely popular word processing system, a minimum of commands perform basic functions. It's remarkably easy to use, and enhanced by Peachtree Software for reliability. Now you can add the Magic Spell TM "dictionary" with up to 20,000 words, the first in a whole new series of "Magic" packages.
Sales Tracker TM - is our most

comprehensive product -a sales order processing system that could well be the most sophisticated microcomputer software ever developed. It has the power of AN-



The Very Best "Off-The-Shelf" Software Is "Off-The-Tree."

SI/COBOL and floppy or hard disk support. User-selectable options put the sales manager in complete control of his lifestream activities.

Peachtree Series 5 is an all new generation of BASIC General Accounting packages, with General Ledger, Accounts Receivable, Sales Invoicing, Inventory Management, Accounts Payable and Payroll. It includes such user-requested features as: The capability to access and update, simultaneously, both the Accounts Receivable and Inventory data files. Hard disk capacity. Installation guides. Expanded data and report capability.

The Peachtree Series 40 is adapted for the Apple II *'s standard 40-column screen and singledensity 51/4-inch disk drive, using the SoftCard TM from Microsoft ** The series includes General Ledger, Accounts Receivable, Accounts

Payable, Inventory, Mailing List, Payroll, and Magic Wand.

t takes time to grow a tree and we've been in the business ever since microcomputers started springing up in homes and businesses all across America. So our software systems are time-tested and userfeedback refined. You can't rush the development process. Only time and experience make it possible. That's why Peachtree business software is the most reliable and comprehensive available today. Weeds and bushes appear overnight in a new "field," but more and more software users know - You can trust the Tree!

Trust the Tree for Unsurpassed Documentation, rated the very best, every time, for simplicity, accuracy and completeness. For Feature-packed Systems -our years of experience give us the advantage, and we pass that advantage on to you with advanced features utilizing the latest hardware technology. And you can be sure that all our Peachtree Software packages are very carefully designed by our staff of 50 plus to be just as indehiscent as we can possibly make. them!

That's why there are over 20,000 Peachtree Software packages in use today. To join them, see your nearest dealer or call 1-800-835-2246 Ext. 35. In Kansas, call 1-800-362-2421 Ext. 35.



The Very Best "Off-The-Shelf" Software Is "Off-The-Tree."



PEACHTREE SOFTWARE, 3 Corporate Square, Suite 700, Atlanta, Georgia 30329 (404) 325-8533 Telex II: 810-751-0273 PEACHTREE ATL Peachtree Software, Magic Wand, and Sales Tracker are trademarks of Peachtree Software, Incorporated. **Microsoft is a trademark of Microsoft Consumer Products, Inc. *Apple II is a trademark of Apple Computer, Inc.

Software Review

Robotwar

Curtis Feigel, Technical Editor

"Welcome to the battlefield of the future!" seemed to me a rather ominous greeting. I had opened the Robot-war instruction manual expecting to educate myself about robots through experimentation. Instead, I was reading about sometime after the year 2002 AD, when international conflicts are resolved through robot warriors. In addition to its gaming aspect, Robotwar provides those interested in robotics with an off-the-shelf simulation for developing practical robot software when no robot actually exists.

Robotwar falls into the realm of multimachine games, where the computer is not an adversary but a vehicle for two or more humans to compete in a manner that would otherwise be impossible. (You certainly couldn't build an armored computer on tracks and program it to fire explosive shells for \$39.95.)

Games for More Than One Person

In "Multimachine Games" (see the December 1980

At a Glance _

Name Robotwar

Type Programming game

Manufacturer Muse Software, Inc 330 N Charles St Baltimore MD 21201 (301) 659-7212

Price \$39.95

Format 5-inch floppy disk for both Apple DOS 3.2 and DOS Language Applesoft BASIC

Computer
Apple II with 48 K bytes of memory and Applesoft ROM

Documentation 75-page booklet

Audience
People interested in programming or robots

BYTE, page 24), Ken Wasserman and Tim Stryker identified three factors that make games fun:

- More than one human player is involved.
- Success in the game hinges on proper application of available information.
- The major constraints are not the game rules but the player's fleetness of mind and hand.

Like football and some other popular sports, Robotwar embodies all three quite fully.

As many as five robots can be placed in the Robotwar arena simultaneously; each robot is identical but for the program you provide. The arena is a 256 by 256 meter square with impregnable walls; spectators view from above. The game's main menu (see photo 1) allows the user to start a battle, schedule a series of matches, and edit and test a robot's program. While the robot is in the arena, its program is in complete control. There is nothing you can do but watch from above.

Perhaps the most remarkable aspect of this game is that, unlike chess, playing against yourself can be fun. As the programmer, your robot creation (and a little bit of you) is in the arena and lives or dies as a result of your analysis of the problems involved. One robot may fall prey to another, but it is the programmer who vicariously feels the pain, even if one person programmed both.

Programming for War

The robots themselves can be imagined as consisting of a square chassis with powered, tank-like treads. The chassis is equipped with a gun that swivels 360 degrees and a narrow-beam radar unit that swivels to detect walls and other robots. Of course, a computer is located somewhere within the armored hull. Each of these components has a few interesting features that make programming the robot a challenge, and some trial-and-error work is involved.

Each robot's computer has 24 general-purpose storage registers and 10 control registers (see table 1). The storage registers are referred to by letter of the alphabet and



Turn your Apple into the world's most versatile personal computer.

The SoftCard™ Solution. SoftCard turns your Apple into two computers. A Z-80 and a 6502. By adding a Z-80 microprocessor and CP/M to your Apple, SoftCard turns your Apple into a CP/M based machine. That means you can access the single largest body of microcomputer software in existence. Two computers in one. And, the advantages of both.

Plug and go. The SoftCard system starts with a Z-80 based circuit card. Just plug it into any slot (except 0) of your Apple. No modifications required. SoftCard supports most of your Apple peripherals, and, in 6502-mode, your Apple is still your Apple.

CP/M for your Apple. You get CP/M on disk with the SoftCard package. It's a powerful and simple-to-use operating system. It supports more software than any other microcomputer operating system. And that's the key to the versatility of the SoftCard/Apple.

BASIC included. A powerful tool, BASIC-80 is included in the SoftCard package. Running under CP/M, ANSI Standard BASIC-80 is the most powerful microcomputer BASIC available. It includes extensive disk I/O statements, error trapping, integer variables, 16-digit precision, extensive EDIT commands and string functions, high and low-res Apple graphics, PRINT USING, CHAIN and COMMON, plus many additional commands. And, it's a BASIC you can compile with Microsoft's BASIC Compiler.

More languages. With SoftCard and CP/M, you can add Microsoft's ANSI Standard COBOL, and FORTRAN, or

Basic Compiler and Assembly Language Development System. All, more powerful tools for your Apple.

Seeing is believing. See the SoftCard in operation at your Microsoft or Apple dealer. We think you'll agree that the SoftCard turns your Apple into the world's most versatile personal computer.

Complete information? It's at your dealer's now. Or, we'll send it to you and include a dealer list. Write us. Call us. Or, circle the reader service card number below.

SoftCard is a trademark of Microsoft. Apple II and Apple II Plus are registered trademarks of Apple Computer. Z-80 is a registered trademark of Zilog, Inc. CP/M is a registered trademark of Digital Research, Inc.



Microsoft Consumer Products, 400 108th Ave. N.E., Bellevue, WA 98004. (206) 454-1315 are employed in a manner similar to variables in BASIC and other high-level languages. The control registers are referred to by function name and either control some

NHAT DO YOU WANT TO DO HOW?

1. START A ROBOT BATTLE

2. ASSEMBLE OR TEST A ROBOT

3. EDIT ROBOT SOURCE CODE

4. SWITCH SOUND (NOW ON)

5. MAKE ROBOT STORAGE DISKS

6. EXIT TO APPLESOFT BASIC

7. SCHEDULE AN AUTOMATIC MATCH

8. RUN A SCHEDULED MATCH

Photo 1: The game's main menu. Playing Robotwar isn't simply a matter of starting a battle. A robot's program must first be written, assembled, then tested and debugged before a series of matches can be scheduled. Some menu selections, such as "2" (exit to the assembler), respond with a submenu—the game is mostly menu-driven.

robot function or provide information from sensors. (There is also an indexing scheme that could make for some very sophisticated programs.)

Motion is controlled by storing numbers in the SPEEDX and SPEEDY registers. These registers set the robot's speed in the east/west and north/south directions respectively and show the robot's current position within the arena. Maximum speed is obtained when the value 255 or -255 is placed in the registers, with sign indicating direction. Of course, the robot has mass and inertia, so it's always necessary to allow for acceleration and deceleration times in your programming.

To fire the robot's gun, first store a degree value in the AIM register to swivel the gun. When a distance value is sent to the SHOT register, the gun is fired, and the shell explodes at the distance set. After a shot, the gun must be allowed to cool. When the temperature reading stored by the gun mechanism in the SHOT register reaches zero, the gun is ready to fire again.

The radar unit sends out a narrow-beam pulse when a degree value is stored in the RADAR register. The value returned in the register indicates the distance to a detected object. If the value returned is positive, the object is a wall. If it is negative, the object is a robot. By first detecting another robot with the radar and then transferring the position and distance information to the AIM and SHOT registers, your robot can intelligently seek out and destroy other robots.

Get a lion' at a pr CAT digital graphic somputers to create can deliver: • Flash digitizer to go little as 1/60 of a some highest possible root in the property of the prope

THE CAT'S-EYE VIEW

Get a lion's share of graphic capabilities at a price that will make you purr.


CAT digital graphic systems interface with S-100, PDP-11, LSI-11 and other host computers to create incredibly detailed images. Look at the features that a CAT can deliver:

- Flash digitizer to grab your image from camera, broadcast or recording in as little as 1/60 of a second.
- Highest possible resolution—up to 484x512x8, 242x512x16 or 242x256x24.
- Dynamic color mapping to produce animation and other effects.
 - Maximum color palette of 16.7 million hues, with displays of 65,536 simultaneous colors or 256 levels of gray.
 - Light-pen input and other useful options.
 - Flexibility to fit your computer imaging needs within the CAT-100 through CAT-800 and CBX series. Call us for a CAT that suits your application . . . and your budget.



935 Industrial Avenue, Palo Alto, CA 94303 Call (415) 856-2500

Take a look at our EPROM blaster for your Apple or TRS-80.™



versatile EPROM burner available today for your TRS-80 model I and III or Apple computer . . . the Apparat PROM Blasting system (A.P.B.). Most EPROM burners will program only one type of EPROM. The A.P.B. system will program all commonly used 24 pin EPROMs by using special personality modules that adapt the unit to the EPROM. The following EPROMs are programmable: 2704, 2708, 2716, (3-volt) & (5-volt), 2732, 2508, 2516 and 2532.

The versatility and power of the A.P.B. system means you're getting a PROM burning package with extensive capabilities. The price, \$149.00, insures you're getting the most cost-effective PROM burner on the market today.

With a unique combination of personality modules and

will perform many operations impossible with conventional PROM burners. Here's a brief list of some of A.P.B.'s capabilities:

- Verify ROM is erased
- Read ROM
- Copy ROM
- Copy between different ROM types
- Program ROM
- Partial programming and copies
- Verify programming
- Read or save ROM data on disk or cassette (Apple only)
- Program directly from computer memory
- Examine and/or modify working memory
- Preset working memory

The A.P.B. system is the most flexible PROM burner available. The A.P.B. system package consists of an interface card that plugs directly into an expansion slot*, a complete set

of personality modules, software on disk and a detailed instruction manual. The software will run under NEWDOS/80, or TRSDOSTM for the TRS-80, and APPLE DOS™ or APEX for the Apple.


If you're looking for a powerful, versatile and cost efficient EPROM burner, call APPARAT today. Dealer inquiries welcome.

303) 741-1778

*TRS-80 version requires the TRS-80 bus extender (Cat. # 1-025) or a separate user provided power supply and cable. TRS-80, and Apple are trademarks of Tandy Corp. and Apple Computer.







Diagnostics II is SuperSoft's expanded Diagnostic package.

Diagnostic II builds upon the highly acclaimed Diagnostics I. It will test each of the five areas of your system:

Memory

Printer

Disk

Every test is expanded.

Every test is "submit"-able. A "submit" file is included in the package which "chains" together the programs in Diagnostics II, achieving an effective acceptance test. All output can be directed to a log file for unattended operation, for example over night testing. Terminal test is now generalized for most crt terminals. A quick-test has been added for quick verification of the working of the

The memory test is the best one we have encountered. It has new features, including:

- default to the size of the CP/M Transient Program Area
- printout of a graphic memory map
- bank selection option
- · burn in test
- · memory speed test

Diagnostics-II includes the only CPU test for 8080/8085/Z80.

A Spinwriter/Diablo/Qume test has been added, which tests for the positioning and control features of the Spinwriter/Diablo/Qume as well as its ASCII printing features. (Serial Interface only)

And, as with all SuperSoft products, a complete online HELP system and user manual is included.

Price: \$100.00

(manual only): \$15.00

Requires: 32K CP/M

Software available for virtually all CP/M systems. Specify your system.

Available from fine dealers everywhere, or directly from: SUPERSOFT ASSOCIATES PO BOX 1628 CHAMPAIGN, IL 61820 (217)-359-2112

Technical Hot Line: (217)-359-2691

/M REGISTERED TRADEMARK DIGITAL RESEARCH

U.K. and Europe DIGITAL DEVICES
134 LONDON ROAD
SOUTHBOROUGH KE
TUNBRIDGE WELLS **ENGLAND** Telex: 95582 Tel: Tunbridge Wells (0892) 37977/9 ASR CORPORATION INTERNATIONAL 1-2-8. SHIBA-DAIMON **TOKYO 105**

First in Software Technology

You can check on any damage to your robot via the DAMAGE register. This contains the percent damage the robot can yet sustain. Should this register reach zero, your robot explodes, disappearing from the arena. There is also a RANDOM register for accessing a random-number generator.

Battle Language

Programs are written in Battle Language, an assemblylike language that supports only simple arithmetic operations, the high-level branch constructs IF, GOTO, and GOSUB, and the assignment statement TO. Some surprisingly elegant code is possible with this abbreviated set, especially if you use the indexing feature.

The instruction manual provides examples of basic routines needed to control robots. Moving, monitoring damage, scanning for enemy robots, and shooting are all treated clearly and concisely. The complete source code for Mover (see listing 1), a Muse-supplied demonstration robot that embodies one of the more sophisticated preprogrammed strategies, is also included.

The best way to learn Battle Language, however, is to write a robot program yourself. To facilitate this, Muse includes a not-so-rudimentary, screen-oriented text editor as one of the main-menu choices. It includes com-

Number	Name	Туре
1	Α	Storage
2	В	Storage
3	C	Storage
4	D	Storage
5	E F	Storage
6	F	Storage
7	G	Storage
8	Н	Storage
9	1	Storage
10	J	Storage
11	K	Storage
12	L	Storage
13	M	Storage
14	N	Storage
15	0	Storage
16	Р	Storage
17	Q	Storage
18	R	Storage
19	S	Storage
20	T	Storage
21	U	Storage
22	٧	Storage
23	W	Storage
24	X	Current X position
25	Υ	Current Y position
26	Z	Storage
27	AIM	Control gun aim
28	SHOT	Fires the gun
29	RADAR	Pulse radar
30	DAMAGE	Monitor damage
31	SPEEDX	Control horizontal speed
32	SPEEDY	Control vertical speed
33	RANDOM	Random number generator
34	INDEX	Index to other registers

Table 1: Registers available to the programmer of a robot's computer. Twenty-four are general-purpose storage registers, ten provide control functions of some kind.

Systems Group System 2800 computers. They're making people stand up and take notice.

But then Systems Group products have always appealed to those who appreciate sensible value, high performance, unmatched reliability and prompt, courteous service.

Through the years, Systems Group product acceptance in Z80 CPU, disk controller, I/O and memory boards have been the result of some very purposeful and carefully thought out engineering. Not to mention strict industrial quality production standards.

That same effort has made System Group's new family of expandable System 2800 computers what they are today. Fast, reliable and powerful.

System 2800 computer systems are designed for a single user with 64K of memory or for up to as many as six separate users with additional add-in memory. They can easily expand as your organization's needs grow.

You can handle up to 8000 customers and 24,000 inventory items in our lowest cost dual floppy model and much, much more in our 40M byte hard disk models. And you can connect up to 12 terminals or printers and other add-on Systems Group floppy, tape and hard disk single or dual drive subsystems.

Select CP/M, MP/M or OASIS operating systems to run all your word processing and

accounting programs. No matter what size organization you



control, controlling will be easier from now on. See the System 2800 from Systems Group, they're

what computers should have been in the first place.

† registered trademark of Digital Research †† registered trademark of Phase One Systems

Dealer Inquiries Invited

For dealers only, circle 402 All other inquiries, circle 403

Systems Group


A Division of MEASUREMENT systems & controls incorporated

1601 Orangewood Avenue Orange, California 92668, (714) 633-4460 TWX/TELEX 910 593 1350 SYSTEMGRP ORGE

Be Permanently Impressed.


The Expandable Computer Family from Systems Group.





1981
Today's Requirements
Dual floppy single or multi-user system





1983

Tomorrow's Requirements 10M byte hard disk and floppy drive, single or multi-user system





1985

Your Future Requirements 40M byte hard disk and 20M byte tape back-up, single or multi-user system plete cursor control and even moving of text "blocks." Once the source is complete, it can be assembled and put on the "test bench."

The test bench is a program feature that lets you examine the operation of a robot program without actually going to the battlefield; it's sort of a dynamic debugger. The program statements being executed are displayed on the screen along with the values in various registers, and instantaneous information on theoretical speed, position,




Photo 2: The Robotwar battlefield during combat.

and status of the robot is available. You can single-step through the program, stop it altogether, and even simulate attacks and radar acquisition of targets.

To my mind, the test bench is an important idea and will probably prove most useful to people just learning to program. Although every beginning robot programmer (and most veteran ones) will make mistakes when programming a robot, it would be very discouraging for most to watch their prize creation blindly beating itself against a wall. The test bench gives you the means to find bugs—makes it easy, in fact—and to correct them before pitting your robot against others. The simplicity of Battle Language and the availability of the test bench make programming a less imposing task, especially for beginners, and suggest Robotwar's use as an instructional device in classroom settings.

Gird Thy Loins

When a robot's source code is completed, assembled, and the object code is stored on disk, the programmer then takes the role of spectator. Robotwar lets you select your robot's opponents from a set of adversaries that includes robots programmed by Muse as well as those written by your friends or enemies. If you are a solitary player, your robot may have no other opponents than those the program supplies. Any mix of up to five robots and multiples of the same robot are allowed in the arena.

Preprogrammed robots that come with the game dem-

DATAFACE GRQ SERIES INTERFACE

TURNS YOUR ELECTRONIC TYPEWRITER INTO A PRINTER/TYPEWRITER




The Dataface GRQ-11 Interface expands your Olympia ES Series electronic typewriter

into a letter press quality printer for your personal or business computer. And, you still have a fully featured electronic typewriter—two machines in one.

The GRQ Series Interface features:

- **1.** Standard EIA RS-232-C Serial Interface and Parallel (Centronics compatible).
- 2. Standard asynchronous ASC11 code, 7 bit data; 1 start bit; accommodates 1 or 2 stop bits automatically; accommodates odd, even or absence of parity bit.
- 3. Fifty thru 9600 Baud data rate options.
- **4.** Two K buffer; supports X-on, X-off protocol as well as RTS signals.





5. Circuit board is installed inside typewriter back panel along side logic board. The

connection between boards accomplished by 40 pin jumper cable using existing socket. No soldering required. Power is provided to the GRQ thru two pins of the 40 lead cable. Installation in 10 minutes.

End user, Dealer, Distributor and OEM inquiries are welcome. For additional details, specifications and computer compatibility contact:

DATAFACE INC.

2372 A WALSH AVE., SANTA CLARA, CA 95050 (408) 727-6704

Circle 117 on inquiry card.


THE DAWN OF A NEW AGE



The 2nd Generation™ is here!

MEASUREMENT systems & controls proudly introduces its new and exciting "2nd Generation" family of S-100* compatible products. Each has been specifically designed for use with

multi-user and network operating systems such as MP/M, CP/NET, and OASIS. Every product is fully tested and burnedin, comes with a 1 year guarantee, and offers you features not currently available from any other source.





DOUBLE DENSITY FLOPPY DISK CONTROLLER BOARD—

controls up to four 51/4inch or 8-inch disk drives using IBM soft sectored formats. It features 1K of on-board buffering, DMA controlled data transfers and the performance characteristics of the superior NEC 765 chip.

Z80 PROCESSOR BOARD — The most

powerful CPU board available today. Outstanding features include 4MHz operation, high-speed serial and parallel I/O utilizing DMA or programmed control, eight vectored priority interrupts, and a real time clock.

MULTI-USER SERIAL I/O BOARD — For use in expanded systems requiring up to eight additional serial I/O ports. Features include: 16 maskable

*All products meet the new IEEE standards.

Systems Group

A Division of MEASUREMENT systems & controls incorporated

64K BANK SELECTABLE MEMORY BOARD —

Features include I/O port addressing for bank select with 256 switch selectable I/O ports for the memory bank addressing. The memory is configured as four totally independent 16K software-selectable banks, with each bank addressable on any 16K boundary.

> "Attractive Dealer & OEM Prices" See your nearest computer dealer, or contact us for the complete story on The 2nd Generation.

1601 Orangewood Ave., Orange, CA 92668 TWX/TELEX: 910 593 1350 SYSTEMGRP ORGE 714-633-4460

onstrate some simple but increasingly effective strategies that can be tough to beat:

Target does nothing, but still wins once in a while because more active robots tend to destroy each other first.

Scanner sits in one spot and scans 360 degrees, looking for an enemy; when one is found, Scanner "locks on" and keeps firing until the enemy is destroyed.

Random is similar to Scanner but constantly moves in a random pattern.

Mover is similar to Scanner but, if damaged, moves to a new location.

Bottom remains in constant motion along the south wall of the arena, always scans due north, and fires as it passes an enemy.

In a recent ten-game match, Bottom won most often, followed by Mover, Random, Target, and Scanner.

When I first saw Bottom perform, I was perplexed. Eventually I realized it was using constant motion to scan the whole arena while presenting a moving target to the rest of the field. Its evasive action usually allowed it to survive the longest.

Bottom is a rather simplistic program. The robot blithely runs a back-and-forth course parallel to the arena's south wal' but doesn't watch where it's going. Should another robot move into its path, the two will

collide repeatedly until one dies.

A Small Problem

The success of Bottom's elegantly simple strategy inspired me to see if a few modifications could fix some of its shortcomings and improve its performance. I created Tops, a version that mirrored Bottom's wall-hugging motion but along the north wall instead. The major difference was that Tops would pause to scan its path, and if another robot were too close to the north wall, Tops would halt and destroy it before continuing. I was amazed at the performance: Tops lost every battle!

It seems there is a more subtle reason for Bottom's being programmed to hug the south wall: all the preprogrammed robots, including Bottom, are initialized facing north. Tops was a sitting 'droid. Worse yet, it kept running into walls and would help destroy itself before it traversed the arena five times. The solution to the first problem was, of course, to choose a different wall. The second problem was more serious and points out a significant problem with the game itself: the more sophisticated a robot's program is, the longer it takes to run and the longer a robot takes to react to changing conditions (such as an approaching wall).

A common microcomputer might interpret hundreds of thousands of BASIC instructions in one second. Robotwar's robots seem to execute fewer than ten in one second. Your robot can run into something and inflict

BAR CODE FOR YOUR SMALL COMPUTER.



New in-depth report tells you how-at savings of up to \$40,000

"Contemporary Applications of Optical Bar Code Technology" is a new, comprehensive report from North American Technology that can save you thousands of dollars in research and development time when programming and equipping your small computer for bar code. Written by the originators of Byte Magazine's experiments with publication of software in printed form, Walter Banks and Carl Helmers, this 512 page report is the only complete presentation of materials on keyless data entry using modern bar code technology. It will enable you to:

- Read HP-41C calculator formats into your Apple, or other suitable computer.
- Prepare and deliver machine readable printed software to your customers.
- Read a UPC code into your personal computer.
- Print Code 39 manufacturing inventory tags with your formed character or dot matrix printer.

Here, in clear, concise, understandable language is all you need to know about bar code history, software engineering requirements, 283 pages of machine independent UCSD Pascal* software in source listing form. There are 44 modules *Trademark Regents of the State of California

to generate and read all major formats from Code 39 to HP-41C, and UPC to the new NATI text software publication format. You get information you can use to program your small computer for bar code without detail processing by a human operator. This method speeds the operation, eliminates translation and entry errors and, where desirable, permits the use of unskilled personnel for the entry function. You save thousands of dollars as a result. The \$500 purchase price of the report includes license for the commercial modification and use of all software contained therein.

For detailed information, send for our brochure. There is no cost or obligation. Mail the coupon today.





The guy on the left doesn't stand a chance.

The guy on the left has two file folders, a news magazine, and a sandwich.

The guy on the right has the OSBORNE 1®, a fully functional computer system in a portable package the size of a briefcase. Also in the case are the equivalent of over 1600 typed pages, stored on floppy diskettes.

The owner of the OSBORNE 1 is going to get more work done—and *better* work done—in less time, and with less effort.

Unfold it, plug it in, and go to work like you've never worked before. . . .

Go to work with WORDSTAR® word processing, so your correspondence, reports, and memos take less time to produce, and say more of what you wanted to say. And with MAILMERGE®—the mailing system that turns out personalized mass mailings in the time you'd spend on a rough draft.

Go to work with SUPERCALC®, the electronic spreadsheet package that handles complex projections, financial planning, statistics, and "what if" questions instantly. For the more technically minded, SUPERCALC will process scientific data and calculate results.

Go to work with powerful BASIC language tools the CBASIC-2® business BASIC, or the Microsoft BASIC® interpreter.

That's standard equipment.

Options include about a thousand different software packages from a host of vendors designed to run on the CP/M® computer system.

Go to work at the office, at home, or in the field.

Or anywhere. Optional battery packs and telephone

transmission couplers mean you need never work without the capabilities of the OSBORNE 1. That's good, because you won't want to work again without it.

All for \$1795. It's inevitable.

The OSBORNE 1 is the productivity machine that's changing the way people work. Put simply, the machine delivers a significant productivity edge—day in and day out—to virtually anyone who deals with words or numbers. Or both.

Since the entire system is only \$1795, it won't be too long before the guy on the left has an OSBORNE 1 of his own. The same probably goes for the person reading this ad. In fact, we think it's inevitable.




COMPUTER CORPORATION

26500 Corporate Avenue Hayward, California 94545 Phone (415) 887-8080 TWX (910) 383-2021

Listing 1: Sample source code for Mover. One of the more sophisticated of the preprogrammed robots, Mover sweeps the arena with radar to find an enemy, "locks on" and fires until the enemy is destroyed, but is smart enough to take evasive action if fired upon.

	firea upon.		
] 250 TO RANDOM	;	INITIALIZE RANDOM NUMBER
	START		
	DAMAGE TO D	;	SAVE CURRENT DAMAGE
	SCAN		
	IF DAMAGE # D GOTO MOVE	:	TEST : MOVE IF DAMAGED
	AIM + 17 TO AIM		IF NOT, INCREMENT AIM
j	SPOT		
	AIM TO RADAR	;	ALIGN RADAR TO AIM
1	IF RADAR > 0 GOTO SCAN	;	SCAN IF NO ENEMY FOUND
	0 - RADAR TO SHOT	;	OR SHOOT SPOTTED ENEMY
	GOTO SPOT	;	IS ENEMY STILL THERE
	MOVE		
•	RANDOM TO H		
	RANDOM TO V	;	PICK A RANDOM PLACE TO GO
	MOVEX		
] H - X * 100 TO SPEEDX	;	TRAVEL TO NEW X LOCATION
-	IF H - X > 10 GOTO MOVEX	;	TEST X POSITION
] IF H - X < -10 GOTO MOVEX	(;	TEST X POSITION
	O TO SPEEDX	;	STOP HORIZONTAL MOVEMENT
	MOVEY		
] V - Y * 100 TO SPEEDY	:	TRAVEL TO NEW Y LOCATION
	IF V - Y > 10 GOTO MOVEY		
] IF V - Y < -10 GOTO MOVEY	•	
] O TO SPEEDY	;	STOP VERTICAL MOVEMENT
	1 COTO START		START SCANNING AGAIN



Instruction	Meaning
то	Stores a value in a register.
+	Adds two values.
-1	Subtracts two values.
*	Multiplies two values.
1	Divides one value by another.
IF	Compares two values and alters program sequence.
GOTO	Goes to a label in the program.
GOSUB	Executes a subroutine.
ENDSUB	Returns from a subroutine.

Table 2: Commands in Battle Language. This simplistic programming language combines high-level branching constructs with low-level access to robot functions. The small number of instructions means that beginners don't have to master a difficult language just to play the game.

damage on itself while jumping to a subroutine. Sadly, this is going to discourage structured programming in favor of straight-line coding (GOSUBs take time).

Although not of the same magnitude, there is another problem that I found vexing: the stalemate. Occasionally, two robots never detect each other or never score hits on one another. Because of timing relationships in the game (program lengths, robot speed, and scanning intervals), robots may continually cycle through the proper instructions, performing flawlessly but never damaging each other. For instance, Bottom and Scanner might fall into a rut where Bottom never "blips" the radar at just the right time to see Scanner, while Scanner might see Bottom but always fires a few degrees off and is never able to score a hit.

Peacetime Use

Fighting isn't this game's only function. I have tried some interesting experiments without firing a shot. My favorite involves a robot I call D-Cell (for decelerate).


D-Cell is programmed to go as far as possible in one direction, then turn left a random number of degrees and repeat, decelerating or stopping to avoid oncoming objects. This is quite a challenge, considering that several D-Cells may be roaming around at various speeds on odd courses.

The beauty of Battle Language lies in its simplicity, its high-level constructs with low-level access to robot functions. Unfortunately, Robotwar does not allow the user to choose a robot's position or to have it pick up objects.

Conclusions

- As a spectator sport, Robotwar is merely interesting. People who play it, however, may become obsessed.
- Battle Language is easy to learn and simple enough to allow neophytes to get adequate results in just a few minutes. Enough possibilities exist to challenge a veteran programmer for hours.
- Robotwar's text editor and test bench are features that demonstrate this product's sophistication.
- Robotwar is more than just a game. It can be used as an educational tool to teach the fundamentals of programming and process control. ■

Tired of writing (and rewriting) customized and friendly error free code?



CRTForm™ is a programmer productivity tool that saves time.

CRTFORM produces a friendly bug free interface between end users and the applications programmer.

CRTFORM makes sure that end users enter information correctly, and gives error messages (in plain English) if they don't. It guarantees that programmers will receive correct information without having to write hundreds of lines of error checking code.

CRTFORM allows you to modify program input specifications without requiring expensive and time consuming changes in applications code. It even generates a source code skeleton (Pascal, BASIC, COBOL, FORTRAN, PL/I, and Ada) to interface the programmers' application code to the CRTFORM runtime module.

The CRTFORM package consists of:

- A forms manager that manipulates random access files of input specification forms.
- An editor that creates and modifies the specifications forms.
- A print utility that produces hard copy of forms and their specifications.
- A code generator that writes source code skeletons for ease of program interfacing.
- A terminal-independent runtime module in the machine language of your host processor.

CRTFORM is available under the CP/M, UCSD, and Apple Pascal operating systems. Please call or write for further information on OEM licensing arrangements, or for the name of your nearest CRTFORM dealer.

STATE ON CORPORATION


5766 BALCONES SUITE 202 AUSTIN, TEXAS 78731 PHONE 512/451-0221

TheCoinless

A faceless stranger in the crowd presses a slip of paper into your hand and is gone. You are surprised, but only for a moment; after all, they had said that you would be contacted. You follow the confusing directions on the paper and find yourself somewhere in an unfamiliar part of town. And there it is—the neon sign above the warehouse door proclaims "The Coinless Arcade." Something deep inside you knows that it is true. You walk inside, and you see all the games you've ever played and a few you never knew existed. Clusters of people, gathered together in friendly competition, surround most of the games. You walk up to a vacant machine, one of your favorites, reach into your pocket, and pull out a quarter. You start to put it in the machine, but find no slot for it. Smiling, you replace the coin in your pocket and press the flashing red button labeled START. The fun begins, and you know it is only the beginning.

Strictly speaking, the Coinless Arcade does not exist. But, in a way, it does: in the software available for many of today's microcomputers. We just came back from the Coinless Arcade with photos of some of the newest and best computer games around. Take a stroll through our Coinless Arcade. We think you'll like what you see.







"Roar!" "Yipe!" This is the only dialogue between the two fighting dinosaurs that star in this two-player game. The dinosaurs, maneuvered by players with joysticks, try to bite each other on the back of the neck. A nice touch is that the battle is not even to the death—when the score of one dinosaur goes to zero, it retreats into the distance. Dino Wars, by Robert Kilgus, for

the TRS-80 Color Computer, \$39.95 (cartridge), from Radio Shack, One Tandy Center, Fort Worth TX 76102.


The graphics and music of Leo Christopherson make Voyage of the Valkyrie a top-notch game. You command the attack ship Valkyrie and must secure the island of Fugloy by finding and capturing the ten castles there. Norse place names and occasional

music from Wagner operas lend a distinctive style to this game. Voyage of the Valkyrie, for the TRS-80 Model I or III (shown here) or the Apple II or II Plus, \$39.95 (disk), from Advanced Operating Systems, 450 St. John Road, Suite 792, Michigan City IN 46360.

This original game is, in some ways, the opposite of the popular Star Castle arcade game. You command

rcade

Gregg Williams, Senior Editor







the ship in the middle, and you try to last as long as possible against kamikaze ships that are battering your shields. You can shoot past your shields at the enemy ships, but they are very hard to hit. Space Warrior, by Marc Goodman, for the Apple II or II Plus, \$24.95 (disk), from Broderbund Software, 2 Vista Wood Way, San Rafael, CA 94901.

Apple Panic is one of the most creative and novel games to be invented for a microcomputer. The small creatures after you are "apples," and you have only one way of stopping them. You must dig holes in the walkway you are on; when an "apple" falls into one and is temporarily stuck there, you must knock it through before it can get out of the hole and repair the walkway. Unlike so many arcade games that can often defeat you in less than a minute, this game is slow paced and easy to play (although it is still challenging). Apple Panic, by Ben Serki, for the Apple II or II Plus, \$29.95 (disk), from Broderbund Software, 2 Vista Wood Way, San Rafael, CA 94901.

Kayos is an assault on the senses. While a field of asteroids distracts your eyes and two colored aircraft (middle) try to ram your ship (at bottom), your objective is to shoot the quickly moving red ship zooming across the top of the screen. Kayos, for any Atari 400/800, \$34.95 (disk or cassette), from Computer Magic Ltd, 176 Main St, Port Washington NY 11050.

6

The classic game Galactic Empire has recently been translated for the Atari 400 and 800 computers. In this free-form game of military strategy, you command the flagship Orion and must use your limited resources to conquer and hold the twenty inhabited planets of the known galaxy. Galactic Empire, by Douglas Carlston (Atari translation by David Simmons), for the Atari 400/800, \$19.95 (cassette), from Adventure International, POB 3435, Longwood FL 32750.





Edmes Moves Othat Charles

OH YOUR MARKS.

SET.

DOIN TO


STÄRT 10

ELAPSED TIME

Olympic Decathlon is the definitive game for the armchair athlete. Actually, Olympic Decathlon is a series of games that lets up to eight people compete in the ten events of the Decathlon. Timing and finger endurance are the



qualities that guarantee success. In the 110-meter hurdle event (shown here), you have to press two paddle buttons in an exact sequence to make your player "run"; he jumps when you hold down a button for longer than an instant. Olympic




Decathlon, by Timothy Smith, for the Apple II or II Plus, \$29.95 (disk), or the Radio Shack TRS-80, \$29.95 (disk or cassette), from Microsoft Consumer Products, 400 18th Ave NE, Suite 200, Bellevue WA 98004.





Earth is a battleground! You must patrol the skies, shoot down strange creatures that materialize from thin air. and rescue humans that are being abducted by a mysterious blue-winged creature. This game, loosely based on the Williams Defender coin-operated game, has the most breathtaking graphics I've seen to date! Gorgon, by Nasir Gebelli, for the Apple II or II Plus, \$39.95 (disk), from Sirius Software, 2011 Arden Way #225A, Sacramento CA 95825.



Most microcomputer games that are versions of existing board or equipment games aren't worth the disks they're printed on, but Raster Blaster does not fall into that category! Ignore the totally realistic ball movement if you want to, but the robot arms that can hold a ball in play for later release are a feature that no




1740 2005



existing pinball machine can match. Raster Blaster, by Bill Budge, for the Apple II or II Plus, \$29.95 (disk), from BudgeCo, 428 Pala Avenue, Piedmont CA 94611.

Missile Command, one of the most popular coinoperated arcade games to date. is now available in a cartridge for the Atari 400 or 800 computers. The trackball of the coin-operated version has been replaced by an Atari joystick. and you have only one missile base (not three), but the sights, sounds, and behavior of the original game are still there. Missile Command, for the Atari 400/800 computer, \$39.95 (cartridge), from Atari Inc, Consumer Division, 1195 Borregas Ave. Sunnyvale CA 94086.

This night-driving game features five Grand Prixtype racetracks, manual or automatic conditions, sound, varying road conditions, and several other options. The graphics and human engineering on this game are very good. International Grand Prix, by Richard Orban, for the Apple II or II Plus, \$30.00 (disk), from Riverbank Software Inc, POB 128, Smith's Landing Road, Denton MD 21629.



Computer-game enthusiasts have been "landing" spaceships on other planets for as long as computers have been around. Now you can try your skill on the Commodore VIC with the new Super Lander game. Of course, the most dangerous landing sites are the most rewarding. VIC Super Lander, for the Commodore VIC computer, \$29.95 (cartridge), from Commodore Business Machines, 681 Moore Rd, King of Prussia, PA 19406.



3





So you like the Pac-Man arcade game? Then your only decision is which microcomputer look-alike to buy-Snoggle (left) or Gobbler (right). Snoggle reproduces the play of the original game better, but Gobbler has smoother and more interesting graphics. Both

are for the Apple II. Snoggle, by Jun Wada and Ken Iba, \$32.95 (disk), from Broderbund Software, Box 3266, Eugene OR 97403. Gobbler, by Olaf Lubecke, \$24.95 (disk), from On-Line Systems, 36575 Mudge Ranch Road, Coarsegold CA 93614.

you three "lives." When you use them up, the games end. Not so with Star Thief; destroyed ships are recreated at the edge of the screen, and you keep playing until various enemy ships carry off all the "powerpods" in the center of the screen. The game, based loosely on the Ripoff coinoperated arcade game, can be played from either the keyboard or the game paddles and has a two-player cooperative version-both of you against the computer. Star Thief, by James Nitchals, for the Apple II or II Plus, \$29.95 (disk), from Cavalier Computer, POB 2032, Del Mar CA 92014.





games For Experts

Eastern Front (1941) is possibly the first fun war game for people who hate war games. The playing screen is several times larger than the video-display window-but you can see the entire map by smoothly scrolling the window across it! Also, the map changes with the seasons, the game has no charts or tables (the computer does all the calculations automatically), and

there are no long waits for the computer to finish a move (it does its calculations while you are entering your moves). Eastern Front (1941), by Chris Crawford, for the Atari 400 or 800 computers, \$26.95 (cassette) or \$29.95 (disk) plus \$2.50 shipping and handling, from the Atari Program Exchange, POB 427, 155 Moffett Park Dr. Sunnyvale CA 94086.



6

"From darkest dungeons to deepest space!" This extravagant claim is fulfilled by the game Ultima, a graphicsoriented role-playing game. The game takes place in several locations—outdoors (shown here) and in space, a threedimensional dungeon, and a castle. Ultima, by Lord British, for the Apple II or II Plus, \$39.95 (disk), from California Pacific Computer Co, 1623 Fifth St, Davis CA 95616.

Even though you're in the Asylum, they are trying to kill you, and you have until morning to get out! Asvlum is an adventure game (that is, a puzzle to be solved) with graphics, full-sentence commands, and a real-time clock that gives you a deadline for getting out. Not only is it a devious game, it is a very good buy for the money. Asylum, by Frank Corr. Jr and William Denman, Jr, for the Radio Shack TRS-80 Models I and III, \$14.95 (cassette), \$19.95 (disk), from Med Systems Software, POB 2674, Chapel Hill NC 27514.

Ciarcia's Circuit Cellar

Build a Touch Tone Decoder for Remote Control

Steve Ciarcia POB 582 Glastonbury CT 06033

I'm lucky. Every month I can chip away at my mental list of unfulfilled fantasies through my Circuit Cellar project for BYTE. The editorial staff thinks of these articles as "a selected mixture of electronic theory and hardware presented as a practical application for personal-computing enthusiasts." [That's what Steve thinks we think. . . .RSS] Up to now I have carefully avoided revealing my true motivations.

This month, however, my "selected mixture" turned into a long-term engineering project. Let me explain.

I have always wanted to be able to telephone the computerized home-control system in my house from anywhere in the country, to find out what the conditions are like in and around the house, be informed of problems or messages, and remotely control lights and thermostat settings.

This idea is neither new nor something found only in science fiction. Any computer presently equipped with an autoanswer modem could conduct such a dialogue with a remote user terminal, transmitting and receiving ASCII (American Stan-

dard Code for Information Interchange) characters.

But I really don't want to carry an ASCII terminal with me. For the simple functions I propose, even carrying a small pocket terminal is quite a bother. I don't need a full keyboard for a few simple coded inputs, and with a little innovative thinking I can eliminate the need for a message display at the remote end of the communication.

Innovative Thinking

The keypad on a Touch Tone telephone receiver is a readily available, convenient means of transmitting data. (Only telephone instruments from the Bell System are properly called Touch Tone; the generic term used by other telephone manufacturers is dual-tone, multiplefrequency, or DTMF, signaling.) Where only rotary-dial telephones are available, a battery-powered DTMF keypad can be carried much more easily than any full-function terminal. Decoding of DTMF signals by my home-control computer, therefore, became one cornerstone of my remote-command arrangement.

The other cornerstone was to be output in the form of audible responses: words spoken over the telephone line by a voice synthesizer driven by the computer. Those who have read my June and September 1981 articles know I have been experimenting with two voice-synthesis

integrated circuits: the Digitalker from National Semiconductor and the Votrax SC-01 from the Votrax Division of Federal Screw Works. Using these components, I designed the Micromouth and Sweet Talker speech interfaces, respectively. Either of these, interfaced in an approved way to the telephone line, could give me the voice-response capability I envisioned.

My first step was to decode the DTMF tones. As the title of this article indicates, I didn't get much further.

Pitfalls for the Unwary

There are many decoding schemes. Most work only at room temperature when the tide is high and the moon is full. Even though they *might* work under ideal circumstances, the circumstances encountered in transcontinental communication are often far from ideal. Decoding DTMF tones reliably turned out to be a much more difficult task than I imagined.

Budgeting a couple of days to build the DTMF decoder and set up the telephone interface, I started by looking through other magazines for appropriate circuits. There were very few such circuits (this should have been a clue), and most of them used type-567 small-scale-integration phase-locked-loop tone-decoder chips.

In a classic me-too approach, I wired up seven LM567 tone decoders

Touch Tone is a registered trademark of the Bell System for its dual-tone, multiple-frequency signaling system.

Some figures accompanying this article were provided through the courtesy of the International Telephone & Telegraph Corporation and Mostek Corporation.

and tested a quick-and-dirty circuit. Unsatisfied with its reliability, I added a separate bandpass filter to the input of each LM567. This greatly improved the signal-to-noise ratio, but it used a hundred components. I put this circuit aside and tried using separate bandpass filters with an integrated DTMF tone-decoder chip. This reduced the component count by 25 percent, but it was hardly the "quick-build" Circuit Cellar project I wanted. I soon realized why I hadn't seen many articles on personal applications of DTMF decoding.

Telephoning my computer and having it respond with audible words will have to wait. We have to begin with the subtopic of DTMF encoding and decoding.

Principles of DTMF

The next time you pick up the handset of a Touch Tone or other DTMF-dialing telephone receiver, press one of the keys and listen. The sound you hear, aside from the dial tone, is not a single-frequency sine wave but a combination of two frequencies. The 12 keys are arranged in four rows and three columns, as shown in table 1 on page 45. All the keys in a given row or column have one tone in common. For example, pressing the digit "9" (row 3 and column 3) produces an 852 Hz and a 1477 Hz tone simultaneously. Similarly, pressing "4" (row 2 and column 1) produces 770 Hz and 1209 Hz tones simultaneously.

The full DTMF-encoding standard defines four rows and four columns for a total of 16 two-tone combinations. Standard telephones use only 12 of these combinations, but for the purposes of this discussion we shall consider all 16. Depending upon your application, these extra codes may be useful.

The eight frequencies associated with the rows and columns are separated into two groups. The low group, containing row information, has a range of 697 Hz to 941 Hz. The high group, containing column information, covers 1209 Hz to 1633 Hz.




Photo 1a: A standard Touch Tone DTMF-encoding module used by the Bell System. It can encode tone pairs for four rows and three columns of the full DTMF matrix.




Photo 1b: The back side of the Touch Tone module showing the transistorized inductance/capacitance oscillators and the mechanical levers and contacts.

Copyright © 1981 by Steven A. Ciarcia. All rights reserved.




Figure 1a: Block diagram of the Mostek MK5087 DTMF (dual-tone, multiple-frequency) signal encoder.




Figure 1b: Schematic diagram of a DTMF-encoding circuit that employs the MK5087, a 4-by-4 matrix keypad, and a 3.579545 MHz color-burst crystal.

As you can see from table 1, there is little bandwidth between frequencies.

A variety of methods are employed to generate and decode these tone combinations. Generally, the level of sophistication employed in these circuits is governed by the application. Telephone companies strive for reliability and aren't particularly concerned with the size and weight of the result. Apparently, the telephonecompany engineers' primary concern is that the system should still work 20 years from now and withstand a nuclear attack. Thus, except in the very latest equipment, discrete LC-(inductance/capacitance) tuned circuits are usually found in telephonecompany equipment.

Non-telephone-company commercial users of DTMF signaling take a different approach. Instead of LC-tuned circuits, they generally prefer crystal-controlled integrated-circuit-based systems. One system is not necessarily better than the other, but the large telephone companies have more facilities for winding inductors.

In computer-control applications, the approach I recommend is to follow in the footsteps of the commercial designers, using large-scaleintegrated circuits where possible. In the case of encoding the row and column signals, this route is obvious and the cost is relatively low. DTMF decoding, on the other hand, is fairly complicated and relatively expensive. Before choosing one of the cheaper approaches, try to make a fair evaluation of the time involved in building and troubleshooting such a circuit and weigh that against a slightly more expensive integrated circuit with fewer potential problems.

DTMF Encoding

Telephone companies have traditionally used transistor LC oscillators to encode the DTMF tone pairs. The practical alternative for the rest of us is use of an integrated tone-encoder component, such as the MM53125 from National Semiconductor and the MK5087 from Mostek. Referred to as integrated tone-dialer circuits, these chips divide a 3.579545 MHz reference frequency into the eight DTMF frequencies. The frequency

combinations are selected by a 12- or 16-key matrix keypad connected directly to the chip. The output is a stair-step D/A (digital-to-analog) approximation of the mixture of the high- and low-group tones. No frequency adjustment is necessary to meet standard DTMF specifications, and the average circuit configuration requires little more than the keypad, a crystal, and the integrated circuit. Figure 1 shows a block diagram of the

MK5087 and a typical DTMFencoder circuit.

If you don't want to assemble a DTMF encoder, Radio Shack sells an encoder complete with a 12-key keypad. Using an MM53125, the CEX-4000 tone-generating keypad module (catalog number 277-1010) presently costs \$16.95. To use it, you also need a 3.579545 MHz crystal (number 272-1310), which costs \$1.99. Simply add a power supply





Photo 2: The Radio Shack DTMF-encoding keypad module (catalog number 277-1010), which incorporates the National Semiconductor MM53125 tone-encoder chip.

		High Group					
		Column 0 1209 Hz	Column 1 1336 Hz	Column 2 1477 Hz	Column 3 1633 Hz		
	Row 0, 697 Hz	1	2	3	A		
	Row 1, 770 Hz	4	(5)	6	B		
Low Group	Row 2, 852 Hz	7	8	9	0		
	Row 3, 941 Hz	0	0	#	(D)		

Table 1: The dialing matrix of the DTMF (dual-tone, multiple-frequency) signaling system. The two-dimensional matrix allows 16 different combinations of tones to represent 10 digits and 6 control signals. The low-group frequencies correspond to the matrix row; the high-group frequencies correspond to the column. Column 3 is not normally used in tone dialing, but it can be useful in remote-control applications.



and speaker to make it fully operational.

DTMF Decoding

DTMF decoding is considerably more complicated than DTMF encoding. Only recently has the advent of the single-chip decoder/receiver, such as the ITT MSD3210, made reliable DTMF decoding easy to achieve. In fact, I didn't find out about this hybrid component until

after attempting to build a number of other circuits. If I had had this device initially, I could have devoted more time to the other parts of my remote home-control arrangement. However, since you might appreciate the MSD3210 and its kin more by seeing what you are missing, I will cover some of the other circuits I constructed.

The circuits range in complexity from approximately 100 components

down to just two: a single integrated circuit and a crystal.

Discrete-Filter DTMF Decoder

Whatever the circuit, the purpose of a DTMF receiver is to decode tones that indicate which key was pressed on the transmitter. The output from the decoder can be a logic pulse on one of 12 output lines, a 4-bit binary code, or separate 2-bit row and 2-bit column outputs. The latter two




Figure 2: Schematic diagram of a DTMF-decoding circuit that employs separate LM567 tone decoders with associated input filters for a total of approximately 100 components.

methods combined with a "tonedetect" strobe signal are most frequently employed for connecting the DTMF receiver to a computer.

Most of the DTMF receiver circuits produced by hobbyists have incor-

porated seven type-567 tone-detector chips, one for each of the four low-group frequencies and for three of the four high-group frequencies (the fourth high-group frequency is not needed in many applications). The

LM567 is a phase-locked-loop frequency detector that can be adjusted to detect the presence of a particular frequency even at very low signal-to-noise ratios. Detection errors are reduced with the addition of highgain bandpass filters on each LM567 input.

The usual technique is to connect the seven or eight LM567 analog frequency detectors in parallel. With one LM567 adjusted to each of the frequencies in table 1, DTMF decoding simply consists of determining which pair of LM567s is detecting tones. While this circuit works fine in the lab (or Circuit Cellar) under ideal conditions, experience has shown that the extraneous noise often present on telephone lines can cause considerable false detection.

Figure 2 illustrates a slightly better 12-key analog DTMF receiver that uses separate filters and LM567 tone decoders. Each filter and tone decoder combination is tuned for a specific frequency. Three 74LS02 quad two-input NOR gates, IC12 through IC14, present a 1-of-12-line output. Stable operation of this circuit requires the use of Mylar or polycarbonate capacitors in each filter section and 1-percent-precision resistors where noted.

Integrated Tone-Receiver Chips

The alternative approach to analog DTMF decoding is digital. The first DTMF receiver I built that I trusted used a CMOS (complementary metal-

DTMF Frequency (Hz)	Frequency	Upper Detection Frequency Limit (Hz)
697	683	711
770	755	786
852	834	869
941	922	960
1209	1184	1233
1336	1309	1363
1477	1447	1507
1633	1600	1666

Table 2: The standard DTMF frequencies with the minimum and maximum values accepted within the 2-percent tolerance of digital tone-decoding devices such as the Mostek MK5102.



Photo 3: A Touch Tone DTMF receiver, used by the Bell System, consisting of tuned inductance/capacitance circuits and relays. This type of transistorized analog tone detector is quite accurate but very bulky.





Photo 4: The assembled prototype of the DTMF-decoding circuit shown in the schematic diagram of figure 2. This brute-force method requires about 100 components that take much patience to assemble and adjust.



Give Radio Shack's TRS-80° Pocket Computer and Save 60





Lets you use a recorder to load and save your programs and data on cassettes. Get hard copy printouts, too. With AC adapter/charger, three rolls of paper.

Cassette Interface 29%



Store and load programs on cassettes. Cable and plugs included. Batteries extra. Recorder not included The first programmable computer so small it fits in a Christmas stocking. Like a calculator, it has 15 built-in functions that are immediately available. Plus, there's 26 memories and numeric output with a 10-digit mantissa and a 2-digit exponent. To compute trig and angular functions, for example, it works just like a calculator and with the same precision.

Unlike a calculator, the *real* power of the Pocket Computer is in its ability to run our own, or user-written, programs in BASIC. The 1424-step memory can be partitioned into multiple programs.

And the full alphanumeric display permits writing programs that prompt in plain English and display answers with comments. The Edit and Debug mode make programming easier than it is with a programmable calculator. Inputting is simplified with the typewriter-style keyboard and separate 20-key numberpad. The LCD shows 24 characters with automatic scrolling and manual playback for longer lines. Another thing: memory is retained even when the power is off.

By adding the Cassette Interface, anyone can immediately run our software. And look what's available! Electrical and Civil Engineering, Aviation, Surveying, Real Estate, Business Statistics, and more. You can't buy a smarter gift. Better hurry—sale ends Dec. 27th.

Red to Thack

The biggest name in little computers

A DIVISION OF TANDY CORPORATION • OVER 8000 LOCATIONS WORLDWIDE
Prices may vary at individual stores and dealers

Called "MP/M II™"

MP/M II, the multiuser extension of our CP/M operating system, answers the lucrative business community demand for small scale distributed processing. Smart OEM's, language companies and application programmers are enthusiastically extending their offerings to satisfy this "new" market.



MP/M II Features

Record locking and file locking ensure data base validity when multiple users access the same data.

With 32 megabyte file capacity, you can daisy-chain 16 state-of-the-art disk drives, at 512 megabytes each. This gives you on-line storage of 8 gigabytes!

Fast performance is a certainty. Dispatch time between users requires as little as 600 microseconds.

Encrypted passwords provide security for user files and directories.

Time and date stamps indicate your last update of an application file and either last access or file creation.

Additional features provide increased performance with exceptionally low system overhead through streamlined housekeeping plus 30 refined utilities. 400K bytes of RAM are supported. And MP/M II is upward compatible with CP/M.

Substantial Capabilities Included

Major utilities in the MP/M II package include our RMAC™ assembler, LINK-80,™ LIB-80™ run time library manager, and RDT™ debugger.

Network capability: Your product's growth to CP/NET™ is provided in MP/M II.



To Language & Application Companies

You're seizing the timeperishable market advantages of MP/M II. Its five manuals help extend your products to multiuser status, with accuracy and speed. LINK-80's overlay facilities help produce a higher quality. LINK-80, RMAC and RDT are powerful development aids which don't cost you a thing.

Compatible software accelerates your entry into the multiuser market. All programs running under CP/M also run under MP/M II. This means important continuity. Couple that with a built-in growth path, and you're protecting the future of your business with MP/M II.



Supported. A upward com

TLE LOCKING

Extend CP/M[®] to Multiuser Systems: Extend Your Profits



To Hardware OEM's:

The profitable impact of multiuser configurations is profound. Compare your sum-of-the-boxes pricing: Multiuser vs. single user. No question about it. Your next move will be to re-forecast sales quotas and profit margins. MP/M II is the key. With the market demand you read about, the act of extending your systems to MP/M II will bear handsome rewards. Your next step is equally clear. Have our marketing group expedite the MP/M II data sheet, OEM price list and contract. Here's an even more positive approach. Why not call our mar-

keting group as your first priority? These 14 companies are extending 24 languages to run under MP/M II:

Compiler Systems, Inc. Control-C Software, Inc. **Digital Research Ellis Computing** Micro-Ap Micro Focus, Inc. MT Microsystems, Inc.

To Dealers, Distributors. System Houses:

It takes less effort to make more money by selling multiuser systems. Selling an upgrade path is easier than moving dead end, dedicated systems. MP/M II means hard disks, multiple printers and terminals add-ons right through full networking environments. One sale can truly generate cash for an extended period. So call your OEM for delivery of MP/M II based systems.

Every new market has its share of easy sales. For a while, somebody will take those orders hand over fist. Your share of that business will probably depend on a single factor: Your ability to get product first.

Digital Research

Over 250,000 microcomputers use our operating systems. Over 300 OEM's and 400 independent software vendors (ISV's) use our products as the basis of thousands of applications. These are listed in our CP/M Compatible Catalog. Over 25,000 copies, per edition, generate ISV's sales. FORUM, published quarterly, and ISV seminars provide technical and business advantages.

Multiuser Demand

Multiuser demand is more than a trend. The MP/M II market is a fact of business life. It elevates the microcomputer with larger scale capabilities, and a larger dollar/sale market base. You only get one chance to make a good first (market) impression. Now is the time. We're here to help. Call (408) 649-3896, or write: Digital Research, P.O. Box 579, Pacific Grove, CA 93950. Europe: Vector, Intl., Leuven, Belgium, 32(16)202496 Far East: Microsoftware Assoc., Tokyo, Japan, 03-403-2120

Circle 126 on inquiry card.






Figure 3a: Block diagram of the Mostek MK5102 DTMF decoder/receiver. This device accepts DTMF signal inputs in two frequency bands, one each for the high group and low group of tones. A digital method is used to count the frequency of the signal being received.

oxide semiconductor) integrated tone-receiver chip, the Mostek MK5102. The internal functions of this device are shown in figure 3a on page 52; its input-filter requirements are shown in figure 3b. Figure 3c shows a block diagram of a typical

DTMF-receiver circuit using the MK5102. It consists of three basic components: group filters, limiters, and digital tone receiver.

In a digital DTMF-receiver circuit, the input is first separated through filters into the low-group frequencies





Figure 3b: Input frequency-band requirements of the MK5102. As you can see, the required bandpass slopes are stringently steep.

RELATIVE INPUT LEVEL VS FREQUENCY

and the high-group frequencies. The amplitude is then hard-limited to match the tone receiver's input circuitry. The MK5102 detects the DTMF tone through a digital counting method. The zero crossings of the incoming waveforms are counted for nine periods and the results averaged over a longer period. (For these counting-type integrated tone receivers to operate correctly, the input frequency must be exact within ± 2 percent, as shown in table 2.) When a valid DTMF-digit tone pair has persisted for a minimum of 33 milliseconds, the data are latched onto the outputs, and the output strobe goes high. When the valid digit is no longer received, the output strobe goes low.

Many experimenters have been led down the garden path with regard to these integrated tone-receiver chips. At \$20 they appear to be a bargain. But the difficult part of implementing this circuit is not decoding the tone pairs; the filters cause the problem.



As you can see in figure 3b, the bandpass requirements are exceptionally tight. Many people buy the tone-receiver chip only to realize they can't design filters.

limitors

Dusting off my disused filter-design talents. I decided to see if this method was feasible at all. Figure 4 on page 54 shows an outline of the bandpassfilter method I used. It consists of a fifth-order high-pass filter in series with a fifth-order low-pass filter. The circuit was duplicated and tuned separately to cover each of the two group ranges.

On the high-group side, for example, the high-pass section allows all frequencies above 1150 Hz to pass through. The output of this section in turn is fed to a low-pass filter with a cutoff beginning at 1650 Hz. Theoretically, the combined circuit should be a bandpass filter that passes only the frequencies between 1150 Hz and 1650 Hz. Similarly, on the lowgroup side, the bandpass was selected to be the range of 650 Hz to 1000 Hz. Figure 5 on pages 56 and 57 is a schematic diagram of a circuit that embodies the design in the block diagram of figure 4.

Wiring and testing this circuit gave me a much greater appreciation for LSI (large-scale integration) devices. While the circuit of figure 5 does work, the filters have a cutoff slope of only 30 dB per octave, which is marginal. The MK5102 generally requires a band separation of 33 dB, but it will receive correctly with separation as poor as 22 dB if there is no noise. Everything worked under Circuit Cellar conditions, but I won't guarantee anything on the telephone line without further experimentation.

A definite improvement could be obtained by using faster operational amplifiers, such as LM318s, instead of the LM741s and MC1458s used here. However, I merely wanted to see if building such a circuit was feasible, and I don't necessarily recommend its use, especially considering the DTMF receivers I am about to describe.

Hybrid Bandpass Filters

The answer to the previous problem is to buy an off-the-shelf filter with the exact requirements necessary for DTMF decoding. Of particular significance is a pair of hybrid bandpass filters from ITT (International Telephone & Telegraph Corporation) North, Microsystems Division, called Text continued on page 58




Photo 5: Prototype of the DTMF-decoding circuit of figure 7. This much more compact approach to DTMF decoding uses two ITT 8-pole hybrid bandpass filters (for group separation) and the Mostek MK5102 DTMF decoder/receiver. The total cost of the parts is about \$85.




Figure 4: Block diagram of a set of bandpass filters that use separate low-pass and high-pass filters in series.

897 N.W. Grant Ave. • Corvallis, Oregon 97330

Introducing the Enhancer II: a new Standard which is improving the relationship between Humans and Apples. The Enhancer II can help your Apple II's keyboard become more sociable by remembering words or phrases which can be entered into the Apple by the mere touch of a key. Life can become even easier because the Enhancer II can remember what you typed while your Apple was busy talking to your disc (or doing other things). Naturally, it knows the difference between upper and lower case letters and what shift keys are supposed to do. It even knows to auto repeat any key held down. The Enhancer II replaces the encoder board making installation simple.

Suggested retail price: \$149.00.

THE DAWN OF A NEW ERA FOR APPLE II: THE ENHANCER II



VIDEO TERM



The time tested Videoterm 80 column card:

- 80 characters × 24 lines
- True decenders
- 7 × 9 character resolution
- Low power consumption
- Compatible with most word processors
- Softcard and CP/M compatible
- Modem compatible
- Most popular character set of any 80 column card
- Alternate character fonts available Suggested retail price \$345.00

SOFT VIDEO SWITCH

The Soft Video Switch is an automatic version of the popular Switchplate. It



whether it should display 40 or 80 columns or Apple graphics. It does the tedious work of switching videoout signals so you don't have to. The Soft Video Switch can be controlled by software. Any Videoterm with Firmware 2.0 or greater may be used with the Soft Video Switch. The single wire shift mod is also supported. Package price is \$35.00.

KEYBOARD AND



The original Keyboard and Display Enhancer is still available for Revision 0-6 Apples (on which the new Enhancer II will not fit). These Apples have memory select sockets at chip locations D1, E1 & F1. The Keyboard and Display Enhancer allows entry and display of upper & lower case letters with fully functional shift keys. It does NOT have user definable keys nor a type ahead buffer. The price is \$129.00

ACCESSORIES:

Videoterm Utilities Disc (includes)

- Font Editor
- Pascal Mid-Res Graphics
- Applesoft Read Screen Utility
- Top & Bottom Scrolling
- Pascal Vidpatch
- Graphics Template Character Set EPROMs \$29.00 ea
 - Half Intensity
 - Inverse
 - German
 - Katakana (Japanese)
 - Line Drawing Graphics (Expanded)
- Spanish
- French
- Math & Greek Symbols
- Super & Subscript

Dvorak EPROM (Enhancer) Lower Case Chip

\$29.00 \$29.00




Figure 5: A filter circuit built from separate high-pass and low-pass stages for the high and low tone groups. While this circuit can be used with the MK5102, hybrid bandpass filters such as the ITT 3044 and 3045 exhibit superior performance.



New! TI LCD Programmer.

Hexadecimal and Octal Calculator/Converter.

The brand new tilt-top TI LCD Programmer can save you hours of work. It was designed specifically for the problems you do, and has features that make it ideally suited for applications in computer programming, debugging, repair and digital logic design.

- Performs arithmetic in any of three number bases OCT, DEC, HEX.
- Integer, two's complement arithmetic in OCT and HEX.
- One's complement capability in OCT and HEX.
 Converts numbers between OCT, DEC and HEX.
 Fifteen sets of parentheses available at each of four processing levels.
- Logical functions AND, OR, EXCLUSIVE OR and SHIFT operate bit by bit on OCT or HEX numbers.

Unisource Electronics has committed to buy TI's initial production of this unique product. Availability is limited! Order now.

15-Day Free Trial.

The best way to evaluate the TI LCD Programmer is to try it yourself - on the job — for 15 days. If you're not 100% satisfied, simply return it for a full refund. Order now by calling toll-free:

1-800-858-4580


In Texas call 1-806-745-8835 Lines open 8 am to 6 pm CST



Just give us your name, shipping address and Visa or MasterCard number and we will charge the tax deductible \$75.00 purchase price, plus \$2.00 shipping and handling (Texas residents also add 5% sales tax) to your account. Or send your check or money order to:

Unisource Electronics, Inc. P.O. Box 64240 • Lubbock, Tx. 79464

When used for business.



GET THE LATEST SOFTWARE PRODUCTS NOW... ...CHECK OUT OUR 2020 RANGE

THE FIRST IN A SERIES OF ADVANCED MICROCOMPUTER SOFTWARE PRODUCTS FROM OUR 2020 RANGE IS THE WP2020 WORD PROCESSOR SYSTEM.

DESIGNED FOR THE HEATH/ZENITH Z89 COMPUTER RUNNING UNDER CP/M* 2.2. IT OFFERS MORE FACILITIES THAN MOST OTHER MICROCOMPUTER WP SYSTEMS. CHECK THESE.

- ALL THE STANDARD FEATURES YOU WOULD EXPECT FROM AN ADVANCED WORD PROCESSOR SUCH AS MARGINS, TABS, PAGINATION, GLOBAL SEARCH AND REPLACE PROPORTIONAL SPACING ETC.
- EASY TO FOLLOW FIRST TIME USER DOCUMENTATION
 SPELLING CHECKER AND MERGE DOCUMENT MODULES BUILT IN AS STANDARD NO ADDITIONAL PROGRAMS TO RUN.
- COMMUNICATIONS MODULE ALLOWS THE SYSTEM TO ACT AS A TERMINAL TO A MAIN FRAME OR LINK UP TO ANOTHER WP2020 SYSTEM.
- SPECIAL SET OF COLOURED FUNCTION KEYTOPS SUPPLIED AS STANDARD.
- MENU DRIVEN SYSTEM DESIGNED FOR TYPISTS AND SECRETARIES THERE ARE NO COMPLICATED CONTROL CODES TO REMEMBER.
- NO CONFIGURATION REQUIRED PRINTER DRIVERS ARE ALL BUILT IN YOU CAN BE PRODUCING REPORTS AND LETTERS WITHIN MINUTES OF INSTALLATION.

 S SUPPORTS BACKGROUND PRINTING WHILST WORKING ON OTHER DOCUMENTS.
- HAS ITS OWN FILING SYSTEM WITH DOCUMENT NAMES UP TO 72 CHARACTERS LONG

OTHER IN SERIES INCLUDE: FP2020 FINANCIAL PLANNER CM2020 CONFIGURABLE MANAGER SPECIFY 8" OR 5%" S/S S/D Z89 WHEN ORDERING. SYSTEM REQUIRES MINIMUM OF 2 DISKS AND 48K MEMORY *CP/M REGISTERED TM DIGITAL RESEARCH WP2020 REGISTERED TM GRAFFCOM PRICE: £320.00



FOR IMMEDIATE SHIPMENT DEALER ENQUIRIES WELCOME




CRAFFESN GRAFFCOM SYSTEMS GROUP 102 PORTLAND ROAD LONDON WI1 4LX TEL 01-727-5561

68000 μP on the S-100 Bus?

YES, AVAILABLE NOW FROM DUAL SYSTEMS!

- ☐ 8 mHz 68000 microprocessor.
- ☐ 16-megabyte direct addressing.
- ☐ 32-bit internal arithmetic.
- ☐ Minicomputer type instructions including MULTIPLY.
- ☐ FULL IEEE-696 S-100 compliance. Runs with all 4 mHz S-100 boards and automatically runs faster when accessing Dual Systems memory boards, for FULL SPEED OPERATION OF THE 68000.
- □ Powerful vectored interrupts.
 7 Vectored interrupts, including NMI, as well as alternate mode having up to 256 interrupts.
- ☐ On board monitor ROM for immediate use.
- □ Connector for future addition of memory management unit for multi-user operating systems.
- ☐ Built to the highest industrial standards with 200 hour burn-in.



CPU/68000 CPU board. \$1195
32K-byte 8/16-bit NONVOLATILE
RAM board, for secure storage of
programs you are developing.
Allows FULL SPEED CPU operation.
CMEM-32K, per 32K-bytes . . \$895
32K-byte 8/16-bit EPROM board,
EPROM-32K \$245
Serial I/O board, SIO-2 \$285
All of the above with cabinet, power
supply and backplane \$3685

OEM and Dealer pricing is available.

Sales representatives in most metropolitan areas.



system reliability/system integrity

DUAL SYSTEMS CONTROL CORPORATION

720 Channing Way, Berkeley, CA 94710 (415) 549-3854 • TWX 910 366-2035

Text continued from page 53:

the 3044/3045 DTMF group filters. Each filter is contained in a 24-pin dual-inline package and plugs into a standard integrated-circuit socket. Internally, each is an 8-pole bandpass filter with specifications far exceeding the minimum requirements of the MK5102. (A performance curve of the model 3044/3045 filters is shown in figure 6 on page 58.)

Using these filters, the entire DTMF receiver can be constructed with only 16 components, as shown in figure 7 on page 62, a vast improvement over the complex circuits of figures 2 and 5

The Ultimate Goal

I thought 16 components was the ultimate until I discovered two new

Text continued on page 63





Figure 6: Passband curves of the ITT 3044 and 3045 hybrid bandpass filters, designed specially for DTMF applications.

					Dual 2-bit row/column			
	4-bit binary				column ro			w
Digit	D8	D4	D2	D1	D8	D4	D2	D1
1	. 0	0	0	1	0	0	0	0
2	0	0	1	0	0	0	0	1
3	0	0	1	1	0	0	1	0
4	0	1	0	0	0	1	0	0
2 3 4 5 6 7	0	1	0	1	0	1	0	1
6	0	1	1	0	0	1	1	0
7	0	1	1	1	1	0	0	0
8	1	0	0	0	1	0	0	1
8 9 0	1	0	0	1	1	0	1	0
0	1	0	1	0	1	1	0	1
*	1	0	1	1	1	1	0	0
#	1	1	0	0	1	1	-1	0
Α	1	1	0	1	0	0	1	1
A B C	1	1	1	0	0	1	1	1
	1	1	1	1	1	0	1	1
D	0 .	0	0	0	1	1	1	1

Table 3: The two output formats of integrated DTMF receivers showing digit correspondences. Either a 4-bit binary or a split 2-bit row/column output format may be chosen. On the Mostek chips, the format is controlled through the FORMAT CONTROL input pin; on the ITT devices, the pin having the same function is labeled H/B28.

Start talking business



COBOL is the most effective business language. Apple II is the most friendly business computer. CIS COBOL with FORMS-2 brings together the best features of COBOL and Apple to enable you to deliver the most effective, user-friendly applications.

Business Programmers: Take the COBOL expertise you have acquired on big business mainframes, and use it on Apple II to create friendly applications that will talk directly to your users – where it suits them best, on their own desks.

CIS COBOL's dynamic module loading gives you big application capability and the FORMS-2 source generator lets you build and modify conversational programs from visual screen formats, creating much of the code automatically.

Application vendors: CIS COBOL with FORMS-2 steps up the pace for your development of the high quality professional application packages needed today. And creating them in COBOL makes them more maintainable.

Over half the Apple II's now being sold are going to business or professional users so demand for quality applications is growing fast, creating big business opportunities for you.

Stability proven by the US Government.

CIS COBOL has been tested and approved for two consecutive years by the US General Services

Administration as conforming to the ANSI '74

COBOL Standard. Apple II under CP/M is included in CIS COBOL's 1981 GSA Certificate of Validation (at Low-Intermediate Federal Standard plus Indexed I-O and Level 2 Inter-Program

Get your hands on CIS COBOL at your Apple dealer.

Talk business with him now!

Communication).


Micro Focus Inc., 1601 Civic Center Drive Santa Clara, CA 95050. Phone: (408) 248-3982.



CIS COBOL with FORMS-2 for use on the Apple II with CP/M is an Apple Distributed Product. CIS COBOL and FORMS-2 are trademarks of Micro Focus. CP/M is a trademark of Digital Research. Apple II is a trademark of Apple Computer.

The Ultimate IEEE S-100 Memory Would...

- ☐ **BE NONVOLATILE** holding data for up to eight years with the power off.
- □ RUN AT 6 MHZ without wait states.
- □ RUN IN 8 OR 16-BIT systems with 8 or 16-bit wide data paths.
- ☐ HAVE EXTENDED 24-BIT ADDRESSING and bank select.
- □ HAVE DYNAMICALLY
 MOVABLE WRITE
 PROTECT AREAS to prevent
 accidental erasure of programs
 and critical data.
- ☐ GENERATE POWER-FAIL interrupts for orderly system shutdown & power failure recovery.



...Available Now from Dual Systems

The Dual Systems CMEM memory boards combine high-speed CMOS memories with new 5-10 year lithium batteries to give you the nonvolatility of an EPROM board while retaining the instant writability of a high-speed read/write RAM. These industrial grade boards are ruggedly built and are burned-in for 200 hours.

☐ CMEM-32K, 32K-bytes . . . \$895

☐ CMEM-16K, 16K-bytes.... \$795

☐ CMEM-8K, 8K-bytes..... \$695

OEM and Dealer pricing is available.

Sales representatives in most metropolitan areas.



system reliability/system integrity

DUAL SYSTEMS CONTROL CORPORATION

720 Channing Way, Berkeley, CA 94710 (415) 549-3854 • TWX 910 366-2035

Pin	Name	Description
1	MON OUT	Provides signal that is one-tenth differential input
2	TP	Internal Test Point
3	V _P	Positive Supply Voltage
4	GI	Gain Adjust I
5	GII	Gain Adjust II, resistor from GI to GII increases sensitivity (see table 4b)
6	GIII	Gain Adjust III, resistor from GII to GIII decreases sensitivity (see table 4b)
7	V _N	Negative Supply Voltage (ground)
8	NC	
9	XOUT	Crystal Out, 3.579 MHz crystal connected from pin 9 to pin 10
10	XIN	Crystal In (Tie to V _P if external oscillator is used)
11	XEN	Enable Internal Oscillator. Tie to V _P if crystal is used, tie to V _N if external oscillator is used.
12	ATB	Alternate Time Base. If XEN is high, ATB is clock output. If XEN is low, ATB is clock input from other 3210.
13	DV	Data Valid. Indicates tone burst has been detected by going to high logic level. Will remain high until tone is removed or CLRDV is pulsed high.
14	CLRDV	Clear Data Valid. Pulsing this pin to a high logic level will reset DV.
15 16 17 18	D8 D4 D2 D1	Digital outputs. These outputs provide a coded representation of the signal received when DV is high. The code is selected by H/B28 (pin 19).
19	H/B28	Code Select. When tied to V_P , the output on lines D8 through D1 is hexadecimal; when tied to V_N , the output is binary-coded 2 of 8.
20	EN	Output Enable. When this pin is a logic high, the output codes on lines D8 through D1 are enabled. When this pin is a logic low, outputs D8 through D1 assume a high-impedance state.
21	IN1633	Inhibit 1633 Hz. When this pin is at a logic high, the 3210 will detect only digits 0 through 9, #, and *. When at a logic low, the 3210 will detect all 16 tone-pair combinations.
22	NC	
23	RING	More negative of the two analog inputs
24	TIP	More positive of the two analog inputs

Table 4a: Description of the pin functions of the ITT MSD3210 integrated tone decoder/receiver.

Gain Increase	Resistance GI-GII	Gain Decrease	Resistance GII-GIII
3.0 dB	100k	3.5 dB	1 megohm
5.3	50k	6.3	470k
7.1	33k	8.0	330k
9.3	22k	10.3	220k
11.6	15k	12.7	150k
14.3	10k	15.6	100k

Table 4b: Varying amounts of signal gain may be obtained from the adjustable-gain stage of the ITT MSD3210 by connecting different values of resistance, shown here, to the three gain-adjust input pins.

FORTH «FOR/MAT» MATWORLD SCREEN EDITOR

DATA ENTRY SYSTEM

An absolute must for the serious FORTH programmer...

KV 33 Corporation

P.O. Box 27246 / Tucson, Arizona 85726

Current tab over value and CP location displayed at all times.

Deupdate command included along with other utilities.

Works very well with memory mapped

Maintains its own 64 byte buffer that never changes location. Any text transferred to it via CTRL-T will remain until system shut-down or another CTRL-T transfer.



Message displayed when iNsert mode is toggled on via CTRL-N.

A special formatted list routine included for printer output.

CP is never allowed outside of the FORTH screen boundary.

Less than two lines of code need to be changed to work on most any terminal. (Clear screen code and the XY cursor addressing.)

Screen format for the standard CRT version.

List of commands: These commands are for the TeleVideo 912, but are very easily modified to match the character set or special functions keys on any terminal.

- Delete Delete character to left and move CP left one position. DEL
- CTRL-L Right arrow → — CP advances one position to right.
- Left arrow — CP advances one position to left. CTRL-H
- Get character Character at CP location is erased when all text on CTRL-G line to right is moved left one position. The end of line character location is blanked out.
- Tab over to next tab location The tab over count is stored as a CTRL-I variable and can be changed to any number between 0 and 63. CP will advance to next location each time command is given.
- CTRL-J Down arrow - CP moves down one line and maintains same column position
- CTRL-K Up arrow - CP moves up one line and maintains same column position.
- CTRL-E
- Erase line Line occupied by CP will be completely erased. Spread open — All lines below and including CP line move down CTRL-S one line. . .last line is lost.
- Transfer Transfer the CP line to the editor buffer. . .the editor buffer contents will be overwritten.
- Read Read a copy of the editor buffer into the line occupied by CTRL-R CP. . .editor buffer contents remain unchanged.
- Delete and close All lines below CP move up one line and last line CTRL-D is erased to all spaces. . . original line is overwritten.
- CTRL-C Clear - All lines below and including line occupied by CP are erased to all spaces. . .total screen is erased if CP is on first line.
- Beginning of line CP moves to leftmost position on line. HOME Home — CP moves to top leftmost position of Forth screen.
- RETURN Return key Do a carriage return line feed. CTRL-Z Zap to end of line - All text from CP to end of line is erased.
- Find Search screen starting at CP position for a string that CTRL-F matches the contents of the editor buffer. (This routine is purchased separately.)
- CTRL-N iNsert mode is toggled on or off - Character input at CP location will push text on current line to right one position. ..last character on line will be lost. ..delete, valid character entry, control-G and control-N are the only commands recognized while in iNsert mode . . .control-G works the same. . .delete not only deletes the character to the left, but also moves text from CP to end of line left one position. . .control-N will toggle iNsert mode off.
- CTRL-Q Quit editing and return to Forth.

© Copyright 1981

Three listings included. The first listing is for use with a standard CRT terminal. The second and third listings are for use with a Memory Mapped Video (16x64 and 24x80).

The above example reflects a transfer of line 3 to the editor buffer via control-T. The editor buffer contents can be read into any line occupied by Character-Pointer via control-R. This buffer never changes location and its contents are displayed at all times. It is very handy for relocating lines or moving lines from one screen to

Please note the "NSERT/ON" message displayed at the upper right to indicate that the iNsert mode has been toggled on via CTRL-N. This message is erased when iNsert mode is toggled off.

The TAB over count is stored as a variable so it can be changed at any time. The current value is always displayed to the right of 'TAB='.

CP location is maintained within the boundaries of the Forth screen at all times. Its value is always displayed to the right of 'CP='.

Memory requirements are well under 2K.

All code conforms to the Forth-79 Standard, Each line of code is fully explained and flow-charted (Forth style) for easy modification.

Bomb proof. . .all unused control codes are trapped.

Must be used with a CRT that has cursor addressing or with a Memory Mapped Video.

The FINDWD package is sold separately but space has been reserved in the EDitor for future insertion. It will prove to be an invaluable tool for finding a word or words in a screen or searching a wide range of screens. It is fully documented and flow-charted. We spent a tremendous amount of time on this routine and have cut the search time down to under a second per screen (for a screen that is already in memory).

Send check or money order in the amount of \$50.00, payable to KV33 Corporation, and receive complete source code, flow-charts, documentation, and instructions for bringing up on your system.

FINDWD package is \$35.00. Must have the above screen editor to operate.

Please include extra postage for overseas orders, shipping weight 10 oz.

KV33 Corporation • P.O. Box 27246 • Tucson, Arizona 85726 • (602) 889-5722




Figure 7: Schematic diagram of a DTMF-receiver circuit that employs the ITT 3044 and 3045 hybrid bandpass filters and the MK5102 decoder.




Figure 8: Block diagram of the ITT MSD3210 hybrid thick-film-technology DTMF decoder/receiver shown in photo 6 on page 68.

Number	Type	+5 V	GND	– 12 V	+ 12 V	
IC1	ITT3045		18	13	5	
IC2	ITT3044		18	13	5	
IC3	MC1458			4	8	
IC4	MK5102N-5	1	6			




Figure 9: Schematic diagram of connections to the MSD3210 for use as a DTMF receiver.

Text continued from page 58:

integrated circuits from ITT, the MSD3210 and MSD3201. The MSD3210 is a hybrid DTMF tone receiver that uses thick-film CMOS/LSI technology. The output is a 4-bit code directly compatible with standard CMOS logic. As shown in the block diagram of figure 8 on page 62, the input signal is received on the telephone-linecompatible inputs called, for historical reasons, "tip" and "ring." (This compatibility does not, however, necessarily mean that you can connect it directly to a telephone line and still be in compliance with telephone-company tariffs.) Each line is protected for a voltage range from -200 to +200 volts, and the two provide a balanced differential input impedance of 600 k ohms.

The output of this first stage is passed through a high-pass and dial-

tone-reject filter into an adjustable gain and attenuation stage. Next, the CMOS LSI decoder circuit provides bandsplitting, tone detection (by the digital zero-crossing method), and timing functions. The output code is selected by the H/B28 (hexadecimal or binary-coded 2-of-8 select) line. The code relationships are shown in table 3. When the DV (output strobe) line goes high, a tone pair is present on the input lines and the output data levels are valid. Table 4 on page 60 describes the functions of all the MSD3210's pins. A complete DTMFreceiver circuit, as shown in figure 9 on page 63, requires only two components.

While my personal choice for a DTMF receiver right now is the MSD3210, ITT also makes a true single-chip CMOS DTMF receiver (as opposed to a hybrid package)

Text continued on page 68

Toughest Boards in Town... IEEE 696/S-100

NON-STOP CLOCK

Keeps time with power off. Our industrial clock utilizes a new lithium battery for 3-9 years use. Easiest clock to program you'll ever see. Runs in all S-100 systems.

- ☐ Year, date, hrs, mins, secs, msecs.
- ☐ Uses new LSI CMOS chip.
- ☐ Vectored interrupts.
- □ CLK-24 \$250

A/D CONVERTER

IEEE696/S-100 AIM-12 industrial standard module designed for industrial analog-to-digital use.

- ☐ Runs in all S-100 systems.
 ☐ 32-channel, 16-differential ☐ 12-bit resolution/accuracy. ☐ 25-microsecond conversions.
- ☐ Instrumentation amplifier.
 ☐ BASIC program provided. ☐ AIM-12, \$695 or \$785 w/1-1000 gain transducer amplifier.

D/A CONVERTER

AOM-12 IEEE696/S-100 industrial level digital-to-analog (D/A) converter.

□ 12-bit \pm 1/2 L.S.B. accuracy over full 0-70°C temperature range. □ Outputs 0-10, \pm 5, or \pm 10 volts.

☐ Short circuit protection, all outputs. ☐ Switch-programmable for multiple boards.

□ AOM-12, \$575

VIC 4-20

Standard output for industrial control 4-20 mA D/A converter. Used in conjunction with the D/A board.

VIC4-20, \$445.

DUAL 77 Data Acquisition and Control System-

Built to industrial standards; designed for severe environments. BASIC language makes programming easy. Access to hundreds of sensors. Expandability to meet your increased needs. Nonvolatile memory. Power interruption recovery with automatic restart. DUAL 77 is economical; \$5985 & up.



system reliability/system integrity

DUAL SYSTEMS CONTROL CORPORATION

720 Channing Way, Berkeley, CA 94710 (415) 549-3854 • TWX 910 366-2035





Figure 10: Block diagram and pinout specifications of the ITT MSD3201 CMOS DTMF-decoder/receiver chip shown in photo 7. Because of the inherent ease of manufacture of CMOS components, the price of the 3201 may be expected to fall.

Orders received by 131 & TENDED PROCESSING ANNOUN will receive PLICATION ORIENTED DISTRIBUT



Don't make one CPU run multiple programs. Make multiple CPU's run one or more programs. The EPZ is a complete Z80A computer designed to work in PARALLEL to your existing CPU. It is designed to do YOUR applications. Use it in applications where your present CPU isn't quite fast enough by itself or where intelligence is needed to control a peripheral and your present CPU doesn't have enough time. If

even more processing capability is needed then add a second EPZ. As many as 64 EPZ's could be added if you had enough slots in your system. Each one operating independently and not taking any RAM or ROM from your present system or from each other. This is your chance to add processing power and expandability to your system and still keep your present hardware and software intact.

Features include:

- 4MHz Z80A microprocessor.
- ROM operating system. 8K of fast static RAM for trouble free operation
- 8 bit parallel I/O and 2 status ports to interface with the host CPU.
- 8 bit parallel I/O and status flags to interface to the users application.
- 2K EPROM (2716) expandable to 4K (2732) Software supplied to interface 8080/280 CPU to the EPZ.

The EPZ features the latest in PC board design. Including 4 layer construction for the ultimate in noise suppression. Silk screen and solder mask are also used. All IC's are in sockets

SPECIAL OFFER


- Expansion connector and I/O connector at the top of the board. Can be expanded to 64K of RAM. All Z80A signals are available and buffered for maximum flexibility.
- Comes completely assembled, tested and ready to run without any hardware modifications to your system.
- Optional utility software to interface the host to the EPZ. Contact Microbyte for details.
- Price of \$595.00.


AVAILABLE FROM


Microbyte Computer Systems

2798 So. Bascom, San Jose, CA 95124 (408) 377-4685

DEALER INQUIRIES INVITED







Apple/6502 Software Development Tools from MicroCraft Systems, Inc.

New CompuView Software

RGL Real-time Graphics

With RGL you can write programs for Apple II HI-RES graphics that move and rotate 3-D objects at real-time speeds--fast enough to make interactive animations possible. RGL is ideal for educational uses, interactive graphics are easy to program, even for beginners. An object is created by drawing lines in 3-D Space, and as it moves and rotates, its size and perspective are automatically adjusted. The source code library of example programs includes several two player games, a function to print a HI-RES screen, and many other graphics programs. Programs are very short, our tank battle animation, with game paddles controlling two tanks is only 4 pages long.

A text file is compiled into a BRUNable program. RGL is a very efficient structured language, similar to 'C'. No additional hardware or software is needed. Also available on Apple CP/M disk.

RGL System (Compiler and SuperEdit)	
RGL compiler and documentation	
Documentation with Demo disk	
Cassette vers. (Resident compiler and screen editor)\$60	

SuperEdit Full Screen Editor

MacroLink Complete 6502 Assembler

Disk Assembler, unlimited source file size, nestable file includes • Recursive macros and nestable conditional assembly • Links source or object code • Editor provided MacroLink \$125 (Manual only \$15)

DiskScreen Disk Utility

Note: All programs require a single disk drive and 48K. When ordering please specify configuration.

Inquire about 6800 and 8080/Z80 cross-assemblers.

8086 Software

- VEDIT full screen editor for CP/M-86, SCP 86-DOS and IBM Personal Computer.
- CP/M-86 BIOS for popular S-100 disk controllers and SCP 8086 computer.
 Source Code \$90

V-COM Disassembler

Finally a Z-80 disassembler for CP/M which produces easy to read code, a cross reference table and handles INTEL and ZILOG mnemonics. V-COM is exceptionally fast and produces an ASM file directly from a .COM file. V-COM can accept two user created information files. One contains assignments of labels to 8 and 16 bit values; the second specifies the location of tables and ASCII strings. The resulting .ASM file will then contain labels and proper storage allocation for tables and strings. Each information file may contain nested 'INCLUDE' to other files. Each package includes variations of V-COM compatible with the TDL, MAC and two types of ZILOG assemblers. \$80

FastScreen CRT emulation and Screen Line Editor

FASTSCREEN enhances your memory mapped hardware by providing a fast and highly compatible emulation of popular CRT terminals. The screen line editing allows you to move the cursor to any line on the screen, edit it and re-enter it without retyping. (Great when you mistype a long command line). It also includes paging and optional interrupt driven keyboard routines. (FASTSCREEN is provided as source code and requires assembly language knowledge for installation.) \$85

PIICEON 24x80 S100 Video Board



The Industry Standard is Uniquely User Oriented

VEDIT is user oriented to make your editing for program development and word processing as fast and easy as possible. Particularly unique is the customization (installation) process which makes VEDIT the only editing package that allows you to determine your own keyboard layout and use any available cursor and function keys. Just think of the difference it makes in your ease of learning and usage to type cursor and function keys instead of memorizing obscure control characters. The customization extends to much more, takes only a few minutes and requires no programming knowledge.

Unequaled Hardware Support

The CRT version directly supports over 35 terminals (including ANSI standard) in its installation menu and utilizes 'smart' terminal features such as line insert/delete, reverse scroll, status line and reverse video. Function keys on terminals like the Televideo 920/950, Heath H19, IBM 3101 and XEROX 820 are all supported. The memory mapped version is extremely flexible, supports bank select such as on the SSM VB3 and screen sizes up to 70 X 200. With this level of customizability and hardware support, VEDIT will be fully integrated into your system.

User Oriented Features

You get the features you need, like searching, a scratchpad buffer for moving and rearranging sections of text, complete file handling on multiple drives and iteration macros. For ease of use VEDIT has features you won't find elsewhere, like automatic indenting for use with structured languages such as Pascal and PL/I. You are less likely to make a mistake with VEDIT, but if you do, one key will 'Undo' the changes you made to a screen line. And if you run out of disk space with VEDIT, you can easily recover by deleting old files or even inserting another diskette. Take a hint from our customers who have other editors and word processors. They find VEDIT the fastest and most comfortable to use.

Full Screen Editing with Exceptional Speed

VEDIT gives you true 'what you see is what you get' full screen editing. It creates and edits standard text files of up to one diskette in length, which are fully compatible with all compilers and text processors. VEDIT's unequalled speed is partly due to its ability to edit up to 47K of a file entirely in memory. There is no slow and annoying continuous disk accessing as found on most other editors/word processors. Yet you can still handle multiple files, insert a specified line range of another file anywhere in the text and even change diskettes.

New Word Processing

The new word-wrap and ability to print any part of the file makes VEDIT suitable for simple stand-alone word processing, or it may be used in conjunction with a text processor. Printer control characters can be imbedded in the file. The cursor's line and column positions can optionally be displayed.

Now for Xerox 820 IBM 8088

Ordering

Many dealers carry VEDIT, or you may contact us for fast delivery. Specify your microcomputer, video board or the CRT terminal version, the 8080, Z80 or 8086 code version and disk format required. Demonstration versions available for some machines.

VISA or MASTERCARD Welcomed

Apple II Softcard • TRS-80 II and I SuperBrain • Heath H8/H89 • Altos NorthStar • Vector • MP/M • IBM

CP/M and MP/M are registered trademarks of Digital Research, Inc. Apple II is registered trademark of Apple Computer, Inc. SoftCard is a trademark of Microsoft. TRS-80 is a trademark of Tandy Corp.

> 1955 Pauline Blvd., Suite 200 Ann Arbor, Michigan 48103 (313) 996-1299

Compuliew

Circle 451 on inquiry card.

Text continued from page 63:

designated the MSD3201, the internal structure of which is shown in the block diagram of figure 10 on pages 64 and 65. It uses a slightly different technique to process the DTMF signal. After the usual 60-Hz-reject and bandsplitting filters, the 3201

uses eight bandpass filters to detect the tones by analog means (remember the seven LM567s?), rather than the digital method employed in the 3210. Other than that, its operation is similar to the 3210's.

The MSD3201 is aimed at highvolume users. In common with any

these circuits, be aware of the restrictions in attaching it to the telephone line. Like a direct-connect modem or automatic telephone-answering device, any of these circuits must be connected through an FCC- (Federal Communications Commission) approved line-protection transformer or coupler. This line-interface device is installed to protect the telephone system from half-asleep experimenters who might short 115 volts AC onto the telephone lines. The coupler generally consists of a 600-ohm matching transformer and some overvoltage-protection components. If you plan on experimenting with the telephone lines, the telephone company will install a

integrated circuit of this type, its price

Before you decide to build one of

will drop in volume production.

Making the Connection

coupler for a low monthly charge. It is not absolutely necessary to directly connect to the telephone lines. In his book Telephone Accessories You Can Build (reference 2). Jules H. Gilder describes the construction of an automatic answering device using an acoustic-coupling method. A small microphone hears the telephone ringing and triggers a solenoid that lifts the handset off the cradle. A speaker and microphone fastened over the mouthpiece and earpiece of the handset provide a link to the user's answering device. For casual use, this sort of kluge can be effective.

Other Possible Approaches

I hope you can see the benefits of using the MSD3210 and 3201 DTMF receivers because of the effort required to construct your own separate-component filters. Of course, I have a tendency to lean toward hardware solutions to any problem and avoid strenuous programming. If, however, you hold a black belt in machine-language programming, you might try an allsoftware approach. Conceivably, you could write an FFT (fast-Fouriertransform) routine to detect the DTMF frequencies. Personally, I'd rather do something else between ar-




Photo 6: An even more compact DTMF receiver can be made using the ITT MSD3210 hybrid thick-film-technology DTMF decoder/receiver chip. A single dual-inline package and a crystal form the complete receiver, at a cost of about \$70




Photo 7: Most future high-volume designs will use advanced devices such as this ITT MSD3201 single-chip CMOS DTMF decoder/receiver.

Wizard-80

INSTANT 80 COLUMN APPLE

The miracle of the 80's...everything you want in an 80-column card.

STOP STARING AT 40 COLUMNS

WIZARD-80 lets you see exactly what you will get when typing 80-column

format. It gives you a full 80-column by 24-line display with all these features.

- Fully compatible with Apple II® and Apple II Plus®*
- Fully compatible with most word processors, micro-modems and prom programmers, plus all current Apple II expansion boards
- Lists BASIC programs, integer and Applesoft
- Fully compatible with Pascal
- Uses software to switch between 40 and 80 column formats
- Displays 7X9 matrix characters
- Provides upper/lower case characters with full descenders
- Fully edits...uses ESCape key for cursor movement
- Scrolling stop/start uses standard Control-S entry
- Retains text on screen while it is being printed
- Contains crystal clock for flicker-free character display
 - Has low power consumption for cool reliable operation
 - Leads soldered directly to board for maximum reliability
 - 2K on-board RAM, 50 or 60 Hz operation
 - Inverse video selection standard

WIZARD-80

YOUR INSTANT 80-COLUMN APPLE

It is the Miracle of the 80's. It has STOP STARING AT 40 COLUMNS. The MIZARD when typing 80-column format. It giv with all these features: Fully compaticompatible with most word processors, current Apple II expansion boards. Lifully compatible with Pascal. Uses formats. Displays 7X9 matrix charact with full descenders. Fully edits, us: stop/start uses standard Control-5 eprinted. Contains crystal clock from consumption for cool reliable opers board for maximum reliability. 2K for a light pen. Inverse video s at all Fine Computer Stores.

erything you want in an 80-column card.

I lets you see exactly what you will get you a full 80-column by 24-line display with Apple II and Apple II plus. Fully cro-modems, prom programmers, plus all BASIC programs, integer and Applesoft; ware to switch between 40 and 80 column Provides upper/lower case characters ape key for cursor movenent. Scrolling leeps text on screen while it is being in-free character display. Low power components soldered directly to the 4,50 or 60 Hz operation. Interface land. The WIZARD-80 is available

It comes to you from Wesper Micro Systems a subsidiary of WESPERCORP

AVAILABLE AT ALL FINE COMPUTER STORES

WESPER MiCRO" Systems

SUBSIDIARY OF WESPERCORP

14321 New Myford Road Tustin, California 92680 ticles than wrack my brain while staring at a video display. I'll just buy a few more chips.

One place software might work well is the DTMF-encoding function. I haven't tried that because I've always envisioned myself stepping into a phone booth in Butte, Montana, and "talking" to my computer through either the built-in Touch Tone keypad or a small handheld DTMF encoder. Software-generated tones might not be very portable. If your application is less mobile, you might try synthesizing the DTMF waveforms with software timing loops or through a simple D/A conversion. An informative article by John Renbarger entitled "A Telephone-Dialing Microcomputer" that deals with D/A-conversion signaling on a KIM-1 system was published in the June 1980 BYTE (page 140).

In Conclusion

Through a series of circuits ranging from a hundred components down to two, I have attempted to demonstrate

both hobbyist and commercial decoding techniques. The choice of which one to build is generally a compromise between assembly time and component cost. If you have a lot of spare time and an ample junk box, you might try building the 100-component circuit. Designers working on commercial applications, on the other hand, would definitely opt for the latter. In my own case, wiring all those resistors and capacitors together once was enough. I will stay with the ITT MSD3210 and gladly pay the difference.

Inasmuch as it may be a while before I have an intelligent conversation with my computer, and technology moves very fast, perhaps by the time I am ready to fully implement remote interaction with my computer I will discard DTMF signaling in favor of voice recognition.

Next Month:

In case you're interested in trying to generate DTMF waveforms by D/A conversion, we'll look at the basic principles of digital-to-analog and analog-to-digital conversion. Oh yes, you may find it interesting for other applications, too.

References

- Berlin, Howard M. Design of Phase-Locked Loop Circuits, with Experiments. Indianapolis: Howard W. Sams, 1978.
- Gilder, Jules H. Telephone Accessories You Can Build. Rochelle Park NJ: Hayden, 1976
- Hilburn, John L. and David E. Johnson. Manual of Active Filter Design. New York: McGraw-Hill; 1973.
- Lancaster, Don. Active Filter Cookbook. Indianapolis: Howard W. Sams, 1978.
- Renbarger, John. "A Telephone-Dialing Microcomputer." BYTE, June 1980, page 140.

Editor's Note: Steve often refers to previous Circuit Cellar articles as reference material for the articles he presents each month. These articles are available in reprint books from BYTE Books, 70 Main St, Peterborough NH 03458. Ciarcia's Circuit Cellar covers articles appearing in BYTE from September 1977 through November 1978. Ciarcia's Circuit Cellar, Volume II presents articles from December 1978 through June 1980.

The following items are available from:

The MicroMint Inc. 917 Midway Woodmere NY 11598 telephone (516) 374-6793

- 1. ITT MSD3210 Hybrid DTMF Tone Receiver.....\$66
- 2. 3.579545 MHz crystal (for use with item 1).....\$4
- 3. ITT MSD3201 CMOS DTMF Tone Receiver.....\$95
- 4. ITT 3044/3045 Group Filters (one pair).....\$60.80


Items 1 and 2 will be shipped from stock. For items 3 and 4, call to determine availability.

Please include \$1.50 for shipping and insurance. New York residents please include 7% sales tax. For orders to be shipped outside the United States, please add \$6.

To receive a complete list of Ciarcia Circuit Cellar kits available from The Micro-Mint, circle 100 on the inquiry card.

NOW A HIGH PERFORMANCE S100 BUS, 32K STATIC RAM MEMORY FOR ONLY \$325!

FULLY ASSEMBLED, TESTED AND READY TO PLUG INTO YOUR SYSTEM



Compare These Features:

- Runs at 4 MHz with no Wait States Uses 200 nsec, 6116 Memory IC's
- Very Low Power, Only one Memory IC Active at One Time. (40 ma Active, 5 ma Inactive)
- Byte Wide Memory IC's Allow Replacement with 2716 (5V) EPROMS for RAM/ROM Combinations. On Board Wait State Generator Provided for use with Slower 2716's
- Supports Both Cromenco Style Bank Select Through Port 40H and Standard Bank Select
- IEEE 696 Extended Address Supported
- Any Number of 2K Blocks may be Disabled Providing Compatability with Memory-Mapped Video Displays and Controller Cards.
- 90 Day Warranty Parts and Labor

Send Check or Money Order Today. Sorry, no COD's please. California residents add 6% Tax.

Computer Concepts

8141 Engineer Road / San Diego, CA 92111 Phone (714) 485-7779



Vista Makes a Powerful Statement.

Mass storage. Music and video boards. Memory. Whatever you need to make your computer system more powerful and versatile, Vista Computer Company can provide it.

Ask us about disk drive subsystems. We have complete hardware/ software packages for the Apple®, TRS-80™ and S-100 computer systems.

Ask us about advanced components for Apple® computers. We'll describe our Type-Ahead Buffer, Vista Vocalizer, Vision-80 and much more.

Our Products Speak for Themselves.



Ask us about our V-1000, a dual, eight-inch subsystem that combines state-of-theart technology with state-ofyour budget pricing.

Ask us about the most innovative peripheral for the Apple®, and we'll give you a complete description of our A800 floppy disk controller.

Ask us for whatever you need to make your particular system fill your particular application. When you supply the questions, we supply the answers.

> COMPUTER COMPANY 1317 E. Edinger Avenue Santa Ana, CA 92705 (714) 953-0523

Call Toll Free (800) 854-8017

[®]Apple is a registered trademark of Apple Computer, Inc.
™TRS-80 is a trademark of Radio Shack, a Tandy Co.

Check the Osborne Books You

INTRODUCTORY BOOKS

Business System Buyer's Guide

by Adam Osborne and Steven Cook

Purchasing a computer for any business is a complex process, but this book will help. Before you buy any computer, read this book. You'll never make a better investment. #47-0. \$7.95

An Introduction to Microcomputers

Volume 0:

The Beginner's Book

by Adam Osborne

Here's the book to start with if you know nothing about micro-computers but wish to learn. Provides the concepts you'll need to understand this technology.

#26-8, \$4.95

An Introduction to Microcomputers

Volume I: Basic Concepts by Adam Osborne

The world's best selling textbook on microcomputers uses concepts that are common to all microprocessor systems. Shows what a microcomputer can do, and how it does what it does. This edition is the most comprehensive and up-to-date introduction to microprocessor systems available anywhere.

Running Wild-The Next Industrial Revolution

by Adam Osborne

An insider's look at the microelectronics revolution. Will the coming years prove to be a dream or a nightmare? Running Wild tells the story. #28-4, \$3.95 □

GUIDES

Apple II™User's Guide

by Lon Poole, Martin McNiff and Steven Cook

Complements your Apple II owners manual. Our guide will tell you more about your Apple II or Apple II plus computer than any other single source. This guide is a complete BASIC programming tool. It covers all the special features of the Apple computer.

PET/CBM™ Personal Computer Guide

by Adam Osborne and Carroll Donahue

A step-by-step guide which takes you from the "on" switch to assembly language subroutines for your Commodore system. It's a BASIC tutorial and covers many recent CBM products.

#55-1, \$15.00 D

PROGRAMMING BOOKS

Science and Engineering BASIC Programs

ed. by John Heilborn

An important collection of the most valuable programs for scientists and engineers. Easily used on most popular microcomputers. #63-2, \$15.99 \, \text{D}

Some Common BASIC Programs

by Lon Poole and Mary Borchers

76 well designed and brilliantly documented programs that solve a variety of problems in statistics, finance, and math.

Generalized BASIC

Edition

#06-3, \$14.99

PET/CBM ™ Edition

#40-3, \$14.99 🗆

TRS-80™ Level II Edition

#54-3, \$14.99 **□**

Atari ™ Edition

#53-5, \$14.99 □

All 76 programs ready to run on:

PET/CBM™floppy disk #33-0, \$22.50 □

PET/CBM™cassette

#25-X, \$15.00 □

TRS-80™ Level II cassette #32-2, \$15.00 □

Practical BASIC Programs

Here are 40 useful and fully documented programs designed to run on most microcomputers. Especially useful in small business and household applications.

(Generalized BASIC) #38-1, \$15.99 □

Osborne CP/M™User Guide

by Thom Hogan

The most complete and up-todate CP/M book you can find. It will make your first use of CP/M easy. If you already own CP/M, it will help you modify your system. #44-6, \$12.99 —

CBASIC™User's Guide

by Adam Osborne, Gordon Eubanks and Martin McNiff

Co-authored by Gordon Eubanks, the creator of CBASIC, this is more than a self-teaching textbook, it is the definitive reference of the CBASIC language.

#61-6, \$15.00 □



Want



BUSINESS **BOOKS**

by Lon Poole and co-authors

Osborne's three business systems are renowned for excellence in design and documentation. Our books explain in detail how to use the programs. They contain complete program listings, supporting technical documentation, and specific information on changing and installing the programs.

Payroll with Cost Accounting #22-5, \$20.00 □

Accounts Payable and Accounts Receivable

#23-3, \$20.00 🗆

General Ledger

#24-1, \$20.00 🗆

ASSEMBLY LANGUAGE **PROGRAM** SERIES

by Lance Leventhal and co-authors

You needn't know anything about assembly language to use these books. Each one is a straightforward, self-teaching textbook that is both precise and easy to understand.

68000	#62-4,	\$16.99)
6809	#35-7,	\$16.99	כ
6502	#27-6,	\$16.99	נ
Z80	#21-7.	\$16.99)
Z8000	#36-5,	\$19.99	נ
6800	#12-8,	\$15.99	נ
8080A/8085	#10-1,	\$15.99	3

The 8086 Book

by Russell Rector and George Alexy Part assembly language text and part hardware reference, this book covers all of the 8086's most important features.

#29-2. \$16.99 □

INTERFACE

Interfacing to S-100 (IEEE 696) Microcomputers

by Sol Libes and Mark Garetz

Describes the S-100 Bus with unmatched precision. Covers mechanical and electrical design, logical and electrical relationships, bus interconnections, and much more. #37-3, \$15.00 🗆



PET and the IEEE 488 Bus (GPIB)

by E. Fisher and C.W. Jensen

Provides chapters on all aspects of the General Purpose Interface Bus. Includes lines, signals, specifications, and much more. #31-4, \$15.99

Microprocessors for Measurement and Control

by D.M. Auslander and P. Sagues

Learn to design mechanical and process equipment using microprocessor based "real-time" computer systems. This book allows readers (even those unfamiliar with machine or assembly language) to initiate projects.
#57-8, \$15.99

MICRO-

ELECTRONIC

REFERENCES

by Adam Osborne and Gerry Kane

The one source for complete,

Osborne 4 & 8 Bit

Microprocessor

Handbook

tion on 4 and 8 bit microprocessors. This book describes virtually every 4 and 8 bit microprocessor on the market today and allows you to evaluate any device or combination of devices. #42-X, \$19.95 🗆

Osborne 16-Bit Microprocessor Handbook

by Gerry Kane and Adam Osborne

A total reference book on virtually every 16-Bit microprocessor, this book permits objective evaluation and comparison of these new devices.

#43-8, \$19.95

An Introduction to Microcomputers: Volume 3 - Some Real **Support Devices**

by Gerry Kane and Adam Osborne

Available with or without 3-ring binder or updates. Each device is described in detail, including an analysis of the best uses for that device. Book - #18-7, \$15.00 □ Binder - #19-5, \$6.99 □

HANDBOOKS

68000 Microprocessor Handbook

by Gerry Kane

This handbook offers more information about the 68000 than the manufacturer's data sheets.

CRT Controller Handbook

by Gerry Kane

Describes five devices in the same thorough detail you'll find in Volume 3. Contains 13 tables and 149 separate illustrations. #45-4, \$6.99

8089 I/O Processor Handbook

by Adam Osborne

A complete presentation of the 8089. The 8289 Bus Arbiter is also described with the same careful attention to design and application.

#39-X, \$6.99 D

.

objective and accurate informa-	Six Updates - #98, \$25.00 □
ORDER FORM	
Book Title, Book #, Price	

Osborne/McGraw-Hill 630 Bancroft Way, Berkeley			ree: 800-227-2895 a (415) 548-2805	CARIV Hill
Name	国际企业的 经	Library entitlement		511500
Address	LOSE M		AND CHARLES	negrit :
City/State/Zip	C CONCERNO NO	orden red al Esperador	North Republic	in the same
Plus: ☐ .75/item 4th class		□ \$2.50/item Air Mail ts add applicable tax.)	□ \$10.00/item O	verseas
Total amount enclose	ed \$	or charge my □ Vi	isa 🗆 Mastercha	rge
Card #			Exp. Date	



Olympic Decathlon

David A Kater POB 1868 La Mesa CA 92041

Okay, you armchair athletes, Microsoft has a program for you. Slide your easy chair over to the computer and prepare to compete in an Olympic Decathlon—10 events requiring speed, timing, and agility.

Game of the Year

When I first heard of this program, it sounded fairly bland. With its dull name, I just knew it couldn't compare to "Super-Intergalactic-Cosmos-Blasters."

Luckily, I happened to witness the presentation of the Creative Computing Game of the Year award at the West Coast Computer Faire. Guess which program took the honors for 1980? That's right: Olympic Decathlon, by Tim Smith. At the pre-

sentation Tim gave us a firsthand demonstration of his ingenious creation. When the presentation ended, I bought a copy and raced home to try it on my computer. I wasn't disappointed; the program exceeds its promise.




Photo 1: The javelin throw (TRS-80 Model I version).



Photo 2: The javelin throw (Apple II version).

Olympic Decathlon is a remarkable simulation of the two-day event at the Olympic Games. It includes the 100-meter dash, long jump, shot put, high jump, and 400-meter dash on the first day. The second day features the 110-meter hurdles, discus throw, pole vault, javelin throw, and 1500-meter run. The winner of this combined event is considered the world's best athlete. After you participate in the computer version of the decathlon, you'll understand whv.

Each event is displayed in superb animated graphics that you control via the keyboard. The appropriate keys necessary for each event are displayed on the screen

before each trial. These instructions are sufficient to explore each event, but you may wish to consult the manual for ways to approach some of the more difficult ones.

Systems II Ex a total business system.

JOB COSTING MENU

TRANSACTION ENTRY/DATE
JOB/TASK TABLE MAINTENANCE
JOB COST FILE MAINTENANCE
JOB COST REPORTING
EMPLOYEE TABLE MAINTENANCE
RETURN TO MASTER MENU
SELECT (1-6)?

SYSTEMS II EX
MASTER MENU
NVENTORY 7. CHART OF ACCTS.
PAYABLES 8. VENDOR MAINT.
PAYROLL 10. CHANGE DATE
LEDGER 11. SYS./BACKUP
JOURNAL 12. STOP PROCSS'G.
13. OPTIONAL PROCSS'G.
SELECT (1-13)?

DATABASE MENU

FILE MAINTENANCE REPORTS/REPORT MAINT. UTILITIES RETURN TO SYSTEM MENU SELECT (1-4)?

ACCOUNTS PAYABLES MENU

FILE MAINTENANCE PAYMENT SELECTION PRINT CHECKS AND REGISTER MONTH END RETURN TO MASTER MENU SELECT (1-5)?


RECEIVABLES SYSTEM MENU

FILE MAINTENANCE
RECEIPT OF PAYMENTS
GENERATE BILLING
MONTH END
PAST DUE REPORT
APPLY MONTHLY INTEREST
RETURN TO MASTER MENU
SELECT (1-7)?



LEDGER SYSTEM MENU

FILE MAINTENANCE BAL SHEET/INCOME STATEMENT YEAR END PROCESS RETURN TO MASTER MENU SELECT (1-4)?



FILE MAINTENANCE POINT OF SALES REORDER REPORT RETURN TO MASTER MENU SELECT (1-4)?

STATE PAYROLL MENU

MISC/TAX TABLE MAINT.
TRANSACTION FILE
MISC. PAY/DEDUCTION FILE
EMPLOYEE MASTER FILE
CALCULATE/PRINT CHECKS
PRINT W2'S
RETURN TO MASTER MENU
SELECT (1-7)?







SYSTEMS II EX — EX for EXTENDED PERFORMANCE. Westware brings you the most completely integrated and simplest to use business software for your Apple Computer. The SYSTEMS II EX is complete with an integrated Database. Yes! The DBII Database can move your system's files into Database format for customized reports or

Although the SYSTEMS II EX is a fully integrated system, you may purchase

individual modules and later add additional modules, such as Job Costing for contractors. The power of our system is in the KSAM Firmware card that plugs into the Apple. This card permits high speed searches and eliminates running sort routines to get your files in order

SYSTEMS II is available on 51/4" drives, and also on the Corvus hard disk. A Corvus based system will give you the power and capacity that challenges larger computers.

COMING SOON — Cash flow analysis with graphics, Database II with graphics, and Bill of Materials for small manufacturers

CURRENT OPTIONS AVAILABLE - Job Costing, Cycle Invoicing, Order entry, and Layaway.

All Checks, statements and invoices use NEBS forms.

Dealer and OEM inquiries invited.

Apple is a trademark of Apple Computers.



2455 S.W. 4th Ave. Suite 2 Ontario, OR 97914 (503) 881-1477



Yes, please send me your Systems II Demo Package.

2455 S.W. 4th Ave. Suite 2 Ontario, OR 97914 (503) 881-1477

Yes, I would like to sample your software. Please send me the Systems II Demo Package. My check for \$25 is enclosed.

Name_

Title _

Company Name ____

Address ___

City _____ State ____ Zip__



At a Glance_

Name

Olympic Decathlon

Type

Game/simulation

Manufacturer

Microsoft Consumer Products 400 108th Ave NE, Suite 200 Bellevue WA 98004 (206) 454-1315

Price

\$24.95

Author

Timothy W Smith

Format

51/4-inch floppy disk or cassette (TRS-80 only)

Language

Z80 machine code (TRS-80); 6502 machine code (Apple)

Computer needed

16 K TRS-80 Model I, Level I or II—tape version; 32 K TRS-80 Model I, one disk drive (two needed to do backup); 48 K Apple II or Apple II Plus, one disk drive (two needed to do backup), and two game controller paddles

Documentation

48 pages for TRS-80; 39 pages for Apple

Audience

Armchair athletes of all nations


The events require fast reflexes, good coordination, timing, and *lots* of practice. There is a practice mode for each event so that you can polish your technique before the start.

Competition

Olympic Decathlon may be played alone or with others. When you are ready to begin, the computer asks for the number of competitors. Up to eight athletes may compete in the TRS-80 version; as many as six in the Apple version. Playing alone, you will strive to better your previous performances. When several people participate, the game develops an entirely different character. Scores take on new meaning as the competitors jockey for position in the standings. Head-to-head confrontations in the running events add to the drama.


The Simulation

Smith has captured the flavor of the Olympic Games on magnetic media. With a bit of imagination, you may relive those days on your hometown track, where you




Building Blocks for Microcomputer Systems, Dedicated Controllers and Test Equipment.

R²I/O S-100 ROM, RAM & I/O BOARD



ECT's R²I/O is an S-100 Bus I/O Board with 3 Serial I/O Ports (UART's), 1 Parallel I/O Port, 4 Status Ports, 2K of ROM with the 8080 Apple Monitor Program and 2K of Static RAM.

\$295.00



RM-10 S-100 RACK MOUNT CARD CAGE


ECT's RM-10 is a rack mount 10 slot Card Cage with Power Supply, consisting of an ECT-100 rack mount Card Cage (19"W x 12.25"H x 8"D), the MB-10 Mother Board (with ground plane and termination) all 10 connectors and guides and the PS-15A Power Supply (15A @ 8V, 1.5A @ ± 16V).

\$295.00

Specializing in Quality Microcomputer Hardware Industrial ● Educational ● Small Business ● Personal Card Cages, Power Supplies, Mainframes, CPU's, Memory, I/O, OEM Variations

ELECTRONIC CONTROL TECHNOLOGY (201) 686-8080

763 Ramsey Ave., Hillside, NJ 07205



UVEON proudly announces
OPTIMUM.™ OPTIMUM is an easy to
use, total concept data management
program for CP/M™ and MP/M™ systems.
Breaking through traditional DMS
barriers, OPTIMUM provides large scale
data management capability to broaden
your computer horizons. Developed for
individual computer users and applications builders, OPTIMUM supports
user-defined forms and files, dictionaries,
powerful reporting, storage efficiency,
speed and unique cross-referencing.
Everything you want in data management
is now complete in one system.

USER-DEFINED FORMS AND FILES

With OPTIMUM, implementing an application is simple. The user defines screen forms to fit the data and describes how the data is to be stored. Once this is complete, data entry may begin. Input editing, validation and cross-referencing during data entry extend OPTIMUM's range. If the need exists, OPTIMUM can handle complex or multiple screen forms for the same file. Screen forms may be modified and expanded as needed.

DICTIONARIES

OPTIMUM maintains a dictionary of terms for each file. This dictionary contains information on each data element in the file and describes operations to be performed. Alterations and additions to the dictionary may be made as required.

MICRO-ENGLISH™ REPORTING

OPTIMUM Micro-ENGLISH lets the user request standard or custom reports from the OPTIMUM files. Sophisticated selecting and sorting capability give Micro-ENGLISH all the power of a large scale interactive inquiry processor. A dictionary based vocabulary keeps the user interface simple.

OPTIMUM STORAGE EFFICIENCY AND SPEED

OPTIMUM stores all information in a compact variable-length format. OPTIMUM files are designed for interactive speed; a single file item may be retrieved from among hundreds in an instant.

OPTIMUM DATA CROSS-REFERENCING

A unique feature of the OPTIMUM system allows a user to cross-reference data elements. Once information is entered, it may be retrieved using key words in the data.

From simple applications to complex systems, OPTIMUM manages it all. Broaden your horizons using the total concept data management system with the power of such industry forerunners as Prime Information, Honeywell Ultimate and Microdata Reality. Call or write UVEON today for more information on OPTIMUM. 1-800-525-1637.

CP/M and MI/M are trademarks of Digital Research, Inc. OPTIMUM and Micro ENGLISH are trademarks of UVEON Computer Systems, Inc.

UVEON

The Future in Software.

UVEON Computer Systems, Inc. 899 Logan Street Denver, Colorado 80203

Circle 420 on inquiry card.



can still hear the crowd buzzing about the last race. Now it's your turn. Suddenly you are aware only of the starter's voice as you toe the starting line.

ON YOUR MARK SET GO!

As you frantically tap the keyboard, your animated counterpart streaks across the screen. As you near the finish line, your fingers scream for relief, but you can't give up now; your brother-in-law is gaining. With a final burst of energy, you cross the finish line and collapse into your chair, savoring a narrow victory.

The simulation of the actual events is uncanny. Each is unique and requires its own combination of timing, technique, endurance, coordination, and speed. For example, the pole vault demands a healthy dose of all these qualities. You begin with a running approach. As the graphic figure nears the pit, the pole must be planted in

the vaulting box. Miss the box, and the vault is aborted.

If the pole plant is successful, and your flying fingers have generated enough momentum, the figure will ride the pole toward the crossbar—where he must pull up into a handstand, just before hitting the bar. Finally, the pole must be released before it follows through the crossbar. Proper timing is rewarded with SUCCESSFUL VAULT!

Authenticity

The rules in Olympic Decathlon are virtually identical to the real event. For example, in the vaulting events you may "pass" on the lower heights and save your energy for the tougher ones. If you miss on three consecutive attempts, you are eliminated from that event.

The rules are enforced by an eagle-eye official. If he determines that you "purposely" knocked down the hurdles, you will be disqualified. He also keeps a watchful eye on the fault line in the javelin throw and long jump. And, of course, jumping the gun in a race is forbidden.

YEAR ROUND SAVINGS plus a Ghristmas Bonus!!

Energy Savings All Year Round!!

SciTronics Remote Controllers and Real Time Clocks are saving users money all year round.


Energy bills are being cut by controlling heating, air conditioning, lighting, and security systems in homes, offices, stores, and factories.

You too can save money by simply using your existing computer and a SciTronics Remote Controller/Real Time Clock combination as an inexpensive energy management system (EMS). Now you have the choice of controlling either the light duty BSR X-10 switches sold by Sears and others, or the great variety of heavy duty industrial grade switches recently introduced by Leviton. With your own EMS you too can be saving up to 30% on energy bills.

Your Ghristmas Bonus!!

Adding a SciTronics Remote Controller/Clock combination to your computer can allow you to create highly unique Christmas displays. You can control sequencing of both indoor and outdoor lights and motorized displays in ways only possible with computer control. Thus, your home or business can be an exciting eyecatching showplace.


Contact your local computer dealer for details and a demonstration or call SciTronics directly about other energy saving products.



How Does It Work?

Your S-100, Apple II or TRS-80-I computer prompts the controller to transmit coded control signals across existing AC power lines. The signals are received by compact remote switches, which replace existing outlets or wall switches. The switches in turn control the light or appliance plugged into them. No hard wiring is necessary and up to 256 locations may be operated, in either manual or prescheduled real time access modes, by a single controller.

SciTronics, Inc; 523 So. Clewell St.; P.O. Box 5344; Bethlehem, PA 18015; (215) 868-7220



The 5000 SX with:

Capacity: 5.5 MB Winchester Plus Two Mini Floppies

If you know our Series 5000 table top computer line, you know that *good* things come in small packages.

Now, with the introduction of the 5000 SX, *big* things come in small packages.

One integrated package can contain two double sided, double track density floppies plus a 5.5 megabyte Winchester drive.

Speed: Load 20K in Less Than a Second

Not only does our high performance Winchester subsystem include error detection with automatic error correction, its extreme speed is comparable to that of large main frame hard disk systems.

A 20K program loads in less than one second, about 10 to 12 times as fast as a floppy.

We invite comparison with our competitors' Winchester implementation then you will see how a truly engineered solution speeds up your application programs.

Extras: You'll Be Glad You Have Them

The 5000 SX comes standard with lots of extras, starting with a fully terminated S100 mother board. Add to that 64K dynamic RAM modules, with parity, of course, and receptacles for your CRT and Printer that turn on with the main power switch.

Plus, convenient up front power reset switch, incoming power line filter and much more.

Software:

Operating Systems: CP/M, MP/M, TurboDOS

Languages: BASIC, FORTRAN, COBOL Application Packages: FMS-80, WORDSTAR, Accounting Plus, all tailored to operate on the 5000 SX.

Quality: So Good, It's Warranted 2 Years

There isn't room on this page to even scratch the surface of the IMS International story.

However, our 2-year warranty is a dead giveaway that we produce rugged, top quality, professional equipment. We do things right the first time so they don't come back to us.

The truth is, we have fewer returns within our 2-year warranty period than other manufacturers have within their 90-day warranty periods.

For full details and the location of your nearby IMS International dealer, call us today at (714) 978-6966. Or write:



We Build Computers As If Your Business Depended On Them.

2800 Lockheed Way, Carson City, NV 89701 Telex: 910-395-6051

CP/M & MP/M, TM of Digital Research · TurboDOS, TM of Software 2000 · FMS-80, TM of DJR Associates · WORDSTAR, TM of MICROPRO · ACCOUNTING PLUS, TM of SYSTEMS PLUS

Circle 193 on inquiry card.



Program Reliability

The program has exceptionally good error handling. User response is strictly controlled to eliminate the acceptance of unreasonable input. The TRS-80 version appears to be crash-proof. Try as I might, I couldn't cause the program to crash or even become flustered. Apple II users can avoid missing any turns by disabling the RESET key.

I found one minor logic error in the TRS-80 version. When several pairs of people are competing serially, the "false starts" are charged by lane rather than by individual. By the time this review is published, Microsoft will have corrected this problem. Otherwise, the program appears flawless.

Documentation

The program is accompanied by an instruction booklet containing background information about the program, the author, and Microsoft. The instructions cover running the program, cassette-loading problems, backing up the disk (you are allowed one backup), and tape or disk replacement. Each event is discussed in detail, and hints on technique and strategy are included.

Hardware Requirements

Olympic Decathlon is available for the TRS-80 Model I and Apple II computers. Each version took about 10 months to complete.

The TRS-80 version is available on either cassette or disk. The disk version requires 32 K bytes and one disk

drive. This version is an impressive example of the creative animation attainable with low-resolution graphics (see photo 1).

The Apple version is available on disk only. It requires 48 K bytes, one disk drive, and game paddles. The high-resolution color graphics are quite impressive (see photo 2). The Apple version also plays the Olympic Anthem during the opening and awards ceremonies.

Software Support

Microsoft is not playing games when it comes to support after the sale. Tapes and disks are guaranteed to work. If the program fails to load properly, return it to the dealer or to Microsoft for a free replacement. If it becomes damaged during normal use, Microsoft will replace it for \$7.50. The disk version allows a single backup (requires two drives) to facilitate play while you await your replacement disk.

Conclusions

Olympic Decathlon is a superior graphics game. A well-written simulation that captures much of the flavor of the Olympic Games, it is challenging and entertaining.

While many game programs quickly find their way to the "All Played Out" file, the interactive graphics, multiplayer capability, and unique features of Olympic Decathlon will keep it in your active program library for a long time.

Missile Defense vs ABM

Robert Moskowitz 22200 Tioga Place Canoga Park CA 91304

All is quiet—perhaps too quiet. Then, without warning, comes the attack! At first, a single incoming missile streaks across the sky. Another follows. Then dozens upon dozens, in a crazy-quilt pattern of bomb trajectories and defensive streaks, darting and exploding in rapid fire. Killer warheads of every description veer relentlessly for your cities: ordinary bombs, MIRVs that retarget themselves and multiply without warning, and even "smart" bombs that can dodge your most accurate firing. With increasing speed, they rain down in waves, until your defenses are taxed to the limit—or more likely overtaxed—and your brain circuits sizzle like the cities just fried by nuclear fireballs.

But wait. Nobody is dead. This is fiction. The scenario takes place thousands of times every day, at arcades across the country and now in thousands of homes equipped with Apple computers and color TVs. At the arcade, it is Atari's Missile Command—one of the most popular games around. At home, you can have two versions of the game: Missile Defense(by On-Line Systems) and ABM (by Muse Software). All three play a tough, fast game with plenty of thrills, sound effects, and graphics. This review hopes to differentiate the subtleties, the slight distinctions, and the all-important "feel" that make for a really rousing atomic war!

Two notes on these reviews: First, I relied on a panel of

THE WORLD IS YOURS



Data communications can open up a whole new world to you and your computer. A world of the future. Now. Data communications can open up a whole new world to you and your computer. A world of the future, now.

A world full of information resources, time-sharing computer systems, and electronic "bulletin boards." All you need for admission to this world is your CP/M. based computer, a modem, and the proper software. That's where we come in. We have the proper software. CROSSTALK,™ our smart terminal & file transfer program for CP/M, allows you to call into thousands of dial-up computer systems around the world, and communicate with them. REMOTE, our CP/M remote console program, allows you to operate your CP/M system from a remote terminal, giving your computer added flexibility and usefulness.

CROSSTALK

- Allows your computer and modem to communicate with other computers, including other CROSSTALK systems, public-access "bulletin board" systems, main frame computers, subscription "Information utilities" such as THE SOURCE,™ and much more.
- Simple, easy to use "plain English" command structure makes CROSSTALK easy to learn, yet provides a powerful tool for exchanging files, capturing data, and controlling modem parameters
- Concurrent printer and video allows you to print data while viewing it on the CRT.
- Fully error-checked file transfers using 16 bit CRC protocol. Protocol transfers allow exchanging files which are larger than the system's memory.
- · Built in "DIR" command.
- Data capture allows saving received data onto your disk.
- Auto-dial, redial, and auto-answer (if supported by modem).

Available for the following modems: Hayes 80-103a

Hayes Smartmodem™ Hayes Micromodem 100™

PMMI Communications MM-103 Hayes Micromodem II™ for the Apple II®

Any RS-232 modem, including 1200 baud modems

REMOTE

- Allows remote use of your computer from a remote terminal location.
- · May be called as a subroutine from BASIC, PASCAL, or any other program to allow answering under program control.
- Provides nulls if needed for printing terminals.
- · Uses less than 1k of memory space.
- Automatically selects proper baud rate.
- Available for S-100 modems (Hayes and PMMI) only.


For details, see your computer retailer, or contact us directly.



Microstuf, Inc. 1900 Leland Drive, Suite 12 Marietta, Georgia 30067 (404) 952-0267

icromodem™ are trademarks of Hayes Microcomputer Products, Inc. / Apple is a registered trademark of CROSSTALK is a trademark of Microstuf, Inc. / CP/M is a registered trademark of Digital Research Inc

DEALER INQUIRIES WELCOME.



Now—A four station, hard disk business computer with letter quality printer, terminals and get-rolling software for less than \$15 a day.*

The Altos Business Computer Special. The most powerful, reliable, easy-to-use system in its price range. And Altos backs it up with on-site, nationwide service.

The hardworking engines of our system are the Altos ACS8000-10, -12 and -14 computers. Any one of them can cost-effectively hook-up with from one to four stations, as your needs demand. Their rapid access, 10, 20 or 40 MByte Winchester hard disks let you file from a 3,000 to 12,000 page load.

MPUTERSPECIAL





Our get rolling business software package includes multi-user systems software, Wordstar for word processing and Microplan for business analysis. And when you need more, your local Altos representative can route you through to hundreds of other business and accounting programs, to meet virtually any requirement. Plus Altos also lets you communicate with other computers, mainframes, and even allows networking.

Get on the right track! Join

thousands of professionals, institutions and businesses who rely on Altos computer systems. Call our toll free number or write today for the Altos sales and service depot nearest you.

All aboard!

*Price approximate and may vary in your area. Daily lease based on: \$17.000 principal, 20% annual interest. 5-year term. Includes: Altos ACS8000-10 computer, letter quality printer, four Altos "smart" terminals and get-rolling software. Does not include tax, installation, training and maintenance. Offer expires February 28, 1982.

Wordstar is a trademark of MicroPro International Corp. Microplan is a trademark of Chang Laboratories, Inc.

© 1981 Altos Computer Systems

Packed with fresh ideas for business



COMPUTER SYSTEMS

2360 Bering Drive San Jose, California 95131

800-538-7872 (In Calif. 800-662-6265)






Photo 1: Muse's ABM game is progress.

judges, ages five to 19, to play the games extensively and give me their opinions. Second, I took Missile Command—the original arcade version of the game—as the basis for comparison. For better or worse, our judges had much more time on that game than either of the home-computer versions up for review. So it was natural to see which of the home-brew war games compares best with the original.

The Scenario

All three games offer you a chance to control a missile defense system during a savage enemy attack on your cities. The game continues until all your cities have been destroyed.

Missile Defense copies the original theme in great detail, giving you six nameless cities defended by three missile bases. Incoming objects include single bombs, MIRV bombs that split and separately retarget themselves, and "smart bombs" that move upward and horizontally to avoid your defensive missiles. You must be *very* accurate to destroy a smart bomb and very fast to counter a MIRV attack.

The attacks tend to come in waves, initially slow, then faster, splitting and swerving across the screen in a cacophony of screeches, sizzles, and howling sound effects. If a bomb penetrates and hits a city, the target is cleanly destroyed. Should a bomb hit a missile base, you lose it and any missile firepower that may have remained there.

When the waves end, the computer tabulates your score, awards bonus cities for every increment of 10,000 points, and then restores your three fully loaded missile




Photo 2: On-Line Systems' Missile Defense game in progress.


bases for the next round. While the scores achieved with this game are lower than those of the arcade version, the scoring system and pattern were judged to be similar, and our panel generally felt comfortable at the controls.

If you run out of missiles, the enemy becomes merciless and usually decimates what is left of your cities. Our judges disliked this tendency and claimed that the original Atari version generally has enough built-in mercy to leave at least one of your cities when it finds you totally defenseless. Several times, the intelligence behind Missile Defense stunted the spirit of a good game by mercilessly obliterating three or more cities after we depleted our missile supply in the third or fourth round.

ABM has a slightly different scenario. Here you defend the Eastern Seaboard, with its six familiar cities: Boston, New York, Philadelphia, Baltimore, Washington, and Richmond. You have both high- and low-yield defensive missiles, fired from five separate bases between the cities. You can choose to fire high- or low-yield, but the computer decides which base actually launches the missile. You have an unlimited number of defensive missiles to fire. Enemy weaponry includes single bombs and MIRVs, but no smart bombs.

The attacks come continuously, at progressively faster and overwhelming rates. ABM gives a continuous readout of your total shots and hits, but the final score only appears after all your cities have been eliminated. Scoring is low, with a record high of 7120. No matter how well you do, the computer never restores a single city during the game. There is no pause and no restoration of armament until the game concludes. Judges preferred the arcade system, which pauses, scores, and restores cities before resuming the game.

CASH FLOW PROBLEMS?



IT'S NICE TO KNOW SOMEONE WHO HAS THE SOLUTION.



MicroAge is your Solution Store . . . that means at MicroAge Computer Stores we have a wide selection of time-saving computerized business systems designed specifically to solve the daily cash flow problems every businessman faces.

MicroAge has computerized business systems that

quickly and affordably allow you to regain control of your critical accounts receivable ... at last making it possible for you to carry out effective collection procedures on a consistent basis. MicroAge has accounts receivable program packages to automatically display and update account information; prepare trial balance including a balance-due and delinquency aging

report, and take care of dozens of other tasks that eat into your time and profit!

Computerized business systems from the Micro-Age Computer Store are available in the \$5,000 to \$15,000 range, to suit the individual budget of your small business or professional practice. MicroAge backs up every system with personalized service, warranty service and repair, installation, systems consulting, even customer training. Visit the MicroAge Computer Store in your area soon with your business problems, and let us help you with the solution.

Micro Age computer stor

"The Solution Store" SM

VISIT THE STORE IN YOUR AREA:

El Paso, Texas (915) 591-3349 Rockville, Maryland (301) 762-7585 Nbuquerque, New Mexico 505) 883-0955 Pleasant Hill, California (415) 680-1489

Rochester, New York (716) 244-9000 Hurst, Texas (817) 284-3413 Orland Park, Illinois (312) 349-8080

Milwaukee, Wisconsin (414) 257-1100 Mountain View, California (415) 964-7063 Scottsdale, Arizona (602) 941-8794 Anchorage, Alaska (907) 279-6688 San Diego, California (714) 278-0623

Minneapolis, Minnesola (612) 338-1777 Columbus, Ohio (614) 868-1550

Portland, Oregon (503) 256-4713 Norwalk, Conneticut (203) 846-0851 Oklahoma City, Oklahoma (405) 728-1837



If a bomb penetrates your defenses in ABM, it fireballs on or near the ground, destroying everything within the fireball. This lends a swiss-cheese effect to your cities and allows you to lose half of Richmond or nine-tenths of Boston, for example—an impossible occurrence in the original version. If a missile base is bombed, you lose that firepower, although one active base is as effective as five.

ABM has a special demonstration mode. If you boot the game disk and do nothing, it pauses, then begins playing itself. This is a fun introduction to the game, but has little relevance to the quality of play and was probably included as a marketing device. Touch any key and ABM goes into normal play.

Both games keep your eyes, ears, and hands busy. But overall, our judges like the arcade version the best; more on this a little later. For now, let us examine the action piece by piece.

Mobility

Mobility is the prime factor in a high-scoring defensive system. The faster you can move your cross hairs to retarget your missiles, the better chance you have to repel the enemy attack and the more missiles you can fire if your first shots miss.

The original game offers a special "rolling ball" (track ball) control to provide exceptionally fast mobility, which neither home game can match. Our test Apple is equipped with the standard paddle controls and, after some practice, our panel of experts was able to move the cross hairs about the playing screen with speed and accuracy. The paddle controls, however, require a large range of motion to go from, say, upper left to lower right on the screen. Even the ABM adjustment program (more on this later) could not reduce the *range* of motion enough to increase overall mobility. This paddle problem affected the play in both versions of the game. Almost all the judges guessed that joystick controls on the Apple would make both versions of the game even better.

ABM provides a blinking set of cross hairs that disappear for a short time immediately after you fire a missile. The launched missile heads for the spot your cross hairs occupied when you hit the firing button, but the cross hairs turn invisible. You can still move them, but you do not know where they are. This limits your ability to launch a rapid-fire counterattack. Even worse, it actually confused some of our panel. Habitues of the game invariably want to fire and retarget in almost the same motion. In that second or two of invisibility, the players lost track of the cross hairs and lost more time looking for them when they reappeared. With a joystick, there would have been better feedback from the fingers to help retain a sense of screen location. But the eyes have it in this game, and cross hairs that disappear are a serious liability—particularly when the pace accelerates. In addition, the judges felt the blinking cross hairs were harder to see than the steady ones you get in the original version.

Missile Defense offers a very stable cross-hair pattern, which remains visible throughout the game. Our judges found it simple to fire and instantly retarget for the next incoming object with this version. As with ABM, the missile streaks toward the point where your cross hairs were

At a Glance -

Name ABM

Type Arcade-style game

Manufacturer Muse Software 330 N Charles St Baltimore MD 21201 (301) 659-7212

Price \$24.95

Author Silas Warner

Format 51/4-inch floppy disk

Language

Applesoft and 6502 machine language

Computer

Apple II or Apple II Plus, with Applesoft in ROM or Language Card, 32 K bytes of memory, and one disk drive

Documentation Printed leaflet

Audience

Anyone who likes fastaction arcade games, especially Atari's Missile Command

At a Glance_

Name

Missile Defense

Type

Arcade-style game

Manufacturer

On-Line Systems 36575 Mudge Ranch Rd Coarsegold CA 93614 (209) 683-6858

Price \$29.95

Author Dave Clark

Format

51/4-inch floppy disk

Language

6502 machine language

Computer

Apple II or Apple II Plus, with 48 K bytes of memory and one disk drive

Documentation 2-page leaflet

Audience

Anyone who likes fastaction arcade games, especially Atari's Missile Command

If you write software, write Digital Research.

We can help you bring your products to market.

Independent Software Vendors (ISV's) are the key to solving the software crunch in the 1980's. To help you bring your products to market, Digital Research introduces the ISV Support Plan designed to assist you in: Developing Your Product

- ☐ With the fast and powerful PL/I-80™ Programming System
- ☐ ISV Seminars covering high level applications

Getting Established in Your Market

ISV Seminars cover:

- ☐ Designing a marketing strategy
- ☐ Advertising
- ☐ Writing Manuals
- ☐ Assuring software security
- ☐ Supporting and updating products

On-Going Support Includes:


- ☐ Legal and technical information
- ☐ Distribution channels
- ☐ Printing facilities
- ☐ Free product listing in our Applications Software Catalog

All this plus the world's largest software marketplace — the CP/M® customer base.

So why do it alone? Write Digital Research. We'll send you our free brochure detailing the ISV Support Plan.

O DIGITAL RESEARCH

P.O. Box 579 Pacific Grove, CA 93950 (408) 649-3896 TWX 910 360 5001





when you fired. Meanwhile, you can be halfway across the sky, preparing for the next defensive shot.

ABM offers a unique adjustment program so you can set up the paddles (or joystick) to suit your muscular instincts. Our judges applauded this ingenious feature and used it to make each paddle control react as *they* wished. This way, you can change the way the cross hairs respond to a given paddle movement if it seems wrong.

Missile Defense offers the option of controlling the cross hairs from the paddles or from the keyboard. The U-I-O-L-.-,-M-J pattern of keys triggers movement in eight directions, providing a kind of "keyboard joystick." The more often you hit one of these keys, the faster the cross hairs move in the specified direction. A touch of the K key immediately stops the cross hairs. Some of our judges preferred this arrangement to the paddle controls, claiming it offers a closer simulation to the original track ball and that it facilitates one-hand operation of the cross hairs—a definite advantage in Missile Defense, as we shall discuss.



Defensive Missiles

ABM provides an unlimited defensive arsenal. You can fire for an eternity, and ABM will remain poised to pump out more missiles on your command. (The original version strictly limits your firepower.) In ABM, you fire the missiles with the two paddle control buttons. One button fires missiles from the two bases equipped with 5-kiloton warheads; the other button fires missiles from three other bases, which are equipped with relatively tame 1-kiloton warheads. The adjustment program lets you decide which finger will deal each blow. The larger warheads create larger fireballs than their smaller cousins and, therefore, have the potential to engulf more incoming objects.

Despite the impressive fireballs, the need for accuracy is far greater with ABM than with the original. Some incoming missiles seem to outrun the expanding fireballs, while others survive what looks like a solid hit. In the original, you can detonate your missile in the track of the oncoming enemy. The explosion lingers long enough to erase the intruder. With ABM, you cannot "lead" the target very much, and hitting behind the attacker is usually ineffective.

Missile Defense limits your defensive arsenal. Your missiles are released from one of three pyramids on the ground. Each time you shoot, the pyramid shrinks. When it disappears, that base is without missiles. Most of our players saw this as more comparable to the original version and a feature that adds an extra degree of challenge to the play.

Missile Defense also plays more like the original in its accuracy and firing pattern. This game fires its missile from the keyboard. Pressing the 1, 2, or 3 key fires a missile from bases on the left, middle, or right of the screen. While this is a sure and accurate means of directing your defensive fire, it requires three hands (when using two paddle controls) for rapid action. None of our judges was able to manipulate both paddles and the missile-firing keys conveniently with only two hands. However, all felt that the game played with the missile-firing keys is close to the original version. And, it must be admitted, a joystick—which could be operated with one hand—would eliminate any problem along these lines.

Missile Defense has only one size warhead. But, again, this closely approximates the kill range of the original version's warheads. You can also "lay down a pattern" of explosions with this game and watch the enemy drive into it. The explosive dust clouds linger long enough to trap an oncoming projectile and take it out. This is another factor that helps Missile Defense play very much like the original.



Full Computer Power Minimum Real Estate

ACI-1

CP/M*

ACI-2

\$2995

A complete computer in the space of an 8 inch disk drive! ACI computers will run standard CP/M* software and work with any terminal or printer which has an RS-232 interface. Ask your computer dealer, or contact us for full information. Dealer/Distributor inquiries invited.



300 HARVEY WEST BOULEVARD, SANTA CRUZ, CALIFORNIA, 95060 408-429-6000



Sound Effects

Both games have some interesting sound effects. ABM provides a juicy sizzle when a missile or a bomb detonates. Missile Defense emits a tinkling sound when a missile or a bomb discharges. You also receive introductory effects, a long, falling whistle when you lose, and finally, a flashing red screen (duplicating the ending of the original Atari game).

Neither game produces the shooting sounds you get when you loose your own missiles in the original, and aficionados of the game claimed to miss the extra sound. I found both games noisy, active, and more than enough to occupy the senses.

Graphics

ABM provides an interesting display of the six East Coast cities. The colorful missile tracks break up and jump as they cross resolution lines on the TV screen, and the fireballs are expanding white circles that engulf and eliminate everything in range.

Missile Defense has a nameless row of cities, also seemingly identical. The missiles come in smoothly, with very little break-up of their tracks on the screen. Smart bombs are shown as small plus signs. Explosions are detailed clouds of colored dots that grow, freeze, and evaporate within a few seconds.

Both games play in the Apple high-resolution graphics mode, with exciting opening sequences. Neither game matches the original, however, which uses different color combinations as the action gets more intense. All things considered, they play almost identically in terms of quality, action, and color.

You may be interested in our judges' ratings. On a scale of 0 to 100—with the original Missile Command as 100—Missile Defense rated 85 and ABM rated 75. The relevance of these numbers is unclear, but remember you heard it here first.

Conclusions

Both games are exciting, demanding, frustrating, challenging, and great fun. The preference seems to depend on your playing history. If you have spent a lot of time on the arcade original, you will probably prefer Missile Defense. It looks, sounds, scores, and plays much more like the original than ABM. It is like bringing the arcade game into your own home.

If, like me, you have no experience on the arcade original, you may appreciate ABM's subtle differences: the unlimited shooting, the identification of the cities, the high- and low-yield weaponry, the continuous performance readouts, and the paddle adjustment program.

Gorgon

Peter V Callamaras 25 C Scott Circle Bedford MA 01730

"Blue Three to Blue Leader—We have them in sight."
"Blue Leader to Blue Three—Watch out for Space
Mines."

"Blue Three to Blue Leader—We got them! But there's more on the wa..."

"Blue Two to Blue Leader—They got Blue Three. They're all over the place! They grabbed one of our people and are carrying him off—I'm starting my attack run and..."

"Blue Leader to Blue Base—we lost two ships. I'm the only one left. I'm breaking off and will commence the attack from the opposite direction."

Suddenly there is a blinding flash of piercing white light and a voice breaks in:

"Honey—do you realize it's almost three in the morning?"

Time passes quickly when you're playing Gorgon, a new arcade-style space game from Sirius Software. This is one of the typical high-quality, highly graphic games we have come to expect from the Sirius/Nasir team. Rest assured that you Nasir Gebelli fans will not be disappointed by this one!

The premise behind Gorgon is fairly simple—the earth has entered a time warp, and strange creatures called Gorgons appear at random to abduct helpless earthlings. You are a fighter pilot trying to blast the Gorgons with your laser cannon before the kidnappings occur.

If you are too late, you can still shoot the Gorgon who is carrying off one of your people. But you must then catch the falling human and lower him safely to the earth's surface. Hitting the earthling with your cannon fire or allowing him to hit the ground costs you 50 points; saving a captured earthling gains you 100 points.





"We provide business programs as individual as your business needs."

"Allow me to introduce myself. I'm a Vector computer, dedicated to the advancement of society. And I'd like to tell you how a computer can help you manage your business more efficiently. Especially if that computer is a Vector, like me. Because we're probably the most flexible and cost-effective computers you can find.

"Our programs are the key. Because they enable me to handle sales forecasting, budgeting, job costing and proposals, commissions, personalized mass mailings, charts and graphs. We Vectors can even talk to each other and to other bigger computers.

"Unique combinations of our individual programs can actually customize me to meet your specific requirements. Any combination of our software packages can be assembled right off the shelf, to help you realize your full potential as a salesman, merchant, stockbroker, clergyman, contractor, real estate or insurance agent or whatever your business.

"Choose from Memorite III for word processing and mail list management, Execuplan for financial planning and forecasting, Business Accounting, Data Management for filing and sorting information, Communications and a host of others. And, of course, all we Vectors come with the popular CP/M operating system.

"For more information and your local dealer, call us at (805)499-5831 or (800) 235-3547. In California, call (800) 322-3577. Or write to us at 500 North Ventu Park Road, Thousand Oaks, CA 91320.

"We'll show you how we small information systems can mean big business for you."

Circle 424 on inquiry card.



COMPUTERS FOR THE ADVANCEMENT OF SOCIETY.

Sold and supported by 400 dealers worldwide. Vector Products are approved on General Services Administration authorized ADP scheduled price list.

The first family of microcomputers with mainframe capability.

WICAT Systems brings four years of research and development to the market with the System 100 family of microcomputers. WICAT is the first to provide high performance, low cost computers with full feature operating systems and network capabilities. The WICAT family of systems and their supporting software have been designed to 1985 specifications. The hardware, software, and communication networks assume large main memories (up to 1.5 megabytes in the System 150 and 14 megabytes in the System 100) and large system power at each intelligent workstation.

Our 68000-based systems run at 8MHz and execute approximately one million instructions per second. The processor has a 16 bit external data path and internally supports 32 bit operations. All of our computers, with the addition of the interface board, can control videodisc players. Multibus™ devices can also easily be attached to our complete family.

WICAT's Multi-User Control System (MCS) is one of the most powerful operating systems available today. The real time, multi-user, multi-tasking system is designed to strike an uncompromising balance between the needs of the system's programmers and the general users. UNIX™/V7 and a CP/M Emulator are also available.

In addition to the three operating systems WICAT offers nine programming languages: PASCAL, Assembler, FORTRAN, COBOL, BASIC, APL, ADA, C, and LISP.

Full service maintenance is offered internationally, including 377 locations in the United States. Depot maintenance is also available.


Whether your needs are for business systems, personal computers, or sophisticated networking, the WICAT family meets those needs.

Call or write today for additional information.





- · ANSI X3.64 Terminal
- · 80 x 25 rows on a 12" diagonal screen
- · Optional touch panel
- Blink, blank, reverse video, halfintensity and underline




- · 68000 Processor
- · 20MB-900MB hard disk storage
- · Up to 14MB of main memory
- Supports up to 96 intelligent terminals




- · 68000 Processor
- · Up to 1.5MB main memory
- · Single-user intelligent terminal



- 68000 Processor
- · Up to 1.5MB main memory
- 2, 54" floppy disk drives (1.92 MB or 320KB)




- · 68000 Processor
- 2, 8" dual-sided, double-density floppy disks (2.4MB)
- · Up to 3MB of main memory
- · Supports 4 dumb terminals



- · 68000 Processor
- 10MB hard disk—5¼" floppy disk for back-up
- · Up to 1.5MB main memory
- Single-user or multi-user operating system (multi-user version supports 4 terminals)



- · Same features as T7000 Terminal
- Monochrome graphics—400 x 300 pixel resolution
- Simultaneous support of text and graphics features (2 independent graphics planes for animation)
- · Optional touch panel



- 68000 Processor
- 1, 8" dual-sided, double-density floppy disk (1.2MB)
- · Up to 1.5MB of main memory
- Ideal single-user workstation for videodisc and simulation





Photo 1: The game Gorgon in progress.



Your Gorgon opponents come in four different forms, each worth different point totals. Only one type grabs people, but the others release space mines that destroy your fighter on contact. You get three fighters during a game.

The display for Gorgon seems complex at first, but you soon become accustomed to it (see photo 1). The bottom four-fifths of the screen shows a side view of the earth's surface, which features undulating terrain and an occasional human. Above this is a situational sensor view showing your position relative to any Gorgons. Thus, you can leave the immediate battle area and do a bit of reconnaissance. Later, you can reenter the battle zone from a more advantageous direction. Next to the sensor screen is a display of your remaining ships (upper right corner). Below the terrestrial view is information on remaining fuel, present score, and high score.


You don't expect this game to be too easy, and it isn't. The Gorgons materialize at random locations in the battle area, and hesitation at shooting them presents several problems:

- The Gorgons destroy your fighter if they make contact with your craft before you can blast them.
- The different creatures release two kinds of space mines which destroy your ship on contact; you can't easily shoot them down, but they temporarily disappear if you outrun them for a certain distance.
- The more time you take to destroy the Gorgons or mines, the more Gorgons appear—and you are rapidly overwhelmed and destroyed.

Fuel depletion can be remedied by the option that allows you to refuel from an orbiting space station. You must maneuver past your sensor satellites, and your lasers are deactivated. (The rationale is that you can't destroy the satellites because they give you information on the Gorgons in the other half of the game.) If you should collide with one of your sensor satellites, your ship is destroyed. This feature actually gives you a game within a game.

Action is controlled from the keyboard. The game can be played without paddles if none are available. The game requires coordinated use of both hands to pilot the fighter and fire the laser.

For a change, the choice of keys and their locations doesn't lead to the fatigue and finger cramps experienced in some other games—notably, those programmed in Japan. The A and Z keys control the vertical fighter direction and velocity, while the left and right arrow keys control the horizontal direction and speed (hit a key and the ship points in that direction; hit the same key and the ship's speed increases). It takes time to become accustomed to using the keys continually to change direction



$ZE\mu S^{TM}$ is a minicomputer AND a microcomputer.

Through multiprocessor technology, each user has a dedicated Z-80A-based single-board microcomputer module, housed in the system mainframe.

But users enjoy minicomputer performance and capacity. Including modular hard disk storage of 34 to 600 megabytes. Tape backup. Shared printers with spooling and queuing. Disk caching. Access to a common database.

Unequalled flexibility and reliability. The completely modular, stackable system can expand to 64 users. To add a user, add only a dumb terminal and an inexpensive user microcomputer module.



ZE μ **S** sounds powerful. Now prove it.

Name

Address

City/State/Zip

Phone


Trademarks ZE μ S, MUSE: OSM Computer Corporation Registered trademark: CP/M: Digital Research

And $ZE\mu S$ isn't fazed by lightning, voltage variations, or power failures. Power for the entire system is "buffered" through a battery/recharger system that provides up to 20 minutes of operating power.

Unequalled value. MUSE™ multiprocessor operating system is compatible with CP/M®. Minicomputer performance and capacity. New levels of reliability and flexibility. All at a per-user price that is shockingly competitive. If the coupon isn't fast enough, call.

OSM Computer Corporation 2364 Walsh Avenue Santa Clara, CA 95051 (408) 496-6910 TWX 910-338-2099


You cannot




These components convert The Intelligent Typewriter to a multifunction word processor.

They also give it the capability to communicate with other information sources. Our typewriters can talk to our typewriters and send or receive a page of text in 20 seconds.

This is the cost-efficient way to get the flexibility you need.



outgrow it.



The Intelligent
Typewriter. It upgrades
from an electronic
typewriter
to multi-function
word processor
in less than an hour.

The Intelligent Typewriter was the first electronic designed to grow.

It can be upgraded to store and edit text. To display text. To become a multi-function word processor. As your needs grow, more capability is simply added in.

So The Intelligent Typewriter is more than the first. It may be the last typewriter you will have to buy.

To learn more, ask for our "Start with us. Stay with us." product information kit.

Or call our nearest office or toll-free: 800-327-6666. In Florida: 1-800-432-0800.

There's never been a more affordable time to start than right now. And it's available for immediate delivery.

EXON OFFICE SYSTEMS Start with us.

Stay with us.

PHONE NUMBER

P.O. Box 10184 Stamford, CT 069		BYT 11 (
Send me more fac	ts on The Intelliger	nt T <mark>ypewrit</mark> er.
NAME		
COMPANY		
ADDRESS		



and speed. But it isn't distracting. The space bar fires the laser, so it doesn't matter if you are left- or right-handed. This key arrangement is very comfortable and gives you a place to rest your hands.

At a Glance.

Name of software Gorgon

Type Arcade-style game

Manufacturer Sirius Software Inc 2011 Arden Way #225A Sacramento CA 95825

Price \$39.95

Author Nasir Gebelli

5-inch floppy disk

Language 6502 machine language

Computer

Apple II or Apple II Plus; with one disk drive (13- or 16-sector) and 48 K bytes of memory

Documentation One-page instruction sheet

During play, there are options allowing you to pause during the action, restart the game, or decide whether you want the sound effects on or off. (If you find yourself still battling Gorgons late at night, the silence option will really be appreciated!)

Although Gorgon seems difficult at first, there's a compulsion to keep going (not the least of which is your gradually increasing score). The psychological factors that separate a good game from a mediocre one have been successfully incorporated in Gorgon. This isn't an easy game, but it's not difficult to start attaining better scores. The more you play it, the better you like it. You find yourself trying different strategies and discovering the intricacy of such games. You can simply wait and shoot the Gorgons as they appear, but then they get behind you—so you keep moving. Then you try running from the mines which suddenly surround you. Before you know it, another fighter bites the cosmic dust! I leave devising the "best" strategy-if there is one-to you.

The graphics match what we expect from the Sirius/ Nasir team. The exploding fighters and laser fire are fantastic. When you finally get past the sensors and dock for fuel, you are rewarded with one of the best highresolution graphics displays in the game! All movement in the game is smooth, and the playing pace never slows. Although the game is quite playable with either a blackand-white or color television set, color is the better choice.

After your three ships have been destroyed, the game automatically reloads from disk (an unusual and frustrating feature for an Apple game). Since the game retains your highest score, you always have a new goal to exceed. You can still play the game in the demonstration mode, albeit with only one fighter.

If you are inclined to visit the local arcade to compare Gorgon and its counterpart (Williams' coin-operated "Defender" game), I think you'll agree Gorgon is more easily assimilated. Your scores climb faster, and the game is just more fun to play. This is a welcome change from home computer games that come close to the arcade version, only to leave you tossing away quarters to play "the real thing."

Conclusions

At first, I expected to find Gorgon just another arcade game converted for the Apple. But it's well programmed and much more enjoyable than the arcade version. The initial difficulty of getting used to the keyboard action vanishes very quickly. (All too often, I find a good game that requires too much time to get comfortable with the action or to get a reasonable score. I soon lose interest and regret having bought the game in the first place. You won't have that problem with Gorgon.)



A Database System so sophisticated a beginner can use it.

WHAT

DO 1 DO

WATCH.

NOW?

This didn't come easy. To bring it off, we had to invent the first-ever combined relational database system and word processor.

The result was Sequitur. It's amazingly easy to talk to, because it does some things you only find in systems that cost ten times as much and a few things you can't find in any other system at all.

It's smart enough to be friendly.

Because Sequitur is a word processor, it gets by with a minimum of artificial codes. When the beginner enters, edits, excerpts or reports, Sequitur helps, step by step. That same helpful nature shows up when a computer expert uses Seguitur's powerful relational JUST TYPE "SHOW", THEN SIT BACK AND ability to build an elaborate applications program.

You and Sequitur organize your data into a table, which you can call up at will, all or in part. To add an entry, just fill in

the blanks.

The wonders of the **Integrated Edit.**

The beauty of a relational database system is that it can join one table with another to make a new one that includes only the precise

systems make

information you're looking for. When most relational

a join, they just create a new table. Soon these additional tables clutter up the disk storage with redundant information. If you edit a join, all you'll correct is that one joined table, not the tables the data came from.

On the other hand, Sequitur displays joined tables, but it doesn't store them. So when you edit, the edit goes back to the base table automatically. because that's the only one there is.

> This edit won't destroy what went before, though. If you change your mind, push a key and you can bring back earlier versions of any entry in any table. There's nothing else like it in the

market.

It has a beginner's price.

Sequitur works with the multi-user Unix operating system. If you've investigated serious Unix software, you'll be surprised to know that Sequitur only

costs \$3495. Come see Sequitur in action. Get in touch with Pacific Software, 2608 Eighth Street, Berkeley CA 94710.

Or call us at (415) 540-0616 and we'll set up a demonstration.

Pacific Software Manufacturing Company

Unix is a trademark of Bell Laboratories

Circle 334 on inquiry card.



The Gorgons come faster as your score rises, until destruction is imminent. If you play Gorgon long enough, however, you may discover a little quirk in the program which allows you to take over control of the game and defeat the Gorgons. (I'll let you find that yourself.)

Refueling takes you into the second portion of the game, which is perhaps as challenging as trying to shoot Gorgons. Though you quickly ascertain how to maneuver past the sensor satellites, you find yourself getting fancy and, after losing several fighters, you revert to zapping the Gorgons.

Sirius was correct in making Gorgon a keyboard-controlled game. You aren't faced with the necessity of a joystick or controllers, but can begin play at once. This game may even help develop hand-eye coordination in youngsters or physically handicapped players.

Although Sirius uses only premium disks, you can get a replacement for a flat \$10 fee. This should relieve those worried about wearing out the disk through the constant reloading of the game.

The documentation is adequate and the overall quality of the game is very high, in programming and playability. Since Sirius doesn't sell its products directly, you may have to get in line at your favorite dealer or send off an early mail order. A good model for you future game programmers to follow, Gorgon should provide many hours of enjoyment.

Commbat: A Tele-Game for Two

George Stewart **Technical Editor**

Most computer games are solitary activities. Whether you're hunting Klingons, exploring an imaginary world, or racing down an endless loop, it's you versus the computer. That relationship can become a little dry; after all, what does a computer know about the thrill of victory or the agony of defeat?

Commbat, a war game from Adventure International, offers a novel and exciting alternative to one-player games. It's a "tele-game" which you and a friend play using two computers linked by phone lines. The contest is one of strategy, tactics, and reflexes. Most important, your opponent is a human, not a computer; the computers serve merely to create an imaginary battlefield and to function as combat consoles.

The Scenario

You and your opponent have been commissioned to engage in single combat; the outcome will resolve a dispute over mining rights to uranium deposits on a planet in the Deneb galaxy. (It could just as well have been oil in the Middle East, but that wouldn't have offered as much escapist fantasy.) The battle area is vast-4096 square kilometers. Each of you has a base station and a military arsenal of eight tanks, four reconnaissance drones, three decoy bases, 200 mines, 250 shells, 255 laser units, 200 rockets, and one ICBM.

To win Commbat, you must destroy your opponent's

base, and that's no easy task. When the game begins, you select your base's position and your opponent selects his. Neither of you has any idea where the other's base is. Using tanks and reconnaissance drones, you've got to pinpoint the enemy base. The problem is that you can't easily distinguish decoys from the real thing; it takes careful observation and deductive reasoning to make the determination. The only practical way to destroy the enemy base is with your single ICBM. If you waste the missile on a decoy, your game prospects are grim.

While you're out searching for the enemy base, your opponent is doing likewise. This means you must take defensive measures, too-like laying mines, setting up decoys, and positioning tanks at strategic points throughout the battle area. All of these objectives become immediate goals; destroying the opponent's base becomes a distant, ultimate goal. As in real war, there are many minor victories and losses in the field as your tanks destroy and are destroyed. A game may last anywhere from 30 minutes to four hours.

How Good Is It?

The key to an enjoyable, interactive strategy game is having "tools" that work convincingly in the imaginary world. The more complex the tools and the more intricate the natural laws of the imaginary world, the better. By this criterion, Commbat is a great success. Although it takes a while to use them proficiently, the tools

SUPERVYZ-THE NEXT INDUSTRY STANDARD

SUPERVYZ is a revolutionary software concept designed to overcome the frustrations of using CP/M. This allows you to crack any non-technical market without the hassles of teaching the operating system. Instead, users are greeted with a series of self-prompting, selfexplaining menus linking the user directly to the application. We'll supply the menus or you create your own, to meet the exact needs of your customers. SUPERVYZ presents unlimited software flexibility by providing a system to coordinate multiple application programs. The menus tie it all together, allowing program interaction. Even the most complicated commands between programs can be a simple menu choice.

> Dealer inquiries invited. foreign or domestic.



Epic Computer Corporation 7542 Trade Street San Diego, CA 92121 Tel: 714-695-3560

Circle 156 on inquiry card.

INTRODUCTORY RETAIL PRICE

MANUFACTURERS

Ship SUPERVYZ with every computer you sell. SUPERVYZ means software support interactive help files . . . dealer confidence . . . instant foreign market access . . . vertical market packaging . . . more computer sales!

DEALERS

Buy SUPERVYZ as a separate program . . . bundle software from different suppliers . . . demonstrate capabilities, not confusion ... sell computers more efficiently - SUPERVYZ does the teaching . . . end afterthe-sale handholding . .

SOFTWARE SPECIALISTS Package SUPERVYZ into every system you deliver . . . SUPERVYZ is compatible with over 2000 programs, 300 computers. Target your market with SUPERVYZ.

USERS

Insist on SUPERVYZ . . . don't buy a computer without it.

YOUR NEW MARKETING TOOL

1 SEP 1981 SUPERVYZ Function Selection Menu 6) Accounting (A/R A/P G/L P/R O/E)
7) Data Base Inquiry and Reporting
8) Word Processing
9) Data Entry and Verification
10) Forecasting and Planning Set Current Date and Time Select Default Disk and User Add or Change SUPERVYZ Menus Extended Volume Table of Content File and Disk Support Functions Please enter the number of the desired function (0 if none, ? for help) []

The above menus are easily adaptable to your specific requirements

Volume Table of Contents (VTOC) A DATABASE MNU A FORECAST MNU


Default User = DATANTRY MNU WORDPROC MNU


Push arrow for more

FOR INCREASED SALES OF CP/M COMPUTERS APPLICATION SOFTWARE

^{*}Supervyz is a trademark of Epic Computer Corporation. CP/M is a trademark of Digital Research.







#FIRE CONTROL CHD? OBJECT GAME OR PRACTICE SESSION (G/P) (S)ELECT (T)ANK 812 7 # 3 (D)ROP (D) ECOY # SEC GRID (L) DAD (B) ASE 654 ACT (F) IRE (H) INE XFIRE CONTROL 0 0 8 (R)OCKET# (H)ELP 8 (H)AP (S)HELL X 8 0 (:) MS6 (L)ASER # (P)ATCH (A) IR RCX D DECOY # ENM TANK N CHIN TANK TANK DECDY (I)CBM X 0 (C) ASSETTE SAVE SHIELD 100 0 8 SAMPLE COMMANDS MINES 200 + OHN MINE 8 0 FIRE SHELL 1 22 18 X DEAD THE ROCKET 200 8 FIRE LASER 6 SHELLS 258 # BOUNDARY BROP MINES 3 LASER 255 LOAD SHELL (1) PATCH 2 4 5 DECOY SELECT TANK 2

Photo 2: The Commbat console, showing the command and function summary available through the "help" command.

(weapons, in this case) are impressive from the start. And although the terrain is too vast to display on the screen at once, it doesn't take long for you to form a mental map and to begin thinking of a real space somewhere beyond the confines of the combat console. In short, the game is credible.

Take the console display for example (see photo 1). It has six components:

- a map display showing the latest information about any of the 16 by 32 kilometer sectors (as sensed by one of your tanks or drones)
- three windows displaying the immediate areas around your base, one of your decoys, and one of your tanks
- status indicators reporting on the location and condition of your base station and all tanks and decoys
- •a command line, where your typed commands are displayed, along with urgent reports from the field and messages from your opponent.

Suppose you have a tank and a decoy in the same 7 by 7 kilometer area. Looking out the tank window, you see the tank (designated by a "T") in the center and a decoy ("D") off to the left. But looking out the decoy window gives the opposite picture, with the decoy in the center and the tank to the right. Move the tank one space to the

left. In the tank window, the tank remains stationary—since it is the reference point—and the decoy appears to move toward the tank. But in the decoy window, the opposite takes place: the decoy remains in the center and the tank moves toward it. *Motion is relative to the observation point*. It takes some getting used to on your part, but this consistent modeling is what makes Commbat so intriguing.

Using Commbat is definitely a learning experience. When you first start playing, you'll probably employ just the simplest tools. As you progress, you'll begin to appreciate the advanced capabilities. For example, using the "patch" command, you can advance two or more of your tanks and fire weapons in unison—creating a massive onslaught on your enemy's defense lines.

Another essential game element is its interactiveness. You and your opponent can move, fire weapons, and select different tanks and decoys at any time. This makes the game infinitely more challenging than the typical, wait-your-turn war game played on a board. Suppose, for example, that while you're typing in a command, you notice some enemy action through one of your three windows. You can cancel the command and make an immediate response to your opponent. You can even send him a message at any time ("Let's quit for a while," "Aha!" or some distracting thought).

THE CHIEFTAIN A Powerful Descendant of Proud Ancestors.

Based on Superior 6809-Family Technology, Smoke Signal's Chieftain Line is a Series of Computers that Now Include Formidable Hard Disk Systems and Multi-User, Multi-Tasking Capability!

Chieftain's awesome array of capabilities flow directly from the advanced technology that produced the renowned 6809 and state-of-the-art 68000 microprocessors. This extraordinary architecture **exceeds** Z-80 — CP/M based computers in capability, ease-of-use and reliability.

By virtue of this rock-solid heritage, Chieftain computers are today used the world over in a staggering array of applications that demand **exceptional performance**.

Amazing Versatility, Uncompromised Quality and Outstanding Support

Select the Chieftain that most perfectly fits a defined environment and budget. The series starts at 5½-inch floppy disk systems and proceeds through a spectrum of capabilities up to Winchester hard disk systems of 10- or 30-Megabyte capacity, and higher as technology makes available! Add multi-tasking power for mainframe-like performance.


In any configuration, the Chieftain is a no-fuss, turn-key system that serves you more than adequately today... and easily remains a step ahead of growing requirements. All are upward-compatible, with expandable memory. Software ranges from a complete small business program library to highly-specialized applications collected through Smoke Signal's unique Dealer Information Exchange.

Gold-plated connectors typify Smoke Signal's insistence on unquestioned reliability and long life. Every Chieftain computer is Endurance-Certified to **ensure** perfect operation from day one.

The quality doesn't stop there. Prompt, expert support is only as far away as the telephone. **Every** working day.

Cost-Effectiveness is the Final, Convincing Fact

A typical dealer price for a complete Chieftain computer system is well below \$5,000 (or even lower, depending on quantity discount!). Remember, that is **not** for the lowest-priced Chieftain, and it includes terminal, printer, software and desk — all our usual fine quality.





SMOKE SIGNAL BROADCASTING

31336 Via Colinas, Westlake Village, CA 91362

(213) 889-9340

For dealers only, circle 380

All other inquiries, circle 381

Title	1		
Company		775	
Address			1.0
City			



Playing the Game

A typical game session goes like this. You telephone a friend who also has the Commbat program. The two of you agree on what RS-232C characteristics you'll use and set up your Model I or III TRS-80s accordingly: word length, parity, number of stop bits, and bits per second (this last is set whenever you start the program).

Each of you starts the Commbat program, maintaining voice contact over the phone lines. Commbat will ask you for some start-up information, including what transmission rate you want to use. With most modems, you'll be limited to 300 bits per second. Finally, the computer will tell you to press the Enter key to check the communications link. Both of you must do this at approximately the same time and immediately put the two computers on line. When the computers are synchronized, you will be asked to select your base location. Then the actual combat begins.

Special Features

Commbat has several important convenience features. For example, there's a practice mode to get you accustomed to moving your tanks around, deploying mines and decoys, and even firing weapons (if you don't mind destroying your own resources). You don't have to be on line with another computer to use the practice mode.

Another important feature is the ability to save games on tape or disk for later retrieval. You'll invest a lot of time and thought in some Commbat games; the ability to save a game precludes the need to throw it away if the

At a Glance_

Name

Commbat

Type

Two-player strategy game using telecommunications

Manufacturer

Adventure International, a Division of Scott Adams Inc POB 3435 Longwood FL 32750 (800) 327-7172 (phone orders only)

Price

Cassette version, \$19.95 Mini-disk version, \$20.95

Author

Bob Schilling

Format

Cassette "system" file Mini-disk "command" file

Language

Z80 machine code

Computer

Radio Shack Model I or III, with at least 16 K bytes (cassette version), or at least 32 K bytes and one disk drive (disk version); RS-232C interface and modem

Documentation

12-page leaflet, plus command and function summary available in program session is interrupted. To save a game, both combatants must enter secret passwords. For either to load the saved game, both of them must enter their passwords. This prevents either player from cheating by improving his position in the other's absence.

Documentation

Commbat's manual is adequate. Most useful is a onepage reference sheet. In addition, the program offers a "help" command, which displays a command and function summary at any time (see photo 2).

Suggestions for Improvement

I found Commbat's main fault not in the game itself, but in the procedure required for starting it. Both players must start the "check-commlink" sequence almost simultaneously; otherwise, the program will "hang up," and you'll both have to reset your computers. This procedure can be a little tricky if you're using a single telephone and an acoustic modem. Ideally, it wouldn't matter when you started the check-commlink sequence—the first computer would simply wait until the second computer came on line. A programmer at Adventure International acknowledged that the present method is a little awkward, but said that the program's author has yet to find a good solution.

Another complaint is that the keyboard response occasionally seems sluggish: you'll type in a command and press Enter, only to realize that one or more of your keystrokes were missed. Of course, this always seems to happen at the worst times, as when you're engaged in battle with an enemy tank. The Adventure International programmer pointed out that this keyboard-response slowdown is an unavoidable limitation of the system due to the great amount of data being sent back and forth across the phone lines. (Both computers must keep complete data on both players, even though each player gets a much more one-sided view of things.)

The keyboard sluggishness isn't all that serious. For one thing, it's experienced by both players and won't give either an advantage. As well, it's not hard to accept; after a while, you begin imagining that your weaponry is becoming rusty or intermittent due to the stress of battle. Carry on!


Conclusions

Commbat opens an exciting new realm of multiplayer computer games in which the players may be anywhere that phones are available. Shedding their role as impassive opponents, the computers become active tools for competition between humans.


The imaginary world of Commbat is interesting and intricate, and it really does test one's strategy, tactics, and reflexes.■

S-100 STATIC MEMORY BREAKTHROUGH





16K STATIC RAM \$169



64K STATIC RAM \$795

32K PARTIALLY POPULATED \$479 48K PARTIALLY POPULATED \$659

Finally, you can buy state-of-the-art S-100 static memory for your computer at unprecedented savings.

Memory Merchant's memory boards provide the advanced features, quality and reliability you need for the kind of operational performance demanded by new high-speed processors.

COMPLETELY ASSEMBLED

These memory boards are not kits, nor skeletons—but top quality, high performance memories that are shipped to you completely assembled, burned-in, socketed, tested and insured with one of the industry's best warranties.

SUPERIOR DESIGN & QUALITY

Memory Merchant's boards are created by a designer, well-known for his proven ability in advanced, cost-efficient memory design. Innovative circuitry provides you with highly desired features and incredible versatility.

Only first quality components are used throughout, and each board is rigorously tested to assure perfect and dependable performance.

SHIPPED DIRECT FROM STOCK

All Memory Merchant's boards are shipped direct from stock, normally within 48 hours of receipt of your order.

NO RISK TRIAL

We are so convinced that you will be absolutely delighted with our boards that we extend a no risk trial offer. After purchasing one of our boards, you may return it (intact) for any reason within 15 days after shipment and we will refund the purchase price.

NEW 18 MONTH LIMITED WARRANTY!

The reliability of our boards, through quality controlled production and proven performance, has enabled us to extend our warranty to a full 18 months. This includes a 6 month exchange program for defective units.

HOW TO ORDER

Please send check, money order, VISA or MASTERCHARGE (add ICA#) with your order. Sorry, no C.O.D.'s. Specify model number, and quantity desired. Shipping and handling charge is \$5.00 per board. California residents add 6% Sales Tax. Credit card purchases may be telephoned to (415) 483-1008.

OEM and **DEALER** inquiries invited.



14666 Doolittle Drive San Leandro, CA 94577 (415) 483-1008

64K RAM. Model MM65K16S

Cool running operation to 10 MHz
Ultra low-power consumption
Fully loaded 64K board draws:
Typ. 350 Ma. (Max. current 550 Ma.)
Bank Select Capability
Extended Addressing Capability
One 16K submodule equipped with a
2K window which may be located

in any of the 2K segments 2716 (5V) EPROM Compatibility: Programmed 2716 EPROM's may replace any or all of the RAM

Four independently addressable 16K submodules on one board organized as two pair of independent 32K banks or as one 64K Extended Address Page. Each 32K bank responds independently to phantom. Bank Select logic is compatible with either Cromemco Cromix* or standard Bank Select software.

*Cromix is a trademark of Cromemco.

New 16K (2K X 8) 150ns Static RAM

Runs on any S-100, 8-bit system

MPM Conversion Option: Write for details.

16K RAM. Model MM16K14

Bank Select Capability
Extended Addressing Capability
One 4K segment equipped with 1K windows

Four independent 4K X 8 byte segments

Uses field proven 2114 (1K X 4) Low-power consumption (Typ. 1.3 Amps) Runs on any S-100 8080, 4 MHz Z-80 or 5 MHz 8085 system.

Prices, terms, specifications subject to change without notice.

Circle 243 on inquiry card.

THE RIGHT PRODUCT



\$789

JE ATARI MAKES IT WE SELL IT!!

Atari 400 8K Computer	419
Atari 800 16K Computer	
Atari 410 Program Recorder	69
Atari 810 Disk Drive	499
Atari 820 Printer	429
Atari 825 Printer	695
Atari 850 Interface	169
16K RAM by Microtek	99
32K RAM by Microtek	189
Assembler/Editor	

Atari Joysticks	18
Atari Paddles	
Basketball	30
Computer Chess	30
Invitation to Programming	
Music Composer	
Star Raiders	39
Super Breakout	30
3-D Tic-Tac-Toe	
Video Easel	
Visicalc	



PRINTERS, MONITORS, DISKS

Daisy Wheel Printer by C. Itoh	1750	
Paper Tiger 445G	725	
Paper Tiger 460G	1194	
Paper Tiger 560G		
Qume (shipped FREIGHT		
COLLECT)	2499	
Silentype w/interface	349	
Amdek Color Monitor	349	
Amdek Green Screen	169	

Amdek/Leedex B/W 12"	
Monitor	129
NEC 12" Green Screen	239
Sanyo 9" B/W Monitor	169
Sanyo 12" B/W Monitor	255
Sanyo Green Screen	309
Dysan Disks (pkg. 10)	50
Memorex Disks (pkg. 10)	40
Opus Disks (pkg. 10)	30
Verbatim "Gold" (pkg. 10)	35
(P. 19. 19)	

MONTHLY SPECIALS!

VERSA-WRITER DIGITIZER \$239

SSM A10 \$149


CALLERSE UNITS 1200 C.8000 Series Microcomputer System. P.C. 8000 Series

24K Bytes (expandable to 32K Bytes)


μPD780c-1 (Z-80A compatible), 4MHz

32K Bytes (expandable to 160K Bytes with PC-8012A I/O Unit.

The end of the compromise.



AT THE RIGHT PRICE



48k computer

\$1095 APPLE II 64K \$1249

DISK WITH CONTROLLER NEW DOS 3.3 \$529 WITHOUT . . . \$445 NEARLY EVERYTHING FOR APPLE

INTERFACE CARDS FOR YOUR APPLE

APPLE SOFTWARE

Adventure by Microsoft	27	Pool 1.5 by IDS	29
Alien Rain by Broderbund	19	Pulsar II by Sirius	25
Apple Pie by Programma	119	Raster Blaster by Budgeco	24
Apple-Oids by CPC	25	Robot War by Muse	31
Apple Panic by Broderbund	24	Sneakers by Sirius	24
Asteroid Field by Cavalier			229
Basic Compiler by Microsoft	349	Sargon II Chess Game by Hayden	29
Business Pkgs. by Continental		Space Game Album by Budgeco	39
Cosmos Mission by Astar	19	Space Eggs by Sirius	25
Desktop Plan I®	69	Space Raiders by USA	25
DB Master by Stoneware		Star Thief by Cavalier	25
Data Factory by Microlab	129	Sub-Logic FS-1 Flight Simulator	34
Gorgon by Sirius		Super Single Disk Copy Routine	35
Hungry Boy by Astar	21	Super Stellar Trek by Rainbow	33
Hi-Res Football by On-Line	31		129
Home Money Minder by Continental	29	Typing Tutor by Microsoft	17
Magic Window by Art-Sci	89	Ultima by CPC	35
Orbitron by Sirius	25		109
Personal Filing System		Wizard & The Princess by On-Line	32
PFS: Report		Wordstar by Micropro	329
Phantoms 5 by Sirius	29	Zork by CPC	34

APPLE ACCESSORIES

16k Ramcard by MPC
Analog to Digital Converter by CCS
#7470A
Clock/Calendar Module by CCS
#7114A
Copyrom by Mtn. Comp 51
DOS 3.3 — 3.2 Switch
Epson Printer Stand
Expansion Chassis by Mtn. Comp 295
Joystick
Lower Case Adapter by MPC 35 Microstand for Apple &
2 Disk Drives
Micro-Sci A-40 Disk Drive CALL
Micromodem II by Hayes
Sup-R-Term by M&R
Paddles by T&G 32
Programmable Timer Module by CCS
#7440A
Solder Tail Board by CCS #7510A 22
Smartmodem by Hayes 239
Thunderclock by Thunderware Inc 129
Versa-Writer Digitizer
Drawing System 239
Keyboard Enhancer by Videx 115
Videoterm (80-column card)
by Videx
Wire Wrap Board by CCS #7500A 21
Z-80 Softcard by Microsoft 299

Complete Line of Mountain Computer & Personal Software Products

CALL FOR FREE BROCHURE!

1-800-854-2833



TO ORDER: Mail orders may send cashier check, money order or personal check (allow 10 business days for personal or co. checks to clear). No COD or Purchase Orders accepted. Include 4% for UPS shipping, handling and insurance. Shipments to CA address must also include 6% sales tax. Please include phone number on all orders. RUSH ORDERS AVAILABLE using

Visa or Mastercard (subject to credit card approval from our authorization center). Please add 6% for rush shipment. Rush orders are shipped the same day if called-in before 12:00 p.m. PST. Please have credit card number, expiration date and billing address ready when you call. Bank wires also accepted. Please call for bank info. Minimum \$10 shipping charge on all orders.

(714) 579-0330 • MAIL TO: 1251 BROADWAY, EL CAJON, CA. 92021









COMPUTER

Hardware Review

alphaSyntauri Music Synthesizer

Steve Levine and Bill Mauchly c/o Audio Data Consultants POB 224 Ambler PA 19002

Music and computers seem to go together naturally. Indeed, there appears to be some metaphysical link between them. Musical minds take readily to programming concepts, and it's hard to find a coven of computer programmers without at least one musician in its ranks. The idea of making music with computers is almost as old as the computer itself.

But the human interface is always a problem. How do you translate the idea of making music into a computer program?

A musical score is much like a program; it's a list of instructions with various branches and repeats. So the obvious solution is to give the musician a language to describe the music. This may then be fed into the computer for the result. Until recently, using slow, batchmode processing could mean waiting a day or more for the sound to reach your ears. Even worse, the computer needed to know exactly what was desired. But how was the poor musician to know in advance what he wanted to hear? He's heard violins before, but what does a computer sound like?

The dawn of the microcomputer promised a new era in computer music. Suddenly, the machine was yours alone and when you said RUN, it ran. But both the hardware and software of the first microcomputer music systems ignored the need for real-time feedback. Maybe the software allowed the score to be typed into a screen editor

About the Authors

Steve Levine is a microprocessor engineer whose interest in computer music has run the gamut from controlling pipe organs to digital signal processing. He has coproduced the unique Computer Music Festivals in Philadelphia for four years. Bill Mauchly is a recording engineer and musician. Son of the father-of-the-computer, John W Mauchly, his knowledge of computers is genetic. Levine and Mauchly formed Audio Data Consultants in 1980 to collaborate on ideas in digital synthesis and signal processing. Research with the Fairlight CMI, coupled with the production of the Symposium of Small Computers in the Arts this November, has brought them in close communication with many computer musicians.

rather than with a keypunch, but it still made you wait until the computer was ready to play the music.

The Syntauri Corporation has changed all that. A five-octave music keyboard and a disk of software form the heart of the alphaSyntauri synthesizer. The software allows control of the sophisticated Mountain Computer MusicSystem digital synthesizer hardware from the keyboard, via an Apple II computer. (See "Mountain Computer's MusicSystem," July 1981 BYTE, page 60.) The alphaSyntauri system allows music to be played directly or to be recorded and played back. It allows the changing, storing, and recalling of waveforms, envelopes, and tunings. Most important, because it is based on the Apple II computer, it is possible to change or add to the system software.

User interaction, which is the primary advantage of microcomputer systems, has been extended to play—not just write—music. Immediate feedback links the creation to the sensation of music. For the first time, the personal computer is an instrument, not a glorified music box.

This article reviews the capabilities of the alphaSyntauri synthesizer as a musical instrument and discusses the hardware and software details of interest to both musicians and computerists.

The Syntauri Philosophy

The alphaSyntauri music synthesizer is a software-based system and the brainchild of Charlie Kellner. Aside from the Mountain Computer synthesizer boards, the system uses an interface card and a professional music keyboard. But the system is more than just an Apple peripheral; it is a musical instrument in its own right. Its price and performance clearly place it beside commercial synthesizers made by Moog, Oberheim, Arp, Yamaha, and Sequential Circuits. Its modular design with software flexibility makes it comparable to such digital synthesizers in the \$20,000-\$30,000 bracket as the Synclavier II and the Fairlight Computer Music Instrument. Obviously, these more expensive synthesizers can produce sounds with higher quality than the alphaSyntauri music

PUTER WAREHOUSE

CALL TOLL FREE 1-800-528-1054

ATARI

	\$900 \$ 960
000 (1011)	\$744 . Call
810 Disk Drive	\$440
	\$575
	\$155
	.\$60
	\$140
16K Memory	\$150


DISK DRIVES

LODO			
Apple 1st Drive			\$490
Apple 2nd Drive	•		\$410

MODEMS

iovation							
CAT							\$140
D-CAT							\$155
Apple Cat II		×		·			\$349
Auto Cat							\$235

CAT	S140 S155
D-CATApple Cat II	\$349
Auto Cat	S235
PRINTERS	
C. Itoh	
25CPS - Serial	\$1380
25CPS - Parallel	. \$1325
40CPS - Serial	. \$1825
45CPS - Parallel	\$1710
Datasouth	
DS 180	. \$1275
Diablo	
630 RO	60260
w/Tractors	32360
630 RO wo/Tractors	\$2160
Гили	
Epson MX-80	Call
MX-80 F/T	Call
MX-100	Call
Infooribo	
500	Call
1000	Call
NEC	
PC-8023A	Call
7710 BO	
w/Tractors	\$2500
7720 KSR	
w/Tractors	\$2900
Okidata	
Microline 80	5330
Microline 82-A	9750
Microline 83-A	3/30



VIDEO TERMINALS

Adds								
Viewpoint						*	\$	545
Soroc								
IQ 120								Call
IQ 130						,		Call
IQ 135								Call
IQ 140								Call
Televideo								
910 C								575
912 C								690
920 C							\$	735
950 C							\$	925
Zenith							_	
Z-19	*						\$	750

Scotch	
5¼ 0, 10, 16 Sector	
(Qty 100)	\$250
8" 0, 32 Sector	
(Qty 100)	\$260

COMPUTERS

ACS 8000-15 ACS 8000-2 w/CPM .	
NEC	Call
Northstar	
Horizon II 64K DD	\$2875
Horizon II 64K QD	\$3150
Televideo	Call
Zenith Z-89 48Kw/CPM	\$2100

MOINIONS						
Zenith						
12" Green Screen	ě		¥	×		Cal

Prices & availability subject to change without notice.

Personal checks will delay shipping two weeks



2222 E. Indian School Rd. • Phoenix, Arizona 85016 Order Line: 1-800-528-1054 Other Information: 602-954-6109

Store Hours: Tues.-Fri.10-5 MST Saturday 10-3 MST

Prices reflect 3% cash discount. Product shipped in factory cartons with manufacturers warranty. Add 2%, a minimum of \$5, for shipping and handling.

560G..... **Texas Instruments**


810 Loaded

Paper Tiger

810 Basic.

Microline 84 Call

\$1450






Figure 2: The ALPHAPLUS program is the main program, with auxiliary programs providing or modifying data for ALPHAPLUS.

synthesizer. But even these "super-synthesizers" do not allow prying into the operating system. Unique in a world of black boxes, the alphaSyntauri synthesizer is a music system that a user may customize.

The advantage of software functions over hard-wired features is that they are so easily changed. First, the manufacturer can provide updates as new features are developed; planned obsolescence is replaced with upward expandability. Second, the infernal musician, notorious for making his tools do things "they weren't meant to do," has a truly programmable instrument. The alphaSyntauri synthesizer is ideally suited to those stubborn types who aren't always satisfied with the 12-tone scale, who insist on using the Dow-Jones average as a waveform, or who would like to jam against a sequence of notes resembling the Maine coastline played in three-quarter time. Programmability is the single most impor-

tant advantage of the alphaSyntauri system over all other keyboard synthesizers.


Turn It On

The alphaSyntauri disk boots itself up, asks you if everything is plugged in the same as it was yesterday, and brings the synthesizer up with a group of 10 preset sounds. Presets on the alphaSyntauri synthesizer are preprogrammed instruments or sounds, similar in concept to organ presets. Only one is active at a time, and pressing the number keys (0-9) on the Apple allows selection of different presets.

The preset's name is shown on the screen, along with the envelope parameters which describe its dynamics. The music keyboard is then instantly alive with the sound of vibes, clavinet, clarinet, B3 organ, pickle, bump, or whatever you have selected. Push another number, and

THE LLS SLAVENET 128TM

ITS FEATURES POINT TO YOUR SUCCESS



The IBS SLAVENET 128 is a totally independent and complete computer capable of supporting two timeshared users. The SLAVENET 128 communicates with your own CPU as an I/O mapped device, for easy interfacing. The SLAVENET 128 is fully supported by IBS PASCALTM for UCSDTM PASCAL compatibility, and by Mu DOSTM for full CP/MTM compatibility.



Independent Business Systems

1328 Concannon Blvd. Livermore, CA 94550 (415) 443-3131




Photo 1: The Envelope Control Screen is shown with a color display of a C major chord. PD0 and PD1 are live paddle displays of the vibrato and FX controls.

you get another sound. Simplicity and speed make the system easy to learn and elegant to use. For added wonderment, a 12-color graphics display dances across the video screen, following the notes of the keyboard.

Software

The alphaSyntauri software has one main program

Team with your computer to... WIN \$\$\$'s

Enter the first competition of man-machine pairs.

Can you use your computer better than others to solve problems? Your ability might be worth money in this contest. Three elimination rounds of increasing difficulty will test your programming and problem-solving skills in a variety of subjects. Cash prizes (first prize, at least \$200) will be awarded to contestants who finish in the top 10%. A full projection of prizes will be available after the first round. You also will receive the solutions and their rationale for all rounds entered, to complete the learning experience.

To enter the first round, solve the following: CHRISTMAS PROBLEM: If on the first day, your true love gives you one gift, the second day two gifts, the third day three gifts, and so on, how many days will it take to receive a total of 1981 gifts?

			_						
Complete	this co	oupon a	ind re	eturn i	to COI	MEST,	P.O. I	Box 1	7392,
Seattle, WA	98117	, along	witha	a chec	k for \$	9. (Th	is en	try fe	e will
be refund	ed if th	ne first	prize	is les	s tha	n \$200	0.)		

Name	Solution	
Address		
City	State	Zip
by total entries, less which, in turn, will divided equally amo	s will be divided under CPA supe expenses. The first prize will be be twice the third prize. One-eig ing the top 10% of the entrants. ich; the third round is free. The	e twice that of the second prize, with of the prize money will be The entry fee into first and sec-




Photo 2: WAVE III Additive Synthesis Wave Creation Program. When the program first comes up, it displays each of the stock waveforms available and, as they are plotted, the corresponding sound is heard from the amplifier.

that provides the personality of the keyboard instrument—plus a library of programs for configuring, analyzing, and generating control parameters which can be used by the program (see figure 2). The system we evaluated (a prerelease version of AlphaPlus) will have been released as an enhancement to Alpha III (the first software revision) by the time this article is printed.

The main program becomes the synthesizer's "control panel," with screen displays for parameters entered with the Apple's alphanumeric keys. Pressing an "A", for example, makes the cursor jump to a field at the bottom of the screen, where AR = 210 might be displayed. This is the Attack Rate, or the speed at which one of the envelopes will rise to its maximum value every time a key is depressed. The value may then be altered, either stepwise using the left or right arrow keys, or by typing a number and hitting return. The result is similar to adjusting an array of knobs; it's a little slow, but more accurate. From this control panel, all of the real-time functions—including music recording, playback, presets loading, and editing—may be accomplished with a few keypresses.

The alphaSyntauri software controls the 16 oscillators of the Mountain Computer hardware by pairing two oscillators per voice to provide an eight-voice synthesizer. If all eight are already playing, then the first voice used is reassigned to the new note. Since all eight sound identical, it is impossible (and irrelevant) to tell which oscillator is assigned to which note.

Both of the two oscillators per voice are available as separate outputs. Although this allows stereo effects, the correct use for most sound involves mixing together monophonically. The two oscillators use different waveforms and different envelopes, but are activated simultaneously (see figure 3). This is essentially similar to two separate eight-voice synthesizers hooked to the same keyboard.

One of the oscillators is designated the Primary, while the other is called the Percussive. These names are actual-

mailed to all participants of that round

WHAT'S THE KEY TO BUYING A COMPUTER?

Look beyond the computer. Look at how the total system—hardware, software, support, service—meets your needs, today and tomorrow. That's the key. When you choose a computer source, you choose a long term partner who must stand by you with total support. And no one stands by you like Heath/Zenith.

Software

Including word processing, business applications, versatile utility programs, and the Heath Users' Group library of over 500 low-cost programs for home, work or play.

And a choice of three operating systems, including CP/M by Digital Research for compatibility with thousands of popular CP/M programs.

Languages

For your own custom programs, Microsoft languages are available in BASIC (compiler and interpreter), FORTRAN and COBOL.

Self-Study Courses

Learn at your own pace with Programming Courses

that teach you to write and run your own programs in Assembly, BASIC, Pascal or COBOL.

Heath Co., D. MI 49022.

Pick a s. Heath

For the business person, Computer Concepts for Small Business helps you evaluate the ways a computer can benefit your business. And for the novice, Personal Computing is a complete introduction to computer fundamentals and BASIC Programming.

Support

Before and after the sale we work with you to configure the system that serves you best. We help you get your system up and running smoothly. Assistance is always just a phone call away.

Service

Friendly, experienced technicians are available, either over the phone or at any of the 56 Heathkit Electronic Centers nationwide.

Visit your Heathkit Electronic Center*

Pick the store nearest you from the list on page 233. And stop in today for a demonstration of how Heath/Zenith Computer Systems can serve you. If you can't get to a store, send \$1.00 for the latest Heathkit Catalog and the new Zenith Data Systems Catalog of assembled commercial computers. Write to Heath Co., Dept. 334-846, Benton Harbor,

Pick a strong partner.

Heath/Zenith & You.

HEATH/ZENITH

Your strong partner



*Units of Veritechnology Electronics Corporation in the U.S. Specifications subject to change without notice.




Photo 3: This is the result of using the WAVE III program. This waveform shows the addition of the first, second, third, and fourth harmonic, with the respective amplitudes of 50, 40, 30, and 20 percent.

ly arbitrary, for it is certainly possible to put a very percussive envelope on the primary oscillator. At any rate, the parameters describing the two currently active envelopes are displayed at the bottom of the screen, while a simple Control-W allows you to view the names of the waveforms loaded into the primary and percussive oscillators. Pressing the ? gives a catalog of the disk so that you can see what waveforms are available.

A number of useful waveforms come on the system disk. They include sine, triangle, square, and that old standby, sawtooth. Also, any arbitrary waveform may be created through additive synthesis, to be discussed

The primary and percussive waves are offset in frequency by a user-defined amount of 16 semitones per note (ie: 16 possible steps from C to C#). Selection of a great enough offset produces the effect of two notes per one keypress. A more practical use, however, is to slightly offset the two oscillator frequencies to add a fullness or fatter sound. This works especially well for synthesized piano or organ sounds.

Envelopes

The envelope controls (determining the rise, duration, and fall of each note) are straightforward and easy to use (see figure 4). They are laid out logically, and one or two keypresses will move the cursor to any parameter you wish to change. The letters A, D, and R, for example, select the Attack Rate, Decay Rate, and the Release Rate, respectively, for the primary wave. The letters P and F select Percussion Rate and Fall Rate, which are simply different names for the attack and release of the percussive envelope. One more key press will drop you down to the second line, where the levels are displayed. If you press P, for example, you select Percussion Rate; whether or not you change it, pressing Return will drop you to Percussion Volume.

A few other parameters at the bottom line affect special envelope controls. The percussion channel of the instru-




Photo 4: The ANALYZER III graphic display shows a rich pulse wave which was synthesized with another program, AUTO-PULSE, written by Steve Leonard. ANALYZER III is shown performing an analysis on the wave, with a numerical output for each of the harmonics and their respective amplitudes.

ment can be turned off, leaving just the primary. This same parameter controls the velocity-sensitive envelope. When on, the velocity with which a key is struck will modulate the attack rate and volume (for the primary wave). The quicker the key goes down, the faster the attack rate. A very nice, expressive quality results once you get comfortable with this control.

Another special feature in the envelope section lets you loop the primary wave envelope so that it is constantly executing its attack and release curves. The result is similar to tremolo; the amplitude is fluctuating periodically. The effect is useful for certain sounds, like putting the vibe in Vibraphone.

The frequency control (FC) simply tunes both waveforms by quartertones in relation to some arbitrary zero point.

Vibrato

A last major control panel parameter is vibrato, which is a controlled modulation of the frequency. The Apple II game paddles are used to control the amount or "depth" of vibrato (PD1) and the speed of change or rate (PD0). The vibrato is extremely effective in giving a more realistic and dynamic sound to most instrument settings.

Presets

All of the parameters shown on the screen, together describing one preset, may be saved or recalled from disk. Although only one preset is active at any moment, 10 different sounds are loaded in memory and ready to be selected. The entire configuration of 10 different presets may also be stored on disk as a Preset Master. A preset master has the advantage of storing the waveforms that were loaded into each preset. This creates a Waveform Master on the disk. (Ideally, individual instruments should also have an automatic waveform recall; but not in this version of the software.

The preset master feature is very important in a perfor-

Information Line (213) 996-2252 TOLL FREE MAIL ORDER LINES (800) 423-5886 Outside Calif.


COMPUTERS

apple computer

GTE

VERBATIM • HITACHI • HAYDEN • CANON • NOVATION • D.C. HAYS MICROCOMPUTERS • PAPER

CENTRONIC . NEC . HAZELTINE . AMPEX



ALTOS 8CS 8000-15	5990.00	4450.00	1540.00
SHARP-64K Z80 FUL	L KBD Y	X-3200	CALL

NEC PC 8001	1295.00	1050.00	245.00
ATARI PERSONAL COMPUTERS	List	Our Price	SAVE
400 16K Bytes of Ram	595.00	337.45	257.05
800 16K Bytes of Ram	\$1080.00	739.00	332.00
410 Program Recorder	90.00	77.00	13.00
810 Disk Drive 825 Printer (80 col-	600.00	457.00	143.00
Centronic 737) 820 Printer (40 col	999.95	769.00	230.00
impact)	450.00	353.00	97.00
830 Acoustic Modem	200.00	155.00	45.00
850 Interface Module	220.00	192.00	48.00
Atari Visicalc	200.00	164.00	36.00
Atari 400-16K	595.00	327.00	304.00

HEWLETT PACKARD	List	Our Price	SAVE
HP-125 Microcomputer	3750.00	2990.00	760.00
HP-85 Microcomputer HP-83 Microcomputer 16K Exp-Memory	3250.00 2250.00	2475.00 1777.00	775.00 473.00
Module Graphics Plotter 7225 Personality Mod.	295.00 2450.00	255.00 2075.00	40.00 375.00
for 7225 2631B Impact/printer/	750.00	665.00	85.00
hvy dty Option 020 for 2631B 8 Drives to choose from	3950.00 150.00	3250.00 125.00	700.00 25.00
82902S 9895A 8" Dual Drive Graphics Tablet 9111A	1300.00 6850.00 2050.00	1125.00 5500.00 1678.00	195.00 1350.00 374.00
HP-41 CV New 2.2 bytes mem HP-41-C Calculator	325.00 250.00	250.00 185.00	75.00 65.00
Card Reader for 41CV/C Printer for 41CV/C	215.00 385.00	162.00 289.00	53.00 101.00
Optical Wand for 41 CV/C	125.00	97.00	28.00
Quad Ram equals 4 Mem. Mods Memory Modules for	95.00	81.00	14.00
41C		25.00	\$
HP-97 Programble Printer	750.00	595.00	175.00
HP-67 Programble Calculator	375.00	295.00	80.00
HP-34C Programble Scientific	150.00	117.00	33.00
HP-38C Programble Bus. R/E HP-32E Adv. Scientific HP-37E Business Mgmt.	150.00 55.00 75.00	117.00 48.00 57.00	33.00 7.00 18.00
We carry a large inventor supplies.	y of Librarie	s, accessorie	es and

PRINTERS

EPSON	List	Our Price	SAVE
MX 80 FT	745.00	549.00	196.00
MX 80 IMPACT	645.00	450.00	195.00
MX 70 IMPACT	500.00	390.00	110.00
MX 100	995.00	765.00	230.00
APPLE SILENTY	PE 645.00	299.00	346.00
ANADEX 9501	1650.00	1299.00	351.00
NEC			
5510	3195.00	2445.00	750.00
5515	3295.00	2545.00	750.00
3510 3515	2495.00	1795.00	700.00
	2545.00	1849.00	696.00
OKIDATA MICROLINE 80	545.00	395.00	150.00
MICROLINE 82	649.00	549.00	100.00
MICROLINE 83	1050.00	769.00	281.00
PAPER TIGER	1000.00	707.00	201.00
445G with Graphics	795.00	695.00	100.00
460G with Graphics	1.394.00	899.00	495.00
560G New full size	1,695.00	1,139.00	556.00
DIABLO (LETTER 6	QUALITY		
630 R102 bi-directiona			
tractors	2,965.00	2,350.00	615.00
1640K109 keyboard tractors	4.000.00	2,899.00	1,100.05
630 RO Receive Only	2,710.00	2,250.00	460.00
1650K 136 keyboard	2.7 70.00	2,200.00	-20.00
tractors	4,000.00	3,100.00	900.00

SPECIAL OF THE MONTH

APPLE II PLUS 48K W/16K EXPANSION BOARD



Our price \$119900

HP . D.C. HAYS MICROCO


TERS . PAPER TIGER . GTE . DIABLO . BMC . CENTRONIC . NEC

· HAZELTINE · MEMOREX · AMPEX · PERSONAL SOFTWARE · ADDS · XEROX ·

List price \$1780.00 Our price \$1199.00

Save \$581.00

APPLE II STUDENT SYSTEM



12" Grn. Phs. Video Monitor





MONITORS

	List	Our Price	SAVE
NEC Grn. Phs. 12" BMC Green Phs. 12" Zenith 12"	\$285.00 275.00 159.00	239.99 229.00 119.00	\$46.00 46.00 30.00
CANVO MONITO	ne		

High Resolution, Number 1 seller

	List	Our	SAVE
13" Color (new) high quality - 12" Green Phosphorous 12" Black & White 9" Black & White	\$550.00 360.00 340.00 370.00	388.00 240.00 217.00 235.00	\$162.00 120.00 123.00 135.00
The Best Seller!	235.00	145.00	90.00

DISKETTES SOLD IN BOXES OF 10

(Min. Purchase) BUY \$100 of the		7	1222
Following Diskettes	List	Our	SAVE
DYSAN	PRI	CE PER DISKE	TTE
104/1 5" SOFT SECTOR	\$ 6.00	3.99	\$ 2.01
104/1D = " DBL.			
DENSOFT SEC.	6.40	4.60	1.80
3740/1 8" SOFT SECTOR	7.25	4.75	2.50
3740/1D 8" DBL.		2 15-2	
DENSOFT SECTOR	10.75	6.90	3.85
MAXELL			
MD-1 5" SOFT SEC-			
TOR/DBL. DEN.	5.00	4.00	1.00
MD-2 = " SOFT			
SECTOR/DBL. SIDE/DBL.	= 00	4.00	
DEN.	7.00	4.90	2.10
FD-1 8" SOFT SEC./DBL.	,	4.50	0.00
DEN.	6.50	4.50	2.00
FD-2 8" SOFT SEC./DBL. SIDE/DBL, DEN.	8.50	5.95	2.55
SIDEIDBL. DEN.	8.50	5.95	2.55

TERMINAL

TELEVIDEO	List	Our	SAVE
910	699.00	599.00	100.00
912C	950.00	699.00	251.00
920C	995.00	795.00	200.00
950C	1,195.00	949.00	246.00

DRIVES

CORVUS			
5 MBYTES	3,750.00	3.050.00	700.00
10 MBYTES	5,350.00	4,449.00	901.00
20 MBYTES	6,450.00	6,450.00	1,125.00

SOFTWARE FOR APPLE II

		List	Price	SAVE
Apple Fortran DOS 3.3 (16 Sector) Apple PILOT (16 Sector) Apple FORTRAN (requires A2B0006)	S	200.00 60.00 150.00	\$ 147.00 \$ 45.00 119.00	53.00 15.00 31.00
(16 Sector)		200.00	159.00	41.00
Language System with Apple Pascal BPI General Ledger		495.00	399.00	96.00
System		395.00	319.00	76.00
BPI Inventory Package Visidex		395.00	319.00 159.00	76.00 41.00
Visicalc Desktop Plan II Microlab Database		200.00 200.00	159.00 159.00	41.00 41.00
System Stoneware DB Master		150.00 229.00 150.00	119.00 189.00 119.00	31.00 40.00
Muse Supertext II Softape Magic Window		99.00	72.00	31.00 27.00

TEXAS INSTRUMENTS

EO 00	205.05	F44.0F
30.00	365.95	564.05
	317.95	57.00
		87.00
		22.00
		109.00
49.95	42.50	7.45
24.95	185.95	39.00
	315.95	84.00
	50.00 74.95 99.95 49.95 99.95 49.95 24.95 99.95	74.95 317.95 99.95 312.95 49.95 127.95 99.95 390.95 49.95 42.50 24.95 185.95

MODEMS

NOVATION CAT MODEM	189.95	140.00	49.95
NOVATION D-CAT	199.00	150.00	49.00
NOVATION APPLE-CAT	349.00	310.00	39.00
HAYES MICROMODEM	379.00	295.00	84.00
HAYES SMARTMODEM	279.00	239.00	40.00

CALCULATORS

CASIO			140
HR-10	49.95	39.00	10.95
HR-12	54.95	42.00	12.95
FR-100	79.95	59.00	20.95
FR-1210	129.95	99.00	30.95
PQ-20	29.95	23.00	6.95
LC-785	12.95	10.00	2.95
LC-3165	12.95	10.00	2.95
FX-68 Scientific	29.95	23.00	6.95
FX-81 Scientific	19.95	17.00	2.95
FX-3600P Scientific	39.95	29.95	10.00
FX-602P "Computer Talk" 88 Memories Pro- aramming Upper &			
Lower Case Dot Matrix	129.95	99.00	30.95
FX-702P Solves Problems with Alpha-Numeric Clarity, uses Basic			
Language	199.95	159.00	40.95

TELE, ANSW. DEVICES

ILLLI, A.	I ID W. D		ULLU
PHONE MATE			
900	119.95	86.00	33.95
905 Remote	199.95	144.00	55.95
910	159.95	115.00	44.95
920	199.95	144.00	55.95
925 Remote	239.95	173.00	66.95
930 Remote	299.95	216.00	83.95
950 Remote	339.95	245.00	94.95
960 Remote	399.95	288.00	111.95



ERVICE ELECTION

ATISFACTION

OU.	TSIDE		ORDER			#108 Tarzana, CA 91356 (213) 996-2252
	(Please Pr	State	Z-p			TOTAL ORDER \$ TAX IF APPLICABLE* SHIPPING & HANDLING** TOTAL ENCLOSED \$
QIV	Make	Model	Description	Price	Total	*California residents add 6% sales
						tax. **Add 3% for Shipping & Handling —
70.0						Add 3% surcharge for credit cards. Orders cannot be shipped unless ac-
						companied by payment, including ship- ping handling and tax where applicable




Figure 3: The flow diagram is a model of the synthesis process for the development of computer-generated music.




Figure 4: This example shows the various parameters and their relationships, which determine the sound of a preset. The dual envelopes, produced when a key is pressed, control the amplitudes of the two oscillators. The parameters for the selected preset are displayed as integers from 0 to 255 (255 being the fastest or loudest). When key velocity is fast, AR and AV are increased. When the sustain pedal is depressed, DR replaces RR.

and subscriber.
Gift of Time*
\$25 (5 hours <u>Plus</u> 1 FREE hour) \$50 (10 hours <u>Plus</u> 2½ FREE hours) \$100 (20 hours <u>Plus</u> 6 FREE hours)
Number of Certificates Total Cost
\$25
\$50
\$100
*The "Gift of Time" applies to our regular Information Service Network connect times between the hours of 6 PM to 5 AM local time weekdays and all day weekends at 300 baud or less—and is not applicable to any purchase or surcharge costs. Buyer's Name:
(Name)
(Address)
(City)
(State) (Zip) Where a "Gift of Time" is being purchased for a friend, a certificate will be sent to you so it may personally be presented to the individual.
Please check the appropriate box(s):
☐ I am a non-subscriber to the CompuServe Information Service. A

☐ I am a subscriber to the CompuServe Information Service. A check or money order for the "Gift of Time" is enclosed.

check or money order for the "Gift of Time" Certificate is enclosed.

☐ This is a gift for a friend.

☐ This is a gift for myself. My user I.D. is as follows,

Please make check or money order out to CompuServe Information Service. Gift Certificates must be redeemed by March 31, 1982.

Information Service Division 5000 Arlington Centre Boulevard Columbus, Ohio 43220





FOR NEW USERS.
CompuServe is in the holiday mode. If you subscribe to our system for the first time in November or December, we'll give you two free hours of CompuServe access time instead of one. That's a \$10 savings just to get started. So get thee to a Radio Shack Store®, get a demonstration, then buy the Videotex software package for most popular computers (\$29.95) or buy the system without software for "dumb" terminals (\$19.95).

And . . . once you're a subscriber, you can clip the adjacent coupon and take advantage of our second "gift of time". Good deal? You bet!

distance that the

BASIC MENU

- Electronic mail Financial data
 historical information Special interest data User newsletters
- CB simulation
 Newspapers
- AP wire Games Plus, when you need it, languages, file creation & storage (128K free!), software downloading, other services.
 Over 130 separate entries on the current menu.

CompuServe

Information Service Division 5000 Arlington Centre Boulevard Columbus, Ohio 43220 (614) 457-8600 (800) 848-8990 FOR CURRENT SUBSCRIBERS.

You can give a friend and subscriber six hours or more connect time on CompuServe at a savings of 20 to 30% off the regular \$5.00 per hour rate. See the adjacent coupon for actual gift certificate values. If you are your only friend with a computer or terminal, give yourself the gift. There will be lots of access time over the holidays, and these special low prices will let you or your friend connect with the fascinating world of the CompuServe Information Service at a substantial savings.

Radio Shack is a trademark of Tandy Corporation.

mance situation, where a particular song may call for five different sounds in quick succession. A preset master for that song might contain the required presets in numerical order. All the performer must worry about then is 1, 2, 3, not preset #42, #13, or tibia 16'. Incidentally, when a composition is recalled from disk (as will be described in the next section), it selects the numbered preset that was active when it was made.

Recording Performances

Like any good computer music system, the alphaSyntauri synthesizer simplifies recording key closures and their associated timing information. This is not unlike an analog synthesizer sequencer, except the music programming is accomplished by playing on the keyboard. Key velocity, pitch, and duration are saved in a memory buffer. Then, with the SAVE command, they are written to a disk file with the prefix Notes. With 48 K bytes of memory, you will be able to store up to 3285 note events.

The sequence of keystrokes to initiate recording is very

At a Glance.

alphaSyntauri Music Synthesizer

Type

Sound development system for performing and recording

Manufacturer

Syntauri Corporation 3506 Waverley St Palo Alto CA 94306 (415) 494-1017

Price \$1500

Hardware

An interface card occupies a slot in the Apple II. The professional music keyboard and foot pedals connect to the card

Software

An operating system is supplied on disk. Several programs allow sounds and music to be developed, changed and recorded

Language

The programs are written in 6502 assembly language, Applesoft BASIC, and Integer BASIC. An assembly language listing is available from Syntauri Corp

Software Format

The disk supplied requires

Apple's DOS 3.3

Computer

Apple II or Apple II+ with 48 K bytes of programmable memory, at least one disk drive, and Apple's DOS 3.3. Both Applesoft and Integer BASIC are required

Documentation

Documentation includes a tutorial manual, two quick reference guides, and a technical manual

Hardware Required

Mountain Computer (formerly Mountain Hardware) MusicSystem music synthesizer boards, a stereo amplifier, and speakers are required. (The operating system originally supplied with the Mountain Computer hardware is not used)

Comments

The alphaSyntauri system can also be configured for use with the ALF Music Synthesizer from ALF Products Inc

Audience

Apple II owners who want to compose music, create sounds, or do live performances

simple. From the main menu, just press the space bar R for record (the remaining number of notes will be displayed on the screen) and then hit Return. This will return you to the main menu, where the instrument name will be in reverse video to indicate you are in the record mode. The program will wait for your first keystroke before starting to save the notes in memory.

Once you finish the sequence, hit the space bar and then S (Save). You will then be asked to provide a file name for your performance. Hit Return for a saved performance.

An interesting recording sequence feature is Echo. This allows instant, continuous playback of the last recorded sequence. Many musicians find this useful for accompaniment purposes, though a perfectly spliced sequence is difficult to create. When you finish playing the segment, hit the space bar and the sequence will play back with a rest inserted between the last and first notes played. This rest will equal the time between the last note played and the point at which you hit the space bar. For a good splice, it is necessary to hit the space bar just ahead of the next note's downbeat.

The Mountain Computer synthesizer generates an interrupt every eight milliseconds. Syntauri's alphaPlus operating system uses every other interrupt for a watchdog timer. This makes it easy to synchronize the keyboard playback with another timebase for playing along with prerecorded music. Previous releases of the software did not use this timebase and suffered severe slowdown when the keyboard was used during playback. The interrupt system virtually eliminates the problem. In summation, the sequencing ability of the alphaSyntauri synthesizer is a deluxe feature.

Programmability

To now, we have examined the way the system behaves as a conventional synthesizer, with functions that all operate in real time. If we drop out of the main program, however, we may run programs which can create, modify, or analyze data used by the system. This data is in binary disk files which contain tables or lists. These tables are used by the main program and include waveforms, notes, tunings, and functions for mapping velocity and amplitude values. The programs provided, and those created by the user to manipulate that data, provide the programmability that sets the alphaSyntauri system apart from all other synthesizers. Although detailed documentation on the architecture of the programs and a usage map of the Apple II memory aren't distributed with the system, Syntauri is reasonably helpful in assisting the knowledgeable user with customization. (The assembly-language source code is offered for a nominal fee.)

Wave III

This is a slow, flexible Applesoft program which graphically displays the process of building waveforms via additive synthesis. The procedure is simple: you are queried for "Which waveform?" and then "Which har-

INTERTEC'S INCREDIBLE 255 USER SMALL BUSINESS COMPUTER

At last, there's a multi-user microcomputer system designed and built the way it should be. The CompuStar™. Our new, low-cost "shared-disk" multi-user system with mainframe performance.

Unlike any other system, our new CompuStar offers what we believe to be the most practical approach to almost any multi-user application. Data entry. Distributed processing. Small business. Scientific. Whatever! And never before has such powerful performance been available at such modest cost. Here's how we did it . . .

The system architecture of the CompuStar is based on four types of video display terminals, each of which can be connected into an auxiliary hard disk storage system. Up to 255 terminals can be connected into a single network! Each terminal (called a Video Processing Unit) contains its own microprocessor and 64K of dynamic RAM. The result? Lightning fast program execution! Even when all users are on-line performing different tasks! A special "multiplexor" in the CompuStar Disk Storage System ties all external users together to "share" the system's disk resources. So, no single user ever need wait on another. An exciting concept . . with some awesome application possibilities!

CompuStar™ user stations can be configured in almost as many ways as you can imagine. The wide variety of terminals offered gives you the flexibility and versatility you've always wanted (but never had) in a multi-user system. The CompuStar Model 10 is a programmable, intelligent terminal with 64K of RAM. It's a real workhorse if your requirement is a data entry

or inquiry/response application. And if your terminal needs are more sophisticated. select either the CompuStar Model 20, 30 or 40. Each can be used as either a standalone workstation or tied into a multi-user network. The Model 20 incorporates all of the features of the Model 10 with the addition of two, double-density mini-floppies built right in. And it boasts over 350,000 bytes of local, off-line user storage. The Model 30 also features a dual drive system but offers over 700,000 bytes of disk storage. And, the Model 40 boasts nearly 11/2 million bytes of dual disk storage. But no matter which model you select, you'll enjoy unparalleled versatility in configuring your multi-user network.

Add as many terminals as you like - at prices starting at less than \$2500. Now that's truly incredible!

No matter what your application, the CompuStar can handle it! Three disk storage options are available. A tabletop 10 megabyte 8" winchester-type drive complete with power supply and our special controller and multiplexor costs just \$4995. Or, if your disk storage needs are more demanding, select either a 32 or 96 megabyte Control Data CMD drive with a 16 megabyte removable, top loading cartridge. Plus, there's no fuss in getting a CompuStar system up and running. Just plug in a Video Processing Unit and you're ready to go . . . with up to 254 more terminals in the network by simply connecting them together in a "daisy-chain" fashion. CompuStar's special parallel interface allows for system cable lengths of up to one mile . . . with data transfer rates of 1.6 million BPS!


Software costs are low, too. CompuStar's disk operating system is the industry standard CP/M*. With an impressive array of application software already available and several communication packages offered, the CompuStar can tackle even your most difficult programming tasks. Compare for yourself. Of all the microcomputer-based multi-

user systems available today, we know of only one which offers exactly what you need and should expect. Exceptional value and upward growth capability. The CompuStar™. A true price and performance leader!



III INTERIEC DATA SYSTEMS | COMPUSIAR

2300 Broad River Rd. Columbia. SC 2 (803) 798-9100 TWX: 810-666-2115



How to break the 8without

It's not as hard as you think. Forget complex designs. And two-year waits.

All you do is get your hands on the Intel 8088.

And then leave the other 8-bit systems standing in your tracks. Without breaking the bank.

Because the 8088 gives you two to five times the performance of other 8-bit processors. For a whole lot less.

In fact, at \$14.10 for 100 pieces, 75% less than last year. (Because high volume shipments are already pushing the 8088 down a super fast price curve.)

And about 20% less than you'd pay for a Z80 or MC6809 system. For some simple reasons.

The 8088 runs at full speed with slower speed memories

than you need for other 8-bit microprocessors.

And about 1/3 less memory at that. Thanks to its powerful instruction set that helps you reduce the size of assembly language programs.

Which together with the 8088's library of high level software (Pascal, CP/M, Basic and Fortran) should help you cut the other part of system costs. The part that's larger than hardware.

But even though you're paying less, you'll be getting more.

Like 1-megabyte addressing. Extra power for 16-bit number crunching.

And faster string processing. Fact is, our recent benchmarks show the 8088 runs circles around a Z80A, Z80B or MC6809 when it comes to terminal and small business applications.

But don't think you have to stop there. With any of our iAPX 88 multiprocessor configurations, you can give performance an added boost-and still keep the cost and simplicity of an 8-bit system.


For 100 times the throughput on number crunching, just choose the iAPX 88/20 system.

Relative	Perform	ance	
	Intel	Zilog	Motorola
	8088	Z80B	MC6809
	(5 MHz)	(6 MHz)	(2MHz)

Computer Graphics 0.1 0.05 16-bit Multiply 0.17 0.5 Block

0.75 Move 1.0 0.49 Full details of these benchmarks available

in the iAPX 88 Book.



bit performance barrier going broke.

It combines the power of the 8088 with our 8087 numeric coprocessor.

Or if you're worried about getting bound up in I/O. Don't. Select our iAPX 88/11 system that speeds I/O processing three to five times by putting an 8088 together with an 8089 I/O processor.

Then there's the fact if you ever decide to make the jump to 16 bits, you won't have to jump. The 8088 is 100% software compatible with our 8086.

Because we don't think you should have to sell out your future to get the best deal on price/performance today.

And to put you in the right frame of mind, we're ready to make you an offer.

Just clip this coupon and send it with \$5 to Intel Corporation, Literature Department, 3065 Bowers Avenue, Santa Clara, CA 95051. (Or call 408-987-8080.) We'll send you the book on how to design iAPX 88 systems and a coupon good for one free 8088.

Everything you need to start breaking through barriers—without going broke.

Circle 197 on inquiry card.

Name	
Title	
Company	Europe: Intel International, Brussels, Belgium. Japan: Intel Japan, Tokyo. United States and Canadian
Address	distributors: Alliance, Almac/Stroum, Arrow Electronics, Avnet Electronics, Component Specialties, Hamilton/Avnet. Hamilton/Electro Sales, Harvey, Industrial Components, Pioneer, L.A. Várah, Wyle Distribution Group, Zentronics.
City	
State/Zip	intel delivers solutions
Limit one per person.	B12




Photo 5: Bill Mauchly's eight-track Linden Studio in Ambler, Pennsylvania. In the foreground is the Fairlight Computer Music Instrument, the alphaSyntauri keyboard on top of the CMI, the monitor, an Apple II with Mountain Computer music synthesizer boards, the Fairlight ASCII keyboard, The Sound Workshop 12-channel mixing console, an Otari eight-track recorder, and various outboard equipment in the rack at lower right. The studio is a 100-year-old barn, and the research lab is located a short distance away. (Photo by Irene Mohler)

monic?" until you decide you're done. On each iteration, the resultant wave is played back at a constant pitch for evaluation. The waveforms available for addition and subtraction are band-limited versions of the common analog wavetypes: sine, triangle, square, sawtooth, or any user-specified complex waveform. This program is the most common and useful way of generating wavetables. If Syntauri would rewrite Wave III in assembly language, it would be capable of instant display and, therefore, be a more intuitive feedback loop between the creation of waveforms and envelopes.

Analyzer III

Fourier analysis of a waveform is the reciprocal to additive synthesis of sine waves. The program takes as its input any wave and supplies the harmonic content up to any specified harmonic.

The most creative use for this program that we've heard is by Cretones keyboardist Steve Leonard, who needed to simulate a Vox portable organ. He used an oscilloscope to get a picture of the waveform he wanted,

then wrote a BASIC program to draw a line segment approximation of the wave and write it to a binary file. Next, he analyzed the wave with Analyzer III. Using the resultant harmonic specification, he resynthesized the wave with Wave III.

Why didn't he just use the line-segment version of the waveform? Steve knew, as the analysis confirmed, that some very high harmonics were present in his linesegment waveform. When a digital oscillator-like that used in Mountain Computer hardware—tries to create frequencies above half its sampling rate (above 16,000 Hz, in this case), the frequencies fold over and show up as lower, incorrect frequencies within the audio spectrum. This phenomenon is known as "aliasing." (A good explanation of aliasing is given in the Computer Music Journal, volume 2, #2 in "Introduction to the Mathematics of Signal Processing," by FR Moore.) These stray aliases usually have little to do with the intended sound and are objectionable. To reduce their presence, care must be taken to limit the strengths of high harmonics in a wavetable.

Low cost software with high priced quality

When we tell you that our supersophisticated software package gives you top quality at rockbottom prices, we're not fooling. It lets you handle large files easily, you get a powerful command set that takes you through every phase of document production clearly and simply, and because our software package lends itself o customization, you're able to modify the presentation to meet your specific requirements.

EVERY TYPIST AN EXPERT

Because our MINCE TEXT EDITOR gives you a full screen image of the ext being edited before you print t, you will be able to insert, delete, move entire blocks of text and more . . . all at the touch of a key or wo! What you see on the screen is what you get. Period!

of the


document so you can handle chapters, sections, subsections, verses, quotations, and the like automatically while typing. No longer will you have to worry about remembering margins, vertical spacing, etc. ... they're handled automatically too.

OUR COMPETITION IS RED

And they should be. After all, they can't offer all of the super features and quality that our package can at our unbeatably low prices. It's just another way for us to show you that . . . the Mark of The Unicorn is your mark of quality at a reasonable price.

VERY LOW COST

MINCE and SCRIBBLE are priced at \$175.00 each or buy both of them for only \$275.00. Available Westico, Lifeboat, Cornerstore or direct from us.



The other consideration is the fundamental frequency at which the note will be played. A waveform for a bass instrument can get away with richer, higher harmonics. Practically speaking, aliasing can be a useful effect in the simulation of noise and complex nonharmonic tones.

Keyboard Architecture

The alphaSyntauri synthesizer keyboard is a standard, two-bus, 61-note, Pratt-Reed organ keyboard. This keyboard assembly is found in many commercial musical instruments, such as Moog, Arp, and Crumar synthesizers. Syntauri has added CMOS circuitry, which allows the Apple to scan each key's two vertically positioned contacts (lower and upper) approximately once every 10 milliseconds for make or break conditions.

After the entire keyboard is scanned, this information is compared with a memory map of the last scan and is updated if different. A timer, maintained in the computer's memory, counts the number of scans between changes, including the time between closing of the lower and upper contacts of each key. This number (in the counter when the key is fully down) is used as an index in a velocity table, which is in turn applied to the attack rate and the final attack volume. The table contains 32 entries and allows the production of up to 32 different perceived velocities. By altering a value specified in the velocity setup program, the inverse relationship of key velocity to loudness can be made more or less linear on a scale of 0 to 7.99. In effect, this varies the keyboard response to

velocity from linear to logarithmic.

The keyboard's tuning is organized by a scale table, which is set up by the Scale program. *Just, well-tempered, international,* or any scale from 1 to 32 intervals/octave may be chosen. The standard scale is *well-tempered* and is 12 intervals/octave. (A very concise discussion of the alphaSyntauri keyboard can be found in a paper presented by Charlie Kellner, Ellen Lapham, and Laurie Spiegel at the 67th convention of the Audio Engineering Society, New York City, November 1, 1980. Reprints are available from Syntauri Corp.)

One other setup program is Log III, which creates a log table for producing attack, decay, and release envelopes. Two envelope log table types are available: linear and exponential. Linear is best for nonpercussive sounds with slower attacks, such as strings and brass. Exponential works well for percussive sounds, like pianos and bells.

The FX Controls

What would a synthesizer be without some kind of performance effects? Syntauri and Laurie Spiegel devised some neat ways to modify the sound while playing; these are dubbed FX. Hitting the space bar and the letter "F", you are asked which effect file is desired. The files are text type and are prefixed with MOD.nnnnnn. (You don't have to type Mod.) Hit Return and you have the newly selected effect. The available FX are Timbre Scan, Pitch Sweep, and Pitch Bend.

The effects like vibrato use the game paddles for con-

Marymae

1

~

1

1

INDUSTRIES INC.

In Texas Orders Questions & Answers 1-713-392-0747

21969 Katy Freeway Katy (Houston) Texas 77450 To Order 1-800-231-3680 800-231-3681

SAVE <u>BIG DOLLARS</u> ON ALL TRS-80° HARDWARE & SOFTWARE

TRS-80° BY RADIO SHACK. Brand new in cartons delivered. Save state sales tax. Texas residents add only 5% sales tax. Open Mon.-Fri. 9-6, Sat. 9-5. We pay freight and insurance. Come by and see us. Call us for a reference in or near your city. Ref: Farmers State Bank, Brookshire, Texas.

WE OFFER ON REQUEST

Federal Express (Overnight Delivery)

Houston Intercontinental
Airport Delivery (Same Day)

U.P.S. BLUE (Every Day)

References from people who have bought computers from us probably in your city

In stock TRS-80 Model

No Tax on Out of Texas Shipments!

Save 10% 15%

OR MORE
We Specialize In Overseas Shipments

Telex 77-4132 (Fleks Hou)

WE ALWAYS OFFER

- NO extra charge for Master Card or Visa.
- We use Direct Freight Lines. No long waits.
- ✓ We always pay the freight and insurance
- ✓ Toll free order number
- Our capability to go to the giant TRS-80° Computer warehouse 5 hours away, in Ft. Worth, Texas, to keep you in stock.

JOE McMANUS




TRS-80 is a Registered Trademark of Tandy Corp

ED McMANUS



SuperSoft's Gallery of CP/M Mast



SUPER-M-LIST: A complete, easy to use mailing list program package. Allows for two names, two addresses, city, state, zip and a three digit code field for added flexibility. Super-M-List can sort a three digit code field for added flexibility. Super-M-List can sort on any field and produce mailing labels direct to printer or disk file for later printing or use by other programs. Super-M-List is the perfect companion to TFS. Handles 1981 Zip Codes! Requires: 48K CP/M Supplied with complete user manual: \$75.00 manual alone: \$10.00 TFS-Text Formatting System: An extremely powerful formatter. More than 50 commands. Supports all major features including: · user defined macros

SYSTEM MAINTENANCE

Price: \$100.00 Manual only: \$15.00

 left & right margin justification
 dynamic insertion from disk file
 underlining and backspace TFS lets you make multiple copies of any text. For example: Personalized form letters complete with name, address & other insertions from a disk file. Text is not limited to the size of RAM making TFS perfect for reports or any big job. Text is entered using CP/M standard editor or most any CP/M compatible editor. Requires: 24K CP/M

Supplied with extensive user manual: \$85.00 manual alone: \$20.00 Source to TFS in 8080 assembler (can be assembled using standard CP/M assembler) plus user manual: \$250.00.

TEXT PROCESSING

UTILITIES I: A collection of programs that you will find useful and maybe even necessary in your daily work (we did!). Includes: Searches files for a specified string In core sort of variable length records GREP SORT: Compare two files for equality PRINT: Formatted listings to printer Lists files to CRT a page at a time . . plus more . . . Requires: 24K CP/M Supplied with manual on discette: \$60.00 UTILITIES II: Many new programs not available elsewhere. Includes these "file" utilities Source comparitor PR Powerful multicolumn output formatter Desk calculator Substitute strings in files . plus more . . Requires: 24K CP/M \$60.00 Supplied with manual on discette UTILITIES ത് ശയ് ശ at least to

40000000 3000000 Temperatur ANALIZA: An amazingly accurate simulation of a session with a psychiatrist. Better than the famous "ELIZA" program. Enlightening as well as fun. An excellent example of Artificial Intelligence.
Requires: 48K CP/M, CBASIC2

ENTERTAINMENT

Z8000.CROSS ASSEMBLER: Supports: full Z8000 syntax, segmented and unsegmented mode, full 32-bit arithmetic, hex output, listing output, downloader Requires: 56K CP/M \$500.00 year maintenance \$300.00 nanual alone \$ 50.00 manual alone Z8000 too! :::::::

ing fairs

Tigginigs

Septiment.

On line "Help" system provided with every program package.

SuperSoft First in Software Technology

SSS FORTRAN: The SSS FORTRAN compiler is fast, efficient, and complete SSS FORTHAM: The SSS FORTHAM compiler is last, efficient, and complete (full 1966 ANS) standard with extensions). The RATFOR Compiler compiles into FORTRAN allowing the user to write structured code while retaining the benefits of FORTRAN. The FORTRAN supports many advanced features not found in less complete implementations, including: complex arithmetic, character variables, and functions. Complete sequencial and random disk I/O are supported. SSS FORTRAN will compile up to 600 lines per minute! Recursive subroutines with static variables are supported. ROMable "COM" files may be generated. SSS RATFOR allows the use of contemporary loop control and structured programming techniques. SSS RATFOR is similar to FORTRAN '77 in that it supports such things as:

. REPEAT UNTIL · WHILE SSS RATFOR is supplied with source code in FORTRAN and RATFOR.

System Requirements & Prices: SSS FORTRAN requires a 32K CP/M system.

SSS FORTRAN with RATFOR: \$325.00 SS FORTRAN alone: \$250.00 RATFOR alone \$100.00

(RATFOR sold only with valid SSS FORTRAN license)

STACKWORK'S FORTH: A full, extended Forth interpreter/compiler produces COMPACT, ROMABLE code. As fast as compiled FORTRAN, as easy to use as interactive BASIC

SELF COMPILING: Includes every line of source code necessary to recompile itself

EXTENSIBLE: Add functions at will. Z80 or 8080 ASSEMBLER included. Single license, OEM licensing available. Please specify CPU type: Z80 or 8080 Supplied with extensive user manual and tutorial: \$175.00

Documentation alone: \$25.00

'TINY' PASCAL II: We still call it 'Tiny' but it's bigger and better than ever! This is the famous Chung-Yuen 'Tiny' Pascal with more features added. Features include: recursive procedures/functions . integer arithmetic · CASE

- FOR (loop) IF...THEN...ELSE
- sequential disk I/O WHILE PEAK & POKE
- . READ & WRITE . REPEAT...UNTIL more

'Tiny' Pascal is fast. Programs execute up to ten times faster than similar BASIC programs. SOURCE TOO! We still distribute source, in 'Tiny' Pascal, on each discette sold. You can even recompile the compiler, add features or just gain insight into compiler construction.

Requires: 36K CP/M. Supplied with complete user manual and source on discette:

\$85.00. Manual alone: \$10.00

PROGRAMMING LANGUAGES

TERM: A complete intercommunications package for linking your computer to other computers. Link either to other CP/M computers or to large timesharing systems. TERM is comparable to other systems but costs less, delivers more and source is provided on discette! With TERM you can send and receive ASCII and Hex files (COM too, with included convertion program) with any other real time communication between users on separate systems as well as acting as timesharing terminal

Engage/disengage printer • error checkerminal mode for timesharing between systems · error checking and auto retry

· receive files

conversational mode · send files

Requires: 32K CP/M Supplied with user manual and 8080 source code: \$150.00 Manual alone: \$15.00

INTERCOMPUTER COMMUNICATIONS

ENCODE/DECODE: A complete software security system for CP/M. Encode/Decode is a sophisticated coding program package which transforms data stored on disk into coded text which is completely unrecognizable. Encode/Decode supports multiple security levels and passwords. A user defined combination (One billion possible) is used to code and decode a file. Uses are unlimited. Below are a few examples

• data bases

• payroll files

• programs

• payroll files

Encode/Decode II provides enhanced security for the most demanding

Encode/Decode I: \$50.00 Encode/Decode II: \$100.00 manual alone: \$15.00

SOFTWARE SECURITY

CP/M Formats: 8" soft sectored, 5" Northstar, 5" Micropolis Mod II, Vector MZ, Superbrain DD/QD



All Orders and General Information: SUPERSOFT ASSOCIATES P.O. BOX 1628 CHAMPAIGN, IL 61820 (217) 359-2112

Technical Hot Line: (217) 359-2691 (answered only when technician is available)

Far East Distribution 3-15-8, NISHI-SHIMBASHI, MINATO-KU, TOKYO = 105 JAPAN

SuperSoft's Masterpiece of the Month

trol. Timbre Scan actually scans through all the waveforms in the preset master, in a sequence whose rate and pitch are controlled by the paddles. Pitch Sweep modulates the frequency upward into aliasing at a depth controlled by one of the paddles. Pitch Bend allows for dynamic frequency changes through the movement of a paddle with one hand, while the other plays the keyboard. All effects can also be used with vibrato.

Graphics

One of the most captivating features of the alphaSyntauri system is the "Close-Encounters" graphics that accompany the music. A corresponding bar on the screen lights up for each key that is down. A captivating and entertaining effect results, especially when the sequencer is playing back some piece. At a trade show, a spectator was overhead saying to her friend, "I've never seen music before!" While this is not a feature we would spend hundreds of dollars to obtain, it is a great extra as a byproduct of performance. When the question "What good does that do?" arises, we mumble something about the ability to visually inspect playing technique. (By watching the blocks, it is quite easy to gauge the amount of rollover between adjacent keys. Speaking candidly, though, the graphics are just attractive.)

The Manual

The alphaSyntauri manual is very much in the spirit of the Applesoft tutorial manual-friendly and jovial, though a little confusing. It works quite well as a tutorial; you can sit down with the instrument, read through the manual, and apply things that you learn. The explanations of synthesis theory are well illustrated. We found the "Ouick Reference Guide" more useful when we had a general knowledge of the system. Neither document has an index.



IF YOU ENJOY MUSIC, WHY JUST LISTEN?

You and your Apple could be making beautiful music together!

Join the thousands of Apple owners who are making music - without the years of practice needed for conventional instruments. You can quickly and easily enter a song from sheet music. Just follow the detailed examples and instructions provided


THE PRODUCT. ALF's economical 9-voice Music Card MC1 is just \$195, the gourmet 3-voice Music Card MC16 is \$245 (use 2 for 6 voices or 3 for 9). Both come with detailed manual, complete software, and cable for connection to your stereo system

THE SOFTWARE. We're convinced our product is by far the easiest to use and most versatile system for the Apple. You get many features not available in other systems, plus a very large note capacity. And no customer has ever reported a "bug"

THE HARDWARE. ALF strives for the best quality possible. No MC1 card has ever been returned with a manufacturing defect.

THE COMPANY. ALF has been making computercontrolled synthesizers since 1975. We made the first music peripheral for the Apple - and it's still one of the most popular.

Available through Apple dealers, or write for more information



WANT TO DUPLICATE DISKS QUICKLY?

ALF's disk duplication service has been a major source of quality reproduction for Applecompatible software houses since 1980. Now you can use the same techniques for fast and accurate reproduction yourself, with ALF's Copy System. Why spend over \$10,000 for a duplication system when for just \$595 you can connect the ALF Copy System to your own Apple! Copying time is about 37 to 17.3 seconds, depending on number of drives used. That's over 1,600 disks in 8 hours from a single system. Are you completely confident of your present copying methods? At ALF, accurate reproduction is more important than speed. The ALF Copy System is designed to produce perfect copies every time.

Special hardware and software copies any standard 13 or 16 sector Apple format disk. Hardware plugs easily into computer - no permanent changes required. If you wish to do your own drive maintenance, the manual tells how to use standard Shugart procedures and accessories, and all necessary software is included.

Too busy to get into disk copying? You can still count on ALF's convenient copying service. Ask about our copy-resistant and "double boot" services too!

Write for complete details.



NEED CONVENIENT FLOPPY DISK PROTECTION?


ALF's Floppy Boxes are specially designed to offer great protection with more convenient use than other methods. They're designed with two layers of corrugated cardboard with a special "crossgrain" construction for extra strength. The standard square size holds 1-3 minifloppies for mailing or packing in products. The larger rectangular size holds minifloppies plus a standard 51/2 x 81/2 booklet (81/2 x 11 folded in half). Available with an adhesive closure tab for use as a mailer (just seal with tab, address other side, and mail). Software houses: write for details on attractive, protective packaging for your products.

Small quantity price is 75¢ for standard box.

Available singly at computer dealers, in large quantities from ALF. (New dealer inquiries



DENVER, CO 80215 A L F PRODUCTS INC. 1448 ESTES



\$1250*

Now less than half the price of any comparable terminal

Announcing a video graphics terminal with more features than other popular, comparable models, but at half the cost. The VGR-10 ASCII-APL graphics terminal, from COMDEC, has combined all the most-wanted features of other popular graphics terminals with several of its own to give you one of the best equipped raster graphics systems available. You'll get high resolution, long life 640 x 380 mono-chromatic graphics emulating directly the Tektronix™ 4010 series. The VGR-10 also comes equipped with switchable ASCII-APL character sets, pseudo joystick graphical input, and dot

graphics printer interface for razor sharp hard copy, all as standard features. You'll also get COMDEC's "plug in and run" technology which allows operation of your sophisticated graphics programs with virtually any computer.

Contact us today and take advantage of this introductory price of \$1250.00°. The VGR-10 is

brought to you by COMDEC, a company pioneering the `1707 Southwest Thirty-fifth Place, evolution of affordable graphics.

Gainesville, Florida 32608 (904) 377-3253

*Special Introductory Price, 25% prepaid. Offer expires Jan. 31,1982.

Applications

We tried to put the alphaSyntauri through its paces and discover what other people were doing with it. Steve Leonard, mentioned earlier, uses his onstage with a rock band and has developed a set of presets to replace a lot of heavier, traditional professional keyboards. We put his instruments into action when the rock group Sister Sledge was working at Linden Studio. No analog synthesizers were available, so keyboard player Steve Gould received a mini-lesson in using the alphaSyntauri synthesizer. Within five minutes, he was playing independently. The Close Encounters theme was heard many times that night.

On the academic side, Stanford University has a computer-assisted instruction project in the works. The curriculum, developed on its PDP-10 by Dr. Wolfgang Kuhn, is being adapted to the alphaSyntauri system to teach basic music theory. This should be very interesting, and I am sure many other universities will implement it.

Laurie Spiegel, a composer who uses the alphaSyntauri system in her work, has too extensive a background in computer music composition and programming to cite here. But we feel that one of her contributions to the alphaSyntauri system is worth mentioning. Laurie has one of the earliest Syntauri keyboard prototypes. Even before there was really a developed product, she was writing her own 6502 programs on her Apple (which is also a prototype), to process and interact with the

keyboard in interesting ways.

In a concert series, "Computer in Performance"—presented in New York City during 1980—Laurie used a keyboard program she wrote in Pascal. An effective PEEK and POKE permutation algorithm, it used the keyboard to specify transposition. Melodic and harmonic materials were specified by software. There were several processes running which specified sets of pitches to be played. Laurie selected which sets the program would be permuting, while the alphaSyntauri synthesizer specified the base pitch. The paddles were used to modify the timbre and effects, and the result was musical and interesting.

A more recent program is a composition which she patched into the alphaSyntauri system software. Going to the recorder menu and typing "C" (for compose), she can build lines of music based on written algorithms which are then patched into the main alphaSyntauri BASIC program. For example, a small FOR-NEXT loop is used to build an arpeggio. Her program asks for the number and spacing of the events in the sequence, along with a number of simultaneous notes. It will fill a notes table with a sequence based on the information supplied and the little algorithm which was preprogrammed. This is simply one user's own experiment, not an official release by Syntauri. (This little composing program is just the tip of the iceberg for algorithmic composition.)


Complaints

Game paddles are a drag. They are imprecise, don't stay where you put them, and waste processor time. I really wish the system had a couple of slide potentiometers and a cheap analog-to-digital converter.

The manual has no index! (Syntauri says it's preparing one.) The system takes too long to boot up. (Syntauri's working on that, too.) Depending on your audio quality requirements, the Mountain Computer synthesizer hardware can be a bit noisy (8-bit digital-to-analog converters). But it is the best choice when you compare price to performance.


Conclusions

- The software allows for system expansion. Innovative musical ideas or new methods of analysis can be easily incorporated into the operating system.
- The alphaSyntauri system uses a modular approach for the hardware, allowing for future improvements and upgrading of the system. This means the system can grow, not be outgrown.
- The software—while some may argue the advantages of straight assembly language—is fast when it needs to be and slow and accessible where necessary.
- The real-time interaction with the composer is an important improvement. This changes the synthesizer into a true musical instrument.
- The price is obviously more than the average Apple II owner can afford. For the serious musician, however, the alphaSyntauri's combination of quality sound, good performance, and price make it well worth the money.■



This Single Board... DISCOVERY MULTIPROCESSOR

...is the Heart of the **Microprocessor** World's Best Multi-User System ...



THE DISCOVERY MULTIPROCESSOR

The dedicated power of this complete single board computer is provided to each user, making the DISCOVERY MULTIPROCESSOR unique among multi-user systems. With the power and expandability of distributed processing • With the economy of shared peripherals • With the flexibility of shared and public files • And all of this with full CP/M* and S-100 compatibility.


Multiprocessing Software

Our Distributed Processing Operating System, dpc/os®, resides in the Service Processor, establishing a CP/M environment for each user and managing access to the shared system resources. Multiuser facilities are provided for print spooling, for interprocessor communication and for private, public and shared-update files. Several processors can be emploved concurrently by a single user via the enhanced batch submit facilities. And with DISCOVERY all CP/M compatible programs will execute without modification, thus protecting your software investment. *CP/M is a registered TM of Digital Research, Inc.

Multiprocessing Hardware

The ACE 64K Distributed Processing Single Board Computer, the dpc-180™ gives the DISCOVERY MULTIPROCESSOR its own unique architecture. One DPC is dedicated to each user providing exclusive use of the onboard Z-80, 64K ram and serial I/O. Access to the shared resources is provided by an expanded DPC used as a Service Processor. Additional users can be added at any time by simply inserting additional DPC's into the standard S-100 bus — up to a total of sixteen user processors in a single chassis!

DISCOVERY has been proven in installations throughout the World. If you need the Power of Multiprocessing ... it's time you discovered us!




The ACE DISCOVERY MULTIPROCESSOR dedicates a complete 64K Z-80 Distributed Processing single board Computer, the dpc-180" to each user. An expanded DPC coordinates all of the system activities.

Multiuser mainframes with 192K ram start at under \$6000. The 64K dpc-180™ is priced at \$1395. Immediate delivery. A complete line of standard peripherals including a 26M byte hard disk subsystem can be supplied on request

Dealer and OEM inquiries are invited.

Action Computer Enterprise, Inc. The Multiprocessing Company



MORE THAN A BRIDGE BETWEEN TWO WORLDS

When we shipped
the first CPU 8085/88 back in June of
1980, we created more than a bridge between the
8 bit world of the present and the 16 bit world of the future:
We created a standard for professional level, high speed 8/16 bit
computing on the S-100 bus. Already a standard in the software industry,
CPU 8085/88's unique combination of an 8088 to handle 16 bit software - along
with an 8085 to execute 8 bit software - has withstood the test of time and is now
recognized as the most efficient way to introduce 16 bit power into an 8 bit system.

For the most demanding commercial, industrial, and scientific 8/16 bit applications, CPU 8085/88 is the answer. See the board that's more than a bridge between two worlds at finer computer stores and systems integrators world-wide.

Prices: \$425 assembled (both CPUs run at 6 MHz), \$525 qualified under the Certified System Component high-reliability program (both CPUs run at 8 MHz). Call 415-562-0636 for the authorized CompuPro sales center near you, or for placing factory direct VISA® /Mastercard® orders. Prices do not include tax, shipping, or dealer support services (if applicable).



division of



COMPUPRO: 12 WAYS TO A COMPETITIVE EDGE.

We give you more of what you buy a computer for: to gain a competitive edge in your business, industrial, or scientific application. While other computers try to make the best of slow memory, slow processors, and me-too engineering, CompuPro delivers solutions for today's and tomorrow's computing problems...proven solutions for expandable, modular, fast, exceptionally reliable, and truly professional level machines that conform fully to the IEEE 696/5-100 standards. We back all products with a minimum 1 year limited warranty; boards qualified under the Certified System Component high-reliability program include a 2 year extended warranty.

When you depend on your computer, choose a computer on which you can depend: \$-100 from CompuPro.

THE SPECTRUM COLOR GRAPHICS SALE CONTIN-UES. With Spectrum's 8K of IEEE-compatible static RAM, full duplex bidirectional I/O port for keyboard or joystick interface, and 6847-based graphics generator that can display all 64 ASCII characters, your S-100 computer can control the colors of the rainbow. 10 modes of operation, from alphanumerics/semigraphics in 8 colors to dense 256 x 192 full graphics. Regularly \$399 A/T; but for orders postmarked before 12/31/81, Spectrum is yours for \$2991 There has never been a better time to graduate from black and white to color.

- 1. DISK 1 DMA DISK CONTROLLER. Properly implemented DMA (with arbitration), plus CPU speed-independent data transfer, results in high speed operation. IBM compatible format; handles soft-sectored single or double-density, single or double-sided disks. Set up for 8" disks, can also handle 5.25" disks. With BIOS for CP/M-80. \$495 A/T, \$595 CSC. Coming soon. Disk 2, the fast DMA hard disk controller.
- **2. CP/M-80 or CP/M-86.** Available only with **Disk 1** purchase. Supplied on diskette with full documentation—ready for load and go operation. **CP/M-80 \$175**; **CP/M-86 \$300**.
- **3.** OASIS* OPERATING SYSTEM. Single user (\$500) and multi-user (\$850) available for use with CPU Z. Supplied on diskette with full documentation. Coming soon: OASIS 16 for use with 16 bit systems.
- **4. COMPLETE DUAL DISK DRIVE SYSTEM.** With one Disk I board, desktop dual drive enclosure with Shugart SA-800 series drives, power supply, and cable. Also includes CP/M-80. **\$2195**.
- **5. SYSTEM SUPPORT 1.** Includes battery operated clock/calendar; sockets for battery backup RAM, 9511 or 9512 math processor, and 2716 ROM options; RS-232 serial port; triple interval timers; dual interrupt controllers; power fail interrupt; comprehensive documentation; and more. \$295 Unkit, \$395 A/T, \$495 CSC (add \$195 to all prices for optional math processor).
- **6. 8 BIT CPU Z.** Z-80*-based CPU board includes all standard features plus many convenience options. Meets all IEEE 696/5-100 specifications, including timing. **\$225 Unkit**, **\$295 A/T** (both operate at 4 MHz), **\$395 CSC** (with 6 MHz CPU).
- 7. ULTRA LOW POWER/HIGH SPEED STATIC MEMORY. Handles clock speeds to 10 MHz to prevent obsolescence. Static operation gives flawless DMA.

RAM 20. With extended addressing or bank select. RAM 20-8K: \$210 A/T, \$280 CSC. -16K: \$285 A/T, \$355 CSC. -24K: \$355 A/T, \$425 CSC. -32K: \$425 A/T, \$495 CSC.

RAM17. Ultra low power (1.6 Watts typical for 64K). **RAM 17-48K: \$650 A/T, \$750 CSC. -64K: \$795 A/T, \$895 CSC.**

RAM 16-64. Configure as 64K x 8 or 32K x 16. \$895 A/T, \$995 CSC.

RAM 21. Configure as 128K x 8 or 64K by 16. \$1695 A/T, \$1895 CSC.

- **8.** M-DRIVE. As close as you can come to the solid-state disk drive: M-DRIVE runs IEEE 696/S-100 RAM under CP/M 2.2, so that the memory appears identical to a disk drive but there are no mechanical delays to slow you down. Requires 6 MHz CPU 8085/88, Disk 1, and System Support 1. Package includes RAM and M-DRIVE software. Return CompuPro CP/M disk for modification and (if applicable) 5 MHz CPU 8085/88 for 6 MHz upgrade. 128K M-DRIVE: \$1590 A/T; 256K M-DRIVE: \$3100 A/T.
- **9. INTERFACERS. Interfacer 1:** two RS-232 serial ports, with full handshaking and independently selectable Baud rates; \$199 Unkit, \$249 A/T, \$324 CSC.

Interfacer 2: three full duplex parallel ports and one serial port containing all the features of an Interfacer 1 serial port; \$199 Unkit, \$249 A/T, \$324 CSC.

Interfacer 3-5: five RS-232 serial ports (2 sync/async, 3 async) with full handshaking, software programmable Baud rates, and many other convenience features; \$599 A/T, \$699 CSC. Interfacer 3-8: similar to Interfacer 3-5, with eight full RS-232 serial ports (2 sync/async, 6 async); \$699 A/T, \$849 CSC.

- **10. ULTRA HIGH-SPEED MOTHERBOARDS.** With all edge connectors, Faraday shielding, extensive bypassing, and active termination. 6 slots \$140 A/T, \$190 CSC; 12 slots \$175 A/T, \$240 CSC; 20 slots \$265 A/T, \$340 CSC.
- 11. DOCUMENTATION. User manuals are available for all products. Interfacer 3, \$10; Disk Controller, \$25; System Support 1 \$20; most others, \$5. Also available: "CompuPro Product User Manuals: 1975-1980". This 250+ page book includes data on all older Godbout/CompuPro products, as well as many newer products such as the Spectrum Color Graphics board, Interfacers 1 and 2, CPU 8085/88, mother-boards, CPU Z, and more. \$20 plus shipping.
- 12. SUPERSIXTEEN SPECIAL PACKAGE. This specially-priced package includes CPU 8085/88, Disk 1 DMA floppy disk controller, System Support 1, Interfacer 1, 128K of static RAM, CP/M 2.2, CP/M-86, four cables (three interfacer cables plus one disk cable), and complete documentation—all for \$3,495. (For CSC boards, add \$600 to the package price.) If you're ready for advanced computing, this is the package for you.

Most CompuPro products are available in Unkit form, Assembled/Tested (A/T) or qualified under the CSC high-reliability program (200 hour burn-in, more). Note: Unkits are not intended for novices, as debugging may be required due to problems such as IC infant mortality. Factory service is available for Unkits at a flat service charge.

How to Order: Call 415-562-0636 for the name of the authorized CompuPro sales center nearest you, or for placing factory direct VISA® /Mastercard® orders. Prices shown do not include tax, shipping charges, or dealer installation/support services (if applicable).

*LEGAL CORNER: Z-80 is a registered trademark of Zilog: CP/M is a registered trademark of Digital Research: OASIS is a trademark of Phase 1.



division





Book Reviews

AIM 65 Laboratory Manual and **Study Guide**

Leo J Scanlon John Wiley and Sons Inc Somerset NJ, 1981 179 pages, softcover \$7.95

Reviewed by Bob Katz 248 E 90 St #3B New York NY 10028

The AIM 65 Laboratory Manual and Study Guide is designed to provide an inexpensive but effective means for high schools, vocational schools, and colleges to implement a microprocessor computer lab. It is a good introduction to machinelanguage software techniques.

The manual is designed only for use with the Rockwell AIM 65 computer; the monitor commands will not work with other computers. However, students who master this manual should be able to program fluently in 6502 machine language and in a dialect of a popular 6502 assembly language.

A vocational school that trains computer service technicians would be especially interested in the AIM 65 course. People who repair hardware must also understand software on the machine-language level. For example, they should be able to read and write bytes to and from a suspect output port and make checks with a logic analyzer to see if the hardware is at fault.

In my experience, half of all hardware problems are due to bad connections. After eliminating these, only 20 percent or so are related to bad components. I believe, however, that more than 90 percent of all service problems are actually software problems. Remember GIGO (garbage in, garbage out)? Practice work with the AIM 65 should educate students in the complexities-and the pitfalls-of software writing. They will certainly have more sympathy for future clients who call for repairs. only to discover that the problem lies in the software.

Most computer-repair schools have a digital logic course or lab in transistortransistor logic and complementary metal-oxide semiconductor devices, a Boolean algebra course, and a basic electronics course. Ultimately, a microprocessor computer lab would complete the program.

The AIM 65 is a singleboard computer built by Rockwell International and is a refinement and extension of the popular KIM computer, which was developed by MOS Technology (now Commodore). But the AIM has some "big-gun" features that successfully emulate those of larger systems to give computer students a taste of the "real world."

The AIM 65 includes an on-board, 20-column thermal printer, a companion 20-character light-emittingdiode display, a full-size typewriter keyboard, a veryinteractive monitor and text editor, 20 input/output ports, and up to 4 K bytes of RAM on board. BASIC and the two-pass assembler are also ROM options. number of cottage industries have sprouted to provide peripheral support for the ubiquitous single-board computer; therefore, a school could easily expand one or more laboratory stations to include an RS-232 interface, 64 K bytes (or more) of memory, DOS (disk operating system), and more.

Leo I Scanlon is documentation manager for Rockwell International. Scanlon's writing style is always clear, yet pleasantly conversational in tone. In 6502 Software Design. Scanlon wrote in an analytical manner for the serious reader who can handle large amounts of abstract material. I did manage to learn the 6502 language and concepts from Software Design before purchasing or even using my first computer. Most people, however, are uncomfortable with learning in such an abstract manner.

AIM 65 takes another approach. It was written for those who need the feedback that comes from the tactile process of experimenting with a computer while also learning about it. It is an effective, modularized, stepby-step educational approach to using and programming a 6502-based microcomputer. Students are encouraged to write their own programs and learn debugging techniques. Each experiment is wellorganized, beginning with "object" and "pre-lab preparation" (reading) and ending with "discussion" and "procedure."

Chapter headings include: Getting to Know the AIM 65; Addition Operations; Subtraction and Logical Operations; Program Sequencing; Debugging Programs; Multiplication Operations, with Shift and Rotate; Division Operations: Subroutines and the Stack; Unordered Lists; Sorting Unordered Data; Code Conversion from Input; Code Conversion for Output; Input/Output; A More Powerful I/O Device, the R6522 VIA; Interrupts; A Timing Program with Decimal Output; The Aim 65 Assembler.

I've performed several of the experiments described by Scanlon and can verify that this lab manual works quite well as a self-study method. I recommend it to any purchaser of the AIM 65 computer, and I feel it is the best learning tool available for the novice machine-language programmer.

BYTE's Bits

Conference **Proceedings**

In January 1981, the College of Education at Arizona State University hosted a microcomputer conference that was designed to introduce educators and administrators to the applications of microcomputers in the classroom. The conference proceedings are now available in a 340-page book that includes more than 30 articles. Among the titles are "Instructional Techniques for Teaching BASIC Programming to Elementary Children," "Using Computers with the Blind and Deaf Children," "Managing Instruction with a Micro," "The Challenge of the 1980's: Computer Literacy," and 'Microcomputers in High School Physics."

The proceedings are available for \$10 from Dr Gary Bitter, Arizona State University, Payne B203, Tempe AZ 85287.■

MOST COMPETITIVE PRICES ANYWHERE!

SAVE ON ALL YOUR COMPUTER NEEDS WITH

ID-AMERICA MICRO MART, INC.



- ORDER TOLL FREE (800) 323-5338 In Illinois Call Collect (312) 498-5099
- Your Order Processed **Immediately**
- All Merchandising Includes **Full Factory Warranty**
- **Dealer Inquiries Invited**





This stand alone micro computer simplifies operation and installation. With the wide range of CP/M TM Software available this is the ideal small business computer. Z-80 CPU/2 Serial Ports - Built-in

12" Terminal.

Z-89 48K RAM/one 5" 100K Drive \$2,140.00 Z-90 64K RAM/one 5" 200K Drive



The QUME Sprint "9" Series Printer has broken the price performance barrier. Letter quality - KSR 35 CPS - Serial RS232 -Daisywheel.

\$1,795.00



The System I is the state-of-the-art, single user system designed for reliable performance. Programmable in BASIC, COBOL, P/L and you will be able to transport your software to larger systems. One Televideo 910 CRT Dual 5-1/4" Floppy Drives 1 MG on Floppy includes CP/M 2.2 and more!!!

\$2,995.00

\$1,195.00

\$549.00

PRINTERS

QUME

SPRINT "9" SERIES - Serial RS232 9/45 ltd. 45 CPS · Word processing letter quality \$1,995.00 \$150.00 **Full Panel Option** \$150.00

Memory Option Bi-Directional Tractor

\$190.00

NEC

55/7710-1 R/O 55 CPS Serial \$2,193.00 55/7730-1 R/O 55 CPS Parallel \$2,195,00 \$2,449.00 55/7720-1 KSR 55 CPS Serial

ANADEX

High Resolution 200 CPS DP9000 \$1,225.00 \$1,299.00 DP9501

OKIDATA

MICROLINE SERIES 80 Friction & Pin Feed \$ Call \$ Call \$ Call

C.R.T.S.

VDT - 100 The brilliant CRT \$1,095.00

Can be programmed from the keyboard to emulate many terminals

Real time clock

Detached keyboard

Emulates the ADM-31, VT-52, TS-1

VT 100 optional

AMPEX

With detachable keyboard.

* Full featured video terminal Display 24 lines/25th status line

2 pages display memory

Green screen

Dialog 80 \$949.00 Dialog 30 \$849.00

ADDS Detached keyboard

Programmable function keys

2 postion tilt screen

950 Green Screen

Viewpoint \$569.00 ZENITH

Z-19 \$749.00 **TELEVIDEO** 910 \$569.00 912 C \$659.00 920 C \$729.00

\$949.00

ACCESSORIES

ATI Cut Sheet Feeder fits most printers. Feeds 8-1/2" x 11" paper, single sheets

QUME Datatrack 8" drives-

Double Sided/Double Density

\$1,049.00 Datatrak 5-1/4" \$325.00 \$599.00

U.S. ROBOTICS Phone link accoustic MODEM - 300

Baud, Orig./Ans. Self-test RS232 - Half/Full Duplex \$179.00 Universal Printer Stand \$99.00

16K Memory Boards,

fast or slow \$149.00 2 for \$250.00

Athana Diskettes Single Sided/Single Density -Box of 10


\$39.00

TO ORDER: CALL TOLL FREE (800) 323-5338 — In Illinois Call Collect (312) 498-5099. Master Charge and Visa accepted. Prices do not include shipping. For fast delivery send certified check, money order, or bank wire transfer. Allow 10 days for personal checks to clear. Prices subject to change without notice. Please call for latest prices. Prices include 2% cash discount. Illinois residents include sales tax.

ID-AMERICA ICRO MART, INC.

Suite 304 121 S. Wilke Road Arlington Heights, Illinois 60005

VISA



Color Computer from A to D

Make Your Color Computer "See" and "Feel" Better

First in a series

William Barden Jr 28122 Orsola Mission Viejo CA 92692

The Radio Shack Color Computer has an amazing amount of circuitry built into it for the price. One of its most interesting features is the joystick interface, which allows you to control the screen cursor position by the use of two joysticks. Actually, this use of the joystick is one of the most mundane applications of the built-in analog-to-digital (A/D) circuitry. How would you like to use the joystick inputs for reading in temperature, intensity of light in a room. or other real-world physical quantities? And do it with only a few additional inexpensive components? How

would you like to have four channels of data coming into the Color Computer, making it a data-acquisition system for storing and processing real-world data?

In this article I'll show you how to accomplish all of these things. The Color Computer hardware that handles the joystick inputs, the software that drives the input electronics, and the implementation of real-world inputs will all be investigated. [For background information on the Color Computer's circuitry, see Tim Ahrens et al., "What's Inside Radio Shack's Color Computer?" March 1981 BYTE, p. 90.]

Joystick Circuitry

First, a look at the hardware. Figure 1 shows a block diagram of the Color Computer joystick circuitry. Two joysticks, each having an X and a Y channel, connect to a data selector that selects one of the four channels. The output of the selected channel goes to a comparator.

The second input to the comparator is a software-controlled reference voltage. This voltage comes from a digital-to-analog converter (DAC) driven by six programmable data lines. (Yes, that's "digital-to-analog," even though the subject of this article is analog-to-digital. I'll explain why the DAC is needed later on.) The data lines come from a peripheral interface adapter (PIA).

The output from the comparator goes to one input line of a second PIA. A more detailed diagram of the electronics is shown in figure 2. Parts placement on this diagram corresponds to the functional blocks of figure 1. I'll refer to figure 2 in the fol-

This is the first article of a series devoted to Radio Shack computers: TRS-80 Model I, Model III, and the newest member of the Tandy family, the Color Computer. The emphasis will be on using the Radio Shack systems to interface to the real world. In some cases, special-purpose hardware that connects to the computer input/ output ports will be used; in other cases, no special hardware will be required, because the computer systems provide everything necessary.

In general, a systems approach to the problem of interfacing will be used. Too often the advocates of hardware and software are separated by a wide gulf. We've all seen implementations in a computer system where an applications problem is solved by interfacing a custom-designed device that uses 315 integrated circuits; in this case, one suspects the designer has a strong hardware background. Conversely, there's the implementation where everything is "software-driven" in a 2000-instruction, hand-coded, machine-language program using a single computer input/output line; the designer here is obviously from the software clan. I'll attempt to take a middle road. After all, the important point is that a computer system can be used to accomplish some pretty spectacular real-world things: I'll show how to do this in the most efficient fashion possible, using a balance of hardware and software techniques.



TYPE-'N-TALK" IS T.N.T.

The exciting text-to-speech synthesizer that has every computer talking.

- Unlimited vocabulary
- Built-in text-to-speech algorithm
- 70 to 100 bits-per-second speech synthesizer

Type-'N-Talk," an important technological advance from Votrax, enables your computer to talk to you simply and clearly—with an unlimited vocabulary. You can enjoy the many features of Type-'N-Talk," the new text-to-speech synthesizer, for just \$375.00.

You operate Type-'N-Talk" by simply typing English text and a talk command.
Your typewritten words are automatically translated into electronic speech by the system's microprocessor-based text-to-speech algorithm.

The endless uses of speech synthesis.

Type-'N-Talk™adds a whole new world of speaking roles to your computer. You can program verbal reminders to prompt you hrough a complex routine and make your computer announce events. In teaching, the computer with Type-'N-Talk™can actually tell students when they're right or wrong — even praise a correct answer. And of course, Type-'N-Talk™is great fun for computer games. Your games come to life with spoken threats of danger, reminders, and praise. Now all computers can speak. Make yours one of the first.

Text-to-speech is easy.

English text is automatically translated into electronically synthesized speech with Type-'N-Talk." ASCII code from your computer's keyboard is fed to Type-'N-Talk." through an RS 232C interface to generate synthesized speech. Just enter English text and hear the verbal

response (electronic speech) through your audio loud speaker. For example: simply type the ASCII characters representing "h-e-l-l-o" to generate the spoken word "hello."

TYPE-'N-TALK™has its own memory.

Type-'N-Talk has its own built-in microprocessor and a 750 character buffer to hold the words you've typed. Even the smallest computer can execute programs and speak simultaneously. Type-'N-Talk doesn't have to use your host computer's memory, or tie it up with time-consuming text translation.

Data switching capability allows for ONLINE usage.

Place Type-'N-Talk' between a computer or modem and a terminal. Type-'N-Talk' can speak all data sent to the terminal while online with a computer. Information randomly accessed from a data base can be verbalized. Using the Type-'N-Talk' data switching capability, the unit can be "de-selected" while data is sent to the terminal and vice-versa — permitting speech and visual data to be independently sent on a single data channel.

Selectable features make interfacing versatile.

Type-'N-Talk'™can be interfaced in several ways using special control characters. Connect it directly to a computer's serial interface. Then a terminal, line printer, or additional Type-'N-Talk'™units can be connected to the first Type-'N-Talk,™ eliminating the need for additional RS-232C ports on your computer.

Using unit assignment codes, multiple Type-'N-Talk™units can be daisy-chained. Unit addressing codes allow independent control of Type-'N-Talk™units and your printer.

Look what you get for \$375.00. TYPE-'N-TALK comes with:

- Text-to-speech algorithm
- A one-watt audio amplifier
- SC-01 speech synthesizer chip (data rate: 70 to 100 bits per second)
- 750 character buffer
- Data switching capability
- Selectable data modes for versatile interfacing
- Baud rate (75-9600)
- Data echo of ASCII characters
- Phoneme access modes
- RS 232C interface
- Complete programming and installation instructions

The Votrax Type-'N-Talk[™] is one of the easiest-to-program speech synthesizers on the market. It uses the least amount of memory and it gives you the most flexible vocabulary available anywhere.

Order now. Toll free.

Call the toll-free number below to order or request additional information. MasterCard or Visa accepted. Charge to your credit card or send a check for \$375.00 plus \$4.00 delivery. Add 4% sales tax in Michigan.

To order call toll free: 1-800-521-1350.

For product information call: 1-313-588-0341



500 Stephenson Highway, Troy, MI 48084 (313) 588-0341


Type-'N-Talk'™ is covered by a limited warranty. Write Votrax for a free copy.

256K Byte/128K Word Dynamic Memory **B810/A RAM**

· Byte or Word width operation • Extended Addressing or Port Selection in 64K banks • 150 ns Access, 270 ns Cycle · Full DMA capability with true transparent refresh · Z80 and Z8000 systems only to 6 MHz · AMD Dynamic Memory Controller

†EXTENDED INTRODUCTORY PRICE

A&T with 1 year warranty. \$1560.95 Retail.



64K Byte/32K Word Ultra-Fast Static Memory

B880 RAM

· Byte or Word width operation · Extended Addressing or Port Selection Access and Cycle time less than 85 ns · Byte Parity option · High-speed bipolar memory mapping ROM

(parity option shown) †EXTENDED INTRODUCTORY PRICE

A&T with 1 year warranty \$1295 Retail



ALL AB DIGITAL DESIGN LABS memory products meet IEEE 696 standards. †Introductory Prices valid for purchase orders placed on or before December 31. Limit: 100 units. Z80 and Z8000 are registered trademarks of Zilog Corporation.


B810/B RAM

- · Byte or Word width operation · Extended Addressing or Port
 - Selection in 16K increments • 150 ns Access, 270 ns Cycle
- Precise Memory Timing Module designed by **Engineered Components** Corporation for the B810/B
 - · Byte Parity option
 - · High-speed bipolar memory mapping ROM
- AMD Dynamic Memory Controller · Full DMA capability with
 - Intelligent Refresh™

(parity option ICs not shown) †EXTENDED INTRODUCTORY PRICE

A&T with 1 year warranty. \$1595 Retail.

256K Byte/128K Word Dynamic Memory



THE INTELLIGENT MEMORIES from AB DIGITAL

Since their introduction, AB Digital's 256K Dynamic RAM and 64K Ultra-Fast Static RAM have become the fastest selling memory products in the history of the industry. Some of the reasons are obvious: Our memory products are designed to present the highest density possible and to be, quite simply, the most cost-effective memory product available. We were first in the industry to present a real 256K RAM, and our B880 Ultra-Fast Static RAM offers many more features than any other 64K Static board at a very competitive price. But there are other reasons as well.

 Multi-layer boards, with full interior ground and power planes, providing noiseless operation. All circuit traces are on exterior planes for easy access.

* Quality. All AB Digital boards are manufactured with high-reliability screw machine contact sockets. All ICs are prime-grade, purchased directly from the manufacturer. Workmanship Standards per MIL-STD-454E. Quality Standards meet or exceed MIL-I-45208 for all assembly. Packaging Standards per MIL-81705 Type II, Electro static free. 100% AQL inspection with a minimum of 22 hours of burnin at elevated temperatures. (Validated Boards undergo 100%

dynamic testing in environmental test chambers cycled from 0°C to 80°C, and for NASA-spec, we can cycle as short as ½ hour!).

• Intelligence. AB Digital memory products have built-in intelligence, enabling them to be the first truly universal S-100 memory cards, working with all known current operating systems and capable of operating with any future development.

* Obsolescence Protection. Our standard warranty of one full year (two years for Validated Boards) entitles the registered owner to exchange his board for any new major-level revision release, for a maximum of 15% of the original purchase price — and the new board will retain the full warranty period. In a volatile, revolutionary field like ours, that's an important protection.

AB DIGITAL DESIGN LABS – THE INTELLIGENT MEMORY CHOICE

AB DIGITAL DESIGN LABS products are available through California Digital (toll-free orders only 800-421-5041) and other fine distributors. OEM users may buy direct. Specification sheets on request. Manuals may be purchased separately for \$25.00 each, refundable on order.

Circle 1 on inquiry card.

8

DIGITAL DESIGN LABS

engineered for excellence

109 Cuyama Road Shell Beach, CA 93449 (805) 773-1731




Figure 1: Color Computer joystick circuitry, block diagram.



lowing discussion and explain some of the parts for you software types.


Joysticks. The joysticks are simply variable resistors, or potentiometers, as shown in figure 3. Move the joystick control in the up-down direction only, and the Y potentiometer wiper moves across the potentiometer, varying the resistance from 0 to 100,000 ohms (Ω). Move the joystick control in the right-left direction only, and the X potentiometer wiper varies the resistance from 0 to 100,000 Ω . Every position of the joystick can be translated into X and Y coordinates, with resulting X and Y positions and corresponding resistance values.

Because both potentiometers are connected between +5 volts (V)—from the Color Computer—and ground, the voltage output to the X and Y channels varies between approximately 0 V (up or left position) and +5 V (down or right position). A switch on each joystick connects another input pin (pin 4) to ground when it is pressed.


Data Selector. The MC14529 is an analog switch. This device selects one of four input channels and routes it to the output W. The signal is not otherwise processed as it passes to the LM339 comparator, so the voltage input from one of the channels is fed unchanged to the LM339 positive (+ or noninverting) input.

The selection of the channel is determined by two *select* lines, SEL1 and SEL2. These lines are outputs from the second 6821 PIA. I'll discuss the PIAs in a moment, but for now, simply note that you can select one of the four channels easily by changing SEL1/SEL2 to 00, 01, 10, or 11.

The Comparator. The LM339 is a common device that compares two voltage inputs. The inputs are two DC levels which can vary from 0 V to some positive voltage. The output is either on or off. In this case, the two inputs will vary from 0 to +5 V (approximately), and the output will be either 0 V (+ input greater than - input) or +5 V (+ input less than - input). The output, then, represents a binary 0 or 1 and reflects the comparison of a joystick voltage and a second input called CASSOUT.







BRAINS-MAINFRAMES

ERBRAI



SUPERBRAIN QD 64K List \$3995 only \$2949



List \$2895 only \$2099

NORTH STARS

MINICOMPUTER PERFORMANCE **GREEN PHOSPHOR OPTIONS:** GRAPHICS + CP/M LIST \$3999 ONLY \$2999



ADVANTAGE

MONITOR GREEN PHOSPHOR \$118

ERMINALS Z-19 \$718 **TERTUBE III** only \$725



299 **MX70 GRAPHICS** MX80 FT 598 MX-80 474 MX-100 749

ANADEX 9501 15" WIDE PRINTER 1290 NECLETTER QUAL FRICTION & TRAC. CALL **DIP-81** 395 **DIP-84 FT GRAPHICS** 595 STARWRITER LETTER QUAL FT 1824 **MALIBU 200 DUAL MODE** 2577 **QANTEX PRINTER** 1195

400 COMPUTER LIST 399 ONLY 340 **800 COMPUTER** 1080

WONDERFUL GAMES-EDUCATION RCA -COSMAC VP-711 199

> GAMES-BASIC-PROGRAMS-MUSIC **GUIDED SATELLITE TO SATURN**

TARBELL's Empire I, II, & III have two 8" disk drives. The I is single sided, the II is double sided, and the Empire III has one of the floppies replaced by an 8-Megabyte Hard Disk. FREE BUSI-NESS SOFTWARE EMP 1 \$4888 ONLY \$3666

CALIFORNIA COMPUTER 2200A \$2195 ONLY \$1795 Z80, 64K, I/O, DMA Disk controller + CP/M. Powerful & Low Price.

Model 300-1A is the larger system: 2.4 Mb 8", Z80, 64K, and optional OASIS, CP/M, or MP/M operating system. LIST \$5695 ONLY \$4995

MORROW DESIGNS Decision 1 features UNIX plus CP/M. Multi user & Multi processing, 4 to 6 Mhz Z80, and optional Floating Point Processor, or Hard Disk 26Mb. A very powerful system at LIST \$1725 ONLY \$1349

GODBOUT COMPUPRO Big 8: 6MHz Z80, DMA Disk Controller, 32K fast static RAM, Interfacer 1 I/O board, + CP/M. LIST \$1995 ONLY \$1595

Super Sixteen 8085/8088 is the fastest combo 8-16 CPU. LIST \$3495 ONLY \$2795

SYSTEMS GROUP System 2812 runs CP/M or OASIS. Supports single user & multiuser & multi task. Up to 5 megabytes with 8" drives optional 10-megabyte hard disk. LIST \$5035 ONLY \$3994

SEATTLE's 16 bit COMPUTER is here! 8 MHz 8086 CPU the fastest S-100 computer! 128K Static RAM, DD Disk Controller, 22-slot Main Frame, 86-DOS. #2 128K LIST \$4185 ONLY \$3349 #1 As above but 64K LIST \$3190 ONLY \$2649

MicroFrame—MainFrame by TEI—The perfect starting point for your Special Computer. IEEE S-100. Constant Voltage Transformer!

12-Slot List \$685 Only \$614 22-Slot 825 742

COMPUPRO—Godbout 20-Slot Mainframe. 825 Desktop 674

Constant Voltage Trnasformer!

WE SELL GOOD HARDWARE

square nerican

WE SELL GOOD SOFTWARE

919-889-4577

KIVETT DR. JAMESTOWN N.C. 27282

919-883-1105

LOWEST PRICE - BEST OUALIT

ORTH ST






2-51/4 Disk Drives 64K Double Den Factory assem. & tested **Factory guaranteed** List \$4195

POWERFUL NORTH STAR BASIC FREE SUPERB FOR BUSINESS & SCIENCE

FACTORY ASSEMBLED & TESTED	LIST	ONLY
HORIZON-2-64K-DOUBLE DEN	\$3695	\$2625
HORIZON-2-32K-QUAD DENSITY	\$3995	\$2799
HORIZON-2-64K-QUAD	\$4495	\$3150
HORIZON-1-64K-Q-HD5	\$6695	\$4685
HORIZON RAM ASSM 48K	= \$679	
HORIZON DISK DRIVE SALE	SAVE	\$445
ENGLISH TO BASIC TRANSLAT	OR	\$99
NORTH STAR HARD DISK 18 Mb	\$5375	
NORTH STAR TIME SHARING MULT	I-USER	CALL
ZBASIC 2 TO 5 TIMES FASTER!		\$350
SECRETARY WORD PROCESSOR		\$99
WORDSTAR WORD PROCESSOR		\$318
FLOATING POINT BOARD	\$399	\$319
OASIS MULTI-USER SOFTWARE	SAVE	CALL
CP/M FOR N* Extra features	\$230	\$220
MICRO MIKE SOFTWARE	SAVE	CALL
MICRO DISK SYSTEM DD	\$899	\$799
UCSD PASCAL II.0	\$199	\$159
EXTRA PRECISION BASIC		\$50
NORTHWORD	\$399	\$299
MAILMANAGER	\$299	\$224
INFOMANAGER	\$499	\$374
GENERAL LEDGER	\$999	\$749
ACCOUNTS RECEIVABLE	\$599	\$449
ACCOUNTS PAYABLE	\$599	\$449
INVENTORY	\$999	\$749
ORDER ENTRY	\$999	\$749

InterSystems

ITHACA INTERSYSTEMS 2A



Z-80A CPU 4 MHz 64K Dynamic RAM Front panel V I/O—with interrupts FDCII Disk Controller 20 slot motherboard

LIST \$3795

ONLY \$2839

LICT

ONLLY

PASCAL/Z + THE FASTEST PASCAL \$375

LIS I	CINLY
\$7295	SAVE
\$6995	CALL
\$6295	SAVE
\$1795	CALL
\$125	SAVE
\$295	CALL
\$295	SAVE
\$295	CALL
	\$7295 \$6995 \$6295 \$1795 \$125 \$295 \$295

MORROW 8" DISK

DISCUS 2D + CP/M° 600K ONLY \$848 DISCUS 2 + 2 + CP/M° 1.2 MEGA B. \$1099 ADD DRIVES 2D = \$599 2 + 2 = \$795 DISCUS 2D-DUAL + CP/M° ONLY \$1388 FREE MICROSOFT BASIC FROM MORROW WITH DISCUS SYSTEM OR HARD DISK



MORROW HARD DISK 26,000,000 BYTES!! LIST \$4495 ONLY \$3395 CP/M° IS INCLUDED!

We are starting a nation-wide chain of franchise stores. Call for further information.

SAVE ON MEMORY AND PROGRAMS

SYSTEMS MEMORY 64K A&T \$549 SYSTEMS MEMORY 64K BANK 684 COMPUPRO 32K STATIC 347 ITHACA MEMORY 8/16 BIT 64K 845

CORVUS HARD DISK SSM VIDEO BRD VB3 4Mhz 412 SPECTRUM COLOR UNKIT 269
EZ-CODER English to BASIC 99 **ECOSOFT FULL ACCOUNTING** CAT NOVATION MODEM 169 MEMORY MERCHANT 16K 159 WICAT 68000 16-BIT CALL

Which Computers are BEST? **INSURED SHIPPING AT LOW RATES** CALL FOR LATEST PRICES, DETAILS WE BEAT ADVERTISED PRICES

FACTORY GUARANTEES

nerican

EXPERT ADVICE

919-889-4577

KIVETT DR. JAMESTOWN N.C. 27282

919-883-1105

Digital-to-Analog Converter. Now for the seemingly out-of-place DAC. In short, it provides a mechanism for "guessing" the value of the currently selected joystick channel. You might think of it as a guess-my-number affair.

The six buffers of the MC14050B and the resistor network make up the DAC. The DAC takes the six lines labeled PA7 through PA2 and converts the binary values of 000000 through 111111 into corresponding voltages of 0 to +5 V DC. Because 64 separate values are represented over this range (111111 is 63), the voltages represented will be in steps of ⁵/₆₄ V (approximately)—0 V, ⁵/₆₄ V, ¹¹/₆₄ V, ¹¹/₆₄ V, . . . up to ³²/₆₄ V (5 V).

The method used for this conversion is a *voltage-divider* resistor network, where each resistor produces a

weighted voltage. The output of each MC14050B buffer is either 0 or +5 V (approximately). If the buffer output is 0 V, the resistor associated with the buffer can be considered to be at ground; if the output is +5 V, the resistor can be considered to be at +5 V. The resulting resistor network for a typical configuration is shown in figure 4. The output voltage is the total voltage from ground to the output point. Table 1 shows approximate output voltages for the range of input values.

The PIA. The PIA is Motorola's peripheral interface adapter, basically a 20-line device in which most lines can be programmed as inputs or outputs. In the standard Color Computer configuration, PIA lines feeding the DAC are assigned hexadecimal address \$FF20; PIA lines selecting the channel

of the data selector are assigned hexadecimal address \$FF01; and the PIA line for JOYIN is assigned hexadecimal address \$FF00. [Editor's note: Following 6809 conventions, all hexadecimal values are prefixed with "\$".] Other lines are involved with the PIAs—lines to read the keyboard, lines to handle RS-232 communication, and so forth—but the lines pertaining to the joystick inputs are the only ones shown in figure 5.

Each set of lines is memorymapped in the Color Computer; using BASIC's tools, a PEEK at 65280 can be used to read the JOYIN bit, while a POKE to 65312 will output a value to the DAC.

Joystick Software

From here on, the problem is "simply a matter of programming." The first task is to find the X/Y position of either joystick. The algorithm for doing this is fairly simple:

- 1. Select the joystick and X/Y channel by sending data to the SEL1/SEL2 lines. To select the right joystick and X, for example, a 0 must be sent to bit 3 of decimal address 65283 and a 1 output to bit 3 of decimal address 65281.
- 2. The input from the joystick is now at the + input of the comparator. Assuming you aren't playing a hot game of Space Invaders, that input should remain relatively constant for some period of time, although in normal use it could be fluctuating from 0 to +5 V in ½ second or less.
 - 3. Send a value of binary 100000




Figure 3: Joystick electronics; the joysticks are relatively simple devices.




Figure 4: This diagram shows how a typical digital input is converted into an analog output.

TRS-80*
Products that set Precedents.

Model III

TM

OMIKRONI II



MAPPER CP/M Adaptor
CBASIC II*** CP/M AND
THE
BESTWORD PROCESSOR

\$1000.00 VALUE \$ 299



UNPRECEDENTED SAVINGS

are available on selected CP/M programs through COUGAR, Omikron's official users group.

1127 Hearst St. Berkeley, CA 94702 (415) 845-8013

*TRS-80/Radio Shack/Tandy Corp **CP M/Digital Research

***CBASIC II/Compiler Systems
***PHOENIX/Palantir Inc.

OMIKRON

THE ONLY NAME

YOU NEED

TO KNOW FOR KEYED FILE ACCESSING IS

MICRO B+™

Since 1979, MICRO B+

- **PERFORMANCE**: search an index of over 10,000 key values in less than one second on a floppy.
- **CONVENIENCE**: no need to reorganize index files.
- **SUPPORT:** our bug-free code is backed by the best programmer support in the industry; just call us to see.
- INNOVATION: the 1st and most complete implementation of B-Tree index structures for micros.
- DOCUMENTATION that you can read.

AND NOW

FairCom has added

 MULTI-USER support under MP/M for MICRO B+.

IF YOU PROGRAM IN:

MICROSOFT'S BASIC, COBOL, or FORTRAN DIGITAL'S PL/I-80 CBASIC-2 PASCAL/MT+

WE'VE GOT WHAT YOU NEED

for \$260. Manual alone \$20. Shipping \$4 North America, \$8 elsewhere.

LANGUAGE C VERSION OF OUR B-TREE ALGORITHM IS AVAILABLE FOR \$2600.

FAIR COM

© 1981 FairCom

2606 Johnson Drive Columbia, MO 65201 (314) 445-3304

WE ACCEPT VISA & MASTERCHARGE

MP/M & PL/I-80 are trademarks of Digital Research. CBASIC is a trademark of Compiler Systems, Inc. PASCAL /MT+ is a trademark of MT Micro Systems. (decimal 32, or about +2.5 V) to the DAC by using a POKE 65312,128.

- 4. Look at the output of the comparator by doing a PEEK (65280) and testing bit 7 by performing a logical AND with 128. If the output is a 0, the channel value is less than the output from the DAC. In this case, take half of the remaining range (binary 010000, decimal 16, or about 1.38 V) and try again. If the output is a 1, the channel value is greater than the output from the DAC. In this case, take half of the remaining range (binary 110000, decimal 48, or 3.69 V) and try again.
- 5. Repeat this process six times. Each time, take one-half the remaining range and try again. At the end of the six tries, take the value most recently output; it will be within 5/64 of the actual voltage produced by the joystick.

Savvy readers will recognize this algorithm as our old friend the binary search. In this case, a binary search has been used to converge on the X or Y input voltage by *successive approximation*. To prove that this method *does* work, run the BASIC program shown in listing 1. This program zeroes in on the X channel of the right joystick. Move the joystick and the program will report back the new X position for each iteration.

BASIC Joystick Commands. The JOYSTK command in Color BASIC accomplishes the same function as the program in listing 1. The format of the command is

JOYSTK (j)

where *j* is 0 for the right joystick X; 1 for the right joystick Y; 2 for the left joystick X; and 3 for the left joystick Y. JOYSTK(0) must be executed before JOYSTK(1), (2), or (3) can be returned.

As with other BASIC operations, there is a limit to how fast JOYSTK can be performed. Assuming you want to read the X/Y coordinates of one joystick (see listing 2), the speed of operation is about 23 X/Y readings per second. This is not too bad but doesn't allow such things as smooth plotting of points on the screen during rapid joystick movement, as in listing 3.

Machine Language. The answer to a faster reading of the joysticks, as you might suspect, is in 6809 machine language. Two driver subroutines in Color BASIC are associated with the joysticks: one to select the joystick channel and one to read all four channels into four page-zero locations. The Select-Joystick subroutine in Color BASIC is at location \$A9A2; the Read-Joystick is at \$A9E0. Listings 4 and 5 show the disassembled code; I've added program commentary in a separate text box (see page 160).

Other Uses for A/D Inputs

As the foregoing discussion has demonstrated, a built-in set of four A/D channels resides in the Color Computer—channels in which the input voltage may range from 0 to




Figure 5: The Color Computer's PIAs are memory-mapped. A single memory-mapped byte has several functions on the bit level.

At Hayes, we don't believe in second best. Or planned obsolescence. We believe in taking the state of the art to the limit. Our new Smartmodem, for example of the state ple, is the most sophisticated 300-baud originate/answer modem you can buy. And yet, it is perhaps the easiest-to-use modem ever.

RS-232C Compatible. Smartmodem lets any RS-232C compatible computer or terminal communicate by phone with other computers and time-sharing systems located anywhere in North America. You get full and half-duplex operation with both Touch-Tone* and pulse dialing.

Auto-Answer/Dial/Repeat.

Smartmodem can answer the phone, dial a number, receive and transmit data, and then hang up the phone - automatically! If desired, Smartmodem will even repeat the last command. You can depend on Smartmodem for completely unattended operation

Completely Programmable. Smartmodem can be controlled using



any programming language. Over 30 different commands can be written into your programs or entered directly from your keyboard.

Smartmodem also includes several switch-selectable features that let you tailor performance to your exact needs. You can "set it and forget it" for the ultimate in convenience.

Built-in Audio Monitor. Thanks to an internal speaker, you can actually listen to your connection being made. You'll know immediately if the line is busy or if you reached a wrong numberand you don't even need a phone!

Status at a Glance. Seven LED's indicate Smartmodem's current operating mode: auto-answer, carrier detect, off hook, receive data, send data, terminal ready and modem ready. You're never left in the dark!

Direct-Connect Design.


Smartmodem is FCC registered for direct connection to any modular phone jack — there's no acoustic coupler to cause signal loss and distortion.

Smartmodem, Smart Buy. Professional quality features. Versatile per-formance. A full two-year limited warranty. A suggested retail price of only \$279.

What more could you want? Perhaps the matching Hayes Stack Chronograph, an RS-232C compatible calendar/ clock system.

Check out the Smartmodem wherever fine computer products are sold. And don't settle

for anything less Hayes than Hayes.



+5 V DC and in which data can be sampled at rates of up to 2500 samples per second for a single channel. There are many other uses for these channels.

Electrical Analogs. Many physical quantities can be represented by an electrical analog of voltage, resistance, or current. A thermistor, for example, changes its resistance in accordance with temperature. Certain types of crystals generate a voltage when stressed; thus, crystal microphones can produce an output voltage in step with sound input. Photoresistors change their resistance values when subjected to varying light intensities.

One problem with many types of transducers like these is that they are not linear. Equal changes in the physical quantity do not produce equal changes in the electrical property over a wide range. Manufacturers strive to maintain linearity in the devices, and, as a result, the transducers become expensive. Using the Color Computer A/D inputs, you can com-

pletely bypass linearity problems because you can easily convert input values to the corresponding physical values by use of a conversion table. As a result, you can use many "garden variety" devices for transducers.

Another powerful aspect of the Color Computer is that you can do more than just read instantaneous input values. You can use the Color Computer as a data-acquisition device. Inputs can be sampled many times a second and then stored in memory, on cassette, or on disk. You can retrieve the input data as often as required and process them in any way you wish.

Following are illustrations of two types of real-world inputs that use the A/D inputs of the Color Computer, a light detector and a thermometer. You may be amazed at how simple this can be.

Standard Plug. As a first step, make a standard plug for the A/D inputs. The standard joystick plug is a 5-pin DIN male plug, which Radio Shack sells in most stores. Be certain

to get a "thin-walled" type; the thicker plastic type will not fit in the jack. Use any four-conductor wire, or four single wires, to connect to the DIN pins as shown in figure 6. If you'd like, you can add a fifth wire for the pushbutton switch, although its use is not detailed in this article.

Listing 1: A BASIC program that accomplishes an A/D conversion on the right joystick's X-coordinate. The program reads the hardware directly for the sake of illustration; the BASIC language offers a single command (JOYSTK) to do the same thing, as shown in listing 2.


- 90 REM SELECT RIGHT, X
- 100 A = PEEK(65283)
- 110 A = A AND 247
- 120 POKE 65283,A
- 130 A = PEEK(65281)
- 140 A = A AND 247 OR 4
- 150 POKE 65281, A
- 160 REM SETUP VALUE, DELTA
- 170 V = 128: D = 64
- 175 REM BINARY SEARCH HERE
- 180 POKE 65312,V
- 190 A = PEEK(65280)
- 200 A = A AND 128
- 210 IF A = 0 THEN V = V D ELSE
 - V = V + D
- 220 D = D/2
- 230 IF D<>1 THEN GOTO 180
- 235 REM NOW GET 6 LS BITS
- 240 V = V AND 252
- 250 V = V/4
- 260 PRINT V
- 270 GOTO 100

Listing 2: A typical use of BASIC commands to read the X- and Y-coordinates of the right joystick. Line 130 keeps track of how many times the joystick has been read; this program obtains 23 X/Y readings per second.

- 100 REM TYPICAL JOYSTK PROGRAM
- 110 A = JOYSTK(0)
- 120 PRINT JOYSTK(0), JOYSTK(1)
- 130 I = I + 1
- 140 GOTO 120

Listing 3: This BASIC program shows that the JOYSTK command is too slow to keep up with rapid joystick movements; you can't get a smooth plot on the screen unless you move the stick very slowly.

- 100 REM PROGRAM TO PLOT POINTS FROM JOYSTICK
- 110 PMODE 4,1: PCLS: SCREEN 1,0
- 120 PSET(JOYSTK(0)*4,JOYSTK(1)*3)
- 130 GOTO 120



- Inexpensive S-100 computers can now communicate with the IEEE-488 instrumentation bus. The P&T-488 meets the IEEE-488 1980 standard for **controller**, **listener**, and **talker**.
- "Canned" **software** allows simple communication with the 488 bus from Basic, Pascal, and other high level languages.
- Special features include an interactive **busmonitor** program and a functional self-test program.



Price for (1) P&T-488 with software, assembled and tested: \$450 (domestic price) FOB Goleta, CA.

CP/M is a registered trademark of Digital Research.

PICKLES & TROUT

P. O. BOX 1206, GOLETA, CA 93116, (805) 685-4641

POWER-ONE MAKES DELIVERY HISTORY!

Immediate Off-the-Shelf Delivery of any Power-One Standard D.C. Power Supply-Linears or Switchers.



Power-One has once again set a new standard in the D.C. power supply industry. This time in delivery!

After months of intensive production effort, we now have a complete inventory of all our standard models - ready for immediate off-the-shelf delivery. It's true. Give us an order and it'll be shipped the same day. Or any time you specify.

In addition to our massive factory inventory, Power-One D.C. power supplies are now stocked by Arrow Electronics, one of the world's largest distributors. This means even faster service for you. Just order from your nearest Arrow stocking center, and even the shipping time will be minimized.

So from this day forward, you needn't be frustrated by suppliers who promise but can't deliver.

NUMBER

POWER-ONE DELIVERS...ON TIME!

FREE: NEW PRODUCT CATALOG AND POWER-ONE FACILITIES BROCHURE.



Power-One, Inc. • Power One Drive • Camarillo, CA 93010 • Phone: 805/484-2806 • 805/987-3891 • TWX; 910-336-1297

MICRO PRICE for MINI POWER MICRO-MINI™ matches Series I by IBM **DELIVERING CURRENT ORDERS**

You cannot buy a more powerful micro:

- Power: 1 to 32 independent users
- Memory: directly addresses to 16 Meg!
- Mapping: efficient memory management
- Disk: 2M to more than 250M
- Speed: throughput 10 times Z80
- Files: simultaneous access
- Communication: inter-user via terminals
- Security: all files password protected
- Options: expandable in the field
- Bus: Intel Multibus™ compatible
- Languages: Pascal, BASIC, COBOL, FORTRAN


System 3

\$7053

This 16-bit Multibus™ computer system

- Z8001 CPU and 256K RAM
- 8 serial I/O ports
- 15-slot backplane
- Dual floppy disk drives
- Multiuser Operating System Field upgrade to 16MB RAM, 268MB of hard disk, 32 users. Pascal, BASIC, C, COBOL and FORTRAN languages.

Call for further system specifications.



AMPEX Dialogue 80™

Dialogue 80™ fully-featured video terminal:

- Full ASCII with numeric and edit keypads Elegant case with detachable keyboard
- Display 24 lines with 25th status line
- 20 user programmable function keys
- 2 pages display memory (4 optional)
- 11 graphics and 21 control codes 10 modes including block, protect, program
- Transparent mode displays control codes

Dialogue 80™\$1045 Dialogue 80™ with phone coupler......1194

Applications: word processing, data entry, interactive programming, data base inquiry/response/ update, transaction processing, whether on-site or remote. For our system or for yours, this interactive terminal is the perfect match.

Prices: Prepaid or Purchase Order Net 10. Prices subject to change without notice. Warranty: 120 day minimum on all systems. Interfacing cables free with all systems. 10% down fixes price, guarantees priority. MasterCard and VISA cards accepted.



Is it possible to zap the power supply by inadvertently connecting +5 V to ground? Not too likely, as the +5 V lead is connected internally via a $100-\Omega$ resistor, with a resultant current of only 50 millamperes (mA), so you may use the cable leads with impunity.

Input Value	Output	Input Value	Output
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 31 31 31 31 31 31 31 31 31 31 31	0.230 0.302 0.373 0.444 0.517 0.588 0.659 0.731 0.805 0.947 1.01 1.09 1.16 1.23 1.30 1.38 1.45 1.52 1.59 1.67 1.74 1.81 1.88 1.95 2.03 2.10 2.17 2.24 2.31 2.38 2.46	32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63	2.53 2.61 2.68 2.75 2.82 2.89 2.96 3.04 3.11 3.18 3.25 3.32 3.40 3.47 3.54 3.61 3.69 3.76 3.83 3.90 4.05 4.12 4.19 4.26 4.34 4.41 4.48 4.55 4.69 4.76

Table 1: The Color Computer's D/A circuit converts values from 0 to 63 into voltages from 0.230 to 4.76 V. The resultant voltage can then be compared with the voltage level from one of the joystick input channels. By a method of successive approximation, software can "measure" the voltage accurate to within 1/64 V.

A Light Detector

The light-detector application uses just two components attached to the right joystick X channel as shown in figure 7. The primary component is a cadmium sulfide (CdS) photocell, which currently costs \$1.29 in Radio Shack stores. Its resistance is dependent upon the amount of light striking it and varies from about 5 megohms (M Ω) (5 million ohms) in complete darkness (where it was hard to read the ohmmeter) to about 20 Ω in direct sunlight. Some other readings are shown in table 2.

Obviously, this is quite a wide range. For this example, the normal house interior settings, out of direct sunlight, were chosen for a program that would determine when the room was adequately lighted-a range of about 500 to 5000 Ω . The input voltage V to the 0 channel is given by:

$$V = R1/(R1 + R_{cs}) \times 5$$

where Rcs is the resistance of the photocell and R1 is the resistance of the second component (a 1/4- or 1/8-watt (W) carbon resistor, which costs about \$.25 or less). For a midpoint R_{cs} of 2750 Ω, R1 should be 2750 Ω. The closest standard resistance value of 2200 Ω was used in the example. Vary the resistance as required for the light conditions you are

A potentiometer with the center and one outer pin tied together (actually a rheostat) could be substituted for the fixed resistor to allow this circuit to be used for a variety of applications. (Both the fixed resistor and the potentiometer are available from Radio Shack and other electronics parts stores.)

You read channel 0 using the

Condition	Reading (ohms)
Facing sun	20
Sunlit outdoors	30
Overcast outdoors	50
Shaded outdoors	100
Inside house, facing window	180
Inside house, facing interior	830
Artificially lighted (bright) room	2200
Interior of closet, swathed in old racoon coat	5 M

Table 2: Readings taken with the light detector. The unit is more light sensitive than the human eye, detecting differences where the human eye sees none.

FAITHHAITHAI

Price Performance Reliability



CMC IS MEETING TODAY'S HIGH STANDARD OF **EXCELLENCE WITH TOSHIBA.** CMC'S OWN SUPERFIVE, A 5-MBYTE MICROCOMPUTER AND OTHER FINE PRODUCTS

TOSHIBA DESKTOP COMPUTE

CMC International offers dealers the new Toshiba computer line, CP/M® -based micros with lots of flexibility...your choice of one or two drives, either 51/4 or 8 inch. Toshiba computers come with C/PM, Microsoft Basic80 and CBasic®. We're proud to offer a system with day-in, day-out dependability, backed by one of the world's largest electronics manufacturers. And, we offer a comprehensive dealer program including parts and module inventory, and prepaid freight for warranty repairs (if you ever need it).

ALSO DISTRUBUTING:

- Corvus
- Tandon
- Seagate
- •NEC Dysan ·MPI
- Superbrain • Epson Compustar Verbatim
- ·C.Itoh
- MicroPro
- Accounting Plus
- Peachtree
- •dBase II

YOUR STOCKING DISTRIBUTOR

A Division of Computer Marketing Corporation

11058 Main, Suite 125 Bellevue, WA 98004

PHONE (206) 453-9777

64k RAM, 80x24 12" green T-200 phosphor screen, complete with CP/M, M Basic80 and CBasic.

Model 1

Model 2

1 51/4" 280k

2 51/4" 280k Disk Drives

Disk Drive List *3995

List \$4495

64k RAM, 80x24 12" screen, T-250 complete with CP/M, M Basic80 and CBasic.

Model 3

1 8" 1mbyte Disk Drive

Model 4 2 8'' 1mbyte Disk Drive

List \$4495

List \$5495

EXCELLENT DEALER DISCOUNTS

To Order Call Toll Free 1-800-426-2963

TELEX: 152 556 SEATAC

BASIC JOYSTK(0) command or by calling the joystick assembly-language subroutine.

This light-detector circuit could be used for a number of things: an electronic exposure meter for a darkroom, a light-level detector for artificial lighting, the aiming of solar panels (with an output to control panel positioning), or burglar alarms (a detectable drop in output occurs as a person walks past the sensor). In my tests, the CdS photocell was sensitive enough to detect differences in clothing color and the whiteness of various types of paper. Many of the differences were not discernible by the human eye.

A Thermometer

The thermometer application also uses two components (shown in figure 8). One is a thermistor. A thermistor's resistance varies with ambient temperature. A rather gross type of thermistor, a replacement television thermistor, was used for this application. It has a resistance of about 120 Ω at 25 degrees Celsius (°C) and about 1.8 Ω at 65°C. A thermistor of this type has a slow response to temperature changes but is inexpensive (\$2.20). Better-quality thermistors, over a wide range of resistance values, are available from manufacturers' representatives and are priced from \$6 to \$10. Choose one with a resistance in the 10-kilohm $(k\Omega)$ range to reduce the effect of the 100- Ω resistor in series with the +5 V pin.

A plot of the values obtained by reading JOYSTK(0) is shown in figure 9. Even with this unsophisticated thermistor, a temperature resolution of 3 to 4 degrees at lower temperatures was achieved. (The effect of resistance 100 Ω was less pronounced.) This particular thermistor took several seconds to respond to changes in temperature, though. It's easy to see that many interesting temperature applications could be implemented with this simple circuit: measurement of liquid temperature, fire detection, flow gauges (moving fluid cools the thermistor), a weather station, and the like.




Figure 6: A five-pin "standard" plug, DIN-type, for connecting external devices to the Color Computer's joystick input jack.




Figure 7: The light detector components and connections.




Figure 8: The thermometer detector components and connections.

MORROW DE SA, 495 No Stes

Leading edge technology in hard disk systems.

Complete systems. Morrow Designs hard disk subsystems are delivered complete with hard disk, controller, cabinet, power supply, fan, cables and CP/M" 2.2 operating system.

Widest range. Morrow Designs offers the widest range of hard disk systems available from a single supplier. 51/4," 8," 14." Five to over 100 megabytes of formatted hard disk storage. \$2,995 to \$17,980. Cost effective systems that work. And keep working.

S-100 and more. Morrow Designs hard disk systems are designed for use with the CP/M operating

system. Available software packages allow our systems to run on any IEEE696/S-100 Standard system with no hardware modification. Plus, Cromemco,*** North Star,** Vector Graphics,

Godbout, Dynabyte, Exidy,**** IMSAI, Micromation, Processor Technology and California Computer Systems.

Reliable systems. Morrow Designs is committed to hard disk system reliability. Not simply with a 90-day warranty, but with a money back guarantee. If our system fails to perform to specification, send it back. We'll send back your money.

Experience. As of April, 1981, there were over fifteen hundred Morrow Designs hard disk systems successfully installed. In fact, over 200 independent systems integrators now use our hard disks to solve their mass storage problems.

Performance answers. Morrow Designs hard disk systems have been benchmarked against all other systems. None is faster under CP/M. Morrow Designs hard disks operate at 10 times the speed of a floppy disk drive. Transfer rates range from 590,000 bytes to 900,000 bytes per second. That kind of performance can become addictive.

Cost effective answers. Compare Morrow prices and performance to anything presently available for S-100 systems. You'll find

Morrow's price/megabyte/ performance ratio to be unmatched. Leadership in disk systems technology earned us leadership in price/performance. And that may have earned us a call from you. Circle the

Reader Service Number for our full line data sheets. Can't wait? Call us at (415)

524-2101. And yes, OEM quantity prices are

available. LOOK TO MORROW FOR ANSWERS.

MORROW DESIGNS *CP/M is a trademark of Digital Research

^{**}Northstar is a trademark of North Star Computers, Inc.
***Cromemco is a trademark of Cromemco, Inc.

^{****}Exidy is a trademark of Exidy Corporation.

The New Idea Confrom TeleVideo S



mputer vstems.

Putting new ideas to work.

TeleVideo has always been bursting with new ideas, when it comes to small business computers and peripherals designed to deliver more value for the money.

Now, we'd like to take this opportunity to introduce our latest new idea computer—the Model TS802. It's loaded with new technological benefits, and backed by the company that streaked to its No. 1 position among independent suppliers of smart terminals by getting its new ideas to



All the newest technology

There are two versions available to you. The Model TS802 computer features two 51/4-inch floppy disks for 1 Mbyte of on-line storage, a Z80A microprocessor, 64K of RAM memory, and a 4K EPROM for diagnostics. The Model TS802H computer has one 51/4-inch Winchester disk drive for 10 Mbytes of on-line data storage, backed by a 500 Kbyte minifloppy disk unit. The 802H also features the Z80A microprocessor, 64K of RAM memory and a 4K EPROM for diagnostics.

Both versions come in a handsome integrated workstation enclosure that conveniently includes both the easy-to-read CRT display and data storage modules in a single desktop unit. The fully detachable keyboard provides an extra dimension of flexibility. And both computers have three ports: two RS232 serial ports for rates up to 19.2 Kilobaud, and one unique TeleVideo RS422 network serial port for rates up to 800 Kilobaud.

With the Future in Mind

The Model TS802 computer was built to get the job done today...and tomorrow. Use it as a stand-alone computer, or hook it up and use it as the foundation for part of an expanding network when the time comes. In stand-alone mode our TS802 series uses the CP/M* operating system. In multi-user mode, each TS802 station runs CP/M* under TeleVideo's unique MmmOST® networking executive. More application software is available for CP/M* than any other operating system.

The Model 802 computer is priced at only \$3495. And the Model TS802H is only priced at \$6995. And they offer new idea features you might have to pay \$30,000 elsewhere. If you're ready to get down to business, contact us today for more information about our 'New Idea' Model TS802 computers.

TeleVideo®

TeleVideo Systems, Inc. 1170 Morse Ave. Sunnyvale, CA 94086 (408) 745-7760 800/538-7633 (toll-free outside CA)

CALIFORNIA Santa Ana 714/557-6095; Sunnyvale 408/745-7760 GEORGIA Atlanta 404/255-9338 TEXAS Dallas 214/980-9978 ILLINOIS Bloomingdale 312/351-9350
MASSACHUSETTS Boston 617/668-6891 NEW YORK/NEW JERSEY 201/267-8805 UNITED KINGDOM West End Surrey 44-9905-6464




Figure 9: Readings taken with the thermometer; notice that the device is almost linear in the 80-180°F range.

Other Applications

Don't hesitate to try other transducers with the joystick inputs. Anything that can resolve physical quantities into resistance or voltage can be measured by the Color Computer joystick inputs: •A small DC motor, for example, might be used in reverse as a generator. Driven by anemometer-type wind cups, the motor would generate a voltage proportional to wind speed which could be applied directly across pin 3 (ground) and pin 1 (X input). (Some amplification by a single

transistor might be necessary.)

- A solar cell can be used in a similar fashion. Tie its output directly to pins 1 and 3 to read voltage generated by sunlight striking the cell.
- Used with a microphone and small amplifier, the Color Computer could also act as a sound detector for



...EASY to Sell Because It's...

EASY TO SET UP

The Solomon Series is a family of applications software designed to run on a Z-80 processor with 64K of memory and CP/M* 2.xx. It comes with utility programs which allow Solomon to work on different terminals and printers. You can also control what programs are located on which diskette or drive, allowing Solomon to be set up for different floppy and hard disk configurations. All Solomon systems utilize a single database managed by the MDBS* database manager so there is only one data file.

EASY TO DEMONSTRATE

A Demonstration/Tutorial system is available for each Solomon package. This system includes all the screens and reports for that system plus a database with examples appropriate for demonstration. The demonstration system is available for a fraction of the cost of a full system keeping dealer startup costs down.

EASY TO CUSTOMIZE

Authorized Dealer Training is provided which describes the design of Solomon and how to modify it. Authorized Dealers are provided with a Dealer Technical Manual which explains the structure of Solomon and describes records and data items used in the database. Solomon is written in the highly structured, efficient PL/I-80* programming language. TLB offers its Authorized Dealers a Source Code Subscription Service to provide the source code needed for customization.

EASY TO INSTALL

Because Solomon software is built around a single database managed by MDBS, it is easy to install. There is only one system to learn, one manual to use, one data file to backup. A Demonstration Tutorial system carries the operator through all the processes involved in initializing the database and operating the system on a day by day basis.

EASY TO OPERATE

Solomon software is easier to use because it achieves a new level of integration for micro computers. All modules are available through password protected menu selections. Screens are designed to resemble forms familiar to the operator. All input is verified and updated as it is entered—there are no rejected transaction reports because Solomon will not accept invalid input. All reports are up-to-date and available as of the latest transaction. Use of the MDBS database manager eliminates file handling by the operator. There are no sorts to run or files to post at month-end. Every screen and report is cross referenced to an easy-to-use Reference Manual.

EASY TO SUPPORT

It is easy to support your customer because TLB supports you, with a Dealer Training Program, a Dealer Technical Manual, Source Code Subscription, a Tutorial/Demonstration System, Dealer Bulletins, and telephone support. Solomon uses forms which are readily available through Moore Business Forms and NEBS. A query package is available from MDBS which allows ad hoc reports to be generated from the Solomon database.

EASY TO BUY

TLB understands the effort required to sell, install and support an applications software system. Dealer discounts for Solomon Software and support materials reflect TLB's appreciation of that effort.

To learn more about this remarkable new family of accounting software, call or write today.

SOLOMONI


GL, AP, AR, Invoicing, Fixed Assets, Payroll, Address Maintenance


SOLOMON II

GL, AP, AR, Involcing, Fixed Assets, Payroll, Address Maintenance, Job Costing

Yes, please sen Yes, please sen Solomon (speci	id me a Solomon Brochure id a dealer information packet id a Reference Manual for ify series number) 00 enclosed. (Ohio residents
Name:	
Title:	
Company:	
Address:	
City:	(Chaha) (Tip)
Phone:	(State) (zip)
th	TLB ASSOCIATES, INC. 1120 Commerce Parkway P.O. Box 414 Findlay, Ohlo 45840 (419) 424-0422

MDBS is a trademark of Micro Data Base Sytems, Inc. CP/M and PL/I-80 are trademarks of Digital Research, Inc





Microcomputer



SAVE!

Call For Our Price

If you're considering a computer, consider this:

4 Mhz Z-80A Operation
80 or 40 column modes STANDARD
Built-in Centronics printer port
Full ASCII keyboard with Shift lock
Real Time Clock STANDARD
RGB Color Output
Mixed text and graphics
Numerica Keyboard STANDARD
CP/M Compatibility

CP/M Compatibility 5 programmable Function keys 24K Microsoft NBASIC in ROM with enhanced

color graphic commands
The NEC PC-8001A has all these features and much more. Expandibility you want, expandability you get. Through the use of the PC-8012A I/O unit, total system RAM can be extended to 160K. The PC-8031 Dual Disk Drive puts 286K of floppy disk storage at your com-

mand.

The NEC PC-8001A has so many things that are options on other computers built right in that you may never have to buy another accessory! The quality that the NEC name has come to stand for has been built-in, too. Compare the competition, and then call Consumer Computers for the NEC PC-8001.

NEC COMPATIBLE SOFTWARE



Personal Computer

Color 'Sound 'Graphics Call or write for more info. Disk drives available soon!

apple computer



APPLE II PLUS

16K NOW \$1025

Now \$1

APPLE DISK DRIVES

w/cont. & DOS 3.3. \$499 Disk II Drive only \$439

ORDER TOLL FREE 800-854-6654

In California and outside continental U.S. (714) 698-8088

Telex 695-000 Beta CCMO

APPL

Special Holiday Sale



128K now only \$3195

Apple Cards and Hardware

16K RamBoard by ConComp Industries

Language System w/Pascal & BASICS	79
Silentupe Printer w/interface card34	
Hayes Micromodem II29	
Novation Apple-Cat	39
Videx Videoterm 80 column card	
Videx Keyboard Enhancer	
Z-80 Softcard by Microsoft	99
16 K RamCard by Microsoft10	
Integer Basic or Applesoft II Firmware Card	15
Graphics Tablet	
Parallel Printer or Hi-Speed Serial I/F card	35
Communications Card w/cable	
Centronics Printer Interface card	
Apple IEEE-488 interface card	
16K Language card by Apple Computer1	
Thunderclock Plus clock/calendar	
Smarterm 80 column card29	
Corvus Winchester Hard Disk Drives	
ALF 3 Voice Music Card	
ALF 9 Voice Music Card	
Lazer Lower Case Plus +	
Lazer Keyboard Plus +	
23 Key Numeric Keypad by Keboard Co	20
Joystick II by Keyboard Co	45
6809 CPU Card (The Mill) by Stellation	
AIO Serial & Parallel Interface by SSM A&T	
Music System (16 voices)4	
A/D + D/A Interface	89
Expansion Chassis (8 slots)	
Introl/X-10 Controller card	
Clock/Calander card	
CPS Multi-function card	
Supertalker SD-200	
Romplus + card	
Romwriter card1	
Symtec Hi-Res Light Pen2	
Sup-R-Fan ventilation system for Apple II	
Sup-R-Terminal 80 column card by M&R3	
SVA ZVX4 Megabyter 8" Disk Controller 5	
SVA 2+2 Single Den. 8" Disk Controller	45
Speechlink 2000 by Heuristics2	
Versawriter Digitizer Tablet2	
Asynchronous Serial Interface card by CCS1	
Centronics Parallel interface card by CCS1	
We carry all California Computer System Cards CA	
We stock many more items for the Apple II.	
Please call or write for current price list.	

CALL OR WRITE FOR FREE **CATALOG**

16K RAMBOARD by ConComp for Apple II Computers

16K Hi-speed Dynamic RAM Compatible with all software East installation & operation Read & Write select indicators

FOR ONLY



AVAILABLE NOW

Atari Personal Computers



ATARI 800 16K \$749

Atari 400 w / 16K	I
410 Program Recorder	ğ
810 Disk Drive	
825 80 col. 7x8 Dot matrix impact printer699	S
822 40 col. Quiet Thermal Printer349	
850 Interface Module	
Atari 16K Ram Module	ï
Axlon Ramcram 32K Module	Ü
Available Now!!	

Asteroids, Missile Command and Star Raiders . . . 35 ea. WE STOCK ALL ATARI COMPUTER SOFTWARE AND HARDWARE

PLEASE CALL OR WRITE FOR COMPLETE PRICE LIST.

Software for the Apple

VisiCalc version 3.3159
VisiFile (NEW data base manager)
VisiTrend/VisiPlot
VisiDex 159
VisiTerm129
Desktop/Plan II
DB Master169
WordStar (Apple 80 col. version
Dow Jones Portfolio Evaluator
The Controller (G/L, A/R & A/P)
Apple Post45
Apple Writer
Apple DOS Toolkit
DOS 3.3 Upgrade49
Dow Jones News & Quotes Reporter85
Apple Fortran (requires 64K memory)
Apple Plot
Easywriter word processor (80 column)225
Tax Preparer99
Real Estate Analyzer
Creative Financing
Personal Filing System (PSF)85
Peachtree Accounting Software
BPI Accounting Software
Systems Plus Accounting SoftwareCALL

Apple Entertainment Software

HUNDREDS of comp				ut	111	Iti	89	le	854	2 C	all	0
Raster Blaster					7					i.		2
Gorgon												
Pool 1.5												
Iltima												
Snoggle												
Space Eggs												
Flight Simulator												
Gobbler												
Alien Rain												
Pulsar II												
Space Warrior												
Warp Factor							60			100		. 3
Dragon Fire												4




California Computer Systems

Floppy Disk Controller	\$369
64K Dynamic Ram Board, 200ns	\$499
Z-80 CPU board w/monitor ROM	\$269
16K Static memory board, 200ns. 32K Static memory board, 200ns. \$100 12 Slot Mainframe 4-Port Serial Interface. 2-Port Serial/ 2-Port Parallel Interface. 4-Port Parallel Interface.	599 475 299 299

ORDER TOLL FREE 800-854-6654

In California and outside continental U.S. (714) 698-8088 Telex 695-000 Beta CCMO

PRINTERS



EPSON MX-80

CALL


Anadex 9501 w/2K Buffer	1349
C. Itoh Starwriter 25 CPS dalsywheel	1449
C. Itoh Starwriter 45 CPS daisywheel	
Epson MX-70	CALL
Epson MX-80 & MX-80 F/T	
Epson MX-100	
NEC 8023 Impact Dot Matrix	
NEC Spinwriters (Latest models)	
Paper Tiger IDS-445G w/graphics	
Paper Tiger IDS-460G w/graphics	949
Paper Tiger IDS-560G w/graphics	
Silentype Printer w/Apple Interface	349
Qume Sprint Dalsywheels (Latest models)	

Silentype w/Apple II Interface



Video Monitors





Amdek/Leedex Video 100 12" B&W	155
Amdek/Leedex Video 100G 12" Green Phosp	her179
Amdek (Hitachi) 13" Color w/audio output	389
NEC 12" Green Phospher Display JB-1201M.	CALL
NEC 12" Lo-Res Color Display	CALL
NEC 12" Hi-Res RGB Color Display	CALL
Sanyo 9" B&W Display	185
Sanyo 9" Green Phospher Display	
Sanyo 12" B&W Display	
Sanyo 12" Green Phospher Display	
Sanyo 13" Color Display	
Zenith 12" Green Phospher Display ZVM-121.	

Ordering Information: Phone orders using VISA, MASTERCARD. AMERICAN EXPRESS, DINER'S CLUB, CARTE BLANCHE, bank wire transfer, cashier's or certified check, money order, or personal check (allow ten days to clear). Unless prepaid with cash, please add 5% sloes task, please add 5% sloes task. We accept CODs. DEM's, institutions and corporations please send for a written quotation. All equipment is subject to price change and availability without notice. All equipment is new and complete with manufacturer's warranty (usually 90 days). Showroom prices may differ from mail order prices.

Send Orders To:


consumer COMPUTER Mail Order

> 8314 Parkway Drive La Mesa, Calif. 92041

Listing 4: A disassembly of Color BASIC's select-joystick subroutine in 6809 machine language.

Address	Object Code	Source Code	Comments
A9A2	CE FF01	LDU #FF01	\$FF01 TO U DO \$A9A7 TWICE READ \$FF01 PIA RESET SELECT BIT SHIFT OUT BIT TO C ONCE GO IF SELECT BIT = 0
A9A5	8D 00	BSR A9A7	
A9A7	A6 C4	LDA 0,U	
A9A9	84 F7	ANDA #F7	
A9AB	57	ASRB	
A9AC	24 02	BCC A9B0	
A9AE	8A 08	ORA #08	SELECT BIT = 1 STORE IN \$FF01 PIA, BUMP TO \$FF03 RETURN
A9B0	A7 C1	STA U++	
A9B2	39	RTS	

Listing 5: A disassembly of Color BASIC's subroutine to read all four joystick channels in 6809 machine language.



security systems.

- A spring-loaded, sliding potentiometer (which costs a few dollars) could be used with a second resistor to provide an output for a scale to weigh anything from elephants to letters.
- The same device can be used to convert linear movement into a form readable by the Color Computer. With two multi-turn potentiometers (under \$10 each), a little bit of cord, and a few pulleys, it's not difficult to construct an X/Y plotter to enable

manual digitization of two-dimensional drawings or patterns.

- •With a photocell, a simple lens (for example, a partial microscope assembly), and some transistor amplification, it's possible to construct an automatic digitizer that will convert shades of gray into digital form for screen display.
- •Remove the stops from a lineartaper potentiometer (not hard to do) and you have a resistor whose resistance value is an analog of compass heading or rotational position. Use

this with a second resistor as in the voltage-divider circuit discussed above (figures 7 and 8).

Well, I hope you're impressed with the possible uses of the Color Computer's A/D circuitry. It's not that difficult to devise real-world "sensors," and it's fun to write the software that drives them. Once you have started, you'll find that the possibilities are endless. Just think what Rube Goldberg could have done with a Color Computer!

Now it can be Revealed GBS

The business software that solves problems your way.

So useful and adaptable it's like having an Award Winning programmer on staff.

What is GBS?

GBS is both a powerful, relational data base management system . . . and, more importantly, a very powerful applications development tool. As such, it can deliver programs that match your specific business requirements . . . not just those of the average business. The final result is increased productivity now and in the future.

Surprisingly Easy to Use

GBS has been honed and refined for two years, so it meets the needs of the user who wants programs that work without a lot of computerese! To that end, GBS operates with a simplified **fill-in-the-blanks** approach. The user merely fills in blanks and GBS does the rest . . . acting like an in-house programming whiz!

Since you need know **only 15 instructions** to utilize the full scope of GBS you should be able, after studying our exceptional documentation for a few hours, to develop your own business programs . . . general ledger, inventory control, order entry, job costing and more.

Relational Data Base

Management of business records is a must for profitability. GBS handles it for you with unbelievable accuracy, speed and ease. For example, three data files of up to 64 thousand records and 1 million characters can be concurrently in use . . . and multiple indexes fully maintained (yes, fully maintained!). GBS . . . truly the quality solution in business software.

Only \$700. On disk, including documentation. Requires CP/M*

Dealer and distributor inquiries invited.

QUALITY SOFTWARE

6660 Reseda Blvd., Suite 105 Reseda, Calif. 91335 (213) 344-6599



Commentary on the Machine-Language Subroutines

Select-Joystick. On entry to the select-joystick subroutine, load the B register with the joystick channel number 0-3. The user stack pointer register U is first loaded with \$FF01. A following BSR \$A9A7 performs the subroutine code twice. A is first loaded with the current configuration of the PIA bits at address \$FF01. An AND with \$F7 resets the select bits. The ASRB shifts the least-significant bit of the B register into the carry flag. If this bit is a 1, an OR with 8 sets the select bit. The STA U++ stores SEL2 and increments the user stack pointer by two so that it holds \$FF03. The RTS returns to \$A9A7, where the same operation is repeated for the second select bit in the PIA at address \$FF03.

Read-Joystick. The main code for the joysticks is at \$A9E0 (see listing 5). This code is entered without parameters and stores the values of channels 0 through 3 into page-zero locations \$15A, \$15B, \$15C, and \$15D.

The X index register initially points to the address following the joystick variable storage location. B is loaded with a loop count of 3. The code from \$A9E5 through \$AA17 is the outer loop. For each of four passes, a channel value is found and put into a joystick variable.

Outer loop: A is loaded with \$0A (decimal 10). This is the number of retries for the joystick value. If the same value is not found a second time, up to 10 tries are made to find a match-

ing value. The number of times in B and the number of retries is stored in the stack by the STD instruction. A call is then made to \$A9A2 to select the current joystick channel. This corresponds to the loop count of 3 to 0 in B. The code from \$A9EB through \$AA10 is inner loop 1. It finds the value of the channel. At the end of this loop (\$AA12), the value is stored in the variable storage area by STB - X. This auto-decrement causes X to point to the next lower value before the store occurs. Next, the count in B and the number of retries in A are retrieved by the LDD, the count is decremented, and a BPL causes a loop back to \$A9E5 if the count is not equal to -1.


Inner loop 1: The code from \$A9EB through \$AA10 is the inner loop that finds the value for the current channel. Within this code is inner loop 2, from \$A9EE through \$AA06, which actually does the binary search. The value \$40 is loaded into A and the value \$80 into B to start the search. Value \$80 is binary 100000xx for the initial value of 32, while value \$40 contains binary 010000xx for the "delta," the size of the remaining range.

At the end of the binary search at \$AA08, the final PIA-format value is in B. This value is aligned to the right by the two LSRBs to represent a binary value of 0 through 63. It is then compared with the previous value. If these are the same, a branch is made to \$AA12 to store the value in the outer

loop. If the value is different, the number of retries is decremented, and, if the count is not equal to 0, another binary search is done by a branch to \$A9EB.

Inner loop 2: The code from \$A9EE through \$AA06 is the binary search to find the channel value. A (the delta) is saved in the stack. The current value in B is then output to the DAC by STB \$FF20. The output of the comparator is read by the LDA \$FF00. If this value is egual to 1, the delta is added to the current value; if it is equal to 0, the delta is subtracted from the current value. The next value is then found by retrieving the delta from the stack and shifting it right one bit position. If the result is 1, the smallest delta has been processed, and B holds the final value. If the next delta is not 1, a branch back to \$A9EE goes to the next iteration in the search.

This subroutine can be used for high-speed processing of the joystick position from other assembly-language programs. Results are obtained quickest when the joystick position is fixed and only one retry is necessary for comparison. A test program from BASIC indicates that it takes about 1.5 milliseconds for each set of four values. To find only the X channel of joystick 0, call location \$A9E5 with B = 0 and X pointing to \$15A. In this case, the time should be about 400 microseconds, although I haven't verified this.



IEEE 488 TO S-100 INTERFACE



IEEE-488

S-100

- Handles all IEEE-488 1975/78 functions ■IEEE 696 (S-100) compatible
- MBASIC subroutines supplied; no BIOS mods required
- 3 parallel ports (8255A-5) ■Industrial quality; burned in and tested
 - **\$375** (Dealer inquiries invited)

1524 REDWOOD DRIVE LOS ALTOS, CA 9402 94022 [415] 966-1460 Next to keeping all your data on Verbatim Datalife[®] flexible disks, the best thing you can do for your computer or word processor is to keep it running clean and error-free.

And the way to do just that is with Verbatim's new Datalife Head Cleaning Kit. It can remove up to 90% of the debris contaminating your drive heads. Dust, dirt and debris that causes data loss and errors, hinders system performance.

Quick and easy to use

All you have to do is remove a Cleaning Disk from its protective pouch, put the disk in the special jacket, insert it into your drive and turn it on.

In just 30-60 seconds, your drive heads are cleaned.

Cleaning, with no cleaning mess

With your Datalife Head Cleaning Kit there's no hit-and-miss applying solvents that can splash and spill.

What's more, with Datalife Cleaning Disks every time you clean your heads, you can do it with a fresh, clean, disposable disk.

Cleans both Single and Dual Head Drives Safely

There's no worry about damaging your system with Datalife Cleaning Disks. And you can use them on single or dual head drives.

Protect your investment

The Datalife Head Cleaning Kit will help you guard against data loss, errors, and degradation of system performance because of debris contamination.

So if you want your data back verbatim, keep it on Verbatim disks. And keep your disk drives clean with Verbatim's Datalife Head Cleaning Kit.

Call (800) 538-1793 for the name of your nearest Verbatim dealer. (In California and outside the U.S. call (408) 737-7771 collect.)

Verbatim[®]

Introducing the second best thing you can do for your computer.



© 1981 Verbatim Corp. Datalife is a trademark of Verbatim Corp.

Stop the Floppy Shuffle



Announcing
The David Hard Disk Subsystem

Compared to cassettes, floppies were the greatest thing since the integrated chip. But with increased applications, data bases, and speed requirements, a lot of business people are spending more time doing the "Floppy Shuffle" and less time doing work.

Now with Konan's David Hard Disk Subsystem you can have 32 times the storage of a mini-floppy in about the same amount of space. At a cost per megabyte that really makes sense, the David Subsystem is available for a variety of microcomputers.

So if you own a personal computer, check into the David Hard Disk Subsystem at

your local dealer and stop doing the Floppy Shuffle. And if you want real timesharing capabilities, a networking card is available.

The David Subsystem is available immediately.

Toll-free Information Line


800-528-4563



KONAN CORPORATION 1448 NORTH 27TH AVE, PHOENIX, AZ 85009 (602) 269-2649, TWX/TELEX 9109511552

Battle of the Asteroids

Gregg Williams, Senior Editor



1: Planetoids, from Adventure International; 2: Super Nova, from Big Five Software; 3: Apple-oids, from California Pacific Computer Co; 4: The Asteroid Field, from Cavalier Computer; 5: Meteoroids in Space, from Quality Software; 6: Bubbles, from Softape; 7: Planetoids, from Softape; 8: Asteron, from Western MicroData Enterprises, Ltd.

If imitation is the sincerest form of flattery, then the people who designed Atari's coin-operated video game Asteroids have a lot to be proud of. Asteroids is one of the most successful commercial games around (equaled or surpassed only by Midway's Space Invaders and a newer Atari game, Missile Command) and has its own sequel (Asteroids Deluxe, also by Atari). Its popularity has inspired numerous imitations for use with personal computers. With so many versions around, the only dilemma is which one to buy.

I gathered every Asteroids-like game I could find (all but one were for the Apple II) and created a chart that shows you which version does what. Some notes to keep in mind: all Apple disk versions boot on either DOS 3.2 or 3.3 systems; unless noted in the table, versions with sound have no way of turning it off (important when playing late at night); all the games (except Apple-oids)

give a black-and-white-only display; all of the versions are, in their own way, entertaining and well done; and none of the games (except possibly The Asteroid Field) looks or works exactly like the arcade original. Also keep in mind that two of these Asteroids-like games (Appleoids and Bubbles/Planetoids) give you an extra game in the package price; this certainly influences how much game you get for your money.

See pages 164-165 for the comparison chart.

Asteroids is a trademark of Atari, Inc. The game is available in two coin-operated versions and cartridges for the Atari Video Computer System (game-cartridge system) and the Atari Personal Computer System (the Atari 400 and 800 microcomputers).

Product Name	Manufacturer ·	Price	Computer Used	Levels of Play	Ships per Game	Method of Firing
Planetoids	Adventure International POB 3435 Longwood FL 32750	\$19.95 (disk), \$14.95 (cassette that loads to disk)	Apple II or II Plus with 32 K bytes of memory and one disk drive	three: easy (asteroids ex- plode each other), regular, hard (asteroids attracted to ship)	four	any key
Super Nova	Big Five Software POB 9078-185 Van Nuys CA 91409	\$17.95 (Model I disk ver- sion), \$15.95 (Model I/III cassette version)	Radio Shack TRS-80 Model I or III (disk and 32 K bytes of memory for disk version, 16 K bytes of memory for cassette version)	one	three	P key
Apple-oids (part of Apple-oids game package)	California Pacific Computer Co 1623 Fifth St Davis CA 95616	\$29.95	Apple II or II Plus with 32 K bytes of memory and one disk drive	one	three	0 through 9 keys (identical in func- tion)
	1					
The Asteroid Field	Cavalier Computer POB 2032 Del Mar CA 92014	\$24.95	Apple II or II Plus with 32 K bytes of memory and one disk drive	two	Five (easy level of play) or three (ex- pert level)	several: forward arrow, paddle button 0 or 1; see notes
Meteoroids in Space	Quality Software 6660 Reseda Blvd Suite 105 Reseda CA 91335	\$19.95	Apple II or II Plus with 32 K bytes of memory and one disk drive	one (but many variations influence diffi- culty)	five	autofire (bursts of fire come automat- ically from ship) or space bar for manual firing
Bubbles (part of Baker's Trilogy)	Softape 10432 Burbank Blvd North Hollywood CA 91601	\$29.95 for a disk containing Bubbles, Planetoids, and a rac- ing game called Burnout	Apple II or II Plus with 32 K bytes of memory and one disk drive	one	three	paddle button 0
Planetoids (part of Baker's Trilogy)	Softape 10432 Burbank Blvd North Hollywood CA 91601	\$29.95 for a disk containing Bubbles, Planetoids, and a rac- ing game called Burnout	Apple II or II Plus with 32 K bytes of memory and one disk drive	one	three	ship fires automati- cally dur- ing game (no player control over firing
Asteron	Western MicroData Enterprises Ltd. POB G33 Postal Station G Calgary, Alberta T3A 2G1 Canada	\$29.95	Apple II or II Plus with 48 K bytes of memory and one disk drive	one	three	space bar

Method of Turning Ship	Method of Moving Ship	Hyper- space Avail- able?	Sound Effects?	Number and Kind of Enemy Ships	Notes	Overall Impression
paddle 0	paddle button 0 causes movement until button released	no	yes	two kinds of enemy ships that shoot back	•See May 1981 BYTE, page 116, for a full review. •Hard level of play is too hard—ships get destroyed as soon as they appear.	•An interesting Asteroids-like game.
T and R keys, to rotate ship one-eighth turn clock- wise and counter- clockwise, respectively	O key causes movement until key released	yes (space bar)	no	five kinds of enemy ships that shoot back (with varying degrees of intelli- gence)	•See May 1981 BYTE, page 108, for a full review.	•The best TRS-80 Asteroids-like game I've seen.
paddle 1	paddle button 1 causes movement until button released	yes (any key ex- cept 0 through 9)	yes	two kinds of enemy ships that shoot back (enemy ships are colored yellow)	•A nice feature is that your ship rotates three complete turns for the full paddle movement; this prevents rotation problems when you are near the end of the paddle rotation.	•A good version of Asteroids (but the asteroids are shaped like apples—strange!) •Includes a Breakout-like game that is also very good. •A nice set of games for the price.
several: D and F keys, paddle 0; see notes	several: back arrow, paddle button 1; see notes	yes (space bar); screen flashes to denote hyper- space jump— a nice touch	yes (in- cluding an acceler- ating "thump- thump" sound as found in Space In- vaders)	two kinds of enemy ships that shoot back (size and shape same as in coin-operated game)	•Game gives four options for ship control: one keyboard-only option and three that use keyboard and/or paddles. •Sound effects cannot be turned off. •Control-C inverts playfield to black on white.	•Many options make this game very easy to play. •Display is flicker- free. •Game play is closest to coin- operated version of all versions listed here. •Easily the best Apple Asteroids-like game l've seen.
P, RETURN keys (manual turn), arrow keys (auto- matic turn), or paddle 0	Z key or pad- dle button 0; ship can use "auto brake" (moving ship does not coast indefi- nitely) or not	yes (asterisk key)	yes (in- cluding an acceler- ating "thock" thock" sound as found in Space In- vaders)	one kind of ship that shoots back (and is very ac- curate)	•An updated version of Asteroids in Space (reviewed on page 116 of the May 1981 BYTE). •Good placement of keys for keyboard version.	•A very good Asteroids-like game (although it is not exactly like the original). •Game has five sets of options; dif- ferent combinations give several levels of difficulty.
paddle 0	none; hexa- gonal ship is fixed in center of screen	no ·	yes	no enemy ships	•Bubbles bounce back from the top and bottom edges of the screen. •Smallest bubbles are very small but still dangerous.	•An interesting variation of Asteroids.
paddle 0	paddle button 0 causes movement that con- tinues until an opposite thrust is applied	yes (any key)	yes	no enemy ships	•Planetoids are pentagons that come in four sizes. •Game gives extra points for "docking" (running over) with "stars" that decrease in size and vanish.	•An interesting variation of Asteroids.
paddle 0 or Q.U.W.I.E.O. R,P keys	button on paddle 0 (or C and M keys) causes move- ment that continues un- til an oppo- site thrust is applied	yes (hit any num- ber key)	yes; may be turned on and off with con- trol-Q	one kind of enemy ship that shoots back	•All figures on the screen flicker slightly. •Player must hit S key with each new ship to start (or restart) game.	•A mediocre implementation; it is awkward to use and has no interesting features to compensate.

The Atari Tutorial

Part 4: Display-List Interrupts

Chris Crawford 1272 Borregas Ave Sunnyvale CA 94086

The display-list interrupt is one of the most powerful features built into the Atari personal computer system. It is also one of the least accessible features of the system, requiring of the programmer a firm understanding of assembly language as well as all of the other characteristics of the machine. Used alone, display-list interrupts provide no additional capabilities; they must be used in conjunction with the other features of the system, such as player-missile graphics, character-set indirection, or color-register indirection. With display-list interrupts, the full power of these features can be realized.

Display-list interrupts take advantage of the sequential nature of the raster-scan television display. The television draws the screen image in a time sequence, from the top of the screen to the bottom. This drawing process takes about 13,000 microseconds and looks instantaneous to the human eye. But that is a long time in comparison to the time scale the computer works in. The computer has plenty of time to change the parameters of the screen display

while it is being drawn. Of course, the computer must make each change each time the screen is drawn, which happens 60 times per second. Also (and this is the tricky part), it must change the parameter in question at exactly the same moment each time the screen is drawn. That is, the cycle of changing screen parameters must be synchronized to the screen-drawing cycle. One way to do this might be to lock the 6502 micro-

With display-list interrupts, many key Atari registers can be changed during the drawing of a single screen-display frame.

processor into a tight timing loop with an execution frequency of exactly 60 hertz. This would make it very difficult for the computer to do anything other than the screen-display computations. It would also be a tedious job. A much better way is to interrupt the 6502 just before the time has come to change the screen parameters. The 6502 responds to the interrupt, changes the screen parameters, and returns to its normal

business. The interrupt to do this must be precisely timed to occur at exactly the same point during the screen-drawing process. This specially timed interrupt is provided by the ANTIC integrated circuit within the Atari 400/800; it is called a display-list interrupt (DLI).

The timing and execution of any interrupt process can be intricate; therefore, I shall first describe the sequence of events in a properly working display-list interrupt. The process begins when the ANTIC chip encounters a display-list instruction having its interrupt bit (bit D7) set. ANTIC waits until the last scan line of the mode line it is currently displaying. ANTIC then refers to its NMIEN (nonmaskable interrupt enable) register (hexadecimal location D40E) to see if display-list interrupts have been enabled. If the enable bit (bit D7) is cleared (to a logic 0), AN-TIC ignores the interrupt and continues its regular tasks. If the enable bit is set (to a logic 1), ANTIC "pulls down" the NMI (nonmaskable interrupt) line on the 6502, signaling an interrupt. ANTIC then goes back to its normal display activities. The 6502 starts executing an interrupt-service routine pointed to by the NMI vector in the operating system. This routine first determines the cause of the inter-

This article appears in slightly different form in De Re Atari, a book published by Atari Inc, and is reproduced with its express permission.



Our new HORIZON computer lets you make beautiful music.

HORIZON® is our multi-user system that supports up to five simultaneous users at a cost per user that is the best in the industry.

With it, you can use up to five terminals performing word processing, accounting activities and information management—in perfect harmony.

Two packaged systems are available—the TSS/5, a 5Mb version and the TSS/18, an 18Mb version. Solo HORIZONs can expand to duets, trios, quartets or quintets with North Star's TSS/A Application System or North Star's TSS/C Multi-user CP/M.®

When you purchase the HORIZON multi-user system, you receive worldwide service, support and the most widely used small business computer in the world. (There are some 30,000 HORIZONs conducting

The North Star logo and HORIZON are trademarks or registered trademarks of North Star Computers, Inc. ©1981, North Star Computers, Inc.

business around the world.)
To find out how you can orchestrate your own kind of beautiful music, clip and mail this coupon, or call TOLL FREE 800-447-4700. (Illinois 800-322-4400, Alaska/Hawaii 800-447-0890.)
North Star Computers, Inc. 14440 Catalina St., San Leandro, CA 94577 USA (415) 357-8500 TWX/Telex (910) 366-7001

Ns	Yes, I'd like more informulti-user system perf	rmation on North Star's ormance.	
tion System or	COMPANY		
	ADDRESS		
ılti-user	CITY	And the June 1	
pport and the r in the world.	STATE	ZIP	
lucting	PHONE		В 1281
FOLLOW THE	STAR		
North S	Stary		

he 149 personal computer.

Introducing the Sinclair ZX81

If you're ever going to buy a personal computer, now is the time to do it.

The new Sinclair ZX81 is the most powerful, yet easy-to-use computer ever offered for anywhere near the price: only \$149.95* completely assembled.

Don't let the price fool you. The ZX81 has just about everything you could ask for in a personal computer.

A breakthrough in personal computers

The ZX81 is a major advance over the original Sinclair ZX80-the world's largest selling personal computer and the first for under \$200.

In fact, the ZX81's new 8K Extended BASIC offers features found only on computers costing two or three times as much. Just look at what you get:

- Continuous display, including moving graphics
- Multi-dimensional string and numerical arravs
- *Plus shipping and handling. Price includes connectors for TV and cassette, AC adaptor, and FREE manual

- Mathematical and scientific functions accurate to 8 decimal places
- Unique one-touch entry of key words like PRINT, RUN and LIST
- Automatic syntax error detection and easy editing
- Randomize function useful for both games and serious applications
- Built-in interface for ZX Printer
- 1K of memory expandable to 16K

The ZX81 is also very convenient to use. It hooks up to any television set to produce a clear 32-column by 24-line display. And you can use a regular cassette recorder to store and recall programs by name.

If you already own a ZX80

OF OF THE PROPERTY OF THE PARTY The 8K Extended BASIC chip used in the ZX81 is available as a plug-in replacement for your ZX80 for only \$39.95, plus shipping and handling-complete with new keyboard overlay and the ZX81 manual.

So in just a few minutes, with no special skills or tools required, you can upgrade your ZX80 to have all the powerful features of the ZX81. (You'll have everything except continuous display, but you can still use the PAUSE and SCROLL commands to get moving graphics.)

With the 8K BASIC chip, your ZX80 will also be equipped to use the ZX Printer and Sinclair software.

Warranty and Service Program**

The Sinclair ZX81 is covered by a 10-day money-back guarantee and a limited 90-day warranty that includes free parts and labor through our national service-by-mail facilities.

**Does not apply to ZX81 kits



NEW SOFTWARE:Sinclair has published pre-recorded programs on cassettes for your ZX81, or ZX80 with 8K BASIC. We're constantly coming out with new programs, so we'll send you our latest software catalog with your computer.



ZX PRINTER: The Sinclair ZX Printer will work with your ZX81, or ZX80 with 8K BASIC. It will be available in the near future and will cost less than \$100.



16K MEMORY MODULE: Like any powerful, full fledged computer, the ZX81 is expandable. Sinclair's 16K memory module plugs right onto the back of your ZX81 (or ZX80, with or without 8K BASIC) Cost is \$99.95, plus shipping and handling



ZX81 MANUAL: The ZX81 comes with a comprehensive 164-page programming guide and operating manual designed for both beginners and experienced computer users. A \$10.95 value, it's yours free with the ZX81.

The \$9995 personal computer.

Introducing the ZX81 kit

If you really want to save money, and you enjoy building electronic kits, you can order the ZX81 in kit form for the incredible price of just \$99.95* It's the same, full-featured computer, only you put it together yourself. We'll send complete, easy-to-follow instructions on how you can assemble your ZX81 in just a few hours. All you have to supply is the soldering iron.

How to order

Sinclair Research is the world's largest manufacturer of personal computers.

The ZX81 represents the latest technology in microelectronics, and it picks up right where the ZX80 left off. Thousands are selling every week.

We urge you to place your order for the new ZX81 today. The sooner you order, the sooner you can start enjoying your own computer.

To order, simply call our toll free number, and use your MasterCard or VISA.

To order by mail, please use the coupon. And send your check or money order. We regret that we cannot accept purchase orders or C.O.D.s.

CALL 800-543-3000. Ask for operator #509. In Ohio call 800-582-1364. In Canada call 513-729-4300. Ask for operator #509. Phones open 24 hours a day, 7 days a week. Have your Master-Card or VISA ready.

These numbers are for orders only. For information, you must write to Sinclair Research Ltd., One Sinclair Plaza, Nashua, NH 03061.

sinclair

	AD CODE 12BY	PRICE†	QTY.	AMOUNT	
	ZX81	\$149.95			
	ZX81 Kit	99.95			
	8K BASIC chip (for ZX80)	39.95		BALLY CALL	
16	K Memory Module (for ZX81 or ZX80)	99.95	HT.		
	Shipping and Handling	4.95		\$4.95	
	To ship outside USA add \$10.00				
101			TOTAL		
The state of the s				The state of the s	

MAIL TO: Sinclair Research Ltd., One Sinclair Plaza, Nashua, NH 03061.

NAME

ADDRESS

CITY/STATE/ZIP

† U.S. Dollars

rupt. If the interrupt is indeed a display-list interrupt, control is transferred indirectly by means of the 16-bit address contained in hexadecimal locations 0200 and 0201 (low byte first) to a DLI-service routine. The DLI routine changes one or more of the graphics registers controlling the display. The 6502 then returns from the interrupt routine to resume its mainline program.


Creating a Display-List Interrupt

A number of steps are involved in setting up a display-list interrupt. The first thing you must do is write the DLI routine itself. The routine must start by pushing any 6502 registers that will be altered onto the stack, because the operating system interrupt-poll routine itself saves no registers. (The 6502 status register is automatically pushed onto the stack.) The routine should be short and fast: it should change only those registers related to the display; and it should end by restoring any 6502 registers pushed onto the stack.

Next, you must place the DLIservice routine somewhere in memory. Page six (hexadecimal addresses 600 to 6FF) is an ideal place. Set the vector at hexadecimal locations 0200 and 0201 to point to your routine. Determine the vertical point on the screen where you want the DLI to occur, and then go to the corresponding display-list instruction and set bit D7 of the previous instruction. Finally, enable the DLI by setting bit D7 of the NMIEN register at hexadecimal location D40E. The DLI will begin executing immediately.

As with any interrupt-service routine, timing considerations can be critical. ANTIC does not send the interrupt to the 6502 immediately upon encountering an interrupt instruction; it delays doing this until the last scan line of the interrupting mode line. The 6502 and the interrupt-service routine in the operating system together consume 33 machine cycles. Thus, the first instruction of your DLI-service routine will not be reached until 33 machine cycles have elapsed in the last scan line of the interrupting mode line. Thirty-three machine cycles corresponds to 66 color clocks on the screen. Thus, your DLI-service routine will begin executing while the electron beam is partway across the screen in the last scan line of the interrupting mode line. For example, if such a DLI routine changes a color register, the old color will be displayed on the left half of the scan line and the new color will show up on the right half of the same scan line. Because of uncertain timing in the response of the 6502 to an interrupt, the border between the colors will not be sharp, but will jiggle back and forth irritatingly.

The solution to this problem is provided in the form of the WSYNC (wait for horizontal sync) register (hexadecimal address D40A). Whenever this register is addressed in any way, the ANTIC chip pulls down the RDY line on the 6502. This effectively halts the 6502 until the WSYNC register is reset by the next horizontal synch pulse. The result is that the 6502 freezes until the electron beam returns to the left edge of the screen. If you insert a STA WSYNC instruction just before an instruction that stores a value into a color register, the color being displayed will change



WHY DOES OUR SPELLING CHECKER COST LESS THAN THEIRS?

Maybe we goofed by not charging more for The WORD. Our customers tell us we must be crazy, giving away this much software for only \$75.

What's wrong with it?

Frankly, we're a little hurt when people ask us this question. We guess everyone must be getting used to paying \$200 to \$300 for decent software. Anything that costs less must be junk. Right?... WRONG!!!

The WORD is not only cheaper, it's

Available NOW for:

8" single CP/M", CDOSTM XEROX 820 (8" only) Intertec SuperbrainTM AppleTM with CP/M Softcard (35,000 word dictionary) North StarTM Double/Quad with CP/M CP/M is a registered trademark of Digital Research

The WORD gives you a 45,000 word dictionary that fits into less than 140K of disk space.

The WORD gives you more!

- The WORD works with your favorite text editor and marks mistakes in your document for easy, in-context, correction.
- The WORD's one-touch word review lets you add new words to the dictionary with a single keypress. You can build your own custom dictionaries too!
- The WORD will look up the correct spelling of misspelled words.
- The WORD analyzes your writing, counting words and showing you how often each word was used.
- The WORD has a special homonym helper feature to deal with these pesky words
- The WORD will find rhyming words, solve crossword puzzles, and much more!

OASIS SYSTEMS

2765 REYNARD WAY, SAN DIEGO, CA 92103

CALL TODAY! (714) 291-9489 If you don't know a baud from a floppy...

QDP-100 MICROCOMPUTER

Most people who need computers don't have the time, or desire, to become full-time computer "wizards."

With the budget-priced QDP-IOO you get all the time-saving precision information you want from a computer, now and in the future, without all the unnecessary complexity associated with less considerate computers.

QDP-100 IS A FULL-SCALE 8-bit computer, readily upgradeable to 16 bits as your business or professional information-processing needs grow. It uses the IEEE S-100 bus, compatible with CP/M and MP/M disk operating systems.

QDP-100 HANDLES BOTH floppy disks and hard disks to give you total software versatility.

QDP-100 CONNECTS INSTANTLY to any standard terminal and printer. Both serial and parallel ports are available. Features most microcomputers can't match.

CP/M and MP/M are registered trademarks of Digital Research Corp.

It does more, does it easier, and costs a lot less.

QDP-100 HAS SINGLE BOARD SIMPLICITY. Eliminates the hassleof complex multi-chip, multiboard computers.

QDP-IOO IS EASY to learn and to operate. Most owners use their QDP-IOO with professional skill and results in short order. Our instruction manual doesn't need an interpreter. If you'd rather be a wizard with computer results, than with computers,



Listing 1: A simple Atari BASIC program to demonstrate display-list interrupts. This program changes the screen color from blue to pink and darkens the character set halfway down the video display. The complete BASIC program in listing 1a contains the assembly-language routine given in listing 1b.

14		
10	DLIST=PEEK(560)+256*PEEK(561):REM	find display list
20	POKE DLIST+15,130:REM	insert interrupt instruction
30	FOR I=0 TO 19:REM	loop for poking DLI service routine
40	READ A:POKE 1536+1,A:NEXT I	
50	DATA 72,138,72,169,80,162,88	
60	DATA 141,10,212,141,23,208	
70	DATA 141,24,208,104,170,104,64	
80	POKE 512,0:POKE 513,6:REM	poke in interrupt vector

enable DLI

-	1
1	h
•	

PHA save accumulator

90 POKE 54286,192:REM

TXA

PHA save X-register

LDA #\$50 dark color for characters

LDX #\$58 pink

STA WSYNC wait

store color STA COLPF1

STX COLPF2 store color

PLA


TAX

PLA restore registers

RTI done while the beam is off the left edge of the screen. The color transition will occur one scan line lower, but it will be neat and clean.

The proper way to use a displaylist interrupt, then, is to set the DLI bit on the mode line before the mode line for which you want the action to occur. The DLI-service routine should first save the 6502 registers onto the stack and then load the 6502 registers with the new graphics values to be used. It should execute a STA WSYNC immediately before storing the new values into the appropriate ANTIC or CTIA registers. Finally, it should restore the 6502 registers and return from the interrupt. This procedure will guarantee that the graphics registers are changed while the electronic beam is off the screen and that the new display parameters take effect at the beginning of the desired line.

The program in listing 1 is a very simple DLI-service routine. It changes the background color from blue to pink. It also changes the color of the characters so that they show up as dark against the pink background. The upper half of the screen remains



The MX-100. Not just better. Bigger.

Epson.

Our MX-80 was a pretty tough act to follow. I mean, how do you top the best-selling printer in the world? Frankly, it wasn't easy. But the results of all our sleepless nights will knock your socks off.

The MX-100 is a printer that must be seen to be believed. For starters, we built in unmatched correspondence quality printing, and an ultra-high resolution bit image graphics capability. Then we added the ability to print up to 233 columns of information on 15" wide paper to give you the most incredible spread sheets you're ever likely to see. Finally, we topped it all off with both a satin-smooth friction feed platen and fully adjustable, removable tractors. And the list of standard features goes on and on and on.

Needless to say, the specs on this machine — and especially at under \$1000 — are practically unbelievable. But there's something about the MX-100 that goes far

beyond just the specs; something about the way it all comes together, the attention to detail, the fit, the feel. Mere words fail us. But when you see an MX-100, you'll know what we mean.

All in all, the MX-100 is the most remarkable printer we've ever built. Which creates rather a large prob-

lem for those of us at Epson.

How are we going to top this?

Your next printer.

EPSON EPSON AMERICA, INC.

3415 Kashiwa Street • Torrance, California 90505 • (213) 539-9140

blue even though the DLI routine keeps stuffing pink into the color register. This is because the operating system's vertical-blank-interrupt routine keeps stuffing blue into the color register during the verticalblank period. The blue color comes from the operating system's shadow register for that color register. Every hardware color register is shadowed out to a RAM (random-access read/write memory) location. You may already know about these shadow registers at decimal locations 708 through 712. For most purposes, you can change colors by poking values into the shadow registers (see last month's article for an explanation of shadow registers). If you poke directly into the hardware registers, the operating system shadow process will wipe out your poked color within 1/60 second (ie: at the top of a new screen display). For DLIs, however, you must store your new color values directly into the hardware registers. You cannot use a DLI to set the color of the first displayed line of the screen. The operating system takes care of that line for you (and the first line is off the top of the screen,

Listing 2: Restoring the Atari attract mode to a display driven by display-list interrupts. Only two 6502 assemblylanguage instructions have to be added to the DLI routine. DRKMSK and COLRSH are page zero locations (hexadecimal 4E and 4F) set up and updated by the operating system during the vertical blank interrupt. When the attract mode is not in force, COLRSH takes a value of 00 and DRKMSK takes a value of hexadecimal FF. When attract mode is in force, COLRSH is given a new random value every four seconds and DRKMSK holds a value of hexadecimal F6. Thus, COLRSH scrambles the color and DRKMSK lops off the high-order luminance bit.

LDA NEWCOL LDA NEWCOL STA WSYNC EOR COLRSH STA COLPF2 AND DRKMSK STA WSYNC STA COLPF2 anyway). Use DLIs to change colors of lines below the first line.

By stuffing colors directly into the hardware registers, you create a new problem: you defeat the automatic attract mode. Attract mode is a feature provided by the operating system. After nine minutes without a keypress, the colors on the screen begin to cycle through random hues at lowered luminances. This insures that a computer left unattended for several hours does not burn an image into the television screen.

It is easy to build attract mode into a DLI routine by inserting only two lines of assembly code, as shown in listing 2.

The implementation of attract mode in display-list interrupts exacerbates an already difficult problem: the shortage of execution time during a DLI. A description of DLI timing will make the problem more obvious.

DLI Timing

DLI execution is broken into three phases. Phase 1 covers the period from the beginning of the DLI to the STA WSYNC instruction. During phase 1, the electron beam is drawing the last scan line of the interrupting mode line. Phase 2 covers the period from the STA WSYNC instruction to the appearance of the beam on the television screen. Phase 2 corresponds to the horizontal blank; all graphics changes should be made during this phase. Phase 3 covers the period from the appearance of the beam on the screen to the end of the DLI-service routine. The timing of phase 3 is not critical.

One horizontal scan line takes 114 clock cycles of real time. A DLI reaches the 6502 on or around cycle number 15. The 6502 takes about 7 cycles to respond to the interrupt. The operating-system routine to service the interrupt and turn control over to the DLI-service routine takes 11 machine cycles. Thus, the DLIservice routine does not gain control until about 33 clock cycles have elapsed. Furthermore, the STA WSYNC instruction must begin by cycle number 103; this reduces the time available in phase 1 by 11 cycles. Finally, ANTIC's DMA (direct memory access) will steal some of the

CALL **YOUR** LOCAL **DYSAN OFFICE:**

13201 Bel-Red Road Suite 205, C9200 Bellevue, Washington 98004 (206) 455-4725

1242 Kifer Road Sunnyvale, California 94086 (408) 730-2145

#10 11th Avenue Glendora, New Jersey 08029 (609) 939-4762

999 Plaza Drive, Suite 400 Schaumburg, Illinois 60195 (312) 882-8176

6520 Powers Ferry Road Suite 200 Atlanta, Georgia 30339 (404) 952-0919

122 East 42nd Street 17th Floor New York, New York 10017 (212) 687-7122

19600 Fairchild Suite 150 Irvine, California 92713 (714) 851-9462



5440 Patrick Henry Drive Santa Clara, CA 95050 408/988-3472 TLX: 171551 DYSAN SNTA

OUR MEDIA IS OUR MESSAGE.

Over the past seven years we've earned a name for ourselves by making the best magnetic media in the business. Precision magnetic media — Diskettes, Mini Diskettes, Diagnostic Diskettes, Rigid

Discs, Disc Packs, and Disc Cartridges — all certified to be 100% error free both on-track and between the tracks.

Now we're making it easier for you to buy the best.

Just dial Dysan direct TOLL FREE at 800/538-8150 or 408/988-3472 (in California) or contact your local Dysan office.

Precision magnetic media from Dysan.



remaining clock cycles from the 6502. Nine cycles will be lost to memoryrefresh DMA. This leaves an absolute maximum of 61 cycles available for phase 1. This maximum is achieved only with blank-line mode lines. Character and map mode instructions will result in the loss of one cycle for each byte of display data. The worst case arises with BASIC modes 0, 7, and 8, which require 40 bytes per line. Only 21 machine cycles are available to phase 1 in these modes. Thus, a phase 1 routine will have from 21 to 61 machine cycles of execution time available to it.

Phase 2, the critical phase, extends over 24 clock cycles of real time. As with phase 1, some of these cycles are lost to cycle-stealing DMA. Playermissile graphics will cost 5 cycles if they are used. The display instruction will cost 1 cycle. Two more cycles will be stolen if the Load Memory Scan option in the display list is used. Finally, 1 or 2 cycles may be lost to memory refresh or display-data retrieval. Thus, from 14 to 23 usable machine cycles are available to phase 2.

The problems of DLI timing now become obvious. To load, attract, and store a single color will consume 14 cycles. Saving the 6502 A, X, and Y registers onto the stack and then loading, attracting, and saving three colors into A, X, and Y registers will cost 47 cycles: most, if not all, of phase 1. Obviously, the programmer who wishes to use DLIs for extensive graphics changes will expend much effort on the timing of the DLI. Fortunately, the beginning programmer need not concern himself with extensive timing calculations. If only single-color changes or simple graphics operations are to be performed, cycle counting and speed optimization are unnecessary. These considerations are only important for high-performance situations.

No simple options are available to the programmer who needs to change more than three color registers in a single DLI. It might be possible to load, attract, and store a fourth color early in phase 3, if that color is not displayed on the left edge of the screen. Similarly, a color not showing up on the right side of the screen could be changed during phase 1. Another approach is to break one overactive DLI into two less ambitious DLIs, each doing half the work of the original. The second DLI could be provided by inserting a single-scan-line blank instruction (with the DLI bit set) into the display list just below the main interrupting mode line. This will, of course, consume some screen space.

Another partial solution is to perform the attract chores during vertical-blank periods. To do this, two tables of colors must be kept in memory. The first table contains color values intended to be displayed by the DLI routines. The second table contains the attracted values of these colors. During vertical blank, a usersupplied interrupt-service routine fetches each color from the first table, attracts it, and stores the attracted color in the second table. The DLI

PRODUCTS FOR YOUR RADIO SHACK

MICROTEXT COMMUNICATIONS

Now you can use your printer with your modem! Your computer can be an intelligent printing terminal. Talk to timeshare services or to other personal computers; print simultaneously through a second printer port; and re-display text stored in memory. Download text to Basic programs; dump to a cassette tape, or printer, or both. Microtext can be used with any printer or no printer at all. It features user-configurable duplex/parity for special applications, and can send any ASCII character. You'll find many uses for this general purpose module! Available in ROMPACK, ready-to-use, for \$59.95.

SOFTWARE DEVELOPMENT SYSTEM

The Micro Works Software Development System (SDS80C) is a complete 6809 editor, assembler and monitor package contained in one Color Computer program pack! Vastly superior to RAM-based assemblers/editors, the SDS80C is nonvolatile, meaning that if your application program bombs, it can't destroy your editor/assembler. Plus it leaves almost all of 16K or 32K RAM free for **your** program. Since all three programs, editor, assembler and monitor are co-resident, we eliminate tedious program loading when going back and forth from editing to assembly and debugging!

The powerful screen-oriented Editor features finds, changes, moves, copys and much more. All keys have convenient auto repeat (typamatic), and since no line numbers are required, the full width of the screen may be used to generate well commented code.

The Assembler features all of the following: complete 6809 instruction set; complete 6800 set supported for cross-assembly; conditional assembly; local labels; assembly to cassette tape or to memory; listing to screen or printer; and mnemonic error codes instead of numbers.

The versatile ABUG monitor is a compact version of CBUG, tailored for debugging programs generated by the Assembler and Editor. It features examine/change of memory or registers, cassette load and save, breakpoints and more. SDS80C



GAMES

- Black Sanctum and Calixto Island by Mark Data Products. Each Adventure cassette requires 16K. Price: \$19.95 each.

ROMLESS PAK I — is an empty program pack capable of holding two 2716 or 2732 EPROMs, allowing you up to 8K of program! The PC board inside comes with sockets installed, ready to go with the addition of your custom EPROMs. Price: \$24.95

2-PASS DISASSEMBLER - with documentation package. 16K; cassette. 80C Disassembler Price: \$49.95

CBUG — Machine language monitor. CBUG Cassette Price: \$29.95 CBUG ON 2716 EPROM: Can plug into Romless Pak I. CBUG ROM Price:

PARALLEL PRINTER INTERFACE — serial to parallel converter allows use of all standard parallel printers. PI80C Price: \$69.95

Assembly Language Programming, by Lance Leventhal. Price: \$16.95
MEMORY UPGRADE KITS: 4-16K Kit Price \$39.95. 16-32K (requires soldering experience) Price: \$39.95


PARTS & SERVICES: SAMs, 6809Es, RAMs, PIAs. Call for prices.



GOOD STUFF!

WE SHIP FROM STOCK! Master Charge/Visa and COD Accepted

P.O. BOX 1110 DEL MAR. CA 92014 714-942-2400



Money-back guarantee for computer professionals:

It took hard work and Buy factory-direct and your only cost experience for you to Buy factory-direct would be transportabecome a leader. Same from Intelligent from Norcross, Georgia.

here. Founded in 1973, from Intelligent from Norcross, Georgia. we were the first company to ship 20,000 color graphics units. We sult to computer professionals—

Why such a dramatic offer?

Intelligent Systems was built around the needs of computer

sell to computer professionalsnot through computer stores. So, if you don't need a salesman to tell you what you need, try this unique offer:

A factory-direct, money-back guarantee for our 3650 Color graphic desktop

tee for our 3650 color graphic desktop computer with 56K of memory for only \$1995—plus your choice of either an internal 5¼" 92K Floppy Mini Disk Drive for \$395, or an external 8" Floppy Disk Drive for \$895! (These prices good only with this offer.) You can buy only one unit before 12/31/81, cash with order. Use it for 30 days; if you're not sold on the merits of your color graphic the merits of your color graphic computer, return it. We will refund the full

professionals. We sell primarily through OEM's and want to introduce the dynamics of color graphics to professionals like yourself-so you can help us introduce color graphics in your company

Features Included for \$1995:

 56K total memory, 32K user RAM, 4K disk buffer RAM, 4K refresh RAM, 16K ROM (includes extended disk BASIC)

• 13" raster scan color CRT • 8 foreground colors w/blink and 8 background colors • 64 col./32 line • 64 ASCII & 64 graphics characters • 128H x 128V graph-

ics w/point, bar & vector generators • RS232C port • Buffered bus connector

 72 key professional keyboard
 User's Manual & sampler disk
 Factory Warranty: 90 days parts & labor

And Your Choice of:
• Internal 5¼" 92K disk drive: \$395 • External 8" 295K disk drive: \$895 (These prices good only with this offer.)

Options Include:

• 101 key keyboard: \$100 • 117 key keyboard: \$250 • blank 8K board for add-on EPROM: \$75 • One-year Factory Service Contract: \$350

Software Available: BASIC is standard; you can add Fortran for \$75. Text editors, assemblers, other utilities available. Also, hundreds of additional programs, including ColorCalc,™ ColorGraph,™ as well as programs for education, accounting, WP, statistics,

Will your information processing be more comprehensible in color graphics (or color slides) in management meetings? If so, act now. For details, call Marketing Services at 404/449-5295.




COLOR COMMUNICATES BETTER

Intecolor Drive · 225 Technology Park/Atlanta Norcross, Georgia 30092/Phone 404/449-5295

Unretouched photos of screens. This offer, not available through computer stores, expires 12/31/81. U.S. domestic prices.



purchase price



MCRO-TAX HAS HIS.

If any of the numbers in the table look familiar, MICRO-TAX is for you.

Because MICRO-TAX is the professional CP/M tax system that really makes dollars and sense.

FULL PROFESSIONAL FEATURES FOR AS LITTLE AS \$250.

Whether you're a tax professional doing thousands of forms a month or an individual filling in one excruciating return a year, you'll love MICRO-TAX.

MICRO-TAX computes and prints all the schedules and forms in the table. It's menu-driven, so you choose the number of what you want done, then respond to your computer's prompts.

MICRO-TAX prints questionnaires for any or all of the forms you select. Checks out alternatives for income averaging, minimum tax and maximum tax on earned income several different ways, then lets you know where your greatest savings are. Besides just preparing your returns, it's terrific for your tax planning.


And MICRO-TAX even generates IRS-approved forms.

DEPRECIATION, ACRS, BATCH COMPUTING/PRINTING.

For more complex returns, MICRO-TAX has all the sophisticated features you need.

The Partnership and Professional versions can maintain a depreciable asset master file and compute depreciation by individual items and groups.

Both versions handle the Accelerated Cost Recovery



System. Both operate in the batch mode, so you can enter data all day then compute and print at night.

And both versions, besides generating IRS-approved forms, can also print on standard IRS forms or on blank sheets for use with overlays.

MICRO-TAX is *the* professional tax planning and preparation system you've been waiting for.

MICRO-TAX IS BETTER THAN EVER.

This year MICRO-TAX is half the size and four times as fast as it was last year. It runs on any 56k CP/M micro, including the Apple, with at least 204k of disk storage (one or more drives, 110k/drive minimum).

It includes all the new 1981 regulations, but if there are any changes, just call CompuServe and they're yours, instantly.

And if you have any questions at all, you'll get your answers fast because we give you two technical hot lines: ours and a direct line to MICRO-TAX.

Now what could be finer than that?

OUR MONEY-BACK GUARANTEE.

If MICRO-TAX doesn't do just what you want it to do, return it in 30 days and we'll give you your money back.

But chances are you'll keep it because for the first time, your taxes can be as easy as 5, 6, 8 (see the display).

To get Uncle Sam's number, just use one of ours to order MICRO-TAX today: 800-854-2003 X823.

(CA: 800-522-1500 X823.)

The Discount Software Group, 6520 Selma Avenue, Los Angeles, CA 90028. For additional information, call Mark at (213) 837-5141.

UNCLE'S NUMBERS: MICRO-TAX'S NUMBERS:

SCHEDULES & FORMS	INDI- VIDUAL-	PRO- FESSIONAL INDIVIDUAL	PARTNER- SHIP
1040, 1040A	•	•	
1065			•
A,B,C,D,E,ES,G,R,RP	•		
F, SE K, K-1			
2106			
2119	•		
2210		•	
2440 2441	•	•	
3468			
3903			
4137			
4562	•*	•	•
4625 4684		•	•
4726	1		849 66
4797			
4952			
4972		•	
5695 6251		:	
6252			
6765			
Accelerated Cost			
Recovery System		•	•
Batch preparation and printing			
Print:			
IRS-approved forms	•	•	•
On IRS forms		•	•
On blank sheets for overlays			
TOI Overlays	\$250	\$1000	\$750
*Printed, not computed.		Both: \$	
Printed, not computed.	т.	DOIN: \$	1500

Integrated State Income Tax programs from \$250 to \$750.



SAM'S BOOKS SAVE UP TO 25%

BUY A SERIES FROM THIS LIST OR INDIVIDUAL TITLES USING THE 5 DIGIT ORDER CODES. ORDER A CATALOG OF ALL SAM'S BOOKS AND SAVE!

SERIES 'A' COMPUTER COOK	воокѕ
No. 21524 - The Cheap Video Cookbook	□ \$7.95
No. 21723 - Son Of Cheap Video	□ \$9.95
No. 21697 · 8085A Cookbook	□ \$13.95
No. 21313 · TV Typewriter Cookbook	□ \$11.95
SERIES 'B' TRS-80	
No. 21741 - Circuit Design Programs for the	TRS80
No. 21633 - TRS-80 Interfacing - Book 1	□ \$10.95
No. 21739 - TRS-80 Interfacing - Book 2	□ \$11.95
SERIES 'C' 8080	
No. 21541 - 8080/8085 Software Design Bo	ok 1 □ \$12.9
No. 21615 - 8080/8085 Software Design Bo	ok 2□ \$12.9
No. 21628 - TEA: An 8080/8085 Assm. Edito	or 🗆 \$11.9
SERIES 'D' COMPUTER FUNDA	MENTALS
No. 21698 - Guide Book To Small Computers	\$6.95
No. 21486 - Getting Acquainted With Microc	computers
No. 21634 - Sam's Crash Course In Microcor	nputers
No. 21653 - Microcomputer Primer (Second	Edition)
No. 21483 - Your Own Computer	□ \$1.9
SERIES 'E' Z-80	
No. 21682 - Z80 Microcomputer Design Proj	ects 🗆 \$13.9
No. 21500 - Z80 Microcomputer Hand Book	□ \$11.9
No. 21609 · Z80 Microprocessor Programing Interfacing, Book 1	& □ \$12.95
No. 21610 - Z80 Microprocessor Programing	
Interfacing, Book 2	□ \$15.95
SERIES 'F' 6502/6800	
No. 21656 - 6502 Software Design	\$12.9 !
No. 21459 · How To Program Microcomputer	rs 🗆 \$10.9
No. 21684 - How To Program And Interface	
No. 21726 - 6801, 68701, & 6803 Microcom	□ \$15.9! puter
Programming & Interfacing	☐ \$14.9!
SERIES 'G' COOK BOOI	KS
No. 21695 - ICOP-AMP Cookbook (2nd Edit	ion) 🗆 \$15.95
No. 21168 - Active Filter Cookbook	□ \$14.95
No. 21398 - CMOS Cook Book	□ \$12 Q

No. 21695 - ICOP-AMP Cookbook (2nd	Edition) □ \$15.95
No. 21168 - Active Filter Cookbook	□ \$14.95
No. 21398 - CMOS Cook Book	□ \$12.95
No. 21527 - IC Converter Cookbook	□ \$13.95
No. 21416 - IC Timer Cookbook	□ \$10.95
No. 21035 - TTL Cookbook	□ \$11.95

Series - Prices Indicated are Less 25%	TOTAL FOR SINGLE
'A' 32.80	DISCOUNT 15%
'D' 39.97 □	TOTAL FOR SERIES
ORDER A CATALOG LISTING ALL SAM'S	CATALOG1.50
BOOKS AND SAVE WITH SPECIAL DIS- COUNT PRICES	SHIPPING AND HANDLING 50c PER/TITLE
SEND CHECK OR MONEY ORDER	5% MN TAX

STELLAR SYSTEMS P.O. BOX N

MAIL TO:

NORTH BRANCH, MN 55056

Prices may be subject to change without notice.

Listing 3a: An assembly-language routine which is included in the multiple display-list-interrupt program shown in listing 3b.

PHA TXA PHA INC COUNTR LDX COUNTR LDA COLTAB,X use page \$FO for color table STA WSYNC wait STA COLBAK CPX #\$4F last line? BNE ENDDLI no, exit LDA #\$00 yes, reset counter STA COUNTR ENDDLI PLA TAX PIA restore accumulator

routine then retrieves values directly from the second table without paying the time penalty for attract.

RTI

Multiple Display-List Interrupts

It is often desirable to have a number of DLIs occurring at several vertical positions on the screen. This is an important way to add color to a display. Unfortunately, there is only one DLI vector; if multiple DLIs are to be used, then the vectoring to the appropriate DLI must be implemented in the DLI routine itself. There are several ways to do this. If the DLI routine does the same process with different values, then it can be table-driven. On each pass through the DLI routine, a counter is incre-

mented and used as an index to a table of values. A sample DLI routine for doing this is given in listing 3.

Another way to implement multiple display-list interrupts is to use a DLI counter as a test for branching through the DLI-service routines to the proper DLI-service routine. This slows down the response of all the DLIs, particularly the ones at the end of the test sequence. A third method is to have each DLI-service routine write the address of the next routine into the DLI vector at hexadecimal locations 200 and 201. This should be done during phase 3. It is the most general solution to the problem of multiple DLIs and has the additional advantage that vectoring logic is per-

TOTAL THIS

Listing 3b: A simple Atari BASIC program to demonstrate multiple display-list interrupts. This program puts 80 different colors on the video display. The complete BASIC program shown here contains the assembly-language routine given in listing 3a.

10 GRAPHICS 7

20 DLIST=PEEK(560)+256*PEEK(561):REM

find display list

30 FOR J=6 TO 84:REM

give every mode line a DLI

40 POKE DLIST+J,141:REM

BASIC mode 7 with DLI bit set

50 NEXT J

60 FOR J=0 TO 30

70 READ A:POKE 1536+J,A:NEXTJ:REM

poke in DLI service routine

80 DATA 72,138,72,238,32,6,175,32,6

90 DATA 189,0,240,141,10,212,141,26,208

100 DATA 224,79,208,5,169,0

110 DATA 141,32,6,104,170,104,64

120 POKE 512,0:POKE 513,6:REM

vector to DLI service routine

130 POKE 54286,192:REM

enable DLI

formed after the time-critical portion of the DLI, not before.


Keyboard-Click Routine

The operating system keyboardclick routine interferes with the function of the DLI. Whenever a key is pressed and acknowledged, the onboard speaker is clicked. The timing for this click is provided by several STA WSYNC instructions. This can throw off the timing of a DLI routine and cause the screen colors to jump downward by one scan line for a fraction of a second. There is no easy solution to this problem. One possible remedy involves the VCOUNT register (hexadecimal location D40B), a read-only register in ANTIC that tells what scan line ANTIC is displaying. A DLI routine could examine this register to decide when to change a color. Another solution is to disable the operating system keyboardservice routine (a tedious job) and provide your own keyboard routine. A third alternative is to accept no inputs from the keyboard. If keypresses are not acknowledged, the screen jiggle does not occur.

Kernels

The display-list interrupt was designed to replace a more primitive software/hardware technique called a kernel. A kernel is a 6502 program loop that is precisely timed to the display cycle of a television set. By monitoring the VCOUNT register and consulting a table of screen changes catalogued as a function of VCOUNT values, the 6502 can arbitrarily control all graphics values for the entire screen. A high price is paid for this power: the 6502 is not available for computations during the screen-display period, which is about 75 percent of the time. Furthermore, no computation may consume more than the 4000 or so machine cycles available during vertical-blank and overscan periods. This restriction means that kernels can only be used with programs requiring little computation, such as certain skill and action games. For example, the Basketball program for the Atari 400/800 uses a kernel; the program requires little computation but much color. The multicolored players in this game could not be done with display-list interrupts because DLIs are keyed to playfield vertical positions, not player positions.

It is possible to extend the kernel idea right into a single scan line and change graphics registers on the fly. In this way, a single color register can present several colors on a single scan line. The horizontal position of the color change is determined by the amount of time that elapses before the change goes in. Thus, by carefully counting machine cycles you can get more graphics onto the screen. Unfortunately, this is extremely difficult to achieve in practice. With ANTIC performing DMA on the 6502, it is very difficult to know exactly how many cycles have really elapsed; a simple count of 6502 cycles is not adequate.



Philosophical fun and games... of a very high order from the authors of Gödel, Escher, Bach and Brainstorms"* Pulitzer Prize-winner Douglas Hofstadter and the philosopher Daniel Dennett take you on a mind-jolting exploration of art and science. humor and philosophy, to probe the meaning of self and consciousness. "The authors supply extracts from literature (Borges, Lem) and scientific reports (A.M. Turing, John Searle) that reveal the complexities, idiosyncracies, and sheer brilliance (and folly) of man thinking about himself. The quandary of human self-representation is brilliantly explored in this cunning, interdisciplinary banquet of food for thought."-—ALA Booklist "Superb...with equally wondrous commentaries." -Martin Gardner Fantasies and Reflections *Kirkus Reviews on Self & Soul DOUGLAS R. HOFSTADTER DANIEL C. DENNETT An Alternate of the Book-ofthe-Month Club (Science) 70,000 copies in print \$15.50 at bookstores BASIC BOOKS, INC. 10 E. 53 Street, New York 10022


If ANTIC's DMA is turned off, the 6502 can assume full control of the display, but it must then perform all the work that ANTIC normally does. For these reasons, horizontal kernels are seldom worth the effort. If the two images to be displayed in different colors are widely separated, however, say by 20 color clocks or more, the separation should cover up the timing uncertainties and render this technique feasible.

Using Display-List Interrupts

The tremendous value of graphics indirection and all those modifiable registers in the hardware now becomes obvious. With display-list interrupts, every one of those registers can be changed dynamically. You can put lots of color, graphics, and special effects onto the screen. The most obvious application of DLIs is to put more color onto the screen. Each color register can be changed as many times as you have DLIs. This applies to both playfield color registers and player color registers. Thus, you have up to nine color registers, each of which can display up to 128 different colors. Of course, a normal program could not effectively use all of those colors. Too many DLIs start slowing down the whole program, and sometimes the screen layout cannot accommodate all of them. In practice, displaying a dozen colors is easy, two dozen requires careful planning, and more than that requires a contrived situation.

But DLIs can give more than color. They can also be used to extend the power of player-missile graphics by changing the horizontal position of a player. In this way, a player can be repositioned partway down the screen. A single player can then have several incarnations on the screen. If you imagine a player as a vertical column with images drawn on it, a DLI becomes a pair of scissors with which you can snip the column and reposition sections of it on the screen. Of course, no two sections of the player can be on the same horizontal line. and so two incarnations of the player cannot be on the same horizontal line. If your display needs allow graphics objects that will never be on

Simply...



\$59900

13"RGB Color/ 320 Lines Resolution

12" P31 GREEN
PHOSPHOR
1200 LINES
RESOLUTION

517900

Whether it's our new color or one of our other models, just visit your local dealer and discover why Data Ed simply offers the best monitors for your money.

If these units are not available from your local dealer...fill out the coupon below or call toll free 1-800-258-6370.

These units available for immediate delivery.

PLEASE SEND ME:

Data Ed

18 BRIDGE STREET SALEM, N.H. 03079 TWX: 710-366-0502

12" B&W 15 MHz

513900



RGB Color @ \$599.0 TM-12PC-GX@ \$179 TM-12PC @ \$139.00	.00 (plus \$2.75 shipping)	V/SA MosterCore
NAME		
ADDRESS		<mark></mark>
CITY	STATE	ZIP
Check Enclosed Card Number	The second secon	lasterCard nk Number
		nk Number

PRINTERS PETURIA

EPSON MX-80 Now in stock!

C-ITOH STARWRITER: LETTER QUALITY PRINTING FOR UNDER \$2000!/This daisywheel printer gives high quality at a low price. 25 cps. Parallel and serial interfaces available.

NEW INTEGRAL DATA'S 560 PRINTER/All the exciting features of the 400 series plus 141/2" paper capacity. 132 col. graphics printer. IDS 445. Priced lower than the 440 and equipped with a better print head. With & w/o graphics. IDS 460. Features include correspondence quality printing, high

NEC SPINWRITER FROM THE FIRST NAME IN LETTER QUALITY

resolution graphics.

PRINTERS/Spinwriter 5520
Compument offers beautiful print quality with NEC [Spinwriter
Terminals. We carry all |models from RO THRU KSR WITH NUMERIC KEYPAD—5510-5530. All.versions give unsurpassed hard copy output!

CENTRONICS PRINTERS 3 SERIAL MODEL 737 The closest thing to letter quality print for under \$1000. List \$1045 SPECIAL \$795.

737-1 Parallel Interface List \$995 SALE PRICE \$695.

PLUS EXCITING REBATE OFFER ON CENTRONICS PRINTERS.

OMNI 810 PRINTER FROM TEXAS INSTRUMENTS CALL US

The 820 RO PACKAGE includes machine mounted paper tray and cable. A compressed print option and device forms control

THE 820 KSR PACKAGE includes fully ASCII Keyboard plus all of the features of the RO.

MONITORS ATTOM TERMINALS ATTOM CONFICURATION

CLEARANCE ZENITH COLOR VIDEO MONITOR \$349

SUPER SELLING TERMINALS FROM LEAR SIGLER/Call for quotes.

ADM-3A/Industry's favorite dumb terminal for some very smart reasons/

ADM-3A + NEW from Lear Siegler. CALL! IT IS HERE! It is the new Intermedi-

IT IS HERE! It is the new Intermediate Terminal from Lear Siegler.

NEC COLOR MONITOR/RECEIVER HIGH RESOLUTION/

Composite video using BNC connectors, 8-Pin connector for VCR/ VTR video loop In/Out and television reception.

SANYO MONITORS AT LOW COM-PUMART PRICES/Sanyo's new line of CRT data display monitors are designed for the display of alphanumeric or graphic data.

9" SANYO B/W 12" SANYO B/W 12" SANYO W/

GREEN SCREEN 13" SANYO COLOR

Visit our giant

ANN ARBOR STORE

1250 North Main Street Ann Arbor, Michigan

FREE CATALOGS

MICRO

DEC PDP/

The most complete catalog of micro-computers, accessories and peripherals. LSI-11 Systems configured and integrated with other manufacturers compattion ibles.

Send for them!

CALCULATOR FREE

NOVATION CAT ACOUSTIC MODEM Answer Originate.

NEW! D-CAT Direct Connect Modem from Novation.

MATROX PRODUCTS/ the complete line.

DYSAN DISKETTES/Single side, single density. Hard or Soft Sector

MEMOREX 3401's/51/4 disks \$3.25. /with hub ring for Apple \$3.50.

MEMORY INTEGRATED CIRCUITS/ Call for quantity discounts when ordering over 50 units.

MOTOROLA 4116 (200 Nanosecond Plastic) \$4.50

NEW! GILTRONIX RS 232 SWITCH/
You can connect three peripherals
to one computer or three com –
puters to one peripheral. Switches
the eight most important RS 232
signals.

DEC LS1-11/Compument now offers the entire product line.
CALL FOR PRICES AND DELIVERY

HP-41C CALCULATORS
MEMORY MODULES for storing programs of up to 2000 lines of

program memory.

"EXTRA SMART" CARD READER.

Records programs and data back onto blank magazids.

onto blank magcards.

THE PRINTER. Upper and lower case. High resolution plotting.

APPLICATION MODULES

NEW SUPER 41-CV SYSTEMS with Quad RAMS built-in. Maximum memory on-board leaves slots open for Application Pacs and peripherals.

+ CARD READER + CARD READER + PRINTER

SYSTEM ARE LEASING BILE LEAVAILABLE

RM EXPANSION ACCESSORIES FOR AIM— CALL SPECS AND PRICES

APPLE III IS IN STOCK/Apple III Information Analyst Package— 128K Apple III, Black and White Monitor 12", and information analyst software.

TOP SOFTWARE PACKAGES FROM COMPUMART

VISICALC/FOR APPLE/FOR HP/ FOR COMMODORE/FOR ATARI

SOFTWARE FROM APPLE/Apple Plot (the perfect graphic complement for Visicalc/Dow Jones News & Quotes/Apple Fortrom/Apple Writer/Pascal Language System/ Controller Business System

PERSONAL SOFTWARE/Visidex/ VisiTrend/VisiPlot/VisiTerm MUSE/Super Text

MOUNTAIN COMPUTER/

Expansion accessories for Apple/ Super Talker/The Music System/ ROM plus board with Keyboard filter/ROM Writer/Clock Calendar/AtoD and D to A Converter/ Clock for Apple/CPS Multifunction Board

VIDEX/Video Term (80 col. x 24 line, 7x9 Matrix plug in compatible board for Apple II) w/wo graphics EPROM/SSM Serial & Parallel, Apple Interface/ABT's Numeric Key Plan/California Microcomputer Keyboard

NEW!

VIC 20 PERSONAL COMPUTER FROM COMMODORE

\$299.



IMPORTANT ORDERING INFORMATION

CALL 800 343-5504, in Massachusetts (617) 491-2700, phones open from 8:30 a.m. to 7:00 p.m. Mon-Fri, 11:00 a.m. to 4:00 p.m. Sat. PO's, Accepted from Dun & Bradstreet rated companies—shipment

contingent upon receipts of signed purchase order. SALE PRICES. Valid for month of magazine date only—all prices subject to change without notice. Our Ann Arbor retail store is open 11:00 a.m. to 7:00 p.m. Tues-Fri, 10:00 a.m. to 5:00 p.m. on Saturdays

SYSTEMS SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEMS
SYSTEM

\$1895

SAVE OVER \$200 ON OUR BEST SELLING APPLE SYSTEM/ System includes a 48K Apple II, Apple Disk, DOS 3.3 and Controller and a Sup R MOD RF Modulator. List \$2209.

EXCLUSIVE FOR THE APPLE:Magic Wand, Videx, Z-80 softcard (Requires 48K Apple and disk).

COMPLETE SUB-SYSTEM \$925.


APPLE ACCESSORIES

CHOOSE FROM: Silentype Printer w/x face/Light Pen/Easy Writer (80 col. need a Videx)/Clock for Apple.

FROM MICROSOFT: 16K RAM Board/FORTRAN.

FROM COMPUTER STATION: Hi-Res Dump for 460 Printer.

OUR APPLE INVENTORY IS COM-PLETE. WE'VE GOT IT ALL—



At last a CPM based system that looks like it belongs in your office. The 820 can be ordered with 51/4" or 8" drive and a family of printers from NEC SPINWRITERS, for letter quality, to the many currently available dot matrix serial printers.

We recommend this system to our professional/business customers.

A GREAT PRICE FOR A LOT OF MACHINE. SPECS: SCREEN 24 LINES x 80 CHARACTERS. DISK 51/4 DUAL OR 8" DUAL. KEYBOARD TYPEWRITER STYLE WITH 20 KEY PADS. PORTS INCLUDE SERIAL AND PARALLEL (1) EACH).

SPECIAL INTRODUCTORY SYSTEM PRICE SAVE \$1000.

820 SYSTEM I (51/4" DUAL) W/ SPINWRITER CPM AND WORD-STAR—\$5699. 820 SYSTEM II (8" DUAL) W/ SPINWRITER CPM AND WORD-STAR—\$6699.



\$795


FROM ROCKWELL

THE SMALL SYSTEM FOR CHRISTMAS BUYING

Our AIM Starter System for Educational & Laboratory use includes 4K AIM/BASIC & ROM/ASSEMBLER & ROM/POWER SUPPLY EGI EN-CLOSURE/CRAIG TAPE RECORDER.

ACCESSORIES FOR AIM STARTER: PL 65 High Level Language/Paper for the Aim (roll)/Rockwell's 4 slot Motherboard/

WE ALSO CARRY RM EXPANSION ACCESSORIES FOR THE AIM-65.



Rockwell International Authorized Decler Accept No Less

VISA





800-343-5504

IN MASS CALL 617-491-2700

COMPUMART

65 Bent Street, Dept 112 PO Box 568, Cambridge, MA 02139

From THE LEADER...

We just might be the largest independent small systems dealer in the country. Here's why: COMPUMART has been serving the computer needs of industry since 1971.

We stock, for immediate shipment, only those products from the finest micro-computer manufacturers.

And any product, except software, can be returned within 10 days for a full refund—even if you just change your mind. We also honor all manufacturers' warranties. Our expert technicians will service any product we sell

Call us for more information on products, product configuration and service. Our phones are open Monday thru Friday, 8:30 a.m. to 7:00 p.m. and Saturday 11:00 a.m. to 4:00 p.m. We have a staff of highly knowledgeable sales people waiting to hear from you, and to help. Because service is what we're all about.

ORDER EARLY FOR CHRISTMAS DELIVERY • CALL EARLY FOR GUARANTEED DELIVERY DATES

the same horizontal line, a single player can do the job.

Another way DLIs can be used in conjunction with players is to change their width or priority. This would most often be used along with the priority-masking trick described in part 3 of this series last month.

DLIs can also be used to change character sets partway down the screen. This allows a program to use character graphics in a large window and regular text in a text window. Multiple character-set changes are possible. A program might use one graphics character set at the top of the screen, another graphics character set in the middle of the screen, and a regular text character set at the bottom. A "Rosetta Stone" program would also be possible, showing different text fonts on the same screen. The vertical reflect bit can be changed with a DLI routine, allowing some text to be right side up and other text to be upside down.


The proper use of the DLI requires careful layout of the screen display. Designers must give close consideration to the vertical architecture of their displays. The raster-scan television system is not two-dimensionally symmetric; it has far more vertical structure than horizontal structure. This is because the pace for horizontal screen drawing is about

200 times faster than the pace for vertical screen drawing. The Atari 400/800 display system was designed specifically for raster-scan television, and it mirrors the anisotropy of the raster-scan system. The Atari 400/800 display is not a flat, blank sheet of paper on which you draw; it is a stack of thin strips, each of which can take different parameters. The programmer who insists on designing an isotropic display wastes many opportunities. You will achieve optimal results when you organize the information you wish to display in a strong vertical structure. This allows the display-list interrupt to be used to its greatest potential.



CP/M and MP/M are registered trademarks of Digital Research.

THE LAST MEMORY



64K STATIC RAM/EPROM BOARD

At last a 64K STATIC memory board for S100 systems. But it's not just a 64K static RAM board, EPROM's can also be intermixed with RAM making it the only memory board needed for S100 systems. That's why we call it THE LAST MEMORY.

• 64K DENSITY

THE LAST MEMORY uses the new 2016 byte-wide 16K static RAM to achieve a board density twice that possible with old 2114 static memories.

2716 EPROM COMPATIBLE

A separate board is no longer required for EPROM's containing monitors, bootstrap loaders, etc. 2716 EPROM's can be inserted into the board without modification.

SIMPLE ADDRESS DECODING

Where memory is required, just plug a RAM or EPROM in the corresponding socket. Empty memory sockets occupy no memory space, providing compatibility with memory mapped I/O devices.

EXTENDED ADDRESSING

THE LAST MEMORY includes the IEEE S100 extended addresses. These are fully decoded allowing expansion to a full 16 megabyte system memory.

FAST

The standard board allows 4 MHz operation.

LOW POWER

Only one memory IC is ever active in byte-wide memory systems. The result is far less power consumption than older 16K static memory boards.

LOW COST

Its best feature is the price:

	Kit	A&T
RAM-less Board	99.99	139.99
16K RAM	249.99	289.99
32K RAM	389.99	429.99
48K RAM	519.99	559.99
64K RAM	639.99	679.99



static memory systems

15 So. Van Buren Ave. Freeport, Illinois 61032

Suite 209 (815) 235-8713



Unbeatable prices.. Orange Micro

EPSON PRODUCTS MX 80/70 FRICTION FEED KIT by Orange Micro



HERE AT LAST! A friction feed kit for your EPSON MX 80/70. The kit allows the user to convert his Epson printer to a friction feed and pin feed mechanism.

The friction feed will accept single sheets of your letterhead, or multiple copy forms such as invoices

with up to 4-part carbon copies

The pin feed replaces the adjustable sprocket mechanism. It allows use of 91/2" wide continuous fanfold paper which is an industry standard size.

No drilling required. Installation takes about 30 minutes. All parts are included with easy to follow instructions, \$75.00, DEALER INQUIRIES INVITED.

EPSON MX 80/MX 80 FT

9 x 9 dot matrix · Lower case descenders · 80 CPS · Bi-directional, logic seeking · 40, 66, 80,132 columns

per line - 64 special graphic characters - TRS-80 Compatible · Form handling · Multi-page printing . Adjustable tractors MX 80 (List \$645) \$ Call Graftrax-80 Dot Graphics Upgrade ... (List \$95) \$ Call MX 80 FT includes Friction



.....(List \$745) \$ Call

EPSON MX 70



Super low-priced dot resolution graphics · 5 x 7 dot matrix · User replaceable printhead & Top of Form MX 70....(List \$450) \$ Call

EPSON MX 100

Same basic features as the MX 80 · PLUS friction feed for single sheets . PLUS 15" wide carriage MX 100 ... (List \$995) \$ Call



LETTER QUALITY PRINTERS C. ITOH STARWRITER

Daisy Wheel Letter Quality 25 CPS (Optional 45 CPS) · Typewriter quality · Centronics parallel · RS 232 Serial (Optional) · Proportional spacing · Bi-directional · Programmable VFU



· Self test · Diablo compatible · Friction feed (Optional tractors) · 136 printable columns · Manufactured by TEC C. ITOH STARWRITER (List \$1895) \$ Call

NEC SPINWRITER

High Speed Letter Quality · 55 CPS · Typewriter quality · Bi-directional · Plotting & Proportional spacing 77XX RO. Serial/Parallel (List \$3055) \$2575



QUME 9/45 typewriter quality. DIABLO 630 typewriter quality.

NEW≨NEC 8023 DOT MATRIX

Dot graphics · 100 CPS · Bi-directional. logic-seeking · Tractors & friction feed · 5-Alphabet fonts · 8 character sizes · Proportional spacing NEC 8023 DOT MATRIX (List \$795) \$ Call

TELEVIDEO CRT'S

TVI910, TVI912C, TVI920C, TVI950 - Please call toll free. Prices are too low to advertise...... \$ Call

CENTRONICS 739



processing Print Quality - 18 x 9 dot matrix; suitable for ing · proportional spacing · right margin justification · serif typeface · 80/100 CPS · 91/2" Pin Feed/Friction feed · Reverse Platen · 80/132 columns · Top of Form

CENTRONICS 739-1 (Parallel)........(List \$955) \$Call CENTRONICS 739-3 (Serial).....(List \$1045) \$815

...technical expertise. The printer specialists.

ANADEX

Dot Graphics, Wide Carriage • 11 x9 dot matrix; lower case descenders • Dot resolution graphics • Bidirectional, logic seeking • Up to 200 CPS • RS 232 Serial & Parallel • Forms control • X-ON/X-OFF • Up to 6 part copy.



(List \$1650) \$1350

IDS PAPER TIGERS



Dot Resolution Graphics, quality print, speed 9 wire staggered printhead with lower case descenders. Over 150 CPS. Bi-directional, logic seeking. 8 character sizes; 80-132 columns. Adjustable tractors. High-resolution dot graphics. Proportional spacing. 8 text justification.


DS 460G (List \$1094) \$ Call DS 560G (List \$1394) \$ Call

INTERFACE EQUIPMENT

CCS APPLE SERIAL Interface & Cable \$150
ORANGE INTERFACE for Apple II parallel
interface board & cable\$110
TRS-80 CABLES to keyboard or Exp. Interface \$ Call
NOVATION D-CAT direct connect modem \$ Call
ATARI, NORTHSTAR printer cables \$ Call
ALL EPSON ACCESSORIES \$ Call

THE GRAPPLER™

APPLE INTERFACE AND CABLE by Orange Micro



The Grappler™ interface card is the first to provide on-board firmware for Apple high resolution dot graphics. No longer does the user need to load clumsy software routines to dump screen graphics—it's all in a chip. Actually, it's our E-PROM, and it is replace-

able to accommodate the Anadex, Epson MX-70, 80* and 100, IDS Paper Tigers, Centronics 739, NEC 8023, C. ITOH Prowriter, and future graphic printers. The Grappler™ accepts 18 software commands including Hi-Res inverse, 90° rotation, double size, and much more. Invented by, and available from Orange Micro and Orange Micro dealers only. \$ Call for price.

*Requires GRAFTRAX 80

VISIT OUR RETAIL STORES

If you live in California, or are visiting don't miss our two Printer Stores. Expert consultation and know-how is available to assist you in getting the best printer for the application. We provide live demonstrations for a wide selection of Printers.



SHERMAN OAKS, 13604 Ventura Blvd., (213) 501-3486 ANAHEIM, 3150 E. La Palma, Suite I, (714) 630-3622 Store Hours; M-F 10-6, Sat. 10-4

At Orange Micro our printer specialists fit the right printer to your application. Call us today for free consultation (and don't forget to ask for your free catalog).

Phone orders are WELCOME, same day shipment. Free use of VISA and MASTERCARD. COD's accepted. Personal checks require 2 weeks to clear. Manufacturers warranty included on all equipment. Prices subject to revision.

CALL FOR FREE CATALOG TOLL FREE (800) 854-8275

CA, AK, HI (714) 630-3322







Circle 319 on inquiry card.



3150 E. La Palma, Suite G. Anaheim, CA 92806

Copyright @1981 by Orange Micro, Inc

How to Build a Maze

David Matuszek
Department of Computer Science
8 Ayres Hall
University of Tennessee
Knoxville TN 37916

Mazes are fun to solve. With a little imagination, mazes can be incorporated into many different computer games. If you know how, it's a simple matter to use the computer to generate random mazes.

A traditional maze has one starting point and one finishing point. In addition, all locations inside the maze are reachable from the start, and there is one and only one path from start to finish. While it is easy to place doorways and barriers randomly inside a maze, it is more difficult to satisfy the two latter constraints. This article describes a fairly simple method that efficiently produces a

random traditional maze.

The General Approach

We begin with a rectangular array. Each cell of the array is initially completely "walled in," isolated from its neighbors (see figure 1).

Secondly, we judiciously erase walls inside the array until we arrive at a structure with the following property: for *any* two cells of the array, there is only one path between them. Thus, any cell can be reached from any cell, but only by a single unique path (see figure 2). Computerscience jargon refers to such a structure as a *spanning tree*, and it is the

creation of this spanning tree that is the tricky part of building a maze.

Finally, the border of the maze is broken in two places to provide a start and a finish position. Since there is a unique path between *any* two cells of the maze, there will be a unique path from start to finish. Hence, start and finish can be chosen in any convenient manner, say, at random locations on opposite sides of the maze (see figure 3).

Building the Spanning Tree

Starting with a fully "walled-up" array (see figure 1), pick a single cell in the array and call this cell the




Figure 1: The initial array from which the maze will be constructed.




Figure 2: One possible spanning tree for the array in figure 1.




Figure 3: The spanning tree from figure 2 with possible entry and exit points added.

Amdek

From picture perfect.

To letter perfect.



At Amdek, we make monitors for people who demand state-of-the-art color. And for people who know that crisp, clear text display is an art in itself.


Our versatile Color-I 13" video monitor features standard NTSC composite input, front-mounted controls and a built-in speaker with audio circuit. Our popular Video-300 12" Green Phosphor monitor has an easy-to-read, non-glare screen, 18 MHZ band width and 80 x 24 character display.


Both offer easy portability, with lightweight cabinetry and molded-in handles. And both are fully


compatible with most computer and word processing systems. So compare our performance with other monitors. Then compare prices. For quality and value, you'll choose Amdek.


NEW THIS FALL: our advanced high resolution Color-II monitor with interface board for Apple II compatibility. Color-II features RGB, TTL input and 560(H) x 260(V) resolution for crisp 80 x 24 character display and exceptionally sharp color graphics. Ask your dealer about an Amdek Color-II, Color-I, or Video-300 monitor today.














Figure 4: Initial steps involved in building a maze. The cell added at each step is marked with an asterisk. The next cell to be added to the maze will be selected from the shaded frontier cells.

spanning tree. Then adds cells one at a time to the spanning tree until it fills the entire array.

At any point during this procedure, there will be three types of cells in the array:

- those that are already in the spanning tree
- those that are not in the spanning tree, but are immediately adjacent (horizontally or vertically) to some cell in the spanning tree (we call these cells frontier cells)
- all the other cells

The algorithm follows:

- 1. Choose any cell of the array and call it the spanning tree. The four cells immediately adjacent to it (fewer if it is on an edge or in a corner) thus become frontier cells.
- 2. Randomly choose a frontier cell and connect it to one cell of the current spanning tree by erasing one barrier. If it is adjacent to more than one cell of the spanning tree (and it could be adjacent to as many as four!), randomly choose one of them to connect

it to, and erase the appropriate bar-

- 3. Check the cells adjacent to the cell just added to the spanning tree. Any such cells that are not part of the spanning tree and have not previously been marked as frontier cells must now be marked as frontier cells.
- 4. If any frontier cells remain, go back to step 2.
- 5. Choose start and finish cells.

Figure 4 shows the first few steps in building a maze. In each case the array is shown as it would be just before execution of step 2 of the algorithm. Note that the newly added cell (marked by an asterisk) in figure 4e was adjacent to two cells in the spanning tree, yet it was connected to only one of these (the one to its left) by randomly choosing and erasing one barrier.

If you're mathematically inclined, it is easy to show by induction that this process results in a spanning tree. When the tree consists of a single cell, there is (vacuously) only one path between any pair of cells. As each new cell is added, it forms no new paths between cells already on the tree (since the tree is a dead end), and there is exactly one path from the new cell to any other cell (you can get out via only one cell, and from that cell there is only one path). Finally, the process ends when there are no more frontier cells (cells adjacent to the spanning tree but not in it), and this can happen only when all cells have been absorbed into the spanning tree.

96K CP/

(For your TRS-80* Model II)

Multiple Job Executive

Add a whole new dimension to your TRS-80 Model II. Let it work while you work!!

ATON's unique JobStream™ CP/M 2.2, along with additional RAM memory; allows you to simultaneously compile, assemble, or link in one 64K background partition (62K TPA) while you edit files, and spool to the printer, and communicate with another computer in up to four 32K foreground partitions (28K TPA).

As you expand memory beyond 64K, you also enter the amazing world of TrackMode BIOS™ which not only multiplies diskette speed up to five times, but also automatically performs read after write checks for the ultimate in data reliability.

- Gain hard disk performance for a fraction of the cost—and no backup problems!!!
- Works in 32K, add RAM memory to 256K using standard Radio Shack memory boards.

Supports two sided expansion disk drives (1.2 megabytes per diskette).

JobStream CP/M 2.2 (with Z-80** Debugger) \$235 Omni Writer™ Video Text Editor \$130 **Z-80 Debugger Source Code** \$ 50 Package of above (a \$415 value) \$295

"Software with Service"



Prepaid, Visa, MasterCard or COD. Shipping and handling extra. California residents add 6% sales tax.

CP/M[®] Digital Research, Inc. *™Tandy Corp. **™Zilog Corp. JobStream, TrackMode BIOS™ ATON Intl. Omni Writer™ Omnigraphics

260 Brooklyn Avenue, San Jose, CA 95128 (408) 286-4078

Implementation Details

You should store in each cell of the



To perform to its fullest capabilities, your hardware demands software designed to meet the specialized requirements of today's microprocessors. State-of-the-art software from Technical Systems Consultants keeps pace with the rapid advancements in computer technology so your hardware can live up to its full potential. Our complete line of state-of-the-art software includes:

The UniFLEX™ Operating System

UniFLEX, a true multi-user, multitasking system for the 6809 and 68000 microprocessors, supports such features as:

- · hierarchical file systems
- device independent I/O
- four Gigabyte disk capacities
- full file protection
- inter-task communication via pipes
- I/O redirection
- task swapping
- full random-access files
- comprehensive shell command language

UniFLEX, structured for large-scale microprocessor systems, will not run with minimal systems and thus has avoided design compromise. (Off-the-shelf versions and OEM licenses are available.)

The FLEX™ Operating System

FLEX, a powerful, easy-to-use operating system designed for the 6800 and 6809 microprocessors, includes:

- dynamic filespace allocation
- · random files
- batch job entry
- automatic space compression
- English error messages
- user environment control
- · disk resident commands
- flexible device I/O
- printer spooling

Plus, FLEX can accommodate hard disks as well as floppies. The System is available off-the-shelf for a variety of systems and in a field-adaptable version. (OEM licenses available.)

FLEX and UniFLEX are trademarks of Technical Systems Consultants, Inc.

Support Software

Technical Systems Consultants offers a full line of state-of-the-art support software compatible to FLEX and UniFLEX, some of which

- native C and Pascal compilers for advanced programming
- extended BASIC for business and educational applications
- text editing and processing software
- sort/merge package for business applications
- variety of absolute and relocatable assemblers
- debug and diagnostic packages


... and more. Write or call today for our brochures describing our complete product line.




Box 2570, 1208 Kent Avenue West Lafayette, Indiana 47906 (317) 463-2502 Telex: 27-6143

Sculpture by Joann Chaney







5h




Figure 5: For an m by n maze to be displayed on a computer graphics system, a resolution of at least 2m+1 by 2n+1 must be available. The 4- by 4-maze array of figure 5a requires a graphics array of 9 by 9. The initial cells of the 4 by 4 array are shown displayed using the 9 by 9 resolution in figure 5b. The finished maze, with openings between the cells where paths exist, is shown in figure 5c.

array a number indicating: 1. whether it is in the spanning tree, in the frontier, or in neither; and 2. if it is in the spanning tree, which of the cell's barriers have been erased. One possibility is to use-1 for frontier cells, positive numbers for cells, positive numbers for cells in the spanning tree, and 0 for all other cells.

any cell of the spanning tree is open to at least one other cell, I suggest the following encoding: start with 0 in each cell, add 1 if the barrier on the right is erased; add 2 if the barrier below is erased; add 4 if the barrier on the left is erased, and add 8 if the barrier above is erased. The result will be a number from 1 to 15 that specifies exactly which combination of barriers has been erased. (Decoding this number shouldn't be too hard if you work with binary numbers.) Note that when you erase a barrier between two cells you will have to add the appropriate numbers to each of them.

The minor exception mentioned above is the initial cell of the spanning tree, immediately after step 1 of the algorithm (see figure 4a). Since it is the first, it is not yet open to any other cell. Give it the value 16 (or 100, or 1984, if you prefer) so that it will be positive, and subtract this number out again in step 5.

Now that the array representation has been settled, let's discuss efficient implementation of the algorithm. In step 2 a frontier cell was randomly chosen. To prevent bumbling around in the array, you must keep a list of those cells. This can be simply accomplished by storing the indices of the n cells of the frontier (each of which is specified by a row number and a column number) in the first nlocations of two arrays, R (row numbers) and C (column numbers). A frontier cell can be quickly chosen by randomly choosing a k less than or equal to n, and using the cell whose indices are given by R(k), C(k).

Since the order of the *n* frontier cell locations in arrays R and C is not important, the following code suffices to remove the chosen cell k:

R(k) = R(n)C(k) = C(n)n = n-1

phone order service with your Master Card, or Visa billing information:

800-854-0561 operator 860

Software prices for hardnosed shoppers:

MICRO PRO	
APPLE CP/M®	
WORD STAR*	
SUPER SORT*	
MAIL MERGER*	
DATA STAR*	
SPELL STAR*	
S-100 CP/M®	
WORD STAR	
SUPER SORT195.00	
MAIL MERGER	
DATA STAR	
SPELL STAR	
BRODERBUND	
TAWALA'S LAST REDOUBT	
GALAXY WARS	
ALIEN RAIN (AKA GALAXIAN)	
SNOGGLE (REQ. JOYSTICK)27.95	
ALIEN TYPHOON	
APPLE PANIC	
SPACE WARRIOR	
AUTOMATED	
SIMULATIONS	
SIMULATIONS	
INVASION ORION	
STAR WARRIOR	
TUES. MORNING QUARTERBACK	
CRUSH, CRUMBLE AND CHOMP24.95	
THE DRAGON'S EYE	
MUSE COETWARE	
MUSE SOFTWARE	
ROBOT WARS	
THREE MILE ISLAND	
A.B.M	
GLOBAL WAR 20.95	

																.32	.9
٠.																.32	.9
																.20	.9
																.20	.9
IEN	١															.24	.9
		,														129	.0
		-															
	EN																

ON-LINE SYSTEMS

MYSTERY HOUSE	20.95
WIZZARD AND PRINCES	29.95
H/R FOOTBALL	32.95
H/R CRIBBAGE	.20.95
MISSLE DEFENSE	25.95
CRANSTON MANOR	29.95
SABOTAGE	
GOBBLERS	
SOFT PORN ADVENTURE	24.95
PEGASUS II	25.95
EXPEDITER	73.95

PERSONAL SOFTWARE

DESKTOP PLAN II	0
CCA DATA MGT. SYSTEM89.00	0
VISIPLOT	0
VISITREND/VISIPLOT	0
VISIDEX159.00	0
VISITERM129.00	0
VISICALC 3.3	0
CHECKER KING	
GAMMON GAMBLER	-
BRIDGE PARTNER	_
MONTY PLAYS MONOPOLY	
ZORK32.99	
MONTY PLAYS SCRABBLE 34.99	5

SIRIUS SOFTWARE

PHANTOMS FIVE	24.95
SPACE EGGS	24.95
AUTOBAHN	
PULSAR II	
GAMMA GOBLINS	
GORGON	
SNEAKERS	
EPOCK	
COPS AND ROBBERS	29.95

MORE GREAT APPLE GAMES

COMPUTER QUARTERBACK	
THE WARP FACTOR	
CARTELS AND CUTTHROATS	
TORPEDO FIRE	
THE SHATTERED ALLIANCE	
COMPUTER BASEBALL	
POOL 1.5	
ULTIMA	
RASTER BLASTER	
FLIGHT SIMULATOR	
INTERNATIONAL GRAND PRIX 25.95	
COSMO MISSION	
SARGON II	
SHUFFLE BOARD29.95	

MICROSOFT

APPLE

FORTRAN*	165.00
BASIC COMPILER*	
COBOL*	595.00
APPLE SOFT COMPILER	159.00
Z-80 SOFTCARD	299.00
RAMCARD	159.00
TYPING TUTOR	.17.95
OLYMPIC DECATHLON	.24.95

S-100 CP/M®

BASIC 80	299.00
BASIC COMPILER	319.00
FORTRAN 80	399.00
COBOL 80	599.00

PEACHTREE

APPLE CP/M®

GENERAL LEDGER	219.00
ACCT. RECEIVABLE	219.00
ACCT. PAYABLE	219.00
PAYROLL	219.00
INVENTORY	

S-100 CP/M®

GENERAL LEDGER		 595.00
ACCT. RECEIVABLE		 595.00
ACCT. PAYABLE		 595.00
PAYROLL		
INVENTORY		
PROPERTY MGMT		
CPA CLIENT WRITE-UP	4 4 5 5	 799.00

APPLE BUSINESS SOFTWARE

MAGIC WINDOW	9.00
DB MASTER (NEW)17	
PFS: PERSONAL FILING SYS	4.00
PFS: REPORT8	4.00
Z-TERM*	9.95
ASCII EXPRESS6	3.95
HAYDEN APPLESOFT COMPILER14	9.00
EASY WRITER-PRO19	9.00

S-100 SOFTWARE

d BASE II				599.00
SUPER CALC				249.00
MAGIC WAND				279.00
SPELLGUARD				239.00
PICKLES AND	TROUT	CP/M®	MOD. II TI	RS-80 175.00

EDU-WARE

PERCEPTION PKG	95
COMPU-READ	95
STORY TELLER18.9	
COMPU-MATH: ARITHMETIC	95
COMPU-MATH: FRACTIONS	95
COMPU-MATH: DECIMALS34.9	95
COMPU-SPELL (REQ. DATA DISK)24.9	95
COMPUSPELL DATA DISKS 1-4 ea 17.9	15

TRS-80 GAMES

TEMPLE OF	APSHAI	 	 34.95
HELLFIRE W	ARRIOR	 	 34.95
STAR WARR			
RESCUE AT	RIGEL	 	24.95
CRUSH, CRL			
INVADERS F			
PINBALL			
STAR TREK			
MISSILE ATT			
STAR FIGHT			
O militarii		 	 24.50

*REQUIRES Z-80 SOFTCARD

IF YOU DON'T SEE IT, CALL US. WE HAVE ALL THE LATEST SOFTWARE.

We built a reputation on our prices and your satisfaction.

We guarantee everything we sell for 30 days. If anything is wrong, just return the item and we'll make it right. And, of course, we'll pay the shipping charges.
We accept Visa and Master Card on all orders, COD

accepted up to \$300.00.

Please add \$2.00 for standard UPS shipping and handling on orders under 50 pounds, delivered in the continental U.S. Call us for shipping charges on items that weigh more than 50 pounds. Foreign, FPO and APO orders please add 15% for shipping. California residents add 6% sales tax

31245 La Baya Drive, Westlake Village, California 91362

The prices quoted are only valid for stock on hand, and all prices are subject to change without notice.

CP/M® is a registered trademark of Digital Research.

Circle 14 on inquiry card.

6a	XXXXXXXX	6b	XXX	XXXX	XXXX	XXXX	XXX
	XX				XX		XX
	XXX X XXX		XXX	XXX	XX	XXX	XXX
	XXXX		XX	XX	XX	XX	
	XXXXX		XX	XX	XX	XX	XX
	X X X X		XX		XX	XX	XX
	X XXX X X		XX	XXX	XXX	XX	XX
	X		XX				XX
	XXXXXXXX		XXX	XXXX	XXXX	XXXX	XXX

Figure 6: The maze of figure 5 as it might appear as printed output, with each maze-array element represented by space characters or X characters. One space or X is used in 6a; two spaces or Xs are used in 6b.



Using state-of-the-art fiber optics to "read" each card, a single long-lasting bulb does the job. Reliably and accurately.

Simple, Fast, and Low-Cost The OMR 500 is a low-cost alternate to keyboard data entry. And at less than 1/2 second per handfed card, you won't be sacrificing speed.

Compact and lightweight, our new optic reader is a mere 4-lb, 4-1/2 inch cube. Automatic turn-on is standard.

Wide Variety of Interfaces
The reader is available with in-

Lighting the Way

At \$1095, including the intelligent interface, the OMR 500 truly adds an affordable new dimension to card reader flexibility. Its uses are virtually unlimited. Small business, the entire educational field, personal computers — wherever data entry is required.

And remember, we still offer the industry's largest selection of card readers. So whatever your needs, we've got the right card reader for you.

Write or phone for complete details. Better yet, put in your order today.



20710 Lassen Street Chatsworth, California 91311 Phone: (213) 341-9200

When this frontier cell is added to the spanning tree, some of the cells adjacent to it (those having a zero value) become new frontier cells, and their locations must be inserted into the R and C arrays. Adjacent cells with value -1 are already frontier cells and already have their locations recorded in the R and C arrays; they must not be inserted again.

Finally, how large should arrays R and C be? For an m by n array, analysis shows that in the worst case (2/3) mn locations will be required, but practical experience shows that 3(m+n) is almost always enough. However, if you use the latter figure there is a slight probability that the program will fail.

Concluding Remarks

While we have discussed building a maze, nothing has been said regarding how to display it. That depends entirely on your particular hardware and software; the answers are different for the display screen of a Commodore PET than for that of an Apple II, and different again for a character printer.

To display a maze on a screen with graphics capabilities, the following scheme is appropriate. For an m by n maze, you need to be able to display at least 2m+1 points vertically and 2n+1 points horizontally—the "cells" will be those points at the intersection of even-numbered rows with even-numbered columns (see figures 5a through 5c). Maze building on the screen proceeds exactly as in figures 1 through 3, except that the walls are necessarily thicker.

To print a maze out, the same general scheme is used with, say, "X" characters for walls and blanks for paths (see figure 6). Of course, you can't erase an X once it is printed, so it will be necessary to build the entire maze internally before printing it. Then you can decipher and print the maze one row at a time.

As a final note, if you are an aficionado of hexagonal grids, the maze algorithm is easily modified for other than rectangular grids. Implementation may be a bit messy—but then, implementation is always messy.

PUT YOUR APPLE TO WORK FOR YOU! WITH THE THUNDERCLOCK PLUSTM

As an APPLE user you already know all the things your APPLE can do. Now Thunderware expands that list with the THUNDERCLOCK PLUS, the complete clock/calendar system for your APPLE! Your programs can read the month, date, day-of-week, hour, minute, and second in any of APPLE'S languages. On-board batteries keep your THUNDERCLOCK running accurately when your APPLE is off - for up to 4 years before battery replacement. But that's just the beginning.

The THUNDERCLOCK PLUS is the most useful and versatile peripheral you can put in your APPLE. It can keep your disk files organized by time-and-date-stamping them, it enhances the usability of many of the new business/professional software packages for accounting, filing, and time management, and it can remotely control lights and appliances for security or display purposes in your business or home.

SOFTWARE PRODUCT COMPATIBILITY

Many of today's important software packages for data-base management, business applications, communications, and time management are designed to use the THUNDERCLOCK PLUS. If you have or plan to purchase any of these packages, a THUNDERCLOCK will greatly enhance their usefulness.

●VISIDEX* (Personal Software) ●DB MASTER and MICRO-MEMO (Stoneware) ●MICRO-COURIER and MICRO-TELEGRAM (Microcom) •THE CASHIER and THE STORE MANAGER (High Technology) •BUSINESS PLUS and

NET-WORKS (Advanced Data Systems) ...and many others!

*A 006	HELLO	07/07	16:3
*A 006	CLOCK	06/08	09:0
*A 004	FRAME	06/08	09:0
*A 004	DISK INFO	06/17	16:1
*B 003	BACKOFF	06/17	16:1
*B 005	SCREEN	07/24	17:3
*B 002	TCPUTIL	06/17	16:1
*B 004	SDTIME.O	06/17	16:1
*A 007	ADIGCLK	05/19	08:0
*A 011	SET TIME	06/08	09:0
*I 009	IDIGCLK	05/19	08:0
*A 007	TIME	06/08	09:0
*A 003	SLOTFINDER	07/07	16:5
*A 014	DEMO	06/17	16:1

THUNDERWARE'S DOS-DATER

Our new DOS-DATER software upgrades the regular DOS on your disks so that DOS will use the THUNDERCLOCK to timeand-date-stamp disk files. Every time a program is saved or a file is modified, the current date and time to the minute are stored in the CATALOG with the file's name. You can tell at a glance when a program was saved or when any file was last modified. And this time/date stamping feature is completely automatic. That means any program which uses DOS will time/date stamp its files!

REMOTE CONTROL

Add Thunderware's X-10 INTERFACE OPTION to your

THUNDERCLOCK PLUS and your APPLE can control lights and appliances through your BSR X-10 Home Control System on your pre-defined schedules. Our powerful SCHEDULER software allows you to create and modify schedules easily and execute them in the 'background', while using your APPLE for other tasks in the 'foreground'. Use your APPLE for energy management, display and security lighting, or laboratory/process control.

Our PASCAL Software lets you use all the THUNDERCLOCK'S features in PASCAL and sets the F)iler date whenever you boot.

You get all this versatility in just one peripheral system. Backed by a full one year warranty. See your APPLE dealer for a demonstration, or contact us for more information. We'll give your APPLE the best time around!

Suggested retail prices:

THUNDERCLOCK PLUS	\$139
X-10 INTERFACE OPTION	\$49
PASCAL SOFTWARE DISK	\$29
DOS-DATER/DEMO DISK	\$29
MANUALS ONLY, each	\$5

Distributed by Apple Computer, Inc. and Computerland Corp.

THUNDERWARE, INC. P.O. BOX 13322 Oakland, CA 94661 (415)-652-1737

*Requires software supplied on DOS-DATER/DEMO disk. BSR X-10 is a trademark of BSR (USA) LTD.

APPLE II is a trademark of APPLE COMPUTER, INC

Toward a Structured 6809 Assembly Language

Part 2: Implementing a Structured Assembler

Assembly-language programmers can have their cake and eat it too. They need not be shut out of the world of structured programming in order to make the most efficient use of a particular computer. Part 1 of this article showed a set of structured control statements that can be added to the 6809 assembly language. Now the magician will pull back the curtain to show how it was all done: I will present the actual code for the MC6809 structured macros and explain their operation.

However, I will not stop there. As several areas of programming-language design and implementation come together to produce a structured assembly language, it is tempting to look beyond the present and try to visualize where these techniques might lead. This article will conclude with some speculation on just how "high-level" an assembly language might become.

It is not necessary to buy a new assembler in order to use these structured contol statements. Any assembler that allows user-defined macroinstructions will allow the implementation of structured control statements. Before going into a detailed presentation of the Motorola MC 6809 macroassembler, I would like to discuss macros in general for those readers who may not be familiar with them.

Listing and figure caption numbers continued from Part 1.

Gregory Walker Motorola Inc M2880 3501 Ed Bluestein Blvd Austin TX 78721

What Is a Macro?

Macros, like subroutines, are a way of assigning a single name to a complex sequence of operations. While subroutines are found in virtually all programming languages, macros are much less widely used. Macros and subroutines have many similarities and one major difference. First we will look at the similarities.

In assembly language, macros and subroutines are similar in appearance and in the way they are used. Each must be defined before it is used (ie: its name must be associated with the sequence of instructions that perform its operation). Then, whenever that sequence of operations is needed in a program, the subroutine or macro is called.

With a subroutine, the instructions that define its operation exist only once, and a "call" instruction transfers control to that subroutine from every place its operation is needed. A macro is different in that the instructions that define its operation are inserted directly into a program wherever they are needed. Thus, an obvious difference between a subroutine and a macro is that a subroutine reduces program size because its instructions exist in memory only once, while a macro takes more memory because its instructions are stored

once for each time the macro is used. A macro is also faster because the subroutine CALL and RETURN instructions are not needed.

The above difference is technically correct, but it misses the truly significant difference between subroutines and macros: a macro is expanded at translation time, while a subroutine is expanded at execution time. By "expanded," I mean the operation of replacing a single name with the complex sequence of instructions that defines its operation. An example should clarify this distinction.

Suppose I want to be able to shift any of the microprocessor's three index registers to the right. Using subroutines, I will need three separate subroutines, one for each register. These subroutines are given in listing 10. Here each subroutine has an implicit parameter-the register to be shifted right. Having written these subroutines, I can now use them by inserting a call instruction into the program by using the form:

LBSR SHRTX LBSR SHRTY

At translation time, each subroutine will be translated from assembly instructions into the equivalent machine instructions and placed at a particular location in memory. Similarly, the LBSR SHRTX will be translated to the machine instruction that branches to the location where SHRTX starts in memory. In essence.

> Text continued on page 204 Circle 234 on inquiry card.

THE COMMODORE COMPUTERS

"FROM \$300 TO \$1995, THEY COST LESS AND GIVE YOU MORE FOR YOUR MONEY. READ OUR CHART."

The idea of a computer in every office and home used to be science fiction. Now it's becoming a reality. The question is, with so many to choose from, which computer should you buy? When you consider the facts, the clear choice is Commodore.

COMPARE OUR \$995 COMPUTER

FEATURES	COMMODORE 4016	APPLE II	IBM
Base Price	\$995	\$1,330	\$1,565
12" Green Screen	Standard	299	345
IEEE Interface	Standard	300	NO
TOTAL	\$995	\$1,929	\$1,910
Upper & Lower Case Letters	Standard	NO	Standard
Separate Numeric Key Pad	Standard	NO	Standard
Intelligent Peripherals	Standard	NO	NO
Real Time Clock	Standard	NO	NO
Maximum 5½" Disk Capacity per Drive	500K	143K	160K

Prices are as of the most recent published price lists, September, 1981 and approximate the capabilities of the (16K) PET* 4016. Disk Drives and Printers are not included in prices. Models shown vary in their degree of expandability.


Many experts rate Commodore Computers as the best desk-top computers in their class. They provide more storage power – up to 1,000,000 characters on 5¼" dual disks – than any systems in their price range. Most come with a built-in green display screen. With comparable systems, the screen is an added expense. Our systems are more affordable. One reason: we make our own microprocessors. Many competitors use ours. And the compatibility of peripherals and basic programs lets you easily expand your system as your requirements grow. Which helps explain why Commodore is already the No. 1 desk-top computer in Europe with more than a quarter of a million computers sold worldwide.



WE WROTE THE BOOK ON SOFTWARE.

The Commodore Software Encyclopedia is a comprehensive directory of over 500 programs for business, education, recreation and personal use. Pick up a copy at your local Commodore dealer.

FULL SERVICE, FULL SUPPORT. Commodore dealers throughout the country offer you prompt local service. In addition, our new national service contract with TRW provides nationwide support. Visit your Commodore dealer today for a hands-on demonstration.



681 Moore Road King of Prussia, PA 19406

Commodore Computer Systems 3370 Pharmacy Avenue Agincourt, Ontario, Canada, M1W 2K4

Please send me more information.

Company		Title	
Address City	State	Zip	
Telephone Interest Area_		·	
2001 A CAMBA A RESIDENT	☐ Education	☐ Personal	СВМ-ВҮ







Minicomputer performance in

Multi-user. Multi Tasking. Decision I™ memory management hardware includes a memory map that is similar to the IBM 360,® and IBM 370.® It supports up to 16 tasks or 15 users and a supervisor without swapping. And, more with swapping. Each task or user enjoys complete memory protection and dynamic memory allocation. One task may be delegated as a supervisor to privileged system functions forbidden to ordinary tasks or users. Such functions (I/O calls, unauthorized memory access, etc.), will trap to the supervisor. If supervisory functions are not required the system can be configured for turnkey multi-user operation.

Multi-purpose IEEE696/S-100. Decision I utilizes the Morrow Designs IEEE Standard S-100 Wunderbuss. That means you can configure it to your specific applications. Add a floating point processor, add memory (to a full mega-

byte), add I/O, add controllers...add boards from dozens of manufacturers. And S-100 has a major advantage over single-board computers: If a board goes down, you simply replace it. And keep running. If you want to expand your system. Add boards and terminals.


An unmatched software base.

Decision I runs on the M/OS™
operating system. M/OS supports all system calls source

compatibly with UNIX. Thus, UNIX programs will compile directly and UNIX documentation is almost totally applicable. Morrow CP/M® has been configured to run under M/OS and communicate with both CP/M and UNIX standard media for maximum portability. Languages available include BASIC, COBOL, FORTRAN, RATFOR, Pascal and C. That means Decision I offers you a software base unmatched in its price/performance arena.

The OEM machine. A basic multi-user system at \$5,225 includes the Decision I, 4 Mhz Z80A-based CPU, sophisticated

memory




IBM 360 and 370 are trademarks of IBM Corp. Wunderbuss is a registered trademark of Morrow Designs Decision I and M/OS are trademarks of Morrow Designs UNIX is a trademark of Bell Laboratories, Inc. CP/M is a trademark of Digital Research Corp.



a multi-user Microcomputer.





Pascal-2

The Time Machine

The First Dimension: Performance

Pascal-2 performs.

Pascal-2 programs run as fast as FORTRAN IV-PLUS programs—or faster. (FORTRAN IV-PLUS is Digital's fastest PDP-11 high-level language.) Pascal-2 code is as small as code generated by any Digital PDP-11 compiler or interpreter—or smaller. And Pascal-2 typically compiles at 1000 lines per minute.

The Second Dimension: Structure and Portability

As a programmer, you can write in a language close to your thoughts. With Pascal's structured methods, you can do the job right the first time. It's easier to design in Pascal than it is to debug in FORTRAN, assembler, BASIC, or COBOL.

As a software manager, you will see the value of Pascal in improved communication among team members: they can understand one another's code. Pascal's portability will protect your software investment: your programs will outlive your current hardware.

The Third Dimension: Tools, Tools, Tools

The compiler precisely reports typographic or syntactic errors. The interactive, source-level debugger helps detect deep-rooted logical errors. The profiler helps identify code that can be rewritten to speed program execution. Also included are formatters, index generators, and documentation aids—a total of 70,000 lines of Pascal code.

Our 2,000 customers use Pascal for such diverse applications as general ledger and payroll, integrated circuit design graphics, word processing, typesetting, and off-track betting; for trimming integrated circuits, monitoring particle accelerators, real-time ballistics modeling, and controlling saws in a lumber mill.

The Fourth Dimension: Our Past and Future

The core of our technical group has been together more than a decade. Our Pascal-1 compiler entered commercial use in 1975. Before releasing our PDP-11 product, we delivered Pascal-2 under contract to two major computer manufacturers for three different processors. Now we're moving Pascal-2 to Motorola's MC68000, to Digital's VAX-11, and to the UNIX operating system. We're committed to Pascal for the long term.

Call or write. We'll send benchmark details, a product description, and a free copy of the Pascal-2 manual (specify RSX, RT-11, RSTS/E).

PDP, VAX, RSX, RSTS/E, RT-11, and FORTRAN IV-PLUS are trademarks of Digital Equipment Corporation. MC68000 is a trademark of Motorola Inc. UNIX is a trademark of Bell Laboratories.

Pascal-2: The Dimensions of Performance

Ask for a free 18" x 24" poster of this photograph.

Network Computer Services 6 Cunningham Street Sydney 2000, Australia Telephone: 211-2322 TLX: 25523

Valley Software, Inc. 6400 Roberts Street, #390 Burnaby, BC Canada V5G 4G2 Telephone: 604-291-0651 Hourds Computing, Ltd. 7-8 Mill Street Stafford ST16 2AJ, England Telephone: 0785-44221 TLX: 36540

Real Time Products 1 Paul Street London EC2A 4JJ, England Telephone: 01-588-0667 TLX: 884971 Rikei Corporation 1-26-2 Nishi Shinjuku 4316 Shinjuku-ku Tokyo 160, Japan TLX: 24208

AC Copy Kurbrunnenstrasse 30 D-5100 Aachen W. Germany Telephone: 0241-506096 TLX: 832368 Periphere Computer Systems GmbH Pfalzer-Wald-Strasse 36

D-8000 Munchen 90 W. Germany Telephone: 089/681021 TLX: 523271

Oregon Software

2340 S.W. Canyon Road Portland, Oregon 97201 (503) 226-7760 TWX: 910-464-4779

MEWI

CTA 16K Apple RAM Expansion Board

The Model AXP-16K Expansion Board provides a 48K Apple II with an additional 16K of memory. The board is compatible with the Language Card and related software. The extra memory is obtained by disabling the Apple ROM and using its address space for RAM. Model AXP-16K comes with an operating manual.

Software Compatibility

Integer Basic, Applesoft II, Fortran, Pascal, Lisa version 2.0, Microsoft Z80 Softcard, Others.

Special Low Introductory Price

17995

HURRY!



GTC-101 Terminals

We still have a few of these powerful, reliable standard data terminals. Order Today! Limited Quantities.

Reg. \$999.00 Clearance Price Only \$795

CTA COMPUTER TECHNOLOGY ASSOCIATES

118 Castellano El Paso, Texas 79912 (915) 581-3500

Visa/MasterCard/Diner's Club Accepted.

TO ORDER: Send us your check, money order or credit card number and exp. date. Personal or company checks require two weeks to clear. Credit card users can call with card information.

SHIPPING: We ship terminals PREPAID by motor freight. Air and express delivery are available on all products.

There is no handling charge.

*Apple II is a registered trademark of Apple Computer Inc.

DEALER INQUIRIES WELCOME

Listing 10: Subroutines for 16-bit right-shift operation.

```
SHIFT X-REGISTER RIGHT ONE BIT.
SHRTX
         FXG
                  X. D
         LSRA
         RORB
         EXG
                  D, X
         RTS
         SHIFT Y-REGISTER RIGHT ONE RIT
SHRTY
         EXG
                  Y, D
         LSRA
         RORB
         EXG
                  D, Y
         RTS
               U-REGISTER RIGHT ONE BIT.
SHRTU
         FXG
                  U, D
         LSRA
         RORB
         EXG
                  D. U
```

Listing 11: Assembly-language macro to shift a 16-bit register value one bit to the right.

```
* Shift a 16-bit register right one bit.

* SHRT MACR
EXG \0,D
LSRA
RORB
EXG D,\0
ENDM
```

Text continued from page 198:

there has been no expansion yet, because the subroutine call still refers to the subroutine by a single name (ie: its starting location).

During execution, the computer will step through the program, performing each instruction in turn. When it comes to the machine code for LBSR SHRTX, control will transfer to the beginning of the SHRTX subroutine, and the computer will perform the instructions that define SHRTX. At the end of the subroutine, execution will return to the instructions following the subroutine call.

This explanation will seem like old hat to anyone who has written a subroutine, but the details are necessary in order to show that the subroutine has been expanded at execution time. Only when the subroutine call is executed does the call, in effect, expand into the operations that define it.

With the subroutine case firmly in mind, you may have already guessed how macros are expanded at translation time. Listing 11 shows the shift-right operation written as a macro for the MC6809. In this case, one macro suffices to provide the shift-right operation for all three registers.

The \0 in listing 11 represents a macro parameter that is replaced with a register name when the macro is expanded. The \ 0 refers to the first parameter in the macro call line; wherever the \0 appears in the macro, the first parameter will be substituted in its place. (The substitution is purely a text manipulation. The characters that make up the first parameter in the macro call are substituted for the \ 0 characters in the macro body.) A macro call is written by simply placing the macro name as an assembly operation with the parameters in the operand field of the same line. Listing 12 shows examples of calls to the SHRT macro and the actual instructions generated by the macro expansion.

The instructions that define the macro are inserted into the program wherever there is a macro call. Admittedly they take up more memory than a single branch-to-subroutine instruction, but that property is far less important than the power you gain by being able to substitute specific values for the macro parameters during translation. In this case, we have defined a similar operation on three

T/Maker II:™ it does a number on VisiCala!

VisiCalc is a fine aid for the computation of numerical problems. But it does have two major limitations: it is available only for a small number of systems, and its use is limited strictly to numbers, not words. To overcome these substantial limitations, Lifeboat Associates introduces T/Maker II.

Unlike VisiCalc, T/Maker II is designed to run on most small business computers with CP/M® or similar operating systems and a video terminal with cursor addressing capabilities. And soon there will be T/Maker II versions available for UNIX,™ RT-ll™ and other systems.

Works with words as well as numbers. Like VisiCalc, T/Maker II reduces the manual tasks involved in computing and calculating financial documents. But since most business problems and reports involve words as well as numbers, T/Maker II also functions as a full-screen text editor for word processing.

T/Maker II is the most advanced aid for the analysis and presentation of numerical data and text material. In a matter of minutes, an entire document—including all edited text, all figures and all calculations—can be created, reviewed on your screen and reported in printed form.

T/Maker II turns your small business computer into a powerful, sophisticated and convenient tool. A tool that will save you money, time and energy, and eliminate the need for costly time-sharing.

With T/Maker II you can easily perform an unlimited number of analytical and reporting tasks which integrate numerical and text processing. You'll find T/Maker II perfect for such things as:

• Price Lists

· Cash Flow Projections

Bate Structures

Expense Accounts

Checking Account

Reconciliations

- Financial Statements
- Statistics
- Profitability Reports
- Revenue and Expense Analyses
- Portfolio Evaluations


...and much, much more.

rows and columns, define the relationships and T/Maker II will do the rest: it will perform the computations and formatting necessary to prepare your document. When you're finished you can analyze your report on your screen or store it on a diskette. Or, you can have the report printed with presentation quality.

And when any changes have to be made, simply enter the new figure or relationship and tell T/Maker II to adjust and recalculate all the new results.

Editing capabilities. As a full-screen editor for word processing, T/Maker II handles text up to 255 characters wide. It includes features like text formatting and justification, centered titles, a text buffer for block moves and repeated inserts, global search and replace commands for printing your letters, reports and documents. Wide documents are supported by horizontal scrolling.

Low cost. The cost of T/Maker II is only \$275 plus shipping and handling. Dollars well spent once you consider all the time, energy and money it can save. T/Maker II is brought to you exclusively and supported completely by Lifeboat Associates, world's largest computer software publisher. For more information send us the coupon below.



mer to operate T/Maker II. Just follow T/Maker II's easily

Easy to learn and use. You don't have to be a programunderstood and ordered instructions, set up your data in

As an example of what T/Maker II can do, see the chart below. The operator entered only the data shown in boldface. T/Maker II calculated and reported all the other values.

	1978	— Actual — 1979	1980	Growth Rate	Average	Total (000's)	1981	Projected 1982 *	1985
Item A Item B Total	42,323 45,671 87,994	51,891 46,128 98,019	65,123 49,088 114,211	24.04 3.67 13.93	53,112 46,962 100,075	159.34 140.89 300.22	80,782 50,891 131,673	100,206 52,761 152,966	191,262 58,791 250,053
% Item % Item Total	48.10 51.90 100.00	52.94 47.06 100.00	57.02 42.98 100.00	8.88 -9.00 - —	52.69 47.31 100.00	158.1 141.9 300.0	61.35 38.65 100.00 *Two inter	65.51 34.49 100.00 rvening years n	76.49 23.51 100.00

LIFEBOAT WORLDWIDE offers you the world's largest library of software. Contact your nearest dealer or Lifeboat:

Lifeboat Associates 1651 Third Ave. New York, N.Y. 10028 Tel: (212) 860-0300

Lifeboat Inc. OK Bldg., 5F 1-2-8, Shiba-Daimon Minato-ku, Tokyo 105, Japan Tel: 03-437-3901 Telex: 2423296 (LBJTYO)

Lifeboat Associates, Ltd. PO Box 125 London WC2H 9LU, England Tel: 01-836-9028 Telex: 893709 (LBSOFTG)

Lifeboat Associates, GmbH Hinterbork Associates, GMb Hinterbergstrasse Postfach 251 6330 Cham, Switzerland Tel: 042/36 8686 Telex: 865265 (MICO CH)

are source

Intersoft GmbH Schlossgartenweg 5 D-8045 Ismaning, W. Germany Tel: 089-966-444 Telex: 5213643 (ISOFD) Lifeboat Associates, SARL 10, Grande Rue Charles de Gaulle 92600 Asnieres, France Tel: 1-733-08-04 Telex: 250303 (PUBLIC X PARIS)

Copyright © 1981, by Lifeboat Associates

Circle 220 on inquiry card.

World's foremost

205

BYTE December 1981

Listing 12: Expansion of macroinstructions.

<u>Call</u>		Expans	ion
LDX SHRT STX	CAT X CAT	LDX EXG LSRA RORB	CAT X, D
		EXG STX	D, X CAT
LDY SHRT STY	DOG Y DOG	LDY EXG LSRA RORB	DOG Y, D
		EXG STY	D, Y

Listing 13: Format for Motorola MC6809 macroassembler directives.

1) Conditional assembly based on character string comparison.

<character string>, <character string> (Statements generated if character strings are the same, else skip to ENDC.)

ENDC

2) Conditional assembly based on comparison of a numeric expression with zero.

IFEQ <numeric expression> (Statements generated if expression is equal to zero, else skip to ENDC.) ENDC

3) Assign a new value to a label.

<label> SET <value>

different registers by writing only one macro-one-third as much programming as was required by the subroutine approach.

In addition to parameter substitution, many macroassemblers provide the ability to perform conditional assembly (similar to branching around instructions with a conditional branch instruction, except that conditional assembly occurs during translation of the program). A test is made at translation time, and two different sequences of instructions are produced, depending on the outcome of the test.

Assemblers also use labels to associate a name with a particular value. Labels are usually used to assign a written name to a particular memory location. In a more general sense, though, they can also be used as translation-time variables for storing numeric values. Listing 13 shows the capabilities of the Motorola MC6809 macroassembler used in the structured macros.

Implementation Details

Listing 14 shows the macro defini-

tions that add structured statements to the 6809 assembly language. The first seven macros, PUSH, POP, BACK1, RELOP, RELTST, RELCC, and REGTST, provide primitive operations that are used by the structured macros.

PUSH, POP, and BACK1 implement a translation-time stack, which is needed if the structures are to be nested one inside another. Two parallel stacks, each ten levels deep, are set up using the labels S1 through S10 and L1 through L10. The symbols S1 through S10 store the locations of branch instructions that are generated by the structures. For each branch instruction, the corresponding L1 through L10 symbol will store a value of 1 or 0, 1 indicating a long branch and 0 indicating a short branch.

The label STKTOP contains a value from 0 to 10 that indicates which pair of S and L labels is at the top of the stack. The PUSH macro puts a pair of values on the top of the stack by incrementing the value of STKTOP. It then stores the values to be pushed into the labels that STKTOP references.

Anadex Printer Distributors

NORTHWEST (Oregon, Washington, W. Idaho) Sigma Distributing Bellevue, WA (206) 454-6307

NORTHERN CALIFORNIA Basic Electronic Distributors

Santa Clara, CA (408) 727-1800 **Terminal Rentals** San Jose, CA (408) 292-9915 **Byte Industries** Hayward, CA (415) 783-8272 Computerland San Leandro, CA (415) 895-9363

SOUTHERN CALIFORNIA

Basic Electronic Distributors Inglewood, CA (213) 673-4300; San Diego, CA (714) 268-8000 **Terminal Rentals** Tustin, CA (714) 832-2414

SOUTHWEST

(Texas, Oklahoma, Arkansas, W. Louisiana)

Barnhill Associates, Inc. Richardson, TX (214) 231-2573; Houston, TX (713) 688-9971; Austin, TX (512) 451-0217

ROCKY MOUNTAIN STATES (Colorado, Wyoming, Montana, Utah, E. Idaho, Arizona, New Mexico)

Barnhill Associates, Inc. Englewood, CO (303) 779-3600; Scottsdale, AZ (602) 947-7841; Albuquerque, NM (505) 299-7658; Murray, UT (801) 262-3000

MIDWEST (Illinois, Missouri, Kansas, Nebraska, N. Dakota, S. Dakota, Minnesota, Indiana, W. Kentucky, Iowa, Wisconsin)

Tek-Aids, Inc.

Arlington Heights, IL (312) 870-7400

Comtel Corporation

Chicago, IL (312) 539-4838; St. Louis, MO (314) 428-5508; Shawnee Mission, KS (913) 722-1030; Minneapolis, MN (612) 835-3060; Indianapolis, IN (317) 253-1681; Cedar Rapids, IA (319) 377-9434; Brookfield, WI (414) 786-1940

NORTHEAST (Connecticut, Vermont, Massachusetts, Maine, Rhode Island, New Hampshire)

Pat Jenks Associates North Haven, CT (203) 239-6201; Woburn, MA (617) 938-0488

Microamerica Distributors Needham, MA (617) 449-4310

NEW YORK METROPOLITAN AREA

Logon, Inc. Fort Lee, NJ (201) 224-6911 / (212) 594-8202

MID-ATLANTIC STATES (Maryland, Washington, DC, Virginia, W. Virginia, E. Pennsylvania, S. New Jersey)

Micro Distributors, Inc. Rockville, MD (301) 468-6450 Plymouth Meeting, PA (215) 265-1600

SOUTHEAST STATES (Louisiana, Florida, Alabama, Mississippi, Georgia, N. Carolina, S. Carolina) Currie, Peak & Frazier, Inc.


Huntsville, AL (205) 536-1506; Orlando, FLA (305) 855-0843; Greensboro, NC (919) 273-3040

CANADA Nelma Electronics Ltd. Mississauga, Ont. (416) 624-0334



The important plus in matrix printers:

grafixPLUS."



Since their introduction in mid-1980, the Anadex high-resolution DP-9500 Series matrix printers have set new standards for printer quality and performance. All models feature the rugged Anadex 9-wire print head that combines long life with resolutions of 72 dots/inch vertical and up to 75 dots/inch horizontal. With this kind of resolution, fineline graphics (under data source control) and razor sharp characters are pluses built into every printer.

Performance Plus

The full standard ASCII 96 character set, with descenders and underlining of all upper and lower case letters, is printed bi-directionally, with up to 5 crisp copies, at speeds up to 200 CPS. Models DP-9500 and DP-9501 offer 132/158/176 and 132/165/198/220 columns respectively. Print densities are switch- or data-source selectable from 10 to 16.7 characters/inch. All characters can be printed double-width under communications command.

Interface Plus

Standard in all models are the three ASCII compatible interfaces (Parallel, RS-232-C, and Current Loop). Also standard is a sophisticated communications interface to control Vertical Spacing, Form Length and Width, Skip-Over Perforation, Auto Line Feed, X-On/Off, and full point-to-point communications.

Features Plus

As standard, each model features forms width adjustment from 1.75 to 15.6 inches, shortest-distance sensing, full self-test, 700 character FIFO buffer (with an additional 2048 characters, optional), and a quick-change, 6 million character life ribbon.

Quality Plus

Beyond the built-in performance of the grafixPLUS series printers, the engineered-in quality and support are equally important. The result? Approval of both UL and FCC, Class A; operating noise levels under 65dbA; and a nationwide service organization second to none.

To see for yourself why the grafixPLUS printers offer more pluses for your printing dollar, contact us today.



U.S.A. for the World

ANADEX, INC. • 9825 DeSoto Avenue • Chatsworth, California 91311, U.S.A. • Telephone: (213) 998-8010 • TWX 910-494-2761 U.S. SALES OFFICES, San Jose, CA (408) 247-3933 • Irvine, CA (714) 557-0457 • Wakefield, MA (617) 245-9160 • Austin, TX (512) 327-5250 ANADEX, LID. • Weaver House, Station Road • Hook, Basingstoke, Hants RG27 9JY, England • Tel: Hook (025672) 3401 • Telex: 858762 ANADEX G

Listing 14: Structured macro definitions.

```
*****************
        STRUCTURED MACROS FOR ASSEMBLY LANGUAGE PROGRAMMING THE MC6809
        COPYRIGHT (C) 1980 BY GREGORY WALKER FOR MOTOROLA, INC.
EXBUG EQU $F000
                        DEFAULT 16-BIT ADDRESS
STKTOP SET G
                        STACK INITIALLY EMPTY
ISLONG SET O
                        BRANCHES DEFAULT TO SHORT OFFSET
****************
        PUSH --
                THIS MACRO SIMULATES A 10-LEVEL STACK USING TEN SYMBOLS
        WHOSE VALUES ARE REDEFINED TO BE THE VALUES ON THE STACK. THE SYMBOL "STKTOP" CONTAINS A NUMBER FROM O TO 10 WHICH INDICATES THE SYMBOL (S1 TO S10) THAT CONTAINS THE VALUE ON THE TOP OF THE
        STACK. A VALUE OF ZERO FOR STKTOP INDICATES THAT THE STACK IS
        EMPTY.
PUSH MACR
STKTOP SET STKTOP+1
 IFEQ STKTOP-1
S1 SET \0
L1 SET ISLONG
 ENDC
 IFEQ
        STKTOP-2
S2 SET
          10
L2 SET ISLONG
 ENDC
 IFEQ
       STKTOP-3
S3 SET \0
L3 SET ISLONG
 ENDC
 IFEQ STKTOP-4
S4 SET \0
L4 SET ISLONG
 ENDC
 IFEQ STKTOP-5
S5 SET \0
L5 SET ISLONG
 ENDC
 IFEQ STKTOP-6
S6 SET \0
L6 SET ISLONG
 ENDC
 IFEQ STKTOP-7
S7 SET \0
L7 SET ISLONG
 ENDC
 IFEQ STKTOP-8
S8 SET \0
L8 SET ISLONG
 ENDC
 IFEQ STKTOP-9
S9 SET \0
L9 SET ISLONG
 FNDC
 IFEG STKTOP-10
S10 SET \0
L10 SET ISLONG
 ENDC
 IFGT STKTOP-10
 FAIL ** SYMBOL STACK OVERFLOW **
 ENDO
 ENDM
*******
                 THE POP MACRO REMOVES THE TOPMOST ELEMENT FROM THE
        SIMULATED STACK.
POP MACR
                                          IF STACK IS EMPTY, THEN ERROR
 IFLE STKTOP
 FAIL ** SYMBOL STACK UNDERFLOW **
 ENDC
 IFGT STKTOP
                                          IF STACK NOT EMPTY, DECREASE
                                             STACK POINTER BY ONE.
STKTOP SET STKTOP-1
 ENDO
 ENDM
       ****************
        BACK1
                 THIS MACRO SETS THE ASSEMBLER'S LOCATION COUNTER TO
```

The BACK1 macro resolves forward references within a matched pair of structured macros. It uses the value on the top of the stack as the address of an unresolved branch instruction. The L value from the stack is given to the symbol ISLONG to indicate whether the branch to be generated is long or short. In addition, the ORG (origin) statement causes the branch offset to be generated at the proper location. BACK1 does not change the stack.

The three macros RELOP, RELTST, and RELCC process the relational operators for the IF, IFTST, and IFCC macros, respectively. The RELOP macro is also used by the WHILE and UNTIL macros. RELOP, RELTST, and RELCC operate similarly: they generate a conditional branch instruction that corresponds to the particular relational operator used in the macro. If the branch is a backward reference, the branch is made to the value on the top of the stack. If the branch is a forward reference, a dummy branch is generated. The location and size (long or short) of this dummy branch instruction are pushed onto the stack for later resolution.

The REGTST macro is used by all of the structures to test for valid MC6809 registers. As with the other macros, if an error is detected, an error message is printed out using the FAIL directive.

Given the above primitive operations, the structured macros themselves can be written by examining the equivalent machine code that each macro must generate. These structured macros are general in form and should move easily to assemblers for other computers. The primitive operations will have to be redefined, depending on the macro facilities available on a particular assembler, and the calculation of branch offsets must be changed to the use of absolute addresses if the target computer does not provide relative branch instructions.

In summary, only three capabilities such as the following are needed in an assembler to allow the creation of a set of structured macros:

Text continued on page 224

dBASE II

Written in assembly language (no host language required), dBASE can handle up to 65,000 records of 32 fields and 1000 bytes each. Reads existing ASCII files. Can be run interactively or can be programmed to produce reports. List Price: \$700.00

Microhouse Price: \$628.00/\$50.00

WORDSTAR"

New version 3.0 features horizontal scrolling and column moves.

List Price: \$495.00 Microhouse Price: \$319.00/\$40.00

SPELLSTAR"

New option for WordStar. Compares words in your text to its 20,000 word compressed dictionary. Then returns to WordStar for correction of errors. Expandable dictionary. Requires WordStar Version 3.0 (If you have another version, call for details on updates.) List Price: \$250.00

Microhouse Price: \$165.00 SPELLSTAR" for APPLE

List Price: \$170.00

Microhouse Price: \$145.00/\$25.00

Option for WordStar. (Requires current version of WordStar. Callfor details) List Price: \$150.00

Microhouse Price: \$105.00/\$25.00

WORDSTAR TRAINING MANUAL

Provides sixteen sequential lessons on the operation of WordStar" and options. List Price: \$20.00

Microhouse Price: \$18.00

SUPERSORT"I

List Price: \$250.00 Microhouse Price: \$170.00/\$40.00

DATASTAR" List Price: \$350.00

Microhouse Price: \$245.00/\$40.00 WORDSTAR "CUSTOMIZATION

Package includes diskette and manual. Specify

disk format List Price: \$150.00

Microhouse Price: \$95.00

WORDSTAR™ for Apple. List Price: \$375.00

Microhouse Price: \$245.00/\$40.00

SUPERSORT™ for APPLE List Price: \$200.00

Microhouse Price: \$130.00/\$40.00

APPLESOFT® COMPILER List Price: \$200.00

Microhouse Price: \$167.50

MAILMERGE" for APPLE

List Price: \$125.00 Microhouse Price: \$85.00/\$25.00

TCS/Atlanta

INTERACTIVE ACCOUNTING SYSTEM for small businesses. Ver. 5.0. Each package can be used alone or post automatically to the General Ledger. Price listed is per package. General Ledger, Accounts Receivable, Accounts Payable, and Payroll packages available. Call for details on new Order Entry & Inventory packages. ALSO AVAILABLE FOR APPLE II. Requires Basic 80 vers. 5.x

List Price: \$530.00

Microhouse Price: \$75.00/\$25.00

ALL FOUR TCS PACKAGES (compiled) Each module \$79.

List Price: \$530.00

Microhouse Price: \$269.00/\$90.00

TELEVIDEO 950

List Price: \$1195.00 Microhouse Price: \$975.00

TELEVIDEO 910 TERMINAL

List Price: \$699.00

Microhouse Price: \$595.00

ANADEX DP9000 List Price: \$1343.75

Microhouse Price: \$1330.00

ANADEX DP9001 List Price: \$1343.75

Microhouse Price: \$1330.00

ANADEX DP9500

List Price: \$1650.00 Microhouse Price: \$1350.00

ANADEX DP9501

List Price: \$1650.00 Microhouse Price: \$1350.00

NEC PC-8023A

Bidirectional logic-seeking dot matrix printer. 100 characters per second. 7x9 matrix for English characters, 8x8 matrix for graphics and dot graphics. Fixed or proportional spacing. Descenders on lower case letters. Parallel only.

List Price: \$795.00 Microhouse Price: \$695.00

C ITOH STARWRITER I

Letter-quality printer uses Diablo plastic printwheels and ribbons. 25 cps bidirectional, logic-seeking, Parallel interface.

List Price: \$1895.00

Microhouse Price: \$1431.00 C ITOH STARWRITER I

Serial Version List Price: \$1960.00

Microhouse Price: \$1502.00

DIABLO 630

Letter-quality printer uses plastic and metal printwheels. 40 cps, bidirectional, logic-seeking. Optional tractor: \$225.

List Price: \$2810.00

Microhouse Price: \$2099.00

MORROW DISCUS 2D

8 inch single-sided double-density floppy disk drive subsystem.Includes CP/M® and MBASIC. List Price: \$1095.00

Microhouse Price: \$925.00

MORROW HARD DISK SUBSYSTEM

10 Megabyte. Includes S-100 controller card, CP/M®, and enclosure:

List Price: \$3695.00

Microhouse Price: \$3059.00

SCITRONICS REALTIME CLOCK

For Apple II. Crystal controlled (.002% accuracy) with lithium battery on board to guard against

power interruption. List Price: \$109.00

Microhouse Price: \$98.10

NOVATION AUTO CAT MODEM

List Price: \$249.00

Microhouse Price: \$222.00 **NOVATION D CAT MODEM**

List Price: \$199.00

Microhouse Price: \$162.00

MICROSOFT APPLE SOFTCARD

Regular Microhouse price \$305.00 Save when purchased with MicroPro's WordStar for Apple or TCS/Atlanta Accounting System. Includes CPM® and MBASIC.

List Price: \$349.00

Microhouse Price: \$290.00

Software & Manual/Manual Only

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

CP/M is a registered trademark of Digital Research APPLE are registered trademarks of Apple Computers

WORDSTAR, DATASTAR, MAILMERGE SPELLSTAR, and SUPERSORT are registered trademarks of MicroPro International.

SHIPPING: Add \$5 per manual or software package. Add \$2.50 for COD orders. Call for shipping charges on other items. Pennsylvania residents add 6 per cent sales tax.





P.O. Box 498 Bethlehem, PA 18016 (215) 868-8219






Microhouse

Circle 257 on inquiry card.

Bigsale



New IAWS-IB The Ultrabyte Memory Board

Due to the tremendous success of our JAWS I, we were able to make a special purchase of first-quality components at below-cost prices for JAWS-IB. And we are sharing our cost saving with you. But don't be surprised if the next time you see this ad the prices have gone up substantially. Better yet, order now, and get the best memory on the market at the best price on the market.

ONE CHIP DOES IT ALL

Jaws-IB is the Rolls-Royce of all the S100 dynamic boards. Its heart is Intel's single chip 64K dynamic RAM controller. Eliminates high-current logic parts . . delay lines . . . massive heat sinks . . . unreliable trick circuits. JAWS-IB solves all these problems.

LOOK WHAT JAWS-IB OFFERS YOU

Hidden refresh . . fast performance . . low power consumption . . . latched data outputs . . . 200 NS 4116 RAM's . . . on-board crystal . . . RAM Jumper selectable on 8K boundaries . . fully socketed . . . solder mask on both sides of board . . . phantom line . . designed for 8080, 8085, and Z80 bus signals . . . works in Explorer, Sol, Horizon, as well as all other well-designed S100 computers.



10-DAY MONEY-BACK TRIAL: Try a fully wired and tested board for 10 days — then either keep it, return it for kit, or simply return it in working condition.



------Continental U.S.A. Credit Card Buyers Outside Connecticut:

TO ORDER CALL TOLL FREE 800-243-7428 From Connecticut Or For Assistance: (203) 354-9375

Please send the items checked below:

JAWS-	·IB		d	t	:																								
□ 16K																													\$149.95*
32K																													\$199 95*
□ 48K																													\$249.95*
□ 64K																													\$299.95*
JAWS-	IR	1	F,		11	¥.,	1	١.	24	26	~	h	1	0	н		.,	J	:.	9	d	l.	Q.	•	r	26		H	:
□ 16K					•••	<i>y</i>									u	,	•	٠.											\$179.95*
☐ 32K.																													\$239.95*
□ 48K.																													\$299.95*

□ 64K.....\$359.95* □ EXPANSION KIT, 16K RAM Module, to expand |AWS-IB in 16K blocks up to 64K. \$59.95

All prices plus \$2 postage and insurance (\$4.00 Canada).

Connecticut residents add sales tax.

lotal enclosed: \$	
Personal Check	☐ Money Order or Cashier's Check
VISA DI	Aaster Card (Bank No.

Acct. No.	Exp. Date
Signature	

Address

City Zip

NETKUNICS R&D Ltd.
333 Litchfield Road, New Milford, CT 06776 NETRONICS R&D Ltd.

```
Listing 14 continued:
          THE VALUE ON THE TOP OF THE STACK. A FORWARD REFERENCE IS
          THE VALUE ON THE TOP OF THE STACK. A FURWARD REFERENCE IS RESOLVED BY FILLING IN THE BRANCH OFFSET AT THE STACKED LOCATION. THE SYMBOL "BACKLNG" IS SET TO INDICATE WHETHER A LONG OR SHORT OFFSET IS TO BE GENERATED.

THE CONTENTS OF THE STACK ARE NOT CHANGED BY THIS
*
*
*
          MACRO.
BACK1 MACR
 IFEQ STKTOP-1
 ORG S1
BCKLNG SET L1
 ENDC
 IFEG STKTOP-2
 ORG S2
BCKLNG SET L2
 ENDC
 IFEG STKTOP-3
 ORG S3
BCKLNG SET L3
 ENDC
  IFEG STKTOP-4
 ORG S4
BCKLNG SET L4
 ENDC
 IFEQ STKTOP-5
 ORG S5
BCKLNG SET L5
 ENDC
 IFEG STKTOP-6
 ORG S6
BCKLNG SET L6
 ENDC
 IFEQ STKTOP-7
 DRG S7
BCKLNG SET L7
 ENDC
 IFEQ STKTOP-8
 ORG S8
BCKLNG SET LB
 ENDC
 IFEQ STKTOP-9
 ORG 59
BCKLNG SET L9
 ENDC
 IFEQ STKTOP-10
 ORG 510
BCKLNG SET S10
 ENDC
 IFLE STKTOP
 FAIL ** REFERENCE WAS MADE TO EMPTY SYMBOL STACK **
 FNDC
 IFGT STKTOP-7
 FAIL ** STACK TOP POINTER EXCEEDS STACK **
 FNDC
 ENDM
***********
          RELOP --
          ZERO, ELSE A LONG BRANCH IS GENERATED.
```

```
THIS MACRO CREATES A RELATIVE BRANCH INSTRUCTION
FOR THE 'IF', 'WHILE', AND 'UNTIL' MACROS BASED ON THE
RELATIONAL OPERATOR PASSED TO IT AS ITS FIRST ARGUMENT.
THE SYMBOL "ISLONG" DETERMINES WHETHER A LONG OR SHORT BRANCH
IS GENERATED. A SHORT BRANCH IS GENERATED IF "ISLONG" EQUALS
RELOP MACR
```

```
IFEQ ISLONG
 BNE *
 ENDC
 IFEQ ISLONG-1
 LBNE EXBUG
 ENDC
 ENDC
 IFC \O, NE
 IFEQ ISLONG
 BEO #
 ENDC
  IFEG ISLONG-1
 LBEG EXBUG
 ENDC
ENDC
IFC \O, LE
 IFEQ ISLONG
 BGT *
 ENDC
 IFEQ ISLONG-1
```

LBGT EXBUG

ENDC

IFC \O, EQ

Please call (213) 706-0333.

Our Epson prices are so low, we're not allowed to print them.

EPSON MX-80\$CALL

80 cps/9x9 matrix/Lower case with true descenders/Bi-directional & Logic seeking/Adjustable tractor/Expanded printing/Block graphics/Forms control/Compressed printing/Double-strike printing/Correspondence quality/Emphasized printing mode/Standard parallel interface

EPSON MX-80 F/T\$CALL

Same features as the MX-80 plus Friction Feed. Adjustable removable tractor is standard for ease of handling forms and single sheets.

EPSON MX-100 F/T\$CALL

Same features as the MX-80 & MX-80 F/T but on 15½ inch carriage for printing 132 columns with standard 10 cpi font or 232 columns in the compressed character font. The MX-100 is complete with Dot Resolution Graphics

EPSON INTERFACES & OPTIONS

TRS-80 MODEL I, III CABLE\$	30	SERIAL INTERFACE (2K BUFFER)\$	149
TRS-80 MODEL I Keyboard Interface \$	95	SERIAL CABLE Male to Male\$	30
TRS-80 MODEL II CABLE\$	30	DOT RESOLUTION GRAPHICS\$	90
APPLE INTERFACE & CABLE\$	100	REPLACEMENT RIBBON\$	10
IEEE 488 INTERFACE\$	60	REPLACEMENT PRINT HEAD (Quiet type) .\$	40
SERIAL INTERFACE\$	70	EPSON SERVICE MANUAL \$	40

Alpha Byte a STORES

We built a reputation on our prices and your satisfaction.

We guarantee everything we sell for 30 days. If anything is wrong, just return the item and we'll make it right. And, of course, we'll pay the shipping charges.

We accept Visa and Master Card on all orders. COD accepted up to \$300.00.

Please add \$2.00 for standard UPS shipping and handling on orders under 50 pounds, delivered in the continental U.S. Call us for shipping charges on items that weigh more than 50 pounds. Foreign, FPO and APO orders please add 15% for shipping. California residents add 6% sales tax.

31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CALIFORNIA 91362

Circle 15 on inquiry card.



for \$100, Elf II, Apple TRS-80, Level II*

From \$99.95 kit

Now — teach your computer to talk, increasing interaction between you and your machine.

That's right: the ELECTRIC MOUTH actually lets your computer talk! Installed and on-line in just minutes. It's ready for spoken-language use in office, business, industrial and commercial applications, and in games, special projects, R&D, education, security devices—there's no end to the ELECTRIC MOUTH's usefulness. Look at these features:

Supplied with 143 letters/words/phonemes/numbers, capable of producing hundreds of words and phrases.

Expandable on-board up to thousands of words and phrases with additional speech ROM (see new speech ROM described below).

Four models, that plug directly into \$100. Apple. Elf II and TRS-80 Level II computers.

computers.

Get ELECTRIC MOUTH to talk with either Basic or machine language (very easy to use. complete instructions with examples included).

Uses National Semiconductor's "Digitalker."

Includes on-board audio amplifier and speaker, with provisions for external

Installs in just minutes.

Principle of Operation: The ELECTRIC MOUTH stores the digital equivalents of words in ROMs. When words, phrases and phonemes are desired, they simply are called for by your program and then synthesized into speech. The ELECTRIC MOUTH system requires none of your valuable memory space except for a few addresses if used in memory mapped mode. In most cases, output

orts (us	er selectable	e) are used.							
	SPO	KEN MATERIA	AL INCI	UDED	(Vox I)				
one	eighteen	at '	dollar	inches	number	SS	C	1	
two	nineteen	cancel	down	is	of	second	d	u	
three	twenty	case	equal	it	off	set	e	v	
four	thirty	cent	error	kilo	on	space	f	w	
five	forty	400hertz tone	feet	left	out	speed	8	x	
six	fifty	80hertz tone	flow	less	over	star	ĥ	V	
seven	sixty	20ms silence	fuel	lesser	parenthesis	start	i	z	
eight	seventy	40ms silence	gallon	limit	percent	stop	i		
nine	eighty	80ms silence	80	low	please	than	k		

seven	sixty	20ms silence	fuel	lesser	parenthesis	start	i	z
eight	seventy	40ms silence	gallon	limit	percent	stop	1	
nine	eighty	80ms silence	go	low	please	than	k	
ten	ninety	160ms silence	gram	lower	plus	the	1	
eleven	hundred	320ms silence	great	mark	point	time	m	
twelve	thousand	centi	greater	meter	pound	try	n	
thirteen	million	check	have	mile	pulses	up	0	
fourteen	zero	comma	high	milli	rate	volt	p	
fifteen	again	control	higher	minus	re	weight	a	
sixteen	ampere	danger	hour	minute	ready	9	r	
seventeen	and	degree	in	near	right	b	S	

ADDITIONAL VOCABULARY NOW AVAILABLE (VOX II)

abort	complete	fifth	light	put	station
add	continue	fire	load	quarter	switch
adjust	copy	first	lock	range	system
alarm	correct	floor	longer	reached	temperature
alert	crease	fourth	more	receive	test
all	"de"	forward	move	record	"th"
ask	deposit	from	next	reverse	thank
assistance	dial	gas	no	red	third
attention	door	get	normal	repair	this
blue	east	going	north	repeat	turn
brake	"ed"	green	not	replace	under
button	emergency	hale	notice	room	use
buy	enter	heat	open	safe	waiting
call	entry	hello	operator	second	warning
called	"er"	help	or	secure	was
caution	"eth"	hurts	pass	select	water
celsius	evacuate	hold	per	send	west
centigrade	exit	hot	power	service	wind
change	fail	in	press	side	window
circuit	failure	incorrect	pressure	slow	vellow
cigar	fahrenheit	intruder	process	slower	yes
close	fast	key	pull	smoke	zone
cold	faster	level	push	south	2010

*Registered Trademarks

Continental U.S.A. Credit Card Buyers Outside Connecticut TO ORDER

Call Toll Free: 800-243-7428

To Order From Connecticut, or For Technical Assistance, call (203) 354-9375

NETRONICS R&D LTD. 333 Litchfield Road, New Milford, CT 06776

. . . . Dept B12

16	ease send the items checked below:
]	S100 "Electric Mouth" kit w/Vox I
1	Elf II "Electric Mouth" kit w/Vox I \$ 99.95
	Apple "Electric Mouth" kit w/Vox I \$119.95
l	TRS-80 Level II "Electric Mouth" kit w/Vox I \$119.95
]	VOX II (Second Word Set)

Add \$20.00 for wired	tested units instead of ki	its. VOX II postage & insura
\$1.00, all others \$3.00	postage and insurance.	Conn. res. add sales tax.

	stage and insurance. Conn. res. add sales tax.
Personal Check	☐ Cashier's Check/Money Order
□ Visa □ Ma	ster Charge (Bank No
Acct. No.	Exp. Date
Signature Print Name	

```
Listing 14 continued:
```

ENDC

```
IFC \O.IT
 IFEQ ISLONG
 BGE *
 ENDC
 IFEG ISLONG-1
 LBGE EXBUG
 ENDC
ENDC
IFC \O, GF
 IFEQ ISLONG
 BLT *
 ENDC
 IFEQ ISLONG-1
 LBLT EXBUG
 ENDC
ENDC
IFC \O, GT
 IFEQ ISLONG
 BLE *
 ENDC
 IFEQ ISLONG-1
 LBLE EXBUG
 ENDC
ENDC
IFNC \O, EQ
 IFNC \O, NE
  IFNC \O, LT
   IFNC \O, GE
    IFNC \O, GT
    FAIL ** INVALID RELATIONAL OPERATOR -- \0 **
    ENDC
   ENDC
  ENDC
  ENDC
 ENDC
ENDC
ENDM
      **************
```

RELTST --

THE 'RELTST' MACRO TESTS THE VALIDITY OF THE RELATIONAL OPERATOR USED WITH AN 'IFTST' MACRO AND GENERATES THE PROPER RELATIVE BRANCH INSTRUCTION.

RELTST MACR IFC \O, EQ IFEG ISLONG BNE * ENDC IFEQ ISLONG-1 LBNE EXBUG FNDC ENDC IFC \O, NE IFEQ ISLONG BEQ * ENDC IFEG ISLONG-1 LBEQ EXBUG ENDC ENDC IFC \O. GE IFEQ ISLONG

> ENDC IFEQ ISLONG-1 LBLT EXBUG

ENDC ENDC

BLT *

IFC. \O, LT IFEG ISLONG BGE * ENDC

IFEQ ISLONG-1 LBGE EXBUG ENDC ENDC

IFNC \O, EQ IFNC \0, NE IFNC \0, GE IFNC \O, LT FAIL ** \0 IS AN INVALID RELATIONAL OPERATOR FOR 'IFTST' ** ENDC

ENDC ENDC ENDC ENDM

Listing 14 continued on page 214

State _____Zip___

City

MEET THE MTI FAMILY OF LOW COST COMPUTE



- 90 DAY WARRANTY
- LOCAL DEALER SERVICE

CPM/80 x 24 Display \$699.

Groton, CT

- MODEL III COMPATIBILITY
- CPM OPTION
- GREATER DISK STORAGE
- 4 Mhz OPTION

MOD III PLUS/140

We have taken the basic 16K Model III expanded the memory to 48K and added our MTI Double Density, Dual Disk Drive System. System is fully compatible with Radio Shack DOS and peripherals. MOD III/240

Same as the MOD III PLUS/140 but has double storage capacity. and 2 dual headed 40 track drives.

MOD III/280

Has 1.5 megabytes of storage and utilizes 2 dual headed 80 track double density disk drives with DOS plus 3.3.

\$2799.

Jericho, NY

MOD III/WINCHESTER

Our largest business computer system. 5.7 megabytes of storage. Includes a 5 megabyte Winchester hard disk drive and 80 track dual head disk drive used as back up and for con-ventional floppy disk operation.

4 Mhz Speed-up enhancement \$149.

(516) 997-8668

\$1998. \$2449.

(602) 244-9739 (602) 458-2479 (602) 839-0546 Phoenix, AZ. Sierra Vista, AZ.... (602) 323-9391 (714) 773-0240 Anaheim, CA (714) 773-0240 Covina, CA (213) 332-4088 Goleta, CA (805) 967-7628 Huntington Bch., CA (714) 842-1345 Inglewood, CA . . . (213) 673-3295 Lancaster, CA. (805) 942-5747

MTI AUTHORIZED SALES AND SERVICE CENTERS Northridge, CA . . . (213) 886-9200 Port Hueneme, CA . (805) 985-2329 Redondo Bch., CA . (213) 370-5556 San Diego, CA (714) 275-4243 San Jose, CA. . . . (408) 946-1265 Santa Cruz, CA . . . (408) 427-0836 Vallejo, CA . . . (707) 694-7550 Walnut, CA . . . (714) 594-8311

Hollywood, FL . . . (305) 981-1011

(203) 445-5166

Norcross, GA Blackfoot, ID (404) 449-8982 (208) 785-1497 (618) 345-5068 Collinsville, IL (318) 865-7583 (612) 427-5783 Shreveport, LA ... Anoka, MN..... Joplin, MO (417) 781-1748 Missoula, MT (406) 549-9715 (919) 755-1175 (701) 772-7848

Manhasset, NY ... (516) 869-8335 Troy, NY ... (518) 273-8411 Maumee, OH ... (419) 893-4288 Dallas, TX ... (214) 247-6679 Cheyenne, WY ... (307) 632-9132 Mexicali, BC ... (714) 357-4717 Mexicali, BC ... (714 OVERSEAS

MICROCOMPUTER TECHNOLOGY INC. 3304 W. MACARTHUR, SANTA ANA, CA 92704 (714) 979-9923 • TELEX 6780401 TABIRIN

Call or write for free brochure: U.S. PRICES, F.O.B. SANTA ANA CALIFORNIA AND MAY VARY BY AREA.

CHOOSE...

Choose an Apple Desk



A compact Bi-Level desk ideal for the Apple computer system. This 42" x 291/2" desk comes with a shelf to hold two Apple disk drives. The top shelf for your TV or monitor and manuals can also have an optional paper slot to accomodate a printer. It is shown here with the optional Corvis shelf which will hold one Corvis disk drive. The Corvis shelf is available on the 52" × 291/2" version of the Apple desk.

Choose a Micro Desk




The Universal Micro desk accommodates the S-100 type microcomputers. The desk is available in four sizes: 17.75 inch, 19.06 inch, and 20.75 inch wide openings with 24 inch front-to-rear mounting space. The fourth size is a 20.75 inch wide opening with a 26.50 inch front-to-rear mounting space.

Choose a Mini Rack



Mini racks and mini micro racks have standard venting, cable cut outs and adjustable RETMA rails. Choose a stand alone bay or a 48", 60", or 72" desk model in a variety of colors and wood tones. A custom rack is available for the Cromemco.

Choose a Printer Stand



The Universal printer stand fits the:

Centronics 700's Dec LA 34 **NEC Spinwriter** Lear Siegler 300's Diablo 1600's & 2300's T.I. 810 & 820 Okidata Slimline Anadex 9500's

Delivery in days on over 200 styles and colors in stock. Dealer inquiries invited.

ELECTRONIC SYSTEMS FURNITURE COMPANY

17129 S. Kingsview Avenue Carson, California 90746 Telephone: (213)538-9601

Listing 14 continued:

RELCC -THE 'RELCC' MACRO TESTS THE VALIDITY OF THE RELATIONAL OPERATOR FOR AN 'IFCC' MACRO AND GENERATES THE PROPER RELATIVE BRANCH INSTRUCTION. RELCC MACR RELERR SET O IFC \O, EQ IFEG ISLONG BNE * ENDC IFEG ISLONG-1 LBNE EXBUG ENDC ENDC IFC \O, NE IFEQ ISLONG BEG # ENDC IFEG ISLONG-1 LBEG EXBUG ENDC ENDC IFC \O, LE IFEG ISLONG BGT * ENDC IFEQ ISLONG-1 LBGT EXBUG ENDC ENDC IFC \O, LT IFEG ISLONG BGF * FNDC IFEQ ISLONG-1 LBGE EXBUG ENDC ENDC IFC \O, GE IFEQ ISLONG BLT * ENDC IFEQ ISLONG-1 LBLT EXBUG ENDC ENDC IFC \O, GT IFEQ ISLONG BLE * ENDC IFEQ ISLONG-1 LBLE EXBUG ENDC **ENDC** IFC \O, CC IFEG ISLONG BCS * ENDC IFEQ ISLONG-1 LBCS EXBUG ENDC **ENDC** IFC \O,CS IFEQ ISLONG BCC * ENDC IFEG ISLONG-1 LBCC EXBUG ENDC ENDC IFC 10, VC IFEG ISLONG IFEG ISLONG-1 LBVS EXBUG ENDC ENDC IFC \O, VS IFEQ ISLONG BVC * ENDC IFEQ ISLONG-1 LBVC EXBUG ENDC ENDC

IFNC \O, EQ

Listing 14 continued on page 218

Right for the time. Finally someone invented an RS-232C compatible calendar/clock system, complete with 6-digit display... and selling for only \$249. Hayes did it!

Introducing the Hayes Stack Chronograph, the newest addition to the Hayes Stack microcomputer component series. It allows your computer to accurately record all of your system activities by date and time...down to the second. Thanks to a battery back-up system, you never have to reset the time when your computer is off, and it will keep on ticking even when there's a power failure. A write-protect switch prevents accidental



Microcomputer Component Systems

changing of day, date or time.

Right for the job. The Hayes Stack Chronograph is ideal for any home or business application requiring accurate timekeeping. Use it for timing everything from lights, burglar alarms, or sprinkler systems ... to sending mail electronically (with the Hayes Stack auto-dial Smartmodem and your computer) ... logging and recording reports or time-sharing access time ...

and batching all your messages to send at night, when rates are lowest. Chronograph helps do it all


And Chronograph stacks up. Keep your computer system up-to-date with the Hayes stackables, including the RS-232C compatible Smartmodem, the most sophisticated 300-baud originate/answer modem you can buy. And yet, it's probably the easiest to use too.

The Hayes Stack Chronograph and Smartmodem are available wherever fine computer products are sold. It's time. And it's now.

Hayes Stack Chronograph and Smartmodem are available wherever fine computer products are sold. It's time. And it's now.

The Hayes Stack Chronograph.
There's no better time.





When You Have To Face A Deadline...



ince its introduction, Pascal/MT+® has been used to produce thousands of professional solutions to industrial, business and compositions. professional solutions to industrial, business and systems level application problems. In addition to implementing the complete ISO STANDARD, Pascal/MT+® contains a host of powerful features and facilities which make

Pascal/MT+* contains a host of powerful features and facilities which make program construction a snap!

Pascal/MT+* is a total programming system including our native machine code compiler, linker, Pascal-level debugger, disassembler, run-time subroutine library and the exclusive SpeedProgramming to Package.

With the advent of 16-bit machines and increasing customers demands, you can no longer afford to write programs in anything but a professionally constructed and professionally supported package like Pascal/MT+*. MT MicroSYSTEMS has demonstrated its commitment to keeping your programs and programmers productive with our recent introduction of Pascal/MT+86 and Pascal/MT+68K for the 8086 and 68000. While Pascal/MT+* provides the capability to write non-portable programs when the need arises, true portability between radically different machines is a reality while still translating true portability between radically different machines is a reality while still translating

into efficient, optimized native machine code.

Our Pascal/MT+* compilers and SpeedProgramming Package are available on a wide variety of processors and operating systems, with more to come! We are continually working to provide innovative solutions to the ever present problem of translating your ideas into

software solutions.
The Pascal/MT + * System

The PascalM1 + * System
Compiler:
Generates ROMable Native Code • Complete ISO Standard (superset of Jensen & Wirth).
Powerful Extensions Include:
Modular Compilation, Direct production of binary relocatable modules • Dynamic strings
• Chaining • Powerful Overlay system • Address and Size returning functions • Bit manipulation (test, set, clear, shifts) • Byte manipulation (high, low, swap) • Imbedded assembly language • Easy linkage to external assembly language • Fall NEW and DISPOSE procedures • Direct access to I/O ports • Fast floating point, both software and AMD 9511 • Accurate 18 digit BCD (fixed point, 14,4) • Include files • Hex literal numbers • and more...

... Arm Yourself With Pascal/MT+®



Linker:

Combines relocatable modules into executable files . Can generate Hex format for use with PROM programming

Interactive Symbolic Debugger:

Variable display • High-level breakpoints by procedure/function name • Tracing/single step by Pascal statement • Procedure/function entry and exit trace available Disassembler:

Combines a relocatable module with its listing file to produce interleaved Pascal and approximate assembly language code.
The SpeedProgramming Packagetm:

The SpeedProgramming Package the The SpeedProgramming Package is an integrated set of tools which allows you to create Pascal/MT+* programs, check them for correct syntax and undefined identifiers, format them to display flow of control, and do this all within the editing environment before you ever invoke the compiler. Programmers like SpeedProgramming because it frees them from the time consuming choice of repeated compilations to correct simple syntactic and typing errors. Managers find that SpeedProgramming improves productivity, thereby reducing development costs. SpeedProgramming combined with our field tested Pascal/MT+* package gives you a comfortable, powerful, interactive programming environment in which to create your professional quality software. Your products demand production quality tools. Order Pascal/MT+* with SpeedProgramming today! Screen Editor:

User configurable • Standard random cursor movement, file access, search and replace, insert, delete, exchange, etc. • Structured language editing features such as automatic in-dent, line adjustment, reading from and writing to a file, block text insertion and duplication. • Requires: 24 x 80 CRT (or larger), ASCII Keyboard (7 bit data), random cursor addressing. Interactive Syntax Scanner:

Finds syntax errors in text being edited • Enters SPEED, puts cursor at error, prints error

Variable Checker:

Catches undefined and mis-spelled variables before the compiler is invoked.

On-Line Reformatter:

Beautify programs in seconds • Clearly shows structure and program flow. Source Code Management Tools:

Automatic Modification Log and Backup utility program.

PRICING: *Read carefully, some systems do not include the SpeedProgramming Package but do include the compiler, linker, disassembler, debugger and other utilities.

AVAILABLE NOW!

*8080/8085/280 without SpeedProgramming	Price \$350.00
8080/8085/Z80 complete including SpeedProgramming	Price \$475.00
8080/8085/Z80 for special MP/M environments	Contact Factory
*8086/8088 without SpeedProgramming	Price \$600.00
8086/8088 complete including SpeedProgramming	Price \$800.00
*8086/8088 without SpeedProgramming for RMX-86	. Price \$1500.00
All 8086/8088 packages include 9511 and 8087 support and program to convert MT object files into Intel .OBJ 8086 file	

COMING SOON

68000 Cross Compiler System	Price (to be announced
68000 Resident System with and without SpeedProgramming	Price (to be announced

Available on 8" (3740) Single Density Disks. Contact Distributors For Other Formats. CPMI, MPI/M are trademarks of Digital Research, Inc. Heath, Zenith and HDOS are trademarks of Zenith Data Systems.

FOR: 8080/8085/Z80/8086/68000

Payment Terms:

Cash, Check, UPS, C.O.D., Mastercard, VISA,

MT Micro SYSTEMS

1562 Kings Cross Drive
Cardiff, California 92007 (714) 755-1366*
"We're moving to bigger quarters Call this number and you'll be told our new telephone number."

Pricing:

8080/Z80 - \$475.00 Others Call



Make Your Dreams Come True With Computer Shopper

Now you can expand your system or get a new one at prices you had never dreamed possible by taking advantage of the thousands of bargains each month in COMPUTER SHOPPER.

COMPUTER SHOPPER is *THE* publication for buying, selling and trading new and used micro and minicomputer equipment and software.

- Buy, Sell or Trade
- 48 Big (11" x 14") pages
- Over 20,000 readers nationwide
- Low classified ad rates--only 10¢ a word for subscribers
- · Hundreds of ads from individuals
- Money back guarantee

Double Bonus for New Subscribers

New subscribers are entitled to a *FREE* 20 word classified ad to use for software or used equipment (a \$2.00 value) plus a *FREE ISSUE* (13 months for the price of 12) all for the low subscription price of ONLY \$10.00.

SAVE OVER 50% OFF the single copy price of \$1.50, Add it up:

12 issues @ \$1.50......\$18.00
One free issue.......\$1.50
Free 20 word classified ad...\$2.00

TOTAL VALUE.....\$21.50

NOW ONLY \$10.00. You save \$11.50.

MasterCard or VISA subscription orders only Call TOLL FREE FOR FASTEST SERVICE

MasterCard or VISA classified ad orders only
Call TOLL FREE FOR FASTEST SERVICE
1-800-327-9926
Offer expires 1-31-82



```
Listing 14 continued:
   IFNC \O, NE
   IFNC \O, LT
    IFNC \O, LE
     IFNC \O, GE
      IFNC \O, GT
RELERR SET 1
                ERROR FLAG FOR NEXT SET OF TESTS
      ENDC
     ENDC
    ENDC
   ENDC
  ENDC
 ENDC
 IFNE RELERR
RELERR SET O
  IFNC \O, CC
   IFNC \O, VC
    IFNC \0, CS
     IFNC \0, VS
     FAIL ** INVALID RELATIONAL OPERATOR -- \0 **
     ENDC
    ENDC
   ENDC
  ENDC
 ENDC
 ENDM
         REGTST --
                 THIS MACRO TESTS THE VALIDITY OF THE REGISTER
        NAME PASSED AS ITS FIRST ARGUMENT. IF THE NAME WAS NOT A VALID REGISTER, 'REGTST' WILL FAIL WITH AN ERROR MESSAGE.
REGIST MACR
 IFNC \O. A
 IFNC \O, B
 IFNC \O, D
 IFNC
      10, X
 IFNC \O, Y
 IFNC
      10, U
 IFNC \0, S
 FAIL ** \0 IS NOT A 6809 REGISTER **
 ENDC
 ENDO
 ENDC
 ENDO
 ENDC
 ENDO
 ENDO
 ENDM
**************************
        THE 'IF' MACRO WILL CAUSE THE STATEMENTS FOLLOWING IT TO BE EXECUTED UP TO THE FIRST 'ELSE' OR 'ENDIF' IF THE
        CONDITIONAL EXPRESSION IS TRUE. ITS SYNTAX IS:
               <REGISTER NAME>, <RELATIONAL OPERATOR>, <ADDRESS EXPRESSION>
         THE VALID RELATIONAL OPERATORS ARE: 'EQ', 'NE', 'LE', 'LT',
         'GE', AND 'GT'.
IF MACR
 IFNE NARG-3
                         TEST FOR VALID MACRO CALL.
  IFNC \3, L
  FAIL ** 'IF' MACRO REQUIRES 3 ARGUMENTS **
 ENDC
 IFC \3, L
ISLONG SET 1
 ENDC
 REGTST \0
                         TEST FOR A VALID REGISTER
                         GENERATE CMP INSTRUCTION
GENERATE RELATIVE BRANCH ON CONDITION
 CMP\0 \2
 RELOP \1
                         PUSH LOCATION OF FORWARD REFERENCE OFFSET
 PUSH *-1-ISLONG
ISLONG SET O
                              ONTO STACK
 ENDM
THE 'ELSE' MACRO BEGINS THE STATEMENTS THAT WILL
         BE EXECUTED IF THE CONDITIONAL EXPRESSION OF THE PRECEDING
         'IF' MACRO WAS NOT TRUE.
ELSE MACR
 IFC \O, L
ISLONG SET 1
                          GENERATE BRANCH AROUND STATEMENTS FOLLOWING
 ENDC
 IFEQ ISLONG
                              THE "ELSE"
 BRA *
                             GENERATE A SHORT BRANCH
```

Listing 14 continued on page 220

1-800-327-9920

FUTRA COMPANY P.O. BOX 4380 - DEPT. B-12 Torrance, CA 90501

213) 328-8951 TWX 910 349-6211

oll Free Order Line Outside of Calif. - Please read s of press time we were in the process of obtaining a toll free 0 number and TWX line. To obtain our latest prices please dial 10 421-5006. If you have any trouble reaching us dial 800 rectory assistance at 800 555-1212 and ask for FUTRA DMPANY. Western Union informed us that there may be a ange in our TWX number.





HP-85 HP-125 NOW AVAILABLE

2903A HP+85/83 16K Memory Module \$255.00

Firmwar 82936A	re Enhanceme	ents:	Interfaces:	
82936A 15001 15002	ROM Draw Mass Stor. Plotter/Print	\$ 42 135 \$135 \$274	82937A HP-IB 82939A Serial (female) 82939 opt 001 (male)	\$339 \$339 \$339 \$339
15003 15004 15005 15007	In/Output Matrix Adv.Prog. Assembly	\$135 \$126 \$127.50	Same 002 (crrnt 1p) 82940A GPIO 82941A BCD 82949A Printer Int.	\$421 \$420 \$269

HP APPLICATION PACKS \$ CALL



\$2089.95







KONAN



Stop the floppy shuffle! New Konan 5", Winchester Hard Disk Drive Low introductory Pricing







Limited Stock

en your Apple II computer to a larger world. With the Z-80 Soft-rd and 16K RAM Card you can now run CP/M compatible software, pand your memory for specific application, act as a firmware card d much more. If you add any boards to your Apple this year these

VIDEX 80 x 24 VIDEOTERM AND KEYBOARD ENHANCER





S CALL Videoterm

\$ CALL **Keyboard Enhancer**

ALS "Smartern" 80 column card \$295.00

aintain optimum software compatibility industry wide. By adding the deoterm 80 x 24 videoboard and keyboard enhancer your Apple acts milar to CRT Terminals on larger systems. Combine this with the icrosoft Softcard and you've got some system.

COMPUTER SUPPLIES:

M Scotch 5" Diskettes (10)	3M Scotch 8" Diskettes (10)	
744-0 5" SS/SD soft sect. \$26	●740-0 8" SS/SD	\$32
744-10 5" SS/SD 10 sect. \$26	•741-0 8" SS/DD	\$30
'44-16 5" SS/SD 16 sect. \$26	•743-0 8" DS/DD	\$44
'440 5" Head Clean.Kit \$29	•7400 8" Head Clean.Kit	\$30
100		

Silentype Paper (roll)
" Vinyl disk sleeves Vinvl Disk Sleeves \$6.95

APPLE COMPUTERS







APPLE III \$3255.00 128K

What can we say except that they're super systems and the prices are a steal.

Apple II			
 Disk II w/cont. 	CALL	 Hand Controllers 	\$ 27
Disk II 2nd	CALL	 Vinyl Carrier 	\$ 33
 AppleSoft Firmware 	\$149	 Joystick II 	\$ 45
 Centronix Printer Int. 	\$179	 Graphics Tablet 	\$665
 Communications Card 	\$179	 Silentype Printer 	\$325
 High speed Serial Int. 	\$155		
 Pascal Language Syst. 	\$379	Apple III	
 Integer firmware 	\$149	 Information Analyst 	
 Parallel Printer Int. 	\$149	Softwre Pkg	\$345
	****	Disk II for AllI	\$495
		 Silentype Printer III 	\$292

ADD ON PRODUCTS

California Computer Systems

oumorma compator	Cyclonic.		
12K PROM/ROM Brd Centronics Cable Calendar Clock Programmable Timer A/D Converter GPIB IEEE 488	\$30 \$99 \$95 \$95 CALL	Asynchronous Serial Synchronous Serial Parallel Interface Centronics Interface Arithmetic Proc/Disk Arithmetic Proc/ROM	\$135 \$149 \$ 99 \$111 \$325 \$345

Mountain Computer	Inc.		
Apple Clock	\$210	 Music System 	\$465
 Supertalker 	\$255	 A/D + D/A 	\$299
 Romplus 	\$131	 Keyboard Filter 	\$48
 Romwriter 	\$152	 Keyboard Filter 	\$48
 Romwriter 	\$152	 Copy Rom 	\$48
 X10 Controller 	\$172	 I/O Cable Assembly 	\$47
 X10 System 	\$270	 Expansion Chassis 	\$649
 CPS Multi-function 	CALL	 Card Reader 	\$1085
Other:			
SSM AIO	\$159	 ABT Barwand 	\$175
- 0014 4400	0411	- TVC loughink II	. 45

•	SSM AIO	\$159	 ABT Barwand 	\$175
0	SSM A488	CALL	 TKC Joystick II 	\$ 45
0	ABT Keypad	\$115	TKC Keypad II	\$149
0	ABT Soft Key	\$145	TKC Game Paddles	\$ 27
0	Novation Cat Modem	\$155	 ThunderClock 	\$120
	Novation D-Cat Modem	\$155	 Hayes Micromodem II 	\$303
Ð	Novation Apple Cat	\$319	 Hayes Micromodem 100 	

ADD ON SOFTWARE

Apple Computers: • Apple Post	\$44	Stellar Invaders	\$23
Shell Games	\$28	 Apple Plot 	\$57
Apple Bowl	\$23	 Adventure 	\$33
 DOS 3.3 Update 	\$57	 AP Music Theory 	\$47
 Apple Writer 	\$65	 Tax Planner 	\$114
DOS Tool Kit	\$65		

Personal Software: • Visicalc 3.3 • Desk Top/Plan II • CCA Data Mgt.	\$159 \$165 \$84	VisitermVisiplotVisidexVisiTrend/Visiplot	\$125 \$147 \$159 \$229
---	------------------------	--	----------------------------------

Microsoft: (requires Z80 SoftCard & CP/M)

Basic CompilerAssembly Language	\$296 \$94	 COBAL Language Fortran Language 	\$562.50 \$149.00

Peachtree/40: (requires Z-80 SoftCard & 16K RAM Card)

\$195	 Pavroll 	\$195
\$195	 Inventory 	\$195
\$195		\$195
	\$195	\$195 • Inventory

Misc: (48K All or All+)

Stoneware 'DB Master'	\$179	 Software Publishing Corp).
BPI General Ledger	\$315	"PFS"	\$ 87.50
BPI Inventory Control	\$315	"PFS: Report"	\$ 87.50
BPI Payroll	\$315	 MicroFocus "COBOL" 	\$743.00
BPI Job Cost Sys.	\$315	 MicroPro Wordstar 	\$229.00

CPM Software Packages — 8" Diskettes

 Peachtree CPM Accounting Plus

CALIFORNIA COMPUTER SYSTEM

The CCS 2210 is a low cost S100, Z80 computer system with 64K of memory, disk controller, parallel/serial I/O and

CPM operating system.	
	\$ CALL

Separate Components

2200A Mainframe 24221 Disk Cntrlr.
 2718 Par/Ser I/O CALL CALL 2810A CPII FOR FOR 2065 64K RAM PRICE PRICE

ZENITH MONITOR




12" GREEN **DATA MONITOR** \$119.00

Reduce eyestrain with the monitor from the people who say "The quality goes in before the name goes on." Excellent for Apple II, Apple III and others.

COMPUTER SYSTEMS

Call for Lowest Price Possible







VECTOR

ALTOS







Don't buy anything until you've checked with us.

VIDEO TERMINALS & VIDEO MONITORS

CALL

FOR

PRICE

- Sanyo:
 12" Green Monitor
 12" B&W Monitor
 13" Color Monitor
- 9" B&W Monitor
- 9" Green Monitor

AMDEK:

- 12" B&W Monitor 12" Green Monitor

- 12" Green Monitor12" Color (RGB)12" Color Monitor

CALL VIDEO TERMINALS: **FOR**

ADDS Viewpoint CRT PRICE

Soroc 130

Televideo

EPSON PRINTERS MX-100

Your price

\$759.00

Probably the best buy in a printer this year. Compare features with any other and compare price (especially ours). 4 character sizes all may be placed into letter quality enhanced mode. Friction and removable tractor, 9 by 9 to 18 by 18 dot Matrix, logic seeking, and much more. Not to mention DOT PLOTTING?GRAFTRAX option built right in. WOW! What a printer!

MX 80 FT Printer MX 80 Printer	CALL	MX Ser.Interface Opt Epson Apple Par.Int.	\$65 \$65
MX 70 Printer	CALL	Epson Par.Cable	\$20
MX 80 Ribbons	\$14	 MX-80 or 80/ft Graf- 	
		trax ROM	\$78

ADDITIONAL PRINTERS

NEC	ANNADEX
PC 8023	9500
3510	9501
DIABLO	9600
630	9001
XEROX	

CHECK OUR LOW PRICES!


D80

TERMS: Shipping: add 3% for product shipped within continental USA via UPS surface (minimum \$3.00). If the Order placed is prepaid with U.S. funds in the form of check or money order, a Total Charge of \$3.00 for shipping is all you pay within the continental USA via UPS surface. Allow 14 working days for continental USA via UPS surface. Allow 14 working days for personal and company checks to clear. Credit card charges limited to \$1000. No COD's. FPO, APO or orders outside continental USA call or write for shipping charges or add 10% to purchase price (any difference will be refunded). California residents add 6% sales 1ax. All offers subject to change or withdrawal without notice. withdrawal without notice.

BIGGEST

Discounts Ever On

TRS-80®



Computers,

Accessories &

The Following NEW Items

Hewlett-Packard® HP-85 Personal Computer

> Epson® MX80 Printer

Magnavox® Odyssey² Home Video System

Magnavox® Magnavision® Videodisc Player

- FREE SHIPPING in 48 continental contigious States.
- NO SALES TAX collected on out-of-state orders.
- FREE Discount Price List available.

TOLL FREE ORDER NUMBER 800/531-7466

Texas & Principle Number 512/581-2766

Fort Worth No. 817/625-6333 Telex Number 767339

Pan American Electronics

Sales and Main Office
Dept. 12 • 1117 Conway Ave.
Mission, Texas 78572
NEW Fort Worth Branch
Dept. 12 • 2912 N. Main St.
Fort Worth, Texas 76106

TRS-80 is a Trademark of Tandy Corp

```
Listing 14 continued:
FNDC
IFEG ISLONG-1
LBRA EXBUG
                         GENERATE A LONG BRANCH.
FNDC
MCRTMP SET *
                      FILL IN FORWARD REF. OFFSET IN THE BRANCH
BACK 1
                         GENERATED BY AN "IF", "IFTST", OR "IFCC"
 IFEQ BCKLNG
 IFGT (MCRTMP-*-1)-128
FAIL ** LONG 'IF' IS REQUIRED **
ENDC
FCB MCRTMP-*-1
                         GENERATE A SHORT OFFSET
ENDC
 IFEQ BCKLNG-1
FDB MCRTMP-#-2
                         GENERATE A LONG OFFSET
ENDC
ORG MCRTMP
                      REMOVE POINTER TO "IF" OFFSET FROM STACK
POP
                      PUSH LOCATION OF FORWARD REF.
PUSH *-1-ISLONG
                                                  OFFSET
                             FORMED BY THIS MACRO.
ISLONG SET O
ENDM
***********
              THE 'ENDIF' MACRO IS THE TERMINATING STATEMENT FOR THE
       STATEMENTS CONTROLLED BY THE PRECEDING 'IF' OR 'ELSE' MACRO.
ENDIF MACR
MCRTMP SET *
BACK1
                      FILL IN FORWARD REF. OFFSET FROM AN "IF" OR "ELSE"
 IFEQ BCKLNG
 IFGT (MCRTMP-*-1)-128
 FAIL ** LONG 'ELSE' REQUIRED **
 ENDC
 FCB MCRTMP-#-1
                          GENERATE A SHORT OFFSET
 ENDC
 IFEQ BCKLNG-1
FDB MCRTMP-*-2
                          GENERATE A LONG OFFSET.
 ENDC
ORG MCRTMP
                      REMOVE POINTER TO FORWARD REFERENCE FROM STACK.
ENDM
******************
              THE 'IFTST' MACRO OPERATES LIKE AN 'IF' MACRO EXCEPT
       THAT IT GENERATES A 'TST' INSTRUCTION INSTEAD OF A 'CMP'
       THE SYNTAX IS:
              <REGISTER OR ADDRESS EXPRESSION>, <RELATIONAL OP>, O
       THE VALID RELATIONAL OPERATORS FOR USE WITH 'IFTST' ARE: 'EQ',
       'NE', 'LT', AND 'GE'
IFTST MACR
 IFC \3, L
ISLONG SET 1
ENDC
 IFC \2, L
ISLONG SET 1
 ENDC
 IFC NO, A
 TSTA
                      GENERATE "TST" OF ACC. A
 ENDC
 IFC \O, B
 TSTB
                      GENERATE "TST" OF ACC. B
 ENDC
 IFNC \O, A
  IFNC \O, B
  TST \O
                      GENERATE "TST" OF A MEMORY BYTE
 ENDC
 ENDC
 RELTST \1
PUSH *-1-ISLONG
                      GENERATE RELATIVE BRANCH (FORWARD REF.)
                      PUSH LOCATION OF FORWARD REFERENCE.
ISLONG SET O
 FNDM
IFCC --
```

THE 'IFCC' MACRO FUNCTIONS LIKE AN 'IF' MACRO, EXCEPT IT ONLY GENERATES A 'BRANCH ON CONDITION' INSTRUCTION DIRECTLY. THIS IS USEFUL BECAUSE IT ALLOWS THE ASSEMBLER TO GENERATE THE LABEL FOR THE BRANCH INSTEAD OF FORCING THAT BURDEN ON THE OVER-WORKED PROGRAMMER. THE SYNTAX IS:

IFCC <RELATIONAL OPERATOR>

THE VALID REALTIONAL OPERATORS ARE: 'EQ', 'NE', 'GE', 'GT', 'LE', AND 'LT'.

Listing 14 continued on page 222

4MHZ, DOUBLE DENSITY, COLOR&B/W GRAPHICS..THE LNW80 COMPU



When you've compared the features of an LNW80 Computer, you'll quickly understand why the LNW80 is the ultimate TRS80 software compatible system. LNW RESEARCH offers the most complete microcomputer system at an outstanding low price.

We back up our product with an unconventional 6 month warranty and a 10 days full refund policy, less shipping charges.

Contact us for shipping charges

Product of Tandy Corporation.
Product of Personal Microcomputer, Inc.

FEATURES	LNW80	PMC-80**	MODEL III		
PROCESSUR	4.0 MHZ	1,8 MHZ	2.0 MHZ		
LEVEL II BASIC INTERP.	YES	YES	LEVEL III BASIC		
TRS80 MODEL 1 LEVEL II COMPATIBLE .	YES	YES	NO		
48K BYTES RAM	YES	YES	YES		
CASSETTE BAUD RATE	500/1000	500	500/1500		
FLOPPY DISK CONTROLLER	SINGLE/ DOUBLE	SINGLE	SINGLE/ DOUBLE		
SERIAL RS232 PORT	YES	YES	YES		
PRINTER PORT	YES	YES	YES		
REAL TIME CLOCK	YES	YES	YES		
24 X 80 CHARACTERS	YES	NO	NO		
VIDEO MONITOR	YES	YES	YES		
UPPER AND LOWER CASE	YES	OPTIONAL	YES		
REVERSE VIDEO	YES	NO	NO		
KEYBOARD	63 KEY	53 KEY	53 KEY		
NUMERIC KEY PAD	YES	NO	YES		
B/W GRAPHICS, 128 X 48	YES	YES	YES		
HI-RESOLUTION B/W GRAPHICS, 480 X 192	YES	NO	NO		
HI-RESOLUTION COLOR GRAPHICS (NTSC), 128 X 192 IN 8 COLORS	YES	NO	NO		
HI-RESOLUTION COLOR GRAPHICS (RGB), 384 X 192 IN 8 COLORS	OPTIONAL	NO	NO		
WARRANTY	6 MONTHS	90 DAYS	90 DAYS		
TOTAL SYSTEM PRICE	\$1,915.00	\$1,840.00	\$2,187.00		
LESS MONITOR AND DISK DRIVE	\$1,450.00	\$1,375.00			

COMPARE THE FEATURES AND PERFORMANCE

TDC_RO*

LNW80

- BARE PRINTED CIRCUIT BOARD & MANUAL \$89.95

The LNW80 - A high-speed color computer totally compatible with The LNW80 - A high-speed color computer totally compatible with the TRS-80*. The LNW80 gives you the edge in satisfying your computation needs in business, scientific and personal computation. With performance of 4 MHz, Z80A CPU, you'll achieve performance of over twice the processing speed of a TRS-80*. This means you'll get the performance that is comparable to the most expensive microcomputer with the compatibility to the world's most popular computer (TRS-80*) resulting in the widest software base.

- FEATURES:
 TRS-80 Model 1 Level II Software Compatible
 High Resolution Graphics
 R6B Output 384 x 192 in 8 Colors
 TSC Video or RF MOD 128 x 192 in 8 Colors
 Black and White 480 x 192

 - 500/1000 Baud Cassette

 - Upper and Lower Case 16K Bytes RAM, 12K Bytes ROM Solder Masked and Silkscreened
- LNW SYSTEM EXPANSION

-	BAR	E PRINT	ΕD	C	١ĸ١	JU.	11	B	JAI	Kυ			
	AND	MANUAL				•							\$69.95
	WITH	H GOLD	COL	IN	ECT	TOF	RS						\$84.95

The System Expansion will allow you to expand your LNW80, TRS-80*, or PMC-80** to a complete computer system that is still totally software compatible with the TRS-80* Model 1 Level II.

FEATURES:

- 32K Bytes Memory 5" Floppy Controller Serial RS232 20ma I/O

- Serial RS232 20ma 1/0
 Parallel Printer
 Real Time Clock
 Screen Printer Bus
 On Board Power Supply
 Solder Masked and Silkscreened

LNW RESEARCH ORPORATION

2620 WALNUT ST. **TUSTIN CA. 92680**

ORDERS & INFO. NO. 714 - 544 - 5744 SERVICE NO. 714-641-8850

Circle 224 on inquiry card.

LNDoubler & DOS PLUS 3.3D

- Assembled and Tested W/DOS PLUS 3.3D.....\$175.00

Double-density disk storage for the LNW Research's "System Expansion" or the Tandy's "Expansion Interface". The LNDoublerTM is totally software compatible with any double density software generated for the Percom's Doubler***. The LNDoublerTM provides the following outstanding features.

- Store up to 350K bytes on a single 5" disk Single and double density data separation Precision write precompensation circuit Software switch between single and double density Easy plug in installation requiring no etch cuts, jumpers or soldering 35, 40, 77, 80 track 5" disk operation 120 day parts and labor Warranty
- *** Doubler is a product of Percom Data Company, Inc.

DOS PLUS 3.3D

Micro Systems software's double density disk operating system. This operating system contains all the outstanding features of a well developed DOS, with ease in useability.

KEYBOARD

LNW80 KEYBOARD KIT\$84.95

The Keyboard Kit contains a 63 key plus a 10 key, P.C. board, and

CASE

The streamline design of this metal case will house the LNW80, LWN System Expansion, LNW80 Keyboard, power supply and fan, LNDoublerTM, or LNW Data Separator. This kit includes all the hardware to mount all of the above Add \$12.00 for shipping

PARTS AVAILABLE FROM LNW RESERARCH

LNW

ACCEPTED


6	- 200ns	RAM												
	6	chip	set											\$26.00
	8	chip	set											\$33.50
	16	chip	set											\$64.00
	24	chip	set											\$94.00
	32	chip	set	•										 \$124.00
180	"Start	up par	rts s	et	t"	1	_NI	180)-1	ĺ				\$82.00
180	"Video	parts	set'			- 1	_NI	180)-2	2				\$31.00
180	Transfor	mer				- 1	N	180	1-3	3				\$18 00

LNWBU "Video parts set" LNWBU-2 \$31.00
LNWBO Transformer LNWBO-3 \$18.00
LNWBO Reyboard cable LNWBO-4 \$16.00
40 Pin computer to expansion cable \$15.00
System Expansion Transformer . . . \$19.00
Floppy Controller (FD1771) and UART (TR1602) \$30.00

VISA MASTER CHARGE UNLESS NOTED ADD \$3 FOR SHIPPING

Hello. This is the APPLE talking. The message is: Don't byte your APPLE. Use COGNIVOX to speak to it!

I am now listening for your reply . . .



Let's face it. Voice I/O is a fascinating and efficient way to communicate with computers. And now, thanks to VOICETEK, Voice I/O peripherals are easily available, easy to use and very affordable.

If you own an APPLE II computer, COGNIVOX model V10-1003 will enable your computer to understand your spoken commands and talk back with clear, natural soun-

COGNIVOX can be trained to recognize up to 32 words or short phrases chosen by the user. To train COGNIVOX to recognize a new word, you simply repeat the word three times under the prompting of the system.

COGNIVOX will also talk with a vocabulary of 32 words or phrases chosen by the user. This vocabulary is independent of the recognition vocabulary, so a dialog with the computer is possible. The speech output is natural sounding since it is a digital recording of the user voice using a data compression algorithm.

For applications requiring more than 32 words, you can have two or more vocabularies of 32 words and switch back and forth between them. Vocabularies can also be stored on

COGNIVOX V10-1003 comes complete with microphone, power supply, software on cassette and extensive manual, ready to plug in and use. It plugs into the paddle connector and thus it leaves the valuable expansion slots free for other peripherals.

Software provided with the unit includes demonstration programs and two voice operated, talking video games! It is also very easy to incorporate voice in your own programs. A single statement from BASIC is all that is needed to either recognize or say a word.

COGNIVOX can be used as an educational tool, a data entry device when hands and/or eyes are busy, an aid to the handicapped, a foreign language translator, a sound effects generator, an intelligent telephone answering maching, a talking calculator. Using an IEEE 488 interface card you can control by voice instruments, plotters, test systems. And all these devices can talk back to you, telling you their readings, alarm conditions, even their name.


COGNIVOX V10-1003 costs \$249 plus \$5 shipping (CA res. add 6% tax). Software on diskette (DOS 3.3) with extra features to save vocabularies on disk, \$19. Order by mail or call us at (805) 685-1854, 9AM to 5PM PST, M-F and charge it on your MASTERCHARGE or VISA. Foreign orders welcome, add 10% for air mail shipping and handling. COGNIVOX is backed by a 120 day limited warranty against manufacturing defects.

P.O. Box 388, Goleta, CA 93116


```
Listing 14 continued:
 IFCC MACR
                               TEST FOR VALID MACRO CALL
  IFNE NARG-1
  IFNC \1, L
  FAIL ** ONLY ONE ARGUMENT (A RELATIONAL OPERATOR) ALLOWED **
  ENDC
 ENDC
  IFC \1, L
 ISLONG SET 1
                       TEST FOR SHORT OR LONG BRANCH.
 ENDC
                        GENERATE CONDITIONAL BRANCH (FORWARD REF.)
 RELCC \O
                       PUSH LOCATION OF FORWARD BRANCH.
 PUSH *-1-ISLONG
 ISLONG SET O
 ENDM
        *******************
 *****
                THE 'WHILE' MACRO EXECUTES THE STATEMENTS FOLLOWING
        IT UP TO THE 'ENDWH' AS LONG AS ITS CONDITIONAL EXPRESSION IS
        TRUE. THE SNTAX IS:
        WHILE <REGISTER NAME>, <RELATIONAL OPERATOR>, <ADDRESS EXPRESSION>
 WHILE MACR
  IFNE NARG-3
                        TEST FOR VALID MACRO CALL.
   IFNC \3,L
  FAIL ** 'WHILE' REQUIRES 3 ARGUMENTS **
  ENDC
  ENDC
                        TEST FOR LONG BRANCH INDICATOR.
  IFC \3, L
 ISLONG SET 1
  ENDC
  PUSH *
                        PUSH POINTER TO TOP OF LOOP.
                        TEST FOR VALID REGISTER.
GENERATE CMP INSTRUCTION
  REGIST \0
  CMP\0 \2
  RELOP \1
                        GENERATE CONDITIONAL BRANCH OUT OF LOOP (FORWARD)
  PUSH *-1-ISLONG
                        PUSH LOCATION OF FORWARD REFERENCE.
 ISLONG SET O
  ENDM
 ************
 *
        ENDWH -
                THIS MACRO TERMINATES THE STATEMENTS WITHIN A 'WHILE'
        LOOP.
 ENDWH MACR
  IFC \O, L
   FAIL ** THE 'LONG' SHOULD BE PLACED ON THE 'WHILE' **
  ENDC
 MCRTMP SET *
  BACK1
                        GENERATE OFFSET IN FORWARD REFERENCE OF "WHILE"
  IFEQ BCKLNG
   IFGT -((MCRTMP+2)-*-1)-128
   FAIL ** LONG 'WHILE' IS REQUIRED **
   ENDC
  FCB (MCRTMP+2)-*-1
                        GENERATE A SHORT OFFSET
  ENDC
  IFEQ BCKLNG-1
  FDB (MCRTMP+3)-*-2
                        GENERATE A LONG OFFSET
  ENDC
  POP
                        REMOVE POINTER TO FORWARD REFERENCE FROM STACK.
                        GET POINTER TO TOP OF LOOP.
  BACK1
 \. A EQU *
  ORG MCRTMP
  IFEQ BCKLNG
                        CREATE BRANCH BACK TO TOP OF LOOP.
                            GENERATE A SHORT BRANCH.
  BRA \. A
  ENDC
  IFEQ BCKLNG-1
  LBRA \. A
                            GENERATE A LONG BRANCH.
  ENDC
  POP
  ENDM
 ******************
         REPEAT --
                THE STATEMENTS BETWEEN A 'REPEAT' AND AN 'UNTIL' MACRO
        ARE REPEATED UNTIL THE CONDITIONAL EXPRESSION BECOMES TRUE
 REPEAT MACR
  IFC \O, L
   FAIL ** PLACE 'LONG' ON THE 'UNTIL' **
  PUSH *
                        PUSH POINTER TO TOP OF THE LOOP.
  ENDM
                            ***********
```


Listing 14 continued on page 224


Look what's happened to













It's grown into a complete family of quality low cost digital plotters with one, six and eight pen models available

Yes, they are UL listed! * *

In just a few short years, the HIPLOT has become the most popular digital plotter among small systems users. With a record like that, what can we do for an encore? WE'VE INTRODUCED A COMPLETE LINE OF HIPLOTS... with a model suited for just about every plotting application.

The HIPLOT DMP Series is a new family of digital plotters with both and "intelligent" models "standard" available with surface areas of $8\frac{1}{2}$ "×11" (DIN A4) and 11"×17" (DIN A3). For the user needing a basic reliable plotter, we have the "old standard" DMP-2 (81/2" × 11") and the "new standard" DMP-5 (11"×17"). For those needing a little more capability, there are the DMP-3 (81/2"×11") and the DMP-6 (11"×17")—both microprocessor controlled and providing easy remote positioning of the X and Y axes (perfect for the OEM). For

telligence plus the convenience of front panel electronic controls, we've provided the DMP-4 (81/2"×11") and the DMP-7 (11"×17")

The "standard" plotters come complete with a RS-232-C and a parallel interface. The "intelligent" DMP plotters accept data from either an RS-232-C or Centronics® data source. For the "standard" plotters, software is available from our ever expanding "Micrographic Users Group". The "intelligent" HIPLOTs use our exclusive DM/PLTM language which minimizes plot software to a fraction of that normally associated with digital plotting.

And that's only part of the story. Now you can enjoy the advantages of multi-pen plotting capabilities with all six HIPLOT models. The DMP-2, 3, and 4 are available in a 6-pen format

 there's an 8-pen option for the DMP-5, 6, and 7. So you can now have multi- color graphics under program control at an affordable HIPLOT price.

With the new DMP Series, high quality digital plotting can now be a part of your system. It just doesn't make sense to be without this valuable tool when there is a DMP plotter with the plot size, speed and capabilities that are exactly tailored to your specific needs ... and your budget.


Prices for the DMP Series start at only \$1085°. Multi-pen plotters start at a low

For complete information, contact Houston Instrument, 8500 Cameron Rd., Austin, Texas 78753. (512)835-0900. For rush literature requests, outside Texas, call toll free, 1-800-531-5205. For technical information ask for operator #5. In Europe,

contact Houston Instrument, Rochesterlaan, 6 8240 Gistel, Belgium. Phone 059/277445.

houston instrument

GRAPHICS DIVISION OF



** DMP 2, 3 and 4 UL listed DMP 5, 6 and 7 UL listing pending *U.S. Domestic Price only.

TM HIPLOT and DM/PL are Trademarks of Houston Instrument

those who want this in-

Registered Trademark of Centronics

Circle 185 for literature Circle 186 to have representative call

Text continued from page 208:

- ability to define macros with substitutable parameters
- · conditional assembly directives
- ability to change the value of a label

Most macroassemblers provide these three capabilities, and it is surprising that structured statements are not more widely used. In fact, structured statements may be added to an assembler that has no built-in macro facility by writing a preprocessor program to expand the structured macro statements. I will discuss this in more detail later.

Evaluation

A possible objection to the use of structured macros is that they increase translation time for a program. However, they may also save time by making it easier to read, debug, and maintain an assembly-language program. A decrease in errors, and the ability to locate these errors more quickly, will mean fewer necessary translation: and an overall decrease in time spent.

Listing 14 continued:

```
UNTIL -
                 THE 'UNTIL' MACRO TERMINATES A 'REPEAT' LOOP. IT HAS
        THE SYNTAX:
        UNTIL <REGISTER NAME>, <RELATIONAL OPERATOR>, <ADDRESS EXPRESSION>
UNTIL MACR
IFNE NARG-3
                         TEST FOR VALID MACRO CALL.
  IFNC \3,L
FAIL ** 'UNTIL' REQUIRES 3 ARGUMENTS **
  ENDC
 ENDC
 IFC \3, L
                         TEST FOR LONG BRANCH INDICATOR
ISLONG SET 1
 ENDC
MCRTMP SET *
 BACK1
                         RETRIEVE POINTER TO TOP OF THE LOOP.
\. A EQU *
 ORG MCRTMP
 POP
                         REMOVE POINTER FROM STACK.
 REGIST \0
 CMP\0 \2
                         GENERATE COMPARE INSTRUCTION.
 RELOP \1
                         GENERATE RELATIVE BRANCH TO TOP OF LOOP.
 ORG *-1-ISLONG
 IFEG ISLONG
                         FILL IN OFFSET OF BRANCH TO LOOP TOP.
  IFGT -(\. A-*-1)-128
  FAIL ** LONG 'UNTIL' IS REQUIRED **
  ENDC
  FCB \. A-*-1
                              GENERATE A SHORT OFFSET.
 ENDC
 IFEQ ISLONG-1
 FDB \. A-*-2
                              GENERATE A LONG OFFSET.
 ENDC
ISLONG SET O
 ENDM
```

It is difficult to express the degree to which these structured macros ease assembly-language programming. The improvement is mainly subjective, and it must be experienced. Macros have been heavily used for over ten months on a major programming project, the MC6839 floating-

50 MHz DIGITAL MEMORY OSCILLOSCOPE IN A PERSONAL COMPUTER

TWO CHANNEL DIGITAL MEMORY OSCILLOSCOPE. The Model 85 provides two signal input channels on one board and the time base system on a separate board. Both vertical channels have a full 50 MHz bandwidth. Digitization is performed by high-speed sample and hold circuitry and an eight bit A/D converter to ensure high resolution and accuracy.

FULLY PROGRAMMABLE. Automated measurements were never simpler. Programmable features such as vertical attenuation, time base, trigger level, AC/DC input and more, make the Model 85 a true laboratory and factory quality instrument.

Northwest Instrument Systems, Inc. P.O. Box 1309 • (503) 279-1434 Beaverton, Oregon 97075


APPLE II* and APPLE II PLUS* COM-PATIBLE. The Model 85 Digital Memory Oscilloscope plugs directly into the Apple II peripheral slots. Easily installed—just plug in the vertical and horizontal boards, attach probe connectors, load the software, and you are ready to make precision measurements.

DIGITAL STORAGE. All the convenient features of digital storage: refresh display for easy viewing, precision measurements, unlimited storage time, signal processing, waveform storage on disk, and hard copy output. Now with the Model 85 Oscilloscope and personal computer combination, you can create your own sophisticated signal analysis system.

A NEW PERFORMANCE STANDARD.
The Model 85 Digital Memory
Oscilloscope establishes a new
performance standard in instru-

performance standard in instrument systems. Furthermore, priced at less than \$1,000, it represents outstanding value. For more information on the Model 85, send for a copy of our product brochure

*Trademark of Apple Computer Inc.



NORTHWEST INSTRUMENT SYSTEMS, INC. MODEL 85 OSCILLOSCOPE

The Performance Leader ... Model 925

Non-Glare Green Screen Tilt and Swivel **Protected Fields** 8 x 10 Character Resolution Visual Attributes Code Compatible with 912/920 and 910/950 TeleVideo Products RS232C Printer Port 25th Status/User Line Time of Day Character Sets (Spanish, German, French, English)

Now you can have it all with TeleVideo's new 925. Code compatible with our 910 and 950 terminals, the 925, with its 6502 microprocessor-based control board can emulate our 912/920 models while operating at speeds up to 19.2K baud. This allows you to grow within the TeleVideo family of terminals, from the conversational to the smart.

The 925, a modular designed unit that uses the same power supply, monitor, and keyboard as the rest of TeleVideo's family, has built-in *proven* reliability and quality from beginning to end. TeleVideo's P31 nonglare, tiltable, green screen and detached selectric style keyboard make the 925 a comfortable, low stress terminal to use.

They offer you options; we give you standard features like RS232 printer port, X-on/X-off control, 22 function keys, user line, 25th status line with setup mode, local duplex edit modes, and many more.

Nationwide service is available from General Electric Company Instrumentation and Communication Equipment Service Centers.

Contact TeleVideo today for information on the Performance Leader, the 925!



1170 Morse Avenue, Sunnyvale, CA 94086 408/745-7760; 800/538-8725 (toll-free outside California)

The Value Leaders

CALIFORNIA Santa Ana (714) 557-6095 • Sunnyvale (408) 745-7760 • MASSACHUSETTS Boston (617) 668-6891 NEW YORK /NEW JERSEY Morris Plains (201) 267-8805 • TEXAS Dallas (214) 980-9978 ILLINOIS Bloomingdale (312) 351-9350 • GEORGIA Atlanta (404) 255-9338 EUROPE London 44-9905-6464

You can save buying wholesale with our buying service. As your agent we will buy computer equipment on the wholesale market for you. Our fee is one fourth of what we save you off the list price. We have access to over 500 manufacturers. Call for present wholesale market conditions. Examples of total prices being paid by our clients (including our fee) are:

\$12,047.00	Dynabyte 5200-B2	4,896.00
17,634.00	Dynabyte 5615-A1	8,396.00
9,313.00	Ithaca C.B. 128KSS/OD	5,421.00
6,397.00	Ithaca Sys. 2A W/Panel	2,941.00
3,585.00	NEC 8001A	1,014.00
2,629.00	NEC 8012A	600.00
1,208.00	NEC 8031A	1,014.00
4,794.00	North Star 64K DD	3,073.00
5,532.00	North Star Advantage	2995.00
6,269.00	Televideo System I	2,380.00
4,414.00	Televideo System II	5,311.00
6,374.00	Televideo TS-800 Term.	1,324.00
5,650.00	Vector 2600	4,221.00
7,521.00	Vector 3005	6,458.00
3,216.00	Vector 5005	7,308.00
	17,634.00 9,313.00 6,397.00 3,585.00 2,629.00 1,208.00 4,794.00 5,532.00 6,269.00 4,414.00 6,374.00 5,650.00 7,521.00	17,634.00 Dynabyte 5615-A1 9,313.00 Ithaca C.B. 128KSS/OD 6,397.00 Ithaca Sys. 2A W/Panel 3,585.00 NEC 8001A 2,629.00 NEC 8012A 1,208.00 NeC 8031A 4,794.00 North Star 64K DD 5,532.00 North Star Advantage 6,269.00 Televideo System II 6,374.00 Televideo TS-800 Term. 5,650.00 Vector 2600 7,521.00 Vector 3005

SOFTWARE			
Dbase II	500.00	Wordstar	305.00
Spellguard	200.00	Basic Compiler	277.00
Datastar	230.00	Fortran 80-CPM	375.00
Spell Star	180.00	Visi Calc	160.00
- Julius 6			
DOINTERDS			
PRINTERS			
Anadex 9000	1,100.00	NEC 5510	2,345.00
Anadex 9501	1,278.00	NEC 5520 KSR	2,645.00

Anadex 9000	1,100.00	NEC 5510	2,345.00
Anadex 9501	1,278.00	NEC 5520 KSR	2,645.00
C. Itoh 25 P	1,325.00	NEC 5530	2,345.00
C. Itoh 45 P	1,700.00	NEC 7710	2,345.00
Diablo 630	1,975.00	Epson MX80 in stock	468.00
Diablo 1640	2,444.00	Qume Sprint 9-35	1,738.00
Malibu 1650	1,796.00	Qume Sprint 9-45	1,996.00
Malibu 200	2,320.00	Qume Sprint 9-55	2,085.00
NEC 3510	1,980.00		

CRT, DISK DRIVE, MODEMS

the state of the s	and the second s	Marine and Marine and the Landschape Con-	
Alpha Micro AM-600	8,075.00	Houston Instrument DMP-7	1,528.00
Anderson Jacobsen 1256	641.25	Lobo Dual 8" DS/DD	2,234.00
DEC VT 100	1,495.00	Lobo Dual Mini Drives	855.00
Hayes Micromodem Apple	250.00	Morrow 10MEG	2,750.00
Hayes Micromodem S-100	319.00	Morrow 20 MEG	3,550.00
Houston Instrument DMP-2	819.00	Morrow 26 MEG	3,375.00
Houston Instrument DMP-4	1,063.00		

For latest wholesale prices and to order Call Toll Free 800-227-2288. In California call 415-376-9020. Assembly, integration and testing also available from our service department.

ASK ABOUT OUR LEASING PROGRAM.

Mastercharge at 3% handling fee. Prices subject to change without notice. Minimum fee \$100. 15% cancellation fee.





THE PURCHASING AGENT

1635 School St., Suitet 101, Moraga, CA 94556

point ROM (read-only memory) and they have proved indispensible for reducing the complexity of that program to manageable proportions.

Extensions

An old adage states that no program is ever complete, and it is true that several other structured macros could be easily added to the existing set. Four straightforward additions would be to create TST and CC forms of the WHILE and UNTIL macros. A FOR loop, such as that in Pascal, would be useful, but would present a substantially more formidable implementation problem. At present, the equivalent of a FOR loop can be created out of a WHILE...ENDWH structure.


Macros in Other Languages

While facilities for subroutines are almost universally available, facilities for using macros are available in relatively few languages. Assembly languages are an exceptional case in that most assemblers provide at least a rudimentary mechanism for defining and using macros. As a result, the power and generality of macros are not widely appreciated.

Two notable exceptions lift macro programming out of the realm of assembly language. One is a book by Brian W Kernighan and P J Plaguer, entitled Software Tools (Addison-Wesley, 1976). Macros are used to add structured control statements to FORTRAN, which has resulted in a new language called RATFOR (Rational FORTRAN). Software Tools uses RATFOR to present a series of increasingly complex programs that culminate in a macroassembler program. This macroassembler takes a RATFOR program as input and creates an equivalent FORTRAN program, which may then be translated and executed as usual. RATFOR is an excellent example of a high-level language made more structured through the use of macros.

The second exception is the C programming language, which uses a simple macroassembler as the first step in translating C programs. Macro expansion constitutes the first step in translating a computer pro-

may be holding the mos



Enables ANYONE to write complete, running, debugged BASIC LANGUAGE Programs in 35 to 40 minutes with NO PRIOR PROGRAMMING KNOWLEDGE OR

IF you are one of the many who bought a microcomputer in the belief that with just a little studying you could write your own programs, you now know that you

IF you, as a businesman, thought you could have stock software modified at a

reasonable cost with reasonable results, you know that's not possible either.

IF you are a hobbyist getting tired of the untold hours it takes to write a program, only to find it takes more hours to debug than to write.

IF you are a skilled programmer you don't have to be reminded of the repetitious

IF you are a skilled programmer you gon't have to be refinition of the repetitives time spent on each new application.

If you have left your micro-computer sitting somewhere gathering dust...meet THE PROGRAM WRITER/REPORTER*.

THE PROGRAM WRITER/REPORTER* is not just another data base generator. THE PROGRAM WRITER/REPORTER*, at your direction, makes complete running programs that are thoroughly documented, easy to modify at any time by YOU!

THE PROGRAM WRITER/REPORTER* cuts programming time up to 90% for a stilled recovery. skilled programme

THE PROGRAM WRITER/REPORTER® will make anyone a skilled programmer in 30 to 35 minutes!

THE PROGRAM WRITER/REPORTER® does the work! You can answer the simple direct questions and THE PROGRAM WRITER/REPORTER® CREATES...AND ALL IN BASIC LANGUAGE.

After THE PROGRAM WRITER/REPORTER® has produced a program, can it be modified?

Yes, the resulting program is modular, fully documented and readily accessible for alterations or deletions.

Does the program created use so much disc space that there is very little space left for the record storage?

A. No, the code produced is extremely compact despite complete documentation. If requested THE PROGRAM WRITER/REPORTER* will even "pack" or compress information. You may even delete the "remarks" making it even more space efficient

Q. Must I be expert or even conversant with Basic Language?

A. No, all questions to and answers from the operator require no computer language knowledge, simple every day English will do.

What about math ability?

If you can count your fingers and toes, you'll have no problems.

Will the programs which I produce with THE PROGRAM WRITER/REPORTER® bulky, slow or amateurish?

A. No, the resulting programs will be sophisticated and extremely fast operating. For example, should you create a mailing list or inventory program, the time for any record to be retrieved and displayed from a full disc would take a maximum of 1 second.

Q. Must the programs produced conform to a pre-determined format and file length?

A. No, you determine format and file size to fit your requirements. You may have as

many as 300 fields or as few as 1.

Q. Can I develop my own business programs?

For the most part, yes. Q. What are the limitations? What programs can I produce with THE PROGRAM WRITER/REPORTER*?

A. Your own ingenuity and hardware limitations. 100's of different programs. TECHNICAL ASPECTS

The Reporter Package - makes reports your way.

Record access by a hashing algorithm guaranteeing fast record retrieval.

Duplicate keys permitted.

Record deletion automatically supported.

Record access and file maintenance is user transparent.

Minimal disc overhead since there is no special assembly language routine called. No "Basic" overhead.

Programs produced can be transported between 6800, 6502, 8080, Z80, 8085, 8086 and Z8000 based systems. Can be used with Micro-Soft Basic and CP/M systems.

Complete file maintenance including up-date of any record in any field, delete and add new records even with duplicate key.



Vital Information Inc.

7899 Mastin Dr. Overland Park KS 66204

gram, and in C, as well as RATFOR, the macroassembler consists of a separate program that is run before the main translator program. So if you possess a macro preprocessing program, you need never program in a language that lacks structured control statements.

I cannot leave the subject of macros without including one final comment about the generality of their usefulness. Macros, acting as they do at translation time, are really transformations of written text, and that text need not be a computer program. For example, a set of macros could be used to expand into standard headings and endings for writing business correspondence.

A Step in the Right Direction

The title of this article was chosen to imply a sense of progress not yet completed. The structured assembly-language statements presented here are only the first step in spreading the benefits of structured programming to languages that are currently not well structured. Control structures

are easy to implement and can be added to even the most primitive programming language, but there are other aspects of structured programming that have yet to be explored in connection with assembly language. I will briefly examine two of these aspects: data structuring and subroutine structuring.

High-level languages such as Pascal and C provide atomic data types, such as numbers and characters, which can be built up into data structures. A data structure is a complex combination of data types referred to by a common name, the subparts of which can be accessed in a consistent manner. An array is just such a data structure having every element of the same data type.

The most general form of a data structure contains any number of elements of differing types (called a "record" in Pascal and a "structure" in C). Is it possible to add similar data structures to an assembly language in the same way that control structures were added? At present, the answer appears to be no.


One advantage offered by high-level languages over assembly languages is the association of a specific type to each data element. Part of the reason modern compilers are more complicated than assemblers stems from the type-checking that occurs as each use of a data item is being translated. Type-checking is too complex to be performed by a macroassembler; it could be added to an assembly language only by performing an extensive rewrite of the assembler program.

The languages PL/M, from Intel, and MPL, from Motorola, represent attempts at marrying data structures and other high-level concepts to assembly-language programming, but I am not sufficiently familiar with them to evaluate their effectiveness.

Subroutine structuring partakes of particular aspects of both structured control and structured data, but it is such an important (and complex) aspect of computer languages that it deserves separate consideration. Subroutine control structuring consists of nothing more than the run-time expansion examined earlier. Subroutines appear in a program much as the other control structures: they are made up of structuring statements that bracket a block of assembly-language statements, and that block of statements may itself contain nested subroutine calls.

However, more than control is passed to a subroutine. Data in the form of subroutine parameters is also transferred. In standard BASIC, all the data used in a subroutine is global (ie: it exists both inside and outside the subroutine). Languages like Pascal and C allow subroutines to have parameters and data that are local to the subroutine and exist in computer memory only while the subroutine is being executed.

The MC6809 and MC68000 microprocessors both contain machine instructions that aid in passing parameters to subroutines and in creating data local to a subroutine. The development of methods that will extend assembly languages in order to express these subroutine structures promises to be a fruitful area for further work.



MIKBUG and the TRS-80

Part 1: A Cross-Assembler for the Motorola 6800

Robert Labenski 145 Steele Rd West Hartford CT 06119

I've always appreciated my TRS-80 Model I, largely because it's so easy to use. Recently, however, this appreciation heightened considerably when I bought the Motorola 6800 evaluation kit (MEK 6800 D1). That's when I realized I had become spoiled by the sophistication and ease of use of the Radio Shack machine.

The D1 comes with a minimum of programming support: a machine-language monitor called MIKBUG. It does a good job as a monitor, but after two years of using a disk-based editor/assembler, who wants to hand-assemble object code and load it 2 bytes at a time?

This prompted me to write a full programming system for the D1 kit. The programs run on the TRS-80, which is connected to the D1 as a terminal. As far as the D1 is concerned, the TRS-80 is nothing more than an I/O (input/output) terminal; little does the D1 know that the TRS-80 is also serving as a cross-assembler with file capabilities, a downloader, and a debugger!

To use this programming system, you need:

- the Motorola MEK 6800 D1, or any other 6800-based system running MIKBUG
- •a TRS-80 Model I with 48 K bytes of programmable memory, one disk drive, and an RS-232C interface
- connecting cables from the TRS-80 to the D1 via their RS-232C channels

You don't need the disk drive if you rewrite all the file I/O sections for tape instead of disk.

I've divided this article into two parts. Part 1 describes the editor and cross-assembler—the program that inputs your 6800 source code and outputs 6800 object code. Both source and object code are saved on disk. Part 2, in next month's BYTE, describes the downloader (the program that transfers the 6800 object code into the correct memory locations in the D1 system) and the debugger, a function that allows your TRS-80 to act like an enhanced D1 terminal.

The Editor and Cross-Assembler

The editor and cross-assembler program is written in TRS-80 Disk BASIC (see listing 1).

When I write programs that have several commands associated with them, I program a help screen. Figure 1 (on page 242) is a copy of this screen. It contains all the commands needed to make the program usable.

When the prompt, "READY*", is displayed, the following general-purpose commands may be used:

- H Display the help screen of figure 1.
- F Request for file I/O. You are asked whether you wish to save or load and what files you wish to use.
- R Clear the system and restart the assembler.
- C Assemble the source code stored in the system.
- S Display the symbol table used to resolve addresses encountered during an assembly.

Text continued on page 242

```
100 ' MINI 6800 COMPILER FOR THE TRS-80
   ' ROBERT LABENSKI WEST HARTFORD CONN
110
120
130 CLEAR 12000: DEFINT A-Z
140 DIMS#(200) 'SOURCE DATA
150 DIMNO$(100) 'OPERATIONS W/IMPLIED OPERANDS
160 DIMOP≢(100) ' FULL OPCODES
170 DIMBR≸(16) ' BRANCH INSTRUCTIONS
180 DIMOB≸(200) '
                   OBJECT
190 DIMAD(200) 'ADDRESS
200 DIMLA$(100) ' SOURCE LABELS LC=INDEX
210 DIMLN(100) ' LINE # OF LABELS
220 DIMAR(100) ' LINES NEEDING ADDRESS RESOLUTION AC=INDEX
                         ' GOTO OP CTRL
230 GOSUB1550 :GOTO 1200
240 RESTORE'COMPILE
250 LC=0:AC=0:CD=0
260 IF OT THEN 340 ELSE OT=1 : GOTO310
270 CD=0:FOR X=1TOLEN(A$):Y=ASC(MID$(A$,X,1))
280 IF Y<=57 AND Y>=48 THEN Y=Y-48
290 IF Y>64 THEN Y=Y-55
300 CD=16*CD+Y :NEXT:RETURN
310 FORA=0TO100:READ NO$(A):IF NO$(A)()"END"THEN NEXT
320 FOR A=0TO100:READOP$(A):IFOP$(A)<>"END"THENNEXT
330 FOR A=0 TO 15:READ BR$(A):NEXT
```

Listing 1 continued on page 234

Peachtree Software™ Word Processing Is A

TM

As if by magic, word processing from Peachtree Software transforms your business' most time-consuming typing projects into computerized ease.

You'll be amazed how easily Magic Wand glides you through "cut and paste" tasks. The system includes a full-screen text editor and extraordinary memory capabilities. You can save all or part of your output on a disk -even print one file while editing another. The user's manual, written in simple, non-technical English, includes a step-by-step instructional pro-

gram. And Magic Spell TM, one of a whole new series of 'Magic" packages, will add to your productivity. It checks



your spelling against an internal "dictionary" of up to 20,000 words.

nce you've used any Peachtree Software Package, you'll find it amazingly simple to add others. Our easy-touse manuals enable you to quickly make the transition from word processing to our general accounting programs.

Peachtree Software reflects years of development, refinement and user testing. That's why there are more than 20,000 Peachtree Software packages in

use. To get yours, see your nearest dealer or call, 800-835-2245, ext. 35 (in Kansas, 800-362-2421, ext. 35).



The Very Best "Off-The-Shelf



PEACHTREE SOFTWARE, 3 Corporate Square, Suite 700, Atlanta, Georgia 30329 (404) 325-8533

Telex II: 810-751-0273 PEACHTREE ATL

Peachtree Software, Magic Wand, Magic Spell, and Sales Trackers are trademarks of Peachtree Software, Incorporated.

You may be in a position to justify an airplane and not even know it.

The Beechcraft Bonanza A36TC can carry 6 people at speeds up to 246 mph.

To find out, take this simple test.

1. Do you or your people travel several times a month? Yes □ No □

2. Do you travel to, or come home to, destinations not well served by airlines? Yes \square No \square

3. Have you ever been out of town two days and a night for a two hour meeting? Yes □ No □

4. Have you ever lost business or money, or both, because your top management couldn't be there, when and where they were needed? Yes □ No □ 5. Do you often travel

on a moment's notice? Yes □ No □ 6. Do your salesmen

log more time on the road

than in selling? Yes \(\simeg \) No \(\simeg \)

If you answered yes to any of the above questions, you'll have no trouble justifying a Beechcraft company airplane. To your accountants. Your board of directors. Or your stock holders. Because a Beechcraft means more efficient, more productive travel.

It means one of your most valuable resources, good people, can be there, when and where they're needed. And that's even more critical to small and medium sized companies, with fewer resources, than it is to large companies.

Our free Management Guide to Business Aviation shows that virtually any size company can, and has, used a Beechcraft to increase profitability and/or

productivity. The size of your company isn't nearly as important as the size of your ambition. The Guide lays it all out in black and white, net dollars and capital recovery. And the more you travel, the more sense it makes.

Especially when your Beech dealer makes owning an airplane

so simple. He has a unique plan for managing many of the details for you. Maintenance, scheduling, upkeep, helping to find pilots, whatever you need. So all you get are the benefits.

Send for your free 1981 kit.

If you answered yes to any of the quiz questions, write us at Beech Aircraft Corporation, Dept.MNB,



Wichita, KS 67201. We'll send you all you need to start thinking. If you answered yes to all the questions, maybe you should call collect. 316-681-8219. Ask for Del Chitwood.

Member General Aviation Manufacturers Association



For free information on learning to fly or upgrading your flying skills, plus the location of your nearest Beech Aero Center, call 1-800-331-1750 in the contiguous U.S. (In Oklahoma 1-800-722-3600). ASK FOR OPERATOR 701.



HEATH/ZENITI A GIANT STEP FORWARI

Computer power, printer speed, hard disk storage – all in one system.

The three elements you need for smooth, rapid data handling are together now in one Heath/Zenith system. For word processing, business and financial applications, or custom programming – this is the performance standard evolving in computer technology. It's what you expect from a *strong* partner.

All-In-One Computer

The heart of the system is the Heath/Zenith 89 Computer, a complete, stand-alone unit with professional keyboard, smart video terminal and 51/4-inch disk drive. It's easy to use for people having little or no experience – yet it can also run extended languages like BASIC, COBOL, FORTRAN and Pascal.

The 89 comes with 48K bytes RAM, expandable to 64K. It has two Z80 microprocessors, one for computer functions, one for terminal functions. And three serial I/O ports for interface with printers and modem.

The video display features a 12-inch diagonal, highresolution CRT that's easy on the eyes. It displays up to 2,000 characters at a time, 24 lines (plus 25th status line) by 80 characters, with full cursor control. Also 33 block graphic characters for charts and graphs.

Winchester Disk System

The 67 Disk System features one hard disk and one 8-inch, soft-sectored floppy for total on-line storage of ...10.782 megabytes (formatted). That's a huge data base.

The floppy is double-sided, double-density and can also operate in single-sided or single-density modes, compatible with standard IBM 3740 format.

The 67 features write-protect switches for both drives to prevent accidental erasure of information. The average access time of the hard disk drive is 70 milliseconds.

High-speed printer

The Heath/Zenith 25 Printer is a heavy-duty, high-speed, dot matrix printer that gives you sharp, clear printouts. It prints over 150 characters per second with whisper-quiet smoothness.

The entire 95-character ASCII set prints in upper case and lower case with descenders, in a 9 x 9 matrix. Also, 33 block graphic characters let you create graphs and charts. All functions and timing are microprocessor-controlled.

It uses standard edge-punched papers and features a convenient cartridge ribbon for easy, no-mess replacement.



ANNOUNCES N SYSTEM PERFORMANCE

Versatile software and accessories

The Heath/Zenith System offers you a choice of operating systems, including popular CP/M.

There are programs for word processing, business applications, and versatile utility functions. And the Heath User's Group offers a library of over 500 low-cost programs for home, work or play.

For your custom programs, Microsoft languages are available in BASIC (compiler and interpreter), FORTRAN and COBOL. Or learn to write and run your own programs with special self-study programming courses for Assembly, BASIC, Pascal or COBOL.

Free demonstration awaits you at vour Heathkit Electronic Center

Pick the store nearest you from the list at right. And stop in today for a demonstration of the new Heath/Zenith System. If you can't get to a store, send \$1.00 for the new Zenith Data Systems Catalog of assembled commercial computers and also receive free the latest Heathkit Catalog. Write to Heath Co., Dept. 334-844, Benton Harbor, MI 49022.



Visit Your Heathkit Electronic Center*

where Heath/Zenith Products are displayed, sold and serviced.

PHOENIX, AZ 2727 W. Indian School Rd. 602-279-6247

ANAHEIM, CA 330 E. Ball Rd 714-776-9420

CAMPBELL, CA 2350 S. Bascom Ave. 408-377-8920

EL CERRITO, CA 6000 Potrero Ave. 415-236-8870

LA MESA, CA 8363 Center Dr 714-461-0110

LOS ANGELES, CA 2309 S. Flower St. 213-749-0261

POMONA, CA 1555 N. Orange Grove Ave. 714-623-3543

REDWOOD CITY, CA 2001 Middlefield Rd. 415-365-8155

SACRAMENTO, CA 1860 Fulton Ave. 916-486-1575

WOODLAND HILLS, CA 22504 Ventura Blvd 213-883-0531

DENVER, CO 5940 W. 38th Ave. 303-422-3408

AVON, CT 395 W. Main St. (Rt. 44) 203-678-0323

HIALEAH, FL 4705 W. 16th Ave. 305-823-2280

PLANTATION, FL 173 W. Broward Blvd. 305-791-7300

TAMPA, FL 4019 W. Hillsborough Ave. 813-886-2541

5285 Roswell Rd. 404-252-4341

ATLANTA, GA

CHICAGO, IL 3462-66 W. Devon Ave. 312-583-3920

DOWNERS GROVE, IL 224 Ogden Ave 312-852-1304

INDIANAPOLIS, IN 2112 E. 62nd St. 317-257-4321

MISSION, KS 5960 Lamar Ave. 913-362-4486

LOUISVILLE, KY 12401 Shelbyville Rd. 502-245-7811

KENNER, LA 1900 Veterans Memorial Hwy 504-467-6321

BALTIMORE, MD 1713 E. Joppa Rd. 301-661-4446

ROCKVILLE, MD 5542 Nicholson Lane 301-881-5420

PEABODY, MA 242 Andover St. 617-531-9330

WELLESLEY, MA 165 Worcester Ave. 617-237-1510

DETROIT, MI 18645 W. Eight Mile Rd. 313-535-6480

E. DETROIT, MI 18149 E. Eight Mile Rd. 313-772-0416

HOPKINS, MN 101 Shady Oak Rd. 612-938-6371

ST. PAUL, MN 1645 White Bear Ave. 612-778-1211

BRIDGETON, MO 3794 McKelvey Rd 314-291-1850

OMAHA, NE 9207 Maple St 402-391-2071

ASBURY PARK, NJ 1013 State Hwy. 35 201-775-1231

FAIR LAWN, NJ 35-07 Broadway (Rt. 4) 201-791-6935

AMHERST, NY 3476 Sheridan Dr. 716-835-3090

JERICHO, L.I. NY 15 Jericho Turnpike 516-334-8181

ROCHESTER, NY 937 Jefferson Rd. 716-424-2560

N. WHITE PLAINS, NY 7 Reservoir Rd 914-761-7690

CLEVELAND, OH 28100 Chagrin Blvd. 216-292-7553

COLUMBUS, OH 2500 Morse Rd 614-475-7200

TOLEDO, OH 48 S. Byrne Rd. 419-537-1887

WOODLAWN, OH 10133 Springfield Pike 513-771-8850

OKLAHOMA CITY, OK 2727 Northwest Expressway 405-848-7593

FRAZER, PA 630 Lancaster Pike (Rt. 30) 215-647-5555

PHILADELPHIA, PA 6318 Roosevelt Blvd. 215-288-0180

PITTSBURGH, PA 3482 Wm. Penn Hwy 412-824-3564

WARWICK, RI 558 Greenwich Ave. 401-738-5150

DALLAS, TX 2715 Ross Ave 214-826-4053

HOUSTON, TX 1704 W. Loop N 713-869-5263

SAN ANTONIO, TX 7111 Blanco Boad 512-341-8876

MIDVALE, UT 58 East 7200 South 801-566-4626

ALEXANDRIA, VA 6201 Richmond Hwy. 703-765-5515

VIRGINIA BEACH, VA 1055 Independence Blvd 804-460-0997

SEATTLE, WA 505 8th Ave. N 206-682-2172 TUKWILA, WA

15439 53rd Ave. S 206-246-5358 MILWAUKEE, WI

5215 W. Fond du Lac 414-873-8250

*Units of Veritechnology Electronics Corporation in the U.S. Prices and specifications subject to change without notice

HEATH/ZENITH

Your strong partner

Listing 1 continued:

- 340 OK≐1'MAIN COMPILE LOOP
- 350 FOR A=0TON-1
- 360 IF LEFT\$(S\$(A),1)="*" OB\$(A)="":AD(A)=CD:GOTO 450
- 370 IF MID\$(S\$(A),7,1)<>"&" THEN 400
- 380 AD(A)=CD
- 390 OB\$(A)="":FOR B=8T038: A\$=MID\$(S\$(A),B,1):IF A\$="%" THEN 450 ELSE Y=ASC(A\$):X=0:A\$="":GOSUB950 :OB\$(A)=OB\$(A)+A\$:CD=CD+1:NEXT
- 400 A\$=MID\$(S\$(A),7,4):IF LEN(A\$)=3 A\$=A\$+" "
- 410 IF A\$="ORG-" THEN A\$=MID\$(S\$(A),15,4):OB\$(A)="":GOSUB270 ::GOTO:450
- 420 IF LEFT\$(S\$(A),4)()" " THEN LA\$(LC)=LEFT\$(S\$(A),4) : LN(LC)=A : LC=LC+1
- 430 IF LEFT\$(A\$,1)="B" GOTO 710
- 440 IF LEN(S\$(A))<15 GOSUB 530 ELSE GOSUB 600
- 450 NEXT A
- 460 IF SW=0 THEN 520
- 470 FOR A=0 TO AC-1
- 480 FOR B=0TOLC-1: IF RIGHT\$(OB\$(AR(A)),4)(>LA\$(B) THEN NEXT
- 490 IF MID\$(S\$(AR(A)),7,1)="B"THEN X=AD(AR(A)):Y=AD(LN(B)):AD(100)=Y-(X+2):C=10
- 0:GOSUB940 :OB\$(AR(A))=LEFT\$(OB\$(AR(A)),2)+RIGHT\$(A\$,2):GOTO510
- 500 C=LN(B):GOSUB940 ::OB\$(AR(A))=LEFT\$(OB\$(AR(A)),2)+"0"+A\$
- 510 NEXT A
- 520 RETURN
- 530 'IMPLIED OPERANDS
- 540 IF MID\$(S\$(A),7,1)="\$" OB\$(A)=RIGHT\$(S\$(A),LEN(S\$(A))-7) : AD(A)=CD:CD=CD+(
- LEN(S\$(A))-7)/2:RETURN
- 550 FOR B=0 TO 100
- 560 IF LEFT\$(NO\$(B),4)="END" THEN OB\$(A)="*ERR*" : RETURN
- 570 IF LEFT\$(NO\$(B),4)=A\$ THEN OB\$(A)=RIGHT\$(NO\$(B),2):AD(A)=CD:CD=CD+1:RETURN
- 580 NEXT
- 590 'A\$=RIGHT\$(S\$(A),LEN(S\$(A)-8)
- 600 ' OTHER OPS

Listing 1 continued on page 236

Computers may simplify your business, but it isn't always simple to choose one

CALL FOR PRICE



CROMEMCO System One

• Z80-A RAM • Small size • 780K Disk Storage
• CRT and Printer interfaces • Eight S-100 card
slots allowing expansion with: — color graphics
— additional memory — additional interfaces for
telecommunications data acquisition, etc.

QANTEX* 6000 Printer

• 150 characters per second • 136 columns per line • parallel or serial interfaces • 9 × 9 dot matrix • 400 million character printhead • upper & lower case with descenders



Parallel \$1295.00 Serial 1359.00 odel 6010 1399.00 MORE SPECIALS
BALLY Arcade Computer \$279.95
MATTEL Intelevision Computer 279.95
NORTHSTAR 64K DD 3395.00
BOSHEI 19" Color TV 329.95
ATARI 800 w/410/32K 899.95
T.I. 810 Basic RO 1359.00

*Registered Trademark of North Atlantic Industries, Inc.

We carry a full line of Cromemco, Northstar, Epson, Texas Instruments, Atari, Bally, Hazeltine, Adds, Qantex, Malibu and others


SYNCHRO-SOUND International, Inc.

COMPUTER AND VIDEO SYSTEMS CENTERWhere the computers are cold and calculating. But the people aren't.



1550 Northern Blvd., Manhasset, N.Y. 11030 516-869-8535 TOLL FREE: 800-645-3820

Master, Visa, American Express



Listing 1 continued: 610 AD(A)=CD 620 FOR B=0T0100 630 IF LEFT\$(OP\$(B),4)="END" THEN OB\$(A)="*ERR*" :RETURN 640 IF LEFT\$(OP\$(B),4)<>A\$ THEN NEXT 650 IF MID\$(S\$(A),15,2)="X," THEN OB\$(A)=MID\$(OP\$(B),10,2)+MID\$(S\$(A),17,2):CD= CO+2: RETURN 660 IF MID\$(\$\$(A),15,1)="#" THEN OB\$(A)=MID\$(OP\$(B),6,2) :08\$(A)=0B\$(A)+MID\$(S\$ (A),16,2):CD=CD+2:B\$=LEFT\$(OB\$(A),2):IF B\$<\"\BC"ANDB\$<\\"CE"ANDB\$<\\"8E" THEN RE TURN_ELSE_CD=CD+1:OB\$(A)=OB\$(A)+RIGHT\$(S\$(A),2):RETURN 670 IF MID\$(S\$(A),15,1)=" " THEN OB\$(A)="*ERR*":RETURN 680 IF MID\$(\$\$(A),15,1)="\$" THENA\$=MID\$(\$\$(A),16,4) ELSE A\$=MID\$(\$\$(A),15,4):AR (AC)=A:AC=AC+1:SW=1:A\$=A\$+STRING\$(4-(LEN(A\$))," ") 690 IF LEN(A\$)=4 THEN OB\$(A)=MID\$(OP\$(B),12,2) :OB\$(A)=OB\$(A)+A\$:CD=CD+3:RETURN 700 OB\$(A)=MID\$(OP\$(B),8,2):OB\$(A)=OB\$(A)+A\$:CD=CD+2:RETURN 710 'BRANCH INSTRUCTIONS 720 FOR B=0T015:IF LEFT\$(A\$,3)=LEFT\$(BR\$(B),3)THEN 740 730 OB\$(A)="#ERR#":GOTO 450 750 A\$=MID\$(S\$(A),15,4):0B\$(A)=0B\$(A)+A\$+STRING\$(4-LEN(A\$)," "):SW=1:GOTO 450 760 OK=0:LC=0:AC=0'SOURCE COLLECTION 770 IF LEN(A\$)>1 THEN 810 780 PRINT N;TAB(10);:LINEINPUTS\$(N) 790 IF S\$(N)="" RETURN 800 N=N+1:GOTO780 810 A=VAL(RIGHT*(A*,LEN(A*)-1)) : IF A>N THEN 780 820 PRINT A; TAB(10); :LINEINPUTA\$ 830 IF A*="" RETURN ELSE S\$(B)=S\$(B-1): NEXT Listing 1 continued on page 238 840 FOR B=N+1 TO A STEP-1:IF B=0 THEN 850

BREAKTHROUGH! Automatic View and edit many Horizontal and files simultane-Vertical scrolling. ously. Create your own Draw diagrams as commands for January/88 easily as typing your applications. text. 1,890,346 Automatic Cut text from one 35,572 memory managewindow and paste ment of large files. it into another. 4,589 Compare, contrast, 12,345 review or analyze.

A MULTI-WINDOW TEXT EDITOR FOR UNDER \$200.

Imagine this kind of productivity: Your 4 favorite files right before your eyes on the screen of your CRT.

Divide the screen of your CRT into any combination of horizontal and vertical windows, each with its own workspace. Or, windows can share a workspace—so you can edit different parts of the same file.

You get true on-screen editing, plus the ability to add or delete any of 10 windows, at any time, anywhere on the screen.

Using CP/M compatible files and simple, easy to remember commands, THE ELECTRIC BLACKBOARD™ has functions to satisfy the needs of the most demanding professional computer scientist. Yet THE ELECTRIC BLACKBOARD™ can be used just as productivly by the novice within minutes. A step-by-step Learning Guide,

designed for the novice, will guide you gently through the learning process.

Unleash the extraordinary power and flexibility of THE ELECTRIC BLACKBOARD™ on your Z80-based microcomputer today.

Requires 48k CP/M or CDOS, Z80 processor, and CRT with cursor addressing. Distributed on SSSD 8" diskette. Includes reference manual, learning guide, and quick reference card. Price: \$198, manuals only: \$30.

Call or write for more information:

SANTA CRUZ SOFTWARE SERVICES

1711 Quail Hollow Road, Ben Lomond, CA 95005 (408) 336-2170

 $\mbox{CP/M}$ is a trademark of Digital Research $\,$ CDOS is a trademark of Cromemco Z80 is a trademark of Zilog

Standard & Poor's unique software and data system—STOCKPAK—can help you manage your investments like a Wall Street Professional! Now for TRS-80 Model I and Model III users too!

STOCKPAK not only delivers a "stand-alone" Portfolio Management System but also gives you the software for Standard & Poor's monthly Common Stock Data Service (available to TRS-80 owners on a subscription basis). With STOCKPAK and the Data Service you command one of the most powerful and versatile investment tools available.

Here's How STOCKPAK Will Help You:

A 900 COMPANY DATA BASE SERVICE

Monthly Data Service subscribers receive a diskette containing 30 vital financial items on 900 of the most widely traded stocks (S&P "500" and 400 NYSE, ASE and OTC issues). Accompanying this monthly diskette is an Investor's Newsletter highlighting important financial news and investment strategies, with suggestions for maximizing the usefulness of the system.

STOCKPAK SELECTION SYSTEM

The heart of STOCKPAK is a powerful, analytical stock selection tool which enables investors to choose stocks which meet their investment criteria. For example, you may wish to select only those oil and gas stocks with price/earnings ratios of less than 7 and yields of 6% or more. Once a group of stocks has been selected, you can store it as a separate data file for continuing use.

REPORT WRITER

You can define the report formats you would like to see on those stocks meeting your investment objectives. Hundreds of calculations and ratios that you define can be sorted, averaged or totalled, and displayed on video screen or optional printer.



PORTFOLIO MANAGEMENT SYSTEM


Now you can effectively evaluate and manage your own stock portfolio of up to 100 securities with as many as 30 transactions for each. You can record "buy" and "sell" transactions, price and dividend information and stock splits for instant retrieval, for record keeping and tax purposes. You can measure actual performance or create hypothetical situations to help you make "buy" or "sell" decisions.

HOW TO ORDER STOCKPAK

STOCKPAK is designed exclusively for TRS-80 users with 32K business systems with two mini-disk drives. You can obtain the basic software and sample Data Base, plus a comprehensive User's Manual from your local Radio Shack Store for only \$49.95. The STOCKPAK Monthly Data Updating Service can be ordered directly from Standard & Poor's for \$200 annually, or from the order form provided in the basic package you purchase from Radio Shack.



Listing 1 continued: 850 S\$(A)=A\$:A=A+1:N≠N+1:GOTO 820 860 'SOURCE DUMP L | LXX / LXX-XX 870 IF LEN(A\$)=1 A=0 B=N-1 900 IF B>N :B=N-1 910 IF A>N :A=N-1 "; OB\$(C); TAB(22)S\$(C):N 920 IF OK THENFORC=ATOB:GOSUB940 :PRINT C;TAB(6)A\$;" EXT: RETURN 930 FORC=ATOB:PRINT C,S\$(C):NEXT:RETURN 940 A\$="": Y=AD(C):X=INT(Y/256):GOSUB970 950 X=INT((Y-(X*256))/16):GOSUB970 960 X=INT(Y-(INT(Y/16)*16)) 970 IF X>9 THEN A\$=A\$+CHR\$(X+55) ELSE A\$=A\$+RIGHT\$(STR\$(X),1) 980 RETURN 990 OK=0:LC=0:AC=0'SOURCE DELETE DXX B=VAL(RIGHT\$(A\$,LEN(A\$)-1)) 1000 IF B>N RETURN 1010 1020 FOR C=B TO N-1:S\$(C)=S\$(C+1):NEXT N=N-1:RETURN 1030 1040 'SYMBOL PRINT 1050 IF OK THEN 1060 ELSE RETURN 1060 FOR A=0 TO LC-1:C=LN(A):GOSUB 940 :PRINT LA\$(A);" ";LN(A);" "; A\$: 1070 NEXT:RETURN 1080 ' FILE I/O SUBCMS I=LOAD S=SAVE 1090 INPUT "SUBCOMMAND L=LOAD S≒SAVE ";B\$ 1100 IF (B\$<>"S")*(B\$<>"L") THENRETURN 1110 INPUT " FILE SPEC'S ";A\$



1120 IF B#="S" THEN 1170

1130 OPEN "I",1,A\$:INPUT#1,OK,N

```
Listing 1 continued:
1150 CLOSE:RETURN
1160 PRINT"THERE IS NO SOURCE": RETURN
1170 IF N=0 THEN 1160 ELSE OPEN "O",1,A*:PRINT#1,OK;N;
1180 FOR A=0 TO N-1:PRINT#1,CHR$(34);S$(A);CHR$(34);CHR$(34);OB$(A);CHR$(34);AD
(A); : NEXT
1190 B#="":CLOSE:RETURN
1200 'COMMAND CONTROL
1210 LINEINPUT"READY* ";A$ : B$=LEFT$(A$,1)
1220 IF B$="L" GOSUB 860
1230 IF B$="I" GOSUB 760
1240 IF B$="D" GOSUB 990
1250 IF B$="R" THEN 130
1260 IF B$="C" GOSUB 240
1270 IF B$="F" GOSUB 1080
1280 IF B$="S" GOSUB 1040
1290 IF B≢="H" GOSUB 1550
1300 GOTO 1200
1310 'IMPLIED OPERANDS
1320 DATA ABA
               1B,CLRA 4F,CLRB 5F,COMA 43,COMB 53
1330 DATA DECA 4A,DECB 5A,INCA 4C,INCB 5C,PSHA 36,PSHB 37
1340 DATA PULA 32, PULB 33, ROLA 49, ROLB 59, RORA 46, RORB 56
1350 DATA ASLA 48,ASLB 58,ASRA 47,ASRB 57
1360 DATA SBA
                10, TAB
                        16. TBA
                                 17,TSTA 4D,TSTB 5D
                        34,INX 08,INS 31,TXS 35,TSX
3B,RTS 39,SWI 3F,WAI 3E
1370 DATA DEX
                09, DES
1380 DATA NOP
                02, RTI
                        3B, RTS
                 19, CLC
1390 DATA DAA
                           OC.CLI
                                    BE, CLU
                                              OA, SEC
                                                       OD, SEI
                                                                  0F, SEU
                                                                           0B, TAP
06, TPA
         97
1400 DATA LSRA
                44,LSRB
                          54
1410 DATA END
1420 'OTHER OPERANDS IMMED.DIRECT.INDEX.EXTENT
1430 DATA ADDA 8B9BABBB,ADDB CBDBEBFB.ADCA 8999A9B9,ADCB C9D9E9F9
1440 DATA ANDA 8494A4B4,ANDB C4D4E4F4,BITA 8595A5B5,BITB C5D5E5F5
1445 DATA CLR
                    6F7F, INC
                                   6070, DEC
                                                  6A7A
1450 DATA CMPA 8191A1B1, CMPB C1D1E1F1, EORA 8898A8B8, EORB C8D8E8F8
1460 DATA LDAA 8696A6B6,LDAB C6D6E6F6,ORAA 8A9AAABA,ORAB CADAEAFA
1470 DATA SUBA 8090A0B0,SUBB C0D0E0F0,SBCA 8292A2B2,SBCB C2D2E2F2
1480 DATA TST
                    6070, JMP
                                   6E7E, JSR
                                                  ADBD,
1490 DATA CPX
                8C9CACBC:LDX
                               CEDEEFE,LDS- 8E9EAEBE
1500 DATA STX
                  DFEFFF, STS
                                 9FAFBF,
                  97A7B7,STAB
1510 DATA STAA
                                 D7E7F7
1520 DATA END
1530 'BRANCH INSTRUCTIONS
1540 DATA BRA20,BCC24,BCS25,BEQ27,BGE2C,BGT2E,BHI22,BLE2F,BLS23,BLT2D,BMI2B,BNE
26,BVC28,BPL2A,BSR8D,BVS29
1550 'OPERATING INSTRUCTIONS
1560 CLS:PRINTTAB(20)"*** MINI 6800 COMPILER ***":PRINT"HELP
                                                                 H THIS INSTRUCTI
               FILE F SAUE/LOAD"
ON PAGE
1570 PRINT"INSERT
                     I ( ADD TO EXISTING TEXT) IXX (ADD BEFORE LINE#)"

DXX ( LINE NUMBER) RESTART/CLEAR R"
1580 PRINT"DELETE
1590 PRINT"LIST
                     L (ALL TEXT IN BUFFER) LXX (LINE #) LXXX-XXX (RANGE)
1600 PRINT"COMPILE C SYMBOL PRINT S"
1610 PRINT"* MOST OF THE INSTRUCTION SET IS INCLUDED *"
1620 PRINT"IMMED ADDRESSING
                                #88
                                                 #1A )"
                                    (
                                          ADDA
1630 PRINT"DIRECT ADDRESSING
                                          ADDA
                                                 $1A )"
                                $XX
                                     (
1640 PRINT"INDEXED ADDRESSING X.XX (
                                                 X, 1A )"
                                         ADDA
1650 PRINT"EXTENDED ADDRESSING $XXXX
                                             ADDA $XXXX)"
                                        1
1660 PRINT"IMPLIED
                            NO OPERAND
1670 PRINT"OTHER ( ORG XXXX) LITERALS ($XX HEX) (&XX& ASCII)
1680 PRINT"* SOURCE IS POSTIONAL ENTER AS FOLLOWS *"
1690 PRINT"LABEL((4CH)
                         *TAB*
                                  OPERATION
                                                *TAB*
                                                          OPERAND"
1700 'ABEND PROCESSING
1710 ON ERROR GOTO 1720 : RETURN
1720 PRINT "ERROR IN "; ERL; "WAS "; (ERR/2)+1
1730 RESUME1200
```

Give your system some NEC, and watch its performance soar.

NEC's crisp, clear, high-performance JC1202 RGB color monitor, an industry standard. Also available: the JC1201 composite video version. NEC's classic green monitor, (JB1201), one of microcomputing's performance legends. Easy on the eye, and the checkbook.




The impressive new NEC dot matrix printer. Parallel interface, 100 cps, 2K buffer, pin or friction feed. Stunning performance and versatility in the hottest new peripheral of the year.

You don't need an all-NEC system to benefit from NEC components.

Owners of Apple®, Radio Shack®, Atari®, IBM®, and many other microcomputers will find their equipment to be perfectly compatible with NEC's famous monitors, as well as our highly-featured new PC-8023A dot matrix printer.

Ask your dealer for a demonstration.



Productivity at your fingertips



NEC Home Electronics USA Personal Computer Division

1401 Estes Avenue Elk Grove VIIIage IL 60007



Don't make your computer old before its time

Now there's Palantir™ — Word Processing and Accounting Software for Today's Computers

You've just gotten a brand new computer. Don't tie it down with old software. Two-year-old software will make it run like a two-year-old computer.

The microcomputer industry is the fastest growing, most exciting industry in the world. Today's printers, terminals and disk drives can do things no one even dreamed of two years ago.

But a computer is just a dumb piece of metal until software gives it life, and, unfortunately, microcomputer software has not kept up with the hardware.

Until now.

There's a commonly held belief that you should not buy new software because it hasn't been tested. We say, "Hogwash!"

At one time those complaints might have been valid, but the software industry has come of age. We do our testing before we release a product, not afterwards.

More importantly, we've learned that quality cannot be

tested into a product; it must be built in from the beginning by people who know what they are doing.

And we do.

We formed Designer Software because we believed that the quality hardware of today demanded software of equal quality. It took a lot of time, sweat, money, care, experience and talent to make that belief a reality.

We set high standards, but our team of CPA's, systems analysts, programmers, writers, artists and marketers that created *Palantir*™ Word Processing and Accounting have exceeded all of our expectations.

Palantir™ is the most professional packaged software ever to be offered to the CP/M® market.

We don't expect to convince you of that with just one ad, and we won't try. But if you're in the market for business software, we hope we've convinced you to find out more about Palantir™ — today's software for today's computers.



For more information and the name of a dealer near you, please write, call, telex or use The Source. Dealer, distributor and OEM inquiries invited.

3400 Montrose Blvd. ● Suite 718 ● Houston, Texas 77006 (713) 520-8221 ● Telex 790510 ● Source TCU671

```
*** MINI 6800 COMPILER ***
                                      FILE F SAVE/LOAD
HELP
         THIS INSTRUCTION PAGE
INSERT
         I ( ADD TO EXISTING TEXT)
                                     IXX (ADD BEFORE LINE#)
DELETE
         DXX ( LINE NUMBER)
                                 RESTART/CLEAR
         L (ALL TEXT IN BUFFER) LXX (LINE #) LXX-XX (RANGE)
                 SYMBOL PRINT
COMPILE
                               8
* MOST OF THE INSTRUCTION SET IS INCLUDED *
IMMED ADORĖSSING
                    #XX
                             ADDA
                                    #1A >
DIRECT ADDRESSING
                             ADDA
                                    $1A )
                    $XX
INDEXED ADDRESSING X,XX (
                                    X, 1A )
                             ADDA
EXTENDED ADDRESSING $XXXX
                                ADDA
                                     $XXXXX
IMPLIED
               NO OPERAND
OTHER ( ORG XXXX) LITERALS ($XX HEX)
                                        (&XX& ASCII)
* SOURCE IS POSTIONAL ENTER AS FOLLOWS *
LABEL((4CH)
            *TAB*
                      OPERATION
                                             OPERAND
READY*
```

Figure 1: A help screen with all the commands needed to make the program usable.

Text continued from page 229:

The rest of the commands deal with the 6800 source data. As you enter the source code, a line counter is incremented. All references are based on these line numbers:

L List on the screen all the source text. If it has been assembled, the object is also displayed.

Lxx Display a single line. Lxx-yy Display a range of lines.

Dxx Delete a single line. The source is renumbered. Ixx Insert before line xx. This is a multiple insert that can be terminated by pressing ENTER on an empty line.

I Insert at the end of the source code. Again, this is a multiple insert that is terminated by pressing ENTER on an empty line.

I have taken some liberties in designing my coding conventions. To be consistent, they are also displayed on the HELP screen. First, the operands are a single string. For example, use STAA, not STA A, to store accumulator A. This concatenated operation code and operand works for all instructions. It helps to find the correct op code quicker in the tables as I've created them. Literals are created as \$xxxx for 2 bytes of hexadecimal and &aaaaa&,

where *aaaa* is an ASCII string of up to 30 characters. The only pseudo-op implemented is the ability to force the assembly to specific addresses with ORG xxxx, where xx-xx is the address in hexadecimal where the assembly is to originate. Any number of ORG statements can be used in a single program.

Source input is done in the insert mode. Once in this mode, the TAB key plays an important role. An input line consists of up to three fields separated by tabs: label (4 or fewer characters), operation, and operand; no comments are allowed in these lines. Comments are entered by typing an asterisk in position one.

Figure 2 shows a sample session with the cross-assembler. I loaded a preassembled 6800 program called ECHO/M68 from disk. Then I listed all of it. From left to right, the contents are: line number, hexadecimal load address, assembled object code, label, operation, and operand. I assembled and then displayed the symbol table. Note that the source and object code are automatically saved on disk for use with the download function. The S command lists the statement number and hexadecimal address of each label requiring address resolution. Next, I used the I command to enter a new line at the end of the current source program. The line numbers are generated by the program. I pressed ENTER

Text continued on page 250

GAME DESIGNERS

CINEMATRONICS, a leader in the coin-operated video game industry, is expanding its game design staff. We are seeking individuals with the special talent for game design, exceptional creativity, and superior assembly language programming skills.

CINEMATRONICS offers competitive salaries, paid sick and vacation time, medical coverage, pension and profit sharing.

If you're looking for an excellent opportunity with a rapidly growing, employee conscious company, please forward your resume to Sandra Baca, Director of Personnel:

CINEMATRONICS, INC. 1841 Friendship Drive, El Cajon, CA 92020

An Equal Opportunity Employer

42 December 1981 © BYTE Publications Inc Circle 61 on inquiry card.

Cromemco introduces System One.



n the crowded and confusing marketplace of microcomputers for business, American Computers & Engineers holds the distinction of being Cromemco's largest dealership network. This privilege enables us to offer unequalled service to our customers. Years of experience have proven AC&E a leader in the field of computer applications. Dealers and end-users alike are invited to take advantage of our extensive stock and reasonable prices. Immediate shipment is available on all Cromemco computer systems, peripherals, cards, and software. Cromemco, in its long-standing tradition of leadership in innovation, has now brought the state of the art in microcomputer technology to its next triumph. System One is the ultimate in compact, general application micros:

- Dual 5¼" diskettes
- S-100 bus
- 8-slot card cage
- Single/multi user
- 5 megabyte hard-disk option
- All-metal construction
- Lightweight & portable

For more information on Cromemco microcomputer systems, contact American Computers & Engineers. Specialists in solutions for business, industry and education.

Los Angeles: Headquarters: 2001 So. Barrington Ave.,

Los Angeles, CA 90025 • (213) 477-6751

Berkeley: 2855 Telegraph Ave., Berkeley, CA 94705 (415) 849-0177

Newport Beach: 4141 MacArthur Blvd., Newport Beach, CA 92660 • (714) 851-8700

Canada: 6715 Eighth St., North East Calgary, Alberta T2E7H7 • (403) 275-5871

France: 55 Rue de Rivoli, 75001 Paris, France

Tel. 236-94-95



Maxi-performance on minis and micros.

FILE SPEC'S ? ECHO/M68

```
READY* L
 Ö
       888
                         * DEMO PROGRAM FOR TRS-80 CROSS ASSEMBLER
       999
 2
       099
                         **** SIMPLE ECHO PROGRAM ****
 3
       003
                         * 1ST TIME PRINT DIRCTIONS
 4
       000
              FE0027
                         WRIT
                                LDX
                                          CRLF
 567
       ववाउ
             BOEGTE
                                JSR
                                          $E07E
       006
             FE002D
                                LDX
                                          ATXT
              BDE07E
       009
                                JSR
                                          $E07E
 8
       00C
             FE0027
                                LDX
                                          CRLF
 9
       BBF
              BDEG7E
                                 JSR
                                          $E07E
 10
       012
              FE002D
                                LDX
                                          ATXT
 11
       018
                         * READ INPUT FOR ECHO
 12
       015
              BDE1AC
                         READ
                                JSR
                                          $E1AC
 13
       018
                                CMPA
              8100
                                          #00
 14
       01A
              2305
                                BLS
                                          END
 15
       910
              A700
                                 STAA
                                          N. 00
       BIE
 16
              08
                                 INX
 17
       01F
              20F4
                                          READ
                                BRA
 18
       021
              8604
                         END
                                LDAA
                                          #04
 19
       023
              A700
                                STAA
                                          X, 00
 20
       025
              2009
                                BRA
                                          WRIT
 21
       029
                         * LITERAL FOR LINE FEED AND CR
 22
       027
              0029
                         CRLF
                                $0029
 23
       029
              000A
                                 $000A
 24
       02B
                                 $0004
              0004
 25
       020
              002F
                         ATXT
                                $882F
                         *TEXT BUFFER
 26
       BAA
              4543484F2050524F4752414D205459504520414E4420454E544552
 27
       02F
               &ECHO PROGRAM TYPE AND ENTER&
 28
       04A
              04
                                $04
READY* C
READY* S
WRIT
         1
               000
READ
         12
                015
END
         18
                021
         22
                027
CRLF
         25
ATXT
                020
READY* I
29* ADDED TO END OF PROGRAM
30
READY* L
 Ū
                  * DEMO PROGRAM FOR TRS-80 CROSS ASSEMBLER
 1
                  **** SIMPLE ECHO PROGRAM ****
* 1ST TIME PRINT DIRCTIONS
 23
                         LDX
 4
                  WRIT
                                   CRLF
 5
                         JSR
                                   $E07E
 67
                         LDX
                                   ATXT
                         JSR
                                   $E07E
```

Figure 2: Sample session with the 6800 cross-assembler program.

LDX


CRLF

8

Take your pick of the litter.

When you're ready to let your computer out and introduce it to the rest of the world, one of the Cat family of Modems is the way to do it.

Take your pick. You can't go wrong. They're all purebreds—from Novation, the recognized world leader in personal communications.




Cat Acoustic Modem

Fast, accurate, reliable originate/answer modem—with built-in diagnostics. Just add your computer and phone. Then dial up the world. \$189**

Super Mike

Replace your phone's carbon mike with Super Mike. No more carbon granule problems. Making things perfectly clear has never been so easy.








Auto-Cat


Answers automatically and stores data in your computer until you're ready. The world's first LSI 103 modem. State-of-the-art, all digital, crystal controlled direct connect.

You're off the hook for under \$250**



Major breakthrough—the intelligent modem. Slips into your Apple. All auto functions, selectable baud rates, Serial RS-232 port, BSR X-10 controller*** easy-to-use self-prompting format. Other options available.

From \$389** including software



D-Cat

Get the performance and reliability of a direct connect modem (up to 20dB improvement) with the portability and price of an acoustic. Use it at home. Use it at work. Truly unique. So's the price. \$199**



Call for details: (800) 423-5410

In California (213) 996-5060

Available from Avnet Electronics, Hamilton Electro, Hamilton Avnet, Kierulff Electronics, Byte Shops, Computerland, and your local computer store.


Novation, Inc., 18664 Oxnard Street, Tarzana, California 91356

*Apple is a registered trademark of Apple Computer Inc. Cat is a trademark of Novation, Inc. which does not make Apple computers.

Suggested retail price *BSR is a trademark of BSR Corporation

```
Figure 2 continued:
 9
                                   $E07E
                          JSR
 10
                          LDX
                                   ATXT
 11
                   * READ INPUT FOR ECHO
 12
                   READ
                          JSR
                                   $E1AC
 13
                          CMPA
                                   #00
 14
                          BLS
                                   END
 15
                          STAA
                                   N. 88
 16
                          INN
 17
                          BRA
                                   READ
 18
                  END
                          LDAA
                                   #94
 19
                          STAA
                                   X,00
 20
                          BRA
                                   WRIT
 21
                   * LITERAL FOR LINE FEED AND CR
 22
                  CRLF
                         $0029
 23
                          $000A
 24
                          $0004
 25
                  ATXT
                         $002F
 26
                   *TEXT BUFFER
 27
                          &ECHO PROGRAM TYPE AND ENTER&
 28
                          李月中
 29
                   * ADDED TO END OF PROGRAM
READY* D29
READY* L27-99
```

27 &ECHO PROGRAM TYPE AND ENTER& 28 李日中 READYX Sreak in 1220 READY



APPLE GRAPHICS PARALLEL INTERFACE

Full Hi Res Graphics for Epson, Okidata, etc.

TRS80 BIDIRECTIONAL I/O PORT

ADDS Viewpoint - \$559 ALTOS

ACS 8000-15 - \$4750

ANADEX

9500 - \$1225 9501 - \$1225 ATARI

400 16K - \$349 800 16K - \$740

CENTRONICS 730 - \$600 737 - \$750

DATASOUTH DS120 - \$595 DS180 - \$1269

DIABLO

630 - \$2095 1640 - \$2575

DISKETTES

Scotch - \$2.50 Dysan - \$3.50 EPSON

MX80FT - \$599 MX100 - \$739 HAZELTINE

1500 - \$995 Esprit - \$675

Cascadable with Selectable Addressing

INTERFACES

SSM-AIO - \$160 CPS-CARD - \$199

NORTHSTAR

HR64DD - \$2875 HR64QD - \$3150

LOBO

Apple Drive/Card - \$390/\$90 TRS80 Drive/Interface - \$390/\$90 Apple DD Drive — \$2740

MODEMS

HAYS-MICROMODEM - \$285 Novation-Cat - \$155

Penril - 300/1200 (212A) - \$795

MONITORS APF - \$125 SANYO-BW - \$159 Sanyo-Green - \$249 Color - \$425

Amdek-Green - \$159 Color - \$350 MPI

88G - \$575 99G - \$675 NEC 5510 - \$2540 5520 - \$2900 SOROC

120 - \$729 135 - \$799 SOFTWARE

All Major Brands - \$CALL

TELEVIDEO

912 - \$669 950 - \$930

TI

810 - \$1275 820

OKIDATA

M80 - \$369 SL125 - \$3150 M82A - \$489 SL250 - \$4200 M83A - \$739 M84 - \$1099

APPLE XTRAS

Memory-16K 200ns - \$19.95 Game Paddle Extension - \$14.95 Protyping P.C. Board — \$19.95

CIOTH

25CPS-P - \$1379 45CPS-P - \$1699 ZENITH

Z19 - \$775 Z89 - \$2195

DISCOUNT LINE 1-800-528-8960

December 1981 © BYTE Publications Inc

EXPOTEK CORPORATION INTERNATIONAL 2231-R West Shangri La Road, Phoenix, AZ 85029

ARIZONA 1-602-246-1783 **EXPORT TWX - 910-950-1194**

MULTIUSER

ZOBEX

OMPUTER N S-100 BUS ESIGNED TO ATISFY A WIDE ARIETY OF PPLICATIONS.

TANDARD FEATURES


ICLUDE: CP/M 2.2
PERATING SYSTEM, 64K
XPANDABLE, BANKSEECTABLE MEMORY,4MHZ
BOA CPU WITH 4 SERIAL
ND 3 PARALLEL PORTS,
ELIABLE 8"FLOPPY DISK
RIVES IN A STURDY ALL
ETAL CABINET.

\$4900 P/M OPTIONAL.

A AND MP M REGISTERED TRADE MARKS OF DIGITAL RESEARCH

ZOBEX"

P.O.BOX 1847 SAN DIEGO,CA.92112 7343-J RONSON RD,SAN DIEGO,CA.92111 [714] 571-6971



system on the market, in fact. MCSave (Magnetic Cartridge Save) is not just another backup system—but a true file-oriented archive system. It gives you a full 67 megabytes of on-line archive/backup storage. So you can easily access, store, delete or transfer files with greater speed, and backup

even the largest of most hard disks. MCSave combines the cost effective 3M HCD-75 Tape Drive with CP/M* to give

you the kind of

sink your teeth into. MCSave can handle 13,000 files per drive. You can transfer file-by-file from disk to tape, tape to disk, or tape to tape. MCSave runs on any S-100 Z-80 48K CP/M,* CDOS,* or CROMIX* system. Ask your dealer about MCSave ... the backup system with more byte!

> Microcomputer Consulting Services

8308 Juniper Ft. Worth, Texas 76180 (817) 498-6390

Dealer & OEM inquiries invited

*CP/M is a trademark of Digital Research *CDOS and CROMIX are trademarks of Cromemco, Inc

Circle 48 on inquiry card.

RUTF

TOLL-FREE SUBSCRIPTION LINE

New Hampshire Residents Dial 924-9281 The Quickest Way To

- Order a Subscription
- Renew a Subscription
- Inquire about a Subscription
- Give a Friend a Gift Subscription
- Change or Correct an Address

We are waiting to help you.


Call us between:

8:30-4:00 Mon.-Thurs. 8:30-12:30 Fridays (Eastern Time)

1-800-258-5485

the small systems journal

We give you one thing other car rental companies don't. Everything.



Special deals on vacation wheels.

Whether you're going to Florida, California or anywhere in the world, Hertz has special

rtz has special deals to make your vacation dollars go farther.





No charge for mileage.

At Hertz, we give you free, unlimited mileage—any car, anywhere,

round-trip or one-way.*

Fast take-offs from airports. When you reserve your Hertz car, ask for our #1 Express Service™ and you can go right from your plane to your car without stopping at the rental counter.

(Available at most major airports.)


A STATE OF THE STA





More help to help.

Hertz has more friendly people ready to help you than anyone. So call 1-800-654-3131 for reservations and we'll take it from there.



101



*Guaranteed Pricing available at all Hertz corporate and participating licensee locations in the U.S. Refueling charges and state and local taxes are not included. On some one-way there may be a drop-off charge.

#1 For Everyone.

Text continued from page 242:

at the end of each line and relisted the source code. The object code is not listed since I have modified the source code. Finally, I deleted the added line and listed the end of the text to see if it was gone.

The cross-assembler I developed is not instantaneous, but it really outshines my hand-assembly abilities. It doesn't have full checking or diagnostic capability because of the added time it would take to assemble using BASIC. It does, however, offer a two-pass capability. That is, you can use and reference labels that force two passes through the source to resolve and build the correct object code. Features such as relative branches are also available.

Program Organization

To help those who might like to modify or enhance the editor/cross-assembler program, here is a summary of the program's organization:

140-230 All the array and variable uses are noted in the remarks. The key ones are S\$ (source), OB\$ (object code for the source), and AD (assembled address of the source).

250-340 At the first assembly, the op-code dimensions are loaded so the first assembly will take a little longer. 350-760 The main assembly loop.

370 Handle comments.

380-400 Handle ASCII literals.

420 Handle ORG statements.

430-450 Select op-code routines.

Second pass to resolve addresses. 470-530

540-600 Process implied operands.

610-710 Process everything except branches.

720-760 Process branch instructions.

770-860 Source collection.

870-990 Source listing.

1000-1040 Delete command.

1050-1080 Symbol print.

1090-1200 File I/O for save/load.

1210-1310 BASIC command loop. You may add additional commands in this section.

Implied operand table. 1320-1400

1410-1510 Other op-code table.

Branch op-code table. 1520-1530

1540-1680 Help command processing.

1690-1700 Abend trap.

That's it. You now have a workable TRS-80 crossassembler for the Motorola 6800.

In part 2, I will complete the package by presenting a Z80 I/O linkage program and a BASIC controlling program. When used, you have all the MIKBUG commands plus ten breakpoints, a 16-byte hexadecimal display, a GOTO address command, and a LOAD of any assembled program from the TRS-80 disk through MIKBUG to the 6800 memory. ■

SUPER BUYS FROM SUPERBYTE!

MAJOR PRICE BREAK!

★ KG12 12" GREEN **COMPARE \$259.00**



NEW EY12 12" AMBER S219.

The "best in sight"—human engineered for least fatigue. Be the first to have this great display.

C. ITOH DAISY 25 PARALLEL \$1499.00 \$ 529.00 Microline 82A Microline 83A \$ 829.00 Microline 84 \$1139.00 NOVELL IMAGE 800 printer \$1249.00!

Apple Computers Grappler Sanyo Monitors Televideo Terminals

SUPER VALUES—SUPER SHIPPING—SUPER SERVICE!



EPSON PRICES TOO LOW TO PRINT. WE MEET OR BEAT ANY LEGITIMATE VALUE IN THIS MAGAZINE.

MX70, MX80, MX80F/T, MX100

★ ISI Apple graphics printer interface \$149.00. Or \$139.00 with printer purchase. DUMP ANY SCREEN DISPLAY. Firmware controls size, rotation, reverse image and dozens of special graphic effects. Make your Epson or Okidata a great image maker.

TERMS AND CONDITIONS

All products factory tested with manufacturer's warranty

(usually 90 days). In-stock shipped same day or next. Certified check, money order or allow 14 business days for check to clear. Charge cards welcome, add 3%. Shipping and handling in continental US add 3%, minimum \$4.00. Others call or write. Illinois residents add 5.25% sales tax. All prices and offers subject to change without notice.

Call or write for complete price list.



SUPERBYTE, INC. P.O. Box 86 Deerfield, IL 60015 (312) 940-1010

More performance than you ever imagined — for \$1995. If you're considering a DEC® terminal, C. Itoh now has two reliable alternatives that could easily change your mind.

Take our 132-column CIT 101, for example. Unlike DEC's VT100, it includes full AVO performance — as standard equipment. You also get a 96 ASCII character set, plus 128 special characters. Characters may appear single-width and double-width, double-height. Reverse video, blinking, half-intensity and underscore may be used in up to 16 combinations. The cursor may be underline or block, blinking or non-blinking, or invisible to the viewer — all under computer control. There's

raster graphics too. And 19.2K Baud asynchronous communications. Human engineered features include a non-glare screen and detached selectric-type keyboard. Of course, if all you need is 80-column capability, have we got a terminal for you.

The \$1195 80-column terminal that performs like a 132. It's C. Itoh's CIT 80, the DEC VT52® emulator that's packed with features many bigticket terminals don't offer. Things like smooth scrolling, soft setup mode, line drawing graphics and unidirectional RS 232-C printer port. A 19.2K Baud main port features X/ON-X/OFF protocol as well as full and half-duplex in conversation mode. Video attributes include

blinking, underline, half intensity even reverse video. You get CIT 101type human engineered features too. Plus socketed firmware for maximum OEM flexibility.


Both terminals are backed by our 90-day warranty, fully field supported and ready for immediate shipment. So if you're thinking of getting a DEC terminal, consider the alternatives: CIT 80 and CIT 101.

For full details, contact our exclusive representative, ACRO Corporation, 18003-L Skypark South, Irvine, CA 92714. (714) 557-5118.

C. ITOH ELECTRONICS, INC.

One world of quality.

Before you order a VT100, think twice.



155 AS JDBYF.

Announcing the new quick and easy way to write custom business applications in hours instead of weeks.

At last, you can get a microcomputer business application development system that is designed for one purpose only . . . fast production of bug-free professional-looking custom business applications.

"Thinks" the Way Business Thinks Quic-N-Easi is the revolutionary screenformat-oriented application development system that thinks in terms of transactions, records and fields. The same way business thinks. Quic-N-Easi expects an application to include custom formatted key entry. It lets you set up the character, field, and record validity checks business wants by merely filling in the blanks. It automatically signals in real time when errors occur and "explains" what is wrong in plain English messages you select for each custom application.

Much Faster than BASIC

Quic-N-Easi programming is much faster than BASIC because the standard business applications (key input, file handling, and output reporting) are handled via pre-programmed parameter driven subroutines. To produce finished professional looking custom business programs, you

- Draw the business formats directly on the CRT in minutes.
- Fill in the blanks for field attributes. validations, tables, etc.
- Invoke the Quic-N-Easi interpreter to check fields against tables, check limits, access data files, and perform business calculations, etc.

Optionally define file and output formats right on the screen.

Pays for Itself in a Week

By eliminating the coding drudgery of writing screen, field, file, and format programs in BASIC, programmers are free to concentrate on the unique business aspects of each custom application. No professional programmer can afford to develop one more business application without Quic-N-Easi. The savings are so significant with Quic-N-Easi, it can actually pay for itself in only one week.

Gives You Much More than a Screen Builder . . . the Only **Complete Business Development** System for Microcomputers

Quic-N-Easi handles the entire application development job from key entry to final output. You get everything you need, including detailed documentation to begin writing professional programs the first day. You get ...

- A singularly capable Quic-N-Easi screen builder
- A comprehensive parameter driven Quic-N-Easi content editor
- A full Quic-N-Easi interpreter language
- A complete Quic-N-Easi file management system with Index Sequential, Random, and Sequential File Access Method
- A complete Quic-N-Easi print format
- A detailed Quic-N-Easi reference manual

- A Quic-N-Easi self-teaching guide
- A Quic-N-Easi quick reference card
- An interface to other program files

ORDER NOW—Don't Waste One More Day Coding BASIC

Your time is too valuable to waste hours on end writing BASIC code. The first week you use Quic-N-Easi, your finished business programs will look better, run better, and return more dollars to you. Don't delay. Order Quick-N-Easi today.

Phone . . . 215 968-0689

STANDARD MICROSYSTEMS INC. 136 GRANITE HILL COURT, LANGHORNE, PA 19047

Pricing Information

- Complete Quic-N-Easi system \$395
- Manual only \$60
- Visa and Mastercard accepted
- Dealer Inquiries Invited

Minimum System Requirements 48K • CP/M • Z80 • Floppy Disc

Other Disk Formats • 8" Single Density Vector Graphics . Micropolis Model 2

Customized Versions ● TRS80 Mod II, TRS80 Mod III, APPLE, OSBORNE, INTERTEC, VECTOR, ZENITH

Apple, CP/M, Intertec, Micropolis, and TRS80 are trademarks of Apple Computer, Digital Research, Intertec Data Systems, Micropolis Corp., and Tandy Corp.

Circle 392 on inquiry card.

Ask BYTE

Conducted by Steve Ciarcia

Mystery Card

Dear Steve,

I've seen a small circuit board for the Radio Shack TRS-80 Model I that augments the computer's disk capabilities. To use it, the FD1771 floppy-disk-controller integrated circuit is removed from the computer and installed on this mysterious card. The card is then connected to the empty 1771 socket via a ribbon cable and DIP (dual inline package) plug.

Unfortunately, I don't know any more about the board, but I'm hoping it will let me use 8-inch floppy disks on my TRS-80. Can you supply more information?

Raul G Efrón Rosario, Santa Fe, Argentina

To my knowledge, the only company that makes an 8-inch floppy-disk-controller for the TRS-80 Model I is Lobo Drives International. Its address is 354 S Fairview Ave, Goleta CA 93117, (805) 683-1576.

Your mystery board is called the Doubler and is made by Percom Data Company, 211 N Kirby, Garland TX 75042, (800) 527-1592; in Texas (214) 272-3421. It actually is a device that adds a double-density FD1791 diskcontroller chip to the FD1771 chip in the Tandy Expansion Interface. It allows you to run either single- or doubledensity drives, which lets you store up to four times more data on a floppy disk. The Doubler board takes the place of the 1771, and the single-density disk-controller chip plugs into the Doubler board. To date, it costs about \$220 in the US and can be purchased through authorized distributors of Percom equipment. . . . Steve

Control Program for Microcomputers

Dear Steve,

What is CP/M? I try to keep up on current technology, but this buzzword has got me. Has BYTE ever reviewed CP/M? If so, please tell me when so I can investigate.

Stephen Gentry Evansville IN

CP/M (Control Program for Microcomputers) is an operating system originally designed to run on Intel's 8080 microprocessor (it also runs on Intel's 8085 and Zilog's Z80). It was written and is supported by Digital Research, POB 579, Pacific Grove CA 93950, (408) 649-3896.

CP/M uses the IBM 3740 "soft-sector" floppy-disk format and, usually, 8-inch disk drives. Many types of programs are supported on CP/M, including compilers and interpreters for languages such as BASIC and FOR-TRAN. Also, WordStar and Magic Wand (two word processors) and many other high-level pieces of software are available for the smallbusiness-oriented user.

A comprehensive series of articles on CP/M's structure and format was written by lake Epstein in S-100 Microsystems magazine (a bimonthly publication of Creative Computing, 39 E Hanover Ave, Morris Plains NI 07950). This magazine is dedicated to S-100 systems, and the predominant operating system among S-100 users is CP/M.

If after you've learned a little bit more about CP/M you want to have a list of its features, I recommend that you get the CP/M Summary Guide, by Bruce Brigham. It

can be ordered through Rosetta Stone, POB 35, East Glastonbury CT 06025. It costs \$7.95 postpaid in the US. . . Steve

Lining Up Problems

Dear Steve.

Our store purchased a TRS-80 Model II. Our future plans call for a remote terminal located about 50 feet away from the computer. We are wondering what problems we may have with such a line and what precautionary steps might be taken. Should we use the RS-232C port on the Model II, or is there a better way to connect a remote terminal?

Lonnie Hartzell Dixon II.

The RS-232C standard is specified to operate between 50 and 9600 bps (bits per second) for up to 50 feet, so you should not have any problem. If you are running at lower data rates (perhaps 1200 bps), you can separate the computer and the peripheral by as much as 500 feet and expect perfectly reliable operation. (At least that has been my experience.) Unless the cable is wrapped around an arc welder, you should have no problems at all. . . . Steve

Upgrading Kits

Dear Steve.

I would like to increase my TRS-80's memory capacity without spending any more money than necessary, and I don't want to blow it up in the process.

I have a Model III with 16 K bytes of memory, which

isn't enough for some of my programming applications. It also limits the length of my Scripsit documents. I would like to add the maximum memory the Model III can hold (48 K bytes). Radio Shack sells 16 K-byte memory kits for \$119 plus installation, while various mailorder suppliers advertising in BYTE list similar upgrade kits for around \$29.

What is the difference between these memory upgrade kits? Is the installation difficult or within the capabilities of someone who is not a computer technician-like me?

Ralph W Karcher Jr Broadalbin NY

Theoretically, any 4116type memory rated for 200 ns access time should work in your TRS-80 Model III. If you carefully disassemble your Model III, you should be able to add them yourself. The sockets are already provided, and no jumpers are reauired.

While quality varies in some of the lower-priced upgrade kits, the prices of prime memory components have been dropping so fast that you can find many good values. Before you place an order make sure that the chips are guaranteed for 200 ns operation and that the supplier will not substitute any other speed. . . . Steve

D/A Converters

Dear Steve.

I'm currently in the process of writing music/sound generation routines for my Apple II Plus. I need a D/A (digitalto-analog) converter to put into one of the expansion slots. Do you know of a sim-




Figure 1



ple, low-cost (under \$30) design? I have considered using various D/A integrated circuits, but a simple buffered resistor ladder would suffice. (The output will eventually go through my stereo amplifier.)

David R Tribble Arlington TX

You can build a D/A converter (DAC) for about a half-dollar if you can live with some minor inaccuracies. Since you are planning on using a stereo amplifier, a DAC designed for relative (rather than absolute) accuracy should be fine.

It doesn't require very much to design a DAC: a few resistors and an 8-bit latch. First, you need to purchase or build a parallel port for your Apple II. Then, take the 8 output bits and run them through an R/2R resistor ladder as shown in figure 1.

The DAC in the figure is suitable for music and speech-synthesis applications, but it isn't exactly "laboratory grade." This particular type of inexpensive DAC is used in the popular Orchestra-80 music synthesizer for the TRS-80 (manufactured by the Software Affair, Suite 1, 473 Sapena Court, Santa Clara CA 95051). My January 1982 "Circuit Cellar" will cover more accurate D/A converters. . . Steve

Missing Relays

Dear Steve,

In your article "Computerize a Home," you presented three possible techniques for interfacing a BSR X-10 home controller to a computer. (See the January 1980 BYTE, page 28.) I'm using a Radio Shack Plug 'N Power, which cannot receive ultrasonic signals, although I would have preferred a method that could. You indicated in the

article that relays could be used to bundle the -20-volt control signals, instead of the keyboard, but it is unclear to me just exactly how this is done.

William J Penna Fort Wayne IN

The relays can be attached to the X-10 unit in two ways. One would be to directly simulate the operation of CMOS (complementary metal-oxide semiconductor) multiplexers in a matrix pattern where you would close the appropriate relay in place of pressing a switch. If you look closely at a diagram of the unit, you can see that about half the relays could be eliminated by directly closing a particular relay to short the two appropriate pins together. If you don't want to have 16 separate receivers, but perhaps only eight, you could use fewer relays still.

As you mentioned, the Radio Shack Plug 'N Power does not have an ultrasonic receiver. I wrote an article for Radio Electronics magazine in September 1980 that gave complete schematics of both the command console and various receivers. The difference between the Radio Shack unit and the Sears controller is that Sears' machine contains the circuitry for ultrasonic input. This can be added to the Radio Shack unit, or you can create the coded signal (as I did in my BYTE article).

To do this, you would put the coded signal through an optoisolator and inject it directly into pin 7 of the 28-pin integrated circuit in the command console. In effect, this would be equivalent to receiving signals via the ultrasonic link. The unit will then function similar to the Sears controller.

OSI (Ohio Scientific) uses a similar method in its system that incorporates the BSR controller. Be careful to make sure that you optically isolate With the Hayes direct-connect Micromodem II™ your Apple II can communicate by phone with the outside world. You can access in-

formation networks like The Source for a variety of business and personal applications, exchange programs with friends

anywhere in North America, and even use your Apple II when you're away from your home

or office.

Dependable. The Micromodem II is so dependable it comes with a *two-year* limited

warranty. That's another reason why it's the largest selling direct-connect modem for Apple II computers.

Programmable.
Automatic dialing and answering?
Of course! We include programs on disk that dial phone numbers for you,

send messages while you're away, and much more!

Complete. You

get everything
you need to communicate with other Bell
103 compatible modems at 1

103 compatible modems at 110 or 300 baud. The serial interface

is built-in, and we even include our FCC-approved Microcoupler™ that plugs directly into any modular telephone jack in the U.S.—you don't even need the phone!

S-100, too. The Hayes Micromodem 100 gives S-100 microcomputers all the advantages of our Micromodem II!


Put the outside world *inside* your computer with a data communications system from Hayes. Available at computer stores na-

Hayes

tionwide – call or write for the location nearest you. And

don't settle for anything less than Hayes.

The Hayes Micromodem II opens up your Apple II to the outside world.



the command console from the computer, even though you are running it on 5 V. The command console has no isolation transformer and is floating at 115 V. The optoisolator will provide you with the proper level shift to run on the -20 V supply within the command console. Also, Radio Shack now makes a \$39 computer-to-AC line BSR X-10 transmitter. . . . Steve

More on Burn-Outs

Dear Steve,

I have some additional information on the BSR module "burn-out" problem discussed in "Ask BYTE" (see the April 1981 BYTE, page 330).

First, it is important to identify whether it is an appliance module or a lamp module that is burning out. A short across an appliance

module will more likely burn out the house fuse than the module. Because of this, the appliance module should be used in high-exposure areas like outdoor lights. There is a fuse in the appliance module, but its job is to protect the line and sensor circuit from each other and is, in my opinion, very unlikely to blow.

The fuse in the lamp module is in the line that feeds the load that the module is controlling. As such, it tends to burn out before the module's triac in the situation you were discussing. This has been my experience. I returned two lamp modules before I got frustrated and took one apart to find the fuse. I compared a burnt-out module with a good one, and I found the fuse. It's a sub-hair-sized piece of wire that vaporizes with no trace when it blows. I replaced this with a single strand of copper wire from

zip cord (a single strand from the bundle that makes up one of the conductors). I think this is too big, but it works. I'll have to wait and see if the triac burns out the next time the lamp falls over and blows out the bulb. I don't think it will.

Another point not mentioned in your article is that BSR will repair the fuse for a flat \$4 if you ship the damaged module to the company. A high price to replace a fuse, but much cheaper than buying a new module.

One other point: I had er-

ratic operation of some modules from certain control units at various times of the day until I installed a 0.1 μ F capacitor across the 220 V house feed. This completely solved the erratic operation and also totally eliminated outside interference from CB radios, etc. (BSR suggested this, and it works extremely well.)


T Gerald Dyar West Hartford CT

Thanks for the information... Steve■

In "Ask BYTE," Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to:

Ask BYTE c/o Steve Ciarcia POB 582 Glastonbury CT 06033

If you are a subscriber to The Source, send your questions by electronic mail or chat with Steve (TCE317) directly. Due to the high volume of inquiries, personal replies cannot be given. Be sure to include "Ask BYTE" in the address.




Kluge Card Prototype Card!

Bread-board area with 4 pwr. supplies/ switch select memory or device address/ address decoding/bi-dir. data & address buff.

& much more!

bare board: \$39.95 *




MC6809 S.B.C. ^{2K Ram}

MC6809 CPU 4K/8K/16K Prom All memory & I/O relocatable on 4K boundaries. PIA ACIA Switch selectable baud rates: 110 to 9600. Powerful adsMon monitor in 2716.

& much more!

Kit: \$299.95 **



Card programs most families

of Eproms . All programming char.

Prom Blaster

Programs the following devices:

INT2708 2716 2732 2764 TMS2708 2716 2532 2564

MCM2708 2716 2532 68764

Software runs under CP/m #

CP/m Trademark

of Digital Research, Inc.

Kit: \$199.00 *



ackerman digital systems, inc.

110 n. york road elmhurst,ill. 60126

(312)530-8992

*Shipping: \$2.50

Mastercard/Visa accepted

III. res. add 51/4% sales tax

All boards conform to IEEE 696/\$100 standard.

ads

Functions as an I/O device.


controlled by software!



Introducing "Popular Computing," the key to understanding.

Now you don't have to be a computer professional to unlock all the mysteries, potential, and pleasures of home and small business computers. Popular Computing, the new monthly magazine from McGraw-Hill, is the key.

Created in response to growing demand for our informative quarterly onComputing, Popular Computing explores every aspect of personal computers and their use. All reported in easy-tounderstand nontechnical language.



The answer to "Computerphobia."

Even the most computerunsophisticated reader will find Popular Computing interesting and stimulating. Every issue will contain straighttalking product reviews,

special news briefs, and feature articles by famous guest contributors (like Isaac Asimov). There'll even be a helpful glossary of computer jargon we couldn't avoid using, and much, much more.

Special Introductory Offer.

Send in this coupon today, and take advantage of Popular Computing's Special Introductory Offer.



Check Englosed for \$11.97 Treat Francised for 311.71

THE KEY TO UNDERSTANDING

P.O. Box 397, Hancock, NH 03449

What Makes Computer Games Fun?

Thomas W Malone
Cognitive and Instructional Sciences Group
Xerox Palo Alto Research Center
3333 Coyote Hill Road
Palo Alto CA 94304

Rumor has it that when the Space Invaders game was first introduced in Japan the Japanese treasury ran out of the coin that was used to operate the game. True or not, the phenomenal popularity of various computer games is obvious to anyone who has wandered through a shopping mall, an airport lounge, or a toy store in the last few years.

Why are these games so captivating? And how can the same things that make computer games captivating be used to make *learning* with computers more interesting and enjoyable? To help answer these questions, I systematically studied more than 100 people playing computer games, looking primarily at what made the games fun. Then I developed a set of guidelines for designing highly motivating educational computer programs.

Though I focused on making educational activities more fun, these guidelines can also be used in design-

Acknowledgments

This article is based on the author's PhD dissertation submitted to the Stanford University Department of Psychology. Parts of the article were previously included in the proceedings of the Association for Computing Machinery Symposium on Small and Personal Computer Systems (Palo Alto, California, September 19, 1980) and in references 3 and 4.

ing noneducational computer games or in making other computer programs more fun to use. All of the work I discuss in this article is described in more detail elsewhere (references 3 and 4).

Survey of Preferences

As a first step toward finding what makes computer games fun, I interviewed 65 students—from kindergarten through eighth grade—about their computer-game preferences. All the children had been playing with computer games in a weekly class for at least two months and some for more than two years. The computer class teachers provided a list of the 25 games they judged most popular among the students. Then I asked each child to rate how well he or she liked each game, on a three-point scale.

Table 1 lists all the games in order of their average rating by children who had played them. One of the most interesting questions we can ask about these results is what features the popular games share that are missing in the unpopular games. To answer this I rated each game using a number of criteria that seemed likely to affect their motivational value. Table 2 shows the correlations between these game features and the average ratings the games received

from the children.

The most important factor determining popularity in this sample was whether or not the game had a goal. For example, the top three games all had obvious goals (getting a high score in Petball, trapping the other person's snake in Snake2, and destroying all the bricks in Breakout), while the bottom two games had no clear goals (conversing with a simulated psychiatrist in Eliza or filling in blanks in a story in Gold). Scoring, audio effects, and randomness also had high correlations with game popularity. The children liked graphic games and significantly disliked word games.

Even though these results are interesting, it is impossible to draw strong conclusions from this kind of correlational study. Among other things, the results depend entirely on the sample of games I used. The other two studies I describe focus on a single game and systematically vary its features in a series of slightly different versions of the game; this allows us to make some stronger conclusions.

Breakout—The first game I studied in detail was Breakout. Figure 1 shows a typical screen display in the original Breakout game. The player uses a knob to control the position of the paddle on the left side of the

Wild Hare Software Systems Multiply the Capabilities of Data General's

RDOS INFOS® ICOS DOS

Wild Hare gives Data General users a choice when upgrading to a multi-user environment and eliminates the need to use AOS.
Wild Hare makes it easy for you. It creates a true multi-lingual, multi-user environment for your current system. No user software modifications are necessary. There is no need to install a new operating system. And, no expensive hardware upgrade is required.

Features

- · Each user is totally independent of all other users.
- Each user may run all standard Data General software.
- Each user may independently edit, compile, execute and debug programs written in any language supported by RDOS, INFOS®, ICOS and DOS.
- Standard languages supported include: Fortran IV, Fortran V, COBOL, ALGOL, RPG, DG/L™, BASIC, PASCAL, MAC, etc.
- All NOVA's® and ECLIPSE's® are supported.
- · Wild Hare guarantees its software systems on a money back basis.

Wild Hare's Software Gives Data General Users A Choice!

AWID SON HARES NO. Box 3581, Boulder, Colorado 80307

NOVA: ECLIPSE: and INFOS: are registered trademarks of Data General Corporation

Game	Average Rating	Description
Petball	2.8	Simulated pinball with sound
Snake2	2.6	Two players control motion and shooting of snakes
Breakout	2.6	Player controls paddle to hit ball that breaks through a wall, piece by piece
Dungeon	2.6	Player explores a cave, like Dungeons and Dragons
Chase S	2.6	Two players chase each other across an obstacle course, with sound effects
StarTrek	2.5	Navigate through space and shoot Klingon ships
Don't Fall	2.5	Guess words like Hangman but, instead of a person being hung, a person or robot advances to a cliff
Panther	2.4	Guess who committed a murder by questioning witnesses who may lie
Mission	2.4	Bomb submarines without getting your ship sunk
Chaser	2.4	Capture a moving square with perpendicular lines
Chase	2.4	Like Chase S but without sound
Horses	2.4	Bet on horses that race along track
Sink Ship	2.3	Bomb a ship from an airplane
Snake	2.3	Like Snake2 but snakes can't shoot
Lemonade	2.3	Run a lemonade stand: buy supplies, advertise, etc
Escape	2.2	Escape from moving robots
Star Wars	2.2	Shoot Darth Vader's ship on screen
Maze Craze	2.2	Escape from randomly generated maze
Hangman	2.1	Guess letters of a word before man is hung
Adventure	2.0	Explore cave with dragons, etc
Draw	2.0	Make any design on the screen
Stars	2.0	Guess a number. Clues given by number of stars
Snoopy	1.9	Shoot Red Baron by subtracting Snoopy's position on number line from Red Baron's position
Eliza	1.8	Converse with simulated psychiatrist
Gold	1.5	Fill in blanks in story about Goldilocks

Table 1: 25 computer games, listed according to preference. Sixty-five students were asked to rate the games $(1=don't \ like; 2=like; 3=like \ a \ lot)$.

Feature	Correlation with Average Preference
Goal	0.65**
Computer keeps a score	0.56**
Audio effects	0.51**
Randomness involved in game	0.48**
Speed of answers counts	0.36*
Visual effects	0.34
Competition	0.31
Variable difficulty level	0.17
Cooperation	0.02
Fantasy	0.06
Kind of game:	
Graphic game	0.38*
Math game	-0.20
Word game	-0.38*
Statistical significance levels:	
*p<0.05	
**p<0.01	

Table 2: Features influencing game preference, listed according to importance. The 25 games listed in table 1 were analyzed in terms of these features, and the results were correlated with the game preferences from table 1.

screen. The paddle is used to bounce the ball against the wall of bricks on the right side of the screen. Each time the ball bounces off the wall, it knocks one brick out and adds to the score. The ultimate goal of the game is to knock out all the bricks.

My survey and other casual observations indicate that this is one of the most popular contemporary computer games. What is the "secret" of its success? Many devotees of Breakout and similar games mention their score—usually their highest one when talking about the game. Is the challenge of getting a record-high score the principal attraction? Is it the visual stimulation of watching the bricks break out? Or is it simply the enjoyment of the sensorimotor skill involved in putting the paddle in front of the ball? There are, of course, many other features of Breakout, but these three-the score, the breaking

Solve the Great Software Mystery!

You spent a lot of time searching and researching to find just the right computer. But when it comes to compatible software, you're stymied. Where do you turn? What is the key that unlocks the software mystery? The answer is elementary. It takes a company with the expertise and research facilities to discover and develop a wide variety of quality software programs — a company with a staff of experts who understand both software and hardware — a company that is not only reliable but offers unique 24-hour services and - a company dedicated to being your software company.

With all these pluses there's no mystery as to why Westico is so popular with knowledgeable software buyers. But look! There's more.

The Westico 24-Hour Computer Hotline (203) 853-0816

(300 baud) for detailed program information and quick access ordering.

- A full range of professional software.
- Support for a wide variety of CP/M® and other computer systems, including: TRS-80 Model II, Apple, Vector Graphic, Cromemco, North Star, Micropolis, Ohio Scientific, Altos, Dynabyte, IBM, SuperBrain, Xerox, Zenith and more.

Two new solutions from Westico

LEGAL BILLING & TIMEKEEPING

The LBS is designed for law offices with up to 25 attorneys and 35 timekeepers, including paralegals and secretaries. The system distributes all Time and Expenses to client accounts or designated Overhead Accounts, and produces monthly Client Review sheets. After any adjust-

ments it also provides: ready-to-mail itemized bills, monthly Office Management Summary, Aged Receivables

Report. An Accounts List is also built into the system.

Complex transactions recording is reduced to a minimum because the LBS system is based on daily timesheets prepared by each timekeeper with

a complete system for coding client matters and expenses. The attorney auditing the pre-billing review form can choose various predetermined rates, or bill on retainer, contingency fee or an adjusted basis.

The Office Management Summary provides a financial analysis of each attorney's billings, aging of his accounts receivable and an analysis of the work effort of each timekeeper and total for the firm. The Accounts List summarizes current activity and status of each client.

The LBS is designed so that even first-time computer operators can install the system without expert help.

System/documentation-\$895
Demonstration System-\$ 75

Documentation alone-\$ 40

MICRO-TAX

Micro-Tax provides in-house computerized tax capability for the tax practitioner or serious investor. The system is designed to accept information, summarize data, compute tax and print the returns required by the Internal Revenue Service. The system's immediate response capability gives both tax specialist and clients immediate results of the computation.

The system reduces time required to complete a return while also minimizing the tax obligation of the taxpayer within the limit of the law. Three levels of tax prepara-

tion systems are available:

Level 1 —
Uses 23 schedules and forms,
handles multiple
clients, and prints
IRS approved forms.

Level 2 — All of Level 1 plus six more schedules and forms, depreciation system, state tax interface, integrated data base for year to year data storage, and batch compute and print functions.

Level 3 — All of Level 1 plus partnership schedules and forms.


State tax computation for the following states is available at additional cost: Arizona, California, Illinois, Ohio, Oregon, Maryland, New York,

Utah, Virginia and Washington, D.C.

Other states and municipalities are being added.

Prices:

Level 1 — \$250 Level 2 — \$1,000 Level 3 — \$750 Level 2 plus Level 3 — \$1,500 State Tax — Call for prices



4 WAYS TO ORDER

- Write Westico, Inc., 25 Van Zant Street, Norwalk, CT 06855.
- Call (203) 853-6880.
- Telex 643-788.
- Dial-up our 24-hour computer (300 baud) (203) 853-0816.

COD, MasterCard and VISA accepted.

Prices do not include shipping and are subject to change. In CT add 7½% sales tax. All sales final. Manual price may be credited toward purchase of software.

Dealer inquiries invited.

Copyright © 1981 Westico, Inc. WES-40

Send for FREE catalog

WESTICO The Software Express Service

25 Van Zant Street ● Norwalk, Connecticut 06855 (203) 853-6880 ● Telex 643-788

Ms. Bomp™ Decisionware™

for the manufacturing manager.

If you manage an assembly plant, Ms.Bomp will help you make the decisions which will:

- reduce inventory and interest expense through improved parts ordering.
- plan production for greater plant and personnel productivity,
- meet production schedules by expediting purchase orders and providing picklists for parts,
- improve customer relations by aiding on-time delivery, and
- control product costs and allow pricing forecasts or quotes for special products based on current or "what if" costs.

Decisionware is our software which provides personal, integrated, decision support through easy access to your database. Based on the powerful MicroSEEDTM DBMS, Decisionware can provide the information you need in the form you need.

Ms.Bomp consists of modules which provide full bill-of-material structuring for your products and complete control of inventories, purchase orders and sales orders, each of which is password-protected.

Personal: Easy to learn and to use, Ms.Bomp is menu-driven and distributed with a sample database to speed familiarity. Because it runs on your desktop computer, it's always available to you.

Integrated: With all its modules, Ms. Bomp provides a fully integrated view of your flow of goods from ordering parts to invoicing customers. But you can start with a smaller portion.

Ms. Bomp may be integrated into a larger corporate system by downloading data from remote files.

Requirements are CP/M operating system, 64K bytes of RAM, and Zilog Z-80 or Intel 8080/8085 processor. Call for availability of CP/M-86 version for 8086 and 8088. Format is 8 " single-density; others on special order. Demonstration Package with Documentation is \$75; Documentation only is \$40. VISA, MC, and AE accepted. Dealer and OEM inquiries invited



4890 Riverbend Road Boulder, CO 80301 Phone (303) 443-2706

Micro Decisionware

Ms.Bomp and Decisionware trademarks of Micro Decisionware. Micro-SEED trademark of International Data Base Systems and Micro Decisionware. CP/M trademark of Digital Research. out of the bricks, and the ball bouncing off the paddle—seem to capture the essence of the game.

To examine which of these three features was most important to the game's appeal, I constructed six different versions of the game, varying each of the three features in all sensible combinations. For example, in some versions the ball bounced back and forth between the wall and the paddle but no bricks ever broke out of the wall. In other versions the ball never bounced off the paddle; it was simply "caught" when the paddle was placed in front of it. Also, only half of the versions had a score.

I asked 10 college undergraduates to play all the versions and then rate how well they liked each one. The factor that made the most significant difference in their ratings was whether or not the bricks were broken out. It is unclear from this study what aspects of the bricks breaking out are most important, but the list of features in table 2 suggests a number of important possibilities. A partially destroyed wall of bricks presents a visually compelling goal, while acting as a graphic scorekeeping device which tells how close the player is to that goal. It thus provides a goal, a visual effect, and scoring at the same time. In fact, the wall's structure suggests many goals at different levels: knocking out a brick in the third row, destroying the first row completely, etc.

The results also showed that the versions without scores or bricks




Figure 1: A typical display from the Breakout game, which is popular because it provides a clearly defined challenge (breaking through the wall by bouncing the ball against the bricks) and provides visual and auditory stimulation.

breaking out were significantly less appealing than the other versions. In other words, the versions in which there was no clear goal—other than a vague "keep the ball going as long as you can"—were significantly less fun than the others. Without a clear goal, it was not really a game at all.

I believe a similar combination of multiple-level goals and visual effects is important in the success of a number of other games, like Space Invaders, Snake2, and Petball.

Darts—The second game I studied in detail was called Darts, designed to teach elementary students about fractions (see reference 2). In the version I used, three balloons appear at random places on a number line on the screen and players try to guess their positions (see figure 2). They guess by typing in mixed numbers (whole numbers and/or fractions), and after each guess an arrow shoots across the screen to the specified position. If the guess is right, the arrow pops the balloon; if wrong, the arrow remains on the screen. The player gets to keep shooting until all the balloons are popped. Circus music is played at the beginning of the game; if all three balloons in a round are popped in four tries or less, a short song is played after the round.

To discover what features contribute most to the appeal of this game, I constructed eight different versions of the game by removing, one at a




Figure 2: A display from the Darts game, a program to teach fractions. The object is to break each balloon by typing in the mixed number corresponding to the balloon's position on the number line. This is an example of an intrinsic fantasy because the skill with fractions depends upon the fantasy of pinpointing the balloons on the line and vice versa.

FRIENDLINESS.

Informative HP manuals. automatic syntax checking make BASIC language programming easy.

4 TIME - 6000025 GEC

helpful error messages, and

Just plug in the HP interface bus (HP-IB) and add up to 14 peripherals without disassembly.

FULL-SCREEN EDITING.

Edit the easy way - without retyping entire statements. Insert, change, or delete characters at the touch of a key.

INTEGRATED GRAPHICS.

Analyze a better way - with graphics. Document your results with hard-copy plots.

HP SOFTWARE.

EXPANDABILITY.

Powerful, time-saving solutions to your everyday problems.

BCD math capability.

12-DIGIT ACCURACY. (Not just 9!) Thanks to

> PORTABILITY. Keyboard, CRT, printer and storage - all in a 20-lb. package. So you'll have computing power wherever you need it...office. lab, field, or home.

Hewlett-Packard put it all together.

The HP-85 personal computing system.

HEWLETT PACKARD

Leave it to Hewlett-Packard to put a lot of power in a little package. Plus flexibility, portability, and all the other features you'd expect to find in a personal, professional, integrated computing system.

Turn it on and the HP-85 is ready to go. You're off and running using HP software or creating your own programming solutions. There's no bootstrapping. And since the operating system and powerful BASIC language exist in ROM, they use almost none of the available RAM.


If you've been looking for a friendly, integrated

computer with power and dependability, look at the HP-85.

We put it all together for you!

For further information, phone toll-free, 800-547-3400, Dept. 283E, except Alaska/Hawaii. In Oregon, call 758-1010. Or, write Hewlett-Packard, Corvallis, OR 97330, Dept. 283E.

When performance must be measured by results.



MICROMAIL HAS THE RIGHT TERMINAL AT THE RIGHT PRICE.



TELEVIDEO 910 NEW! \$569.00 912 \$699.00 920 \$749.00

QUME Letter Quality

NEW! SPRINT 9/45/1 \$1824.00

9/35 CALL

DIABLO Letter Quality

630.		4	1	9	Y	5	(0.0	0
1640	RO .							CAI	LL
1640	KSR							CAI	LL
1650	RO .							CAI	LL
1650	KSR							CAI	LL

8000 \$799.00

DEC LA 34 DA \$899.00 TELETYPE 43 PF (TTL) 4899.00

ANADEX
DP 9500\$1279.00
DP 9501\$1279.00
DP 9000\$1179.00
DP 9001\$1179.00

TEXAS INSTRUMENTS

810/2\$1399.00
(includes upper/lower case option)

810/2 VFC/CP\$1549.00
(includes u/l case, forms control & compressed print)

DEC \$1399.00
DEC LA 34AA \$999.00

3500 SERIES Call For Price 5500 SERIES Call For Price 7700 SERIES Call For Price

CALL TOLL FREE (800) 854-6028

To Order: Send check to MICROMAIL, P.O. Box 3297, Santa Ana, CA 92703. Personal or company checks require two weeks to clear. Visa/MasterCard accepted. C.O.D. requires a 15% deposit. **Handling:** Add 3% to orders less than \$750, 2% to orders \$751 - \$2,000, 1% to orders over \$2,000, NOTE: Handling charges are waived on orders pre-paid in advance by check. **Shipping:** We ship FREIGHT COLLECT via UPS or Motor Freight. Air and Express delivery is available.

Prices subject to change without notice.

:MICHOMAIL

P.O. Box 3297 Santa Ana, CA 92703 Phone: 714/731-4338 TWX: 910 595 1146 time, features that were presumably motivational. For example, some versions of the game had rectangles instead of balloons marking the place to be guessed on the number line and short lines instead of arrows marking the incorrect guesses. The features I removed in this way included the fantasy of arrows popping balloons, the music, the scorekeeping, and several different kinds of feedback.

I assigned 10 different fifth-grade students to each of the eight versions and then allowed them to play with their version of Darts or with a version of Hangman that was the same for all students. My primary measure of the appeal of different versions was how long the students played their version of Darts in comparison to Hangman. This measure was also highly correlated with how well students said they liked the game at the end.

Although important in creating interesting educational programs, fantasies must be carefully chosen to appeal to the target audience.

The results of this experiment showed a significant difference between what boys and girls liked about the game. Judging from time spent on various versions of the game, boys liked the fantasy of arrows popping balloons; girls apparently disliked it. I do not think the implication is that boys should be given one kind of fantasy and girls another. Instead, I think it would be better to let each person choose whichever fantasy seems most appealing at the time. Still, understanding sex differences like this may help avoid unintentionally designing programs that for instance appeal more to boys than girls. I think the most significant implication of this experiment is that, although they are important in creating interesting educational programs, fantasies must be carefully chosen to appeal to the target au-



SuperCalc™ and the Answer Key.

Answers. As a decision maker that's what you're after when you use an "electronic worksheet" to analyze problems in management, finance, marketing, sales, and engineering. However, a lot of time and energy can be spent just trying to figure out how your program works. That's why we've invented The SuperCalc[†] Answer Key.

As a new SuperCalc user you want answers on program operation fast...as your questions

arise. As an experienced user you want a complete description of all your options at your fingertips.

From formatting printed reports to merging sheets, the SuperCalc Answer Key gently guides you every step of the way. And included with the SuperCalc Software Package is a comprehensive tutorial and reference guide which introduces you to the full power of the electronic spreadsheet.

The SuperCalc Answer Key. Invented so you can move on to answering the questions that really count.

SuperCalc is available now for your CP/M* computer. Contact us today for the name and address of your local dealer.

SuperCalc S SORCIM

405 Aldo Avenue Santa Clara, CA 95050 (408) 727-7634

Circle 385 on inquiry card.

⁺SuperCalc and The Answer Key are trademarks of Sorcim Corporation

^{*}CP/M is a trademark of Digital Research

SOFTWARE DEVELOPMENT TOOLS FOR INDUSTRY

CP/M CROSS-ASSEMBLERS

Fast, comprehensive cross-assemblers to run under CP/M.* Extensive pseudoops include full listing control, nested conditionals, mnemonic synonyms, and inclusion of external source files. Generate object file, assembly listing, and symbol table from source code for nine popular microprocessor families.

> XASM05 6805 XASM09 6809 XASM18 1802 XASM48 8048/8041 XASM51 8051 XASM65 6502 XASM68 6800/6801 XASMF8 F8/3870 XASM400 COP400

Assemblers... \$200.00 each Manual only... \$ 25.00

8048 DEVELOPMENT PACKAGE

Now you can use the 8048 family of single-chip microcomputers without buying expensive equipment. Develop 8048 software with the XASM48 cross-assembler. Then plug our EPR-48 board into your S-100 system to program the 8748 EPROM version.

8048 Development Package . . . \$574.00 EPR-48 alone \$449.00

EPROM SIMULATOR BOARD

Debug dedicated systems quickly. Our PSB-100 PROM Emulator is an S-100 board with up to 8K of RAM. Cable with 24-pin plug replaces 2708 or 2716 EPROM(s) in your target system for instant program testing

PSB-100 EPROM Simulator . . . \$445.00 w/2K RAM

*Trademark of Digital Research



804 SOUTH STATE ST. DOVER, DEL. 19901 302-734-0151

Visa and Mastercharge accepted. We ship 8" singledensity and Softcard + 5.25" diskettes. Ask us about other formats. OEM AND DEALER INQUIRES INVITED.

+ Trademark of Microsoft

	Goal Does the activity have a clear goal? If not, is it easy for the students to determine goals of appropriate difficulty for themselves?
	Are the goals personally meaningful?
	Uncertain outcome Does the program have a variable difficulty level? ☐ Determined by the student
	 Determined automatically, depending on the student's skill Determined by the opponent's skill
	Does the activity have multiple goal levels? ☐ Scorekeeping
	☐ Speeded responses Does the program include randomness?
	Does the program include hidden information selectively revealed?
	ntasy Does the program include an emotionally appealing fantasy? Is the fantasy intrinsically related to the skill learned in the activity? Does the fantasy provide a useful metaphor?
Cu	riosity
	Sensory curiosity: audio and visual effects as decoration
	to enhance fantasy
	as a reward as a representation system
	as a representation system

dience. Otherwise, they may actually make the environment less interesting than it would have been without them.

☐ Does the program include surprises?

☐ Does the program include constructive feedback?

Table 3: A checklist for designing enjoyable educational programs.

Cognitive curiosity

Guidelines

How can we use these results to make educational programs more fun for students? I think the characteristics that make instructional environments interesting can fit naturally into one of three categories:

- challenge
- fantasy
- curiosity

A checklist of these characteristics is shown in table 3.

Challenge—For an activity to be challenging, it should have a *goal* whose *outcome* is uncertain. In my survey, the feature I found most highly correlated with game popularity was the presence of an obvious goal. In the Breakout study, students rated the versions of the game with no obvious goal as significantly less

enjoyable than those with a clear goal. Thus simple games, to be challenging, should probably have a single fixed goal. More complex environments (like graphics editors or computer programming languages) should be designed so that users can easily generate goals of appropriate difficulty. For example, in the LOGO system (see reference 5), students can program a moving "turtle" to draw designs on a computer screen or on the floor. The attractiveness of this environment is the ease with which children think of things they would like a moving turtle to do. But unless beginners have some help evaluating the difficulty of possible projects, they might often choose tasks that are discouragingly difficult.

Good goals are also personally meaningful. For example, the best are often practical or fantasy goals (like reaching the moon in a rocket or drawing a picture of a flower) rather than simply goals of using a skill (like solving arithmetic problems).

If a person is either certain to reach the goal of an environment or certain

We Have It! all line of calculators computers

HP-85A SELF CONTAINED DESKTOP COMPUTER. \$2,595 HP-83A...\$1,749

NEW HP-125 CP/M 64K COMPUTER SYSTEM. . \$3,179

·HP2902M 5.25 SINGLE MASTER	
DISK DRIVE\$1269 •HP2901M 5.25 DUAL MASTER	
DISK DRIVE\$2125	
•HP9895 OPT010 8" SINGLE	
MASTER DISK DRIVE\$4239	
•MASTER DISK DRIVE\$4439	
HP7225B OPT2 GRAPHICS	
PLOTTER	
•HP17601A PERSONALITY	
MODULE-PLOTTER\$675	

PERIPHERALS

•HP17603A PLOTTER PERSONALITY
MODULE RS232\$67
•HP2631B OPT885 180 CPS
DOT MATRIX PRTR
•HP82905A DOT MATRIX PRINTER \$79
•HP2601A DAISYWHL. LETTER
QUAL. PRINT
HP82903A 16K HP85 MEM. MOD\$24
HP00085-15001 HP85 MASS
STOR. ROM
*Also used with new HP125

HP00085-15002 HP85	
PLOT./PRINT. ROM	\$131
HP00085-15003 HP85 I/O	
ENHANC. ROM	\$265
HP00085-15004 HP85	
MATRIX ROM	\$130
HP82937A HP85 HP-IB	
INTERF. MOD	\$355
HP82940A HP85 GPIO INTERF	\$429
HP82941A HP85 BCD INTERF	\$445
HP82949A PARL. PRINT. INTERF	\$265
HP82939A EIA SER. INTERF	\$355



This powerful machine, which communicates in words as well as numbers, and has built-in memory of over 400 program lines, can grow into a complete computational system. Expand memory. Redefine keyboard. Add Card Reader, Printer/Plotter, and Application Modules for solutions to your real-world problems.

PACKARD

The HP-41C HP41C \$189



HP82106A MEMORY MEMORY MODULE . . . \$85 HP82104A CARD READER FOR 41C/CV \$179 HP82143A PRINTER FOR FOR 41C/CV \$109

The HP-11C gives you the power to simplify repetitive calculations with such advanced programming features, as subroutines, conditional tests, controlled looping and indirect addressing.

The HP-12C's programmability and extensive function set are complemented by its handsome, slim-line design. Your HP-12C will travel comfortably in your shirt pocket, ready to solve your problems wherever you go.



HP12C \$129



HP32F SCI W/STATICS HP33C PROG. SCI.-CONT. CONT. MEM. \$127

HP67 PROG. CALC.....\$315 HP97 DESK PROG. PRINT.

WRITE FOR FREE CATALOG.

Above prices reflect a 2% cash discount (order prepaid prior to shipment). Prices are subject to change and offers subject to withdrawal without notice.



ni Micro Mart, I



943 W.Genesee St. Syracuse, N.Y. 13204 (315)422-4467

LEO ELECTRONICS, INC.

8921 S. Sepulveda, Ste #208 Los Angeles, Calif. 90045 (213) 641-3101 (800) 421-2418



DECEMBER SAVE \$ **CELEBRATE CHRISTMAS OUR 2nd ANNIVERSARY**

MEI	MORY	
	1 - 10	11 - 49
1702A	4.50	4.30
2708	3.00	2.75
TMS2716	6.35	6.00
2716 (5V)	6.00	5.50
2716-1 (350NS)	7.25	6.50
2532	14.50	14.25
2732 (450NS)	14.50	14.25
2732A-4 (390NS)	16.00	15.75
2732A-3 (300NS)	16.00	15.75
2732A (250NS)	20.00	19.50
2732A-2 (200NS)	20.00	19.50
2758	7.50	7.00
2764	53.00	49.00
2114 (450NS)	2.30	2.20
2114 (300NS)	2.75	2.55
2114 (200NS)	2.80	2.60
TMS4027-30	1.65	1.50
TMS4060-2	2.25	2.10
4116 (200NS)	2.00	1.90
4116 (150NS)	2.50	2.35
4164 (200NS)	20.00	19.35
6810	4.00	3.85
6821	4.50	4.40
6850	4.50	4.40
8080A	2.50	2.30
8085A	8.50	8.25
8212	1.90	1.80
8216	1.80	1.70
8748	49.00	47.00
Z80 CPU	6.25	6.00
Z80A CPU	7.15	7.00

LS PRODUCT LS74 LS244 1.20 1.15 .25 1 585 1 5161 1 5245 1.20 .25 1.75 LS86 LS259 LS163 .25 1 593 .60 1 5164 .85 LS273 1.35 LS95 .70 .95 LS165 LS283 .25 .45 .75 1 5109 1 5174 1 00 1 5367 65 .65 LS123 LS175 1.00 LS368 .30 LS138 75 I S191 1.00 1 5373 1.40 LS374 1.40 LS139 .75 LS193

1 5195

LS221

LS240 LS241

70 1.5377

LS390

LS393

LS670

1 40

1.50

1.50

SPR	ODUC	T		1.	.c. sc	СК	ETS	
S188 S189 S287 S288 S387 S471 S472	2.75 2.75 2.75 2.25 2.75 7.00 7.00	7805 7812 7815 7905 7912 7915 309K 323K	.85 .85 .85 .95 .95 .95 .95 2.50	8 14 16 18 20 22 24 28 40	.12 .14 .16 .19 .27 .28 .28 .37	Wir 8 14 16 18 20 22 24 28 40	.52 .54 .58 .80 .82 .88 .88 1.40	

1 5151

LS153

LS155 LS157

WE CAN SUPPLY

LS02 LS04

1 508

LS10

LS20

LS30

LS32 LS38

LS42

LS51

LS54 LS73

TTL - CMOS CONNECTORS CAPACITORS DIP SWITCHES DIODES TRANSISTORS

TERMS: Check, Money Order, Visa, Master Card. Call for C.O.D. U.S. Funds only. P.O.'s accepted from qualified firms and institutions. California residents add 6% sales tax or resale

SHIPPING: Add \$2.00 ground or \$5.00 air for

CALL FOR VOLUME PRICING

PRICING SUBJECT TO CHANGE WITHOUT NOTICE.
ALL PARTS 100% GUARANTEED. MINIMUM ORDER \$15.00

not to reach it, the environment is unlikely to be challenging. There are several ways of ensuring that people of varying abilities (and the same person over time) will be challenged by a program. The first is simply to have a variable difficulty level, which can

- determined automatically (as in many drill-and-practice programs)
- chosen by the person (perhaps with ego-involving labels like cadet or commander)
- determined by the opponent's skill (as in chess and checkers)

Competition may be motivating simply because it provides a challenge at an appropriate difficulty level.

A more subtle way of making the outcome uncertain puts multiple goal levels in the same environment. For example, in the Darts game the firstlevel goal is simply to pop all the balloons. But players who are certain to reach this goal can still be challenged by the goal of popping all the balloons in as few tries as possible. Many motivating environments, from games like chess to activities like computer programming, have this characteristic: different people in the same general environment can pick very different goal levels.

Two features of computer games that help provide different goal levels are scorekeeping and speeded responses. Someone who can already reach the basic goal of an environment can still be challenged by trying to do it faster or better. These features are especially useful in instructional situations like drill-andpractice where the purpose is to improve previously learned skills. A third way of providing uncertainty is through hidden information that is selectively revealed (as in Hangman) or by randomness (as in all gambling games and many simulations).


Goals and challenges are captivating because they engage a person's self-esteem. Success in a computer game-like success in any challenging activity-can make people feel better about themselves. The opposite side of this principle is, of course, that failure in a challenging activity can lower a person's self-esteem and, if it is severe enough, decrease the person's desire to repeat the activity. One implication of this principle is simply that instructional games should have a variable difficulty level. Another implication is that performance feedback should be presented in a way that minimizes the possibility of damage to one's selfesteem. Comments like "You need more practice, dummy!" usually have no place in an educational environment.

This analysis of challenge illuminates an important distinction between toys and tools. Toys can be defined as systems used for their own sake, with no external goals (computer games, puzzles, etc). Tools can be defined as systems used to achieve external goals (text editors; programming languages, etc). With respect to challenge, the requirements for good toys and good tools are mostly opposite. Since a good tool is designed to achieve goals that are already present in the external task, it does not need to provide a goal. Furthermore, since the outcome of the external goal (such as writing a good letter or getting a program to work) is already uncertain, the tool itself should be reliable, efficient, and usually "invisible."

In a sense, a good game is supposed to be difficult to play: that increases its challenge: but a tool should be as easy as possible to use. This distinction helps explain why some users of complex computer systems may take a perverse pleasure in mastering tools that are extremely difficult to use. To the extent that these users are treating the systems as toys rather than tools, the difficulty increases the challenge and therefore the pleasure of using them.

Fantasy-One relatively easy way to increase the fun of learning is to take an existing curriculum and overlay it with a game in which the player progresses toward some fantasy goal (as in Baseball) or avoids some fantasy catastrophe (as in Hangman), depending only on whether the player's answers are right or wrong. These are examples of extrinsic fan-

Just when you thought it was safe to go back underground again.



Your greatest challenge lies ahead—and downwards. Zork II: The Wizard of Frobozz, will be unlike any computer age adventure you've ever encountered. The underground world of Zork is designed to be lived and experienced in the most realistic sense. It features the largest vocabulary, the widest range of command options, the special capability to let you speak in complete sentences rather than two-word commands, and the most intriguing plot in the genre. And because Zork's mysteries are of the most challenging nature, it will take all your intellectual abilities to survive and emerge victorious from the Great Underground Empire.

Zork II is the extraordinary successor to Zork I, which hit #4 on the SOFTALK Top 30 in its first month on the market. Both run on 32K Apple II's with a 16-sector disk drive. And both are available

now for Christmas.

The door to Zork beckons you. Look for it at your local computer store today.

	Some Educational Games	
Game	Description	Academic Knowledge Used
Adventure	The player explores a vast underground system of caves with dragons, etc, trying to find treasures. The cave is filled with knife-throwing dwarves and other dangers.	reading, writing
Baseball	Players advance around a baseball diamond by picking correctly spelled words from sets of alternatives.	spelling
Darts	(See text)	number lines, fractions, estimation
Hangman	The player tries to guess a word, letter by letter. After each incorrect letter guessed, one more body part of a man being hung is drawn. The player loses if the whole body is drawn.	spelling, vocabulary
Hammurabi	Player acts as king of ancient Babylonia and decides each year how much wheat to plant, how much to store, and how much to save. There are occasional plagues, rat infestations, etc. The number of people who are born, starve, etc each year is reported.	elementary economics
Hurkle	The player tries to guess where an animal called a "Hurkle" is hiding in a Cartesian coordinate grid. Feedback after incorrect guesses tells which direction to move.	Cartesian coordinates, map directions
Lemonade	The player runs a lemonade stand, buying supplies, advertising, etc. There are random fluctuations in weather, number of customers, etc. Each day's expenses, sales, and profits are computed.	elementary economics
Snoopy	Snoopy and the Red Baron appear at different positions on a signed number line. Player says how far Snoopy should shoot to hit the Red Baron (as a signed integer).	subtraction, number lines, negative numbers

Extrinsic fantasies in which a fantasy goal is approached

A train on a track is approaching a city

A rocket is passing the other planets of the solar system on its way to earth

A complicated building is being built, piece by piece

A fleet of space invaders is being destroyed, one by one

Extrinsic fantasies in which a fantasy catastrophe is avoided

A person is hung, one body part at a time

A person advances toward the edge of a cliff, one step at a time

A time bomb is ticking toward an explosion

Table 4: Samples of extrinsic fantasies that could be used to add enjoyment to many educational programs. (Extrinsic fantasies are those in which the fantasy depends on using the skill but not vice versa.)

tasies, in which the fantasy depends on the use of the skill but not vice ver-

Other factors, such as answering speed, can also affect intrinsic fantasies. For example, the Speedway game (in which students' race cars move along a racetrack depending on how fast they answer arithmetic problems) is an extrinsic fantasy. Since the use of the skill does not depend on the fantasy, the same fantasy could be used with completely different kinds of problems. For exam-


ple, Baseball and Hangman fantasies could just as well be used for arithmetic problems as for spelling problems: players could be "hung" or advanced around a baseball diamond depending on whether the arithmetic problems are worked correctly. Table 4 lists a few possible extrinsic fantasies.

Conversely, intrinsic fantasies not only depend on the skill, but the skill also relies on the fantasy. This usually means that problems are presented in terms of fantasy-world elements, and players receive a natural constructive feedback. For example, in Darts the skill of estimating distances is applied to the fantasy world of balloons on a number line and players can see graphically whether their answers are too high or too low and, if so, by how much.

Other intrinsic fantasies in math games include the search for a hidden animal on a Cartesian grid in the Hurkle game and Snoopy shooting at the Red Baron on a number line in the Snoopy game. The Adventure game, in which a vast underground cavern system is explored in response to the player's commands, can be considered an intrinsic fantasy for the skills of reading (the cave descriptions) and writing (the commands).

I think intrinsic fantasies are more interesting and instructional than extrinsic fantasies. One advantage of intrinsic fantasies is that they often indicate how the skill could be used to accomplish some real-world goal (as in a business-simulation game like Lemonade). More importantly, intrinsic fantasies can provide meta-

datasouth announces... THE TOTAL PRINTER PACKAGE!



With so many matrix printers on the market today, it may seem tough to find exactly the right one for your application. Some models may offer the speed you need, others the communications flexibility and still others the forms handling capability. But no printer offers all the features you need...until now.

The DS180 matrix printer provides the total package of performance features and reliability required for applications such as CRT slave copy, remote terminal networks and small to mid-range systems. Not a "hobby-grade" printer, the DS180 is a real workhorse designed to handle your most demanding printer requirements. And pricing on the DS180 is hundreds of dollars below competitive units.

High Speed Printing — Bidirectional, logic-seeking printing at 180 cps offers throughput of over 200 Ipm on average text. A 9-wire printhead life-tested at 650 million characters generates a 9x7 matrix with true lower case descenders and underlining.

Non-volatile Format Retention—a unique programming keypad featuring a non-volatile memory allows the user to configure the DS180 for virtually any application. Top of form, horizontal and vertical tabs, perforation skipover, communications parameters

and many other features may be programmed and stored from the keypad. When your system is powered down, the format is retained in memory. The DS180 even remembers the line where you stopped printing. There is no need to reset the top of form, margins, baud rate, etc...it's all stored in the memory. If you need to reconfigure for another application, simply load a new format into the memory.

Communications Versatility — The DS180 offers three interfaces including RS232, current loop and 8-bit parallel. Baud rates from 110-9600 may be selected. A 1K buffer and X-on, X-off handshaking ensure optimum throughput.

Forms Handling Flexibility — Adjustable tractors accommodate forms from 3"-15". The adjustable head can print 6-part forms crisply and clearly making the DS180 ideal for printing multipart invoices and shipping documents. Forms can be fed from the front or the bottom.

If you would like more information on how the DS180's low-cost total printer package can fill your application, give us a call at Datasouth. The DS180 is available for 30-day delivery from our sales/service distributors throughout the U.S.

datasouth computer corporation

MMSFORTH VERSION 2.0: MORE FOR YOUR RADIO SHACK TRS-80 MODEL I OR MODEL III!

- ★ MORE SPEED
- * MORE ROOM

MORE ROOM
Very compact compiled code plus VIRTUAL
MEMORY makes your RAM act larger. Variable
number of block buffers. 31-char-unique wordnames use only 4 bytes in header.

★ MORE INSTRUCTIONS
Add YOUR commands to its 79-STANDARD-plus
instruction set!
Far more complete than most Forths: single &
double precision, arrays, string-handling, clock,

* MORE EASE

Excellent full-screen Editor, structured & modular programming Modular programming
Word search utility
THE NOTEPAD letter writer
Optimized for your TRS-80 with keyboard
repeats, upper/lower case display driver, fu
ASCII, single- & double-width graphics, etc

MORE POWER

Forth operating system interpreter AND compiler 8080 Assembler (280 Assembler (280 available) intermix 35 - to 80-track disk drives Model III System can read, write & run Model I diskettes! VIRTUAL I/O for video and printer, disk and tape (10-Megabyte hard disk available)



THE PROFESSIONAL FORTH FOR TRS-80

(Over 2,000 systems in use)

AND MMS GIVES IT PROFESSIONAL SUPPORT

Source code provided MMSFORTH Newsletter Many demo programs aboard MMSFORTH User Groups Inexpensive upgrades to latest version inexpensive upgrades to latest version inexpensive modifications and custom programs, to fit YOUR needs.

MMSFORTH UTLITIES DISKETTE: includes FLOATING POINT MATH (L.2 BASIC ROM routines plus Complex numbers, Rectangular-Polar coordinate conversions, Degrees mode, more), plus a full Forth-style 280 ASSEM-BLER; plus a powerful CROSS-REFERENCER to list Forth words by block and line. All on one diskette (requires MMSFORTH V2.0, 1 drive & 32K RAM). \$39.95*

FORTHCOM: communications package provides RS-232 driver, dumb terminal mode, transfer of FORTH blocks, and host mode to operate a remote TRS-80 (requires MMSFORTH V2.0,1 drive & 32K RAM)\$39.95*

MMSFORTH GAMES DISKETTE: real-time graphics & board games wisource code. Includes BREAKFORTH, CRASHFORTH, CRYPTOQUOTE, FREEWAY, OTHELLO & TICTACFORTH (requires MMSFORTH V2.0, 1 drive & 32K RAM)

Other MMSFORTH products under development

FORTH BOOKS AVAILABLE

MMSFORTH USERS MANUAL - without Appendices, for STARTING FORTH - best companion to our man-THREADED INTERPRETIVE LANGUAGES advanced, excellent analysis of MMSFORTH-like lan-PROGRAM DESIGN & CONSTRUCTION - intro. to structured programming, good for Forth \$13.95* FORTH SPECIAL ISSUE, BYTE Magazine (Aug. 1980)
we stock this collector's item for Forth users and beginners. \$4.00*

* ORDERING INFORMATION: Software prices include manuals and require signing of a single system, single-user license. SPECIFY for Model 1 or Model II! Add \$2.00 SIH plus \$3.00 per MMSFORTH and \$1.00 per additional book; Mass. orders add 5% tax. Foreign orders add 20%. UPS COD, VISA & M/C accepted; no unpaid purchase orders, please.

Send SASE for free MMSFORTH information. Good dealers sought.

Get MMSFORTH products from your computer dealer or MILLER MICROCOMPUTER **SERVICES (B12)**

61 Lake Shore Road, Natick, MA 01760 (617) 653-6136

phors or analogies that help a learner apply old knowledge in understanding new things. For example, in the Darts game learners are able to use their old knowledge about some objects being higher or lower than others to learn about the relative sizes of fractions. Finally, by provoking vivid images related to the material being learned, intrinsic fantasies may help the learner remember the material.

Computer-game fantasies almost certainly derive some of their appeal from the emotional needs they help satisfy. Of course, it is difficult to know what emotional needs people have and how these needs might be partially met by computer games. But it is clear that different people find different fantasies appealing. If instructional designers can create many different fantasies for different people, their activities are likely to have much broader appeal. For example, it is easy to imagine a math game in which different students see the same problems but can choose the accompanying fantasy according to individual preference. Instructional designers might also create environments into which students can project their own fantasies. For instance, students could name imaginary participants in a computer game.

Curiosity-The final characteristic of intrinsically motivating instructional environments is that they stimulate and satisfy curiosity. Environments can evoke a learner's curiosity by providing an optimal level of informational complexity (see references 1 and 6). In other words, the environments should be neither too complicated nor too simple with respect to the learner's existing knowledge. They should be novel and surprising but not completely incomprehensible. In general, an optimally complex environment will be one where the learner knows enough to have expectations about what will happen, but where these expectations are sometimes unmet.

Sensory curiosity involves the attention-attracting value of changes in the light, sound, or other sensory stimuli of an environment. Colorfully

illustrated textbooks and tactile teaching devices (like those used in Montessori schools) take advantage of sensory curiosity. Computers present even more possibilities for music. animation, and other audio and visual effects. These effects can be used:

- as decoration (like the circus music at the beginning of Darts)
- to enhance fantasy
- as a reward
- as a representation system that may be more effective than words or numbers (like the graphic representations of fractions in Darts and the different tones used to signal bounces and misses of the ball in Breakout).


An instructional program can also provoke curiosity by presenting a paradox or revealing an incompleteness in the learner's existing beliefs. To engage learners' curiosity, the feedback from a program should sometimes be surprising. It should also be constructive in helping the learners remove the misconceptions that caused them to be surprised initially.

For example, some Darts game players may have the misconception that increasing the denominator of a fraction increases the fraction. These players will be surprised when they try to shoot an arrow higher than the last one, only to see it go lower. But they will then have enough information to correct their misconception. Whether they actually do learn from this constructive feedback is another very interesting question. Designing programs that provide usable constructive feedback for many different misconceptions is a difficult but important task.

Another way to sustain curiosity-and facilitate learning-is to provide a sequence of increasingly complex tasks. Each one introduces a complication that may surprise the learner, but all are within the learner's ability to grasp. Providing this kind of constructive feedback and progressive complexity often requires a very detailed educational analysis of the skills being learned. It may also require an on-line model of

PPLE/ATARI BREAKTHROUGHS

PLE WORLD ATARI WO



3-D ANIMATED COLOR GRAPHICS

For 40K Atari 800 & 48K Apple II Computers with disk

APPLE WORLD & ATARI WORLD turns your computer into a sophisticated graphics system capable of creating animated three-dimensional color images, projecting them in true perspective on the screen, rotate them, move them closer, further away, and many other exciting and imaginative things.

ONLY \$59.95

The Program made famous on National TV!

A powerful screen-oriented text editor is included to facilitate image formation. This program was recently featured on Tom Snyder's Prime Time Saturday TV Show and is now available for sale.

APPLE WORLD & ATARI WORLD powerful editor is so easy to use that children will love it. You can now "sketch" your dream house, boat, car, or fantasy empire. Then view it as it would be seen from 10,000 feet, or you can ZOOM in until the screen is filled with a doorknob. You could then go inside and move from room to room examining furniture placement as your screen rotates within the room. Images or specific parts of images can easily be saved to disk, or printer.

Does all this sound like fiction? You won't think so after you have visited APPLE WORLD & ATARI WORLD!

MI II TI-KEYED RANDOM ACCESS ME

Many times more powerful and efficient than the primative "relative record" method used by Apple & Commodore.

FOR APPLE II & COMMODORE PET

SUPER KRAM II is the FASTEST & MOST POWERFUL keyed access method available for the Apple & Commodore CBM (Pet) Computers. Written entirely for 6502 machine code, SUPER KRAM II is extremely fast, comprehensive in scope, very compact, and easy to use. Using the sophisticated capabilities of SUPER KRAM II the Apple & CBM (Pet) can now fully meet the requirements of information management applications, such as: Accounts Receivable/Payable, Inventory Control, General Ledger, Payroll, Mailing Lists, and Database Management. Programs can now be 30% to 90% shorter and run many times faster.

10 FEATURES OF SUPER KRAM II

MULTI-KEY SUPPORT — Allowing simultaneous access to a KRAM file by more than one key field.

IMPROVED INDEX ARCHITECTURE — Allowing faster index searches and more efficient disk space utilization. Alternate indexes are compressed for greater capacity.

\$29.95

Paul

INTEGRATED BASIC COMMANDS — Allowing SUPER KRAM II commands to be coded in-line with Basic, providing easier usage.

USER SPECIFIABLE BUFFER POOL — Allowing the user to specify how many files are allowed open at one time.

LOGICAL RECORDS (KEYS MAY BE NON-UNIQUE) -Records added to the files are immediately accessible by any of the defined keys for the file (Automatic Upgrade).

ACCESS BY ANY KEY IN .2 SEC. (1 sec. with Corvus disk)

SUPPORTS MULTIPLE DISKS

DYNAMIC SPACE ALLOCATION

DYNAMIC INDEX COMPRESSION


FILES NEVER NEED REORGANIZATION

PET & APPLE REQUIREMENTS

SUPER KRAM II is designed to work with both Apple's Disk II, or Corvus Systems Winchester Disk, and Commodore's 2040, and 8050 disk units.

SUPER KRAM II requires an Apple or Apple Plus and at least one disk drive. SUPER KRAM II works on any

Requires 48K Apple II or Plus



750 3RD Avenue, New York NY 10017 (212) 682-0347

INITED SOFTWARE OF **AMERICA**

Telex 640055

*Registerd Trademarks of Apple Computer, Inc. and Atari, Inc.

\$ 24 95

Gustavo A. Fernandez.

Requires 48K Apple II or Plus, Disk II DOS 3.2 or 3.3



the learner's knowledge so the program can automatically adapt to the learner's current abilities.

Other Factors-In concentrating on what computer games can tell us about how to design interesting educational programs, I have omitted two other important ways of making learning fun. First, since the main way of knowing what people like is by what they choose, I have taken for granted that self-motivated learners have a great deal of choice about their own goals. This element of being able to choose can itself be very important in making learning fun, with or without computers.

Second, I have concentrated on features that can be present in all learning environments-even those with only one person. The involvement of other people, both cooperatively and competitively, can also be an important way of making computer-based learning more fun.

Applications

One use of the checklist in table 3 is to suggest additions to existing or planned computer games. Almost no computer games include all the features just mentioned, and it is usually possible to determine ways in which any given game could incorporate more of them. For example, at least one-fifth of the games in table 1 have no way of varying the difficulty level and could probably be improved by adding this.

Here are more examples of how the checklist can be applied in designing educational computer programs.

A Typical Arithmetic Drill-and-Practice Program-In most of these programs, the difficulty level of arithmetic exercises is automatically adjusted according to how well the student does, and the percent of problems correct is printed at the end of each lesson. At first glance this automatic difficulty-level adjustment appears to be a good way of maintaining the program's challenge. But according to the previously described principles, a goal is the first necessary element of a challenging environment. The only thing resembling a goal in this program is the percent correct printed at the end of each lesson, and some students do try to get "hundred percents." But this goal is not made particularly obvious or compelling, and, given the automatic difficulty adjustment, it is fairly rare for students to get all their problems correct. In fact, since the difficulty adjustment is hidden from the students, the goal of getting all the problems correct may seem inexplicably receding as students approach it.

Aside from major curriculum revisions involving intrinsic fantasies and curiosity-driven learning, I think there are still a number of ways that extrinsic fantasies can be combined with goals and performance feedback to make this program more interesting. One simple way is to select an extrinsic fantasy like those listed in table 4 or better yet, let the students pick their own fantasies from a list.

Ideally, this fantasy can be represented graphically and will remain on the screen throughout a lesson as correct and incorrect answers affect a student's progress in

SORCERER SOFTWARE

SUPER ASTEROIDS by Apollo

'A new era in real time graphic arcade games'.

Never has there been such a captivating and superbly written arcade game for the Sorcerer. Styled after the well known and very popular ASTEROID DELUXE arcade game, SUPER ASTER-OIDS is destined to become the most popular piece of demonstration software used by dealers and users alike. Perhaps it is the outstanding use of fine line graphics or the silky smooth movement. Maybe it is the breathtaking speed, dazzling explosions, gripping sound effects or simply the challenge of avoiding those fire balls from that persistent flying saucer that insidiously follows you across the screen. Whatever it is, we warn you NOT to purchase this game for fear that you may join the ranks of hundreds of other ASTEROID Addicts who, square and bleary eyed at 3 am, just MUST have ONE more go at trying to beat that High Score.

The object is to guide a small space ship across the screen avoiding but shooting asteroids as they glide past. When an asteroid is hit, it will break up into many smaller pieces. By repeatedly hitting the pieces they will soon disintergrate and disappear. If you crash your ship into an asteroid it will break into pieces and splinter across the screen in a shower of sparks! However, if you manage to stay in one piece, chances are you'll soon be pursued by a flying saucer that shoots balls of fire! Best that you treat him with care, else you may make his friends VERY aggressive.

Apollo has used a novel but ingenius method of continually reprogramming graphics characters and has obtained stunning results! All movement is done pixel by pixel but without speed loss. Numbers of asteroids, directions, speeds and such like are all totally unpredictable. If you can show us a piece of software that has finer, smoother and faster graphics than SUPER ASTER-OIDS, we guarantee to refund your money in full

Cassette \$29.95

ZAP80 'Secret Code Disassembler'. by Ian Robinson

This is far from your average run-of-the-mill disassembler! Other than being a mere 4K long, able to disassemble at the speed of light and packed with options, ZAP80 will display before your very eyes all those unknown instructions ZILOG never talk about! Ian has been doing extensive research into the actions of the Z80 processor when confronted with the 700 or so undocumented (and so called 'illegal') code sequences. Over 100 of these are VERY useful! Did you know you have extra 8 bit registers and a complete set of instructions to manipulate them? Did you know about extra rotate instructions?

ZAP80 will disassemble ANY code sequence. Nothing is illegal! It will allow you to program with codes that no other disassembler can decipher! Think about that ...

ZAP80 comes with documentation and explanation of all new mnemonics used. Three versions are supplied that reside in low, mid and high memory. Options include ASCII output, screen pause and customised printer control.

Whether you are a serious programmer, a beginner or simply curious, ZAP80 is a piece of software you must have. Come and play a REAL adventure game!

Cassette \$24.95

HOW TO ORDER:

ALL PRICES ARE IN AUSTRALIAN DOLLARS. One Australian dollar equals 1.16 American and 1.4 Canadian. All programs come standard on cassette but some may be requested on either Micropolis II Quad density or VISTA 5¼" diskettes for an additional cost of \$5.00 per diskette. Note that more than one program will fit on a diskette. Programs available or diskette include CIRCUS, GALAXIANS, GROTNIK WARS and ZAP80.

\$2 discount if this form is used. (Photostat will

PROGRAM	PRICE
Postage within Australia is \$1 for initi and 50c for each additional. Outside At \$2 and 50c.	al item ustralia is
Less \$2 Discount	\$2.00
TOTAL	
I enclose,	
(a) Cheque or money order for amount, or	the abo

(b) My credit card, expiry date

(Master Charge, Visa, Bankcard, American Express, Diners Club)

My name and address: STREET: TOWN/CITY:

POSTCODE: COUNTRY:

POST THE ABOVE FORM TO:

software

1 KENT STREET, BICTON **WESTERN AUSTRALIA 6157** TELEPHONE: ISD (619) STD (09) 339 3842 Sunday through to Friday. Ask for Richard Swannell for personal service.

We are a dynamic Western Australian enterprise whoe sole aim is to bring you the best in Sorcerer

A catalogue such as this is produced regularly and sent to approximately 2000 interested Sorcerer users in all parts of the world. Let us know if you wish to be included on our mailing list.

OTHERS MAY SEE THE ERRORS OF YOUR WAYZ.

ONLY MICROSPELL CORRECTS THOSE WAYS.

Lifeboat Associates, the world's foremost source for microcomputer software, proudly presents MicroSpell, TM the first program that not only isolates spelling errors in your text, but actually corrects them.

MicroSpell works with your word processor. And if you have the best word processing system, why settle for anything less than the best spelling corrector?

Goes Beyond The Competition

Other spelling programs function primarily as spelling checkers, merely pointing out words with suspect spelling. It's left up to you to determine the correct spelling and then type it in.

MicroSpell, the only spelling program that knows how to "spell," corrects the error automatically. Here's how it works: MicroSpell will read your text, carefully looking for words that might be spelled incorrectly. When it comes across a word that it's not absolutely sure of, it stops and shows you that word, along with its context. Then it searches through its own built-in dictionary and presents a list of guesses which it "thinks' might be correct. All you have to do is press a key and the misspelled word is corrected. There is no

need to bother with your own dictionary, or even to type in the change. MicroSpell will do it all for

The Most Complete Built-In Dictionary

MicroSpell uses word stems and suffix stripping routines, so its dictionary of 25,000 wordparts can deliver over 150,000 words to you. And if that's not enough, MicroSpell will let you add thousands of additional words, so you can create and store specialized dictionaries of technical terms, unusual expressions, even acronyms. And you can let MicroSpell know just when any of these special dictionaries are wanted.

MicroSpell is highly interactive and designed to complement word processing systems that create ASCII text using a CP/M® compatible operating system. It requires minimum disk storage capacity of 70K per drive.

So why settle for a program that merely finds your mispellings when you can get the one that corrects your misspellings? MicroSpell. It corrects the errors of your ways.

MicroSpell is brought to you exclusively and supported completely by Lifeboat Associates. Call or send us the coupon below.

LIFEBOAT WORLDWIDE offers you the world's largest library of software. Contact your nearest dealer or Lifeboat:

Lifeboat Associates 1651 Third Ave. New York, N.Y. 10028 Tel: (212) 860-0300 Telex: 640693 (LBS0FT NYK) TWX: 710-581-2524

Lifeboat Associates GmbH

Lifeboat Inc. OK Bldg., 5F 1-2-8, Shiba-Daimon Minato-ku, Tokyo 105, Japan Tel: 03-437-3901 Telex: 2423296 (LBJTYO)

Intersoft GmbH

Lifeboat Associates, Ltd. PO Box 125 London WC2H 9LU, England Tel: 01-836-9028 Telex: 893709 (LBSOFTG) Schlossgartenweg 5 D-8045 Ismaning, W. Germany Tel: 089-966-444 Telex: 5213643 (ISOFD)

Lifeboat Associates, SARL 10. Grande Rue Charles de Gaulle 92600 Asnieres. France Tel: 1-733-08-04 Telex: 250303 (PUBLIC X PARIS)

Hinterbergstrasse Postfach 251 6330 Cham. Switzerland Tel: 042-36-8686 Telex: 865265 (MICO CH) World's forem ftware source

Mailc	oupon to: Lif	feboa	t Ass	ociate	es,	
	ird Avenue,					10028
or call	(212) 860-030	0.				

☐ Please send me more information on MicroSpell.

☐ Please send me a free Lifeboat catalog.

Name Company. Street. City_____Sta MicroSpell is a trademark of Bob Lucas. _State

CP/M is a registered trademark of Digital Research. Copyright © 1981, by Lifeboat Associates

SOFTWARE 2017

the fantasy world. It would be nice to use sound effects for right and wrong answers. Reaching the final goal or catastrophe in the fantasy world should be accompanied by more elaborate sound and graphics.

In addition to the first two levels of goals within a lesson (getting individual right answers and reaching the fantasy goal), the automatic difficulty adjustment can provide a higher-level goal of making progress in the curriculum. If the extrinsic fantasy includes multiple goal levels, the student's movement to a higher difficulty level can be accompanied by even more fanfare in the fantasy world. Obviously, the details of these changes still have to be worked out. But this short description shows how the preceding principles can be used to suggest changes to existing programs.

A Simple Program to Teach Children How to Tell Time-In this example I will suggest how to increase the interest of a proposed computer system for teaching the relationship between three different notational systems for time: clock face. digital display, and English words. The original proposal for this system (from Laura Gould) was to have the three different representational systems displayed on the screen at the same time so that when the student changed any one representation, the other two also changed.

One insight from the above checklist is that there is no obvious goal for students working with this program. A goal is nicely provided through an analogy with the Darts game. In this new game, a time is represented in one systemsay clock face-and the student tries to guess the time in one of the other systems-say digital display. Each incorrect guess is displayed on the clock face, just as the incorrect guesses in Darts are displayed on the number line. This game might be even more interesting if it included an intrinsic fantasy about setting alarm clocks and being early or late for school.

Other Educational Applications— More generally, a game can suggest analogous games in subjects very different from the original one. For example, a guessing-game structure can be used to invent games to teach many different kinds of knowledge:

- To teach an ordered list, use a guessing game that gives high/low feedback. For example, to teach the list of US Presidents in order use a game in which the players try to guess a secret President. After each guess, they are told whether their guess is before or after the secret President and perhaps how close it is. Such a game can be used to teach either the contents of a list (US Presidents, steps in a procedure, etc) or the ordering relationship ("less than" and "greater than" in a number-guessing game).
- To teach the correspondence between two representation systems, use a guessing game that gives hints in one system and asks players to guess in the other. For example, the Darts game is designed to teach the relationship between numbers represented on a number line and in mixed-number format. I just described a similar game to help teach children how to

* * * WRITE OR CALL FOR FREE CATALOG * * *

We test all systems thoroughly before shipping. We integrate the CRT, printer, modem & other peripherals. Every system purchased from us is ready for plug-in operation when you receive it.

CALIFORNIA COMPUTER SYSTEMS 2210A: HIGH QUALITY, LOW PRICE Z80A CPU with 1 serial port; 12 slot S-100 mainframe, disk controller, 64K dynamic RAM. CP/M2.2\$1,750.

Add our Max Box w/dual Qumes or Shugarts; select from the range of CRTs, printers and software we offer, for a complete system.

IMS 5000 and 8000 SYSTEMS

Outstanding long term reliability. Features Z80A CPU, S-100 bus; double density drives (single or double sided), DMA disk controller, 64K RAM, 2 serial, 1 parallel port, We stock IMS boards. Hard disk, multi-user systems available.

MULTI-USER SYSTEMS FEATURING TURBODOS & MUSYS

TURBODOS: Spectacular CP/M® compatible operating system. Z80 code, interrupt driven. Up to 6X faster than CP/M®; up to 35% increased disk capacity. We have configured many multi-user IMS systems using Turbodos and Musys single card computers allowing each user his own CPU, 64K RAM and I/O. Turbodos Single user \$250. Multi-user \$750. Musys single card computer\$1,300.

Turbodos now available for IMS, TRS-80 Model 2, CCS and Tarbell Disk controllers. Support for other systems soon to be announced.

MAX BOX Mfg by John D. Owens Assoc. 8" dual drive cabinet w/regulated power supply, fan, complete internal cabling. Will hold Qumes, Shugarts or Siemens, horizontally With 2 Shugart 801 R \$1,275. With 2 Qume double sided drives \$1,680.

PER SCI—THE KING AND QUEEN OF DRIVES

Model 299B \$2,300. Model 277 \$1,245. Slim line cabinet \$325.

SYSTEMS GROUP (Measurement Systems & Control)

CP/M® and MP/M® Systems with dual floppies or one floppy + one 10MB Winchester

GODBOUT Complete product line now available.

TECMAR 16bit 8086 IEEE S-100 system w/8 MHZ option.................5% off list price.

GRAPHIC SYSTEMS: ++ Advertising ++ Architects ++ Designers ++ Complete package including powerful intractive graphics software plus MicroAngelo Graphics Subsystem w/22 MHZ high resolution green phosphor screen; M9900 16 bit, IEEE S-100 computer w/dual 8" floppies, 64K RAM, Mutli user capability, Houston Instruments HIPAD 10 MB Hard disk subsystem option\$3,400.

WE EXPORT:

Overseas Callers:

TWX 710 588 2844 Phone 212 448-6298 or Cable: OWENSASSOC

OWENS Associates, Inc.

12 Schubert Street, Staten Island, New York 10305 212 448-6283 212 448-2913 212 448-6298

tell time. Such a game can also be used to teach correspondences like foreign language vocabulary, Cartesian coordinates for points on a plane (Hurkle), or spelling of words (Hangman).

•To teach the characteristics of items in a set, use a guessing game in which players try to guess a target item by asking questions about its characteristics (like "twenty questions"). For example, medical students could try to guess the disease a simulated patient had by asking questions about symptoms and laboratory test results. Geography students could try to guess a target country by asking questions about its climate, economy, and so on.

This technique of using structural analogies with old games seems to be a powerful way of inventing educational games in new subject areas.

Computer Programming—In some senses, computer programming is one of the best computer games of all. In the "computer programming game," there are obvious goals and more are easily generated. The "player" gets frequent performance feedback (feedback that is often tantalizingly misleading about the nearness of the goal). The game can be played at many different difficulty levels, and many goal levels are available, both

References

- Berlyne, D E. Structure and Direction in Thinking. New York: John Wiley & Sons, Inc, 1965.
- Dugdale, S and D Kibbey. Fractions Curriculum of the PLATO Elementary School Mathematics Project. Urbana Illinois: Computer-based Education Research Laboratory Technical Report. University of Illinois, October 1975.
- Malone, T W. What Makes Things Fun to Learn? A Study of Intrinsically Motivating Computer Games, Technical Report Number CIS-7 (SSL-80-11). Palo Alto, California: Xerox Palo Alto Research Center, 1980.
- Malone, T W. "Toward a Theory of Intrinsically Motivating Instruction." Cognitive Science (5, number 4, in press), 1981.
- Papert, S. Mindstorms: Children, Computers, and Powerful Ideas. New York: Basic Books, 1980.
- Piaget, J. Play, Dreams, and Imitation in Childhood. New York: Norton, 1951.

in terms of the finished product (whether it works, how fast it works, how much space it requires, etc) and the process of reaching it (how long it takes to program, etc). Self-esteem is crucially involved in this game, and occasional emotional or fantasy aspects are likely involved in controlling so completely, yet often so ineffectively, the behavior of this response entity. Finally, the process of debugging a program is perhaps unmatched in its ability to raise expectations about how the program will work, only to have the expectations surprisingly disappointed.

Conclusion

With computer costs decreasing dramatically, their spread into homes and classrooms appears inevitable. But it is not so certain that these new educational applications will use the unique capabilities of computers to make learning more efficient, more interesting, and more enjoyable. I think the guidelines I have presented here can help in creating instructional computer programs that fascinate as well as educate their users.

★ ★ ★ GREETINGS TO OUR	FRIENDS IN ISRAEL★★★
OLIVETTI DAISY WHEEL PRINTERS Letter quality print. Quiet performance; ideal for office environment. Model 211 (20CPS)	IBM PERSONAL COMPUTER Here it is at last!! Model 5150 (Config 2) \$3,045. System unit/keyboard, 64KRAM, dual 51/4" drives. 8088, 16 bit microprocessor. Monitor and printer interface 335. Monochrome monitor \$345. Many options and software.
baud. On board pulse dialer. HAZELTINE 1500 \$885. 1510 \$980. 1520 \$1,210. 220 volt models, add \$100.	SEATTLE COMPUTER PROCESSOR 8086, 16 bit CPU Systems at 8MHZ. System 2 w/128 RAM\$3,550. System 1 w/64K RAM\$2,695. 15% off boards/20% off software
IBM 3101 CRT Model 10	dBASE II Brings power of mainframe database software to a microcomputer. Manual and demo software:
TEXAS INSTRUMENTS Printers TI 810 Basic	Complete package with money back guarantee:
EPSON MX80 \$475. MX100 \$725. RS 232 Interface \$ 70.	COMMUNICATIONS SOFTWARE Enables communications from a micro to a terminal or to another micro, mini or
TELETYPE Model 4320 AAK	maxi computer. Source code: \$250. MICROSOFT
3M SCOTCH®Diskettes In storage box 5 box minimum, price per box. 740, 8" single sided, single density .\$29.00 741, 8" single sided, double density \$35.50 743, 8" double sided, double density \$45.50 744-0,51/4" soft sectored, single sided \$28.50	BASIC-80 (interpretor) \$270. BASIC COMPILER: \$305. COBOL—80 \$560. FORTRAN-80 \$380. X-MACRO-86: \$275. muLISP/muSIMP: \$190.
744-10, 51/4" soft sectored, single sided	MICROPRO WORDSTAR: \$320. MAIL MERGE: \$110.
We are proud to announce that we are now a TEI stocking distributor. 10% off list price. TARBELL Death description to announce that we are now a TEI stocking distributor. 10% off list price.	TWX (TELEX II) SOFTWARE\$350. Send/receive with a microcomputer connected directly to WU line. Eliminate paper tape. Messages can be formatted
Double density controller\$435. Z80 CPU395. Prices subject to ch	paper tape. Messages can be formatted w/text editor. ange without notice

JOHN D. OWENS

Associates, Inc.
SEE OUR AD ON FACING PAGE

System Notes

The Game of Left/Right

Truck Smith 1520 Fairgreen Fullerton CA 92633

One of the more fascinating states of consciousness a person can be in is the trance. There are phrase-based trances, contemplation trances, and trances based on not thinking at all. There are Hindu, Buddhist, and Christian trances. Modern science has added two: the TV trance and the TV-game trance.

I first noticed the TV-game trance when the quality of my concentration changed while I was playing a game of Pong in a bar. Though still intensely aware of the game, I became cognizant of my surroundings—friends talking,

Score	Box Position	Background	Bar Colors
0-2	centered	black only	
3-5	centered	black or grey	
6-8	centered	black or grey	change at 6
9-11	left or right	black or grey	
12-14	left or right	left and right*	change at 12
15-17	left or right	left and right*	
18-20	one corner	left and right*	change at 18
21-23	one corner	corners+	
24-26	one corner	corners +	change at 24
27 +	one corner	corners +	change every ti

^{*}Each side of the screen can be either black or grey, independent of the other.

Table 1: Program complications. As the game of Left/Right progresses, the box position, the background color, and the bar colors complicate the game. More complications can be added by changing the shape of the box or having it move across the screen.

the jukebox playing, a discussion at the bar—yet this state did not interfere with the game.

Since then, I have watched other TV-game players and observed a similar phenomenon; the best seem to enter a trance where they play but don't pay attention to the details of the game.

Unfortunately, the person who studies this phenomenon, either in himself or others, will find that TV games come in packages difficult to modify. Since the game's parameters cannot be changed, the experimenter cannot investigate the experience's limitations.

Here, I present a computer game that invokes the trance-like behavior and is easily modified for further study. Best of all, the game is fun to play. Written in Apple II Integer BASIC, the game should not be too difficult to implement on other computers with a minimum of equipment.

The Game

You sit in front of a color TV set, a push-button switch in either hand. On the TV screen is a colored box and two colored bars are at the bottom. The bars line the left and right sides of the screen. The box and the left bar are the same color. You push the button in your left hand and score your first point in the game of Left/Right.

As you play, the background occasionally changes to grey. When this happens, you ignore the button for the bar whose color matches the box and press the other button. The game continues.

The box begins to appear in different positions on the

Text continued on page 292 Tables, figures and listings continued on pages 282-290

⁺ Each corner of the screen can independently be either black or grev.

WHY THE MICROSOFT RAMCARD MAKES OUR SOFTCARD AN EVEN BETTER IDEA.

Memory — you never seem to have quite enough of it.

But if you're one of the thousands of Apple owners using the SoftCard, there's an economical new way to expand your memory dramatically.

16K ON A PLUG-IN CARD.

Microsoft's new RAMCard simply plugs into your Apple II,[®] and adds 16k bytes of dependable, buffered read/write storage.

Together with the SoftCard, the RAMCard gives you a 56k CP/M® system that's big enough to take on all kinds of chores that would never fit before (until now, the only way to get this much memory was to have an Apple Language Card installed).

GREAT SOFTWARE: YOURS, OURS, OR THEIRS.

With the RAMCard and SoftCard, you can tackle largescale business and scientific computing with our COBOL and FORTRAN languages. Or greatly increase the capability of CP/M applications like the Peachtree Software accounting systems. VisiCalc™ and other Apple software packages can take advantage of RAMCard too.

And RAMCard gives you the extra capacity to develop advanced programs of your own, using the SoftCard and CP/M. Even with the RAMCard in place, you can still access your ROM BASIC and monitor routines.


JOIN THE SOFTCARD FAMILY.

The RAMCard is just the latest addition to the SoftCard family — a comprehensive system of hardware and software that can make your Apple more versatile and powerful than you ever imagined.

Your Microsoft dealer has all the exciting details. Visit him soon, and discover a great idea that keeps getting better.

Microsoft Consumer Products, 400 108th Ave. N.E., Suite 200, Bellevue, WA 98004. (206) 454-1315.

SoftCard and RAMCard are trademarks of Microsoft. Apple II is a registered trademark of Apple Computer, the 7-80 is a registered trademark of Zilog, Inc. CPFM is a registered trademark of Zilog. Inc. CPFM is a registered trademark of Dautal Besoard if Cort. Viscolate is a trademark of Persional Software. Inc.



Circle 268 on inquiry card.

Our incredible low prices just got 2% lower.

Have a merry computer and a happy software.

Take an additional 2% off our listed prices, until December 24.

16 K RAM KITS

13.95

Set of 8 NEC 4116 200 ns GUARANTEED ONE FULL YEAR.

DISKETTES

ALPHA DISKS®21.95

SINGLE SIDED, CERT.DOUBLE DENSITY 40 TRACKS, WITH HUB-RING, BOX OF 10, GUARANTEED ONE FULL YEAR.

VERBATIM DATALIFE

MD 525-01, 10, 16.						,	,		,	4	į.		.26.50
MD 550-01, 10, 16.		,	,									,	.44.50
MD 577-01, 10, 16.		,					į.	×		×			.34.80
MD 577-01, 10, 16.			ů.		į,								.45.60
FD 32 OR 34-9000							+						.36.00
FD 32 OR 34-8000		-			,								. 45.60
FD 34-4001	į.			٠			ı.		-				. 48.60

DISKETTE STORAGE

51/4" PLASTIC LIBRARY CASE 2.50
8" PLASTIC LIBRARY CASE 3.50
PLASTIC STORAGE BINDER W/Inserts 9.95
PROTECTOR 5 1/4"
PROTECTOR 8"

INTEGRATED COMPUTER SYSTEMS

MODILICIAD	CALL
NORTHSTAR	CALL
ALTOS	.CALL
ZENITH Z89	.CALL
CALIF. COMPUTER SYSTEMS	.CALL
MORROW DESIGNS	CALL

PRINTERS

ANADEX DP 9500	1295.00
ANADEX DP 9501	1295.00
CENTRONICS 739	765.00
C-ITOH 25 CPS PARALLEL	1440.00
C-ITOH 25 CPS SERIAL	1495.00
C-ITOH 45 CPS PARALLEL	1770.00
C-ITOH 40 CPS SERIAL	1870.00
C-ITOH TRACTOR OPTION	. 195.00
EPSON MX-80	\$CALL
EPSON MX-80 F/T	
EPSON MX-100 GRAPHIC	\$CALL
EPSON GRAPHICS ROM	90.00
IDS-445G PAPER TIGER	779.00
IDS-460G PAPER TIGER	
IDS-560G PAPER TIGER	
NEC SPINWRITER 3510 Ser.RO	.2195.00
NEC SPINWRITER 3530 Par.RO	.2195.00
NEC SPINWRITER 7710 Ser.RO	the second second
NEC SPINWRITER 7730 Par.RO	
NEC SPINWRITER 7700 D Sellum	
NEC SPINWRITER 3500 Sellum	
OKIDATA MICROLINE 80	
OKIDATA MICROLINE 82A	
OKIDATA MICROLINE 83A	
OKIDATA MICROLINE 84	
QUME 9/45	
MALIBU 200 DUAL MODE	. 2695.00

CORVUS

FOR S-100, APPLE OR TRS-80 MOD I,II

Controller, Case/P.S, Operating System, A & T.

5 Megabytes					,				3245.00
10 Megabytes .									
20 Megabytes .							v		.5545.00
MIRROR BACK-	UF	,						ı	725.00

APPLE SOFTWARE

MAGIC WINDOW Word Processor	89.00
MAGIC WAND	275.00
WORDSTAR	
MAILMERGE(Reg.WORDSTAR)	
SPELLSTAR(Reg.WORDSTAR)	169.00
DATASTAR	
EXPEDITER II Applesoft Compiler	89.00
PES: PERSONAL FILING SYSTEM	79.00
	79.00
ASCII EXPRESS Terminal Program	
Z-TERM CP/M® Comm.Software	89.95
MICROSOFT FORTRAN	165.00
MICROSOFT COBOL	. 550.00
DB MASTER 3.0	179.00
VISICALC 3.3	169.00
VISIPLOT	. 149.00
VISIDEX	.169.00
CCA DATA BASE MANAGER	
A-STAT COMP. STATISTICS PKG.	.119.00

APPLE HARDWARE

MOUNTAIN HARDWARE

CPS MULTIFUNCTION BOARD	209.00
SUPERTALKER SD200	259.00
ROMPLUS W/KEYBOARD FILTER	179.00
ROMPLUS WIO KEYBOARD FILTER	130.00
KEYBOARD FILTER ROM	. 49.00
COPYROM	. 49.00
MUSIC SYSTEM	459.00
ROMWRITER	149.00
APPLE CLOCK	252.00
A/D + D/A	299.00
EXPANSION CHASSIS	

CALIF. COMPUTER SYSTEMS

S-100 BOARDS

2200A MAINFRAME	9.00
2032A 32K STATIC RAM	9.00
2065C 64K DYNAMIC RAM 499	9.00
2422 FLOPPY DISK CONT.& CP/M® 339	9.00
2710 FOUR SERIAL I/O	9.00
2718 2 SERIAL/2 PARALLEL I/O 269	9.00
2720 FOUR PARALLEL I/O	9.00
2810 Z-80 CPU	9.00

APPLE BOARDS

7710A Asynchronous Ser. Interface . 13	9.00
7712A Synchronous Ser. Interface 14	9.00
7424A CALENDER CLOCK	9.00
7728A CENTRONICS Printer Interface 9	9.00

APPLE GAME SOFTWARE

VISTA COMPUTER CO.

APPLE 40 Tk. Drive A40 (163K Bytes) 389.00
APPLE 80 Tk. Drive A80 (326K Bytes) 549.00
APPLE 160Tk.Dr.A160(652K Bytes) . 799.00
APPLE 80 COLUMN CARD 329.00
APPLE 8 Inch Disk Drive Controller . 549.00

CP/M SOFTWARE

MICROSOFT BASIC-80	299.00
MICROSOFT BASIC COMPILER	319.00
MICROSOFT FORTRAN-80	369.00
PEACHTREE SYSTEMS	CALL
MAGIC WAND(Requires CP/M®)	275.00
WORDSTAR(Requires CP/M®)	325.00
MAILMERGE(Requires WORDSTAR)	110.00
SPELLSTAR(Requires WORDSTAR)	199.00
CALCSTAR	239.00
DATASTAR	249.00
SPELLGUARD	239.00

CP/M is a registered trademark of Digital Research.

MODEMS

NOVATION CAT ACOUSTIC MODEM	145.	OC
NOVATION D-CAT Direct Connect	155.	OC
NOVATION AUTO-CAT AUTO ANS.	219.	OC
NOVATION APPLE-CAT	349.	00
UDS 103 LP DIRECT CONNECT	175.	OC
UDS 103 JLP AUTO ANSWER	209.	00
D.C.HAYES MICROMODEM II(Apple)	299.	OC
D.C.HAYES 100 MODEM(S-100)	325.	OC
D.C.HAYES Smart Modem(RS 232)	249.	OC
LEXICON LX-11 MODEM	109.	00

SUPPLIES

AVERY TABULABLES

1,000 31/2	×	15/16	8.49
3,000 31/2	×	15/16	4.95
5,000 31/2	×	15/16	9.95

PAPER (Prices F.O.B. S.P.)

91/2 × 11 18lb. white 3000 ct	. 29.00
$147/8 \times 1118$ lb. white 3000 ct	. 39.00

TRS-80 MOD I HARDWARE

PERCOM DATA SEPARATOR 27.00
PERCOM DOUBLER II
DOUBLE ZAP II/80
TANDON 80 TRACK DISK DRIVE 429.00
TANDON 40 TRACK DISK DRIVE 299.00
LNW DOUBLER W/ DOSPLUS 3.3D . 159.00

TRS-80 SOFTWARE

NEWDOS/80 2.0 MOD I
LAZY WRITER MOD I
PROSOFT NEWSCRIPT MOD I,III 99.00
SPECIAL DELIVERY MOD I,III119.00
X-TRA SPECIAL DELIVERY MOD I,III 199.00
TRACKCESS MOD I
OMNITERM SMART TERM. MOD I,III . 89.95
MICROSOFT BASIC COMP. For Mod 1165.00

MORROW DESIGNS

FLOPPY DISK SYSTEMS

Controller, P.S., Microsoft Basic, CP/M®, A&T

DISCUS 2D(Single Drive—500K) ... 869.00 DISCUS 2D(Dual-Drive—1 MEG) ... 1499.00 DISCUS 2 + 2(Single Drive—1 MEG) 1099.00 DISCUS 2 + 2(Dual Drive—2 MEG) 1999.00

HARD DISK SYSTEMS

Controller, P.S., Microsoft Basic, CP/M®, A&T

DISCUS M10 (10 Megabytes) 3099.00 DISCUS M26 (26 Megabytes) 3949.00

We stock a complete line of computer covers, printer ribbons, print wheels & NEC thimbles—CALL US FOR YOUR NEEDS.

We built a reputation on our prices and your satisfaction.

Alpha Byter STORES

We guarantee everything we sell for 30 days. If anything is wrong, just return the item and we'll make it right. And, of course, we'll pay the shipping charges.

We accept Visa and Master Card on all orders. COD orders accepted up to \$300.00.

Please add \$2.00 for standard UPS shipping and handling on orders under 50 pounds, delivered in the continental U.S. Call us for shipping charges on items that weigh more than 50 pounds. Foreign, FPO and APO orders please add 15% for shipping. California residents add 6% sales tax.

The prices quoted are only valid for stock on hand and all prices are subject to change without notice.

(213)706-0333

31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CALIFORNIA 91362




Figure 1: Flowchart of the game of Left/Right. More details have been included for the portion of the program that determines whether the correct switch has been pushed. Line numbers refer to the program in listing 1.



For GIMIX compatible software see Technical Systems Consultants ad page 193

BUILT FORD TOUG



FORD VANS CARRY THE MOST WEIGHT WITH BUSINESSMEN.

Tough Ford vans offer payloads up to 2½ tons... And Ford vans have out-front design, generous move-around room, body-onframe construction and exclusive Twin-I-Beam front suspension. More Ford vans are on the road today than any other make!* Ask your Ford Dealer about Ford's Extended Service Plan.



Big cargo space, with Ford's engine-forward design and big payloads, up to 5005 lbs.

EXCELLENT VAN MILEAGE

(18)

Std. 4.9L (300 CID) Six with optional overdrive trans.

ESTIMATED RANGE

1043

HWY MILES** MII FS**

Std. 22.1-gal. tank plus optional 18-gal. aux. tank on 138 wb. Total 40.1 gal.

**Compare these estimates with others. Your mileage and range may differ depending on speed, distance and weather. Actual highway speed, distance and weather. Actual highway mileage and range will probably be less than estimated. California estimates lower. Range superiority due to larger gas tank size rather than better fuel economy.

*Based on R. L. Polk & Co. cumulative registrations as of July, 1980.

FORD ECONOLINE

FORD DIVISION Ford





MTI stocks 'em all for faster delivery.

Ask about our "Q	ED"dis	scounts.
VISA and MasterCard	orders	accepted

VIDEO TERMINALS	MTI
VIDEO TERMINALS	Price 1595
VT 100 DECscope	1995
ADM 3A (dumb terminal)	595
	645 1095
ADM 32 (ergonomic ADM 31)	
ADM 31 (two page buffer)	•
TI 940 (two page buffer)	1795 695
Hazeltine Executive 80 Model 20	1495
Hazeltine Executive 80 Model 20 Hazeltine Executive 80 Model 30	1715
1410 (Hazeltine dumb terminal)	825 895
1420 (dumb terminals)	850
1500 (dumb terminal)	1045
1510 (buffered) 1520 (buffered, printer port) 1552 (VT52 compatible)	1145 1395
1552 (VT52 compatible)	1250
Hazeitine Esprit	695
GRAPHICS TERMINALS	
VT100 with graphics pkg VT125 (DEC graphics) ADM 3A with graphics pkg	3250
ADM 3A with graphics pkg	3280 1795
ADM 5 with graphics pkg	1845
300 BAUD TELEPRINTER	
LA34-DA DECwriter IVLA34-AA DECwriter IVLA36 DECwriter II	995
LA34-AA DECWriter IV	1095 1095
Teletype 4310AAG Teletype 4320AAK Diablo 630 RO	1045
Teletype 4320AAK	1195
Diablo 630 RO	2295 2775
Diablo 1640 KSR	COOL
Diablo 1650 KSH	1190
TI 763 (port/bubble memory)	1485 2545
TI 765 (port/bubble/b.i. coupler)	2595
TI "Insight Series 10/1" pers. term	695
600 BAUD TELEPHINTER	19
Epson MX-80TI 825 KSR impact	645 1570
TI 825 KSR nka	1795
TI 840 RO impact	895 1145
TI 840 KSR pkg	1635
TI 840 RO impactTI 840 KSR impactTI 840 KSR impactTI 840 KSR pkgTI 840 KSR pkg	S
Epson MX-100	995
Epson MX-100 LA 120 RA (receive only) LA 120 AA (forms package) Ti 783 (portable)	2095 2295
TI 783 (portable)	1645
TI 783 (portable)	2270
TI 787 (port/internal modem)	2595
TI 810 RO pkg	1545 1795
TI 820.RO impact	1850
TI 820 RO pkg	2025 2025
TI 820 KSR impact	2195
TI 820 KSR pkg Lear Siegler 310 ballistic	1945
2400 BAUD	
Dataproducts M200 (2400 baud)	2910
DATAPRODUCTS LINE PRINT	
B300 (300 LPM band)	5260 6776
B900 (900 LPM band)	10220
	19700
2230 (300 LPM drum)	8148 9979
2290 (900 LPM drum)	13098
ACOUSTIC COUPLERS	
A/J A242-A (300 baud orig)	242
A/J 1234 (Vadic compatible)	315 795
Vadic VA 3413 (300/1200 orig)	845
A/J 247 (300 baud orig)	845
MODEMO	205
GDC 103A3 (300 baud Bell) GDC 202S/T (1200 baud Bell) GDC 212-A (300/1200 baud Bell)	395 565
GDC 212-A (300/1200 baud Bell)	810
A/J 1256 (Vadic compatible) VA 103 (300 baud modemphone)	825 235
VA 3451 (orig/ans triple modem)	885
VA 3451 (orig/ans triple modern) VA 3455 (1200 baud orig/ans) CASSETTE STORAGE SYSTE	770
CASSETTE STORAGE SYSTE	MS
Techtran 816 (store/forward)	1050 1295
Techtran 818 (editing)	1295 1795
Techtran 816 (store/forward)	2295
Techtran 950 (store/forward)	1395
Techtran 950 (store/forward) Techtran 951 (editing)	1995
*Please call for quote	



Distributors, New York, New Jersey and Ohio.

New York:

516/482-3500, 212/895-7177, 518/449-5959 Outside N.Y.S.: 800/645-8016 New Jersey: 201/227-5552 Ohio: 216/464-6688

System Notes.

Case	Switch Pressed	Background	Switch Hand	Matching Bar Side	Response is
1	0	0(black)	O(left)	O(left)	correct
2	0	0	0	1(right)	wrong
3	0	0	1(right)	0	wrong
4	0	0	1	1	correct
5	0	5(grey)	0	0	wrong
6	0	5	0	1	correct
7	0	5	1	0	correct
8	0	5	1	1	wrong
9	1	0	0	0	wrong
10	1	0	0	1	correct
11	1	0	1	0	correct
12	1	0	1	1	wrong
13	1	5	0	0	correct
14	1	5	0	1	wrong
15	1	5	1	0	wrong
16	1	5	1	1	correct

If switch 0 is pressed, use: BG(KPOS) = 0 AND LR = LSW OR

BG(KPOS)≠0 AND LR≠LSW

If switch 1 is pressed, use: BG(KPOS) = 0 AND LR≠LSW

BG(KPOS)≠0 AND LR = LSW

Table 2: Truth table for the logic behind the BASIC expressions in lines 2680 and 2710 of listing 1. For example, if switch 0 is pressed when in the right hand, and background is grey (meaning use the opposite hand), and the matching bar is on the left (case 7), then this is the correct response.

Listing 1: The game of Left/Right. The program consists primarily of two nested loops: line 1900 marks the beginning of a new game, while line 2000 is the start of a new play. The program is written in Apple II Integer BASIC and should not be too difficult to implement on other machines. See table 3 for definitions of some of the BASIC commands peculiar to the Apple.

DITOIC	communus pecunui to the Apple.	
100000000000000000000000000000000000000	REM LEFT/RIGHT REM TRUCK SMITH 3/9/80	_
1 0 TO THE RESERVE	REM INITIALIZE	
	DIM BG(4),C(8)	
	C(1)=1	
	C(2)=2	
	C(3)=4	
Action (may be a second	C(4)=9	
	C(5)=13	
	C(6)=3	
	C(7)=15	
	C(8)=11	
	SW0=-16287	
1110	SW1=-16286	
1120	TIME=500	
1130	HS=0	
1489	REM	
1490	REM PRINT INSTRUCTIONS -1730	
	TEXT	
1510	CALL -936	
	TAB 15	
The second second	PRINT "LEFT/RIGHT"	Lis
1000	TILLI LELI I TILUTII	LIS

Best prices anywhere! Now a Toll-Free "800"

COMPUTERS

NORTHSTAR HORIZON II

HRZ-2-32DD, LIST \$3695	CALL
HRZ-2-64DD, List \$4195	
HRZ-2-Q32, List \$3995	
HRZ-2Q64, List \$4495	
NEW NORTH STAR ADVANTAGE	CALL


DYNABYTE

List Less 30%

ALTOS

PLEASE CALL FOR PRICES

SUPERBRAIN By INTERTEC



64K DD	\$2695
64K QD	
DSS-10MEG	\$3195
INTERTUBE	\$725
Emulator	\$725

CROMEMCO

CS2, List \$4695	OUR PRICE \$3549
CS3, List \$7995	OUR PRICE \$6349



data systems




Z-89.... List **\$2895**

OUR PRICE \$2139

Intersystems..... CALL FOR PRICES

TERMINALS

TeleVideo



Televideo	910\$579	
	912C	
	920C	
	950\$945	

SOROC



Soroc	IQ120												\$689
	IQ130												\$579
	IQ135												\$719
	IQ135 w/g												\$789
	IQ140									ě		5	1049

HAZELTINE

1420	•																				CALL
1500																					
1510																					CALL
HAZEL	T	1	١	ı	E	E	3	Si	P	11	7	17	Г								


ZENITH Z19 ...\$**719**

Most items in stock for immediate delivery. Factory sealed cartons, w/full factory warranty. NYS residents add appropriate sales tax Prices do not include shipping. VISA and Master Charge add 3% C.O.D. orders require 25% deposit. Prices subject to change without notice.

PRINTERS CENTRONICS


739-1											. \$749
739-3											\$799
704-11 parallel											
709-9											\$1519

TI 810



810 Basic	\$1599 \$1545
NEC 7510	\$2395 \$2395
Diablo 630	\$2049
460G	\$739 \$799 \$839 \$1099
Fneon	CALL FOR PRICES

DISK SYSTEMS MORROW



Discus	3 2	21	D									·							. \$849
Dual D)i	s	CI	u	s	2	C)											\$1389
2 + 2.																			\$1199
M-26.																			\$3599
M-10.																			\$2999

COMPUTERS WHOLESALE



800-448-5715



Circle 95 on inquiry card.

SORT EASIER QUICKER BETTER WITH MAGSORT

Now there is MAGSORT™, the first full featured Sort/Select/Merge program specifically designed to take the pain out of sorting.

EASIER

Interfacing MAGSORT to your CBASIC, Microsoft BASIC, Pascal/MT+, PL/I-80, or Fortran-80 programs is a snap. Two simple statements do it all. No dedicated memory, relocation, or special interfacing is required – not even in CBASIC.

And running MAGSORT stand alone is just as simple. The easy-to-use utility program asks all the questions so you don't have to remember a dictionary full of commands.

QUICKER

MAGSORT is written in 8080/Z80 assembler and uses a unique proprietary technique that allows the entire user memory space to be utilized for buffering. This provides the fastest possible sorting and optimizes MAGSORT for large files.

BETTER

MAGSORT is better than super! Its unmatched features make it the sort for today's sophisticated systems.

At \$250, MAGSORT may cost a little more than some other sorts, but it quickly pays for itself with convenience, speed and versatility. And, like all MAG software products, MAGSORT includes our free one year support service.

MAG

Micro Applications Group Dept. 101
20201 Sherman Way, Suite 205
Canoga Park, CA 91306
Please send more information about
MAGSORT today.
I would like to know more about your
other programs too.

Name ______ Title ____

System Notes.

1540 PRINT 1550 PRINT "THE OBJECT OF THIS GAME IS TO SEE IF" 1580 PRINT "YOU KNOW YOUR LEFT FROM YOUR RIGHT." **1570 PRINT** 1580 PRINT "THE COMPUTER WILL DRAW A COLORED BOX" 1590 PRINT "AND, AT THE BOTTOM OF THE SCREEN, TWO" 1600 PRINT "COLORED BARS. YOU MUST DETERMINE" 1610 PRINT "WHETHER THE LEFT OR RIGHT HAND BAR" 1620 PRINT "MATCHES THE BOX'S COLOR AND PUSH THE" 1630 PRINT "CORRESPONDING BUTTON. HOWEVER, IF THE" 1640 PRINT "BACKGROUND AROUND THE BOX IS GREY, YOU" 1650 PRINT "MUST PUSH THE OTHER BUTTON." 1660 PRINT 1670 PRINT "THE ROUND CONTINUES UNTIL YOU MAKE A" 1680 PRINT "MISTAKE OR THE TIMER RUNS OUT." 1690 PRINT 1700 PRINT "THE TIMER STARTS AT 500. IT DOES NOT" 1710 PRINT "RUN WHILE THE COMPUTER IS DRAWING." 1720 PRINT 1730 PRINT 1899 REM -1900 REM INITIALIZE FOR NEW PLAYER 1910 SC=0 1915 TAB 10 1920 PRINT "WHEN YOU ARE READY" 1930 PRINT "PRESS THE BUTTON IN YOUR LEFT HAND" 1940 IF PEEK (SW0)>127 THEN 1970 1950 IF PEEK (SW1)>127 THEN 1990 1960 GOTO 1940 1970 LSW=0 1980 GOTO 1995 1990 LSW=1 1995 GR 1996 CALL -936 1997 T=TIME 1999 REM 2000 REM CHOOSE MATCHING COLOR -2010 2010 LR= RND (2) 2019 REM 2020 REM CHOOSE POSITION -2070 2030 HPOS= RND (2) 2040 X=5+HPOS*20 2050 VPOS= RND (2) 2060 Y=1+VPOS*19 2070 KPOS=HPOS*2+VPOS+1 2079 REM -2080 REM CHOOSE BACKGROUND -2110 2090 FOR I=1 TO 4 2100 BG(I)= RND (2)*5 2110 NEXT I 2111 REM 2112 REM CHOOSE COLOR PAIR -2114 2114 LC= RND (7)+1 2119 REM 2120 REM SIMPLIFY -2330 2130 IF SC>26 THEN 2340 2139 REM 2140 REM SIMPLIFY COLOR -2160 2150 IF SC MOD 6=0 THEN LK= RND (3)*2+1 Listing 1 continued on page 290

City _

_ State _

CBASIC is a trademark of Compiler Systems Pascal/MT+ is a trademark of MT Microsystems PL/I-80 is a trademark of Digital Research Fortran-80 is a trademark of Microsoft

_ Zip

MDBS, Incorporated



a new generation in data base management technology

not limited

to relational, tabular, flat-file structures

not limited

to hierarchical structures

not limited

to CODASYL network structures

The structures above are mere subsets of the capabilities of MDBS III. Far beyond these, MDBS III provides valuable innovations available in no other system!

Unprecedented POWER! FLEXIBILITY! PORTABILITY!

For serious application development, MDBS III offers major advantages in these seven key areas:

Extraordinary data structuring

Unmatched flexibility for relating records to each other with ease.

Automatic data compression where desired.

Up to 255 record types per schema.

High-level query language

Automatically generates desired report or data file with a *single statement*.

Language is *English-like*, *non-procedural*, and has report writing capabilities.

Extensive performance control

Gives application designer extensive control over record placement...includes automatic *clustering* and *CALC* features.

For highest performance, a streamlined DML...over 20 host language interfaces available.

All processing is data-dictionary driven.

Data security and integrity

User passwords and optional data encryption.

Comprehensive access code facility for automatic security enforcement.

Automatic range checking.

Available for Minis and Micros

Availability for numerous 8 and 16-bit micros, as well as for minis, provides standardized approach to data handling.

Allows extensive portability of application systems...from the *Z-80* to the *PDP-11*.

True multi-user capabilities

Supports multiple concurrent users of the same data base.

Supports both active and passive locking.

Automatic transaction logging

Automatically logs all transactions after last back-up.

Selective restoration of data base in event of a

Allows surveillance of user activities.

For the full story about the finest application development tool existing in the mini-micro world...,call, write, or TWX us today!

Setting standards of excellence for data base software...worldwide.

Micro Data Base Systems, inc.



Box 248 Lafayette, Indiana 47902 317-448-1616/TWX 810-342-1881

Dealer/distributor/OEM inquiries invited.

[Yes, please send me a copy of the MDBS III brochure.
[Please send me the complete MDBS II manual set including
	manuals for MDBS III, RTL, QRS, and DMU plus tutorial
	materials. Check for \$85.00 enclosed. (Indiana residents please
	add \$3.40 for Indiana tax.)

Name		Title	
Company			
Address			
City	(State)	(Zip)	
Phone	(5000)	(214)	

MAIL TO: Micro Data Base Systems, Inc. P.O. Box 248-B Lafayette, IN 47902



Inversions: A Catalog of Calligraphic Cartwheels

by Scott Kim

Illusion...calligraphy...visual magic — Scott Kim's new book delights the eye and enchants the mind. Filled with intriguing designs, words that read the same right side up and upside down, words within words, and unexpected symmetries, these compositions create a fresh way to look at the beauty of alphabets, mathematics and design.

ISBN 0-07-034546-5 128 pages; softcover **8.95**

Digital Harmony

On the Complementary of Music and Visual Art

by John Whitney

Here we have a major new work that explores a special union of music and computer graphics and defines a new frontier between sight and sound, integrating the two to create a new art form. Digital Harmony lays the foundation for an audiovisual art made possible by computers. It is a must for all those interested in art, music, video, film, computers, education, artificial intelligence, psychology, and futurology.

ISBN 07-070015-X 240 pages; hardcover **21.95**

BASIC Scientific Subroutines, Vols. I and II

Valuable programs for professional and hobbyist

by Fred R. Ruckdeschel

Designed for the engineer, scientist, experimenter, and student, this series presents a complete scientific subroutine package featuring routines written in both standard Microsoft and North Star BASIC.

 Volume I covers plotting, complex variables, vector and matrix operation, random number generation, and series approximations. Volume II includes leastsquares approximation, special polynomial functions, approximating techniques, optimization, roots of functions, interpolation, differentiation, and integration.

Volume I ISBN 0-07-054201-5 336 pages; hardcover **19.95**

Volume II ISBN 0-07-054202-3 800 pages; hardcover **23.95**

Threaded Interpretive Languages

How to implement FORTH on your Z80

by Ronald Loeliger

This book develops an interactive, extensible language with specific routines for the Zilog Z80 microprocessor. With the core interpreter, assembler, and data type defining words covered in the text, it is possible to design and implement programs for almost any application and equivalent routines for different processors.

ISBN 0-07-038360-X 272 pages; hardcover 18.95

The Brains of Men and Machines

Human models for computer design

by Ernest W. Kent

In this rare book, the ever-increasing relationship between man and machine is freshly examined — a relationship, Kent concludes, that is being restudied in the light of man's own neurological self-image. The Brains of Men and Machines "dissects" the brain to provide new insights into computer design and artificial intelligence.

ISBN 0-07-034123-0 304 pages; hardcover 15.95

Microcomputer Structures

Digital electronics, logic design and computer architecture

by Henry D'Angelo

Microcomputer Structures introduces computer users with little or no background in digital hardware to the basic structures used in microcomputer design and interfacing. As a resource and textbook, this book will assist programmers and system analysts, engineers and scientists, managers and students. Instructor's Manual is also available.

ISBN 0-07-015294-2 394 pages; hardcover 18.95

Instructor's Manual ISBN 0-07-015298-5 101 pages; softcover 8.95

Ciarcia's Circuit Cellar, Vols. I and II

Practial uses for home computers

by Steve Ciarcia

Imaginative and practical, Ciarcia's Circuit Cellar in two volumes details a variety of microcomputer projects. You'll find them to be a collection of the best articles from the popular series in BYTE magazine.

Volume I includes DA conversion, programming EPROMs, AC remote controlled appliances, digitized speech, touch input video display.

 Volume II covers projects such as building a computer-controlled home security system, computerizing appliances, transmitting digital information over a beam of light, input/output expansion for the TRS-80.

Volume I ISBN 0-07-010960-5 125 pages; softcover 8.00

Volume II ISBN 0-07-010963-X 224 pages; softcover 12.95

Build Your Own Z80 Computer

Design Guidelines and Application Notes

by Steve Ciarcia

For the engineer, computer technician, student, and anyone interested in building a computer rather than buying one, this practical guide shows how to build a working computer based on the Zilog Z80 microprocessor. Each computer subsystem is fully explained and supported by proven design and testing information.

ISBN 0-07-010962-1 330 pages; softcover 15.95

Beyond Games: Systems Software for Your 6502 Personal Computer

Creating programs for the Apple, Atari, Challenger and PET computers

by Kenneth Skier

At last, a complete programming guidebook. A self-contained course in structured programming and top-down design, this book presents a powerful set of tools for building an extended monitor, disassembler, hexadecimal dump routine and text editor programs.

ISBN 0-07-057860-5 440 pages; softcover 14.95

Beginner's Guide for the UCSD Pascal System

The most popular Pascal version explained by its creator

by Kenneth L. Bowles

Written by the originator of the UCSD Pascal System, this informative book is an orientation guide to the System. For the novice, this book steps through the System, bringing the user to a sophisticated level of expertise. Once familiar with the System, the reader will find the Guide an invaluable reference tool for creating advanced applications.

ISBN 0-07-006745-7 204 pages; softcover 11.95

Circle 469 on inquiry card.

	THE REPORT OF THE PERSON OF TH				
Name		Title		Price	Quantity Am
Address					
City .	State Zip	1			
Check Enclosed	Amount				
Bill Visa/MasterCard Number	NUMBER OF THE PARTY		Add 75¢ per book to co	wer shipping o	oete:
Expiration Date			idd 754 per book to co		Total

BYTE BOOKS 70 MAIN STREET PETERBOROUGH, N.H. 03458

ORDER TOLL FREE 800/258-5420



MODEMS All Modems connect to any **RS232 Computer or Terminal!**

1200 Baud and 300 Baud-Bell 212A Style. Penril 300/1200\$779 Originate/answer/auto-answer. Full duplex RS232. Phone line connection via standard phone jack. 1 yr. warranty. Auto-dial option\$350	i
300 Baud Phone Link	

Originate/answer/auto-answer. Phone line connection via standard jack. 1 yr. warranty.

300 Baud. USR-330A . Same as USR-330D PLUS Auto-Dial. Call for quote and technical information on higher speed modems and miltiplexors.





Printing Terminals The new generation of printing terminals from General Electric.

30/60 CPS. GE Terminet 2030 \$929 30/60 CPS. GE Terminet 2030 \$929 110/300/60/1200 Baud. User selectable lines per inch and chars. per inch. True descenders and underlining. Up to 217 cols. per line. Top of form, vert. and hor. tabs. Friction feed std., tractor feed opt. Answerback. 1 yr. warranty on parts. Nationwide servicing. Extremely com-pact. 15 in. paper. Only 22 lbs. Built in text editor with 16k text editor optional. SUPERIOR TO DEC 1.434AA at lower cost LA34AA at lower cost.

120/150 CPS.

per. sec. print rate.

Letter Quality. NEC 7720 KSR with keyboard\$2,695 55 CPS. RS232 and Centronics parallel. Inter-

changeable print thimbles for a wide variety of perfect, letter quality output.

CRT's

Televideo (Lear Seigler, Hazeltine and ADDS equivalent) \$584 24 x 80. RS232. Numeric keypad. Non-glare screen. Printer Port. Function keys.

Televideo 950 ... Green, Non-glare screen, RS232. Detachable keyboard. Advanced editing with wraparound. Smooth scrolling. 15 baud rates. Protected fields. Underlining. Split screen. Fully programmable function keys. 15 graphics characters. Self test. 25th status line. Buffered printer port. 14 x 10 high resolution character display. Tiltable screen. Nationwide service from General Flectric.

Televideo 912C....\$759 Televideo 920C....\$792 Visual Technology-Visual 100

(DEC VT100 Emulator)\$1,399 All the features of the DEC VT100 INCLUDING Advanced Video Features and Non-glare

Printers

OKIDATA Mircroline 82A. 120 CPS.

80/132 Columns per line..... \$529
User selectable char. Sizes. Top-of-form bi-directional. Short line seeking print techniques for greater throughput. RS232 & Centronics parrellel interfaces

Letter Quality, NEC 7710 RO...\$2,395 Same features as the 7720KSR listed above but without keyboard.

Letter Quality, NEC 3510 RO...\$1,499 Like the 7710 RO but 30 CPS.













VISA/MASTERCARD Accepted. Corporation and Institution purchase orders accepted. Leasing rates available on request. All equipment is shipped with a 10-day money back guarantee. We ofter full service. on-site maintenance plans on all equipment. All equipments are recognitive to the control of the control o ment in stock

U.S. ROBOTICS INC

POB N WABASH HICAGO, ILL 60601

GENERAL OFFICES SERVICE

(312) 346-5650 (3|2) 346-565| (3|2) 733-0497

System Notes _

	2160 LC=LK
	2169 REM
	2170 REM SIMPLIFY POSITION -2190 2180 IF SCK18 THEN Y=9
	2190 IF SC(10 THEN Y=15
	2199 REM
	2210 IF SC>2 THEN 2260
	2220 FOR I=1 TO 4
	2230 BG(I)=0 2240 NEXT I
	2250 GOTO 2340
	2260 IF SC>11 THEN 2310 2270 FOR I=2 TO 4
	2280 BG(I)=BG(1)
	2290 NEXT I 2300 GOTO 2340
	2310 IF SC>20 THEN 2340
	2320 BG(2)=BG(1) 2330 BG(4)=BG(3)
	2339 REM
	2340 REM DRAW SCREEN -2550
	2350 REM DRAW BACKGROUND -2450 2360 FOR I=0 TO 19
	2370 COLOR=BG(1) 2380 ULIN 0,18 AT 19-I
	2380 VLIN 0,18 HI 19-1 2390 COLOR=B6(2)
	2400 VLIN 19,37 AT 19-I
	2410 COLOR=B6(3) 2420 VLIN 0.18 AT 20+I
	2430 COLOR=BG(4)
	2440 VLIN 19,37 AT 20+I 2450 NEXT I
	2459 REM
	2460 REM DRAW BARS -2500 2470 COLOR=C(LC)
	2480 HLIN 5,16 AT 39
	2490 COLOR=C(LC+1) 2500 HLIN 25,36 AT 39
	2509 REM
	2510 REM DRAW BOX -2550 2520 COLOR=C(LC+LR)
	2530 FOR I=0 TO 16
	2540 HLIN X,X+11 AT Y+I 2550 NEXT I
	2559 REM
	2560 REM WAIT -2660
	2580 VTAB 22 2590 TAB 30
	2600 PRINT T;" "
	2610 IF PEEK (SW0)>127 THEN 2670 2620 IF PEEK (SW1)>127 THEN 2700
	2630 T=T-1
	2640 IF T>0 THEN 2560 2650 PRINT "THE CLOCK RAN OUT"
	2660 GOTO 2740
	2669 REM 2670 REM SWITCH 0 -2690
1	Listing 1 continued on page 2

Listing 1 continued on page 292

COMPUTACNICS

EVERYTHING FOR YOUR TRS-80* • ATARI* • APPLE* • PET* •

BUSINESS PAC 100

* All orders processed within 24-Hours ★ 30-Day money back guarantee on all Software

100 Ready-To-Run **Business Programs**

(ON CASSETTE OR DISKETTE).....Includes 110 Page Users Manual.....5 Cassettes (Or Diskettes) Inventory Control.....Payroll.....Bookkeeping System.....Stock Calculations..... Checkbook Maintenance.....Accounts Receivable.....Accounts Payable.....

USINESS 100 PROGRAM LIST

Time between dates

Interest rate on lease

Straightline depreciation

Breakeven analysis

Annuity computation program

Sum of the digits depreciation

Declining balance depreciation

Cash flow vs. depreciation tables

Mortgage amortization table

Effective interest rate of a loan

Present value of a future amount

Present value of deferred annuities

Sinking fund amortization program

Amount of payment on a loan

Simple discount analysis

Value of a bond

Depletion analysis

Value of a warrant

Value of a bond

Value of a right

% Markup analysis for items

Black Scholes options analysis

Option writing computations

Value of perfect information Value of additional information

Expected value analysis

Derives utility function

Cost-volume-profit analysis

Conditional profit tables

Opportunity loss tables

Bayesian decisions

Checkbook maintenance program

Day of year a particular date falls on

Double declining balance depreciation

Prints NEBS checks along with daily register

Determines salvage value of an investment

Rate of return on investment with variable inflows

Rate of return on investment with constant inflows

Future value of an investment (compound interest)

Equal withdrawals from investment to leave 0 over

Equivalent & nonequivalent dated values for oblig.

Expected return on stock via discounts dividends

Estimate of future earnings per share for company

Portfolio selection model-i.e. what stocks to hold

Linear programming solution by simplex method Transportation method for linear programming

Economic order quantity inventory model

Single server queueing (waiting line) model

Fixed quantity economic order quantity model

Computes alpha and beta variables for stock

Computes time needed for money to double, triple, etc.

Interest Apportionment by Rule of the 78's

1 RULE78

2 ANNUI 3 DATE

4 DAYYEAR

5 LEASEINT

6 BREAKEVN 7 DEPRSL

8 DEPRSY 9 DEPRDB

10 DEPRODE 11 TAXDEP

12 CHECK2

13 CHECKBK1 14 MORTGAGE/A

15 MULTMON

16 SALVAGE 17 RRVARIN 18 RRCONST

19 EFFECT

20 FVAL

21 PVAL

22 LOANPAY

23 REGWITH

24 SIMPDISK 25 DATEVAL

26 ANNUDER

MARKUP SINKFUND

BONDVAL

30 DEPLETE

BLACKSH

32 STOCVAL1 WARVAL

34 BONDVAL2

EPSEST

36 BETAALPH

37 SHARPE1

38 OPTWRITE 39 RTVAL

40 EXPVAL

41 BAYES 42 VALPRINE 43 VALADINE

44 UTILITY 45 SIMPLEX

46 TRANS 47 EOQ

48 QUEUE1

49 CVP 50 CONDPROF 51 OPTLOSS

52 FOUOQ

NAME DESCRIPTION

53 FQEOWSH 54 FQEOQPB

55 QUEUECB 56 NCFANAL 57 PROFIND

As above but with shortages permitted As above but with quantity price breaks Cost-benefit waiting line analysis

Net cash-flow analysis for simple investment Profitability index of a project

58 CAP1 Cap. Asset Pr. Model analysis of project Circle 177 on inquiry card.

59 WACC

60 COMPBAL 61 DISCBAL

62 MERGANAL

63 FINRAT 64 NPV

65 PRINDLAS

66 PRINDPA 67 SEASIND

68 TIMETR

69 TIMEMOV 70 FUPRINF

71 MAILPAC

72 LETWRT **73 SORT3**

74 LABEL 1 75 LABFL 2

76 BUSBUD 77 TIMECLCK

78 ACCTPAY 79 INVOICE

80 INVENT2

81 TELDIR 82 TIMUSAN

83 ASSIGN 84 ACCTREC

85 TERMSPAY 86 PAYNET

87 SELLPR 88 ARBCOMP

89 DEPRSE 90 UPSZONE

ENVEL OPE 92 AUTOEXP 93 INSFILE

94 PAYROLL2 95 DILANAL

96 LOANAFFD RENTPRCH

98 SALELEAS 99 RRCONVBD

100 PORTVAL9

Weighted average cost of capital

True rate on loan with compensating bal, required

True rate on discounted loan Merger analysis computations

Financial ratios for a firm Net present value of project

Laspeyres price index Paasche price index

Constructs seasonal quantity indices for company

Time series analysis linear trend

Time series analysis moving average trend Future price estimation with inflation

Mailing list system

Letter writing system-links with MAILPAC

Sorts list of names Shipping label maker Name label maker

DOME business bookkeeping system Computes weeks total hours from timeclock info. In memory accounts payable system-storage permitted

Generate invoice on screen and print on printer In memory inventory control system

Computerized telephone directory

Time use analysis

Use of assignment algorithm for optimal job assign. In mernory accounts receivable system-storage ok Compares 3 methods of repayment of loans

Computes gross pay required for given net Computes selling price for given after tax amount

Arbitrage computations Sinking fund depreciation

Finds UPS zones from zip code Types envelope including return address

Automobile expense analysis Insurance policy file In memory payroll system

Dilution analysis Loan amount a borrower can afford

Purchase price for rental property Sale-leaseback analysis


Investor's rate of return on convertable bond Stock market portfolio storage-valuation program

□ CASSETTE VERSION

ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS ADD \$5.00 OUTSIDE U.S.A, CANADA & MEXICO

MPUTRONICS:

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977



NEW TOLL-FREE \$99.95 □ DISKETTE VERSION
□ TRS-80* MODEL II VERSION \$149.95 (OUTSIDE OF N.Y. STATE) ORDER LINE (800) 431-2818



(914) 425-1535

```
2680 IF (BG(KPOS)=0 AND LR=LSH) OR (BG(KPOS)#0 AND LR#LSH) THEN 2800
2690 GOTO 2720
2699 REM -
2700 REM
          SWITCH 1 -2720
2710 IF (BG(KPOS)=0 AND LR#LSW) OR (BG(KPOS)#0 AND LR=LSW) THEN 2800
2719 REM
2720 REM
          WRONG -2730
2730 PRINT "SORRY - WRONG BUTTON"
2739 REM
2740 REM
          DELAY -2790
2750 IF HSKSC THEN HS=SC
2760 PRINT "YOUR SCORE ";SC;" HIGH SCORE ";HS;" TIME ";T
2770 FOR I=1 TO 400
2780 NEXT I
2790 GOTO 1900
2799 REM -
2800 REM
          RIGHT -2850
2810 SC=SC+1
2820 VTAB 22
2830 TAB 10
2840 PRINT SC;" "
2850 GOTO 2000
```

Text continued from page 278:

screen; the bars at the bottom change color. Suddenly, you are confronted with a screen that is half grey and half black. The box is on the screen's black side, so you tentatively press the button for the bar that matches the box. Correct again; the game continues.

In this version of the game, play ensues until you make a mistake or until the time runs out (about 30 seconds). Your score is the number of correct answers. The highest score yet attained is 42 points.

When your turn is finished, you hand the push buttons to the next player. Mixing them up makes no difference, since the program automatically determines which switch is in your left hand.

I dreamed up the game and wrote the original program for my Apple II in one weekend. I tried it and then introduced it to my wife, who promptly topped my best score.

I immediately reprogrammed the game to make it harder. I added the grey background, cut the screen first in half and then in quarters, and changed the bars' colors after every point. My wife's continued winning streak highlighted the futility of further changes.

I can no longer demonstrate the program because my scores are too low to exhibit all of its features. My wife has assumed the task of demonstration.

The game is easily learned, but not readily mastered. The rules are more easily demonstrated than described. Concentration and quick reactions to a complex set of stimuli are needed for a high score.

The Trance

To play the game well, you must turn a conscious, well-considered response into a subconscious one. You must then avoid thinking about the individual responses.

The phenomenon of *perseveration*, and the level of logic involved in the correct decision, add to the difficulty.

Perseveration is the tendency to continue with the same response, regardless of the display. If the program gives you five "lefts" in succession, your tendency is to react with a left for the next response. This forces your continued attention to the game; it is my hunch that this is an important factor in invoking the trance state.

The level of logic insures that the responses are not simple. The first level occurs in the matching process; the second occurs in the reversal of handedness required when the background is grey. The logic could be deepened still a third level, through random changes in the box's shape (to a cross, for instance) to require yet another reversal of handedness.

The trance state originates in the combined effects of these phenomena. The need for decisions makes constant attention essential, and the decisions are too complicated to be left to natural reactions. An interesting experiment would have the level of logic continue to deepen until a trance was no longer invoked. (It may be impossible, either with this game or in general.) I will discuss this and other possible modifications after discussing the program itself.

The Program

The original version of the program evolved naturally from my given situation:

- •I had an apple II, which could draw all sorts of colored pictures on my TV screen.
- •The Apple II comes with two push-button switches.
- •I knew I wanted to write a real-time computer game.

Text continued on page 298

Tables and listings continue on pages 294-296

THE ORIGINAL MAGAZINE FOR OWNERS OF THE TRS-80™* MICROCOMPUTER

SOFTWARE FOR TRS-80" **OWNERS**

MONTHLY NEWSMAGAZINE Practical Support For Model I, II & III

- PRACTICAL APPLICATIONS
- BUSINESS
- GAMBLING GAMES
- EDUCATION
- PERSONAL FINANCE
- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS
- PROGRAM PRINTOUTS AND MORE

NOW IN OUR 4

INCLUDE THE FOLLOWING:

- FINCALC A COMPLETE FINANCIAL APPLICATIONS PACKAGE
- INFORMATION SYSTEM REVIEW
- STATISTICAL COMBINATIONS
- PASCAL'S TRIANGLE
- ASSEMBLY LANGUAGE FOR BEGINNERS
- MOD-III REVIEW
- KEYBOARD THUNDER AND LIGHTING EXPLAINED
- DOS COMMANDS IN LEVEL II
- PROBABILITY CURVE GENERATOR
- CALCULATOR SIMULATIONS
- THE MEGABYTE GAP
- STOCKS AND BONDS
- BUDGET ANALYSIS (FOR BUSINESS AND HOME)
- NEWDOS/80 REVIEW
- DUTCHING THE HORSE SYSTEM THAT CAN'T LOSE
- A SIMULATED GOLF GAME
- CONTINUOUS FORM SOURCES
- TAX/SAVER REVIEW AND MORE

A Complete Financial Analysis Package Used To Calculate Markup, Margin, Annuities, Compound Interest, Nominal And Effective Rates, Sinking Funds, Mortgage Calculations, Future Value, Savings and Insurance, Percentage Difference Between Two Numbers,

> HOUR 24 ORDER

Amortization Schedule and More

NEW TOLL-FREE

ORDER LINE

(OUTSIDE OF N.Y. STATE)

(800) 431-2818

SEND FOR OUR NEW 64 PAGE SOFTWARE CATALOG (INCLUDING LISTINGS OF HUNDREDS OF TRS-80™ PROGRAMS AVAILABLE ON CASSETTE AND DISKETTE). \$2.00 OR FREE WITH EACH SUBSCRIPTIONS OR SAMPLE ISSUE

All programs are supplied on cassette (add \$3 for Diskette Version - add \$5 for modified Mod-II Version).

SPRING VALLEY, NEW YORK 10977

ONE YEAR SUBSCRIPTION \$24 ... TWO YEAR SUBSCRIPTION \$48 SAMPLE OF LATEST ISSUE

START MY SUBSCRIPTION WITH ISSUE.....

(#1 - July 1978 • #12 - June 1979 • #24 - July 1980 • #30 - January 1981)

NEW SUBSCRIPTION..... RENEWAL....

\$ 4

CREDIT CARD NUMBER SIGNATURE NAME. EXP. DATE.

STATE

*** ADD \$12/YEAR (CANADA, MEXICO) - ADD \$24/YEAR AIR MAIL - OUTSIDE OF U.S.A., CANADA & MEXICO ***



Listing 2: Variable cross-references to the program in listing 1.

2710 2710

C- 1010 1020 1030 1040 1050 1060 1070 1080 1090 2470 2490 2520

HPOS- 2030 2040 2070

HS- 1130 2750 2750 2760

I- 2090 2100 2110 2220 2230 2240 2270 2280 2290 2360 2380 2400 2420 2440 2450 2530 2540 2550 2770 2780

KPOS- 2070 2680 2680 2710 2710

LC- 2114 2160 2470 2490 2520

LK*- 2150 2160

LR- 2010 2520 2680 2680 2710 2710

LSW- 1970 1990 2680 2680 2710 2710

SC- 1910 2130 2150 2180 2190 2210 2260 2310 2750 2750 2760 2810 2810 2840

SHO- 1100 1940 2610

SW1- 1110 1950 2620


T- 1997 2600 2630 2630 2640 2760

TIME- 1120 1997

UPOS- 2050 2060 2070

X- 2040 2190 2540 2540


Y- 2060 2180 2540





DISKETTES





C.D.R. Systems Inc. Controlled Data Recording Systems, Inc. 7667 Vickers St., San Diego, CA 92111

Call 714/275-1272 today

5 1/4 " Specify soft,

10 or 16 sector

or write for details.

ATTENTION COMPARISON SHOPPERS

HOW DOES A \$299 BYTEWRITER-1 STACK UP AGAINST A \$650 EPSON MX-80? YOU DECIDE!

The Only 80 Column Dot Matrix Printer Under \$300.

Why do we dare to compare the Bytewriter-1 to the Epson MX-80, the industry leader? Because we feel strongly that dollar for dollar, the Bytewriter-1 is tough to beat for performance and quality.

Our extensive testing has proved that the Bytewriter-1 interfaces problem-free to the TRS-80, the Apple II and the Atari 400 and 800.

We are not going to tell you that the Bytewriter-1 is better than the MX-80, but by comparison, and for half the cost, you get more than a reliable printer — you get a great value.

Call or write for more information today.

Comparable features. Uncomparable price.



9514 Chesapeake Drive San Diego, CA 92123 (**714) 278-0633** Outside CA call

TOLL FREE (800) 854-1081

TWX. 910-335-1269

Circle 272 on inquiry card

TRS-80 is a trademark of Radio Shack, Div. of Tandy Corp.
Apple II is a trademark of Apple Computer, Inc.
Atari 400 & 800 are trademarks of Atari, Inc.
MX-80 is a trademark of Epson America, Inc.

FEATURES	BYTEWRITER-1	EPSON MX-80*
Print speed	60 lines per minute	46 lines per minute
Paper feed	Friction feed original plus 3 copies	Pin feed original plus 2 copies
Ribbon	Black, cartridge \$9.95	Black, cartridge \$14.00
Life expectancy	Printhead — 100 million char. Drive Mech. — 10 million char. Ribbon — 5 million char.	50 — 100 million char. 5 million char. 3 million char.
Dimensions	3.8" × 15" × 9"	5.2" × 14.7" × 12"
Character set	96 ASCII	96 ASCII
Interface	Parallel	Parallel
Warranty	90 days	90 days
Printhead replacement	\$29.95	\$30
Cost	\$299	\$650

BYTEWRITER

*Data source: Epson MX-80 Operation Manual

> 30 Day Money Back Guarantee

Graphics Commands

GR — Clears screen and sets low-resolution graphics mode; a 40 by 40 array of "bricks," with four lines of text at the bottom of the screen. Coordinates run from the upper left-hand corner: 0,0 is the upper left-hand corner; 0,39 the lower left-hand corner; 39,0 upper right; and 39,39 lower right.

CALL - 936 - Clears text area of screen.

VLIN A,B AT C — Draws a vertical line of bricks from A to B at the column specified by C.

HLIN A,B AT C - Same as VLIN, but draws a horizontal line.

COLOR = I — Sets color used for plotting until next COLOR = I is encountered. Values for I are as follows:

 1
 red
 9
 orange

 2
 blue
 11
 pink

 3
 purple
 13
 yellow

 4
 green
 15
 white

Other Commands

VTAB N — Vertical tab to row N on the screen before printing.

TAB N — Horizontal tab to column N on the screen. This is a command, not a function, as in most BASICs.


PEEK(-16287) — Ascertains if switch 0 has been pushed. If it has, the value returned is greater than 127; otherwise, it is less.

PEEK(-16286) - Same as PEEK(-16287), but for switch 1.

RND(N) — Returns a random integer between 0 and N – 1.

Apple II Integer BASIC variable names may be of any length.

Table 3: An explanation of some of the Apple Integer BASIC commands which may not be available on other microcomputers—useful when implementing the game of Left/Right on another machine.



- 1

SVA MAKING APPLES GROW

RIGHT PRICE - RIGHT DELIVERY

SVA originated 8" floppy disk controllers for the Apple in 1979 based on 8 years of microcomputer consulting experience.

Since then we have added four new memory systems and enhanced our system and application software to bring you the utmost in performance and convenience.

SVA products adhere strictly to industry computer tandards.

SVA makes your data readable on other computers and insures maximum reliability and transportability by recording all data using standard IBM formats.

by recording all data using standard IBM formats.
Standard Apple DOS, CP/M and Pascal are used to bring you maximum flexibility, compatibility, and continued support.

SVA has delivered 2000 cards and systems on time with the applications and assistance to support them! Reliable? You bet!

Every product is operated for a full 7 day burn in period and retested before leaving our door. Top quality components like Shugart floppy drives - the standard of reliability - are used exclusively.

Support? Count on it!

Our application development group helps you install standard DOS, CP/M or Pascal applications. Call the SVA Hotline for a list of application software that runs on the MEGABYTER systems.

Look to SVA for a growing line of Apple Memory System products . . . SVA means business.




DISK 2+2

8" Floppy Disk Controller Single density - Single/double sided Twice the Byte Intelligent disk controller doubles the disk storage capacity of the Apple. Compatible with existing CP/M, DOS or Pascal software. Operates concurrently with mini disks. Load and run other CP/M and Pascal disks or transport/copy data disks of any computer using the IBM 3740 format.




ZVX4 MEGABYTER

8" Floppy disk controller Dual density - Single/double sided Four Times the Byte All the features of Disk 2+2 plus IBM System 34 double density recording. Automatic density switching. Control up to four mega-bytes of online data. Make business software more viable. Increase data security and reliability. File your tax return on 8" floppy disk. Excellent for hard disk backup.




APP-L-CACHE

256k RAM Memory Card Memory with disk emulator ROM Mini disk cost - Hard disk performance Operate as a standard 16k memory card and store/retrieve data at 3-50 times mini disk speed. Disk emulator ROM software eliminates the need for an extra mini disk. Uses standard DOS, CP/M and Pascal disk commands. Access large data bases without mini disk delays.



AMS 8000 MEGABYTER SYSTEM

Dual 8" Floppy Disk Memory System 1/2 to 4 Mega-bytes data standard storage Removable Online Memory Complete single or double density memory system for applications requiring large memory: Data base, Accounting, Word processing, Key to disk, and DOS, CP/M or Pascal program development. SVA has the support software for these and other applications.



AMS 5000 MEGABYTER SYSTEM

5" Winchester hard disk system 5 to 20 Mega bytes of online memory Hard disk storage - SVA support Enjoy the speed and storage capacity of the latest in high speed - high density online memory systems. Load up your DOS, CP/M, or Pascal applications and watch the brain power of the Apple grow. Combine with an SVA 8" floppy system for data transportability and backup.

MEGABYTER SOFTWARE

Dedicated to standards and support Application Hotline assistance: (714) 452-0101

<u>Data Transporter:</u> Move data between computers with: DOS to IBM, CP/M to IBM, CP/M to DEC. <u>Disk Copier:</u> Copy any 8" IBM 3740 or System 34 format disk. General Business: Support for; The Apple Controller*, Accounting II Plus*, Peachtree*, BPI* and others. Word processing: Magic Wand*, Apple writer*, Word Star*, Pascal Editor.

System Software: Pearl application development, unmodified Apple DOS, Pascal and CP/M smallest drivers in town.

<u>Data Base:</u> Desktop/Plan, DB Master, dBase II, CCA Data manager.

*Trademarks: CP/M - Digital Research; DB Master - Stone Ware; dBase II Ashton-Tate



SORRENTO VALLEY ASSOCIATES

11722 Sorrento Valley Road San Diego, CA 92121 (714) 452-0101 I was playing with a program that moved boxes around on the screen when I got the idea for the Left/Right game.

Writing the program was fairly simple; most of my time went into the display design, the choice of various parameters, and, of course, the complications.

As I added complications for the player, the program grew more complicated—to the point where I rewrote it entirely for this article. Writing the program for the complicated case and then simplifying for low scores is actually easier. Table 1 shows the complications built into the program. As you can see, there is a symmetry to the complications, with a new one added roughly every third play. The symmetry would be more complete if the bars changed color only when the score equaled 6 modulo 9; but that did not produce color changes often enough to satisfy my intuitive sense of play.

Choosing colors to use was a project in itself. As long as the score is less than 27, the colors come in reasonable pairs (red/blue, green/orange, yellow/purple). After 27, not only is a new pair of colors added (pink/white), but the old colors can appear in new and harder pairs.

Listing 1 is the Apple II Integer BASIC program of Left/Right. Lines 1000 to 1730 initialize a few variables and print the instructions, while line 1900 begins the program proper. From 1900 to 1997, I set the score to zero,

determine which switch is in the player's left hand, and clear the screen.

Lines 2000 to 2114 set up the general (complicated) case, choosing which bar the box will match, where the box will be, what quarters of the background will be grey, and what colors will be used. Lines 2120 to 2330 simplify the situation for low scorers like me. The simplifications are made according to table 1 (page 278.)

From line 2340 to 2550, I draw the screen: background, bars, and box. Then, from line 2560 to the end, I wait for the player to push either switch, determine whether it is right or wrong, and add one to the score or end the game.

Since the logic gets confusing at the program's end, I have provided a flowchart of the program in figure 1, with an emphasis on the last lines. Other than at the end, the program is basically two nested loops; the outer loop begins at line 1900 with each new game, and the inner loop starts at line 2000 for each play.

Table 2 is a truth table for the logic behind the expressions in lines 2680 and 2710, which test for correctness of player response. For those of you implementing this game on a machine other than an Apple, I have summarized the Apple graphic and other special commands in table 3.

Additions

Several possible changes suggest themselves. You can change the timing, eliminate it entirely, or time each point. You can increase the number of colors or divide the screen up into more areas. You can use shapes other than a box, or letters and words, with or without adding another level to the logic as I just discussed. Lacking a computer with color capability, you can base the game on shapes rather than colored bars.

A challenging modification for the player and the programmer would have the box move. To press the appropriate switch, a player would have to remember where the box started.

To increase the time limit for each player, modify line 1120. To eliminate the timing entirely, delete line 2630. To time each point, move line 1997 to 2570.


The number of colors may be increased by changing the dimension of C in line 1010 and increasing the arguments to the RND function in lines 2114 and 2150. Note that line 2150 is deliberately constructed to use fewer colors than are available. Also, since lines 2114 and 2150 choose the color pair, the maximum value allowed for LC is one less than the number of array elements. A particularly fiendish modification would use the various shades of blue which are available on the Apple as possible elements of color pairs. The box is drawn in lines 2510 to 2550; to change its shape, modify this code.

Summary


A fun game, it has been a party favorite. It's a great demonstration. Watching an experienced player (like my wife) run up a high score is just part of the fun.



BUY THE BEST FOR LESS. Lowest prices. **WE WILL NOT BE UNDERSOLD!!** Buy any quantity. Call free (800) 235-4137 for prices and information. Dealer inquiries invited. C.O.D.'s accepted.



Double your disk storage capacity...



simply by switching to Omni's new reversible disk.

If you have an Apple, TRS-8O, Zenith, North Star or any other single-sided 51/4" disk drive, you can double disk capacity by simply switching to the Flip/Floppy disk from Omni, It works just like your present disks, except you can flip it over and record on the reverse side. So you can consolidate programs and files that used to require two disks. You can halve your disk requirements. And save money.

Each disk comes with some impressive specifications: They're certified error-free at more than twice the error-threshold of your system. Rated for more than 12 million passes without disk-related errors or significant wear. And precision fabricated with such standard features as reinforced hub rings.

Call Omni toll-free today. Get premium disks. Twice the capacity. A full money-back augrantee. Unbeatable price. And if you order a ten pack now, a free \$5.00 storage case as well.

4 Oak Pond Avenue, Millbury, MA 01527 (800) 343-7620 In Mass. (617) 799-0197

Dealer inquiries invited.

Software Houses: We also offer duplicating and formatting services.

21.00-Five pack

(Equivalent to 10 single-sided disks)

-Ten pack

(Equivalent to 20 single-sided disks)

Free

Protective plastic storage case with each 10 pack ordered by 12/25/81



Order toll-free (800) 343-7620. In Mass. (617) 799-0197.

Send the following Flip/Floppy disks.

I understand they have a full 90 day money-back guarantee if I'm not completely satisfied.

System & model #

__ Five packs @ \$21.00

_Ten packs @ \$40.00 * * includes plastic case

Shipping and handling 5% sales tax (Mass. only)

Check (to Omni Resources) _____C.O.D.

Master Card Card #_____

Address

BYTE December 1981

ari is hot and so are we

The ATARI® 800™ Computer is getting rave reviews. High resolution color graphics and English characters; high quality sound; and sleek, modular appearance have made the 800 a "must have" for many computer users. Expandable memory, advanced peripheral components, and comprehensive software library make ATARI a really hot deal, whether your application is business, professional or personal.

SPECIAL OFFER — ASAP makes the ATARI® 800™ the hottest deal in town by offering 16K bytes of additional RAM . . . FREE! You get 32K for the price of 16K.

So don't get caught out in the cold. Call ASAP today.

OPTIONAL ACCESSORIES	PRICE
ATARI® 410™ Program Recorder\$	60.00
ATARI® 810™ Disk Drive\$	455.00
ATARI® 820™ 40-column Dot Matrix Impact Printer\$	279.00

OPTIONAL ACCESSORIES CONT.	PRICE				
ATARI® 822™ Thermal Printer \$ 3	349.00				
ATARI® 825™ 80-column Dot Matrix Impact Printer. \$ 6	25.00				
ATARI® 830™ Acoustic Modem\$ 1	59.00				
ATARI® 850™ Interface Module\$ 1	59.00				
ATARI® Paddle (CX30-04) or Joystick (CX40-04) \$	17.95				
Light Pen (CX-70)	64.95				
Complete Software Library includes these popular units:					
Star Raiders\$	36.00				
Space Invaders	15.95				
Assembler Editor \$	42.00				
Missile Command\$	34.00				
Asteroids\$	34.00				
Word Processor	19.00				

We'll "drive" you wild

ASAP carries only the highest quality floppy disk drives, to provide you with years of trouble-free service and superior performance.

Data Trak™ 5 (ANSI 51/4" compatibility)	Call for price
Data Trak™ 8(IBM compatibility)	Call for price
Model 801 (standard floppy)	\$425.00
Model 850	\$640.00
Dual Disk Drive Cabinet	\$225.00

ASAP also provides a full line of high reliability disk drive subsystems*.
HDC8/1-HD — Cabinet with (1) Priam 10 megabyte hard disk drive with Microbyte Controller installed Call for price HDC8/1F+1HD — Cabinet with (1) Qume DT-8 double-sided double-density drive, and (1) Priam 10 megabyte hard disk drive with Microbyte Controller
installed
CAB8H — Dual cabinet for 8" floppy disk drives
(horizontal mounting)\$ 225.00
CABBV — Cabinet for 8" floppy disk drives
(vertical mounting)\$ 225.00
CAB8H/V+1S — Dual cabinet with (1) Shugart SA801R
installed (horizontal or vertical mounting)\$ 750.00

with our variety of quality disk drives.

CAB8H/V+2S — Dual cabinet with (2) Shugart SA80	
installed (horizontal or vertical mounting)	\$1150.00
CAB8H/V+1Q — Dual cabinet with (1) Qume® DT-8	
double-sided double-density drive installed	
(horizontal or vertical mounting)	.\$ 830.00
CABH/V+2Q — Dual cabinet with (2) Qume® DT-8's	
double-sided double-density drive installed	
(horizontal or vertical mounting)	\$1350.00
X5 — Cabinet for desk top mainframe	
(small power supply)	\$ 200.00
800D — Cabinet for desk top mainframe	
(standard power supply)	\$ 255.00

*All cabinets come complete with power supply, fan and internal cables.

products, inc.

SYSTEMS WITH SPICE from **CALIFORNIA COMPUTER SYSTEMS**

FOR APPLE II™ USERS

Synchronous Serial Interface Part Number 7712A	Price: \$149.00
Programmable Timer Part Number 7440A	
Asynchronous Serial Interface Part Number 7710A	. Price: \$139.00
Calendar/Clock Module Part Number 7424	Price: \$ 99.00
3¾ Digit BCD A-to-D Converter Part Number 7470A	Price: \$ 95.00
Part Number 7114A	
Part Number 7720A	Price: \$125.00
Part Number 7811A	Price: \$349.00
Part Number 7728A	Price: \$125.00

FOR S-100 USERS

32K Static RAM Board Part Number 2032C	Price:	\$610.00
Part Number 2116C	Price:	\$290.00
64K Dynamic RAM Board Part Number 2065C	Price:	\$550.00
Z-80A CPU Board Part Number 2810A	Price:	\$265.00
Floppy Disk Controller Part Number 2422A	Price:	\$365.00
S-100 Mainframe Part Number 2200A		
S-100 Motherboard Part Number 2501A		
4-Port Serial I/O Interface Part Number 2710A	Price:	\$245.00
2-Serial, 2-Parallel I/O Board Part Number 2718A	Price:	\$275.00
4-Port Parallel I/O Board Part Number 2720A	Price:	\$195.00

8" DISKETTES

Sides/Density Sectoring

SCOTCH 3M

51/4" DISKETTES

Sides/Density Sectoring

Soft

Hard 10

Hard 16

Hard 10

Soft

1/Single

1/Single

1/Single

2/Double

2/Double

1/Single Soft

2/Double Soft

Part #

D-0506

D-0605

Part #

744-0

744-10

744-16

745-0

745-10

DISKETTES from ASAP

VERBATIM

51/4" DISKETTES

	O'4 DIDITETTED	
Part #	Sectoring	Price
MD525-01	Soft	10/\$27.50
MD525-10	Hard 10	10/\$29.50
MD525-16	Hard 16	10/\$29.50
	8" DISKETTES	
FD32-1000	Hard	10/\$35.00
FD34-1000	Soft	10/\$35.00
	BACRAODEV	

MEMOREX

51/4" DISKETTES Cidos/Doneity Contaring

rail #	Sides/ Delisity	Sectoring	FILLE	
MEM 3401	1/Single	Soft	10/\$25.00	
MEM 3403	1/Single	Hard 10	10/\$25.00	
MEM 3405	1/Single	Hard 16	10/\$25.00	
	8" DISK	ETTES		
Part #	Sides/Rensity	Sectoring	Price	

Part #	Sides/Density	Sectoring	Price		
MEM 3060	1/Single	Soft	10/\$35.00		
MEM 3101	2/Single	Soft	10/\$45.00		
MEM 3090	1/Double	Soft	10/\$45.00		
MEM 3102	2/Double	Soft	10/\$55.00		
DYSAN					

9./4 nig	1	
Sides/Density	Sectoring	Pric
1/Single	Soft	10/\$45.0
1/Double	Soft	10/\$46.0

10/\$55.00

,	745-16	2/Double	Hard 16	10/\$59.00
		MAX	FII	
		51/4" DISI	KETTES	
	Part #	Sides/Density	Sectoring	Price
1	MD1	1/Single	Soft	10/\$39.00
ì	MD2D	2/Double	Soft	10/\$65.00
	MH1	1/Single	Hard 16	10/\$39.00
	MH2D	2/Double	Hard 16	10/\$65.00
		8" DISK	FTTFS	
)	Part #	Sides/Density		Price
1	r art #	Oluça/ Dellalty	Sectoring .	11100
1	FD1-128	1/Single	Soft	10/\$45.00
1	FH1-32	1/Single	Soft 32	10/\$45.00
	FD2-XD	2/Double	Soft	10/\$65.00
		SR	W	
		MEDIA STOR	NAME OF TAXABLE PARTY.	
	Dead II			Deles
	Part #	Siz		Price
Ĺ	SRW-5	51/4	."	\$2.50 ea.
	SRW-8	8'		\$3.25 ea.

MICROBYTE Z-80A/ I/O CPU BOARD

Part #

D-0130

D-0226

D-0235

A complete single board Z80A CPU with serial/parallel interface

2/Double Soft

- Fully compatible with the proposed IEEE S-100 Bus Standard
- Z80A CPU (4MHz version of the Z80)

\$329.00 Assembled & Tested Optional Monitor Program \$30.00

MICROBYTE 64K DYNAMIC RAM BOARD

- Fully S-100 bus compatible
- 64K x 8 bit dynamic RAM
- Low power: +8VDC @ 700 mA +16VDC @ 100 mA -16VDC @ 25 mA
- · Built-in capacity with LED indicator and

\$499.00 Assembled & Tested

MICROBYTE 4-PORT /O BOARD

- Quad RS-232C serial ports. One 20 mA current loop port
- Fully IEEE S-100 Bus compatible
- Asynchronous Communications with Z80A-DART(TM) or synchronous communications with Z80A-SIO/0(TM)
- Full set of modem control signals, including RI (Ring Indicator)
- Easily configurable to any type of terminal

\$265.00 Assembled & Tested Cables Available (Optional)

MICROBYTE FLOPPY DISK CONTROLLER

- DMA to within 16 Mbyte of memory
- · State-of-the-art NEC765 LSI Controller
- IEEE S-100 compatible
- DMA arbitration allows use of multiple boards within a system

\$329.00 Assembled & Tested

SD Systems/	S-100 B	oard
EXPANDORAM *	16K	\$240.00
2 MHz DYNAMIC	32K	\$258.00
RAM BOARD	48K	\$276.00
KITS	64K	\$294.00
EXPANDORAM II	16K	\$250.00
4 MHz DYNAMIC	32K	\$268.00
RAM BOARD	48K	\$286.00
KITS	64K	\$304.00
SBC-100 KIT 2.5 MHz/Z8	O CPU wit	h Serial I/O
Ports & SBC 100 Monit	tor of you	ir choice at
no charge		\$299.00
SBC-200 KIT 4 MHz/Z80		
Parallel I/O Ports & SB0	C 200 Mon	itor of your
choice at no charge		
VERSAFLOPPY I KIT Disk (Controller f	for 51/4" or 8"
Drives, Single or Double !	Sided/Sing	le or Double
Density, S-100 Compatible	e	\$250.00
VERSAFLOPPY II KIT Disk	Controller t	for 51/4" or 8"
Drives, Single or Double !	Sided/Sing	le or Double
Density, S-100 Compatible		
PROM 100 KIT S-100/EPR	OM PROGE	RAMMER for
2708, 2716, 2732 & (TI) 25	16	\$190.00
ALL BOARDS ARE AVAIL	LABLE AS	SEMBLED &
TESTED. CALL FOR PRICE	S.	
Printers		

Price

Price

10/\$33.00

10/\$33.00

10/\$33.00

10/\$59.00

10/\$59.00

10/\$45.00

10/\$65.00

Okidata Dot Matrix Printer

82A - 80 column printer Throughput @ 80 characters per line: 76 lines Print Speed: 120 CPS 83A - 136 column printer Throughput @ 136 characters per line: 47 lines Print Speed: 120 CPS Centronics & RS232C interfaces standard on both

The Epson MX-80

80 Column Dot Matrix Printer

PRINTING CHARACTERISTICS

Character set: full 90-character ASCII with descenders.

Graphics characters: 64 block characters

INTERFACES

Standard: Centronics-style 8-bit parallel Optional: Apple, TRS-80, RS 232 NFW

MX80 FT/Friction Feed MX-100/132 Column CALL FOR PRICE & DELIVERY

Apple Parallel Interface: AEI-1 W/Cable \$69.95

- · Standard Interface
- Compatible with Epson & Okidata printers
 On-board firmware (2708)
- Optional cables: \$25.00
- · AEC-2/Atari to Epson printer
- TREC-2/TRS-80 to Epson/Okidata printer
- RSC-1/RS232 (male to male)

Serial Interface SEI-1 \$55.00

- Asynchronous 300, 1200, 2400 or 9600 BPS
- Compatible with Epson printers
- 75 to 9600 BPS

Manufacturer/Model #	Price
Anacom-150	\$ 995.00
Anadex-9501	\$1295.00
Diablo-630R0	\$2300.00
C.Itoh Starwriter 45	\$1925.00
Texas Instruments-810	
Modeme	

Manufacturer	Model #	Price
Novation	CAT	\$ 149.00
Novation	d-CAT	\$ 160.00
Novation	Auto-Cat	\$ 229.00

u	A STATE OF THE REAL PROPERTY.	THE REAL PROPERTY.	
	Lexicon	Lex-11	\$ 139.00
	Livermore	LIV-Star 20M	\$ 149.00
	UDS	UDS 103	\$ 189.00
	UDS	UDS 202	\$ 295.00
	Monitors		
	Manufacturer	Model #	Price
	Amdek	100/12" B&W	\$ 139.00
	Amdek	100-80	\$ 169.00
	Amdek	100G/12" Grn.	\$ 169.00
	Amdek	Color-1 13"	\$ 375.00
	APF	TVM-10/10" B&W	\$ 149.00
	Hitachi	VM 910/9" B&W	\$ 210.00
	Hitachi	VM 129/12" B&W	\$ 340.00
	Sanyo	DM 5012/12" B&W	\$ 270.00
	Sanyo	DM 5112ex/12" Grn.	\$ 290.00
	Sanyo	DM C6013/13" Color	\$ 475.00
	Zenith	ZVM-121/12" Grn.	\$ 129.00
	Terminals		
	Manufacturer	Model #	Price
	Ampex	Dialogue 80	\$ 899.00
	Soroc	IQ120	\$ 750.00
	Soroc	IQ140	\$1250.00
	Televideo	TVI 910	\$ 650.00
	Televideo	TVI 912C	\$ 725.00
	Televideo	TVI 950C	\$ 950.00
	Componen	ts	
	4116's (20		
		. Heath	8/\$18 00
		, ricaui	
			ψ1.55 taci
	2114 L-2/	200 NS	
		x 4 Static RAM	
	1-16		
	17-49		
	50-99	52.75 each	

100 up \$2.65 each

Components

74LS240 . . \$1.25 each 74LS373 . . \$1.25 each 74LS241 . . \$1.10 each 74LS374 . . \$1.25 each 74LS244 \$1.25 each 8T245 \$1.50 each 2708/450 nS

..... \$3.50 each or 8/\$26.00

2716/5 Volt

Support Chips 8080A-CPU.... \$ 2.50 Z80A-SI0 \$22.00 \$ 8.95 8255AC5 \$ 6.95 \$ 8.95 8257AC5 \$15.00 780A-CPU Z80A-CTC

Z80A-DART Regulators 320T5 \$.80 320T12 \$.80

34015 5	.70 340	11 12	\$./5
Connectors			
	1-9	10-24	25 up
DB25P	\$2.25	\$2.15	\$2.00

DB25S \$2.90 \$3 25 \$3 10 DB25C \$.95 100 Pin IMSAI

Gold/S-100 Soldertail Connectors \$2.60 each or 10/\$2.40 each

Capacitors

.1 @12 Volt Ceramic 8¢ each or 100/\$7.00

DIP Sockets — Low Profile Tin Soldertail

Description	1-9	10-49	50-99	100 ur
14 pin tin st	\$.15	\$.13	\$.12	\$.11
16 pin tin st	\$.16	\$.14	\$.13	\$.12
18 pin tin st	\$.19	\$.18	\$.16	\$.14
20 pin tin st	\$.25	\$.23	\$.21	\$.20
24 pin tin st	\$.26	\$.24	\$.22	\$.20
28 pin tin st	\$.32	\$.30	\$.29	\$.27
40 pin tin st	\$.42	\$.40	\$.38	\$.34

ASAP offers a 30-day buyer protection policy: full money-back guarantee if not totally satisfied

Ordering Information: Name, address, phone, ship by: UPS or Mail. Shipping charge: add \$2.50 up to 1 lb. for UPS blue; add \$1.50 for U.S. Mail (U.S. only) (\$25.00 minimum order). Call for larger shipments.

Terms: We accept cash, check, money orders, Visa & Master Charge (U.S. Funds only). Tax: 6% Calif. Res., COD's and terms available on approval (school PO's accepted).



Toll free outside California:

(800) 421-7701

Inside California:

(213) 595-6431 (714) 891-2663



Prizes Prizes Prizes

First prize: \$500 Second prize: \$250

Third, fourth, and fifth prizes: A bound copy of BYTE Volume 1, which covers September 1975 through December 1976

Sixth, seventh, and eighth prizes: Publication of your game in BYTE

All prize-winning programs will be published in BYTE

Admit it. When you were desperately trying to justify the purchase of your personal toy . . . uh . . . computer, you had absolutely NO idea that it could be used for endless hours of game playing. Instead, you were dazzled by the possibilities for using it in applications that are on the very frontier of computer engineering. Your sights were set daringly high: "Let's see, balancing my checkbook, uh . . . phone list (there was something else . . .) turn on the lights when I'm away on business (but what about mowing the grass?), uh . . . (oh, yes) and a computerized phone list Uh, there was something else, but I forget what it was "

Two years later, you're still balancing your checkbook by hand and you don't have that computerized phone list just yet. But you do have 35 disks of something in your software library—and they aren't multiple linear regression analysis packages, either.

It's okay. Your secret is safe with us. We like games, too. In fact, we're looking for games to publish. We know that the countless hours you spend programming is for serious stuff, but if you know anybody who's into games, you might mention we're running a contest.

• • • • • The Format •

All games should be presented in article form for possible publication in BYTE. (Send a stamped, self-addressed, legal-size envelope for a copy of our author guide.) Submit your game in the magnetic format listed below, along with whatever documentation is necessary, a clear listing, and an introductory narrative telling us about the game and how it works. Floppy disks should be sent sandwiched between two pieces of cardboard. Be sure to keep a copy of any software you send us (just in case it does get damaged in transit).

• • • • • • The Computers • •

Prepare your game for one of the following computers, in the format indicated. (We apologize if your computer is not on this list, but we are limited to those to which we have access.) Games **must** be submitted in the appropriate form.

Apple II, Atari 800, Commodore PET/CBM, IBM Personal Computer, Radio Shack TRS-80 Models I or III

Commodore VIC, Radio Shack TRS-80 Color Computer

Radio Shack TRS-80 Model II

CP/M with "plain vanilla" terminal (ie: no special features)

5-inch disk only

cassette tape

TRSDOS 8-inch disk

standard 8-inch disk

• • • The Games • •

What kind of games are we looking for? Graphic arcadestyle games (of course); text-only simulations, role-playing games, and adventures; strategy games; abstract games; action games; historical games. Anything that's funl And a game needn't occupy 48 K bytes of memory to be fun—it's the concept that counts! (For an example of a simple game that's fun, look at "The Game of Left/Right" for the Apple II on page 278 of this issue.)

Use your creativity to devise something new, rather than implementing something that already exists. We aren't interested in implementations of existing board or video games—we want original games only!

We'd be **very** interested in seeing a two-computer game. In it, two people run the same game on two computers, which are connected by an RS-232C link (or, for the Apple, possibly a 3-bit duplex connection through the game port). For an example of what's possible using two computers, see the review of Commbat on page 100 of this issue.

• • • • • • The Deadline

Entries must be sent to:

BYTE Game Contest POB 372 Hancock NH 03449

and must be postmarked by March 31, 1982. The results will be published in the August 1982 issue of BYTE.

The Fine Print ...

- •This contest will be judged by the **BYTE** editorial staff. The games will be evaluated for their playability. The judges' decision is final.
- •Game submissions cannot be returned unless they are accompanied by a return envelope with sufficient postage on it
- •This contest is open to anyone except employees or immediate family of McGraw-Hill and its subsidiaries. Void where prohibited by law.
- •Prize winners will exchange first serial rights (ie: the right for BYTE to publish their article first). In all cases, the author retains all commercial rights to the software written, and BYTE readers cannot distribute and/or sell the software without the author's permission. All eight prize winners will receive the standard payment for a BYTE article (at \$50 per published magazine page).
 - •Only one entry is permitted per contestant.
- •To repeat a rule stated earlier, cassette tapes will be accepted only for the Commodore VIC and the Radio Shack TRS-80 Color Computers. All other entries must be in the floppy-disk format specified above.

The Bottom Line

We think this contest is arranged so that anybody with a good idea has a chance to win. We won't be dazzled by fantastic graphics alone, but we will be influenced by how enjoyable a game is. We look forward to seeing your best effort and hope you'll have fun in the process.

303

Software Review

Pascal-80

Rowland Archer Flint Ridge Apartment 59 Hillsborough NC 27278

Even though several versions of Pascal have been available for the TRS-80 Model I computer for some time now, none of them quite succeeds in terms of completeness and compatibility with the TRS-80 system.

For example, Radio Shack's own Tiny Pascal is educational and inexpensive, but it is an extremely limited subset of Pascal. It provides integer data types, one-dimensional arrays, and Pascal control structures, but none of the type-definition facilities that make Pascal a unique language. It also provides no means of storing or retrieving data from tape or disk, eliminating it as a contender for most serious uses.

FMG Corporation's version of UCSD (University of California, San Diego) Pascal for the TRS-80 is more complete, but it suffers from a force fit to the Model I machine. FMG told me it is essentially a vehicle for teaching Pascal due to the small user-program space available (according to FMG, about 250 lines).

Having witnessed several partially successful attempts to put a Pascal system on the TRS-80, I began to think it just wasn't practical. After all, the Apple II version of UCSD Pascal requires a memory expansion to 64 K bytes and a modification to the disk operating system to support higher-density disk storage. Knowledgeable people claimed that the TRS-80 Model I, with its 48 K bytes of memory and single-density floppy-disk system, was not big enough to support Pascal.

It was thus with considerable excitement that I read TSE-Hardside's advertisement for Pascal-80 by Phelps Gates. I have used Mr Gates's excellent APL interpreter (also distributed by TSE-Hardside) for nearly a year, and it is notable for its completeness, compactness, and freedom from bugs. APL is another example of a language that many experts claimed could never be put on a TRS-80. If anyone could devise a good Pascal system for the TRS-80, it was Phelps Gates. I am happy to report he has done just that.

It is worth saying a few words about Gates himself, as he has an intriguing combination of professional interests. Churning out interpreters and compilers is only a sideline for him. In real life, he is an associate professor at the University of North Carolina—in the classics department! His choice of avocation becomes less surprising when you learn he specializes in linguistics, which helps explain his expertise in computer languages. That he, rather than a computer professional, has put together good, complete versions of APL and Pascal for the TRS-80 should be a lesson to all of us. The supposed experts probably never tried because they "knew" it couldn't be done.

System Overview

Pascal-80 is a stand-alone system written in Z80 machine code and distributed on a TRSDOS disk (Model I or III format). The original disk may be copied with the TRSDOS BACKUP utility. I have run Pascal-80 under NEWDOS 40 to make use of my 40-track drives. So far, I have had no problems doing so. However, I have not been able to get Pascal-80 to run under NEWDOS 80 or LDOS.

At a Glance

Name Pascal-80

Type TRS-80 Pascal compiler

Author Phelps Gates

Distributor TSE-Hardside 6 South St Milford NH 03055 (800) 258-1790

Price
Disk plus instruction
booklet, \$99.95

Format

5-inch floppy disk, TRS-80 Model I or III TRSDOS format


Computer

TRS-80 Model I or III with at least 32 K bytes of memory; at least one disk drive

Documentation 14-page instruction booklet

Audience
Programmers in need of a
Pascal compiler for the
TRS-80 Model I or III

IMPOSSIBLE! NO, JUST INCREDIBLE 16K RamBoard



FOR APPLE II COMPUTERS

S12095

OFFER EXPIRES 12-30-81 REG. \$149.95

Dealer Inquiries Invited

INCREDIBLE IS RIGHT!

If you've considered upgrading your Apple II to 64K you probably have also considered the price. Almost all of our competitions boards are selling for around \$200. We are announcing incredible news for Apple owners by offering our 16K RamBoard for only \$129.95.

SOFTWARE COMPATIBILITY... NO PROBLEM.

Let's face it... all RAM boards give you one thing; 16K more of Random Access Memory. They're all alike in how they install, what they are compatible with and how they operate. The RamBoard is compatible with all Apple II languages and software. The RamBoard enhances the Apple II by allowing larger languages, data bases, and programs. It greatly improves the capabilities of CP/M, PASCAL, FORTRAN, COBOL, and programs like VisiCalc, VisiFile, and any large business or scientific program applications.

COMPARE THE COMPETITION.

The RamBoard offers all that you need to enjoy 64K of user ram in your Apple II at an affordable price. The Con-Comp RamBoard is constructed with high quality components and utilizes hi-speed dynamic RAM, (200ns). It comes complete with installation and operation instructions, and to make good news better is covered by a One Year Warranty.

NOW IS THE TIME TO BUY.

They won't be available from your local dealer at this introductory price (suggested retail \$149.95). So before it's impossible order your RamBoard today. To order or form more information please call or write.

ConComp Industries 8338 Center Dr. La Mesa, Calif. 92041 (714) 464-8715

CONCOMP

Apple II is a trademark of Apple Computer Inc. VisiCalc is a trademark of Personal Software. Pascal is a trademark of U.C.S.D. Regents. CP/M is a trademark of Digital Research.

industries

To start Pascal-80, you simply type in the program name under TRSDOS READY. The program starts by displaying the menu; table 1 lists the options available.

The entire system resides in memory at once—editor, compiler, and p-code interpreter. This makes Pascal-80 convenient and interactive, much like Disk BASIC. You can move quickly between editing, compiling, and running a program without the need to save intermediate forms of the program on disk. The major difference be-

EDIT the program in memory or create a new program from scratch KILL (erase) the program currently in memory. SAVE the program in memory to a named disk file. LOAD a previously saved program from disk to memory. APPEND from a disk file to the program in memory. COMPILE the program in memory, producing p-code that can be run or saved in a disk file. The program text remains in WRITE the p-code produced by the compiler into a named disk file. EXECUTE a p-code file directly from disk, overwriting the compiler to gain extra memory for run-time. RUN the program in memory, compiling it first if necessary. QUIT Pascal-80 and return to the TRSDOS command inter-


Table 1: Options available with the Pascal-80 monitor.

tween running Disk BASIC and Pascal-80 is that with Pascal-80 you must compile a program before running it. (And there is no "immediate mode" allowing evaluation of instructions like PRINT 3/7 without embedding them inside a program. I know of no Pascal system that supports such a mode.)

For those of you unfamiliar with compilers, p-code, and run-time packages, here's a little background. The compiler takes your original source code, created using an editor, and translates it into an intermediate form called p-code. The p-code is then interpreted into machine language by the run-time package or p-code interpreter. For further information on this process, see the three-part article, "A 'Tiny' Pascal Compiler," starting in the September 1978 BYTE.

The compiler is very fast. TSE-Hardside claims that it converts 1000 lines of Pascal code per minute to executable p-code; my timings indicate this is very conservative. I get closer to 2000 lines per minute when the source is listed to the screen as it is compiled. When I turn off the source-listing option, I obtain compilation speeds of around 3000 lines per minute. These figures are very impressive; for comparison, Tiny Pascal, which handles only a small subset of the language, compiles about 100 lines per minute.

Naturally, there is a trade-off for the convenience and speed of having everything reside in memory at once. You are limited to compiling programs that can fit in memory all at one time. However, Pascal-80 conserves





memory by using a space-compression technique: consecutive blanks are counted and stored as a single byte with the high-order bit turned on.

This technique provides ample space for user programs. In a TRS-80 with 48 K bytes of memory, there are about 23,600 bytes for user programs. With strings of blanks compressed to a single byte, the average Pascal-80 program line is about 20 bytes long. There is space for 1180 such lines of code. The actual number depends on the style of the individual programmer. The estimate of 20 bytes per line is conservative as most Pascal programs contain many lines with nothing but BEGIN or END on them.

Systems that provide a separate editor, compiler, and run-time module require only components actually in use to be resident in memory, providing more space for user programs. On the other hand, however, such systems are more cumbersome to use because you must access the disk drives frequently to load each component of the system as it is needed, usually saving the output of each phase in a separate disk file.

I like the interactive quality of Pascal-80 and wouldn't want to sacrifice that for the extra capacity of a system that uses a separate editor, compiler, and run-time module. However, there are times when extra program space comes in handy, and a simple enhancement to the compiler would provide some: a command inserted into a Pascal source program to direct the compiler to start

compiling source code from a disk file. This compiler command is usually called an INCLUDE facility. It allows the compilation of programs even though the source code is larger than memory. It also allows you to create a library of useful Pascal routines that can be IN-CLUDEd in programs as needed, rather than being typed or chained from disk using an editor.

General Procedure for Use

Here is a summary of the steps involved in creating. compiling, and running a Pascal-80 program:

- 1. Type PASCAL from the TRSDOS READY prompt to load the Pascal system and enter the monitor mode. The options available are shown in table 1.
- 2. Type E to enter the editor, which allows you to type in the source text for your Pascal program. When you finish typing in the text, exit from the editor by typing Break M, which returns you to the monitor mode.
- 3. Type C to compile your program. The starting time of the compilation appears on your screen followed by the text of the program itself as it is compiled, unless you have selected the NOLIST option. If your program contains an error that prevents it from compiling properly, compilation is halted immediately. When you type E to reenter the editor to correct the mistake, the editor's cursor is positioned at the point of the error, all set for you to correct it. This is a nice touch.

SAVE \$600.00 On TRS-80° 48K Model III

Limited Supply Now Available For The Low-Low Price Of \$1895.00

> Morgan Products Inc. 104 Berkshire Dr.

Includes all the standard basic features of the TRS-80® Model III with 48K of RAM and 2 Tandom double density disk drives. Completely compatible with TRSDOS!M If You Own A 16K Model III. You can easily expand your capabilities with our low cost upgrade Kit III.

Completely compatible with TRSDOSTM the Kit III single drive assemble includes: One 40 track 51/4 " double density Tandom disk drive, power supply, floppy disk control card, mounting hardware, applicable cables and

ONLY \$599.00 easy to follow instructions. In Illinois, call (618) 233-0018

Call TOLL FREE (800) 851-4614

☐ Please ship my TRS-80® 48K Mode	III. Please ship my upgrade Kit III.
NAME	
ADDRESS	
CITYSTA	ATE ZIP
PHONE	VISA MasterCard
Enclosed is \$ (Certified check or money order only)	

Belleville, IL 62223 TRS-80 and TRS DOS are Trade Marks of Tandy Corporation

Circle 285 on inquiry card.


- Variant records.
- In the WITH statement.
- Pointer variables and the procedures NEW and DISPOSE.
- File window or "buffer" variables and the procedures PUT and GET.
- The data attribute PACKED is not needed, since all structures are already packed on byte boundaries. This means that Pascal-80 is automatically as space-efficient as possible in storing data, without the need for PACKing and UNPACKing data.
- The procedure PAGE is not included. You can use WRITE(LP,CHR(12)) to send an ASCII form-feed character to the line printer.
- Structures of FILEs, such as ARRAY of FILE, are not permitted.
- Procedures and functions may not be passed as parameters to other procedures or functions.
- The total size of an expression passed as a value parameter may not exceed 510 bytes (but this is not a limitation for VAR parameters).
- Sets may have no more than 256 members. If the elements of a set are numeric, they must be in the range of 0 to 255.

Table 2: Standard Pascal features that are not implemented in Pascal-80.

5 or 10 Mbyte Storage for Heath/Zenith, TRS-80, SuperBrain, S-100 microcomputers.

Now, 51/4" hard disk add-on storage for your computer, at a price you can afford.

Available for a surprisingly low \$3495 for the 5 Mbyte hard disk, \$4350 for the 10 Mbyte disk. Disk drives and controller cards also available.



CMC International

A Division of Computer Marketing Corporation 11058 Main, Suite 125, Bellevue, WA 98004 Telephone (206) 453-9777 Telex 152556 SEA

- 4. Once you have compiled your program with no errors, type R to run it. If you find an error during your program's execution, go back into the editor from the monitor mode, correct the error, and start the compile-and-run cycle again.
- 5. From the monitor mode, you can perform various kinds of program storage and retrieval: save the current source program, save the current compiled program, load a source program, or load and execute a previously compiled program from disk. This latter option has a special benefit—it gives you about 10 K extra bytes of free memory for use at run-time. Since the program has already been compiled, the compiler portion of Pascal is not needed. So when you choose this option, your program overwrites the Pascal compiler, giving you the extra memory.

Editor

The Pascal-80 system includes a simple full-screen editor. It allows you to move a blinking cursor around on the screen and type over any text to change it. Changes that appear on the screen are not actually made to the text until you press the Enter key with the cursor positioned on that line. This is confusing at first because it is easy to make changes to one line and then use the uparrow or down-arrow key to move to another line, without pressing Enter to make the changes take effect.

Another bothersome aspect of this editor is the lack of character delete and insert commands. This requires you to retype most of a line that needs something inserted or deleted. There is a *line* insertion and deletion command, however. There is also a command to scroll backward or forward one page at a time in the text buffer.

It is handy to have this editor available during program debugging; it allows you to move quickly between editing, compiling, and running the program being tested. In my opinion, however, it is just too simple to serve as the primary editor for creation and heavy maintenance of large source files.

I have a suggestion to remedy this limitation: use a fulfeatured editor such as Radio Shack's Scripsit for program creation and major editing; use the Pascal-80 editor solely for interactive development. You can't do this with the present release of Pascal-80 because the source code is saved on disk in a compressed format that cannot be read in by a general-purpose editor. However, it shouldn't be too difficult for author Gates to add an ASCII (American Standard Code for Information Interchange) option to the SAVE and LOAD commands. It would be similar to the "A" option now available with Disk BASIC's SAVE command. That simple change would make a world of difference for Pascal programmers.

Compiler

Pascal-80 follows the description of Pascal given in the excellent tutorial by Peter Grogono, *Programming in Pascal* (Reading MA: Addison-Wesley, 1978). The compiler is based on the original language as designed by Niklaus Wirth. However, Pascal-80 does not implement

ROS DEMAND. HAS THE FEAT

Computer experts (the pros) usually have big computer experience. That's why when they shop system software for Z80 micros, they look for the big system features they're used to. And that's why they like Multi-User OASIS. You will too.

DATA INTEGRITY: FILE & AUTOMATIC RECORD LOCKING

The biggest challenge for any multi-user system is co-ordinating requests from several users to change the same record at the same time.

Without proper co-ordination, the confusion and problems of inaccurate or even destroyed data can be staggering.

Our File and Automatic Record Locking features solve these problems.

For example: normally all users can view a particular record at the same time. But, if that record is being updated by one user, automatic record locking will deny all other users access to the record until the up-date is completed. So records are always accurate, up-to-date and integrity is assured.

Pros demand file & automatic record locking. OASIS has it.

SYSTEM SECURITY: LOGON, PASSWORD & USER ACCOUNTING

Controlling who gets on your system and what they do once they're on it is the essence of system security.

HEN COMPARE.

Without this control, unauthorized users could access your programs and data and do what they like. A frightening prospect isn't it?

And multi-users can multiply the problem.

But with the Logon, Password and Privilege Level features of Multi-User OASIS, a system manager can specify for each user which programs and files may be accessed and for what purpose.

Security is further enhanced by User Accounting - a feature that lets you keep a history of which user has been logged on, when and for how long.

Pros insist on these security features. OASIS has them.

EFFICIENCY: RE-ENTRANT BASIC

A multi-user system is often not even practical on computers limited to 64K memory.

OASIS Re-entrant BASIC makes it practical.

How?

Because all users use a single run-time BASIC module, to execute their compiled programs, less

memory is needed. Even if you have more than 64K, your pay-off is cost saving and more efficient use of all the memory you have available-because it services more users.

Sound like a pro feature? It is. And OASIS has it.

AND LOTS MORE...

Multi-User OASIS supports as many as 16 terminals and can run in as little as 56K memory. Or, with bank switching, as much as 784K.

Multi-Tasking lets each user run more than one job at the same time.

And there's our BASICa compiler, interpreter and debugger all in one. An OASIS exclusive.

Still more: Editor; Hard & Floppy Disk Support; Keyed (ISAM), Direct & Sequential Files; Mail-Box; Scheduler; Spooler; all from OASIS.

Our documentation is recognized as some of the best, most extensive, in the industry. And, of course, there's plenty of application software.

Put it all together and it's pros like OASIS. Join them. TWX 910-366-7139 Send your order today.

OASIS IS AVAILABLE FOR

SYSTEMS: Altos; Compucorp; Cromemco; Delta Products: Digital Group: Digital Microsystems: Dynabyte: Godbout: IBC: Index; Intersystems; North Star; Onyx; SD Systems; TRS 80 Mod II; Vector Graphic: Vorimex.

CONTROLLERS: Bell Controls; Cameo: Corvus: Konan; Micromation; Micropolis; Tarbell; Teletek; Thinkertoys; X Comp.

Write for complete. free Application Software Directory

PLEASE SEND ME:

Product	Price with Manual	Manual Only
OPERATING SYSTEM (Includes: EXEC Language; File Management; User Accounting; Device Drivers; Print Spooler; General Text Editor; et. SINGLE-USER MULTI-USER	\$150 350	\$17.50 17.50
BASIC COMPILER/ INTERPRETER/DEBUGGER	100	15.00
RE-ENTRANT BASIC COMPILER/INTERPRETER/ DEBUGGER	150	15.00
DEVELOPMENT PACKAGE (Macro Assembler; Linkage Editor; Debugger)	150	25.00
TEXT EDITOR & SCRIPT PROCESSOR	150	15.00
DIAGNOSTIC & CONVERSION UTILITIES (Memory Test; Assembly Language; Converters; File Recovery; Disk Test; File Copy from other OS; etc.)	100	15.00
COMMUNICATIONS PACKAGE (Terminal Emulator; File Send & Receive)	100	15.00
PACKAGE PRICE (All of Above) SINGLE-USER MULTI-USER	500 850	60.00 60.00
FILE SORT	100	15.00
COBOL-ANSI '74	750	35.00

■ Order OASIS from:

Phase One Systems, Inc. 7700 Edgewater Drive, Suite 830 Oakland, CA 94621

■ NAME STREET (NO BOX =) CITY_ STATE

AMOUNT \$ (Attach system description; add \$3 for shipping; California residents add sales tax) ☐ Check enclosed ☐ VISA ☐ UPS C.O.D. ☐ Mastercharge Card Number Expiration Date ■ Signature



MAKES MICROS RUN LIKE MINIS

the full Pascal language. The limitations and restrictions are listed in table 2. On the positive side, Pascal-80 provides a number of extensions to the original language. These are listed in table 3.

The standard Pascal functions are provided: ABS, ARCTAN, COS, EOF, EOLN, EXP, LN, ODD, ORD, PRED, ROUND, SIN, SQR, SQRT, SUCC, and TRUNC. They are calculated with 14-digit precision. Functions to access the Z80 ports (like BASIC's INP and OUT functions) are not provided. Also, there is no random-number generator.

Although all the TRS-80 graphics characters can be printed through use of the CHR function, there are no equivalents to BASIC's SET, RESET, and POINT functions for dealing with a single graphics pixel. There is also nothing like BASIC's PRINT @ statement that positions

- Arrays of characters may be printed with a single statement (ie: WRITE(STRING) will write out the ARRAY of CHAR called STRING).
- In addition to type REAL, with 14-digit precision, Pascal-80 adds REAL6, with 6-digit precision. REAL6 saves space when declaring large arrays. It doesn't save much time, however, since all calculations are carried out internally with 14-digit precision. REAL6 variables that are not members of an array or record may not be passed to a procedure or function as value parameters.
- The files INPUT and OUTPUT need not be included in the PROGRAM statement, and the program name is also optional. The file LP is predefined to be the line printer.
- The CASE statement is extended to include an ELSE clause that is executed if none of the cases is satisfied. If no case is satisfied and there is no ELSE clause, control falls through to the next statement with no error condition raised.
- Output formatting is provided with the syntax WRITE(expression: fieldwidth: digits). This says to write the value of expression in a field of fieldwidth columns with digits number of digits after the decimal point. A field width of -1 results in scientific notation; a field width of 0 results in the default format, also used if no format parameters are specified (eg: WRITE(expression)). The default format is to print the number with a leading blank, and as many digits after the decimal point as necessary, up to 14 significant digits.
- Built-in functions and procedures:

CHR(n) returns the character, type CHAR, whose ASCII value is n.

CLS clears the screen.

POKE(address, value) places a 1-byte value from 0 to 255 into the memory location address.

INKEY is like the BASIC INKEY\$ function; it returns a CHARtype value corresponding to the key pressed. If no key is being pressed, it returns CHR(0).

CALL(address,value) places a 1-byte value from 0 to 255 in the A register and calls a Z80 subroutine at address. The contents of the Z80's A register after the call are returned as type INTEGER.

MEM returns the number of bytes of free memory.

PEEK(address) returns the contents of address.

FP(expression) returns the fraction part, or mantissa, of a REAL number.

EX(expression) returns the exponent of a REAL number.

Table 3: Enhancements and special features of Pascal-80.

the cursor on the screen. Pascal procedures can be written to handle all these, but they really should be built into any language implemented for the TRS-80.

READ and WRITE statements are provided to perform sequential input and output to disk files. The statement SEEK(expression, filename) allows random file access by positioning to the record whose number is given by expression. You can thus SEEK a particular record, and then READ and/or WRITE that record, performing an update in place on the file. This powerful extension overcomes an oft-voiced objection to many implementations of Pascal disk input/output: they do not provide random file access.

I do have a few complaints and suggestions for improvements to the system.

There is a restriction on SEEK that may cause problems for some applications; you cannot SEEK past the 65,535th byte of a file. In many applications, files larger than 64 K bytes are common. Considering the space available on the double-density Model III disks, and the general trend toward increasing disk-storage space on microcomputers, I believe this SEEK limit should be remedied in a future release of Pascal-80.

One serious limitation of Pascal-80's disk-file interface is that file names are determined at compile-time. That is, you must specify the actual file name in your program when you edit it. Once compiled, that file name cannot be changed without reediting the program and compiling again. This means you cannot write a general-purpose program to work on any file, getting the specific file name from the user when the program is run.

Use of the PEEK, POKE, and CALL functions/procedures is made difficult by two things:

- Pascal-80's use of memory is undocumented; no memory-map is provided.
- •No way is provided to reserve memory for user machine-language programs or data. There is nothing equivalent to BASIC's MEMORY SIZE? question. Instead, Pascal-80 uses all memory available.

These factors make it almost impossible to integrate userwritten machine-language routines into the Pascal-80 environment. Regrettably, this rules out the use of nonstandard printers that require special driver routines loaded in high memory.


If I may editorialize a bit, it seems it is time to standardize the protocol to be followed when reserving TRS-80 high memory for user-defined machine-language programs. One of the smoothest things about operation of "second-generation" TRS-80 operating systems such as LDOS, NEWDOS/80, etc, is the way they handle this. The memory location hexadecimal 4049, referred to in the literature as HIGH\$ and HIMEM, contains the address of the highest byte in memory available for use by any program. Memory starting at the next byte past this address is reserved. Any program that needs to use high memory should allocate it downward from the address pointed to by HIMEM, and then reset HIMEM to point



NEECO

WHY BUY FROM THE BEST?

Service... Support...
Software...



(x commodore

16K B (16K RAM-40 Column) - Lim. Qty	\$ 995
32K B (32K RAM-40 Clm.) - Lim. Qty	\$1295
4016 (16K RAM 4.0 Basic-40 Clm.)	\$ 995
4032 (32K RAM 4.0 Basic-40 Clm.)	\$1295
8032 (32K RAM 4.0 Basic-80 Clm.)	\$1495
8050 Dual Disk (1 Meg Storage)	
4040 Dual Disk (343K Storage)	\$1295
8010 IEEE Modem	
C2N Cassette Drive	
CBM - IEEE Interface Cable	
IEEE - IEEE Interface Cable	\$ 50
VIC 20 Home/Personal Computer	\$ 295

CALL NEECO FOR ANY OF YOUR COMMODORE COMPUTER NEEDS

EPSON PRINTERS

MX-80 PRINTER	15
MX-80 FT	15
MX-100	15
MX-70	
	9
INTERFACE CARDS	
8141 (RS-232)	75
8150 (2K Buffered RS-232)	
8161 (IEEE 488)	
8131 (Apple Card)	
8230 (Apple Card)	25
8220 (TRS-80 Cable)	35

DIABLO 630 PRINTER

DIABLO 630 - Serial - RS-232	\$2710
Tractor Option	

NEC SPINWRITER PRINTERS

5530 (Parallel) \$	3055
5510 (Serial)	3055
5520 (KSR-Serial)	
Tractor Option	225



APPLE

16K APPLE II+			 	\$	1330
32K APPLE II+			 	\$	1430
48K APPLE II+			 	\$	1530
APPLE DISK w					
APPLE DRIVE	Only	١.	 	\$	490
APPLE III 128K					
w/Monitor +					
Info Analyst	pak	٠.	 	. \$4	4740


AMDEK MONITORS

Video 100 12" B+W						
Video 300 12" Green .						
Color I 13" Low Res .				\$	449	
Color II 13" High Res				2	aga	

INTERTEC COMPUTERS

64K Superbrain		
(360 Disk Storage), CP/M™	\$3495	
64K QD Superbrain		4
(700K Disk Storage), CP/M™	\$3995	

*CP/M is a registered trademark of Digital Research



ATARI COMPUTERS

Atari 400 (16K RAM)	\$ 399
Atari 800 (32K RAM) - good thru 8/31	\$1080
Atari 410 RECORDER	\$ 89.95
Atari 810 DISK DRIVE	\$ 599.95

NEECO carries all available ATARI Software and Peripherals.

PROFESSIONAL SOFTWARE

WordPro 1 8K			\$ 29.95
WordPro 3 (40 Clm.)16K			\$ 199.95
WordPro 3+			\$ 295
WordPro 4 (80 Clm.) 32K			\$ 375
WordPro 4+			\$ 450

JUST A SAMPLE OF THE MANY PRODUCTS WE CARRY, CALL US FOR OUR NEW 60-PAGE CATALOG. WE WILL MATCH SOME ADVERTISED PRICES ON CERTAIN PRODUCTS LISTED UNDER SIMILAR "IN STOCK" CONDITIONS.



NEECO

679 HIGHLAND AVE. NEEDHAM, MA 02194 (617) 449-1760 Telex: 951021 MON-FRI 9:00 - 5:00





MasterCharge and VISA Accepted

below the block of memory it just allocated for itself. Programs such as Pascal-80 should check HIMEM when they start, and not use any memory above the current value of HIMEM. If all programs followed this protocol, life would be much easier for the user—there would be no need to worry about conflicts in memory usage between different machine-language drivers, or to remember what the highest available memory location is in order to supply it to a program such as BASIC every time it is run. I hope a future release of Pascal-80 will follow this protocol.

Performance

As far as the performance of Pascal-80 programs is concerned, I made some very rough timings and found that for a short, simple looping-type program using IN-TEGER variables, Pascal-80 is four to five times faster than an equivalent BASIC program. This advantage should increase for larger programs because BASIC takes longer to find the destination of a GOTO, GOSUB, etc, as program size grows, and it takes longer to look up a variable as the number of program variables increases. With Pascal-80, such things are resolved at compile-time rather than run-time; thus, the time taken at run-time is independent of program size.

Programs involving extensive floating-point computations are potentially faster in BASIC than in Pascal-80. This is due to the latter's exclusive use of double-precision arithmetic. If all you need is single-precision arithmetic for your computations, BASIC will do them faster.

Run-time errors result in clear, English error messages that specify the hexadecimal offset of the p-code instruction that caused the error. The offsets corresponding to the beginning of each line of Pascal-80 source code appear in the listing created during compilation. This method enabled me to pinpoint easily the source of every run-time error encountered. A run-time error terminates program execution. There is no provision for program trapping of run-time errors, as the ON ERROR statement of BASIC allows.

Documentation and Support

Pascal-80 comes with a small booklet that adequately describes how to use the editor, monitor, and compiler, explains the limitations and extensions Pascal-80 makes to standard Pascal, and lists the error messages generated by the compiler and the run-time system. No comprehensive description of the language implemented by Pascal-80 is provided. Examples are few and are directed toward pointing out differences between Pascal-80 and standard Pascal, rather than toward teaching about the language.


The manual does not purport to be a beginner's guide or even a reference manual, and you will definitely need a textbook such as Grogono's to use this system. I had no trouble figuring out the system, but I am an experienced programmer; this manual would be rough going for a novice. I have seen much worse documentation than this; but I have also seen much better for products costing much less.

I believe the microcomputer software market has matured sufficiently that there is no longer any excuse for incomplete, difficult-to-read documentation. For a program costing almost \$100, I expect much more than a 14-page leaflet. It would pay for TSE-Hardside to invest in a professionally written manual for a major product like a Pascal compiler.

Conclusions

If my criticisms seem harsh, let me emphatically state that I am very excited about having a nearly complete implementation of Pascal for the TRS-80. Pascal-80 is better suited to the TRS-80 than any Pascal system I have seen so far. It is extremely fast, and it provides niceties like 64 significant characters in variable names, 14-digit precision on all transcendental functions, and the sheer elegance of Pascal's defined-type mechanism.

From my conversations with Gates, it is apparent he intended to provide a teaching tool people could use to learn Pascal programming as an alternative to BASIC. He has certainly done this and more. Pascal-80 is suitable for many things now being done in BASIC. In fact, it is because Pascal-80 does so much more than just provide a teaching tool that I hope he will consider implementing the minor enhancements I have suggested. It would be nice to be able to use Pascal-80 for all program development on the TRS-80, instead of being forced to use BASIC for some things.■



or telephone (519) 884-4340

HOWING MIGROGOMPUTIER WRITING MIGROGOMPUTIER SOFTWARE



INTERNATIONAL CORPORATION 1299 Fourth Street, San Rafael, California 94901 (415) 457-8990; Telex 340-388

BYTELINES

News and Speculation About Personal Computing

Conducted by Sol Libes

ooking Back On 1981: Looking back on the year, I have been struck by three developments. The first is that probably more new microcomputers were introduced in 1981 than in all the previous years combined. Second, that this was the year in which the "biggies" (eg: IBM, Xerox, etc) finally realized they could no longer ignore the personal-computing market and jumped into the fray. Third, in 1981 the Japanese began exporting personal computers to the US.

IBM, whose earnings for the first half of the year rose 5.3% (one-third the inflation rate), saw minicomputer makers like DEC (Digital Equipment Corporation) increase their earnings over 35%. Personal-computer makers like Apple had an increase of more than 200%. In the course of the last 10 years, IBM has seen its share of the market decrease from more than 50% to less than 25%. If this trend were to continue, IBM would become a minor entity in the computer market within five years.

Thus, IBM had no choice but to enter the personalcomputer marketplace. By hesitating on minicomputers, IBM left the field wide open for DEC. This has resulted in DEC garnering \$3.2 billion in minicomputer sales and IBM having only a small slice of the minicomputer market. In the microcomputer market, Apple, for example, will probably show about \$350 million sales this year and possibly \$600 million next year. The question is: Has IBM again waited too long?

No one doubts that the IBM Personal Computer is a terrific product. Although it offers no innovative features, it does have a new price/performance ratio from a company with the strongest marketing organization in the world. The Personal Computer is being supported by \$12.5 million that IBM will spend on television and print advertising. Without a doubt, IBM did a considerable amount of market research in deciding which way to attack the personalcomputing market.

Several microcomputers are already on the market with features virtually identical to the Personal Computer's-some even have more power-but none at the IBM price or with its service support. It is rumored that more than 40,000 Personal Computers were ordered on the day it was unveiled. Now, the questions are:

- How much business will IBM snatch away from Apple, Tandy, Commodore, and Atari?
- How will Apple and the others respond?
- How will the Japanese compete with IBM?

IBM's Personal Computer marks a distinct shift in the company's traditional way of doing business, which was "we make it and sell it ourselves." Actually this policy change started to take effect some time ago, but IBM tries not to talk about it. Early last year, for example, it introduced a video-display terminal that could be used with non-IBM equipment-a first-and discovered that

sales for this unit were so great that delivery now requires 4 to 6 months' lead time. Only two weeks before the Personal Computer was released, IBM quietly announced the System/23, which uses the 8086 microprocessor (big brother to the 8088 used in the Personal Computer). The System/23 really begins where the Personal Computer ends, with full-size floppy disks, multiusers, etc. In effect, it provides upward compatibility for users starting out with the IBM Personal Computer who find its small disk-storage space and limited I/O (input/output) options restricting.

Another startling change in IBM policy is its selling the system through computer stores (currently there are contracts with Computer-Land and Sears Roebuck). IBM has also announced discounts for educational users and other quantity buyers. IBM's most surprising policy shift is in encouraging software development by outsiders. IBM intends to market the software and pay royalties to the authors. Probably nine out of ten of the 40,000 computers ordered on Day-One were from software developers. (What a way to sell computers!) After all, the profits for IBM are really in hardware sales and not in software. Osborne is proving this by practically giving away software with its computer. Also, it is impossible for a manufacturer to protect itself against software competition. IBM learned this when Digital Research introduced a version of CP/M for the Displaywriter (which also uses an 8086 microprocessor).

The last question is how will the microcomputer makers in the US and Japan respond to the IBM entry? Rumors are circulating that Apple is about to introduce two new computers: its longawaited 16-bit system, using the Motorola 68000, packed with 128 K bytes of programmable memory, and available in both desktop and suitcase versions, and a low-cost version of the Apple II using 16 K-bit memory chips that later can be replaced by 64 K-bit chips when these are available in quantity. The Japanese are thought to be developing 8088- and 8086-based personal computers that will be "plug-compatible" with CP/M software developed for the IBM Personal Computer. Several Japanese companies have signed licenses for CP/M-86 and have been negotiating with Peachtree Software (supplier of the IBM accounting package), SofTech Microsystems (supplier of the IBM Pascal package), Microsoft (supplier of IBM BASIC), and Personal Software (supplier of IBM VisiCalc). It is apparent that in 1982 personal-computer buyers will be able to choose among many different computers that run the same operating systems and applications software.

Disk-Drive Happen-Ings: Seagate Technology-a Shugart Associates spin-off and the first company to ship quantities of 51/4-inch Winchester hard disks-has announced that sales totaled almost \$10



As a project manager, you know the value of careful planning. Oversights and miscalculations can cost you crucial time and money.

MILESTONE is a powerful "Critical Path" Program that can be used for planning and analyzing virtually any project, from the opening of a retail store, to charting the progress of a police investigation; from drawing up a cost estimate for a construction project to scheduling the development (and involved expenses) of a new computer; from keeping track of rental equipment to allowing a winery to chart the evolution of a vintage Chardonnay from harvest to bottling. The applications are endless.

What's more, MILESTONE is one of the easiest software packages to use. Once



the working days, skill categories, wages or salaries and time increments are defined, then MILESTONE is ready to do the work for you. Change, for instance, the estimated completion date of a particular time-critical task, and you'll instantly see it's effect on the entire project. All scheduling, manpower costs, associated reports, etc. are immediately re-tabulated. A calendar display allows you to visually follow the activities (200 per project with 64K RAM, 100 with 56K RAM). Examples are included on the disk.

TIME IS MONEY. SAVE BOTH WITH MILESTONE.

Price is \$295. Manual alone-\$30.

SOFTWARE **SOFTWARE DIGITAL WARKETING** DIGITAL WARKETING

2670 Cherry Lane • Walnut Creek, CA 94596 (415) 938-2880

Dealer inquiries invited.

Dealers outside California call (501) 442-0864.

Inside California call (415) 938-2883.

WHEN TIME IS MONEY.

A PROJECT MANAGEMENT AND TIME SCHEDULING PROGRAM.

Circle 125 on inquiry card.

Milestone is a trademark of Organic Software. CP/M is a trademark of Digital Research.
MILESTONE requires 56K RAM and
CP/M. Also available for CP/M-86, Apple
Pascal and UCSD Pascal. Specify 8080,
Z80, CDOS, 8086, UCSD Pascal or Apple
Pascal. Formatis: 8" single density IBM
soft-sectored, 5\%" NorthStar DD,
Micropolis Mod II, Superbrain 3.0, Apple III.

million, with nearly \$2 million in profits, in its first year of operation. Meanwhile, Shugart Associates is rumored to be redesigning its popular SA200 5-inch floppy-disk drive. It will be called the SA210, will be made in Japan by Matsushita, and will sell for less than \$90 in quantity.

In other action, Amlyn Corporation, San Jose, California, has introduced a 5-inch floppy-disk drive with a selector mechanism that selects any of five 5-inch floppy disks (under computer control). This will provide up to 8 megabytes of data storage. Micropolis, which recently increased its 5-inch floppy-disk drive to 2 megabytes of storage, has disclosed that it is working on a 4-megabyte 5-inch drive for introduction at next year's National Computer Conference. Tecstor, Huntington Beach, California, has revealed that it is developing a 640-megabyte, Winchester 14-inch disk drive, the largest yet.

rue Three-Dimensional Computer-Display **Debuts:** Genisco Computer Corporation, Costa Mesa, California, is now shipping video systems that display true three-dimensional images. The computer presents pictures of successively deeper layers of space-filling image via a moving mirror. This is done rapidly enough to create a single flicker-free image. Priced at \$100,000 each, the units are expected to be useful in seismic-data analysis, oil exploration, computer-aided design, medical imaging, and earthquake prediction.

Random Rumors: This spring Fujitsu Ltd, now a second source for the 8086 and 8088 microprocessors, is expected to announce a word

Tandy is said to be working on a system based on the 68000 to be released any day. It's also stepping up software production and is attempting to release between four and 12 new software packages a month. Following in the footsteps of IBM, it is actively soliciting software from outside developers. Tandy's biggest software push is in producing business software for the Models II and III. Tandy may offer CP/M for these machines. A VisiCalc-like product is also rumored for the low-cost Color Computer. . . . Xerox is reported to be working on a Z80-based computer that is less expensive than its current Model 820. It has been dubbed the Inchworm (the code name for the 820 was the Worm. for Wonderful Office Resource Machine). It is expected to sell for under \$1000, have 16 K bytes of programmable memory, 64 K bytes of read-only memory, an 80 by 25 display, RS-232C printer and modem ports, and CP/Mcompatibility. ... Wang is putting the final touches on its CP/M-compatible personal computer. ... DEC is rumored to be prepared to announce its TC personal computer, built around an LSI-11. . . . A major Japanese company has invested over \$100 million in CMOS research. Look for resulting major advances in memory technology in a year of so. ... Also from Japan comes word of a new computer terminal with many of the features of the Xerox Star, but at a substantially reduced price. . . . Meanwhile, anticipate IBM jumping onto the UNIX bandwagon, with versions for the Series 1 and 4300 computers. The software is being developed by an independent software

processor and personal com-

puter using these chips. ...

house. ... Vadic may be close to introducing a 4800 bps modem for voicegrade telephone lines. The price range will probably be in the \$2-3000 neighborhood. Rockwell International and Racal Corporation are also said to be working on 4800 and 9600 bps modems for voice-grade lines. . . . Hitachi is expected to start shipping largevolume quantities of the 68000 microprocessor at substantially reduced prices. ... Rumors persist that Motorola has 13 MHz versions of the 68000 running in its lab and that Intel has 14 MHz versions of its 8086 running. . . .

ew Logic-Circuit Research: IBM is researching new types of logic circuits that could have far-reaching effects on the size, cost, and performance of future computers. Among the new circuits is a device called "lowvoltage inverter" (LVI) logic. It is twice as fast as emittercoupled logic (ECL), which is the fastest logic type in current use, and has the same size and power consumption as TTL (transistor-transistor logic), which is used in most mini- and microcomputers. With propagation delays of 300 picoseconds, LVI promises to be a new price/performance breakthrough.

Cornell University's Microfabrication Laboratory in Ithaca. New York, and the Naval Research Laboratory in San Diego have both disclosed that they are researching the use of electroactive polymers for molecular electronic-switching devices. Enzymes would be used to perform logic operations. Due to the fact that enzymes are organic molecules, genetic engineering and recombinant-DNA technology would be used to subassemble these organic molecules. The result would be the miniaturization of logic circuitry by two orders of magnitude beyond the current limits of optical lithography and beyond anything achievable with electron-beam or X-ray lithography. Although still in very early stages, this technology holds promise for use in future computers.

S-50 Status Report: Although smaller than the S-100-bus-based microcomputer market, the SS-50's market is flourishing. The SS-50 bus was introduced in late 1975 for 6800-based systems. Today, the most popular microprocessor used on the SS-50 bus is the powerful 6809, although other processor cards, such as the Z80, are also available.

Four hardware vendors dominate the SS-50 marketplace: Southwest Technical Products Corporation (SwTPC), San Antonio, Texas (the creator of the bus); Gimix, Chicago, Illinois; Percom Data, Garland, Texas; and Smoke Signal Broadcasting, Westlake Village, California. By contrast, the S-100 market is shared by more than 70 suppliers. It is known that several SS-50 makers are working on implementing the 68000 for the SS-50 bus structure.

Three operating systems reign over the SS-50 market: FLEX, a single-user operating system, and UniFLEX, a multiuser system, both from Technical System Consultants, West Lafayette, Indiana; and OS-9 from Microware, Des Moines, Iowa. FLEX operates on the 6800, while UniFLEX and OS-9 operate on the 6809. UniFLEX and OS-9 provide some UNIX-like features and support multiple users. Two magazines also cater to SS-50 users.

Even though the 6800 and 6809 processors are avail-

Grow or die!

You are what you know. And if you don't know the ins and outs of microprocessor software, you aren't what you *CAN* be. We publish plain-talk, easy-to-understand books on all aspects of microcomputer software—to help you grow!

If you use or sell microprocessor systems, design with microprocessors, or train microcomputer users, you'll find our Advanced Technology Books well worth the small investment.

Fill out the order coupon or call us direct at (707) 422-1465 and use your credit card.

NEW! MICROPROCESSOR OPERATING SYSTEMS

Designed for microprocessor system users and anyone who must select, evaluate, or design operating systems to support applications software, this book contains descriptions of the most important systems currently available. Edited by John Zarrella, each chapter is written by an industry leader involved in the development or implementation of the operating system. This wealth of user-oriented technical details makes it easy for you to compare systems.

Contents: • The BLMX-80 Operating System, by Norm Rhodes. • The iRMX 80/88 Operating System, by Janice Cleary. • The iRMX 86 Operating System, by Bruce Schafer.

- The MP/OS Operating System, by Jim Isaak.
- The RIO/CP Operating System, by Eric Benhamou and Chris Riggins. The Rx Operating System, by Rex Jackson. The UNIX Operating System, by Bob Marsh, Grant Munsey, Kip Myers, and Craig Forney. The VERSAdos Operating System, by Jay Glaser.
- The ZRTS Operating System, by Stephen Savitzky.

Cat. # 033 166 pp. Price \$11.95

THE MICROPROCESSOR SOFTWARE ENGINEERING CONCEPTS SERIES

These easy-to-read books explain software concepts, techniques and terminology. Concise and up-to-the-minute, these books show you how to formulate software requirements, evaluate existing systems, and design new ones.

OPERATING SYSTEMS: Concepts and Principles

Used by Intel. Zilog. and Harris for software training. The most important component of system software is the operating system. This book provides an introduction to current operating systems technology. Operating systems concepts, capabilities, and terminology are explained.

Contents: • Real Time, Multitasking, and Multiuser systems. • The concept of a Process or Task. • How tasks communicate and synchronize. • Context switching, Swapping and Paging. • Priority scheduling. • Memory Management, File Systems and System Security Cat. # 009 152 pp. Price \$8,95

WORD PROCESSING AND TEXT EDITING
Besides providing an introduction to word
processing and text editing functions and
features, this book offers an in-depth treatment of editing, printing and programming.
Business managers will learn how to compare
systems and select one which best fits their
needs. Software and hardware designers will
find the advanced topics invaluable in designing word processing and text-editing systems.

Contents: • The office of the future.

• Information networks. • Proportional spacing. • Daisy wheel, thermal, and dot matrix printer selection. • Justified and flushed text. • Programming word processors. • CRT display techniques. Cat. # 017 156 pp. Price \$8.95

SYSTEM ARCHITECTURE

This book presents the fundamental concepts on which modern 16- and 32- bit microprocessor architectures are based. A boon to anyone who must select or design a microprocessor or minicomputer system, the book also illustrates the impact of computer architecture on software efficiency and reliability.

Contents: • Object architecture and capability-based addressing. • Virtual memory. segmentation, and paging. • Data structures and representations. • Bus systems and communication protocols. • Microprogramming. • Addressing modes, • Software support. Cat. # 025 240 pp. \$10.95

Buy these books at your technical bookstore or local computer store—or phone us your Visa/Master Card order—or mail this coupon today. Inquire about our quantity pricing.

Circle 254 on inquiry card.

NAME __ ADDRESS


©1981 Microcomputer Applications



Dept. B9 P.O. Box E Suisun City, CA 94585 (707) 422-1465

| I want to grow with software know-how. | Please send me:

QTY	TITLE	UNIT PRICE	TOTAL
	MICRO OP SYS	\$11.95	
Time	WORD PROC	\$ 8.95	
	OPER SYS	\$ 8.95	
	SYSTEM ARCH	\$10.95	
		SUBTOTAL	
	Calif. residents add	6% sales tax	
1	\$9.00/book—C		
	TOTAL	ENCLOSED:	
☐ Ple	ase send free broch	ure.	
Charge	e my MC Visa		
CARD #	Daniel M. Con.	EXP. DATE	1
SIGNATUI			
	enclosing a check or m		S Rank)



MICROSTAT™ Release 2.0

NEW RELEASE! Just some of the new features of Microstat Rel. 2.0 include: new programs for moments about the mean, skewness, kurtosis and stepwise multiple regression, longer file names, faster sort routine, the ability to declare each data file's numeric precision and drive location plus an expanded user's manual with new appendices for the equations and file structures used in Microstat. Also included is a Data Management Subsystem for file maintenance (edit, list, destroy, augment, sort, rank-order, move and merge) plus transformations (add, subtract, multiply, divide, reciprocal, log, natural log and antilog, exponentiation and linear) that allow you to create new variables from existing variables.

After file creation with DMS, programs for analysis include: Descriptive statistics, Hypothesis testing (mean and proportion), ANOVA (one-way, two-way, and random blocks), Scatterplots, Frequency distributions, Correlation analysis, Simple, Multiple and Stepwise Multiple Regression (including files larger than available memory), Time series, 11 Nonparametric tests, 8 Probability distributions, Crosstabs and Chi-square, Combinations, Permutations and Factorials (up to one million factorial). All program output is neatly formatted for easy use.

The price for Microstat Rel. 2.0 is \$295.00 and the user's manual is available for \$25.00 (credited towards purchase) and includes sample printouts with file lables that reference standard statistical texts and journals so you can compare the results from Microstat to those produced on much larger systems. Compare Microstat to any other package on the market and we think you'll agree that Microstat is the best at any price.

I(nterchange)

I(nterchange) is a general purpose file maintenance program for use with the $\mathsf{CP}/\mathsf{M}^\mathsf{TM}$ operating system. Since it is a single program written in optimized Z-80™ code, it is much faster and easier to use than other file maintenance programs. Features include: DIR as usual plus listing all files excluding those with a specified character(s), ERA as usual plus exclusive erases. Also, a "Q" switch can be used to query each erase, a "W" allows erases of R/O files without query (normally you are queried), and an "R" switch if system files are to be included, LIST permits listings and uses TAB, WIDTH, LINES and WRAP for control, COPY as usual plus exclusive copies and supports the "Q", "W" and "R" switches plus an "E" switch for query on existing files, STAT with ambiguous, unambiguous and exclusive listings and produces an alphabetized listing with file length, total directory entries and space used and unused, START-END allows for copying contiguous data files, and RENAME as usual plus ambiguous renames. Other commands include: QT, DATE, TIME and SETIT (for the QT clock board) plus CLEAR, RESET, HELP and TYPE. Disk copies can even be continued after a disk full condition by simply inserting a new disk. All of this in one program without ever having to leave I(nterchange) and wait until you see the speed improvement . . .

The price for I(nterchange) is \$59.95 and the manual is available for \$10.00 (credited towards purchase). I(nterchange) is recommended for 32K or larger systems using CP/M $^{\text{TM}}$ 2.0 or later. It will not run on an 8080 CPU and only User 0 is supported.

All programs are available on 8'' SD or North Star 51/4'' disk. Microstat is available for North Star Basic, Microsoft's Basic-80 (Rel. 5.0 or later) or compiler Systems CBasic2. Please specify when ordering.

CP/M is a registered trademark of Digital Research.

ECOSOFT, INC.

P.O. BOX 68602 INDIANAPOLIS, IN 46268-0602 (317) 283-8883



BYTELINES.

able for other bus systems, the SS-50 bus has become the de facto standard for 6800- and 6809-based personal computers.


PIM MUMPS Available From UCD: For the past two years, the University of California, Davis (UCD) has been distributing copies of the ANSI (American National Standards Institute) Standard MUMPS running under the CP/M operating system. This sounds reminiscent of the early days of UCSD Pascal. when the University of California, San Diego, furnished Pascal (including source code) to several clubs with copying privileges for \$200. The clubs then allowed their members to copy Pascal for as little as \$5, which is how UCSD Pascal got its original, wide distribution.

MUMPS is an exceptionally powerful language for database systems and string handling. UCD is offering an 8-inch CP/M disk containing MUMPS (object code) and several utility and application programs for \$33. For \$93, you can get the disk and a year's service (ie: updates, new applications, new releases, and a newsletter). Also, for another \$33 you can get the MUMPS source code. For more information, contact Dr Richard F Walters, Department of Community Health, University of California, Davis CA 95616, or you can contact the MUMPS User Group, POB 37247, Washington DC 20013.

andom News Bits: Telesoftware has finally released its Ada compiler package for 68000-based systems. Implementing most of the features of standard Ada, it will sell for more than \$5000. ... An Ada subset, called "Janus," that runs under CP/M is available for \$250 from PR Software, Madison, Wisconsin. . . . Digital Acoustics, Santa Ana, California, is expected to introduce an under-\$800 Motorola 68000 processor add-on kit for the PET/CBM personal computer. An Apple II 68000 upgrade is being designed. ... Xerox will carry the Atari personal computer in its 25 computer stores. ... The price for 64 K-byte memory chips has dropped sharply to under \$9. in medium-sized quantities. You can expect to see them being widely used in personal computers soon. . . .

MAIL: I receive a large number of letters each month as a result of this column. If you write to me and wish a response, please include a self-addressed, stamped envelope.

Sol Libes POB 1192 Mountainside NJ 07092





Council for Financial Aid to Education. Inc 680 Fifth Avenue, New York, N.Y. 10019



A Public Service of This Magazine

WE HAVE IT!



TOMORROW'S COMPUTERS NOW!



System Two - 64K-Z2 with dual-sided mini floppies (780K), List \$4,695 . . . \$3,749

THE INDUSTRY'S MOSTADVANCED MICROCOMPUTER

The Cromemco Z-2D Computer System typifies the complete professional quality of Cromemco products. The Z-2D is designed as a powerful but economical dedicated computer for systems work. You will find its flexibility adapts it to your job whether you're in industry, engineering, business, instrumentation, or education.

Be sure to contact us if you'd like further information about any Cromemco product.

HDD-22 22Megabyte Hard Disk System,	
List \$11,995	,195
System Three — features 4MHz CPU, with 64K of	
RAM, List \$7,995	,795
PRINTERS	
Line Printer, List \$3,195 \$2 180 characters/sec., 132 cols., 18" platen	,715
Line Printer, List \$1,695	,439
Letter Quality Printer, List \$3,495 \$2	,969

CROMEMCO BOARDS
SCC Single Card Computer,
List \$495 \$382
ZPU Z-80 CPU 2/4MHz, List \$395 \$335
48KTP 2 Port 48K Memory,
List \$1495 \$1269
16KZ Dynamic RAM Memory,
List \$495 \$419
64KZ Dynamic RAM Memory,
List \$1195 \$995
16FDC Disk Controller, DD,
List \$595 \$499
8K Bytesaver II Prom Programmer,
List \$295 \$249
32K Bytesaver Prom Card for 2716s,
List \$345 \$295
TU-ART I/O Interface, List \$345 \$249
D+7A Digital/Analog Interface,
Lict \$205 \$210

8PIO 8 Port Parallel Interface,	
List \$245 \$	209
4PIO 4 Port Parallel Interface,	
List \$395 \$	335
QDRT 4 Channel Syn/Asyn Interface,	
List \$595 \$	499
OP Intelligent I/O Processor,	
List \$695 \$	589
PRI Printer Interface Card, List \$245 . \$	209
16KPR 16K Prom Memory Card,	
List \$245 \$	209
CGI TV Dazzler, List \$395 \$	335
SDI Hi-Res Color Graphics, List \$795 \$	675
EXC-2 Extender Board, List \$65	\$38
WWB-2 Wire Wrap Board, List \$65	\$38
CROMEMCO SOFTWARE	

FDA Macro Assembler, List \$295 \$249	
FDB 16K Extended Basic, List \$195 \$165	
FDC COBOL Compiler, List \$595 \$299	
FDF Fortran IV Compiler, List \$295 \$179	
FDR RATFOR includes Fortran IV.	
List \$395 \$335	
STB 32K Structured BASIC,	
List \$295 \$249	
SGS Super Dazzler Graphics,	
List \$595\$299	
DBM Data Base Management w/Report,	
List \$395 \$249	
WPS Word Processing System,	
List \$295 \$249	
TSS Trace System Simulator,	
List \$195 \$95	
WRMR Writemaster Word Processing,	
List \$595 \$499	
SLMR Slidemaster, List \$595 \$499	

Mini Micro Mart, Inc.

CROMIX Multi-User, List \$595 \$249

(Specify 8" or 51/4")

943 W.Genesee St. Syracuse, N.Y. 13204 (315) 422-4467

VISA.

Computer Scrabble

Joseph J Roehrig 7 Wildwood Dr Dix Hills NY 11746

Scrabble is probably the best known and most frequently played word game available. Many books have been written about playing Scrabble. Unlike chess, however, very little, if anything, can be found on playing this popular game against a computer.

Scrabble has a board containing 225 squares, 61 of which have special scoring characteristics (double-letter or -word and triple-letter or -word). One hundred flat squares containing all 26 letters of the alphabet plus blank "wildcards" are the playing pieces. The piece-movement regulations can be described in three or four pages of text, plus the largest dictionary you can find.

I have several programs that play the game of Scrabble on a microcomputer. But because of the game's complexities, certain constraints must be placed on a microcomputer version. After much experimentation, the constraint I found to work best is to have the computer make up only two- or three-letter words and to maximize the scoring potential of these words. Without this or other selected constraints, the time spent calculating a move and the memory-and file-space requirements would most likely exceed the capabilties of a microprocessor. A program can be developed using words of four or more letters with response time similar to that of my model, but that type of program could not address itself to every such word in existence nor could it maximize the selection and placement of words. The program described in this article is capable of handling every two- and three-letter word conceivable and it maximizes the placement of the selected word.

For ease of conversion, the programs are in BASIC. The machine requirements are:

- a TRS-80 Model I or III with 32 K bytes of programmable memory or
- an Intel 8080 microprocessor-based computer or equivalent with 32 K bytes of programmable memory
- North Star disk system
- a terminal

Very little information about playing Scrabble on a computer has been published.

The Programs and Files

This discussion describes the North Star version of the SCRABBLE program. My disk housing the Scrabble system contains the North Star disk operating system (DOS), North Star BASIC (a version of the BASIC language), eight BASIC programs, and three data files.

The eight program files are:

S—a program that links all of the BASIC programs into one package. To use the package only S is loaded by using the BASIC language command LOAD S. After it is loaded, S calls for all of the programs you request. (See listing 1.)

FILE—creates a blank random-access data file for the computer's vocabulary. A random-access file can be read selectively by specifying a particular address, rather than sequentially. The file created is called WORDS. (See listing 2.)

INPUT—adds or deletes words to file WORDS. (See listing 3.)

DICT-allows you to input an integer number that the computer turns into a word. (See listing 4.)

LDICT—lists the computer's current vocabulary by reading WORDS. (See listing 5.)

SCRABBLE—the main program that plays the game. This program requires 33 K bytes of memory. (See listing 6.)

SHORT-a slow version of SCRAB-BLE that fits into 32 K bytes of memory. (See listing 7.)

REPORT—prints a summary of the last game played. (See listing 8.)

The information contained in the three data files is:

WORDS—the computer's vocabu-

REC-a move-by-move summary of the last game played using the program SCRABBLE.

GAME—the status of the game board the last time program SCRABBLE was run. This saves games for later.

Everybody's making money selling microcomputers. Somebody's going to make money servicing them.

New NRI Home-Study Course Shows You How to Make Money Servicing, Repairing, and Programming Personal and Small Business Computers

Seems like every time you turn around, somebody comes along with a new computer for home or business use. And what's made it all possible is the amazing microprocessor, the tiny little chip that's a computer in itself.

Using this new technology, the industry is offering compact, affordable computers that handle things like payrolls, billing, inventory, and other jobs for businesses of every size...perform household functions including budgeting, environmental systems control, indexing recipes. And thousands of hobbyists are already owners, experimenting and developing their own programs.

Growing Demand for Computer Technicians

This is only one of the growth factors influencing the increasing opportunities for qualified computer technicians. The U.S. Department of Labor projects over 100% increase in job openings for the decade through 1985. Most of them *new* jobs created by the expanding world of the computer.

Learn at Home in Your Spare Time

NRI can train you for this exciting, rewarding field. Train you at home to service not only microcomputers, but word processors and data terminals, too. Train you at your convenience, with clearly written "bite-size" lessons that you do evenings or weekends, without going to classes or quitting your present job.

Your training is built around the latest model of the world's most popular computer. It's the amazing TRS- 80^{TM} Model III, with capabilities and features to perform a host of personal and business functions. No other small computer has so much software available for it, no other is used and relied on by so many people. And it's yours to keep for personal or business use.

Become the (TRS-80 is a trademark of the Radio Shack division of Tandy Corp.)



Using the NRI Discovery Lab® that also comes as part

of your course, you build and study circuits ranging from the simplest to the most advanced. You analyze and troubleshoot using the professional Beckman LCD digital multimeter you keep to use later in your work. Then you use the lab and meter to actually access the interior of your computer...build special circuits and write programs to control them. You "see" your computer at work and demonstrate its

Complete Computer Person

You're also trained in writing and debugging both BASIC and advanced machine language programs...gain hands-on experience in the operation and application of computers to

business and personal jobs. You're trained to become the fully rounded, new breed of technician

who can interface with the operational, programming, and service facets of today's computers. You're ready to take your place in the new electronic age.

Other Opportunities

NRI has been giving ambitious people new electronic skills since 1914. Today's offerings also include TV/Audio/Video Systems servicing with training on our exclusive computer-programmable 25" diagonal color TV... Communications Electronics for servicing and installing microwave, broadcast, CB, radar, etc...and other state-of-the-

Free Catalog...Mail Card No Salesman Will Call

Send the postage-paid card for our 100-page catalog showing all courses with equipment and complete lesson plans. There's no obligation other than to yourself. See how NRI can help you grow with the most exciting and important new field of the 80's. If card has been removed, please write to us.



NRI SCHOOLS

McGraw-Hill Continuing **Education Center** 3939 Wisconsin Ave. Washington, DC 20016

We'll give you tomorrow.

Listing 1: North Star BASIC program, called S, that provides the main menu of the Scrabble system, linking together the seven programs in listings 2 through 8.

```
5 INPUT"READY ? ",Z$\!"

10 !"WELCOME TO THE SCRABBLE SIMULATION MODEL"

20 !"YOU HAVE THE FOLLOWING SEVEN OPTIONS:"\!"

30 !" 0 END THE SIMULATION"

40 !" 1 CREATE A FILE FOR THE COMPUTER'S VOCABULARY"

50 !" 2 INPUT OR DELETE WORDS TO OR FROM THE COMPUTER'S VOCABULARY"

60 !" 3 LIST THE ENTIRE VOCABULARY"

70 !" 4 CONVERT A PROGRAM CODE NUMBER INTO A WORD"

80 !" 5 FLAY A GAME OF SCRABBLE AGAINST THE COMPUTER"

90 !" 6 GET A SUMMARY REPORT OF THE GAME JUST PLAYED"

100 !""\IMPUT"YOUR SELECTION ? ",A\IFA<1THENEND\IFA>6THEN10\GOTD110

101 CHAIN"FILE"

102 CHAIN"INPUT"

103 CHAIN"BICT"

104 CHAIN"SCRABBLE"

106 CHAIN "SCRABBLE"

106 CHAIN "SCRABBLE"
```

Listing 2: The simple program FILE creates a blank random-access file, called WORDS, in which the computer's Scrabble vocabulary will be stored.

10 OPEN#0, "WORDS"

15 B=0

20 FORA=0T019682 30 WRITE#0,&B

40 NEXT

50 ! FILE CREATED"

60 CHAIN"S"

Running the Programs

The start of a sample run is shown in listing 9. Once S is loaded, the computer will ask:

Ready?

Each time this prompt appears, a carriage return will erase the terminal's screen and continue execution of the Scrabble package.

Next, the seven possible option codes are printed on the terminal screen:

0-end the simulation

1—create a file WORDS for the computer's vocabulary

2—input to file WORDS

3—list the current vocabulary contained in file WORDS

4—convert a number to a computer word

5—play a game of Scrabble

6—get a summary report of the last game played

Listing 9 shows options 2 and 4 being selected. For option 2, an un-

limited number of two- and threeletter words can be added to or deleted from the computer's vocabulary. A carriage return ends the process. You can enter any word or nonword you choose.

Option 4 converts a number into a word. Each letter is assigned a value from 1 to 26 (ie: a is 1, b is 2, etc). The first letter of each word is multiplied by 729, the second letter by 27, and the third by 1. Therefore, AFB is:

$$(729 \times 1) + (27 \times 6) + 2 = 893$$


In listing 10, option code 3 was selected, and the current vocabulary of 725 words is displayed. This list has been compiled from various dictionaries and books dealing with key Scrabble words.

Playing the Game

Option 5 is selected to play a game of Scrabble. (Listing 11 gives an illustration.) You can select one of 10 versions. Version 1 is the most effective opponent and also the slowest to calculate a move, while 10 is the least competitive but the fastest.

The computer numbers the squares on the Scrabble board from 1 to 225. All your moves must be entered by referring to these numbers. On the terminal display, the program can number each square or omit the numbers once you become familiar with the system.

You can continue the last game played, start a new game, or even arrange the game board as desired. The computer or the user can go first. In




SOLID STATE SALES
P.O. BOX 74 B
SOMERVILLE, MASS. 02143

TEL. (617) 547-7053 **TOLL FREE 1-800-343-5230**FOR ORDERS ONLY

"THE BETTER BOARD"

SB-80 Single Board Computer



Z-80-A 64K RAM

Fully Assembled and Tested

Size: 16" x 13" Same as 28" floppy drives. Requires: 1.5 Amp 1.0 Amp +12V 1.5 Amp

The SB-80 single computer board along with 1or 2 8 inch disk drives, a power supply, an enclosure, and a CRT give you a complete computer system that can be used for either business or personal use and will still allow for upgrade options (up to 4 floppy drives, 5 to 40 meg hard disk, or 24 x 80 character video)

CONSTRUCTION

- Computer is fabricated on a single printed circuit board.
- Sockets for all integrated circuits.
- 50 pin connector allows access to system for future expansion.

PROCESSOR

· Z80A with 4 MHZ system clock with no wait states.

- . 64K of 200ns dynamic RAM is standard, 4116 IC's.
- · Parity protection is standard. A memory error places the system in a permanent wait state and lights on LED indicator

256 bytes bootstrap ROM.

2 SERIAL I/O's

- Z80A-SIO/O dual channel chip.
- Two complete bidirectional serial ports with RS232 buffering. Fully programmable for Asynch, Bisynch, and SDLC.
- · Programmable dual baud rate generator on board. Selectable baud rates up to 19.2kb. Provisions for modem supplied clocks.
- · Interrupts or polling under program control.

2 PARALLEL I/O's

- · Z80A-PIO chip.
- · Two complete TTL eight-bit bidirectional ports with extra handshake lines. Interrupts or polling under program control.
- Printer support through one parallel port.

COUNTER/TIMERS

- Z80A-CTC chip.
- Four separate counter/timers under program control.

Counters can count external events and can interrupt or be

Timers are programmed to interrupt or signal an external device after a desired time interval.

FLOPPY DISK CONTROLLER

- · Uses Western Digital 1793 controller chip which supports softsectored formats under program
- Standard IBM CP/M single density formats or double density for 600K bytes per side. Density is selected by way of software con-trol runs CP/M 2.2*

EXPANSION

50 pin connector bus allows for future expansion capabilities.

OPTIONAL

Character video board 80 x 24 for use with black and white monitor using a stand-alone keyboard. \$215.00.

Winchester Host Adaptor board for Shugart SA-1000 or Corvus Hard Disk. Includes cables. \$315.00.

OPTIONAL

Stand-alone keyboard and cable plugs into computer board for 80 x 24 video option.

\$190.00

CP/M* 2.2 & BIOS

CP/M* 2.2 & BIOS modified by S & M systems to run on single board is available for

\$200.00

HOW TO ORDER

Phone orders using American Express, Visa, MasterCharge, Bank wire transfer. Cashier's or Certified check, Money Order, or Personal check (allow 10 days to clear). Please add 5% for shipping, handling and insurance minimum \$500.00. Conn. residents add 7.5% sales tax. All equipment is subject to price changes and availability without notice. All equipment is new and comes complete with manufacturers warranty. Showroom prices may differ from mail-order adver-

Price Is Nice.



Introductory offer...

Basic system with: 600K bytes

1.2 megabytes \$2990.
 2.4 megabytes \$3490.

Single Board Technology

A Z80A CPU combined with the CP/M® operating system opens new vistas to software availability for eight-bit micros. FORTRAN, COBOL, BASIC, APL, PL/1 and Pascal are available now to accommodate today's scientific, educational, sophisticated small business and personal system users.

- 4 MHz Z80A CPU
- CP/M 2 operating system
- 64K 200ns main memory
- 8-inch dual floppy drives
- 50-pin expansion connector
- 2-serial ports

available

- 2-parallel ports
- 4-counter/timers
- Hard disk options

CPU - DISK DRIVE CABINET





SS/DD DISK DRIVE SYSTEM


SB Assembled tested with 28" drives ... \$1185.00 DD/DD DISK DRIVE SYSTEM

Asembled tested with 28" drives ... \$1650.00

8" FLOPPY DISK DRIVES:

Single Sided/Double Density Double Sided/Double

Shugart 800/801R \$395.00 2/\$770.00 Shugart 850/851R \$590.00 2/\$1140.00



Okidata Microline 82A Bidirectional

PRINTERS

C.Itoh Starwriter Tractor	\$190.00
C.Itoh Starwriter (Parallel) 45 cps: Daisywheel	\$1850.00
C.Itoh Starwriter (Parallel) 25 cps; Daisywheel	\$1550.00
82A Tractor	\$75.00
Okidata Microline 83A 120 cps Bidirectional 9 x 9 Pin Head	\$795.00
Friction/Pin Feed 9 x 9 Pin Hea	\$595.00



TERMINALS	
Televideo 910	\$625.00
912C	\$725.00
920C	\$770.00
ADDS Viewpoint	\$620.00

16K Static RAM 4116 200ns	\$2.30 ea. 16/\$32.00
Z80A CPU	\$6.00
Z80A CTC	\$6.00
Z80A PIO	\$6.00
Z80A SIO/O	\$19.00




Colonial Data Services Corp.

105 Sanford Street Hamden, Conn. 06514

[.] CP/M is a trademark of Digital Research Corp.

^{** 1} to 4 piece domestic U.S. price.



SITTING PRETTY

You can use just about any desk for a computer terminal stand. But with CF&A, you're sitting pretty. Our full range of desks, workstations, and terminal stands are designed to accommodate a variety of computer equipment. Choose from our Classic Series desks, DR Series desks and enclosures, specialty items like our Apple II desk, or a universal printer stand. You'll be sitting pretty with attractive color selections, durable construction, versatile configurations, useful options, competitive prices, quick delivery, and personal service. It's our way of doing business.



Computer Furniture and Accessories, Inc. 1441 West 132nd Street Gardena, CA 90249 (213) 327-7710

Listing 3: The program INPUT adds words to or deletes them from the dictionary file WORDS.

```
10 OPEN#0, "WORDS"
15 F(1)=729\F(2)=27\F(3)=1\Z=1
16 INPUT"ENTER DELETE TO DELETE WORDS OR ANYTHING TO ADD ? ",Z$ 17 IFZ$="DELETE"THENZ=0\GOTO20
   ! "BAD INPUT, MUST BE ALL ALPHA"
   A$(1,3)="
   INPUT"NEW WORD ? ",A$(1,3)
IFA$(1,3)=" "THENCHAIN"S
30 FORA=1T03
40
   C$=A$ (A,A)
   C=ASC(C$)
   IFC=32THEN60
50
   IFC<650RC>90THEN18
52 C=C-64
   D=D+(C*F(A))
54
60 NEXT
66 WRITE#OZD, &Z, NOENDMARK
70 GOTO20
```

Listing 4: Program DICT translates a given integer as interpreted by the Scrabble program (see text) into the equivalent English word.

```
5 !"INPUT O TO END"

10 INPUT"GIVE TEST NUMBER ? ",A

15 IFA=OTHENCHAIN"S"

0 IFA>OANDA<19682THEN40

30 !A," IS AN INVALID NUMBER. THE RANGE IS O TO 19682"\GOTO10

40 B=INT(A/729)\C=A-(729%B)\D=INT(C/27)\E=C-(27*D)

50 IFB>OTHEN6O\B$=" "\GOTO70

60 B$=CHR$(B+64)

70 IFD>OTHEN8O\C$=" "\GOTO90

0 C$=CHR$(D+64)

90 IFE>OTHEN10O\D$=" "\GOTO110

100 D$=CHR$(E+64)

110 !B$+C$+D$$

120 GOTO10
```

Listing 5: LDICT lists the computer's current Scrabble vocabulary by reading the file WORDS.

!"THE CURRENT LIST OF THE COMPUTER'S VOCABULARY FOLLOWS:"

listing 11, the computer goes first and has the letters I, Z, I, Q, J, P, U, by means of your input. The computer spells ZIP and asks you to supply more letters.

OPEN#O, "WORDS"

You are now ready to enter your move. The first information requested is the squares the move will occupy. A selection of 0,0 lets the computer move next, and a negative input, like -1,0, ends the game. You place a word on the game board by selecting valid square numbers. Because the computer only moves after 0,0, you control how many words are spelled between computer

moves. Consequently, any number of players can be involved in a computer Scrabble game.

In listing 11, the player connects the word SPEARED to the computer's word ZIP by moving into squares 99 through 189. The connection is made by the "P" in square 114.

Listing 12 shows SPEARED added to the game board, and listing 13 is a summary of the completed game. The summary shows the move numbers, the square where the move began, the word spelled, and the time in seconds needed to calculate the move if the

Text continued on page 338

LOGO COMPUTER SYSTEMS INC.

A NEW COMPANY OFFERING A POWERFUL NEW DIRECTION IN MICROCOMPUTER PROGRAMMING

Today the world of microcomputer programming is opening up to people who never thought they would be able to program a computer. The microcomputer is fast becoming an integral part of the home, school and business environment.

The need arises for a programming language which is easy to use, yet highly sophisticated. That language is Logo. The Logo language was created after years of extensive research, led by Doctor Seymour Papert at the Massachusetts Institute of Technology. Working with Logo, brings to children, as well as adults, the opportunity to learn more about themselves and the world around them. Exploring rich and challenging new microworlds is what Logo is all about. At Logo Computer Systems Inc., we are proud of the fact that we have been involved in the Logo design and development since its inception. We are dedicated to providing the most qualified computer language support available.



150 Montarville Blvd. Suite 200 Boucherville, Québec Canada J4B 6N1 (514) 641-0966 368 Congress St. Boston, Mass. U.S.A. 02210

(617) 451-2646

325

S-100 Boards from S. C. Digital




64K DYNAMIC RAM 'Uniselect: 2'

features: Model 64KUS

● 16 or 24 bit addressing. ● 8 bit data. ● Bank Select by SW settable Port, Bits in Two blocks. ● Two 32KB (or 128KB) addressing. ● Transparent refresh with delay lines, giving unlimited DMA, immune to Wait States, halts, resets.


Fast access time - 220nsec from Smemr or Psync high, will run with Z80, Z8000 to 4mhz, 8080, 8085, 8088, 8086 to 5mhz without wait states. Provision to expand to 256KB



32K Static Ram 'Uniselect: 3'

Model 32KUS features:

 Fully Static using 2k by 8 NMOS chips. ● 16 or 24 bit address. ● 8/16 bit wide data. ● Bank Select by port and bit in 32K block. ● Two 16K block addressing with window capability in 2k increments. ● EPROM can be mixed with RAM. ● Fast access - 250nsec from address valid will run. with Z80, Z8000 to 4mhz, 8080, 8085, 8088, 8086 or 68000 to 8mhz without Wait States. Provision for Battery Backup using NMOS or CMOS.



I/O, Memory Interface 'Interface: 1'

Model 3SPC

3 serials using UART, RS-232C or 20ma current loop.

1 Parallel I/O with hand shakes. ● 4k Ram, 4k EPROM (not supplied). ● Built in Kansas City Audio Cassette interface. ● Baud rate generator from 19.2kbaud to 110 baud.

2K Z80 Monitor Program

available for M:3SPC

features: many routines including breaker points, cassette record and play back . . . etc. Comes in 2 EPROMs and 1K $\,$

Z80 CPU Board Model CPUI-Z80 features: ● 2 or 4mhz clock. ● Jump on Reset ● 2K of EPROM (not supplied). ● 8 levels of prioritized vectored

16K Static Ram 'Uniselect: 1'

features: Model 16KUS

■ Fully static using 2114L-2, 200nsec chips. ■ Bank Select by port and bit. ■ 8 bit data, 16 bit address.

All boards conform to IEEE696/S100 specifications, fully socketed, screened legends, masks, Gold contacts. Guaranteed

ne Full vear.				
Model			List	Our Price
64KUS	with 64KB	A&T	\$520	\$479
32KUS	with 32KB	A&T	\$435	\$399
32KUS-16	with 16KB	A&T	\$295	\$269
32KUS-N	no mem chips	AST	\$165	\$149
3SPC	with cassette	AGT	\$249	\$229
3SPC-KC	with cassette	Kit		\$159
CPUI-Z80	with interrupt	A&T	\$239	\$219
CPUI-Z80-K	no interrupt	Kit		\$149
16KUS	200 nsec chips	A&T	\$210	\$195
16KUS-K	200 nsec chips	Kit		\$175
2K Monitor	with 1K Ram			\$ 55

Delivery is within 3 working days. MC, Visa or COD orders accepted. Illinois residents add 51/4% sales tax

O.E.M. & DEALER PRICING AVAILABLE

S.C. DIGITAL

440 IFB(D+15)ORB(D+30)>OTHEN465

P.O. Box 906, Aurora, Illinois 60507

Phone: (312) 897-7749

Listing 6: This is the main North Star BASIC program that plays the game of Scrabble. It requires 33 K of memory.

LOAD SCRABBLE READY LIST | 1*THIS PROGRAM WAS WRITTEN BY*,1AB(40)*, JJR DAIA RESEARCH*
| 1*THIS PROGRAM WAS WRITTEN BY*,1AB(40)*, JJR DAIA RESEARCH*
| 1*THIS PROGRAM WAS WRITTEN BY*,1AB(40)*, JJR DAIA RESEARCH*
| 1*THIS PROGRAMS ARE AVAILABLE*
| 1*THIS FOR INFORMATION TO OBTAIN COPIES ON DISKETIE OR FOR IRS 80'S.*
| 1*THIS FOR PROGRAMS ARE AVAILABLE*
| 1*THERE FIRE PROGRAMS ARE AVAILABLE*
| 1*THIS CHAIN'S' IFA1=OTHEN100
INFUI*WHAT WORD DID YOU SPELL ? *,K\$
IFA2>A1+10THEN80 C=LEN(K\$)\A=A2-A1+1\IFC<>ATHEN32 Y9=C YY=C


=1\FORA=A1\TOA\B=A*\$\B*(B-4,B)=*

\B*(B-2,B-2)=K*(C,C)\D*=K*(C,C)

C=C+1\D=ASC\D*(B)-64\B(A)=D\NEXT\GOSUBB600

K*=\K\$+********

WRITE*\$\forall f_A\forall f_A\ C=LEN(K\$)\A=((A2-A1)/15)+1\IFC<\ATHEN32 Y9=C 86 GOSUB8600 87 K\$=K\$+******** 88 WRITE#1,A1,K\$(1,7),U0 90 GOSUB/9857VJ=U1\U3=U2\U6=U3
100 GOSUB/9857VJ=U1\U3=U2\U6=U3
105 FORA=0T07\C3+88FORB=OT07\D=C+B\IFA<>BTHEN110
107 C(0+D)=0\G0T0115 C(0,D)=(L(A)*729)+(L(B)*27) 115 NEXT\NEXT 115 MEXT\NEXT
120 FORA-0TO7\C=A*8\FORB=0T07\D=C+B\IFA\BTHEN130
125 C(1-D)=O\S0T0135
130 C(1-D)=C\C\S0T0135
135 NEXT\NEXT
145 C(2-D)=O\S0T0155
145 C(2-D)=O\S0T0155 145 C(2,D)=0\G0T0155
155 C(2,D)=(L(A)X*29)+L(B)
155 NEXT\NEXT
160 | 'THE COMPUTER IS SORTING IT'S LETTERS*\V0=0
200 ERRSET 400,VB,V9
201 FORA=0T014STEPV7\B=A*15\FORC=1T015STEPV7\D=C+B\F=B(D)
202 IFF1(D)=10FF1(D)=11THEN300
205 IFB(D)=0THEN300\V=0
210 IFC(ZTMEND35 205 IFB(D)=OTHEN3OO\U=0
210 IFC<3THEN235
215 IFB(D=1)ORB(D=2)ORB(D+1)>OTHEN235
215 IFB(D=1)ORB(D=2)ORB(D+1)>OTHEN235
220 IFC>3ANDB(D=3)>OTHEN235
225 FORE-OTIO43STEPR7\G=F+C(0,E)\IFG=OTHEN230\READ*0Z6,%H
228 IFB=OTHEN23O\S1=D=2\S2=D=1\S3=INT(G/729)\S4=INT((G-(729*S3))/27)
229 GBGUSJAOO 228 IFH=OTHEN230\S1=D-2\S2=D-1\\S3=INT(G/729)\S4=INT((G-(7 229 GOSUB3000 230 NEXT 235 F=B(D)*729 237 IFC>\13THEN245 238 IFD-1\cdot1+IN240\IFB(D-1)>OTHEN265 240 IFB(D+1)ORB(D+2)>OTHEN265 241 IFC\cdot3ANDB(D+3)>OTHEN265 245 IFC\cdot3ANDB(D+3)>OTHEN265 250 FORE=OT063STEPR7\G=F+C(1,E)\IFG=OTHEN260\READ\cdot0ZG,8H 255 IFH=OTHEN260\S1=D+1\S2=D+2\S4=G-(INT(G/729)*729) 257 S3=INT(S4/27)\S4=S4-(27*S3)\GDSUB3000 260 NEXT 268 IFC=\cdot10RC=\cdot5THEN300 269 IFD-\cdot2\cdotTHEN370\IFB(D-2)>OTHEN300 270 IFB(D+1)\ORB\cdotCD+1)\ORB\cdotCD+2)>OTHEN300 271 IFC\cdot3ANDB(D+2)>OTHEN300 274 IFC\cdot3ANDB(D+2)>OTHEN300 275 FORE=OT06\cdotS1=P\cdotS1+D\cdot 229 GOSUB3000 290 NEXT
300 ERRSET 300,VB,V9\NEXT\NEXT
400 ERRSET 500,VB,V9
401 FORA—OTD14STEPV7\B=A*15\FORC=1T015STEPV7\D=C+B\F=B(D)
402 IFF1(D)=100RF1(D)=11THEN500
405 IFF=0THEN500\V=0
410 IFA-\(\frac{2}{2}\) HENGON\V=0
410 IFA-\(\frac{2}{2}\) HENGON\V=0
410 IFA-\(\frac{2}{2}\) HENGON\V=0
410 IFA-\(\frac{2}{2}\) HENGON\V=0
410 IFA-\(\frac{2}{2}\) ANDR(D=30)ORB(D+15)>OTHEN435
411 IFB(4-15)ORB(D=30)ORB(D+15)>OTHEN435
412 IFB-2ADNB(D=45)>OTHEN435
425 IFA-\(\frac{2}{2}\) FORE-\(\frac{2}{2}\) OTHEN435
426 IFA-\(\frac{2}{2}\) OTHEN430\(\frac{2}{2}\) SINT(G/729)\S4=INT((G-(729*S3))/27)
427 GDSUB5000 290 NEXT 428 IFH=OTHEN4430\S1=D-30\S2=D-15\S3=IN'
429 GOSUB5000
430 NEXT
435 F=\(\)(1)*729
437 IFA>\(\)(2)\THEN465
438 IFD=\(\)(5)\THEN465



From high technology to commercial applications, opportunities at Kearfott span the software spectrum. Regardless of the area that intrigues you, you'll be working in one of the most sophisticated DP complexes, using the most advanced IBM Software.

The focus at our Data Center is on breakthrough systems expanding a global network. To this end, we've assembled an elite group of software professionals. Our growth dictates the demand for more. We have a battery of computers that include the 3033, AMDAHL V/6, 43XX series, and more, with complementing front end processors. In support of this hardware, we run a multitude of software including MVS/SE-2 (going MVS/SP), VM/SP, VS1, IMS DB/DC, CICS, TSO/SPF, WYLBUR, ACF/NCP, ACF/VTAM, and more.

In Engineering applications, realtime software designs operate airborne computers in Kearfott avionics systems—from aircraft navigation to missile guidance. You could also be designing for programs comparable in complexity to Kearfott's inertial measurement units on the Space Shuttle and guidance control on Trident submarines. Assignments may include simulation on our 3033.

In business applications, we run the MIS gamut-accounting, finance, inventory, manufacturing, payroll and a whole lot more.

In the Data Center, we support all the hardware, operating systems and language compilers that Kearfott applications professionals need. Prior experience installing System Software qualifies you for our consideration.

Whatever your area of software expertise, you should have an appropriate degree and at least a 3-year record indicating potential to achieve higher professional levels. Send your resume to: Carol Batte, Singer Company, Kearfott Division, 1150 McBride Avenue, Little Falls, N.J. 07424.

Kearfott

a division of The SINGER Company

An equal opportunity employer, m/f who creates opportunities.



the



PC-8000 Series

* AND MORE *

from Renaissance Technology

The Wedge

- · Fully emulates all features of the NEC PC-8012A module
- NEC PC-8001A SI/O (terminal mode) channel is brought out to a DB 25 connector
- · Additional ports for 40 bits of digital I/0 and analog input including 2 Atari-type joystick ports; built-in 3 voice synthesizer with amplifier
- · 32K RAM card included; also capable of handling another 32K RAM = 96K of RAM
- · 16 levels of interrupt capability
- NEC PC-8012A bus structure is implemented.
- · Attaches easily to the bottom of the NEC PC-8001A.

Ren Tec Wedge \$595.00 **RS-232-C Interface Card** for NEC PC-8012A or

Ren Tec Wedge 179.00 32K Memory Board for NEC PC-8012A or Ren Tec Wedge 199.00

RGB Color Converter for NEC PC-8001A (40 column only) 99.00

and

NEC Dot Matrix Printer 795.00

- 100 CPS
- · Bidirectional printing
- Friction and tractor feed
- Parallel interface
- · Single-ribbon cartridge

NEC Monitors

• 12" Green Screen 285.00 · 12" RGB Color 1095.00 • 12" Composite Video 430.00

* more *

ATARI 10-Key Accounting Pad ... 124.95

Olympia Letter-Quality Printer

- Ren Tec ES Series Interface converts typewriter to letterquality printer
- for Apple, Atari, Commodore, NEC, Osborne 1, TRS 80 and others

Ren Tec Interface for ES 100/101 295.00

DEALER INQUIRIES WELCOME

RENAISSANCE **TECHNOLOGY** CORPORATION

3347 VINCENT ROAD PLEASANT HILL, CA 94523 (415) 930-7707

Listing 6 continued:

IFA<12ANDB(B+451>OTHEN465
FORE=OTO63STEPR7\G=F+C(1,E)\IFG=OTHEN460\READ#0ZG,8H
IFH=OTHEN460\S1=D+15\S2=D+30\S4=G-(1NT(G/729)*729)
S3=INT(S4/27)\S4=S4-(27*S3)\GOSUB5000
NEXT

460 NEXT 465 F=B(D)*27 468 IFA=OURA=14THEN500 469 IFD=3041THEN470\IFB(D-30)>0THEN500 470 IFB(D+15)ORB(D-15)ORB(D+30)>0THEN500

471 IFD<30THEN500 472 IFA>1ANDB(D-30)>OTHEN500 474 IFA<13ANDB(D+30)>OTHEN500

476 FORE=OTO63STEFR7\G=F+C(2+E)\IFG=OTHEN49O\READ#0ZG+8H

478 1FH=01HEN490\S1=D-15\S2=D+15\S3=1NT(G/729) 480 54=G-(S3*729)\S4=S4-(INT(S4/27)*27)\G05UB5000

490 MEXI 500 ERRSET 500,VB,V9\NEXT\NEXT 505 GBSUB9957\GBSUBB400 509 UB(1,7)="********\GB(1,1)=CHR\$(64+M3)\Q\$(2,2)=CHR\$(64+M4) 509 WRITE#I,MI,0B(1,7);U7

510 IFM1<>0THEN550

515 1***

520 1**THE COMPUTER CANNOT MOVE. THEREFORE, IT IS CHANGING ALL OF*
525 1**TIS LETTERS*
540 601030

550 1E**M3=0THENM3=-32\IFM4=0THENM4=-32
555 8=M1*\$5\B*(B-4, R)=*

\$56 8=M1*\$5\B*(B-4, R)=*

\$\$15 1***

**N\$*(B-2, B-2)=CHR*(M3+64)

**N\$*(B-2, B-2)=CHR*(M4+64)

620 M1=0\M2=0\M3=0\M4=0 625 GDSUB8600 630 GDTD30

630 GUTU30
1000 FURA=1T024\!**\NEXT
1001 !B\$(0001,0075),'.'
1010 !B\$(0076,0150),'.'
1020 !B\$(0151,0225),'.'
1030 !B\$(0226,0300),'.'
1040 !B\$(0301,0375),'.'

1050 IB\$(0375:0450).*/

1050 | H\$ (037,0450), '.'
1050 | H\$ (0451,0525), '.'
1070 | B\$ (0526,0800), '.'
1080 | B\$ (0601,0875), '.'
1090 | B\$ (0761,0825), '.'
1100 | B\$ (0751,0825), '.'
1110 | B\$ (6826,0900), '.'
1120 | B\$ (6901,0975), '.'

1120 'B\$(0901,0975),*/*
1130 'B\$(0976,1050),*/*
1140 'B\$(1051,1125),*/*
1141 GOTO1150

1142 FORA=OT014\FORB=1T015\C=(15*A)+B\'B(C),\NEXT\'.\NEXT

1150 RETURN

1150 RETURN
2000 FORA=1T01121STEP5\B*(A,A)='/'\NEXT
2005 IFRO=9THENRETURN
2010 FORA=1T0215\E=INT(A/100)\F=A-(100*E)\R=INT(F/10)\C=F-(10*E)
2012 B=(A-1)*5\D=D+2
2014 IFE=0THEN2020
2016 E=E+48


2018 B\$(D,D)=CHR\$(E) 2019 B\$(D+1,D+1)=*0*

2019 B\$(B+1,B+1)=-2020 B=D+1 2030 IFB=0THEN2050 2040 B=B+48

3320 RETURN

3320 RETURN
3999 F (A2) =1\RETURN
3999 F (A2) =1\RETURN
5000 SS=R(II)\S5=P1(S5)\T1=0\T2=0\T3=0
5001 IFSX=0ANDF(S1)>0THENRETURN\TFSA>0ANDF(S1)>0THENRETURN
5002 FURAL=1T02\A2=S1\A3=S3\TFA=1THENSO10
5003 A2=S2\A3=S4
5010 IFAS=01HENS300
5012 A6=INT((A2-1)/15)\A7=A2-(A6*15)\A6=A7
5013 R9=1
5015 T=0\RETEXBES6=A2-1T0A2-3STEP-1
5017 T=0\RETEXBES6=A2-1T0A2-3STEP-1
5017 HERMST THENEXIT5030
5025 I=T+1\NEXI
5030 IFT:2THENEXIT5999
5031 R9=2
5035 U=0\RETEXPS(A5)=A2+1T0A2+3\A6=A6+1

5031 U=0\F0RA5=A2+1T0A2+3\A6=A6+1
5040 IFA6>15THENEXIT 5055
5045 IFB(A5)=0THENEXIT 5055
5050 U=U+1\NEXT
5055 IFU>2THENEXIT5999
5060 IFU+1>2THENEXIT5999
5060 IFU+1>2THENEXIT5999
5060 IFU+1>2THENEXIT5999



HP-83A \$1595

HP 85/83 16K	
MEMORY MODULE 239.00	
HP 51/4 DUAL MASTER	
DISC DRIVE2025.00	
HP 5¼ SINGLE MASTER	
DISC DRIVE1319.00	
HP 8 DUAL MASTER	
DISC DRIVE5525.00	
HP 8 SINGLE MASTER	
DISC DRIVE4035.00	
HP 2631B OPT885	
IMPACT PRINTER2195.00	
HP 85/83 GRAPHICS	
PLOTTER 1959.00	
HP PERSONALITY MODULE	
FOR 7225B W/HP 85/83 605.00	
HP PLOTTER PERSONALITY	
MODULE	
HP 85/83 ROM	
DRAWER	
HP MASS STORAGE ROM 115.00 HP PLOTTER/PRINTER	
ROM115.00	
HP INPUT-OUTPUT	
ROM	
HP HP-IB INTERFACE 355.00	
HP RS-232 INTERFACE M 355.00	
HPRS-232 INTERFACE F 355.00	
HP GPIO INTERFACE 445.00	
HP BCD INTERFACE	
HP PRINTER INTERFACE 229.00	

PACKARD

HP-125 \$ 3089 COMPUTER SYSTEM

HP 125 DUAL MINI
DISC DRIVE2025.00
HP 125 9895A DUAL 8"
DISC DRIVE5525.00
HP 125 2631B
SERIAL PRINTER 3155.00
HP 125 2601A DAISYWHEEL
PRINTER
HP 125 7225 ONE PEN
PLOTTER1979.00
HP VISICALC 125 145.00
HP-GPIO INTERFACE
(PARALLEL) 445.00
HP BCD INTERFACE (SERIAL) . 445.00
HP PRINTER INTERFACE
(CENTRONICS TYPE)229.00

HP-41C HP-41CV HP 41C CALCULATOR HP 41CV CALCULATOR249.00 HP 41 MEMORY MODULE.. .30.00 **HP 41 QUAD MEMORY MODULE 83.95 HP 41 RECHARGEABLE** BATTERY PACK HP 41 CARD READER 167.95 **HP 41 STANDARD APP MODULE 28.00** HP 41 STATISTICS28.00 HP 41 MATH PAC 28.00 HP 41 SURVEYING PAC28.00 HP 41 REAL ESTATE PAC 39.00 **HP 41 STRUCTURAL**


HP 11C CALCULATOR NEW \$115.00



HP	1	2	((1	4	I	L	(Į	J	LATO	R
NE	W										\$	127.	50

HP 67 CALCULATOR 298.95 HP 97 CALCULATOR 578.95

Go Professional
With a Calculator
From Hewlett-Packard



HP 32E CALCULATOR	47.95
HP 33C CALCULATOR	74.95
HP 34C CALCULATOR	117.95
HP 37E CALCULATOR	62.95
HP 38C CALCULATOR	118.95

<u>Lowest Prices</u> on Personal Computers and a <u>Toll-Free</u> number 800-448-5259



ATARI 400[™] 16K ...\$359.



ATARI 800[™] 16K\$749.


ATARI 820 40 PRINTER229.00 ATARI 822 THERMAL PRINTER379.00
ATARI 825 PRINTER569.00
ATARI 830 ACOUSTIC MODEM 159.00
ATARI 16K
RAM MEMORY MODULE79.00
ATARI 410
PROGRAM RECORDER69.00
ATARI 810 DISK DRIVE439.00
ATARI 815 DUAL DISK DRIVE 1275.00
ATARI PADDLE
CONTROLLER PAIR 18.95
ATARI JOYSTICK
CONTROLLER PAIR 18.95
ATARI BASIC CARTRIDGE ROM 53.95
ATARI STAR RAIDERS
W/JOYSTICK CONTROL35.95
ATARI MISSILE COMMAND
W/JOYSTICK CONTROL35.95
ATARI ASTEROIDS35.95

APPLE II 48K\$1259. APPLE III 128K ... \$3990.



609 Butternut Street Syracuse, New York 13208 In N.Y. call:(315) 475-6800

Prices do not include shipping by UPS. All prices and offers subject to change without notice.



If you are looking for more than a 9 to 5 job for the rest of your life, the time to act is now. The computer industry needs capable consultants more than ever. Your rewards as a consultant can be high: freedom. more satisfying work and doubled or tripled income.

The manual HOW TO BECOME A SUCCESSFUL COMPUTER CONSULTANT provides comprehensive background information and step-by-step directions for those interested in exploring this lucrative field. Written by Leslie Nelson one of the best experts on computer entrepreneurship, this fact-filled 150-page handbook covers virtually all aspects of becoming a professional computer consultant.

From the contents:

4th edition, Dec. 1981

· Basics of consulting · How much consultants are making . Established consulting markets . How to get started . Itemized start-up costs • Are you qualified? • How to find your first iobs . Consulting skills in greatest demand . Tools of the trade . Five ways to take advantage of your microcomputer . The top 12 sources of information needed by consultants . Beginning on a part time basis . The Marketing Kit . Should you advertise? . How to get listed in consultant's directories . The six best ways to get referrals • How much to charge • When do you need a contract? Sample proposals . Jobs that you should decline . Future markets . Three ways to real big money . Avoiding the legal pitfalls . Should you join consultant's associations? . How others did it: real life case

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
E																				D	ep	t.	2	

\$28

285 Bloomfield Ave., Caldwell, NJ 07006

Please send HOW TO BECOME A SUCCESSFUL COMPUTER CONSULTANT at \$28 (US currency). For UPS shipping (USA only) add \$1. NJ residents add 5% sales tax.

☐ Check enclosed	□ VÍSA	□ MC	☐ AmExp.
Name			
Address			
City			
State		Zip	
Card #			

Signature _ For faster shipment on credit card orders call (201) 783-6940

Fxn

Listing 6 continued: Listing 6 continued:

5045 IFT<32THEN5070\T1=42-2\T2=42-1\T3=42\G0T05200

5075 IFT=IANIG=0THEN5075\G0T05580

5076 IFT=IANIG=0THEN5075\G0T05580

5080 IFT<1ANDIG=1THEN5095\T1=42\T2=42\T3=42\T3=42\T1\G0T05200

5090 IFU<32THEN5092\T1=42\T2=42\T3=42\T3=42\T1\G0T05200

5091 IFU<32THEN5092\T1=42\T2=42\T3=42\T3=42\T1\G0T05200

5092 IFU<31ANDT<0THEN5100\T1=42\T2=42\T3=42\T3=42\T1\G0T05200

5001 IFU<31ANDT<0THEN5100\T1=42\T1=42\T3=42\T1\G0T05200

5001 IFU<31ANDT<0THEN5100\T1=42\T1=42\T1\G0T05200

5001 IFU<31ANDT<0THEN5100\T1=42\T1\G0T05200

5001 IFU<31ANDT<0THEN5100\T1=42\T1\G0T05200

5001 IFU<31ANDT<0THEN510\T1=42\T1\G0T05200

5001 IFU<31ANDT<0THEN510\T1=42\T1\G0T05200

5001 IFU<31ANDT<0THEN510\T1=42\T1\G0T05200

5002 IFU<31ANDT<0THEN510\T1=42\T1\G0T05200

5004 IFU<31ANDT<0THEN510\T1=42\T1\G0T05200

5005 IFTI-10\T1=1\T1\G0T051\T1=1\T1\G0T05200

6005 IFTI-10\T1=\T1=1\T1\G0T051\T1=1\T1\G0T051\T1=1\T1\G0T05200

6005 IFU<31\T1=\T1\G0T052\T1=\T1\G0T052\T1=1\T1\G0T052\T1=1\G0T0 6040 V8=B(V8)\V9-V9+P1(V8) 6040 VB=R(VB)\V9-U9+F1(VH)
6050 NEXT
6055 IFT1+T2+T3-A2=OTHEN6100
6060 NZT1+160T106070.6070.6070.6080.6080
6070 V9-U9+F1(A3)*Z1\V-U+V9\G0106100
6080 V9-(V9+F1(A3))*(Z1-2)\V-U+V9 6100 U9=55
6101 T153-0THEN6140
6110 DNF(S1)+160106120.6120.6120.6130.6130
6120 U9=U9+CP1(S3)*CP(S1)+1))\G0106106140
6130 U9-U9+T1(S3)
6140 TFS4-0THEN6170
6142 DNF(S2)+160116150.6150.6150.6150.6160.6160
6150 U9-U9+CP1(S4)*CP(S2)+1)\G0106170
6170 U9-U9+F1(S4)
6170 TFF(S1)=36NBS3 OTTE NU9-U9*2
6180 TFP(S1)=36NBS3 OTTE NU9-U9*3
6185 TFP(S2)=36NBS3 OTTE NU9-U9*3 6180 1FP(S1)=4AMDS3 OTHENU9=U9+3
6185 1FP(S2)=4AMDS4 OTHENU9=U9+3
6190 U=U4U9
6200 1FU0=U1HENRCTURN
6210 U0=U-MT=STVA2=SZVM3=S3VM4=S4VRETURN
8000 NHPUT-MHAT ARE THE COMPUTER'S LETTERS ? *,L\$(1,7)
80002 FURA 1TD7/U4=1 *(A,A)VL(A) ASCCH*)=64VIFL(A)<0THENL(A)=INEXT
8004 U=0ACOSURR9SZVM4=U1VD5=U2VM6-II,
8005 FURA=0TD7/EDRIC-0TD7/IFFC-ATHENBO90
8010 FURC=0TD7/EDRIC-0TD7/IFFC-ATHENBO90
8020 IF-(LGA)*Z29)+(LGA)*Z273+LGD
8030 REALPDZU, %HVIFH=0THENBO80
8040 ST=(A)VS2=LGD)*S3=LGD 8040 S1=L(A)\S2=L(B)\S3=L(C) 8050 S4=P1(S1)+P1(S2)+P1(S3) 8060 FFU>S4THEN8080 8060 FFU>S4THEN8080 8070 V=S4\F1=S1\F2=S2\F3=S3 8080 NEXTC SOME NEXTE \$100 NEXTE \$105 GDSUR9957\GDSUB8400\F4=112 \$110 IFF1<>0THENB150 \$120!*HE COMPUTER CANNOT MOVE. THEREFORE, IT IS CHANGING ALL OF• 8130!*ITS LETTERS• 8340 INPUTZ\$(1:15) 8380 RETURN 8380 RETURN
8400 U7=0
8405 TFU1</br>
9405 TFU1</br>
9410 U8=U2-U5\TFU8>0THEN8420
8412 U7=U7+(U18*60)\GUT08430
8420 U7=U7+(U3*46)
8430 U7=U7+U3-U6\RETURN 8430 READEZ20, XB(1), XB(2), XB(3), XB(4), XB(5), XB(6), XB(7), XB(8), XB(9)
8510 READEZ20, XB(10), XB(11), XB(12), XB(13), XB(14), XB(15)
8510 READEZ2, XB(10), XB(11), XB(12), XB(13), XB(14), XB(15)
8520 FORE—15T02105TEF15
8530 READEZ, XB(4+1), XB(4+2), XB(4+3), XB(4+4), XB(4+5), XB(4+6), XB(4+7), XB(4+8)
8540 READEZ, XB(4+9), XB(4+10), XB(4+11), XB(4+12), XB(4+13), XB(4+14), XB(4+15)
8550 NEXT



A mini floppy size hard disk plus controller with more . . .

- MORE STORAGE
- MORE SPEED
- MORE VALUE
- MORE SUPPORT

S100 users...the XCOMP subsystem is now available with 5 and 10 megabytes of storage. Compare the price and features with any other 51/4-inch—or even 8-inch system, and you'll agree that XCOMP's value is unbeatable.

OUTPERFORMS OTHER HARD DISKS

Floppy disk and larger, more expensive hard disks are no match for this powerful little system. More data is available on every seek: 64K on 10MB and 32K on 5MB. Faster seek time too — an average of 70MS. It provides solid performance anywhere with only 20 watts of power. Data is protected in the sealed enclosure, and the landing zone for heads provides another margin of safety. The optional power board (\$130.00) plugs directly into the S100 bus and provides power for the drive.

FAST CONTROLLER

The XCOMP controller is the key to this system's high efficiency operation. Speed-up features include interleave without table lookup, block-deblock with controller buffer, and read look-ahead. OEMs worldwide have already proven the outstanding performance of the XCOMP controller.

MORE SOFTWARE

Included with the system is software for testing, formatting, I/O drivers for CP/M®, plus an automatic CP/M driver attach program. Support software and drivers for MP/M® and Oasis® are also available. The sophisticated formatting program assigns alternate sectors for any weak sectors detected during formatting, assuring the lowest possible error rate — at least ten times better than floppies.

WARRANTY

The system has a full one-year warranty on parts and workmanship.

ALSO AVAILABLE FROM XCOMP

- General Purpose controllers (8 bit interface), with easy interface to microprocessor-based systems.
- GP controller adapter that plugs directly into most Z80 computers.
- ST/R GP controller for the 5MB and 10MB drive above, with ST506 type interface.
- SG/R GP controller for SA1000 interface.
- SM/R GP controller for storage module drives.
- ST/S, SG/S, and SM/S, same as above, for the S100 bus.

Quantity discounts available. Distributor, Dealer, and OEM inquiries invited.

See your local Dealer, or call:

XCOMP, Inc. 7566 Trade Street San Diego, CA 92121 Tel: (714) 271-8730

COMP Tel: (714) 271-Telex: 182786

> Oasis is a trademark of Phase One Systems. CP/M and MP/M are trademarks of Digital Research.

THE MOST

POWERFUL SMALL BUSINESS COMPUTER

IN THE

The IBC ENSIGN business computer was designed from the ground up to run MP/M, multi-user OASIS, MVT-FAMOS, and other multi-user Z-80 operating systems faster than any other computer in the world.

Consider these features:

- · Up to 16 users
- Up to 768K byte memory
- Up to 150M bytes/disk drive
- 17M byte tape cartridge
- . 46M byte 9 track tape
- 6 MHz Z-80B CPU

But it takes more than a lot of I/O ports, memory, and disk storage to make a super multiuser computer. The ENSIGN has what it takes.


MULTIPE MICROPROCESSORS: The ENSIGN has two separate Z-80's and 32K byte memory buffer to handle all I/O between CRT's and printers at baud rates up to 19,200 baud.

A third Z-80 handles all disk and tape I/O. Commands from the main CPU are totally supervised by the disk slave Z-80.

And the main CPU is the new 6 MHz Z-80B running at full speed with 120 nsec memory.

PERIPHERALS: The ENSIGN supports the tape and winchester disk family from Kennedy Co. These drives, tape cartridges, and 9 track tape drives are the premier of the industry. Yet prices are low on the ENSIGN.

SOFTWARE: If you are running MP/M, OASIS, or MVT-FAMOS you will run better on an ENSIGN. And if you're not already tied to one of these systems you may want to try IBC-SUPERDOS. SUPERDOS is very powerful and very very fast.



For dealership information contact:



21592 Marilla Street Chatsworth, CA 91311 • Call (213) 882-9007

465 F=B(D)*27 468 JFA=00RA=14THEN500

The following have registered trademarks 2 80 - ZILOG • MP/M DIGITAL RESEARCH • DASIS - PHASE ONE SYSTEMS MYT FAMOS MYT MICROCOMPUTER SYSTEMS


Listing 7: SHORT, a slower version of the program SCRABBLE (listing 6), needs only 32 K of memory to run.

32 K of memory to run. LOAD SHORT 1 ITHIS PROGRAM WAS WRITTEN BY ITAR(40). LIK DATA RESEARCH
2 ITAB(40). MOX 74 NITAR(40). MIDDLE VILLAGE, NEW YORK ILX79 NIT
3 ITAB(40). MOX 74 NITAR(40). MIDDLE VILLAGE, NEW YORK ILX79 NIT
4 ITOTHER FINE PROGRAMS ARE AVAILABLE.
5 ITHER FOR INFORMATION TO OBTAIN COPIES ON DISKETTE OR FOR IRS 80.5.*
6 IT VER WORDS CHECKED MAX TIME.
6 IT VER WORDS CHECKED MAX TIME.
7 ITHER ARE TEN VERSIONS OF THIS GAME WHICH BO THE FOLLOWING: NIT.
8 ITS THE ARE TEN VERSIONS OF THIS GAME WHICH BO THE FOLLOWING: NIT.
9 INPUT WHAT VERSION (1-10) * VERSION I IS BEST AND 10 WORST ? * RZ
10 R7 *INTOR?NITERS/TORRZ TOTHERMSV2*INT(CR2/44/25)
11 DIMB*(1129).RC(40).(72).CC(33).P(225).PI(225).PI(225).FI(23).RC(31).F(225)
12 FORA-LIO22SKE AND POLA).NKTXFORA-LIOZASKEADE(A).NEXT
13 OPENIO.*MOKED**NOPENII.*REC*NOPENI2**GAME*
14 INPUT*TYPE YES IF YOU WANT TO CONTINUE LAST GAME PLAYED ? * RA
16 IFEK***THEN 18
17 IER*(1,1)**Y*THENIBNGOSUBBSOONGOTO22
18 INPUT*TYPE YES IF YOU WANT TO CONTINUE LAST GAME PLAYED ? * RA
16 IFEK***THEN 18
17 IER*(1,1)**Y*THENIBNGOSUBBSOONGOTO22
18 INPUT*TYPE YES IF THE COMPUTER GOES FIRST ? * RANIFK***THEN30
20 IFEK*(1,1)**Y*THENIBNGOSUBBSOONGOTO22
18 INPUT*TYPE YES IF THE COMPUTER OLDS FIRST ? * RANIFK***THEN30
21 INPUT*TYPE YES IF THE COMPUTER SETTERS ? * RANIFK***THEN30
22 INPUT*TYPE YES IF THE COMPUTER SETTERS ? * RANIFK***THEN30
23 INPUT*TYPE YES IF THE COMPUTER SETTERS ? * RANIFK***THEN30
24 INPUT*TYPE YES IF THE COMPUTER SETTERS ? * RANIFK***THENSO
25 INPUT*TYPE YES IF THE COMPUTER SETTERS ? * RANIFK***THENSO
26 INPUT*WHAT ARE THE COMPUTER SETTERS ? * RANIFK***THENSO
27 INPUT*TYPE YES IF THE COMPUTER SETTERS ? * RANIFK***THENSO
28 INPUT*TYPE YES IF THE COMPUTER SETTERS ? * RANIFK***THENSO
29 ITALEBOOND***THENSO***THENSO***THENSO***THENSO***THENSO***THENSO***THENSO***THENSO****THENSO***THENSO***THENSO****THENSO**T LIST CHAIN'S'
IFAI-OTHENIOO
INPUT'WHAT WORD DID YOU SPELL ? ',K\$
IFA2-AL+10THENBO
C=LEN(K\$)\A=A2-A1+1\NIFC<\ATHEN32
C=1\NEORA-A1TOA2\R=A\$5\R\$(R-4,R)=',\NIFC+A1R-A1TOA2\R=A\$5\R\$(R-4,R)=',\NIFC+A1R-A1TOA2\R\$(R-4,R)=',\NIFC+A1R *\B\$(B-2,B-2)=K\$(C,C)\D\$=K\$(C,C) *\B\$(B-2.B-2)=K\$(C.C)\D\$=K\$(C.C) GOSUB8600 93 GUSUBBA00 96 K\$=\\$+************ 98 WKITE\$1,A1,K\$(1,7),U0 90 GUSUB1000\GUT040 100 GUSUB957\U4-U1\U5=U2\U6=U3 105 FURA=0TU7\C=A*8\FDRB=OTU7\D=C+B\IFA<>BTHEN110 100 | FORA-OTOTYCE-##8NFORB=OTOTYD=C+B\IFA<\BTHEN110
107 | C(0,D)=O\GOTO115
10 | C(0,D)=C\GOTO115
110 | C(0,D)=C\GOTO115
110 | C(0,D)=C\GOTO115
125 | C(1,D)=C\GOTO1135
125 | C(1,D)=O\GOTO1135
130 | C(1,D)=C\GOTO135
130 | C(1,D)=C\GOTO155
140 | C(2,D)=C\GOTO155
150 | C(2,D)=C IFTO=OTHEN205
IFB(D)=OTHEN300\U=0
IFC:3THEN235
IFB(D=1)ORB(D=2)ORB(D+1)>OTHEN235
IFD:4THEN235
IFD:4THEN235
IFD:3ANDB(D=3)>OTHEN235
IFC:3ANDB(D=3)>OTHEN235
IFC:3ANDB(D=3)>OTHEN235
IFC:3ANDB(D=3)>OTHEN235
IFC:3ANDB(D=3)>OTHEN235
IFC:3ANDB(D=3)>OTHEN235
IFC:0THEN230\S1=D=2\S2=D=1\S3=INT(G/729)\S4=INT((G-(729*S3))/27) 228 IFH=OTHEN230\S1=D-2\S2=D-1\S3=INT(8/729)\S4=INT((G-(729)S4)=INT((G-(729)S4))S4=INT((G-(729)S4)S4)S4)S5 F=B(D)**279
235 F=B(D)**279
237 IFC>137HEN265
238 IFD-1<1THEN265
240 IFB(D+1)URB(D+1)>OTHEN265
245 IFC<13ANDB(D+3)>OTHEN265
245 IFC<13ANDB(D+3)>OTHEN265
245 IFC<13ANDB(D+3)>OTHEN265
245 IFC<13ANDB(D+3)>OTHEN265
245 IFC<13ANDB(D+3)>OTHEN265
245 IFC<13ANDB(D+3)>OTHEN265
255 FFH=OTHEN260\S1=D+1\S2=D+2\S4=G-(INT(G/729)*729)
250 NEXT
260 NEXT
265 F=B(D)**27 260 NEXT
265 F=B(D)*27
268 IFC=10RC=15THEN300
269 IFD=2:1THEN270\IFF(D=2)>OTHEN300
269 IFD=2:1THEN270\IFF(D=2)>OTHEN300
270 IFF(D=1)ORB(D=2)>OTHEN300
271 IFC>2ANDB(D=2)>OTHEN300
272 IFC>2ANDB(D=2)>OTHEN300
273 IFC=14ANDB(D=2)>OTHEN300
274 IFC<14ANDB(D=19)>OTHEN300
275 FORE=OTD635TEPR7\G=FtC(2;E)\IFF=OTHEN270\READ#0ZG,*H
278 IFH=0THEN270\IFF=0THEN270\IFF=0THEN270\READ#0ZG,*H
278 IFH=0THEN270\IFF=0THEN270\IFF=0THEN270\READ#0ZG,*H
279 NEXT
300 ERRSET 300,UB,UQ\NEVT\IFF=0THEN270\IFF=0T NEXI ERRSET 300,VB,V9 ERRSET 500,VB,V9 FORA=0T014SIEPV7\B=A*15\FORC=1T015STEPV7\D=C+B\F=B(D) IFTO=OTHEN405 402 IFTO=OTHENAOS 405 IFF=OTHENSOOV=0 410 IFA:C2THENA35 415 IFB(D=15)ORB(D=30)ORB(D+15)>OTHEN435 419 IFIC:46THEN435 420 IFA:2ANDB(D=45)>OTHEN435 420 IFA:2ANDB(D=45)>OTHEN435 421 IFA:0THEN430\S1=D=30\S2=D=15\S3=INT(G/729)\S4=INT((G-(729*S3))/27) 422 IFH=OTHEN430\S1=D=30\S2=D=15\S3=INT(G/729)\S4=INT((G-(729*S3))/27) 429 GOSUB5000 429 GUSUR5000
430 MEXT
435 F=R(D)#729
437 IFA-12THEN465
438 IFD-15<\CHECKLOPETCHEN465
438 IFD-15<\CHECKLOPETCHEN465
438 IFD-15<\CHECKLOPETCHEN465
440 IFF(CH-15)ORF(D+30)>0THEN465
445 IFA-(12ANDBCD+45)>0THEN465
445 IFA-(12ANDBCD+45)>0THEN465
455 IFH-DTHEN460\SI-DH-15\S2-D+30\S4-B-(INT(G/729)#729)
457 IFH-DTHEN460\SI-DH-15\S2-D+30\S4-B-(INT(G/729)#729) 457 S3=INT(S4/27)\S4=S4-(27*S3)\G0SUB5000 460 NEXT


leach your little ple big-ti ectronic mai

New York

Los Angeles



For the first time, you can move just about anything in your Apple II[™] computer to any other Apple, anywhere in the world. Micro-Courier $^{\text{\tiny{M}}}$ allows you to electronically mail charts, graphs, correspondence, VisiCalc® reports and entire programs. You



spend far less time on the phone. And, in a matter of moments, you transmit material

the Post Office takes days to deliver.

Unlike traditional electronic mail, Micro-Courier doesn't require expensive central computers or special phone lines. Using standard lines, you benefit in two important ways. First, you communicate outside your company, not just within it. And second, you realize tremendous savings on late-night rates. Micro-Courier takes advantage of them automatically, without anyone in attendance.

What's more, Micro-Courier will exchange data with time-sharing systems and larger computers. Even if you don't own an Apple, Micro-Courier is the best reason in years to go out and get one. Call our toll-free number today. And make your little Apple heard 'round the world.

We make little computers talk big.

Micro-Courier is distributed by Apple Computer. Call 800-547-5995, ext.188 for the dealer nearest you.

Dealer inquiries invited.

TLANTIC COMPUTER **INDUSTRIES**

IMS, MORROW, ADDS, APPLE, TELEVIDEO ITHACA, IBM, SCION, NEC, MUSYS HAZELTINE, QUME, HAYES ...and much more.

We provide fully integrated and tested computer systems: IMS, Calif. Computer Systems, Morrow, Vector. Ithaca — CALL

MUSYS SINGLE BOARD COMPUTER Z80A Processor, 64 K Dynamic RAM, Console Serial Port, S-100 Parallel Interface Bootstrap PROM \$1295

dBASE II from Ashton-Tate Easy to use, CP/M compatible,

extends power of your micro to mainframe database capabilities. Money back guarantee \$595

QUME DISK DRIVES

Data Track 8", Double sided disk 2 Qume DT 8" complete with cabinet, power supply, \$1629 & fan . .

Also available with Shugart drives CAII

CORVUS Hard DisK System available for S-100, Apple, & TRS-80 CALL

ADDS VIEWPOINT CRT .. \$599 **TELEVIDEO** 910 CRT \$650

IBM 3101 CRT Model 10 \$1295 Model 20 \$1495

PRINTERS:

ANADEX DP 9500/9501 .. \$1299 DP 9000/9001 ... \$1249 **EPSON** MX 80 \$ 519

\$ 795 MX 100 QUME SPRINT 9 NEW!

Graphics Equipment . . .

MICROANGELO GRAPHICS Subsystem From Scion .. \$2229

Screen Pak II \$ 350 S-100 Graphics Board \$ 925

HIPAD DIGITIZER from Houston Instruments For S-100 Systems, Apple, & TRS-80 \$750

We carry a complete line of Microsoft, Micro Pro and Personal Software products.

COMPUTER INDUSTRIES CORP. Call or Write Today for FREE CATALOG

80 BROAD STREET, SUITE 404 NEW YORK, N.Y. 10004. (212) 376-5978

Listing 7 continued: 469 IFD-30<1THEN470\TFB(D-30)>OTHEN500
470 IFB(D+15)ORB(D-15)ORB(D+30)>OTHEN500
472 IFA>1ANDB(D-30)>OTHEN500
474 IFA<1ASNDB(D+30)>OTHEN500
475 FORE-0T063STEPRZYG=F+C(2+E)\JFG=0THEN490\READ#0ZG,8H
478 IFH=OTHEN490\S1=D-15\S2=D+15\S3=INT(G/729)
480 S4-G-(S3*729)\S4-S4-(INT(S4/27)*27)\GOSUB5000
490 NEXT
500 FRESFT 500+UB+U9\NEXT\NEXT 500 ERRSET 500, UB, U9\NEXT\NEXT 505 GOSUB9RS7\GOSUB8400 507 Q\$(1,7)="*******\Q\$(1,1)=CHR\$(64+M3)\Q\$(2,2)-CHR\$(64+M4) 509 WRITE#1,M1,Q\$(1,7),U7 510 IFM1 OTHENS50 515 !** 520 !**HE COMPUTER CANNOT MOVE. THEREFORE, IT IS CHANGING ALL OF* 525 !*ITS LETTERS* 525 ''1TS LETTERS'
540 GOTO30
550 IFM3=OTHENM3=-32\IFM4=OTHENM4=-32
555 B=M1x5\Bs(B-4,B)=' \\Bs(B-2,B-2)=CHR\$(M3+64)
570 GOSUB1000
**\Bs(B-2,R-2)=CHR\$(M4+64) 570 GOSUBIO00
580 B(M1)=M3\B(M2)=M4
600 !*THE COMPUTER PLACED *,CHR\$(M3+64),* ON BOX*,M1
610 !*THE COMPUTER PLACED *,CHR\$(M4+64),* ON BOX*,M2,
615 !* CALCULATION TIME*,U7.* SECONDS*
614 IFM3<0*THENRE(M1)=O\TFM4<0*THENR(M2)=O
620 M1=O\M2=O\M3=O\M4=O
625 GDEUBBAOO 325 GDSUB8800 630 GUID30
1000 FURG-ITU24\1'\NEXT
1001 !R\$(0001,0075),''
1010 !B\$(0076,0130),''
1020 !B\$(0076,0130),''
1030 !B\$(0036,0300),''
1040 !B\$(0036,0300),''
1050 !B\$(0376,0450),''
1050 !B\$(0376,0450),''
1070 !B\$(0526,0600),'' 630 GOTO30 1080 |B\$(0601,0675),* 1090 |B\$(0676,0750),* 1100 |B\$(0751,0825),* 1110 !B\$(0826,0900), 1120 | B\$(09701-0975),*/*
1130 | B\$(09701-0975),*/*
1140 | B\$(10951,1035),*/*
1140 | B\$(1051,1125),*/*
1141 | GOT01150
1142 FORA-0T014\FORB=1T015\C=(15*A)+B\!B(C),\NEXT\!'*\NEXT
1150 RETURN
2000 FORA=1T01121STEP5\B\$(A,A)=*/*\NEXT
2005 IFRO-97HENRETURN
2010 FORA=1T0225\E=INT(A/100)\F=A-(100*E)\R=INT(F/10)\C=F-(10*B)
2012 D=(A-1)*\$5\D=12
2014 IFE=OTHEN2020
2016 E=E+48
2018 B\$(I),D)=CHR\$(E)
2019 B\$(D+1)=CHR\$(E)
2020 D=D+1 1120 !B\$(0901,0975),*/ 2020 D=D+1 2030 IFR=0THEN2050 2040 B=B+48 2045 B\$(D,D)=CHR\$(B) 2050 D=D+1\C=C+48\B\$(D,D)=CHR\$(C) 2060 NEXT\RETURN 2060 NEXT\RETURN
2060 NEXT\RETURN
3000 \$5=8(B)\$5=P1(\$5)\T1=0\T2=0\T3=0
3001 \$F\$3>0ANDF(\$1)>0THENRETURN\IF\$4>0ANDF(\$1)>0THENRETURN
3002 \$FORA1=1T02\A2=\$1\A3=\$3\IFA1=1THEN3010
3005 A2=\$2\A3=\$4
3010 \$F\$3=0THEN3300
3015 \$T=0\Y000F0R5=A2-1\$T0A2-45\$TEP-15
3018 \$FA5<1THENEXIT3030
3020 \$F\$4(\$5)=0THENEXIT3030
3025 \$T=T1+1\NEXT
3030 \$IFT>2THENEXIT3099
3035 \$U=0\Y000F0R5=A2+1\$\$T0A2+4\$\$TEP15
3040 \$F\$5\Y000F0R5=A2+1\$\$T0A2+4\$\$TEP15
3040 \$F\$5\Y000F0R5=A2+1\$\$T0A2+4\$\$TEP15
3040 \$F\$6(\$5)=0THENEXIT3055 3045 IFB(AS)=0THENEXIT3055
3050 U=U+1\NEXIT 3099
3060 IFU+T=2THENEXIT 3999
3060 IFU+U=0THEN3300
3062 IFT+U=0THEN3300
3065 IFT<>2THEN=3300
3065 IFT<>2THEN=3070\T=2-30\T2=42-15\T3=42\GDT03200
3070 IFT=1ANDG=0THEN3075\GDT03200
3070 IFT=1ANDG=0THEN3075\GDT03200
3080 IFT<1a\T2=42-15\T3=42\GDT03200
3080 IFT<1a\T2=42-15\T3=42\GDT03200
3090 IFU<1ANDU<>\thermion=1THEN309\T1=42-15\T2=42\T3=42+15\GDT03200
3090 IFU<1ANDT<>\thermion=1THEN309\T1=42-15\T3=42+30\GDT03200
3090 IFU<1ANDT<>\thermion=1THEN309\T1=42-15\T3=42+30\GDT03200
3090 IFU<1ANDT<>\thermion=1THEN309\T1=42-15\T3=42+30\GDT03200
3090 IFU<1ANDT<>\thermion=1THEN309\T1=42-15\T3=42+15\GDT03200
3090 IFU<1ANDT<>\thermion=1THEN300\T1=0\T2=42\T3=42+15\GDT03200
3091 IFU<1ANDT<\thermion=1THEN300\T1=4\T4=15\ 3045 IFB(A5)=OTHENEXIT3055 3210 READ+0XT-XH\IFH<>OTHEN3300\V=0\RETURN 3300 NEXT\GDSUB6000\RETURN 3320 RETURN 3320 RETURN
3999 F(A2)=1\RETURN
3999 F(A2)=1\SS=P1(S5)\T1=0\T2=0\T3=0
5001 FS=SE(D)\SS=P1(S5)\T1=0\T2=0\T3=0
5001 FS3>0ANDF(S1)>0THENRETURN
5002 FORA1=1T02\A2=S1\A3=S3\IFA1=1THEN5010
5005 A2=S2\A3=S4
5010 IFA3=0THEN5300
5012 A6=ITNT((A2-1)/15)\A7=A2-(A6*15)\A6=A7
5013 R9=1
5015 I=0\SPBA5=A2-1TAA2-3EYES JO13 KY=1
5015 T=0\F0RA5=A2-1T0A2-3STEP-1
5017 A7=A7-1\IFA7<1THENEXIT5030
5020 TFE(A5)=0THENEXIT5030
5025 T=T+1\NEXT
5030 IFT>2THENEXIT599
5031 R9=2
5035 U=0\S0PA5=A314732

5035 U=0\F0RA5=A2+1T0A2+3\A6=A6+1 5040 IFA6>15THENEXIT 5055 5045 IFB(A5)=OTHENEXIT 5055

5045 IFB(A5)=0THENEXIT 5055
5050 U=U+1\NEXIT
5055 IFU_2THENEXIT5999
5060 IFU+1>2THENEXIT5999
5060 IFU+1>2THENEXIT5999
5062 IFI+U=0THEN55300
5062 IFI+U=0THEN55300
5063 IFI-1=ANDG=0THEN5075\50105080
5070 IFI=1ANDG=0THEN5075\50105080
5070 IFI=1ANDG=0THEN5075\50105080
5070 IFI=1ANDG=0THEN5075\50105080
5080 IFU_2A1\T3=A2\50105200
5080 IFIU_2THEN5092\T1=A2\T1Z=A2\T1Z=A2\T3=A2\T1\G0T05200
5090 IFU_2THEN5092\T1=A2\T1Z=A2\T1Z=A2\T3=A2\T1\G0T05200
5090 IFU_1ANDT□0THEN5100\T1=0\T2=A2\T1Z=A2\T13=A2\T1\G0T05200
5100 !WE HAVE AN ERROW IN THE PROGRAM'\END
5200 I=(729*B(T1))+(27*B(T2))+B(T3)
5202 IFA2=TITHENT=T+(729*A3)

Listing 7 continued on page 336

THE FORMULATM allows the computer professional to focus on the most important part of business: the needs of the client. Customized systems for any business application can be created in a fraction of the time required by conventional methods.



- Interactive data entry, file updating, and maintenance routines are automatically generated from a definition of the fields.
- Reports can be created through a unique full screen editor simply by typing a sample format.
- Menus and job streams are defined through a preprogrammed parameter-driven procedure.
- Fast response time is insured because each routine can be interpreted directly by the computer and data management is controlled by an efficient ISAM algorithm.

THE FORMULA[™] is a complete system language which brings the process of developing applications closer to the user's description of his needs. That's THE FORMULA[™] for success.

Disk and manual, \$595. Manual only, \$60.

THE FORMULATM will run on any 8080 or Z80 computer with CP/M,* 48K RAM, 300K total disk storage, and a CRT.

DMA • WE SPEAK YOUR LANGUAGE.

THE FORMULA™ For Success can help you build systems. Now, the General Accounting System, created with THE FORMULA™ is available at no extra charge.

AT NO EXTRA CHARGE The General Accounting System includes:

- General Ledger: Journals, Trial Balance, Income Statement, Balance Sheet, etc.
- Accounts Payable: A/P Journals, Checks, Aged Payables, Vendor Report, etc.
- Accounts Receivable: A/R Journals, Aged Receivables, Customer Statements, Customer Activity Report, etc.

In addition, two new optional packages have been developed for use with **THE FORMULA™**:

Professional Time Management

\$80

Label Option Pak

\$80

Manager's Billing Report, Employee Production Report, Client Invoices, etc.

Name Inversion, Multiple Up Labels, Customized Label Size and Format, etc.

Circle 132 on inquiry card.

S SAVE S

CALL MBC. . . (203) 342 2747

COMPUTERS

NORTH STAR	
HRZ-1Q-64K-HD5 Save over \$1600	.00!!
	\$3550
	\$Call
	SCall
HEWLETT-PACKARD	
	\$2795
	\$Call
HP Calculators In Stock 15% O	
ATARI	
800 16K	\$ 759
	\$ 345
ZENITH	
	\$2068
Z-89 All-In-One-Computer	\$2275
COMMODORE	
CBM. PET 32K COMPUTER	
LIMITED TIME & QUANITY	\$ 975
8032 Large 80 Col. Screen	\$Call
8050 Dual Disk Drive 1 Meg	\$Call
4032 B or N 40 Col. Screen	\$Call
4040 Dual Disk Drive 360K	\$Call
Vic-20 Color Computer	\$ 275
INTERTEC SUPERBRAIN	
64K-DD	\$2775
64K-QD	\$3180
ALTOS SYSTEMS	
	\$3150
ACS 8000-2D 2 Meg	\$4390
ACS 8000-10 4 User	\$6795
ONYX C8002 \$	14900
Verbatim Disketts	
	24.50
	37.50

PRINTERS

DIABLO 630	\$CALL
NEC SPINWRITER 7730/7710	SCALL
NEC 7720 KSR	\$2890
NEC 3510/3530 (35 CPS)	\$1950
C.ITOH	\$1499
OLYMPIA ES-100 Typewriter/	Inter \$1250
IDS Paper Tiger 445G	\$CALL
460G	SCALL
560G	\$1150
ANADEX 9500/9501	\$1290
CENTRONICS 730-1	\$ 550
737-1	\$ 699
EPSON-MX80 W/Friction Opt.	SCALL
MX=70	\$ 395
MX-100	SCALL
OKIDATA MICROLINE 80	\$ 375
82	\$ 495
83	\$ 750

TERMINALS

TELEVIDEO	920C				850
	950			\$1	1050
INTERTUBE	III/Emu	lator		\$	725
ZENITH Z-1	9			\$	820
ZENITH 12'	Green	Monito	or	\$	139
LEEDEX / AMI				\$	165

Above items may be ordered by mail or phone. Visa & Master Charge accepted. Factory Sealed, Manufacturers Warranty --- Prices Subject To Change ---

(203) 342 - 2747

Multi-Business Computer Systems Inc.


28 MARLBOROUGH STREET PORTLAND, CONN. 06480 TWX/TELEX 710-428-6345

Listing 7 continued:

```
5204 IFA2=T2THENT=T+(27*A3)
5206 IFA2=T3THENT=T+A3
5210 READMOQT+ x8H\TH->OTHEN5300\U=0\RETURN
5300 NEXT\GGSUB6000\RETURN
5799 F(A2)=1\RETURN
6000 T(1)=T1\T(2)=T2\T(3)=T3\U9=0\U=0
   6000 T(1)=T1\T(2)=T2\T(3)=T3\V9=0\V=0
6005 IF1\t1+T2\t13=0THEN6100
6010 F0RZ=1T03\V8=T(Z)
6020 IFV8=0THEN6050
6030 IFV8=04THEN6040\Z1=F(A2)\G0T06050
6040 V8=B(V8)\V9=U9+F1(V8)
         A050 NEXT
   6105 IF53=OTHEN6140
6105 IF53=OTHEN6140
6110 DNF(S1)+160T06120,6120,6120,6130,6130
6120 V9=V9+(P1(S3)*(F(S1)+1))\60106140
6130 V9=V9+P1(S3)
         6130 V9=U94F1(S3)
6140 IFS4=01HFN6170
6142 BNF(S2)+160TD6150+6150+6150+6160+6160
6150 V9=V9+(F1(S4)*(F(S2)+1))\G0TD6170-6160
6150 V9=U94F1(S4)
6170 IFF(S1)=3ANDS3:0THENV9=U9*2
6175 IFF(S2)=3ANDS3:0THENV9=U9*2
6180 IFF(S1)=4ANDS3:0THENV9=U9*3
6180 IFF(S2)=3ANDS3:0THENV9=U9*3
6190 U=V+V9
6190 U=V+V9
1815 IFF(S2)=AANDSQ=OTHENU9=U9*3
4190 U=V+U9
4:00 IFU0=VITHENETURN
4:010 U0=VHU9
4:00 IFU0=VITHENETURN
8:000 IMPUI WHAT ARE THE COMPUTER'S LETTERS ? *,L$(1,7)
8:001 FORA=IT07.Nb=t$(A;A)X.(A)=ASC(ID$)-64\IFL(A)*OTHENL(A)=I\NEXT
8:001 V=O\GOSUB9857\U4=U1\U5=U2\U6=U3
8:005 FURA=OTU7\FURB=OTU7\IFB=ATHENBO90
8:010 FORA=OTU7\FURB=OTU7\IFB=ATHENBO90
8:010 FORA=OTU7\FURB=OTU7\IFB=ATHENBO90
8:010 FORA=OTU7\FURB=OTU7\IFB=ATHENBO90
8:010 FORA=OTU7\FURB=OTU7\IFB=ATHENBO90
8:010 FURA=OTU7\FURB=OTU7\IFB=ATHENBO90
8:010 FURS=OTU7\IFB=ATHENBO90
8:02 FURS=OTU7\IFB=ATHENBO90
8:02 FURS=OTU7\IFB=ATHENBO90
8:03 FURS=OTU7\IFB=ATHENBO90
8:04 FURS=OTU7\IF
                   6200 IFVO VTHENRETURN
         8320 | 123456789012345*
8330 | 18701754(1,15)
8330 | 18701754(1,15)
8330 | 18701754(1,15)
8330 | 18701754(1,15)
8330 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8340 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15)
8350 | 18701754(1,15
         8400 U7=0
8405 IFU1<>U4THENU7=3600
8410 U8=U2-U5\IFUB>0THENB420
8412 U7=U7+(U8*60)\G0TOB430
8420 U7=U7+U2*60
8430 U7=U7+U3*60
8430 U7=U7+U3-U6\RETURN
8500 READ#220,RB(1),RB(1),RB(2),RB(4),RB(5),RB(6),RB(7),RB(8),RB(9)
8510 READ#228,RR(10),RB(11),RB(12),RB(13),RB(14),RB(15)
8520 FORA=15TO210STEP15
8520 FORA=15TO210STEP15
B500 READ#20, ABC(1)*AB(2)*AB(4)*AB(5), AB(4), AB(5), AB(7)*AB(8), AB(9)
B510 READ#20; ABC(1)*AB(1)*AB(12)*ABC(13)*ABC(14)*ABC(15)
B520 FORA-15T0210STEP15
B530 READ#20; ABC(41)*ABC(4+2)*ABC(4+3)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+1)*ABC(4+
```

TURN ON YOUR COMPUTER WITH A MEMORY

WE'LL MAKE YOUR LSI, MOTOROLA AND MULTIBUS SYSTEMS WORK LIKE THEY NEVER WORKED BEFORE.



512KB SINGLE BOARD MULTIBUS® MEMORY First to Offer 512KB on One Board


- Pin-to-pin MULTIBUS compatibility for both 8-bit and 16-bit systems.
- On-board parity with selectable interrupt on parity ERROR.
- Addressable as a contiguous block in 16K word increments up to 16 Mega Bytes.


SINGLE QTY. PRICE: 128K x 9 \$795. 512K x 9 \$1,995.

64KB LSI 11/2, LSI 11/23® SINGLE DUAL WIDTH BOARD

- Addressable as a contiguous block in 4K word increments through 4 Mega Bytes.
- On-board parity generator checker.
- Power requirements are +5V 1.0A, +12V 300mA, +12VB 300mA.

SINGLE QTY. PRICE: 32K x 18 \$575.





256KB LSI 11/23® SINGLE DUAL WIDTH BOARD

First 256KB Memory on a Single Dual Board.


- Addressable as a contiguous block in 4K word increments through 4 Mega Bytes.
- On-board parity generator checker.
- Power requirements are +5V 1.2A.
- Battery back-up mode.

SINGLE QTY. PRICE: 128K x 18 \$1,795.

64KB EXORCISER I, II, and Rockwell System 65 Single Board Memory.

- Addressable as a contiguous block in 4K word increments with respect to VXA or VUA.
- · Parity checker on board.
- Functions with on-board hidden refresh up to 1.5 meghz clock rates.
- Functions with cycle stealing refresh at 2 meghz clock rates.

SINGLE QTY. PRICE: 64K x 9 \$575.



DON'T ASK WHY WE CHARGE SO LITTLE, ASK WHY THEY CHARGE SO MUCH.



Chrislin Industries, Inc.

31352 Via Colinas • Westlake Village, CA 91362 • 213-991-2254 TWX 910-494-1253 (CHRISLIN WKVG)

Multibus is a trademark of the Intel Corp.

LSI 11 is a trademark of Digital Equipment Corp.

EXORciser is a trademark of Motorola.

BYTE December 1981

Text continued from page 324:

move was performed by the computer.

In the sample game, the level 1 game was used, so the computer played slowly. As the game progressed, the possible number of moves increased. The computer needed 23 minutes and 46 seconds to calculate its final move. Fear not, listing 14 shows a replay of the sample game using computer Scrabble level 6. Using this version, all moves were made in approximately 60 sec-

In listing 15, the final Scrabble board resulting from the sample game is displayed. This board was produced using the "continue last game" option and was generated without square numbers—giving more clarity to the display.

In listing 16, the inputs to preset a game board are shown. In listing 17, you can see what happens when the computer cannot find a legal move it asks for new letters. Listing 18 is a TRS-80 Level II BASIC version of the SCRABBLE program.

The Scrabble simulation is very helpful in solving end-game problems. Since it specializes in placing two letters on the game board, you can use the simulation to find the highest-scoring positions for your last few letters.

The Future of Computer Scrabble

To date, the best level of the game plays a little slow, and a broader vocabulary is needed. The slowness Text continued on page 346

Listing 8: REPORT prints a summary of the most recent game played; data are stored in a file called REC.

10 OPEN#1, "REC" ! "MOVE BOX LETTERS TIME" 18 20 READ#1, A, Z\$(1,7), B 30 IFA<0THEN100 40 C=C+1 50 !%4I,C,A,* ",Z\$(1,7),%6I,B 00 007020 100 !""\!""\!"TIME OF 1 MADE BY HUMAN PLAYER." 110 !"TIMED MOVES WERE MADE BY COMPUTER" 120 CHAIN"S" READY

Listing 9: Sample printout of the beginning of a session with a Scrabble system.

LOAD S READY RUN

WELCOME TO THE SCRABBLE SIMULATION MODEL YOU HAVE THE FOLLOWING SEVEN OPTIONS:

O END THE SIMULATION

1 CREATE A FILE FOR THE COMPUTER'S VOCABULARY
2 INPUT OR DELETE WORDS TO OR FROM THE COMPUTER'S VOCABULARY

3 LIST THE ENTIRE VOCABULARY

4 CONVERT A PROGRAM CODE NUMBER INTO A WORD 5 PLAY A GAME OF SCRABBLE AGAINST THE COMPUTER 6 GET A SUMMARY REPORT OF THE GAME JUST PLAYED

YOUR SELECTION ? 2

ENTER DELETE TO DELETE WORDS OR ANYTHING TO ADD ? ADD NEW WORD ? ZIP NEW WORD ?

READY ?

WELCOME TO THE SCRABBLE SIMULATION MODEL YOU HAVE THE FOLLOWING SEVEN OFTIONS:

O END THE SIMULATION

1 CREATE A FILE FOR THE COMPUTER'S VOCABULARY
2 INPUT OR DELETE WORDS TO OR FROM THE COMPUTER'S VOCABULARY

3 LIST THE ENTIRE VOCABULARY

4 CONVERT A PROGRAM CODE NUMBER INTO A WORD 5 PLAY A GAME OF SCRABBLE AGAINST THE COMPUTER 6 GET A SUMMARY REPORT OF THE GAME JUST PLAYED

YOUR SELECTION ? 4

INPUT O TO END GIVE TEST NUMBER ? 893 GIVE TEST NUMBER ? 0

READY T

Exploration of the arts computer technology.

DIGITAL HARMONY by John Whitney

Lays the foundation for the whole new field of audio-visual art made possible by microcomputers. Whitney, a pioneer of the special effects technology used in STAR WARS and 2001: A SPACE ODYSSEY, explains the special union of computer graphics and music Illustrations and descriptions of Whitney's computer, peripherals, and film techniques. ISBN 07-070015-X, 240 pp., hardcover \$21.95

INVERSIONS: A Catalogue of Calligraphic Cartwheels by Scott Kim

Filled with intriguing designs, words that read the same right-side up and upside down, words within words, and unexpected symmetries, these compositions create a fresh way to look at the alphabet. Invertible writing appeals to everyone who loves beauty in mathematics and design ISBN 0-07-034546-5, 128 pp., softcover \$8.95


70 Main St. Peterborough, NH 03458



Order by mail or phone. Call to	i free 800-258-5420.
Please send:DIGITAL HAR!	MONY \$21.95 88.95
Add 75c per book to cover postage Check enclosed in the amount of VISA MasterCard	and handling. S
Card #	Expires
Name	
Street	
City Sta	te Zip

Circle 468 on inquiry card.

NEC[™] does it again!



The NEC™ 8023 matrix printer outperforms every printer in its price range! Unbelievable? Do a comparison and see for yourself...

FEATURES:

- High Resolution Graphics: 144 x 160 dots/inch
- Proportional Spacing
- Lower Case Descenders
- 9 x N Dot Matrix
- 8 Character Sizes
- 5 Unique Alphabets
- Greek Character Set
- Graphic Symbols

- 100 CPS Print Speed
- Bidirectional, Logic Seeking Printing
- Adjustable Tractors
- Single Sheet Friction Feed
- Paper Empty Sensor
- Vertical & Horizontal Tabbing
- Bidirectional Paper Feed
- Bold & Underlined Print

Yes, once again NEC has engineered a superior printer as it did with the NEC Spinwriter.™ The 8023 Matrix Printer is backed by the NEC warranty and complete support organization. To place an order, call Orange Micro or visit one of the Orange Micro Printer Stores.



3150 E. La Palma Suite G Anaheim, CA 92806

(714) 630-3322 ● (213) 501-3486 ● (800) 854-8275

Listing 10: Selecting option 3 from the main menu (which runs the program in listing 5) gives the user a list of the computer's current vocabulary of two- and three-letter words.

THE CURRENT LIST OF THE COMPUTER'S VOCABULARY FOLLOWS:

							CARRELING.		1										
A		AE	AH	AI	AM	AN	AR	AS	AT	AX	AY		BE	BY	DE	DO	EH	EL	EM
EN		EX	FA	GO	HA	HE	HI	HO	ID	IF	IN	IO	IS	IT	JA	JO	KA	LA	LI
LC		ME	MI	MU	MY	NA	NO	NU	OD	OF	OH	ON	OR	OS	OX	PA	PE	PI	RE
SI		TI	TO	UP	US	UT	WE	WO	XI				ACE			2000			
AGO					AIN														
ANT		AFE																	
	AZO																		
	BOA																		
	CAT																		
	DAB																		
	DON																		
	EGO																		
FAG	FAN	FAR	FAS	FAT	FAX	FED	FEE	FEN	FET	FEU	FEW	FEY	FEZ	FIB	FID	FIE	FIG	FIN	FIR
FIT	FIX	FIZ	FLY	FOR	FOE	FOG	FOH	FON	FOP	FOR	FOX	FOY	FRO	FRY	FUB	FUN	FUR	GAR	GAD
GAE	GAG	GAL	GAF	GAR	GAS	GAY	GED	GEE	GEM	GET	GEY	GIB	GID	GIE	GIG	GIN	GIP	GNU	GOA
GOE	GOD	G00	GOT	GUN	GUT	GUY	GYP	HAD	HAE	HAG	LAH	HAM	HAS	HAT	HAW	HAY	HEM	HER	HET
HEL	HEX	HID	HIE	HIP	HIS	HIT	HOB	HOD	HOE	HOG	HOI	HOO	HOP	HOT	HOW	HOY	HUB	HUE	HUH
HUM	HUT	ICE	ILK	ILL	IMP	INK	ION	IRK	ISM	ITS	JAB	JAG	MAL	JAP	JAR	JAW	JAY	JEE	JET
JEL	JEW	JIB	JIG	JOB	JOE	JOG	JOT	JOW	YOL	JUG	JUS	JUT	KAB	KAE	KAS	KAY	KEA	KEF	KEN
	KEX																		
	LEU																		
	MAP																		
	MOO																		
	NOD																		
	OIL																		
	PAM																		
	PIT																		
	PYX																		
	RIG																		
	SEA																		
	SOU																		
	TOT																		
	WAS																		
	YAK				TEA	LEIA	LE.F.	IES	IEI	IEW	1 T 1/	I TI.	TUL	TUN	100	: UW	TUK	ZAF	ZHX
	CURI				ADV () TI	ir c	MOLL	ren	TC 7	DE 110	nne							
THE	CURI	1 11 = 17	VUC	ABULA	are t	n. 11	1E C	nul. O	I E.K	10 /	וש ניב	מואר							

READY ?

DISKETTES

as low as

MAJOR BRANDS AT LOW PRICES PRICE PER BOX OF TEN

	51/4 Soft Sectored Single Sided Single Density	51/4" Hard Sectored Single Sided Double Density	51/4 " Soft Sectored Double Sided Double Density
National Data			
Private Label	21.75	23.50	31.50
Memorex	24.25	27.00	34.50
Wabash	25.95	27.95	35.50
Verbatim*			
Data Life	26.60	26.60	37.80
3-M	28.75	N/A	N/A
Maxell	39.50	40.50	47.50
Dysan	39.50	40.50	47.50

For Hub Rings Add 70¢ Per Box * Hub Ring Included

Master Charge, VISA or C.O.D. Freight Prepaid On Orders of 100 or more units

NATIONAL DATA PRODUCTS INC. 8510 SUNSTATE ST. TAMPA, FLORIDA 33614

TO ORDER OR FOR ADDITIONAL INFORMATION CALL TOLL FREE

800-237-3875

Toll Free:	California:
800-421-5151	213-970-1476
Apple II – 48K	\$1080
Apple Disk w/Controller	\$475
Apple Disk Add-on	\$375
5¼ Diskettes	\$25/10
Starwriter 45 cps	\$1750
Epson MX-80	\$465
Epson MX-100	\$750
NEC PC-8001A	\$1000
13" RGB Monitor	\$850
S-100 64K Static	\$550
Qume DT-8	\$510
ADDS Viewpoint	\$565
Discount on SD, CCS, All Items new, gua	AQ and more. aranteed.
BI	SON
Mail: P.O. Box Q, Sherman Store: 15618 S. Inglewood Ave 800-421-5151	

Qume. Data Trak Floppy Disk Drives

by: Computer products, inc.

The Data Trak 5 double-sided double-density drive uses state-of-the-art technology to give you superior data integrity through improved disk life, data reliability, and drive serviceability using 5¼ media.

Qume's independent head load yields wear characteristics far superior to competitive drives. This superior wear performance produces savings on both diskette usage and drive maintenance.

Improved data reliability, resulting from superior amplitude and bit shaft characteristics, optimizes operator efficiency and reduces processing time for end-users

And Data Trak's unique modular design means simplified field servicing for you and your customers.

Design Features

Expanded storage capacity . Two-sided, double-density


Proven head carriage assembly • Ceramic head with tunnel erase • Dual-head flex mounting arrangement • Superior head load dynamics

Precise lead screw actuator • Fast access time — 12 ms track-to-track • Low friction and minimum wear • Low power dissipation

Additional features • Industry standard 5¼" media format • ISO standard write protect • Door lock out for media protection • Requires DC voltage only • Daisy Chain up to 4 drives • Heads load on command independent of loading media

Product Specifications

Performance Specifications • Capacity: Unformatted: 437.5K or 500K bytes; Qume Formatted: 286.7K or 327.7K bytes • Recording Density: 5456 BPI • Track Den-



sity: 48 TPI • Cylinders: 35 or 40 • Tracks: 70 or 80 • Recording Method: FM or MFM • Rotational Speed: 300 RPM • Transfer Rate: 250K bits/second • Latency (avg.): 100 ms • Access Time: Track-to-track 12 ms; Settling 15 ms • Head Load Time: 50 ms

The Data Trak 8 double-sided double-density drive uses state-of-the-art technology to give you superior data integrity through improved disk life, data reliability, and drive serviceability.

Qume's innovative approach to controlling head load dynamics yields wear characteristics far superior to competitive drives. In independent evaluation, Data Trak 8 is setting industry standards for tap test performance. This superior wear performance produces savings on both diskette usage and drive maintenance.

Improved data reliability, resulting from superior amplitude and bit shift characteristics, optimizes operator efficiency and reduces processing time for end-users

And Data Trak's unique modular design means simplified field servicing for you and your customers.

Design Features


Expanded storage capacity . Two-sided, double-density

Fully IBM compatible • IBM 3740 and System 32 drives • IBM 3600 and 4964 drives • IBM System 34 drives

Proven head carriage assembly • Ceramic head with tunnel erase • Dual-head flex mounting arrangement • Superior head load dynamics

Fast, precise steel belt drive • Fast access time — 3 ms track-to-track • Low friction and minimum wear • Low power dissipation

Additional features • ISO standard write protect • Programmable door lock • Negative DC voltage not required • Daisy Chain up to 4 drives • Side-by-side mounting in standard 19" RETMA rack • Compatible with Shugart SA850/SA851



Product Specifications

Performance Specifications ● Capacity: Unformatted: 1.6 Mbytes/disk; IBM Format: 1.2 Mbytes/disk ● Recording Density: 6816 BPI ● Track Density: 48 TPI ● Cylinders: 77 ● Tracks: 154 ● Recording Method: MFM ● Rotational Speed: 360 RPM ● Transfer Rate: 500Kbits/second ● Latency (avg.): 83 ms ● Access Time: Track-to-track 3 ms; Settling 15 ms; Average 91 ms ● Head Load Time: 35 ms ● Disk: Diskette 2D or equivalent



1198 E. Willow, Signal Hill, CA 90806

Call Toll Free (800) 421-7701

AUTHORIZED DISTRIBUTOR FOR QUME CALL FOR PRICE AND DELIVERY

(213) 595-6431 or (714) 891-2663 In California

If you're looking for the best prices in the U.S.A. on



We have consistently offered the TRS-80 line at savings up to 20%. You can save up to \$1500 by buying from Computer Discount of America.

Model II 26-4002	64K, 1 disc	\$3385.00
Model III 26-1061 26-1062 26-1066	4K, Level I 16K, Level III 48K, Level II 2-drive/RS- 2 32	\$ 610.00 \$ 845.00 \$2115.00
Color Col 26-3001 26-3002	mputer 4K 16K w/Ext. Basic	\$ 325.00 \$ 489.00
EPSON MX70 MX80 MX80FT	Printer Printer Printer	\$ 375.00 \$ 485.00 \$ 585.00



We have the full line of ATARI personal computers and systems.

Our savings are as big on expansion interfaces, printers, diskettes, Apple Computers, OKIDATA Microline, C-ITOH Starwriter, Lexicon Modems — everything for your computer.

We have the largest inventory in the Northeast, and most models are in stock, for immediate delivery. Our full price catalog or a price quote is as near as your phone.



COMPUTER DISCOUNT OF AMERICA, INC. 15 Marshall Hill Road, West Milford Mall West Milford, New Jersey 07480-2198 In New Jersey Call 201-728-8080

Listing 11: Sample game shows the computer going first and spelling the word ZIP, followed by the user spelling SPEARED.

THIS PROGRAM WAS WRITTEN BY

JJR DATA RESEARCH BOX 74

MIDDLE VILLAGE, NEW YORK 11379

WRITE FOR INFORMATION TO OBTAIN COPIES ON DISKETTE OR FOR TRS 80'S. OTHER FINE PROGRAMS ARE AVAILABLE THERE ARE TEN VERSIONS OF THIS GAME WHICH DO THE FOLLOWING:

VER WORDS CHECKED MAX TIME 1.00000% 1080 SEC .50000% 3 .32813% 360 SEC .25000% 270 SEC 5 .18750% 216 SEC .15625% 180 SEC .14063% 154 SEC 135 SEC 120 .10938% SEC 10 .09375% 108 SEC

WHAT VERSION (1-10) ? VERSION 1 IS BEST AND 10 WORST ? 1 TYPE 9 IF YOU DON'T WANT NUMBERS ON THE BOARD ? O TYPE YES IF YOU WANT TO CONTINUE LAST GAME PLAYED ? TYPE YES IF YOU WISH TO SET GAME BOARD ? TYPE YES IF THE COMPUTER GOES FIRST ? YES WHAT ARE THE COMPUTER'S LETTERS ? IZIQUPU

17 / 18 / 19 / 20 32 / 33 / 34 / 35 47 / 48 / 49 / 50 / 17 / 32 / 47 24 / 39 / 54 / 20 / 35 / 50 / 21 / 36 / 51 / 25 / 40 / 55 / 28 / 43 / 58 / 26 27 31 38 41 56 42 57 44 59 52 / 53 63 / 64 / 79 / 94 / / 66 / 81 / 96 67 / 82 / 97 / 68 / 83 / 98 / 65 70 73 / 85 / 86 /100 /101 /115 /116 80 84 87 88 93 95 /102 /103 /118 /104 /105 99 /109 /110 /111 /121 /122 /123 /124 /125 /126 /127 /128 /129 /130 /131 /132 /133 /134 /135 /136 /137 /151 /152 /138 /153 /139 /140 /141 /142 /143 /154 /155 /156 /157 /158 /144 /159 /145 /147 /162 /160 /161 /163 /164 /165 /171 /172 /166 /167 /168 /169 /170 /173 /174 /175 /176 /177 /178 /179 /180 /181 /182 /183 /184 /185 /186 /187 /188 /189 /190 /191 /192 /193 /194 /195 /198 /199 /200 /201 /202 /213 /214 /215 /216 /217 /203 /218 /196 /197 /204 /205 /206 /207 /209 /212 /211 /219 /220 /221 /222 /223 /224 /225 WHAT ARE THE COMPUTER'S LETTERS ? IJQUXAE

NEGATIVE TO AND FROM ENDS GAME TO AND FROM ALLOWS THE COMPUTER TO MOVE

THE BOX FROM AND TO OF THE LAST MOVE OR 0.0 FOR MY TURN ? 99,189 WHAT WORD DID YOU SPELL ? SPEARED

Listing 12: The word SPEARED has been added to the Scrabble board. The computer is now ready for the next move.

1 / 2 / 16 / 17 / 31 / 32 / 46 / 47 / 61 / 62 / 76 / 77 / 8 / 9 23 / 24 38 / 39 18 / 19 20 / 21 / 35 / 36 / 22 / 37 / 25 26 / 27 28 / 29 18 / 19 33 / 34 48 / 49 63 / 64 78 / 79 40 34 42 44 45 52 / 67 / 82 / 97 / 53 / 68 / 83 / / 50 / 51 / 55 / 56 / 57 58 61 / 62 76 / 77 91 / 92 / 65 / 66 / / 80 / 81 / / 95 / 96 / / 70 / 71 / 72 / 85 / 86 / 87 /100 /101 /102 84 / 88 93 / 94 98 S /103 /104 /105 /106 /107 /108 /109 /121 /122 /123 /124 /136 /137 /138 /139 /111 /115 /116 /117 /118 /119 /125 /126 /127 /128 /140 /141 /142 /143 /131 /132 /146 /147 /161 /162 /130 /133 /134 /149 /150 /145 /148 /155 /156 /157 /170 /171 /172 /185 /186 /187 /154 /152 /160 /164 /163 /166 /167 /168 /173 /188 E /175 /176 /177 /190 /191 /192 /178 /179 /180 /181 /182 /183 /184 D /194 /193 /195 /201 /202 /203 /204 /205 /207 /206 /208 /209 /210 /211 /212 /213 /214 /215 /216 /217 /218 /219 /222 /223 /224

NEGATIVE TO AND FROM ENDS GAME O TO AND FROM ALLOWS THE COMPUTER TO MOVE

THE BOX FROM AND TO OF THE LAST MOVE OR 0,0 FOR MY TURN ?

Help someone read and write better with these free guides from International Paper.



Do you have a child or a young relative or an employee who needs to improve in reading and writing?

Then he or she will appreciate these practical, readable, informative guides written for International Paper by people who know their p's and q's. Newspapers, books, and magazines feed

our intellect and enrich our lives, and the need to communicate better has never been more important.

So help yourself. And help someone you know. Write: "Power of the Printed Word," International Paper Co., Dept. MN, P.O. Box 954, Madison Square Station, New York, N.Y. 10010.



INTERNATIONAL PAPER COMPANY

We believe in the power of the printed word.

1981

MICRO-TAX

Microcomputer Taxsystems, Inc

Are you looking for the best tax package in the USA? Call MICRO-TAX For the 1981 Tax System

INDIVIDUAL PACKAGES

Level 1: 23 Schedules and Forms

: Multiple Clients

\$250 : Prints IRS Approved Forms

Level 2: 30 Schedules and Forms

: Multiple Clients

: Prints IRS Approved Forms

\$1,000: Prints on IRS Forms or Overlays

: Depreciation System

: State Tax Interface

: Integrated Data Base

: Batch Compute and Print

PARTNERSHIP PACKAGE

Level 3: 20 Partnership Schedules and

Forms

\$750 : Multiple Clients

: Prints IRS Approved Forms

: Prints on IRS Forms or Overlays

: Depreciation System

: Integrated Data Base

: Batch Compute and Print

Levels 2 and 3 are discounted to a total of \$1,500 if purchased at the same time.

Updates: Annual Updates are available.

Demonstration Package: Demonstration Packages are available for \$50.

State Systems: Information on Individual State Tax Systems is available upon request.

Transparent Overlays: Transparent Overlay sets are available.

All levels operate under most CP/M* formats including Apple*.

Compiled Microsoft Basic.

Consider the advantages this State-of-the-Art package can bring you:

- Complete System
- Versatility
- Complete In-Office Security
- Time Saving
- Pre Year-end Tax Planning

MICRO-TAX

Microcomputer Taxsystems, In

22713 Ventura Blvd., Suite F Woodland Hills, CA 91364

(213) 704-7800

Available at most Professional Computer

Retailers





*CP/M is a TM of Digital Research *Apple is a TM of Apple Computer, Inc. **Listing 13:** Summary of a completed Scrabble game played at level 1.

6

HOVE	BOX	LETTERS	TIME	
:: ::: ::: :::	m :::: ::::			
1	112	ZIF***	43	
2	99	SPEARED	0	
3	189	DRIVING	0	
4	154	FACTOR*	0	
5	169	1X****	525	
6	25	*OMATO*	0	
7	166	YOGI**	0	
8	23	LITTLE*	0	
9	1.37	GU*****	775	
10	52	BROMIDE	0	
11	118	BASEHIT	0	
12	126	LOCKOUT	0	
13	143	H.J****	1160	
14	52	BAR***	0	
15	76	GRINDER	0	
16	17	MODERNX	0	
17	210	YF*****	1426	
18	59	SEEN***	0	
19	213	SEAT***	0	
20	90	RAILS**	0	

TIME OF 1 MADE BY HUMAN PLAYER. TIMED MOVES WERE MADE BY COMPUTER

READY ?

Listing 14: Summary of a completed Scrabble game played at level 6. The computer's final move of the game shown in listing 13 took 23 minutes and 46 seconds. At level 6, the average move took the computer less than 60 seconds.

MOVE	BOX	LETTERS	TIME
	===		
1.	112	ZIF***	42
2	99	SPEARED	0
3	189	DRIVING	0
4	154	FACTOR*	0
5	165	JA****	81
6	25	*OTAMOT	0
7	136	YOGI***	0
8	23	LITTLE*	0
9	172	IE****	66
10	52	BROMIDE	0
11	118	BASEHIT	0
12	122	LOCKOUT	0
1.3	176	FX****	61
14	52	BAR***	0
15	76	GRINDER	0
16	17	MODERN*	0
17	131	QU****	59
18	59	SEEN***	0
19	88	SEA***	0
20	212	TAIL***	0
21	185	AI****	51
22	32	ONLY***	0

TIME OF 1 MADE BY HUMAN PLAYER. TIMED MOVES WERE MADE BY COMPUTER

READY ?

Listing 15: Final board layout resulting from the sample game given in listing 13. Selecting the system option that displays the letters without the square numbers makes this display easier to read.

TYPE 9 IF YOU DON'T WANT NUMBERS ON THE BOARD ? 9
TYPE YES IF YOU WANT TO CONTINUE LAST GAME PLAYED ? YES



NEGATIVE TO AND FROM ENDS GAME O TO AND FROM ALLOWS THE COMPUTER TO MOVE

THE BOX FROM AND TO OF THE LAST MOVE OR 0,0 FOR MY TURN ? -2,-3

THANK YOU FOR THE GAME FREE MEMORY EQUALS 1140

READY ?

THE FORTH SOURCE™

Specializing in the FORTH Language.

MANUALS & GUIDES			PRICE
"Starting FORTH" by Brodie. Prentice-Hall. Best U "Starting FORTH" (hard cover) "A FORTH Primer" by Stevens In-depth self-study "Systems Guide to fig-FORTH" by Ting. Excellent "PDP-11 FORTH User's Guide" by James. Use wi "Caltech FORTH Manual" by Ewing. Overview and "FORTH-79", Latest FORTH standard. "FORTH-79 Standard Conversion" by R. C. Smith "TinyPASCAL in fig-FORTH" by Zimmer. "Threaded Interpretive Languages" by Loeliger. B "Invitation to FORTH" by Katzan. Petrocelli Books "Proceedings, 1980 FORML Conference." Techn "Proceedings, 1981 Rochester University FORTH "METAFORTH" by Cassady. Cross-compiling, 808 Byte Reprint of FORTH articles. Dr. Dobb's September 1981 FORTH Issue.	manual. guide to inner mechanisms. th PDP-11 Source. structure. Screens, DOES error con tyte Books. FORTH adapted Limited introduction. ical papers. Conference." Technical pa	ditions. for Z80.	\$ 16.00 20.00 25.00 25.00 20.00 12.00 15.00 10.00 20.00 18.50 25.00 25.00 30.00 5.00
INSTALLATION DOCUMENTS			
☐ Installation Manual for fig-FORTH, contains FORT Source Listings of fig-FORTH, for specific CPU's a for implementation. Price per each			\$ 15.00 ed 15.00
 □ 1802 □ 8080 □ PACE □ 6502 □ 8086/8088 □ AlphaMicro 	☐ 6800 ☐ 9900 ☐ PDP-11/LSI-11	☐ 6809 ☐ APPLE II* ☐ NOVA*	
DISKS WITH DOCUMENTATION			
fig-FORTH Model and Source Listing, with Printed Ins ☐ H89/Z89 (51/4") ☐ APPLE II* (51/4")		e Listing. □ 8080/Z80* (8'')	65.00 □ 8086 (8")
Enhanced FORTH Systems with manuals. APPLE II/II+* by MicroMotion. fig-FORTH; FORTH APPLE II* by R. Kuntze. fig-FORTH, editor, assemble H89/Z89 by G. Haydon, fig-FORTH, stand alone, so H89/Z89 by G. Haydon, fig-FORTH, under CP/M*; TRS-80/I* by Nautilus Sys. fig-FORTH, editor and TRS-80/I or III* by Miller Microcomputer Services NOVA* by Ting. fig-FORTH, editor, assembler, soc 6809 by Talbot Microsystems. fig-FORTH, interpresed 6800 by Talbot Microsystems. fig-FORTH, interpresed 6800 by Talbot Microsystems.	oler, source listing and screen cource listing, editor, assemble, source listing, editor, assembler (1-51/4") MMSFORTH, editor, assembler (1-61/4") Misting and screens. (1-61/4")	ens. (2-51/4") bler, screens and tutorial or nbler, screens and tutorial abler interpreter/compiler, 3") bler, disk I/O. (FLEX* 51/4 or	90.00 d disk (3-51/4") 250.00 on disk (3-51/4") 175.00 90.00 virtual memory. (1-51/4") 130.00 90.00 8") 100.00
Special Function FORTH Systems with manuals			
Cross Compilers by Nautilus Systems. Allows exte code and forward referencing. Price per each ☐ CP/M* ☐ H89	nding, modifying, compiling	to different target process∈	
 6809 Target Compiler by Talbot Microsystems. 6809 Enhanced System Plus by Talbot Microsysted debugging and documentation tools and utilities. 	ems. 2nd screen editor, macr	oassembler, tutorial on dis	350.00 k, goodies disk of 250.00
 Z-80* Program Development by Laboratory Micros Z-80* Cross Compiler (Nautilus) by Laboratory Micros Z-80* for AMD9511 Arithmetic Processor by Laboratory Micros "Going FORTH" by Creature Software. A CAI FORT HP-85 by H-P. fig-FORTH, editor and assembler (1 	icrosystems. oratory Microsystems. ΓΗ tutorial, IBM format, no m		150.00 200.00 150.00 65.00 65.00
☐ H89/Z89 TinyPASCAL in fig-FORTH (1-51/4")			75.00

DEALER & AUTHOR INQUIRIES INVITED

Ordering Information: Check, Money Order (payable to MOUNTAIN VIEW PRESS), VISA or MasterCard accepted. No COD's or unpaid PO's. California residents add 61/2% sales tax. Shipping costs in US included in price. Foreign orders, pay in US funds on US bank, include for handling and shipping by Air: \$5.00 for each item under \$25,00, \$10.00 for each item between \$25.00 and \$99.00, and \$20.00 for each item over \$100.00. Minimum order \$10.00. All prices and products subject to change or withdrawal without notice. Single system and/or single user license agreement required on some products. *REGISTERED TRADEMARKS

MOUNTAIN VIEW PRESS

P.O. BOX 4656

MOUNTAIN VIEW, CA 94040


(415) 961-4103







APPLESOFT: 30.3 MIN. MICROSPEED II: 3.9 MIN. MICROSPEED II+: 2.4 MIN.




FASTEST: UP TO 100
TIMES FASTER
THAN APPLESOFT

MOST POWERFUL: MORE POWER
PASCAL OR FORTRAN

EXPANDABLE: LANGUAGE BASED

CREATIVE: GROW YOUR OWN
LANGUAGE

USER-FRIENDLY: EASIEST FOR
YOU TO LEARN



REQUIRES APPLE, SINGLE DISK U SPEED][USES 2mHz PROCESSOR U SPEED][+ USES 4mHz PROCESSOR

SEE YOUR DEALER OR CONTACT:

	06, Upper Marlboro, Md. 20870 627-6650
I'm Interested: F	Please Send
$\square \mu$ SPEED \mathbb{I} \$495. $\square \mu$ SPEED \mathbb{I} + \$645.	 ☐ 160 page Manual [§]35. ☐ Detailed Information
Name	
Address	
City	
State	Zip

Listing 16: The Scrabble system has provisions for presetting a game board.

```
TYPE 9 IF YOU DON'T WANT NUMBERS ON THE BOARD ? 9
TYPE YES IF YOU WANT TO CONTINUE LAST GAME PLAYED ? TYPE YES IF YOU WISH TO SET GAME BOARD ? YES
GIVE THE FIFTEEN LETTERS FOR LINE 1
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 2
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 3
 123456789012345
  C
GIVE THE FIFTEEN LETTERS FOR LINE 4
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 5
123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 6
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 7
 123456789012345
       G
GIVE THE FIFTEEN LETTERS FOR LINE 8
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 9
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 10
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 11
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 12
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 13
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 14
 123456789012345
GIVE THE FIFTEEN LETTERS FOR LINE 15
 123456789012345
```

Listing 17 and listing 18 are on pages 348-351

Text continued from page 338:

can easily be corrected by changing the coding into machine language. With the increased speed of a machine-language program, four-letter words could be added. However, your memory requirements would increase due to the additional words and their size. As mentioned earlier, all words are numbers to the computer program. Therefore, the highest-value letter combination currently being evaluated is 19,682 (ie: 26(729 + 27 + 1)). This number value can be stored in 8-byte words. Adding a fourth letter would be adding 26 \times 19,683, raising the new high

value to 531,440, which, of course, would place a greater burden on your memory requirements.

Improved computerized Scrabble will require a faster host computer with more memory capacity (internal and external). This requirement can be met by today's giant computers and, I hope, the microcomputers of the 1980s.

The North Star programs and the TRS-80 version of Scrabble are available on disk for \$10 from JJR Data, POB 74, Middle Village NY 11379, (516) 643-1931. The TRS-80 disk version also contains a machine-language version.

OUR SECOND GENERATION DP-NET

We at Delta Products have been involved in 'NETWORKING SYSTEMS' for the past eighteen months. During this time we delivered our first net systems to beta test sites. These closely monitored field installations provided invaluable data, which Delta Products has incorporated into the design of our second generation of DP-NET systems.

SECOND GENERATION DP-NET

The S-4500 DP-NET system will support from one to ten users, and provide each with their own Z-80 CPU and 64K of ram memory. Each user will also have access to 40 megabytes of hard disk storage, 17.2 megabytes of file managed tape backup, and floppy disk.

TRUE RECORD & FILE LOCKOUT

By simply reading in the entire record or file you wish to protect, the DP-NET 'DISK SELECTIVE LOCKOUT' guarantees complete data integrity. The DP-NET also allows the use of today's popular micro applications languages (i.e., Cbasic®, Mbasic®, Cobol®, etc.), without having to compensate for the problems inherant to these languages in the multi-user environment, while maintaining CPM compatibility.



S-4500

INTERACTIVE FAMILY OF SYSTEMS

The S-4500 is but one of many DP-NET configurations utilizing parallel and/or serial communication links. Delta Products also manufacturers a wide range of conventional single and multi-user systems operating under CP/M and MP/M. Single and multi-user systems can be upgraded to DP-NET's, because their basic components are utilized in our network systems. We have intentionally developed an interactive family of systems that are completely configurable and compatible, never limiting the ability to adapt to a modification in the application. Delta Products systems are

available thru a worldwide network of selective distributors and dealers. Call for the name and number of the one nearest to you.



Chasic is a registered trademark of Compiler Systems.

Mbasic and Cobol are registered trademarks of Microsoft.

CP/M and MP/M are registered trademarks of Digital Research.

Cherry Hill Industrial Center 2 Keystone Avenue / Cherry Hill, N.J. 08003 TELEPHONE

(609) 424-4700 • (215) 629-1289

The Leading Intertec Dealer In The Northeast

Dealer and OEM Inquires Invited
Special Discounts on
SUPERBRAINS

SUPERBRAIN"

Intelligent Video Terminal Systems 350K or 700K of Disk Storage

w/64K Double Density, List \$3495 w/64K Quad Density, List \$3995

CompuStar™

MAINFRAME PERFORMANCE AT MICROCOMPUTER PRICES MULTI TASKING - MULTI USER

No networking degradation experienced as with single CPU systems. A business system priced comparable to the **TRS-80**.

out

E

cut



Government and International Inquiries Invited

PRINTERS
Nec Spinwriter
Data South
Microline

MODEMS Racal-Vadic

SOFTWARE FOR SUPERBRAIN AND COMPUSTAR

Accounts Payable Payroll Accounts Receivable Word Processing Many Others

FAST RELIABLE

Hardware Service On Our Premises Or In Our Area

For Information Or To order call (609) 424-4700 **Listing 17:** When the Scrabble system cannot find a legal move, it requests a new set of letter "tiles" from the user.

TYPE YES IF THE COMPUTER GOES FIRST ? WHAT ARE THE COMPUTER'S LETTERS ? GGGGGGG

NEGATIVE TO AND FROM ENDS GAME O TO AND FROM ALLOWS THE COMPUTER TO MOVE

THE BOX FROM AND TO OF THE LAST MOVE OR 0,0 FOR MY TURN ? 0,0 THE COMPUTER IS SORTING IT'S LETTERS

THE COMPUTER CANNOT MOVE. THEREFORE, IT IS CHANGING ALL OF ITS LETTERS
WHAT ARE THE COMPUTER'S LETTERS ? AEIOURE

NEGATIVE TO AND FROM ENDS GAME O TO AND FROM ALLOWS THE COMPUTER TO MOVE

THE BOX FROM AND TO OF THE LAST MOVE OR 0,0 FOR MY TURN ? 194,224 WHAT WORD DID YOU SPELL ? END

NEGATIVE TO AND FROM ENDS GAME O TO AND FROM ALLOWS THE COMPUTER TO MOVE

THE BOX FROM AND TO OF THE LAST MOVE OR 0.0 FOR MY TURN ? -8.-2

THANK YOU FOR THE GAME FREE MEMORY EQUALS 755

READY ?

Listing 18: A TRS-80 Level II BASIC version of the program SCRABBLE. This program does not require disk drives or utility programs because the vocabulary is contained in data statements (lines 102-238).

```
10 DEFINT I-N
20 DIM 19UCAB(740),IRDARD(441),ISBV(225),ILV(26),ICOM(3,20,3),NT(6,4),NF(6)
21 DIM KM(6,2),NM(6,3),NBOARD(4,225)
22 CLS:IMFUT'FAST OR SLOW';Z*:FAST=0:IFZ*=FAST'THENFAST=1
30 FOR,J=1006,IRDARD(3)=-1:IRDARD(1,375)=-1:NEXT
40 FOR,J=10120:IBUARD(J+1)=-1:NEXTJ1,J
50 FOR,J=1106;FOR,J=1104;READ KT(J,J):NEXTJ1,J
51 BAIA -3,-2,-1,1,-2,-1,1,2,-1,1,2,-1,1,2,3
7 DATA -63,-42,-2,1,1,-2,-1,1,2,-1,1,2,3
8 DAIA -3,-2,-1,1,-2,-1,1,2,-1,1,2,-1,1,2,3
90 FOR,J=1106;FOR,J=1101;READ KT(J,J):NEXTJ1,J
51 DAIA B12;24,28;14,56
90 FOR,J=1106;FOR,J=1102;READRH(J,J):NEXTJ1,J
51 DAIA B12;24,28;14,56
90 FOR,J=1104;FOR,J=1102;READRH(J,J):NEXTJ1,J
51 DAIA -2,-1,-1,1,1,2,-42,-21,-21,21,42,-1,42,-1,42,-1,42,-1,42,-1,41,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,-1,42,
```

Listing 18 continued on page 350

COMPUTER DEVICES

AVAILABLE NOW ... SYSTEM 2800 FROM SYSTEMS GROUP

FEATURES



Model 2812/14/24

- IEEE S-100 Bus Compatible Systems, Z80A Based
- Two 8-Inch Drives: Single or Double Sided, Double Density Floppy Disk Drives or 10MB Winchester Hard Disk Drive
- 20MB Winchester and Tape Backup
- · 8-Slot Shielded and Terminated Motherboard
- System Software Selection includes CP/M*, MP/M* or OASIS**
- Single-User or Multi-User Systems, Expandable to 6 Users

- Table Top or Rack Mountable
- Two Switched AC Outlets on Rear Panel
- · One Year Warranty on Entire System

2812 CP/M, 2 Single Sided Floppies	\$3775.00
2814 CP/M, 2 Double Sided Floppies	4425.00
2819 CP/M, 1 10 MB Winchester &	
1 Double Sided Floppy	6675.00
2824 MP/M, 2 Double Sided Floppies	5235.00


2829 MP/M, 1 10 MB Winchester &

1 Doubled Sided Floppy.... 7500.00




Model 2819/29

S-100 PRODUCTS



OUALITY RAM FROM SYSTEMS GROUP

•	Z-80 4MHZ operation with no wait s	tates
•	IEEE compatible timing - 200 NS 41	
•	Factory assembled, tested & burned i	n
DN	4B6400 64K (Bank Select, shown)\$	740.00
DN	16400 64K	540.00
DN	14800 48K	510.00
DN	43200 32K	475.00



CONFIGURE A COMPLETE S-100 SYSTEM WITH 2nd GENERATION* PRODUCTS FROM SYSTEMS GROUP.

•	CPC 2810 (shown) Z-80A processor board
	(4MHZ) with 4 serial & 2 parallel
	ports\$369.00

CALL US FOR OUR MOST CURRENT PRICES!

*2nd Generation is a trademark of Measurement Systems and Controls, Inc. Cromix is a trademark of Cromenco, Inc. CP/M and MP/M are trademarks of Digital Research. OASIS is a trademark of Phase One Systems.

PAPER TIGER PRINTERS

IDS 460G 9x9 Dot Matrix Printer	\$890.00
IDS 560G Wide Carriage Printer	1099.00

TERMINALS

ADDS Viewpoint	\$569.00
Tele Video 910	579.00
Tele Video 912C	679.00
Tele Video 920C	729.00
TeleVideo 950	929.00

8" DISK DRIVES

Shugart 801R	\$399.00	
NEC FD1160 (double sided)	589.00	

DYNAMIC RAMS

4116 (200ns)					S	et	(of	8	3					\$24.00
4164 (64Kx1)															\$18.00

wabash

8" or 5¼" flexible diskettes certified 100% error free with manufacturer's 5-year limited warranty on all 8" media. Soft-sectored in boxes of 10. 5¼" available in 10-sector.

(Add \$3.00 for plastic library cases)


8" single sided, single density	27.50
8" single sided, double density	35.50
8" double sided, double density	45.50
51/4" single sided, single density	27.50
51/4" single sided, double density	29.50

TERMS: Minimum order \$15.00. Minimum shipping and handling \$3.00. Calif. residents add 6% sales tax. Cash, checks, Mastercard, Visa and purchase orders from qualified firms are accepted. (Please allow two weeks for personal checks to clear before shipment.) Product availability and pricing subject to change without notice.

INTERNATIONAL ORDERS: Add 15 % to purchase price for all orders. Minimum shipping charge is \$20.00. Orders with insufficient funds will be delayed. Excess funds will be returned with your order. All prices are U.S. only.

6502 PRODUCTS

6502DM



BETA 32K BYTE EXPANDABLE RAM FOR 6502 AND 6800 SYSTEMS

AIM 65 KIM SYM PET S44-BUS

- Plug compatible with the AIM-65/SYM expansion connector by using a right angle connector (supplied).
- Memory board edge connector plugs into the 6800 S44 bus.
- Connects to PET using an adaptor cable.
- Uses +5V only, supplied from the host computer.
- Full documentation. Assembled and tested boards are guaranteed for one full year.
 Purchase price is fully refundable if board is returned undamaged within 14 days.

Assembled with 32K ŘAM.....\$349.00 & Tested with 16K RAM.....329.00 Bare board, manual & 6 hard-to-get parts. 99.00 PET interface kit. Connects the 32K RAM board to a 4K or 8K PET......\$69.00

AIM Professional Enclosure...\$175.00

COMPUTER DEVICES

1230 W.COLLINS AVE.

ORANGE, CA 92668



(714) 633-7280

more . . . **SPECTACULAR**









We stock the complete line of BASF diskettes, reel-to-reel tapes, mag cards, disk packs and cartridges. We also carry MAXELL, OPUS and WABASH products. All are 100% certified and fully quaranteed.

Box of 10 diskettes:	51/4"	8"
OPUS ss/sd	\$20	\$21
BASF ss/sd	23	24
WABASH ss/sd	23	24
MAXELL . TOO LOW TO QUOTE.	C	ALL
51/4"-10 sector-now available		
Sectoring must	be spe	ecified

51/4" or 8" Vinyl Storage Pages 10/\$5

LIBRARY CASES

.... \$2.99 8" Kas-sette/10 51/4" Mini Kas-sette/10 . . \$2.49






HARDHOLE DISK PROTECTORS


Reinforcing rings of tough mylar protect disk hole edge from damage

	51/4"	8"
Applicators	\$3	\$4
Hardhole Rings (50)	\$6	\$8

DISK DRIVE HEAD CLEANING KITS

Prevent head crashes and ensure error-free operation.







Get 8 cassettes, C-10 Sonic, and Cassette/8 Library-Album, as illustrated, for only \$8

SNAP-IT POWER CENTER

Turns 1 outlet into 6. Wall mount or portable. Circuit breaker, lighted switch and UL approved.



4"x3"x2".....\$19.95

We also offer printer ribbons, printwheels, type elements, equipment covers, power con-soles, paper supplies, storage and filing equip-ment, furniture and many other accessories for word and data processing systems. Write for our free catalog.

VISA • MASTERCHARGE • MONEY ORDERS • CERTIFIED CHECK • FOR ORDERS • CERTIFIED CHECK • FOR PERSONAL CHECKS ALLOW TWO WEEKS • C.O.D. REQUIRES A 10% DEPOSIT • CAL. RES. ADD 6% SALES TAX • MIN \$2 SHIPPING & HANDLING • MINIMUM ORDER \$10 . SATISFACTION GUARANTEED OR FULL REFUND

PRODUC

8868 CLAIREMONT MESA BLVD. SAN DIEGO, CALIFORNIA 92123

Toll Free 800-854-1555 Order Only For Information or California Orders (714) 268-3537

```
Listing 18 continued:
 354 READNI:IFN1=127THENNI=N1+(64*N)

55 V2=V0!IFV2>32767THENV2=V2-65536

356 POKEV2,NI:NEXT

358 LATA 229:197,245;58;72:127,254:1,40

360 DATA 32:62:1,50;72:127:211,232:219;233

362 DATA 230:248;246:4,50;71:127,211;234

364 DATA 219:233;230:7,33:63:127:60;79;9

366 DATA 126:211;233:241:193:225;219;234

368 DATA 126:211;233:241:193:225;219;234

370 DATA 13:32:4,14:10;24:239:201,34:68

372 DATA 85:102:119:170;204:238:0;0

380 GOSUB9000:GOTIO400

390 FRINTEB78,*ILLEGAL MOVE:;PRINTE942,*

410 PRINTEB78,*ILLEGAL MOVE:;PRINTE942,*

410 PRINTEB78,*ILLEGAL MOVE:;PRINTE942,*

411 FFJ1=99THENGOUSE9800

416 IFJ1=99THENGOUSE9800

416 IFJ1=99THENGOUSE9800

416 IFJ1=99THENGOUSE9800

417 IFJ1>0=THENA20

418 PRINT'GAME ENDED FREE MEMORY EQUALS ';MEM;:END

420 IFJ1>0THENSOO

420 IFJ1>0THENSOO

430 ISTART=1!FRINTE878,*WHAT WORD ';:PRINTE942,*

430 PRINT'GAME ENDED FREE MEMORY EQUALS ';MEM;:END

450 JB=1:IFJ2>J1+10THENA80

450 JB=1:IFJ2>J1+10THENA80

450 JB=1:IFJ2>J1+10THENA80

451 J3=1:EONL=J1T0J2STEPJ8:J5=INT((J-1)/15):J6=J-(15*J5):J7=N+(21*J5)+J6

452 J3=1:EONL=J1T0J2STEPJ8:J5=INT((J-1)/15):J6=J-(15*J5):J7=N+(21*J5)+J6

453 J3=1:S357+(64*J3-1):J3=J3+1:J6=ASC(W$):POKEJ5+1,J6
                                                                                                                                                                                                                                                                                                                                                                                                                        *:FORJ1=1T01000:NEXT
           456 POKEJ5,32:POKEJ5+2,32
458 W#=MID#(IW#,J3,1):J3=J3+1:J6=ASC(W#):POKEJ5+1,J6
        ## State ## | Toked |
                                                                                                                                                                                                                                                                                                                                                                                                                      ":PRINT@942," ";:INFUTIW$
           335 1F15THRT=1

555 1STHRT=1

555 FORJ1=1T0J:FORJ2=1T0J:FORJ3=1T0J


560 1FJ1=20RJ1=30RJ2=J3THEN590

565 [W=(729*L(J1))+(L(J2)*27)+L(J3)
           567 GOSUB9100:IFIW=OTHEN590
570 FORJ4=15827015931;POKEJ4,32:NEXT
572 POKE15827+L(J1)+64:POKE15830,L(J2)+64:POKE15833,L(J3)+64
```

```
Listing 18 continued:
     574 IBOARD(220)=L(J1):IBOARD(221)=L(J2):IBOARD(222)=L(J3)
575 PRINT@238:TIME$;
576 PRINT@622:*LAST MOVE TRS 80*;:PRINT@686.*SPELT *;CHR$(L(J1)+64);CHR$(L(J2)+64);CHR$(L(J3)+64);
       590 NEXTJ33J2,J1:PRINT@878,*TRS 80 WANTS*;;PRINT@942,*NEW LETTERS*;;FORJ1=1T02000:NEXT:GRT0400
     590 MEXTJ3.J2.J1:PRINT0876, TRS 80 WANTS';:PRINT0942, NEW LETTER
600 IFJ>1THEN700
610 FORT1=6770361STEP21:FORT2=0T014:I=I1+I2:IFIBOARD(I)=OTHEN690
615 IFIBOARD(I-2)>OORIBOARD(I-1)>OORIBOARD(I+1)>OTHEN690
620 IFIBOARD(I-20)>OORIBOARD(I+20)>OTHEN690
625 IW=(L(1)*27)+IBOARD(I):GOSUB9100:IFIW=OTHEN690
 520 | FIRDARD(I-20)>OURIBOARD(I+20)>OTHENASO
625 | IW-(L(1)*27)+IROARD(I) | GOSUB91001:FIW=OTHENASO
630 | IBOARD(I-1)=L(1):L9=I-1:GOSUB9700
631 | BOARD(I-1)=L(1):L9=I-1:GOSUB9700
632 | L1=ITY((L9-1)-1/5):L9=L9-(15*L1)
633 | J=15358+(3*L9)+(64*L1):FOREJ+L(1)+64:FOREJ+1,32
634 | PRINTPCSSST | FROM | FROM
       830 MZ=1+MM(K,2):M4=L(J2):
840 IFIM=0THENBSD
845 MZ=K7:M8=K8:GOSUB9600
850 NEXTUZ-JI
855 IFFAST=OTHEN875
869 IFLO-OTHEN950
875 NEXTK
        900 NEXTI2:11
910 IFLO:0THEN950
  700 HEATEST)
710 ITCO:01HEN950
920 PRINTER98.*TRS 80 WANTS';:PRINTE942,*NEW LETTERS';:FORJ=1102500:NEXT:GOT0400
950 IBORGRUE,1=L3:IBORGRUE(L2)=L4
952 IFL6:3THENL6=L6-3
954 ON L6 GOT0 955:956:957
955 Z4=CHR$(L3464)+CHR$(L4464)+CHR$(L5+64):GOT0958
956 Z3=CHR$(L3364)+CHR$(L5+64)+CHR$(L4+64):GOT0958
957 Z3=CHR$(L3364)+CHR$(L5+64)+CHR$(L4+64):GOT0958
958 PRINTER$(L5+64)+CHR$(L5+64)+CHR$(L4+64):GOT0958
959 PRINTER$(L5+64)+CHR$(L5+64)+CHR$(L4+64)
958 PRINTER$(L5+64)+CHR$(L5+64)+CHR$(L4+64)
958 PRINTER$(L5+64)+CHR$(L5+64)+CHR$(L4+64)
959 PRINTER$(L5+64)+CHR$(L5+64)+CHR$(L4+64)
960 L9=L1:GOSUB9700:L1=INT(CL9-1)/15)+L9=L9-(L5*L1)
961 L9=L2:GOSUB9700:L2=INT(CL9-1)/15)+L9=L9-(L5*L2)
962 L9=L3:SOSUB9700:L2=INT(CL9-1)/15)+L9=L9-(L5*L2)
963 GOT0400
  948 GOT0400
9000 CLS:N=66:FORN1=0T014:N2=N+(21*N1):N3=L5*N1
9020 FORN5=IT015:N6=IB0ARR(N2+N5):IFN6=0THEN9050
9030 N8=(N1*15)+N3:N7=INT(N6/100):N6=N6-(100*N7)
9040 FRINT USING=*t**:N8:[60T09060
9050 FRINT ':;CHR*(64+N8):' ;
9060 NEXT:IFN1=ITHENPOKE15423.191
9045 IFN1C=14THENPOKE15423.191
9048 NEXT:RETURN
9048 NEXT:RETURN
905 FIRE OT0740STEP20
9105 IFIU=1V0CAB(N)THEN 9250
9110 IFIU=VUOCAB(N)THEN9200
9115 NEXT:GOT0 9275
        968 GOTO400
       9200 N=N-19
9205 N1=N+18
9210 FGR N2=NTON1:IFIW=IVOCAB(N2)THEN9250
9220 NEXT:60T09275
  9220 NEXT:GOTO92275
9250 IW=1:N=66:RETURN
9275 IW=0:N=66:RETURN
9300 REH SEE IF BOARD IS OPEN FOR TYPE OF MOVE
9310 K9=1+KT(K,2):IFIBOARD(K9) ○ OTHEN9350
9320 K9=1+KT(K,3):IFIBOARD(K9) ○ OTHEN9350
9325 K9=1+KT(K,1):IFIBOARD(K9) ○ OTHEN9350
9336 K9=1+KT(K,4):IFIBOARD(K9) ○ OTHEN9350
9336 K9=1+KT(K,4):IFIBOARD(K9) ○ OTHEN9350
9336 VB=1:RETURN
9336 VW=0:NBOARD(K,10)=1:RETURN
9400 REH CHECK CROSS WORDS
9405 K3=M2-K2-K2-K2:K4=M2+K2+K2+K2:K6=-1:K7=0
9410 FORKS=K3TON4STEFN2:K6=K6+1:IFIBOARD(K5) ○ IANDK5 ○ M2THEN9415
9412 IFIBOARD(K5) ○ IANDKS>M2THEN9440
9414 GOTO9420
9415 K7=0:GOTO9430
9420 K7=K7+(2EK6)
9430 NEXT
     9420 N7=K7(21K6)
9430 NEXT
9440 FORK5=1T06:IFK7=KF(K5)THEN9460
9450 NEXT:NBOARD(K:10)=1:IW=0:KETURN
9460 ON K5 GOTO 9470,9480,9510,9540,9560,9580
9470 K7=1BOARD(M2-K2):IW=(27*K7)+M4:GOSUB9100
     9490 K8=0:RETURN
     9510 K7=IBOARD(M2+K2):IW=K7+(27*M4):GOSUB9100
9510 K7=IBOARD(M2+K2):IW=K7+(27*M4):GOSUB9100
9520 K8=0:RETURN
9540 K7=IBOARD(M2-K2):K8=IBOARD(M2+K2):IW=(729*K7)+(27*M4)+K8
9550 GOSUB9100:RETURN
9560 K7=IBOARD(M2-K2-K2):K8=IBOARD(M2-K2)
9570 IW=(729*K7)+(27*K8)+M4:GOSUB9100:RETURN
9580 K7=IBOARD(M2+K2):K8=IBOARD(M2+K2+K2)
9590 IW=(729*M4)+(27*K7)+K8:GOSUB9100:RETURN
9600 L9=M1:GOSUB9700:N2=1:M4=1:GOSUB9750:M1=M2:N3=M4
9600 L9=M1:GOSUB9700:N2=1:M4=1:GOSUB9750:M1=ILV(M3)*N1:N2=ILV(M4)*N2
9620 L8=0:IFM5+M6=0*IHEN9400
9630 L8=(ILV(M5)+ILV(M6)+N1)*N3
9640 L8=L8+(CIV(M7)+ILV(M6)+N1)*N3
9640 L8=L8+(CIV(M7)+ILV(M8)+N2)*N4
9650 L8=L8+(CIV(M7)+ILV(M8)+N2)*N4
9660 L8=L8+(CIV(M3)+N1+N2)*(N3*N4))
9680 IFLE-LOTHEN9600
9681 RETURN
9700 L9-L9-64:L8=INT(L9/21):L9=L9-(L8*21):L9=(15*L8)+L9-2
9710 RETURN
9750 L9-ISBV(L9):IFL9=0THENRETURN
9750 L9-ISBV(L9):IFL9=0THENRETURN
     9520 K8=0:RETURN
       9710 RETURN
9750 L9=ISBV(L9):IFL9=OTHENRETURN
9760 DN L9-GOTO 9762,9764,9766,9768
9762 N2=2:RETURN
9764 N2=3:RETURN
9764 N4=3:RETURN
9768 N4=3:RETURN
9768 N4=3:RETURN
9788 N4=3:RETURN
9780 L=15360;FORL1=0T014:L4=64*L1:FORL2=0T063:LPRINTCHR$(PEEK(L+L4+L2));
9810 NEXT:LPRINT* *:NEXT:RETURN
```

NATIONAL BESTSELLER

"A major contribution to computer technology literature."—Computerworld



The book that has the experts cheering

Robert W. Lucky, Bell Labs, in The Institute:

"This is a wonderful bookinsightful, candid, and literary. ... It holds a mirror to ourselves, and many readers will want to cry out, 'Hey, that's me!"

Robert Pirsig, engineer, author of Zen and the Art of Motorcycle Maintenance:

"A superb book, one that computer engineering has deserved for a long time."

Samuel C. Florman, engineer, in The New York Times Book Review.

"Mr. Kidder's splendid book goes far toward reviving Huxley's prophecy...of a worthy literature of science and technology."

ATLANTIC-LITTLE, BROWN

AVAILABLE AT BOOKSTORES OR CALL TOLL-FREE (800) 343-9205—and use your American Express, Visa, or MasterCard (\$1.00 will be charged for postage and handling)

Or, ple each (49170	ease send me of THE SOUL 0 05-05021).	DF A NEW	es at \$13.95 MACHINE
Little,	close a check or Brown and Com (including ng; CA, NY, MA	pany in the \$1.00 for p	amount of postage and
Charge	my American Expr	ess 🗆 Visa	□ MasterCard
Accour	t Number:		
*	Expiration of	date:	
Signatu	ire:		
Name:_			
Address	S:		
City:			
State: *Please	e enter 4-digit number	Zip_ to left of your	name
	erCard only). : Little, Brown Di		

Generating Programs Automatically

Let Your Apple II Do the Programming

Jacob R Jacobs 1903 Fordham Way Mountain View CA 94040

Wouldn't it be great if your computer could write programs? Or if it could write those portions of your programs that you find most tedious? With the three utility programs described in this article, you simply answer a few questions interactively, and the computer automatically generates the Applesoft BASIC program for you.

The three programs are written in Applesoft BASIC, but they can be easily modified to run in, and generate programs for, another version of BASIC. The utility programs generate BASIC programs for these three sections:

• Data entry section: the area where repetitive prompting, input, and range checking are performed.

• Data output section: the part of

your program that requires a careful determination of the tabs for printing headings and for printing the data in columns where the first or last character or decimal point lines up.

• Instruction section: most programs begin with instructions on how to use them, or provide some introductory text. You must be careful that the text doesn't wrap on the screen in the middle of words. It is also time consuming to center headings.

To create a program using these utilities, simply run the utility program and answer the questions. When you are finished, the utility will generate a BASIC program and store it in a text file. To use the text file, just EXEC it into your program.

Listing 1a shows a sample dialog

for the input program. Assume that you want to enter a product name, price, and quantity, and then print out a formatted invoice that shows quantity, product name, price, extended price, and total. These utilities will help you write the program, but they won't do the entire job. You must fill in the middle, and modify the automatically generated programs where necessary.

First, run the CREATE INPUT program. After it has finished, a BASIC program will be generated and displayed on the screen. You will be asked if you want to save this program on the disk, and if so, under what name. Listing 1b shows the program that results from this dialog.

You are also asked to indicate the number of variables you are using, in this case three: ITEM\$, PR, and QN. You are then asked to provide the dimensions of the arrays that these variables will require. In this example we will have not more than 20 items on an invoice. Note that you are asked if you want range checks for numeric data only, not for string data such as ITEM\$.

Listing 1: Products of the CREATE INPUT program. Listing 1a shows the sample dialog (the user's inputs are indicated in lowercase), while listing 1b shows the program generated in response to CREATE INPUT's queries.

1a

HOW MANY VARIABLES? 3

DIMENSION OF ARRAYS? 20

NAME OF VARIABLE 1 (\$ FOR STRING)

?item\$

PROMPT LINE FOR ITEM:

?enter product description

NAME OF VARIABLE 2 (\$ FOR STRING)

?pr

PROMPT LINE FOR PR:

?unit price

DO YOU WANT A RANGE CHECK (Y/N)? y

MINIMUM ACCEPTABLE VALUE? 0

?qn
PROMPT LINE FOR QN:
?quantity
DO YOU WANT A RANGE CHECK (Y/N)? y
MINIMUM ACCEPTABLE VALUE? 1
MAXIMUM ACCEPTABLE VALUE? 144
VAR. INDEX FOR TERMINATION? 1
WHAT IS THE TERMINATING VALUE? end

MAXIMUM ACCEPTABLE VALUE? 10000

NAME OF VARIABLE 3 (\$ FOR STRING)

STARTING PROGRAM LINE? 1000

INCREMENT FOR PROGRAM? 10

Listing 2: Sample dialog from the CREATE OUTPUT program.

HOW MANY VARIABLES? 4
NAME OF VARIABLE 1 (\$ FOR STRING)
? QN
WIDTH OF FIELD? 4
DECIMAL DIGITS? 0
HEADING 1? QUAN
HEADING 2?
HEADING 3? --NAME OF VARIABLE 2 (\$ FOR STRING)
? ITEM\$
WIDTH OF FIELD? 12
HEADING 1? PRODUCT
HEADING 2? DESCRIPTION
HEADING 3? ---NAME OF VARIABLE 3 (\$ FOR STRING)
? PR

WIDTH OF FIELD? 8
DECIMAL DIGITS? 2
HEADING 1? UNIT
HEADING 2? PRICE
HEADING 3? ---NAME OF VARIABLE 4 (\$ FOR STRING)
? EP
WIDTH OF FIELD? 10
DECIMAL DIGITS? 2
HEADING 1? EXTENDED
HEADING 2? PRICE
HEADING 3? ----STARTING PROGRAM LINE? 3000
INCREMENT FOR PROGRAM? 10
SPACE BETWEEN COLUMNS? 1

Listing 3: Sample dialog from the CREATE INSTR program.

APPROXIMATELY HOW MANY LINES? 20 TYPE 'CONTROL-Q' TO QUIT ANSWER QUESTIONS WITH 'Y' OR 'N'

TYPE LINE 1

INVOICE PROGRAM

TYPE LINE 2

TYPE LINE 3
THIS PROGRAM WILL PRINT AN INVOICE OR
TYPE LINE 4
PURCHASE ORDER FOR UP TO 20 ITEMS.
TYPE LINE 5
WHEN PROMPTED TYPE PRODUCT DESCRIPTION,
TYPE LINE 6
UNIT PRICE AND QUANTITY. TYPE 'END'
TYPE LINE 7
FOR PRODUCT DESCRIPTION WHEN DONE.
TYPE LINE 8

INVOICE PROGRAM

THIS PROGRAM WILL PRINT AN INVOICE OR PURCHASE ORDER FOR UP TO 20 ITEMS. WHEN PROMPTED TYPE PRODUCT DESCRIPTION, UNIT PRICE AND QUANTITY. TYPE 'END' FOR PRODUCT DESCRIPTION WHEN DONE.

DO YOU WANT TO CHANGE A LINE? Y . WHAT LINE? 1

INVOICE PROGRAM

IS THIS THE RIGHT LINE? Y
TYPE LINE 1

INVOICE PROGRAM

INVOICE PROGRAM

THIS PROGRAM WILL PRINT AN INVOICE OR PURCHASE ORDER FOR UP TO 20 ITEMS. WHEN PROMPTED TYPE PRODUCT DESCRIPTION, UNIT PRICE AND QUANTITY. TYPE 'END' FOR PRODUCT DESCRIPTION WHEN DONE.

DO YOU WANT TO CHANGE A LINE? N
STARTING PROGRAM LINE? 10
INCREMENT FOR PROGRAM? 10
10?TAB(13); "INVOICE PROGRAM"
20?
30?"THIS PROGRAM WILL PRINT AN INVOICE OR"
40?"PURCHASE ORDER FOR UP TO 20 ITEMS."
50?"WHEN PROMPTED TYPE PRODUCT DESCRIPTION,"
60?"UNIT PRICE AND QUANTITY. TYPE 'END'"
70?"FOR PRODUCT DESCRIPTION WHEN DONE."

INTRODUCTORY OFFER!

Turn your Micro-Computer into a Mini-Computer. Try the world's #1 programming language-COBOL! Finally at a price you can afford and with no risk!

Introducing...

NPS-MICRO-COBOL

This is the Naval Post Graduate School Cobol that you've heard so much about. Designed to pass the stringent government Hypo-COBOL tests used by GSA in their Compiler Certification Program. This is the first public release of version.2.1. This is an elaborate ANSI-COBOL subset. Comes complete with users manual in DeLuxe three-ring binder.

- Perfect for learning COBOL.
- Perfect for teaching COBOL
- FREE sample programs included
- Runs in 24K
- Requires 8080, Z-80®, or 8085 and standard CP/M® system
- Provided on standard 8" disk or Northstar Double Density CP/M 5"

Only \$69.95!

FREE ALGOL INCLUDED!

FREE BONUS. All purchasers receive a FREE copy of NPS-ALGOL at no extra cost. A favorite language in Europe, ALGOL is the original structured language. Comes with FREE sample programs.

MONEY-BACK GUARANTEE. If you're not completely satisfied with this software. You may return it within fifteen days for any reason and get a full refund.

Send Check, Money Order or Credit Card information and order a copy today! Please add \$2.50 shipping and handling on all orders.

Credit Card buyers: For Extra Fast service call (415) 527-7730

Order from: The Software Review 704 Solano Avenue, Albany, CA 94706
Yes, I want to run COBOL on my system! Enclosed find \$69.95 plus \$2.50 shipping/handling (California residents please add appropriate sales tax). I will receive the NPS-COBOL system plus a FREE copy of NPS-ALGOL. I understand that I may return the software within 15 days if not completely satisfied for a full refund.
NAME
COMPANY
STREET
CITY
STATEZIP
AMOUNT ENCLOSED \$
Disk size desired: 5" 8"
☐ Check Enclosed ☐ VISA
☐ UPS C.O.D. ☐ Mastercharge
Card number
Expiration Date
Signature
☐ Check here for more information CP/M is a trademark of Digital Research and Z-80 is a trademark of Zilog.

353

Listing 4: The completed invoice recording program. Lines 5, 1100, 2000 through 2040, and 4000 through 4040, were added by the programmer. Lines 2500 through 2530 were generated by CREATE INSTR, as were lines 10 through 70 and line 4050. All other lines were generated automatically.

```
5 HOME
 10 PRINT TAB(13); "INVOICE PROGRAM"
 20 PRINT
 30 PRINT "THIS PROGRAM WILL PRINT AN
     INVOICE OR"
 40 PRINT "PURCHASE ORDER FOR UP TO 2
    O ITEMS."
 50 PRINT "WHEN PROMPTED TYPE PRODUCT
      DESCRIPTION."
 60 PRINT "UNIT PRICE AND QUANTITY.
     TYPE 'END'"
 70 PRINT "FOR PRODUCT DESCRIPTION WH
     EN DONE."
1000 DIM ITEM$(20), PR(20), QN(20)
1010 I=1
1020 PRINT "ENTRY ";I
1030 INPUT "ENTER PRODUCT DESCRIPTION
     ":ITEM$(I)
1040 IF ITEM$(I)="END" GOTO 1100
1050 INPUT "UNIT PRICE "; PR(I)
1060 IF PR(I)<0 OR PR(I)>10000 GOTO 10
1070 INPUT "QUANTITY "; QN(I)
1080 IF QN(I)<1 OR QN(I)>144 GOTO 1070
1090 I=I+1
   : GOTO 1020
1100 M=I-1
2000 TT=0
2010 FOR N=1 TO M
2020 EP(N)=QN(N)#PR(N)
2030 TT=TT+EP(N)
2040 NEXT N
2500 PRINT TAB(4); "INVOICE FOR"
2510 PRINT TAB(14); "ACME COMPANY"
2520 PRINT TAB(14); "1234 MAIN STREET"
2530 PRINT TAB(14); "ANYWHERE, USA"
3000 PRINT
3010 PRINT TAB(2); "QUAN";
3020 PRINT TAB(9); "PRODUCT";
3030 PRINT TAB(22); "UNIT";
3040 PRINT TAB(30); "EXTENDED";
```

```
3060 PRINT TAB(4);"";
3070 PRINT TAB(7); "DESCRIPTION";
3080 PRINT TAB(21); "PRICE";
3090 PRINT TAB(31); "PRICE";
3100 PRINT
3110 PRINT TAB(2):"----":
3120 PRINT TAB(7);"----";
3130 PRINT TAB(21);"----";
3140 PRINT TAB(30);"----";
3150 PRINT
3160 FOR I=1 TO M
3170 A=QN(I)
3180 W%=4
   : D%=0
3190 GOSUB 60000
3200 PRINT TAB(6-LEN(A$)); A$;
3210 A$=ITEM$(I)
3220 PRINT TAB(19-LEN(A$)); A$;
3230 A=PR(I)
3240 W%=8
   : D%=2
3250 GOSUB 60000
3260 PRINT TAB(28-LEN(A$)); A$;
 3270 A=EP(I)
3280 W%=10
    : D%=2
3290 GOSUB 60000
3300 PRINT TAB(39-LEN(A$)); A$;
3310 PRINT
3320 NEXT I
4000 A=TT
4010 GOSUB 60000
4020 PRINT
4030 PRINT " TOTAL"; TAB(39-LEN(A$)); A
4040 PRINT
 4050 PRINT "PLEASE REMIT WITHIN 30 DAY
      S. THANK YOU"
5000 END
60000 A=INT(A*10^D%+.5)/(10^D%)
60010 A$=STR$(A)
60020 RETURN
```

In order to terminate the data-entry loop, you are asked to give the index of the variable on which to terminate. In this case you answer 1 (ie: the first variable, ITEM\$). The terminating value is END, since you have no item called END. Finally, you are asked for the starting program line and increment. Since you will be pulling these program segments from text files by using the EXEC feature, you must be sure that the program ranges do not overlap.

3050 PRINT

You must write the substance of the program yourself. In line 1040 there is a GOTO target that does not exist. This will be the first line of your own program. It will set M=I-1; M now contains the number of items in the invoice. Here is the program you might add:

```
2000 TT =0

2010 FOR N = 1 to M

2020 EP(N) = QN(N)*PR(N)

2030 TT = TT + EP(N)

2040 NEXT N
```

TT is the running total. Next you run the CREATE OUTPUT program. This program calls a small subroutine, which is to be located at line 60000:

```
60000 A=INT(A*10†D%+.5)/(10†D%)
60010 A$=STR$(A)
60020 RETURN
```

This subroutine converts the numeric variable A to a string variable A\$. W% and D% are the width and number of decimal places, respectively. W% is not used in this version of

the subroutine.


The CREATE OUTPUT program asks for the names of the variables you are using. In this case, you would answer: QN, ITEM\$, PR, EP, since you want the data printed in a different order than it was input. You are asked to provide three lines of heading for each column. The heading widths cannot be larger than those specified in the WIDTH OF FIELD? question. The complete dialog is shown in listing 2. Note that you can also specify the space between columns.

The last program creates screens full of instructions for you. It is a simple-minded text editor that generates print statements with the proper tabs. After you type in the text (without the line numbers and PRINT symbol), you have a chance to change any lines that need correction. Since lines are not numbered, you have to guess which line number is in error. The program confirms the line by printing it before you are asked to replace it. No line or character insertions or deletions are permitted, but you can always edit the completed BASIC program by adding or deleting lines.

Listing 3 shows the dialog for creating the instructions for your invoice program. Listing 4 shows the completed program, including the subroutine at 60000. Lines 4000 through 4040 had to be added to print the total. Listing 5 is a sample run of the invoice program. The CREATE IN-STRUCTIONS program has also been used to create the company heading (ACME COMPANY) on the invoice. Only some of the line numbers of the generated program had to be changed. The example in listing 3 does not show the creation of the invoice heading.

All of the programs work in essentially the same way. The variable PLC (Program Location Counter, a term borrowed from assembers) is used to keep track of the statement number assigned to each created program step. In the INPUT and OUT-PUT programs, each line is placed in the variable L\$(J), where J is the Jth line. Let's decompose statement 360 in the CREATE INPUT program.

Text continued on page 362



Get the Most from Your PC-8001 with RACET NECDOS*

RACET NECDOS does more for your PC-8001 than any other DOS. It's faster, more efficient and easier to use. It's upward compatible with the disk operating system supplied by NEC. It's loaded with extra features to let you stretch the limits of your system. It's only \$175, and what's more, BASIC-based TRS-80" software can be converted to RACET NECDOS via a set of convert programs.

Greater speed without sacrificing RAM - RACET NECDOS is over 2½ times faster for random file reading and writing, up to 2.3 times faster for sequential I/O . . . and 15 times faster for loading screens. But RACET NECDOS takes up no more RAM space than the factory supplied DOS. Many disk I/O functions have been relocated in the disk drive computer. And machine language files can be saved and loaded from diskette, further minimizing RAM usage.

User friendly and self-protective – RACET NECDOS makes programmming easier. BASIC and DOS commands may be intermixed. Help and Error messages are displayed in English. Syntax errors cause display of the offending line. "AGAIN" and "HELP" commands as well as a directory utility provide additional assistance. A unique "SUPERZAP" feature permits diskette modification and repair of blown diskettes. A "CONVERT UTILITY" simplifies conversion from factory DOS.

File password protection, full color and ROM support, diskettesize files and elimination of MOUNT and REMOVE commands are other advantages.

Options and Expansion – Want to do even more with your PC-8001? RACET gives you the capability. Options include a machine language sort package (\$50) and an ISAM (binary tree) file handling system, the KFS-80 (\$150). There is RACET NECDOS for hard disk (Winchester) users, and even a CP/M***call-compatible version. For more advanced programming, the RACET NECDOS Enhancements and Utilities package gives the more sopohisticated user an elaborate set of extensions and utilities. RACEnet*, a networking package, will be available in the first quarter of 1982.

Continued Support – Through the RACET NECDOS User's Group Newsletter we will answer your questions, share applications and operating tips, and provide information on enhancements as they become available.

No one gives you more than RACET COMPUTES. To get the most from your PC-8001, write or call today.

*RACET NECDOS and RACEnet are trademarks of RACET COMPUTES, LTD.

**TRS-80 is a Trademark of Tandy Corporation

***CP/M is a trademark of Digital Research



RACET COMPUTES, LTD. 1330 N. Glassell, Suite M Orange, CA 92667 (714) 997-4950



LEGAL NOTICE

US POSTAL SERVICE STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Required by 39 U.S.C. 3685)

- 1. Title of publication: BYTE.

- Date of filing: September 8, 1981.
 Frequency of issue: Monthly.
 Number of issues published annually: 12.
- 3B. Annual Subscription Price: \$19.00.
- 4. Complete mailing address of known office of publication: 70 Main Street, Peterborough, N.H. 03458.
- 5. Complete mailing address of the headquarters or general business offices of the publishers: 1221 Avenue of the Americas, New York, N.Y. 10020.
- 6. Full names and complete mailing address of publisher, editor, and managinag editor: Publisher, Virginia Londoner, 70 Main Street, Peterborough, N.H. 03458; Editor, Christopher P. Morgan, 70 Main Street, Peterborough, - N.H. 03458; Managing Editor, Mark Haas, 70 Main Street, Peterborough, N.H. 03458.
- Haas, 70 Main Street, Peterborough, N.H. 03458.

 7. Owner: The owner is McGraw-Hill, Inc., 1221
 Avenue of the Americas, New York, N.Y. 10020.
 Stockholders holding 1 percent or more of stock are:
 Donald C. McGraw, Jr.; Harold W. McGraw, Tr.; John L.
 McGraw; William H. McGraw; June M. McBroom;
 Elizabeth McGraw Webster; all of 1221 Avenue of the
 Americas, New York, N.Y. 10020; Public Employees
 Retirement Board of Ohio, 277 East Town Street, Columbus Ohio 42215 bus, Ohio 43215.
- 8. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities: None.
 - 9. Not applicable.
- 10. Extent and nature of circulation:

	Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date
A. Total No. Copies	205,958	241,500
Paid Circulation Sales through dealers and carriers, street vendors and	200,000	241,000
counter sales	33,743	56,845
Mail Subscription Total Paid Circula-	160,889	179,405
tion	194.632	236,250
 Free distribution by mail, carrier or other means samples, complimentary, and 		
other free copies	5,084	3,121
E. Total distribution F. Copies not distributed 1. Office use, left	199,716	239,321
over, unaccounted.		
spoiled after printing 2. Return from news	3,896	2,179
agents	2,346	None to date
G. Total	205,958	241,500
11. I certify that the	statements	made by me
The state of the s	The second secon	

above are correct and complete.

Virginia Londoner, Publisher

Listing 5: Sample run of the invoice program of listing 4.

INVOICE PROGRAM

THIS PROGRAM WILL PRINT AN INVOICE OR PURCHASE ORDER FOR UP TO 20 ITEMS. WHEN PROMPTED TYPE PRODUCT DESCRIPTION, UNIT PRICE AND QUANTITY. TYPE 'END' FOR PRODUCT DESCRIPTION WHEN DONE.

ENTRY 1 ENTER PRODUCT DESCRIPTION DOG UNIT PRICE 19.95 QUANTITY 5 ENTRY 2 ENTER PRODUCT DESCRIPTION CAT UNIT PRICE 12.95 QUANTITY 1 ENTRY 3 ENTER PRODUCT DESCRIPTION ELEPHANT UNIT PRICE 999.75 QUANTITY 3 ENTRY 4 ENTER PRODUCT DESCRIPTION END

INVOICE FOR

ACME COMPANY 1234 MAIN STREET ANYWHERE, USA

QUAN	PRODUCT DESCRIPTION	UNIT PRICE	EXTENDED PRICE
5	DOG	19.95	99.75
1	CAT	12.95	12.95
3	ELEPHANT	999.75	2999.25
TOTAL			3111.95
	The state of the state of		

PLEASE REMIT WITHIN 30 DAYS. THANK YOU

Listing 6: The program-generating utilities, CREATE INPUT, CREATE OUTPUT, and CREATE INSTR.

CREATE INPUT

- 10 INPUT "HOW MANY VARIABLES? ":N
- 20 INPUT "DIMENSION OF ARRAYS? ";M
- 30 FOR I=1 TO N
- : MODE(I)=0
- : NEXT
- 40 FOR I=1 TO N
- 50 PRINT "NAME OF VARIABLE "; I; " (\$ FOR STRING)"
- 60 INPUT V\$(I)
- 70 IF RIGHT\$(V\$(I),1)="\$" THEN MODE(I)=3
- 80 PRINT "PROMPT LINE FOR "; V\$(I);": "
- 90 INPUT P\$(I)
- 100 IF MODE(I)=3 GOTO 160
- 110 INPUT "DO YOU WANT A RANGE CHECK (Y/N)? "; Z\$
- 120 IF Z\$<>"Y" THEN MODE(I)=1
 - : GOTO 160
- 130 INPUT "MINIMUM ACCEPTABLE VALUE? ";LV\$(I)
- 140 INPUT "MAXIMUM ACCEPTABLE VALUE? "; HV\$(I)
- 150 MODE(I)=2
- 160 NEXT I
- 170 INPUT "VAR. INDEX FOR TERMINATION? ";T
- 180 INPUT "WHAT IS THE TERMINATING VALUE? "; TV\$
- 190 INPUT "STARTING PROGRAM LINE? ";FR
- 200 INPUT "INCREMENT FOR PROGRAM? "; INC
- 210 DIM L\$(5+3*N)
- 220 PLC=FR
- : J=1
- 230 L\$(J)=STR\$(PLC)+" DIM "
- 240 FOR I=1 TO N

Listing 6 continued on page 358

BOY, IS THIS COSTING YOU.

It's really quite basic: time is

money.

And BASIC takes a lot more time and costs a lot more money than it should every time you write a new business software package.

Especially when you could speed things up with

dBASE II.

dBASE II is a complete applications development package.

Users tell us they've cut the amount of code they write by up to 80% with dBASE II.

Because dBASE II is the high performance relational

database management system for micros.

Database and file handling operations are done automatically, so you don't get involved with sets, lists, pointers, or even opening and closing of files.

Instead, you write your code in concepts.

And solve your customers' problems faster and for a lot less than with BASIC (or FORTRAN, COBOL or PL/I).

dBASE II uses English-like commands.

dBASE II uses a structured language to put you in full control of your data handling operations.

It has screen handling facilities for setting up input

and output forms.

It has a built-in query facility, including multikey and sub-field searches, so you can DISPLAY some or all of the data for any conditions you want to apply.

You can UPDATE, MODIFY and REPLACE entire

databases or individual characters.

CREATE new databases in minutes, or JOIN databases that already exist.

APPEND new data almost instantly, whether the file has 10 records or tens of thousands.

SORT the data on as many keys as you want. Or INDEX it instead, then FIND whatever you're looking for in seconds, even using floppies.

Organize months worth of data in minutes with the built-in REPORT. Or control every row and column on your CRT and your printer, to format input and output exactly the way you want it.

You can do automatic calculations on fields,



records and entire databases with a few keystrokes, with accuracy to 10 places.

Change your data or your entire database structure without re-entering all your data.

And after you're finished, you can protect all that elegant code with our runtime compiler.

Expand your clientbase with dBASE II.

With dBASE II, you'll write programs a lot faster and a lot more efficiently. You'll be able to write more programs for more clients. Even take on the smaller jobs that were out of the economic question before. Those nice little foot-in-the-database assignments that grow into bigger and better bottom lines.

Your competitors know of this offer.

You don't have to believe us.

Because you can try it out for yourself, free for 30 days.

If you're working with a 48k CP/M system, call for our dealer discounts and OEM run-time package prices, then take us up on our money-back guarantee. Send us your check and we'll send you a copy of dBASE II that you can exercise on your system any way you want for 30 days.

Then send dBASE II back and we'll return all of your money, no questions asked.

During that 30 days, you can find out exactly how

much dBASE II can save you, and how much more it lets you do.

But it's only fair to warn you: business programmers don't go back to BASIC's.

Ashton-Tate, 3600 Wilshire Blvd., Suite 1510, Los Angeles, CA 90010. (213) 666-4409.







Circle 202 on inquiry card.



E-Z-80 ENTRY KIT

A Z-80 Micro Computer with CPU: CTC: PIO: Prom Programmer: Read Outs: Key Pad: Onboard ROM & RAM: Wire Wrap: DC Regulator: Manual & Instructions.

Kit Price \$390

P.O. BOX 501—KAUFMAN, TEXAS (USA)—75142 A Subsidiary of Patrick Computer Systems, Inc., manufac-turer of the ic436 intergrated business computer.

Circle 455 on inquiry card.

NORTHSTAR USERS

Add our SCAN COMMAND to your copy of NORTHSTAR BASIC and you can instantly display or print

- · All lines that contain a selected variable
- All occurences of GOTO or GOSUB statements to a particular line number.
- All references to any program line number
- All occurences of any character, number, line number, group of characters or anything that is contained in any basic line.

 ONLY \$29.50 ON DISK

Add our extended **RENUMBER** capability to your copy of NORTHSTAR BASIC and you will be able to

- Renumber only selected line numbers and move the entire group to another area of your program.
- Keep specific line number sequences associated with designated areas of a program.
- Append program modules and rearrange them within your pro-
- Make subroutines out of selected lines and move the subroutines to a designated area of the program.

 ONLY \$39.50 ON DISK

Both programs automatically load to any copy of NORTH-STAR BASIC, your BASIC can be SINGLE DENSITY, DOUBLE DENSITY or OUAD DENSITY and be located at any address above 0600 HEX. These programs are machine language additions to NORTH-STAR BASIC. Atter your copy of BASIC is modified to include these new leatures, you can save the NEW BASIC and have a permanent copy with "SCAN" and/or "REMUMBER". Complete documentation included on each disk.

ase add \$2.00 shipping charge for each program or order both ograms and save \$4.00 plus shipping charges. Both only \$65.00 alifornia residents should add 6% sales tax. er Today—Send check, money order or credit card data to

ET SOFTWARE SERVICES Carpinteria, CA 93013 (805) 684-8259



Listing 6 continued:

```
250 L$(J)=L$(J)+V$(I)+"("+STR$(M)+"),"
260 NEXT I
270 L$(J)=LEFT$(L$(J),LEN(L$(J))-1)
280 GOSUB 620
290 L$(J)=STR$(PLC)+" I=1"
300 GOSUB 620
310 LOOP=PLC
320 L$(J)=STR$(PLC)+" ?"+CHR$(34)+"ENTRY "+CHR$(34)+"; I"
330 GOSUB 620
340 FOR I=1 TO N
350 ER=PLC
360 L$(J)=STR$(PLC)+" INPUT "+CHR$(34)+P$(I)+" "+CHR$(34)+"; "+V$(I)+"(I)"
370 GOSUB 620
380 IF I<>T GOTO 440
390 DN=J
400 Q$=""
410 IF MODE(I)=3 THEN Q$=CHR$(34)
420 L$(J)=STR$(PLC)+" IF "+V$(I)+"(I)="+Q$+TV$+Q$+" GOTO "
430 GOSUB 620
440 IF MODE(I)<>2 GOTO 470
450 L$(J)=STR$(PLC)+" IF "+V$(I)+"(I)<"+LV$(I)+" OR "+V$(I)+"(I)>"+HV$(I)+" G
    OTO "+STR$(ER)
460 GOSUB 620
470 NEXT I
480 L$(J)=STR$(PLC)+" I=I+1:GOTO "+STR$(LOOP)
```

490 GOSUB 620

500 L\$(DN)=L\$(DN)+STR\$(PLC)

510 PRINT

: PRINT

520 FOR K=1 TO J

: PRINT L\$(K)

: NEXT

530 INPUT "DO YOU WANT TO SAVE ON DISK?"; Z\$

540 IF Z\$<>"Y" THEN END

550 INPUT "TEXT FILE NAME? ";F\$

560 D\$=CHR\$(4)

570 PRINT D\$; "OPEN"; F\$

580 PRINT D\$; "WRITE"; F\$

590 FOR K=1 TO J

: PRINT L\$(K)

: NEXT K

600 PRINT D\$; "CLOSE"; F\$

610 END

620 PLC=PLC+INC

: J=J+1

: RETURN

CREATE OUTPUT

```
10 INPUT "HOW MANY VARIABLES? "; N
```

20 FOR I=1 TO N

: MODE(I)=0

: NEXT

30 FOR I=1 TO N

40 PRINT "NAME OF VARIABLE "; I; " (\$ FOR STRING)"

50 INPUT V\$(I)

60 IF RIGHT\$(V\$(I),1)="\$" THEN MODE(I)=3

70 INPUT "WIDTH OF FIELD? "; W%(I)

80 IF MODE(I)=3 THEN 100

90 INPUT "DECIMAL DIGITS? ";D%(I)

100 INPUT "HEADING 1? "; P1\$(I)

110 IF LEN(P1\$(I))>W%(I) GOTO 100

120 INPUT "HEADING 2? "; P2\$(I)

130 IF LEN(P2\$(I))>W%(I) GOTO 120

140 INPUT "HEADING 3? "; P3\$(I)

150 IF LEN(P3\$(I))>W%(I) GOTO 140

160 NEXT I

170 INPUT "STARTING PROGRAM LINE? ";FR

180 INPUT "INCREMENT FOR PROGRAM? "; INC

190 INPUT "SPACE BETWEEN COLUMNS? ";SP

200 DIM L\$(100)

210 PLC=FR

: J=1

220 L\$(J)=STR\$(PLC)+" ?"

230 GOSUB 2120

240 T=0

Listing 6 continued on page 360



State-of-the-art Single-Board computer now available! Can be used in S-100 (Master, Slave, Multi or Single user) or Stand-Alone configurations.

FINALLY, state-of-the-art performance is available at an affordable price.

COMPARE THESE FEATURES:

- Z80A or Z80B
- 4 TIMERS (ZCTC)
- 64K RAM (64KX1 CHIPS)
- 2 SERIAL PORTS (ZSIO)
- 4 PARALLEL PORTS (ZPIO)
- UP TO 16K EPROM (2732)

 NEC FLOPPY DISK CONTROLLER
 (UP TO FOUR 8" DOUBLE SIDED/DOUBLE DENSITY DRIVES)
- **INTELLIGENT WINCHESTER INTERFACE**
- ON-BOARD EPROM BURNER (DOES NOT REQUIRE 24V)

FOR THESE SINGLE QUANTITY PRICES:

4MZ VERSION (Z80A)

6 MZ VERSION (Z80B)


4 MZ SLAVE PROCESSOR
INO DISK CONTROLLERS ON BOARD

6 MZ SLAVE PROCESSOR INO DISK CONTROLLERS ON BOARD

The S-100 version of this product can act as a Master processor, Slave processor, or Intelligent peripheral controller. Intra-processor communication is achieved through the use of efficlent, high speed buss transfers using special hardware/software techniques.

We also have what we think is one of the best implementations of a CP/M BIOS available off the shelf. The BIOS has the following features:

- All Devices INTERRUPT DRIVEN
- Type Ahead Input/Output Buffers
- **Real-Time Clock**
- **Time Of Day Clock**
- Multi-level User Password Support
- Menu Driven Utilities for Format, Disk Copy, etc.
- Unique Configuration Utility Program for Setting Baud Rates, Changing Step Time, Changing Passwords, etc.
- Cylinder Concept used for Double Sided /Double Density Configuration Resulting in increased Performance




HARDWARE SOFTWARE

RRA DATA SCIENCES

Fresno, California Marketing Division

21162 Lorain Ave./Fairview Park, Ohio 44126 /(216) 331-8500

This little baby will shake up the computer industry.



Actual board size: 5¾ in. x8¾ in. (14.6cm x 22.1cm)

PROTEUS[™] – the very first 16-bit single board microcomputer.

PROTEUS leads the way into a new generation of smaller, faster computers.

PROTEUS, from Innovative Electronics Technology, features a 16-bit modular processing unit designed to mount on the side of a 5¼" mini Winchester hard disk. It contains a Z8001 segmented CPU with 16K of ROM, 128K of dynamic RAM for user memory, 8K of static RAM for system memory, two serial ports and a floating-point processor.

Additional memory management boards can expand capacity to **48 Megabytes per module!** And, our innovative design allows up to **256 PROTEUS** boards to be linked to provide simultaneous access to **512 users** without any degradation in speed!

The computer market will never be the same again.

For additional information and specifications, write:

Innovative Electronics Technology Ltd.

P.O. Box 5188 Vancouver, B.C. Canada V6B 4B5

Tel: [604] 430-5166 Telex: 04-0356551 IOTAVCR Listing 6 continued:

50 EQ\$=CHR\$(34)

60 CR\$=CHR\$(13)

70 BS\$=CHR\$(8)

80 QQ\$=CHR\$(17)

```
250 FOR I=1 TO N
260 T=T+W%(I-1)+SP
270 L$(J)=STR$(PLC)+" ? TAB("+STR$(INT(T+(W%(I)-LEN(P1$(I)))/2+1))+");"+CHR$(
     34)+P1$(I)+CHR$(34)+":"
280 GOSUB 2120
290 NEXT I
300 L$(J)=STR$(PLC)+" ?"
310 GOSUB 2120
320 T=0
330 FOR I=1 TO N
340 T=T+W%(I-1)+SP
 350 L$(J)=STR$(PLC)+" ? TAB("+STR$(INT(T+(W%(I)-LEN(P2$(I)))/2+1))+");"+CHR$(
     34)+P2$(I)+CHR$(34)+";"
 360 GOSUB 2120
370 NEXT I
 380 L$(J)=STR$(PLC)+" ?"
 390 GOSUB 2120
400 T=0
 410 FOR I=1 TO N
 420 T=T+W%(I-1)+SP
 430 L$(J)=STR$(PLC)+" ? TAB("+STR$(INT(T+(W%(I)-LEN(P3$(I)))/2+1))+");"+CHR$(
     34)+P3$(I)+CHR$(34)+";"
 440 GOSUB 2120
 450 NEXT I
 460 L$(J)=STR$(PLC)+" ?"
 470 GOSUB 2120
 480 L\sharp(J)=STR\sharp(PLC)+" FOR I = 1 TO M"
 490 GOSUB 2120
 495 T=0
 500 FOR I=1 TO N
 510 IF MODE(I)=3 THEN L$(J)=STR$(PLC)+" A$="+V$(I)+"(I)"
  : GOSUB 2120
   : GOTO 585
520 L$(J)=STR$(PLC)+" A="+V$(I)+"(I)"
 525 GOSUB 2120
550 L$(J)=STR$(PLC)+" W%="+STR$(W%(I))+": D%="+STR$(D%(I))
 560 GOSUB 2120
 570 L$(J)=STR$(PLC)+" GOSUB 60000"
 580 GOSUB 2120
585 T=T+W%(I-1)+SP
 590 L$(J)=STR$(PLC)+" ? TAB("+STR$(INT(T+W%(I)+1))+"-LEN(A$)): A$:"
 595 GOSUB 2120
600 NEXT I
 620 L$(J)=STR$(PLC)+" ?"
 630 GOSUB 2120
640 L$(J)=STR$(PLC)+" NEXT I"
 650 GOSUB 2120
2010 PRINT
  : PRINT
2020 FOR K=1 TO J
  : PRINT L$(K)
2030 INPUT "DO YOU WANT TO SAVE ON DISK?"; Z$
2040 IF Z$<>"Y" THEN END
2050 INPUT "TEXT FILE NAME? ":F$
2060 D$=CHR$(4)
2070 PRINT D$; "OPEN"; F$
2080 PRINT D$; "WRITE"; F$
2090 FOR K=1 TO J
   : PRINT L$(K)
   : NEXT K
2100 PRINT D$; "CLOSE"; F$
2110 END
2120 PLC=PLC+INC
  : J=J+1
   : RETURN
CREATE INSTR
20 INPUT "APPROXIMATELY HOW MANY LINES? ";I
30 DIM S$(INT(I*1.5))
40 D$=CHR$(4)
```

Listing 6 continued on page 362

NEWDOS/80 Version 2.0 The Support Keeps Coming.

Apparat's newest disk operating system for the TRS-80® NEWDOS/80 Version 2.0, has added many new enhancements and features to make your Model I or III computer more powerful. We've kept one thing the same. Our support. Version 2.0 is our second

upgrade of our original NEWDOS for the TRS-80. Each version builds and improves on the capabilities of the preceeding versions. Just as important, Apparat's commitment to supporting our products makes a good product even better. By providing our customers with zaps on an ongoing basis, we're continually making NEWDOS/80 Version 2.0 a more powerful tool. Version 2.0...

High Performance DOS

NEWDOS/80 Version 2.0 builds even more performance into NEWDOS/80. The versatility and sophistication of Version 2.0 includes features like:

- Double density support on the Model I
- Enhanced compatability between Model I and III
- Triples directory size
- Dynamically merge in basic (also allows merging of non ASC II format files)
- Selective variable clearing
- Can display basic listings page by page

 Automatic repeat function key Routing for peripheral handling

- · Enhanced disassembler
- Command chaining
- Superzap to scan files
- · Fast sort function in basic

These new features, added to the existing capabilities of NEWDOS/80, makes it one of the most powerful additions you can make to your system. And Apparat's commitment to support assures that you've purchased a superior product, both today and tomorrow. At just \$149.00 it could be the best investment you will make for your TRS-80.

If you're thinking about upgrading your system, call Apparat today. Dealer inquiries

welcome.

TRS-80 is a registered trademark of Tandy Corp.



4401 So. Tamarac Parkway, Denver, CO 80237 (303) 741-1778

"ON GOING SUPPORT FOR MICROCOMPUTERS"

```
Listing 6 continued:
```

90 NAK\$=CHR\$(21) 100 PRINT "TYPE 'CONTROL-Q' TO QUIT" 110 PRINT "ANSWER QUESTIONS WITH 'Y' OR 'N'" 120 LN=1 130 REM 140 PRINT 150 PRINT "TYPE LINE "; LN 160 GOSUB 640 170 IF CH\$<>QQ\$ THEN GOTO 140 180 NL=LN-1 190 PRINT : PRINT 200 FOR I=1 TO NL 210 PRINT S\$(I) 220 NEXT T 230 PRINT 240 INPUT "DO YOU WANT TO CHANGE A LINE? "; Z\$ 250 IF Z\$<>"Y" GOTO 360 260 INPUT "WHAT LINE? "; LN 270 IF LN>NL OR LN<1 GOTO 260 280 PRINT S\$(LN) 290 PRINT 300 INPUT "IS THIS THE RIGHT LINE? "; Z\$ 310 IF Z\$<>"Y" GOTO 260 320 S\$(LN)="" 330 PRINT "TYPE LINE "; LN 340 GOSUB 640 350 GOTO 190 360 INPUT "STARTING PROGRAM LINE? "; PLC 370 INPUT "INCREMENT FOR PROGRAM? "; INC 380 FOR I=1 TO NL 390 L=LEN(S\$(I)) 400 FOR J=1 TO L 410 IF L=0 THEN S\$(I)=STR\$(PLC)+"?" : GOTO 480 420 IF LEFT\$(S\$(I),1)<>" " GOTO 450 430 S\$(I)=RIGHT\$(S\$(I),LEN(S\$(I))-1) 440 NEXT J 450 S1\$="TAB(" : S2\$=");" : SJ\$=STR\$(J) 460 IF J=1 THEN S1\$="" : S2\$="" : SJ\$="" 470 S\$(I)=STR\$(PLC)+"?"+S1\$+SJ\$+S2\$+EQ\$+S\$(I)+EQ\$ 480 PLC=PLC+INC 490 NEXT I 500 FOR I=1 TO NL 510 PRINT S\$(I) 520 NEXT I 530 PRINT 540 INPUT "DO YOU WANT TO SAVE ON DISK? ";Z\$ 550 IF Z\$<>"Y" THEN END 560 INPUT "TEXT FILE NAME ";F\$ 570 PRINT D\$; "OPEN"; F\$ 580 PRINT D\$; "WRITE"; F\$ 590 FOR I=1 TO NL 600 PRINT S\$(I) 610 NEXT I 620 PRINT D\$; "CLOSE"; F\$ 630 END 640 GET CHS 650 IF CH\$<>CR\$ AND CH\$<>BS\$ AND CH\$<>QQ\$ AND CH\$<>NAK\$ THEN PRINT CH\$; : S\$(LN)=S\$(LN)+CH\$: GOTO 640 660 IF CH\$=BS\$ AND LEN(S\$(LN))<=1 THEN S\$(LN)="" : HTAB 1 : GOTO 640 670 IF CH\$=BS\$ THEN PRINT CH\$; : S\$(LN)=LEFT\$(S\$(LN),LEN(S\$(LN))-1) : GOTO 640 680 IF CH\$=NAK\$ THEN CH\$="?" : GOTO 650 690 IF CH\$=CR\$ THEN LN=LN+1 : RETURN 700 IF CH\$=QQ\$ THEN RETURN

Text continued from page 354:

L\$(J) is the concatenation of a number of substrings:

```
STR$(PLC)
" INPUT "
CHR$(34)
P$(I)
CHR$(34)
"; "
V$(I)
"(I)"
```

These substrings form INPUT statements, such as line 1050 in listing 1:

1050 INPUT "UNIT PRICE"; PR(I)

STR\$(PLC) generates the current statement number, 1050; " INPUT " generates the INPUT token; CHR\$(34) is the quote mark, ";P\$(I) is the string for the prompt string of the Ith variable, in this case UNIT PRICE; and " " adds a space after PRICE. The trailing quote is then added. Next, a semicolon is placed in the string. Finally, the variable name for the Ith variable is inserted, followed by the subscript index, (I). Remember that the I in V\$(I) is completely different from the I in "(I)": the first I is the index for the Ith variable in the CREATE INPUT program; the second I is the index for the Ith item in the invoice program.

The first step in creating your own automatic program generators is to decide which parts of your programs can be generated automatically. Sections that are easily parameterized are prime candidates. Next, you must be able to write the program yourself. Once you do this, break the program down into those parts that are general and those that are to be customized. Create an interactive entry program (using the programs shown in listing 6) to define the customized parts. Then, following the examples given here, write the statements that create the strings for each program statement. These three utilities allow you to write programs for yourself or friends, clients or customers, in very little time. Using these techniques, the invoice program takes about ten minutes to write. Which is all to say-let your computer do the programming!

710 STOP





PACKARD **HEADQUARTERS**



STANDARD FOR **PROFESSIONALS**

HP-67					289.95
HP-97					584.95
					79.95
HP-34	CS	CI.			114.95
HP-38	СВ	US	R	E	119.95
HP-32	ES	CI.			.49.95
HP-37	EB	US			.59.95
HP-41,	41C	٧			. CALL
HP-85					CALL
HP-83	NE	W.			CALL

HP-125 NEW COMPUTER CALL SYSTEM.

HP-11C NEW HP-12C NEW



Complete Enhancements, Peripherals and Accessories

The PHONE CONTROLLER



BY DICTOGRAPH

NOW **99**.95

- Dials any of 30 stored numbers
- Quartz clock displays time and elapsed time automatically Automatically re-tries a busy phone a
- number of pre-programmed times
- Built-in speaker for group listening
 For home and business use.

TOSHIBA

NOW BC-1232PV 99.95 DIGITRON **DESK TOP CALCULATOR**

12-DIGIT PRINT/DISPLAY FOR FAST. ACCURATE CALCULATING AT HOME OR FOR BUSINESS

apple // INTRODUCING

Apple III is a highly integrated computer system, evolved from the Apple II design and optimized to best serve the professional user. The new computer will be offered in packaged configurations for personal use in professional application Look at these special Apple III features • an 80-character upper

lower case display disc drive and integrated peripheral interfaces enhanced graphics capability
 an emulator mode allowing

Apple II software to be run on the Apple III

APPLE II, II PLUS

(16K, 32K, 48K) APPLE III DOS 3.3



SERVICE CENTER

APPLE WRITER GRAPHICS TABLET BPI (GL, AR, & PAYROLL)

APPLE PLOT
 APPLE PASCAL (64K)

APPLE FORTRAN VISICALC 16 SEC

 VISIPLOT VISITREND DOW JONES NEWS
 & QUOTES
 DECISION EVALUATOR
 CONTROLLER

(GEN LEDGER)
• MICRO-COURIER

• CENTRONICS • QUME • SILENTYPE

ANADEX
SANYO, BW. COLOR.

APPLE II PLUS

AUTHORIZED

DEALER

AND LEVEL 1

GREENSCREEN

EXTENDED WARRANTY

COMPLETE BUSINESS, EDUCATIONAL & GAME SOFTWARE AVAILABLE.

YOU'LL WONDER **HOW YOU EVER GOT** ALONG WITHOUT IT.

	NOW	SAVE
1050 ECONOMY		
ANSWERN	IEW 119.95	30.
1450 SMALL		
WONDER	189.95	90.
1550 TOUCH		
SYSTEM	259.95	120
1750 VOICE		
ACTIVATE	229.95	100
960 MEMORY		
DIALER		
HANDHELD N	IEW 79.95	20

CODE*-A*-PHONE

The Telephone Answering System®



AND AMERICA IS GETTING THE MESSAGE.

CASIO WHERE MIRACLES NEVER CEASE



CA-90 INVADER GAME AA-81 2-WAY DIG/ANALOG ALARM
VL-TONE MUSICAL INSTRUMENT/ CALC.
W100 DEPTH TESTED ALARM CHRONO.
FX7100 SCI CHRONO ALARM CALC.
FX3500 SCI PROGRAMMABLE CALC.
FR100 DESK-TOP PRINT/DISPLAY **DEPTH-TESTED** TO 100 METERS NOW

ALSO: CANON, TOSHIBA, NSC, SEIKO, MATTEL, PEARLCORDER, ITT, GTE, AND MANY OTHERS ALL AT GREAT PRICES!

INNOVATIONS FROM **Texas Instruments**



GET A \$20 REBATE ON THE TI-59 PROGRAMMABLE.

TI-54 SCI NEW . 39.95 TI-5511 NEW 44.95	SPEAK & SPELL. READ 59.95 SPEAK & MATH 59.95
TI-57 PROG SCI 39.95	TOUCH & TELL NEW . 54.95
PC-100C 169.95	TI-5100 DISPLAY 39.95
LCD-PROG NEW 59.95	TI-5010 HAND/PRINT 49.95
TI-30II NEW 18.95	TI-5120 PRINTER 59.95
TI-35SP SCI 22.50	TI-5130 PRINT/DISP 79.95
TI-40 SCI NEW . 28.95	TI-5135 PRINT/DISP 79.95
BUS ANAL I 19.95	TI-5142 PRINT/DISP 99.95
BUS ANAL II 44.95	TI-58C PROG CALC 89.95
BUS CARD 39.95	· TI-59 960 PROG 179.95
MBA 54.95	INVEST ANALYST 48.95

PLUG INTO CONTROL

CONTROL LIGHTS AND APPLIANCES AUTOMATICALLY AND INSTANTLY.



TC 211 TIMERTS 555 5 pc TIMER SET......PK 300 3 pc MINI CONTROLLER NEW 119.95

BERSUSTEM X:10

THE SHARP EDGE



EL-670 ELECTRONIC PIANO	
CLOCK/CALCULATOR NE	EW 69.95
CT-665E TALKING CLOCK NE	
EL-7001 ALPHANUMERIC CALC	139.95
CT-455E POCKET DIG/ ALARM	
CLOCK	24.95
EL-5100 PROG/ALPHANUMERIC	89.95
EL-6200 ALPHANUMERIC	99.95
EL-1188 HANDHELD PRINT/DISPLA	Y 49.95
EL-1182 DESK TOP PRINT/DISPLAY	74.95
EL-5813 SCIENTIFIC	
PROGRAMMABLE	34.95

Lu	CHESS CHALLENGER 7 SENSORY CHESS	89.95
	SENSORY CHESS	129.95

MATTEL ELECTRONICS"

HOR	SERACE ANALYZER	27.95
M	TOUCH THE FUTURE ATARI 400 (16K)	
	ATARI 400 (16K)	294.95
ATARI*	VISICALC AVAILABLE	CALL

MP600 CORDLESS HAND-HELD PHONE 189.95 (700' RANGE)

WE WILL MEET OR BEAT ANY COMPETITOR'S PRICE ON MOST ITEMS IF HE HAS THE MERCHANDISE IN STOCK



WRITE OR CALL FOR FREE CATALOG

All units shipped in original factory cartons with accessories according to manufacturer's specification. Visa. Mastercard. \$ Order. Pers. Ck (14 wrkg, days to clear). COD accepted. Min. \$4.95 for shipping in U.S.A. Air on regst. CA res. add NEWPORT BEACH COSTA MESA 3211 S HARBOR BLVD SANTA ANA. CA 92704 6% sales tx. All mdse. subject to availability prices subject to change. Send orders to dept (714) 549-7373



WILSHIRE CENTER 3285 WILSHIRE BLVD (213) 385-7777

49.95

69.95

69.95

49.95

LOS ANGELES 11986 WILSHIRE BLVD (213) 820-0423

PASADENA 260 S LAKE AVE (213) 795-3007

TARZANA 18665 VENTURA BLVD (213) 705-7507

BREA 1080 E IMPERIAL HWY (714) 990-6600

TORRANCE/LAWNDALE 6611 HAWTHORNE BLVD (213) 370-5795

Professional Discounts




BRING IN THE NEW YEAR!



LOOK CLOSELY AT THESE SUPER **SAVINGS!!**

OMEGA CO.

C.O.D.'s . Stock Shipments Same Day or Next • No Surcharge For Credit Cards • All Equipment Factory Fresh w/MFT Warranty • We Carry the Complete Line of Personal Software



EPSON MX-80



ATARI 800 16K

\$ 749

EAST COAST 1-800-556-7586



WEST COAST 1-800-235-3581

PRICES ARE SUBJECT TO CHANGE W/O NOTICE.



NEC Color Monitor JC 1201 \$319

INTERTEC CURERRAIN CAN DAM	60700
INTERTEC SUPERBRAIN 64K RAM QD SUPERBRAIN	\$2799
	\$2999
NEC 5510 SPINWRITER (7710)	\$2345
NEC 5520 SPINWRITER (7720)	\$2695
NEC 5530 SPINWRITER (7730)	\$2345
NEC 12" MONITOR	\$ 189
NEC COLOR 12" MONITOR	\$ 339
NEC PC 8023 Printer	
100 CPS Tractor & Friction	\$ 639
OKIDATA MICROLINE-80	\$ 379
OKIDATA MICROLINE-82A	\$ 529
OKIDATA MICROLINE-83A	\$ 749
DIABLO 630	\$1995
APPLE II PLUS 48K	\$1139
APPLE DISK w/3.3 DOS Controller	\$ 525
APPLE DISK w/o Controller	\$ 449
EPSON MX-80	\$ 469
Interfaces:	
IEEE \$55, TRS-80 CABLE \$35,	
APPLE INTERFACE & CABLE \$90,	
RS-232 \$70	
HAZELTINE 1420	\$ 799
NORTHSTAR HORIZON II 32K QD	\$2925
ANADEX DP-9500/9501	\$1199
TELEVIDEO 912C	\$ 699
TELEVIDEO 920C	\$ 729
TELEVIDEO 950	\$ 929
	,

WE CARRY THE COMPLETE LINE OF ATARI SOFTWARE. PERIPHERALS AND ACCESSORIES.



NEC Green 12 Inch Monitor JB 1201 \$179

NEC Friction Tractor Printer 100 CPS (Graphics, Bi-directional) \$635

CBM 8032 COMPUTER	\$1149
CBM 8050 DISK DRIVE	\$1349
CBM 4032 COMPUTER	\$1029
CBM 4040 DISK DRIVE	\$1029
CBM 4022	\$ 649
CBM VIC-20	\$ 269
LEEDEX/AMDEK 100	\$ 139
LEEDEX/AMDEK 100G	\$ 169
LEEDEX/AMDEK COLOR-1	
13" Color Monitor	\$ 329
MICROTEK 16K RAM BOARD for Atari	\$ 79
MICROTEK 32K	\$ 149
ATARI 800 16K	\$ 749
ATARI 400 16K	\$ 349
ATARI 810 DISK DRIVE	\$ 449
ATARI 820 40 Column Printer	\$ 299
ATARI 822 40 Column Thermal Printer	\$ 349
ATARI 825 80 Column Printer	\$ 599



EAST COAST 1-800-556-7586

OMEGA SALES CO. 12 Meeting St. Cumberland, RI 02864 1-401-722-1027

WEST COAST 1-800-235-3581

OMEGA SALES CO. 3533 Old Conejo Rd. #102 Newbury Park, CA 91320 1-805-499-3678 CA. TOLL FREE 1-800-322-1873

OMEGA SALES CO.



DIABLO 630

\$1995




CBM 8032 COMPUTER

\$1149



OKIDATA MICROLINE-83A



ANADEX DP-9500/9501

\$1199

BYTE CUMULATIVE INDEX

September 1975 — December 1981

"Can you tell me when you ran the article on the Hewlett-Packard computer? I think it was about two years ago."

"What issue of BYTE had Steve Wozniak's description of Sweet 16? I don't remember the exact title, but it appeared at least three years ago."

"Have you ever reviewed the Heath H-14 printer?"

Questions, questions, questions! Well, what do you expect in the age of information? If you've got it, you can be sure there's someone out there looking for it. The real question, then, becomes "How can I find it?"

This month, as a service to our readers, BYTE presents a comprehensive, cumulative index that covers every issue of the magazine, up to and including the one you're holding in your hand. Among the information represented is every article and product review that has appeared in the pages of BYTE for the past 75 issues.

All entries in the index are arranged by subject descriptors, and an article may be listed under several descriptors. Any article for which a correction was published has an asterisk after its title. The correction can be found under the heading "BYTE Corrections." The figure below shows a typical index entry and describes what the different parts mean.

We would like to thank Joseph H Ward Jr, president of Microcomputer Information Services, and his staff for the tremendous effort they put into preparing this index. For those who require information beyond what is presented here, MIS publishes *Microcomputer Index*, which covers 20 microcomputer-oriented magazines and includes abstracts for each entry. *Microcomputer Index* will also be going online early next year (1982) as part of Lockheed's Dialog system. For those who need information fast, it will feature all the search capabilities of that system. For more information on the *Microcomputer Index*, you can reach MIS by calling (408) 241-8381.

Index Entry:

(Descriptor Term Title Author)

PROGRAMMING INSTRUCTION Programmable character generator, part 2: software. Weinstein, Larry.


art 3:6 Jun78 p14-22 * * * Graphics / Character Generator

(Kind of Material Volume/Issue Date Pages Other Descriptors)

Key to Abbreviations

L1 program listing in BASIC
L2 program listing in machine language
L3 program listing in assembly language
L4 program listing in FORTRAN
L5 program listing in COBOL
L6 program listing in Pascal
L7 program listing in FORTH
L8 program listing in C programming language
L9 other programming language

FMS-80 Organizes Your Organization



rating reports, generating other data files or online updating of input files that already exist

- FMS-80 is able to call other programs like subroutines in EFM
- FMS-80 is able to read data files that other programs have generated
- No restrictions to record size other than available RAM memory space
- Operates under CP/M, MP/M or CDOS**

available to the micro-computer industry.

Completely menu driven and written in assembly language it offers these features:

FMS-80 allows the flexibility to quickly create programs that allow data to be

allow data to be entered in a form that a secretary recognizes and generates reports that the manager requires.

If you're continuously asked to do applications programs and don't have time to do it in BASIC, consider FMS-80. For additional information contact

> Systems Plus, 1120 San Antonio Road, Palo Alto, CA 94303. Phone 415/969/7047

User definable
 File Definitions
 Screen Displays
 Reports (with
 math and field
 break analysis)
 Selection Criteria
 (on any or all
 fields)
 Menus (that applications programs
 can be selected from)
 Instantaneous data q

- Instantaneous data query on indexed records.
- Mathematical manipulation of numeric data fields using the report generator or the programming language EFM (Extended File Maintenance)
- Easy to use video "how to" training tapes are available.
- Manipulation of up to 19 different data files (using EFM)
 at one time and displaying this information
 on the screen, gene-



Systems Plus



°°TM of DJR Associates
°°TM of Cromemco, Sunnyvale, CA
°TM of Digital Research, Pacific Grove, CA

1802 op codes. Melton, Henry. art 4:6 Jun79 p146-147 *** Programming Instruction Addition and subtraction: the 1802 versus the 280. Merrin, Stephen. col 6:3 Mar81 p224-228 *** Binary / Z-80 / Mathematics

Mini-disassembler for the 2650. Teja/Gonnella. art L3 4:5 May79 p233-237 *** Disassembler My experiences with the 2650 (Signetics 2650 microprocessor). Moran, Brian. art 2:11 Nov77 p66-67 *** Microprocessor / Children

Son of Motorola (or, the \$20 CPU chip). Fylstra, Daniel. art L3 1:3 Nov75 p56-62 *** Microprocessor / 6800 / Programming Instruction

02
6502 gets microprogrammable instructions.
Harrod, Dennette. art L3 5:10 Oct80
p282-285 *** Hardware Modification /
Programming Instruction
6502 loop control. Campbell, Gordon. col L3
5:9 Sep80 p322 *** Programming Instruction
6502 op code table. Fugitt, Lemuel. col 2:3
Mar77 p36 *** Programming Instruction
6502 personal system design: Kompuutar. Brader,
David. art L3 2:11 Nov77 p94-141 ***
Hardware Construction / Design / Microcomputer
System

Hardware Construction / Design / Microcomputer System
Adding an interrupt driven real time clock.
Sneed, James. art L3 2:11 Nov77 p/2-74
*** Clock / Hardware Construction
Apple XIO control. Arczynski, Wayne. col L3
6:12 Dec81 p469-472 *** Control / Home /
Apple II
Addio processing with a microprocessor. O'Haver,
Tom. art L3 3:6 Jun/8 p166-173 ***
Digital Audio / Sound Effects / Audio
Processing

Tom. art L3 3:6 Jun78 p166-173 ***
Digital Audio / Sound Effects / Audio
Processing
Build a super simple floppy-disk interface, part
2: software. Nicholson/Camp. art L3 6:6
Jun81 p302-340 *** Floppy Disk Drive /
Interface / Operating Systems
Correct order of operations can shorten code:
pointer decrementation. Hooper, Philip. col
L3 5:3 Mar80 p242-244 *** Programming
Instruction
Easy-to-use A/D converter. Daggit, Robert. art
L3 6:6 Jun81 p378-383 *** Analog/Digital
Circuit / Hardware Construction
Fast, ancient method for multiplication. Nyberg,
Jostein. col L3 6:10 Oct81 p36-377 ***
Mathematics / Programming Instruction
Faster BASIC for the Ohio Scientific. Sauter,
John. col L1 6:5 May81 p236-242 ***
Programming Instruction / OSI / BASIC
Indirect addressing for the 6502. Skier,
Kenneth. art L3 5:1 Jan80 p118-120 ***
Programming Instruction
Little bit on interrupts. Wier, Robert. art
2:12 Dec77 p118-129 *** Programming
Instruction / 8080 / 6800
Making 6502 indirect subroutine calls efficient.
Hooper/Fallgatter. col L3 5:9 Sep80
Dy8-100 *** Programming Instruction
More music for the 6502. O'Haver, T.C. art L3
3:6 Jun78 p140-141 *** Music / KlM
Navigation with Mini-0: part 3, software.
Salter, Richard. art L3 2:4 App77 p100-109
*** Interface / Hardware Construction /
Navigation
Recursive procedures for the 6502 microprocessor.

Navigation
Recursive procedures for the 6502 microprocessorDennis, Phillip. col L3 6:10 Oct81
p467-469 *** Programming Instruction / Apple

p40/-469 *** Programming Instruction / Apple II

SWEET 16: the 6502 dream machine (Apple pseudo machine interpreter)*. Wozniak, Stephen. art L3 2:11 Nov77 p150-159 *** Apple II / Interpreter / Programming Instruction

Simple implementation of multitasking. Brown, Wendell. art L3 6:10 Oct81 p176-192 *** Multi-tasking / Programming Instruction

Using interrupts on the Apple II system. White, George. art L3 6:5 May81 p280-294 *** Programming Instruction / Apple II

Fand X7 instructions of the MOS Technology Good of the Most Technology Good of the Most Technology Instruction in the Most Technology Instruction Instr

6516 Compare new processors carefully. Kemp, David. col 4:5 May/9 p2l3-2l6 *** Microprocessor / 6809

/ 6809

6800 Selectric IO printer program. Guzzon,
Fulvio. art L3 2:6 Jun77 pl40-142 ***
Printer / Utility Program / IBM

6800 disassembler. Lentz, Bob. art L3 4:5
May79 pl04-108 *** Disassembler / SWTPC

6800 program relocator*. Carpenter, Andrew. col
L3 2:11 Nov77 pl97 *** Utility Program

DEMONS: a symbolic debugging monitor. Halsema,
A.I. art L3 6:5 May81 p326-358 ***

Debugging / Monitor / Disassembler
Do you need the real time?. Trollope, Gregory.
art L3 2:11 Nov77 pl66-169 *** Clock /
MIKBUG / Hardware Modification
Implementing the Tiny Assembler. Emmerichs,
Jack. art L3 2:5 May77 p84-96 ***
Assembler / Bar Codes
Introduction to code tightening / Mining the skip
chain for extra bytes.. Gass, Geoffrey. col
L3 5:2 Feb80 pl46-148 *** Program
Optimization / Assembly Language
Jack and the machine debug..or reading the
traces of a wild program. Grappel/Hemenway.
art 2:12 Dec77 p91+ *** Debugging / MIKBUG
/ Utility Program

6800 (CONTINUED)

MIKBUG roadmap...*. Rathkey, John. art L3 Feb77 p96-99 *** MIKBUG / Monitor Memory pattern sensitivity test. Kinzer, Don. art L3 3:10 Oct78 p12-16 *** Memory /

Test
Serendipitous circles (circle drawing program with suprises). Anderson/Galway. art L3 2:8 Aug77 p70-75 *** Art / Graphics
Speeding up MIKBUG 10 routines. Moore, T.W. col 3:6 Jun78 p132-134 *** MIKBUG / Hardware Modification / Input/Output
Text loader routine. Berenbon, Howard. col L3 4:9 Sep79 p129 *** Utility Program
Thompson lister (for 6800 programs). Thompson, Noel. col L3 1:14 Oct76 p99 *** MIKBUG / Utility Program / Printer

8080
Fast Fourier comes back (correction for "Fast Fourier for the 6800"). Roxburgh, Alastair. col L3 6:5 May81 p458-461 *** Fourier Transforms / 8080 / 87HE Corrections
Little bit on interrupts. Wier, Robert. art 2:12 Dec77 p118-129 *** Programming Instruction / 8080 / 6502
Odd tones (Machine language puzzler - 6800 and 8080), Strangio, C. col L3 4:3 Mar79 p92 *** Puzzles / 8080
Pseudorandom number generator*. Grieser, Daniel. col L3 2:11 Nov77 p218 *** Random Numbers / 8080

CONTROL
Computer-controlled light dimmer, part 2:
implementation. Gibson, John. art L3 5:2
Feb80 p72-80 *** Control / Hardware
Construction
Floppy disk interface*. Allen, David. art L3
3:1 Jan78 p58-76 *** Floppy Disk Drive /
Interface / Disk Controllers
Give your micro some muscles*. Grappel, Robert.
art 2:3 Mar77 p9-11+ *** Control

DESIGN

DESIGN
Design of an M6800 LISP interpreter. Taft, S. Tucker. art L3 4:8 Aug/9 pl32-152 ***
Interpreter / LISP / Design
How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3 3:4 Apr/8 p28-35+ *** Mathematics / Design

/ Microprocessor Time-sharing/multi-user subsystem for microprocessors. Kinzer, Don. art L3 5:6 Jun80 p122-134 *** Timesharing / Multi-user Systems / Design

GAMES
Eighteen with a die: a learning game player.
Yost, Russell. art L3 5:1 Jan80 p212-229
*** Games / Artificial Intelligence / Strategy Landing module simulation with random surface. Houng, S,J. art L3 5:3 Mar80 pl30-139 *** Simulation / Games / Arcade

HARDWARE CONSTRUCTION

Add a kluge harp to your computer*. Helmers, Carl. art L3 1:2 Oct75 p14-18 *** Music / Hardware Construction
Build a 6800 system with this kit. Kay, Gary.

Carl. adt 23 12 October 1914-18

Alardware Construction

Build a 6800 system with this kit. Kay, Gary. art 1:4 Dec75 p72-76 *** Hardware Construction / SWTPC / Microcomputer System Build this video display terminal. Anderson, Alfred. art L3 1:15 Nov76 p106-118 *** Terminal / Hardware Construction / Video Display

Building an M6800 microcomputer*. Abbott, Bob. art 1:10 Jun76 p40-46 *** Microcomputer System / Hardware Construction / MIKBUG COMPLEAT tape cassette interface. Hemenway, Jack. art L3 1:7 Mar76 p10-16 *** Interface / Tape Cassette / Hardware Construction

Computer-based laboratory timer. Gibson, John. art L3 6:6 Jun81 p110-144 *** Clock / Hardware Construction / Science

Computer-controlled light dimmer, part 2: implementation. Gibson, John. art L3 5:2 Feb80 p72-80 *** Control / Hardware Construction

Does anybody know what time it is?. Grappel, Robert. art L3 2:11 Nov77 p68-70 *** Clock / Interface / Hardware Construction

Does anybody know what time it is?. Grappel, Robert. art L3 2:11 Nov77 p68-70 *** Clock / Interface / Hardware Construction display generator). Deres, Joe. art L3 1:1 Nov76 p42-54 *** Graphics / Hardware Construction / SWTPC

Using interrupts for real time clocks*. Smith, M.F. art L3 2:11 Nov77 p50-53 *** Clock / Hardware Construction / Programming Instruction

HARDWARE REVIEW

Astral 2000. hr 1:15 Nov76 pl32-l34 ***
Hardware Review / Microcomputer System
Systems of note (M6800 from Celdat Design
Associates). hr 1:10 Jun76 pl06-l08 ***
Hardware Review / Microcomputer System

INTERFACE

COMPLEAT tape cassette interface. Hemenway,
Jack. art L3 1:7 Mar76 p10-16 ***
Interface / Tape Cassette / Hardware
Construction
Does anyboty for

Does anybody know what time it is?. Grappel, Robert. art L3 2:11 Nov77 p68-70 *** Clock / Interface / Hardware Construction

6800 (CONTINUED)
Floppy disk interface*. Allen, David. art L3
3:1 Jan/8 p58-76 *** Floppy Disk Drive /
Interface / Disk Controllers
Software controlled 1200 bps audio tape
interface. Helmers, Carl. art L3 2:4 Apr77
p40-49 *** Interface / Tape Cassette /

MATHEMATICS

MATHEMATICS

8 bit fractional multiplication. Chayut, Ira. col L3 1:13 Sep76 p124 *** Programming Instruction / Mathematics

Decisions, decisions (+ or - signs for numbers). Gass, Geoffrey. col L3 5:5 May80 p190 *** Programming Instruction / Mathematics

Easy way to calculate sines and cosines. Grappel, Robert. art L3 4:4 Apr79 p170-171

*** Mathematics / Programming Instruction

Fast Fourier for the 6800. Lord, Richard. art L3 4:2 Feb79 p108-119 *** Fourier

Transforms / Mathematics

How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3 3:4 Apr78 p28-35* *** Mathematics / Design / Microprocessor

PROGRAMMING INSTRUCTION

PROGRAMMING INSTRUCTION
6800 anti wipeout procedure (SWI instruction).
Worstell, Charles. col L3 1:16 Dec76 p132
*** Programming Instruction
8 bit fractional multiplication. Chayut, Ira.
col L3 1:13 Sep76 p124 *** Programming
Instruction / Mathematics
ASCII string program. Comer, William. col L3
4:10 Oct79 p246-248 *** ASCII / Programming
Instruction
Add this 6800 MORSER to your amateur radio
station. Grappel/Hemenway. art L3 1:14
Oct76 p30-35 *** Programming Instruction /
Ham Radio

Oct/6 p30-35 *** Programming Instruction / Ham Radio Assembling programs by hand. Helmers, Carl. art L3 1:7 Mar76 p52-61 *** Assembly Language / Programming Instruction BASIC timing delay (for 6800 computers)*. Worth, Gregory. col L3 2:7 Jul77 p166 **** Programming Instruction

Programming Instruction
Beware compromising the stack pointer. Pittman,
Tom. col 3:6 Jun78 pl36-137 ***
Programming Instruction / Clock
Build an intercomputer data link. Wingfield,
Mike. art L3 6:4 Apr81 p252-288 ***
Telecommunications / Programming Instruction /
Networks

Telecommunications / Programming Instruction / Networks
Condensed reference chart for the 6800.
Borrmann, Robert. art 2:7 Ju177 p42-43 ***
Programming Instruction
Decisions, decisions (* or - signs for numbers).
Gass, Geoffrey. ool 13 5:5 May80 p190 ***
Programming Instruction / Mathematics
Designing the "Tiny Assembler": defining the
problem*. Emmerichs, Jack. art L3 2:4
Apr77 p60-67 *** Assembler / Programming
Instruction
Easy to use hashing function. Kinzer, Don. art

nstruction
Easy to use hashing function. Kinzer, Don. art
L3 4:10 Oct79 p200-204 *** Hashing /
Programming Instruction
Easy way to calculate sines and cosines.
Grappel, Robert. art L3 4:4 Apr79 p170-171
*** Mathematics / Programming Instruction
Expanding the Tiny Assembler. Emmerichs, Jack.
art L3 2:9 Sep77 p44-49 *** Assembler /
SWTPC / Programming Instruction
Filling 6800 op code holes. Jones, Robert. col
4:3 Mar79 p184-185 *** Programming
Instruction
Fooling with the stack pointer. Pittmap Iom.

Fooling with the stack pointer. Pittman, Tom.
col L3 3:7 Jul78 pl15-116 *** Programming
Instruction

Fooling with the stack pointer. Pittman, Tom. col 13 3:7 Jul78 pl15-116 *** Programming Instruction
Hand assembling M6800 relative addresses. Boaz, Ray. art 3:4 Apr78 p46 *** Programming Instruction / Assembly Language
If only Sam Morse could see us now*. Sewell, Wayne. art L3 1:14 Oct76 p42-49 *** Ham Radio / Programming Instruction / SWTPC
Little bit on interrupts. Wier, Robert. art 2:12 Dec77 pl18-129 *** Programming Instruction / SWTPC
Little bit on interrupts. Wier, Robert. art 2:12 Dec77 pl18-129 *** Programming Instruction / SWD9 / 6502
More on skip chains. Williamsen, Mark. col L3 5:9 Sep80 p318-320 *** Program Optimization / Programming Instruction
Morse code trainer*. Bernstein, Mark. art L3 4:12 Dec79 p247-249 *** Ham Radio / Programming Instruction
Motorola 6800 instruction set: two programming points of view. Jessop, Paul. art 3:1 Jan78 p84-85 *** Programming Instruction
Randomize your programming. Grappel, Robert. art L3 1:13 Sep76 p36-38 *** Random Numbers / Programming Instruction
Relocatability and the long branch. Borrmann, Robert. art L3 2:10 Oct77 p26-29 ***
Programming Instruction
Son of Motorola (or, the \$20 CPU chip). Fylstra, Daniel. art L3 1:3 Nov75 p36-62 ***
Microprocessor / Programming Instruction / SoTPC Microprocessor / Programming Instruction / SWTPC Microprocessor / Programming Instruction / SWTPC Undocumented M6800 instructions. Wheeler, Gerry. col 2:12 Dec77 p46-47 *** Programming Instruction Instruction

Using interrupts for real time clocks*. Smith, M.F. art L3 2:11 Nov77 p50-53 *** Clock / Hardware Construction / Programming Instruction

TRS-80 MODEL I
MIKBUG and the TRS-80, part 1: a cross-assembler
for the Motorola 6800. Labenski, Robert. art
L1 6:12 Dec81 p.229-250 *** MIKBUG / TRS-80
Model I / Assembler

Introducing:

SIMALIE (LISP) 1.7 & 2.0

Introducing
LISP. The language
that can think for itself.

With SmartWare, your microcomputer possesses intelligence. Solves problems like never before. Actually can learn from its mistakes. And educates itself in much the same way your brain operates. It's a new concept in the way information is handled in microcomputers.

We appropriately called our version of LISP, SmartWare. Because it's as limitless as the human imagination, mind, memory.

An advanced, high-level language, LISP was first developed for use in artificial intelligence on large computers. And now, LISP is available from Datasoft for use on the Apple II and Atari Computers.

Store multiple programs in memory. It can take it. Program other languages into LISP. It's no problem. Because LISP offers greater capacity and power. And, it's a faster, more streamlined language. For example, just 2 lines in LISP could equal hours of BASIC programming.

The fact: Relational data base capabilities. User and program definability. Pattern-directed

invocation language. Uses syntax and data

structures upon which esoteric applications may be implemented. Remembers data along with "relationships affecting it." Offers REAL power to micros.

At MIT, they say LISP is the language of the future.

At datasoft, we say, why wait. Ask your local computer dealer for SmartWare. Right now! And turn your computer on to thinking.



19519 Business Center Dr., Northridge, CA 91324 Circle 118 on inquiry card. (213)701-5161

OUU
Preview of the Motorola 68000. Halsema, A.I.
art 4:8 Aug79 p170-174 *** Microprocessor
/ Hardware Review

09
6809 commentaries (two comments). Howell/Serge.
col 4:8 Aug79 pl28-l30 ***
Compare new processors carefully. Kemp, David.
col 4:5 May79 p213-216 *** Microprocessor
/ 6516

Designing the logic of the system - processor

col 4:5 May/9 pf.13-21b *** Microprocessor / 6516
Designing the logic of the system - processor board description, part 2. Helmers, Carl. col 4:10 Oct79 p6-14 *** Microcomputer System / Design / Homebrew
M6809 is silicon. Ritter/Boney. col 4:5 May79 p30-31 *** Test / Design Microprocessor for the revolution: the 6809, part 1: design philosophy. Ritter/Boney. art L3 4:1 Jan/9 pj.4-42 *** Design / Microprocessor for the revolution: the 6809, part 2: instruction set... Ritter/Boney. art 4:2 Feb/9 p32-42 *** Microprocessor / Design Microprocessor for the revolution: the 6809, part 3: final thoughts. Ritter/Boney. art 4:3 Mar79 pd.6-52 *** Microprocessor / Design / Manufacturing Modifying the SwTPC computer (for 6809 operation). Weaver, Thomas. art 6:2 Feb81 p332-334 *** SWTPC / Hardware Modification Multiprocessing with Motorola's MC6809E. Scales, Hunter. art L3 6:7 Jul81 p136-156 *** Multiprocessing / Design / Microcomputer System / Homebrew SWTPC 6809 Microcomputer System / Hardware Review / SWTPC 6809 Microcomputer System / Hardware Review / SWTPC / Hardware Construction Toward a structured 6809 assembly language, part 1: an introduction... Walker, Gregory, art L3 6:11 Nov81 p370-382 *** Programming Toward a structured 6809 assembly language, part 2: ... assembler. Walker, Gregory, art L3 6:12 Dec81 p198-228 *** Programming / Assembler

Ioward a structured b809 assembly language, part 2: ... assembler. Walker, Gregory. art L3 6:12 Dec81 p198-228 *** Programming Instruction / Structured Programming / Assembler What's inside Radio Shack's color computer?*. Ahrens/et al. art 6:3 Mar81 p90-130 *** TRS-80 Color / Programming Instruction / Design NR

08
8008: microprocessor update. Baker, Robert. hr
L3 2:4 Apr77 pll0-lll+ *** Hardware Review
/ Microprocessor
Add a stack to your 8008*. Chamberlin, Hal. art
L3 1:2 0ct75 p52-55 *** Hardware
Construction / Programming Instruction Computers are ridiculously simple!. Wadsworth, Nat. art 1:3 Nov75 p20-33 *** Computer

Instruction

Instruction
Golf handicapping. Haller, George. art L3 1:5
Jan/6 p46-47 *** Athletics / SCELBI
Intel 8008 table of octal op codes and "old"
mnemonics. col 1:2 Oct/5 p84-85 ***
Programming Instruction
Machine language programming for the "8008" (CPU
instruction set). Wadsworth, Nat. art 1:11
Jul76 p30-37 *** Programming Instruction /
Machine Language
Machine Language

30
5 byte hexadecimal to ASCII converter. Doshi,
Ashwin. col L3 4:6 Jun79 p208 ***
Conversions / ASCII / Hexadecimal
8080 bug in the stack; programming puzzle.
Dolan, Bruce. col L3 2:4 Apr77 p161 **

Puzzles
8080 high level language project of Peter Skye, continued. Skye, Peter. col 2:5 May77 p68-70 *** Languages / Compiler
AMSAT 8080 standard debug monitor: AMS80 version 2. Allen/Kasser. art L3 1:13 Sep76 p108-122 *** Monitor / Debugging Added attraction (machine language puzzle). Strangio, C. col 4:5 May79 p209 *** Puzzles

8080 (CONTINUED)
Binary-to-BCD converter for the 8080. Brockman,
D.M. col L3 6:8 Aug8l p418-419 ***
Conversions / Binary / Binary Coded Decimal
How to do a number of conversions*. Brown,
James. art L3 1:13 Sep76 p50-60 ***
Conversions / Binary / Hexadecimal
Memory meanderings (8080 machine language
puzzle)*. Strangio, C. col L3 4:1 Jan79
p52 *** Puzzles
Memory test program. Caperello, Frank. col L3
4:3 Aug79 p215-217 *** Memory / Test / IMSAI
Single stepping the 8080 processor*. Sharp,
Charles. col L3 4:1 Jan79 p179-180 ***
Monitor / Debugging
Tiny Pascal compiler, part 3: P-code to 8080
conversion. Chung/Yuen. art L6 3:11 Nov78
p182-192 *** Pascal / Compiler / Conversions
Tiny Pascal in 8080 assembly language (Nybbles
Library). Louis, G. col 4:7 Ju179 p174
*** Pascal / Compiler
Vector graphics for raster displays. Beetem,
John. art L3 5:10 Oct80 p286-293 ***
Graphics / Video Display
Which microprocessor for you?. Chamberlin, Hal.
art 1:1 Sep75 p10-14 *** Microprocessor /
8008 / IMP-16

6800

6800

Fast Fourier comes back (correction for "Fast Fourier for the 6800"). Roxburgh, Alastair. col L3 6:5 May81 p458-461 *** Fourier Transforms / 6800 p 49TE Corrections

Little bit on interrupts. Wier, Robert. art 2:12 Dec77 p118-129 *** Programming Instruction / 6800 / 6502

Odd tones (Machine language puzzler - 6800 and 8080). Strangio, C. col L3 4:3 Mar79 p92 *** Puzzles / 6800

Pseudorandom number generator*. Grieser, Daniel. col L3 2:11 Nov77 p218 *** Random Numbers / 6800

CONTROL

CONTROL
Add some control to your computer: an output port tutorial. Barbier, Ken. art L3 4:9 Sep79 p196-200 *** Control / Hardware Construction Interface a floppy-disk drive to an 8080A-based computer. Hoeppner, John. art L3 5:5 May80 p72-102 *** Disk Controllers / Interface / Minidisk Drive

GAMES
Creating a fantasy world on the 8080. Nicholson,
Robert. art 5:7 Jul80 p210-214 *** Games / Fantasy

/ Fantasy
Number guessing game. Laudenslager, Keith. col
L3 2:12 Dec77 pl48 *** Games / Mathematics
Writing an imated computer games*. Estep, Tony.
art L3 4:11 Nov79 pl52-170 *** Animation
/ Games / Programming Instruction

HARDWARE CONSTRUCTION
Add some control to your computer: an output port tutorial. Barbier, Ken. art L3 4:9 Sep79 p196-200 *** Control / Hardware Construction Build the beer budget graphics interface.
Nelson, Peter. art L3 1:15 Nov76 p26-29
*** Graphics / Interface / Hardware

Construction

Construction
Build this mathematical function unit, part 2:
software. Guthrie, R. Scott. art L3 1:14
Oct76 p74-80 *** Mathematics / Programming
Instruction / Hardware Construction
Digital Group 8080A (Try this computer on for
size). Ciarcia, Steve. art 2:3 Mar77
p114-121+ *** Hardware Construction /
Microcomputer System / Hardware Review
Get on at the right address (changing the "wake
up" address of the 8080). Holman, Frank. art
3:3 Mar78 p185 *** Hardware Construction
Memory mapped 10. Ciarcia, Steve. col L3 2:11
Nov77 p10-16 *** Hardware Construction /
Memory / Input/Output
Progam those 2708s1. Glaser, Robert. art L3
5:4 Apr80 p198-210 *** EPROM / Hardware
Construction / Programming Instruction

HARDWARE REVIEW

Digital Group 8080A (Try this computer on for size). Ciarcia, Steve. art 2:3 Mar77 pl14-121+ *** Hardware Construction / Microcomputer System / Hardware Review MSC 8080+ microcomputer as a personal system. Barbier, Ken. hr 1:13 Sep76 p44-49 *** Hardware Review / Microcomputer System

INTERFACE Build the beer budget graphics interface. Nelson, Peter. art 1.3 1:15 Nov76 p *** Graphics / Interface / Hardware p26-29

Construction
Interface a flopy-disk drive to an 8080A-based computer. Hoeppner, John. art L3 5:5 May80 p72-102 *** Disk Controllers / Interface /

pr2-102 has community to a printing calculator. Astmann, Robert. art L3 3:12 Dec78 p94-99 *** Interface / Calculator / Printer

MATHEMATICS

Build this mathematical function unit, part 2: software. Guthrie, R. Scott. art L3 1:14 Oct76 p74-80 *** Mathematics / Programming Instruction / Hardware Construction Integer math package for the 8080. Carbrey, Bruce. art L3 6:5 May81 p204-226 *** Mathematics / Programming Instruction

8080 (CONTINUED)

Novel 8 bit multiplication. Glaeser,
Christopher. col L3 2:7 Jul77 p142 ***
Programming Instruction / Mathematics
Number guessing game. Laudenslager, Keith. col
L3 2:12 Dec77 p148 *** Games / Mathematics

PROGRAMMING INSTRUCTION

PROGRAMMING INSTRUCTION

8080 free memory search. Hand, William. col L3
466 Jun79 p207-208 *** Programming
Instruction / Memory
8080 microprocessor op code table. Baker,
Robert. art 1:6 Feb76 p84 *** Programming
Instruction / Assembly Language
8080 programming notes. Krystosek/McCarty. art
L3 2:5 May77 p136-138 *** Programming
Instruction
8080 simulator. Fung Kingman, art 12 2:10

3080 programming notes. Krystosek/McCarty. art
13 2:5 May77 pl36-l38 *** Programming
Instruction
8080 simulator. Chung, Kin-man. art L3 2:10
0ct77 p70-77 *** Simulation / Programming
Instruction
Add some BARC to your 8080. Howerton, Charles.
art L3 2:2 Feb77 pl32-l39 *** Programming
Instruction / Utility Program
Assembly language switching (8080 programming).
Chayut, Ira. col L3 4:8 Aug79 p212-213
*** Programming Instruction
Build this mathematical function unit, part 2:
software. Guthrie, R. Scott. art L3 1:14
0ct76 p74-80 *** Mathematics / Programming
Instruction / Hardware Construction
Can your computer tell time?. Hogenson, James.
art L3 1:4 Dec75 p82-87 *** Clock /
Programming Instruction
Critique of self-modifying code. Newcomer,
Joseph. col L3 2:6 Jun77 pl12-l15 ***
Programming Instruction / Utility Program
Explore an 8080 with Educator-8080*. Howerton,
Charles. art L3 1:11 Jul76 p22-29 ***
Computer Instruction / Education / Programming
Instruction
Indirect I/O addressing on the 8080. Zarucki,
Paul. col L3 6:8 Aug81 p402-403 ***
Input/Output / Programming Instruction
Integer math package for the 8080. Carbrey,
Bruce. art L3 6:5 May81 p204-226 ***
Mathematics / Programming Instruction
Intel 8080 microprocessor instruction set.
Clist, R.S. col 4:7 Jul79 p222-224 ***
Programming Instruction
Intel 8080 op code table. Dittrich, Fred. art
1:5 Jan76 p50-51 *** Programming Instruction
Intel 8080 pc ode table. Dittrich, Fred.
Instruction
Line combinations (prints combinations of
letters). Soderstrom, Randy. col L3 3:5
May82 pl68-L69 *** Programming Instruction
Incenting Intervation of Laboratory.

1:2 Jan/o p50-51 *** Programming Instruction
Line combinations (prints combinations of letters). Soderstrom, Randy. col L3 3:5
May/8 p168-169 *** Programming Instruction
Little bit on interrupts. Wier, Robert. art
2:12 Dec77 p118-129 *** Programming
Instruction / 6800 / 6502
Machine code relocator for the 8080. Zolman,
Leor. art L3 2:7 Jul77 p92-95 ***
Utility Program / Programming Instruction
Making hash with tables. Dollhoff, Terry. art
L3 2:1 Jan/7 p18-30 *** Hashing /
Programming Instruction
Novel 8 bit multiplication. Glaeser,
Christopher. col L3 2:7 Jul77 p142 ***
Programming Instruction / Mathematics
Operation codes of the 8080, 8085, and 280
processors. Harrell, D. Martin. art 5:3
Mar80 p194-207 *** Programming Instruction /
8085 / Z-80
Optimization: a case study. Noyce, William. art

processors. Harrell, D. Martin. art 5:3
Mar80 p194-207 *** Programming Instruction /
8085 / Z-80
Optimization: a case study. Noyce, William. art
L3 3:4 Apr78 p40-45 *** Program
Optimization / Programming Instruction
Password protection for your computer.
Kreindler, R. Jordan. art L3 4:3 Mar79
p194-195 *** Security / Programming
Instruction / Z-80
Progam those 2708s1. Glaser, Robert. art L3
5:4 Apr80 p198-210 *** EPR0M / Hardware
Construction / Programming Instruction
Relative addressing for the 8080. Gaskell,
James. art L3 2:12 Dec77 p162-163 ***
Programming Instruction
Relocating 8080 system software. Lipham, John.
art L3 5:1 Jan80 p180-192 *** Utility
Program / Programming Instruction
Simultaneous input and output for your 8080.
Maurer, W.D. art L3 4:5 May79 p164-172
*** Input/Output / Programming Instruction
Software addressing modes for the 8080.
80 zinovic, Dragan. col L3 6:3 Mar81
p236-240 *** Programming Instruction /
Software for the economy floppy disk. Welles,
Kenneth. art L3 2:6 Jun77 p88-97 ***
Floppy Disk Drive / Programming Instruction /
Input/Output
Stack it up. Allen, Charlton. art L3 4:11
Nov79 p140-148 *** Computer Instruction /
Programming Instruction
IIMOUT (8080 time delay routine). Strangio, C.
col L3 3:11 Nov78 p74 *** Programming
Instruction
Irapping technique for the 8080. Schulein, John.
art L3 2:8 Aug77 p158-161 *** Debugging

Instruction
Trapping technique for the 8080. Schulein, John. art L3 2:8 Aug77 p158-161 *** Debugging / Programming Instruction
Writing an imated computer games*. Estep, Tony. art L3 4:11 Nov79 p152-170 *** Animation / Games / Programming Instruction
280 op codes for an 8080 assembler*. Powers, William. art 5:6 Jun80 p64-84 *** Z-80 / Assembler / Programming Instruction

Construction of a fourth-generation video terminal, part 1. Wierenga, Theron. art L3 5:8 Aug80 p210-224 *** Terminal / Hardware Construction

Computer Exchange

Apple II+ SAVE 16K \$ 1049 22% 48K \$ 1099 29% 64K \$ 1258 27% Disk II W/3.3 DOS \$ 499 23% Ail are 1981 models with Apple RAM, 64K unit is 48K

unit with Microsoft 16K RAM board, 64K units include Applesoft and Integer BASIC's when used with DISK II. The Apple II no longer comes with game paddles. Paddles are extra - CALL

HARDWARE for Apple II/II+

	Disk II and 3.3 Cor	ntroller	\$ 499	23%
	Disk II only	ittolici	\$ 439	18%
4			J 403	10 /0
×	Corvus	ta D	CALL	CAL
	5 Meg Hard D		CALL	
	10 Meg Hard D		CALL	CAL
	20 Meg Hard D	isk	CALL	CAL
	Mirror		CALL	CAL
	Other Corvus a	ccessories	CALL	CAL
*	Micro-Sci 5" Driv	es for Apple II:		
	A70, 286K, 5" [Orive	\$ 489	20%
	A40, 160K, 5" [Orive	\$ 369	18%
	Controller Card		\$ 79	21%
	MONITORS:			
*		9" B&W	\$ 119	30%
_			\$ 359	24%
	NEC	12" Color		
		12" Green	\$ 169	22%
	SANYO:	9" B&W	\$ 159	32%
		12" B&W	\$ 229	32%
		12" Green	\$ 249	31%
		13" Color	\$ 399	38%
	ZENITH	12" Green	\$ 119	20%
	DISKETTES, 5", t		(A) (A) (A) (A)	
*		30x 01 10.	\$ 44	21%
_	Maxell		\$ 39	33%
	Memorex		\$ 25	45%
	80 COLUMN VIDE		0.000	2222
	Apple, Smarter		\$ 299	17%
	Videx Videoter		\$ 249	18%
	M&R Sup R Te	erm	\$ 319	19%
	PRINTERS:			
	Apple, Silentyp	e w/Interface	\$ 329	17%
		ics 737 Interface	\$ 169	33%
	Centronics, 737		\$ 759	26%
	Epson		4	20 10
	MX 80		CALL	CAL
	MX 80 FT		CALL	CAL
	MX 100 W/	Craphica	CALL	CAL
MX 80/100 Interface		CALL	CAL	
		on feed adapter	CALL	CAL
	MX 80 grap	hics option	CALL	CAL
		•		
	MISCELLANEOU	S:		
	Apple: Graphics T	ablet	\$ 695	13%
		ded Warranty	\$ 175	20%
	IEEE-488 (\$ 339	25%
	CCS: Serial Interfa		\$ 139	22%
4	Parallel Inte		\$ 99	20%
7	Hayes: Micromod		\$ 299	26%
	Smartmoo		\$ 249	11%
	Keyboard Compai	ny: Joystick II	\$ 45	10°0
		meric Keypad	\$ 119	21%
	M&R: RF Modul		\$ 25	27%
	SUPRFA		\$ 39	25%
4	Microsoft:		w 00	25 /6
_			£ 200	220/
	Z80 Softcard		\$ 299	33%
	16K RAM C		\$ 159	20%
		fultifunction Card	\$ 209	13%
	Clock	Calendar	\$ 239	15%
	Orange Micro Gra	appler	\$ 129	21%
	SSM AIO Serial/		\$ 159	20%

APPLE III CALL

SAVE

Apple Monitor 12" Green \$ 249 25%

OFTWARE for Apple II/II+

3K	Apple:		
710	Apple Fortran	\$ 149	25%
	Apple Pilot	\$ 119	27%
ne	Apple Plot	\$ 49	30%
	Apple Writer	\$ 59	21%
	DOS 3.3	\$ 49	20%
	DOS Tool Kit	\$ 59	22%
1+	Dow Jones News & Quotes	\$ 69	28%
	Dow Jones Portfolio Eval.	\$ 45	10%
	Language/Pascal System	\$ 379	25%
	Microcourier	\$ 189	24%
	Broderbund Software	CALL	CALL
LL ·	Central Point Software:		
LL	Copy II Plus	\$ 35	10%
LL	Will copy most copy protec	ted software	2
LL.	for your backup in 45 secon		
LL	Epson, MX 80 Graphics Dump	\$ 7	30%
	Hayden, Sargon II (chess)	\$ 29	22%
•	Info. Unlim, Easywriter (PRO)	\$ 199	13%
)	Insoft:		
'	ALD System II	\$ 110	10%
	TransFORTH II	\$ 110	10%
•	Accounting Software	\$ 365	66%
•	A full professional quality i	ntegrated G	L, A/R,
)	A/P, Payroll package. Hotl		
	Send for free sample prints	outs. Requir	es Z80
,	and 16K RAM card.		
	Micro Pro Wordstar	\$ 239	29%
)	Microsoft (on disks):		
	A.L.D.S.	\$ 110	10%
	BASIC Compiler	\$ 299	25%
,	Cobol 80	\$ 559	25%
	Fortran 80	\$ 149	25%
	Olympic Decathlon	\$ 24	24%
	TASC Compiler	\$ 159	22%
,	Typing Tutor II	\$ 19	30%
	Muse, Super Text II	\$ 109	27%
	Peachtree Software	CALL	CALL
,	Personal Software:		
0	Desktop Plan II	\$ 159	21%
,	Visicalc 3 3	\$ 159	25%
	Visiplet	\$ 129	28%
LL	Visitrend Visiplot	\$ 199	31%
LL	∨:sidex	\$ 159	30%
LL	visiterm	\$ 109	27%
LL	Visifile	\$ 199	30%
LL	Software Publishing:		
			000/

NATIONAL ORDER DESK

PFS Filing/Data Base

PFS: Report \$ 69 Stoneware, DB Master (new version) \$ 179 For specific software not listed, CALL



SUPERBRAIN SÝŠTEMS®

SAVE ★ Superbrain 64K Double Density \$ 2379 40%

Superbrain 64K

Quad Density \$ 2895 28%

ATARI®800 16K

		SAVE	
Atari 820 Printer	\$ 249	17%	
Atari 810 Disk Drive	\$ 425	29%	
Atari 410 Program Recorder	\$ 59	34%	
Atari 16K RAM Module	\$ 83	27%	
Atari 850 Interface	\$ 149	32%	
Atari/Epson Cable	\$ 29	22%	
Atari Software	CALL	CALL	

Above prices for mail orders only. Our store show-room is 259 Barnett Rd., Unit 2, Medford, OR. Store prices, which include software service, differ from mail order prices. No mail order sales at store. CALL ORDER DESK.

ORDERING INFORMATION:

Minimum order \$100. Money Orders, Cashier Checks or Bank Wire welcomed. Visa and MC orders add 3%. Personal or company checks are accepted (allow 20 days to clear). Add 3% for shipping, handling and insurance; UPS ground is standard. 6% total for UPS Blue or 10% total for foreign orders or US Parcel Post. Include your telephone number. No COD's. Prices are subject to change without notice. Order desk hours are 8 to 5 PST, 10 to 3 Saturdays.

REFERENCES:

28%

Custom Computer has been an Apple dealer since 1978. Our bank reference is First Interstate Bank (503) 776-5620. We belong to the Chumber of Commerce. (503) 772-6293.

apple computer Sales and Service

We are an authorized dealer and repair center and will repair all Apple equipment regardless of where you purchased it, in or out of warranty. Normally our turn-around time on repairs is 24 hours. Call before

Technical Hotline (503)772-3803

(CUSTOMERS ONLY-PLEASE HAVE INVOICE # OR PACKING SLIP#)

Oregon Order Desk (503) 772-3803

925

NO SALES TAX

Repair Department

(503) 772-4401

National Sales Dept. of CUSTOM COMPUTER 259 Barnett Rd., Unit 3, Medford, OR. 97501



8085 (CONTINUED)

Construction of a fourth-generation video

terminal, part 2. Wierenga, Theron. art L3 5:9 Sep80 pl26-160 *** Terminal / Hardware Construction Operation codes of the 8080, 9085, and Z80 processors. Harrell, D. Martin. art 5:3 Mar80 pl94-207 *** Programming Instruction / 8080 / Z-80

8086 outline 18086 (and the SDK-86 system design kit).
Ciarcia, Steve. col 4:11 Nov79 p14-24 ***
Microprocessor / Hardware Review

Microprocessor / Hardware Review
88
8088 processor for the S-100 bus, part 1.
Cantrell, Thomas. art 5:9 Sep80 p46-64 ***
S-100 Bus / Hardware Review / Interface
8088 processor for the S-100 bus, part 2.
Cantrell, Thomas. art 13 5:10 Oct80 p62-88
*** S-100 Bus / Hardware Construction /
Interface
8088 processor for the S-100 bus, part 3.
Cantrell, Thomas. art 13 5:11 Nov80
p340-360 *** S-100 Bus / Monitor
ase into 16-bit computing, part 2: examining a
small multi-user system. Clarcia, Steve. col
L3 5:4 Apr80 p40-58 *** Multi-user Systems
/ Hardware Construction / Multi-tasking
Ease into 16-bit computing; get 16-bit
performance from an 8-bit computer. Clarcia,
Steve. col L3 5:3 Mar80 p17-32 ***
Microprocessor / Hardware Review
55

Therfacing the S-100 bus with the Intel 8255.
Condra, David. art 4:10 Oct79 p124-136 ***
S-100 Bus / Interface / Hardware Construction

OO
Interrupt-driven real-time clock for the TMS
9900. Morris, Thomas. art L3 5:9 Sep80
p282-302 *** Clock / Hardware Construction
Map of the TMS-9900 instruction space. Melton,
Henry. art 4:3 Mar79 p14-22 ***
Microprocessor / Programming Instruction /
TMS-9900 monitor. Jones/Jones. col 4:5 May79
p128 *** Monitor
Texas Instruments TMS9900. Baker, Robert. art
1:8 Apr76 p64-70 *** Hardware Review /
Microprocessor /
COUNTING

ACCOUNTING

COUNTING
BASIC floppy-disk accounting system. Roehrig,
Joseph. art L1 5:9 Sep80 p328-335 ***
Business / North Star / Floppy Disk Drive
Financial analysis program*. Lehman, John. art
L1 5:2 Feb80 p192-201 *** Financial
Statements / Financial Analysis
Microcomputers and the IRS. Kingman, James. col
6:9 Sep81 p426-427 *** Taxes / Business /
Law

Power of VisiCalc. Ramsdell, Robert. sr 5:11 Nov80 p190-192 *** Software Review / Business

Small business accounting system. Lehman, John. art 1:10 Jun76 p8-12 *** Business / Taxes ACOUSTIC COUPLER

Build-it-yourself modem for under \$50*. Ciarcia, Steve. col 5:8 Aug80 p22-38 *** Modem / Hardware Construction

M
AIM-65 16-bit hexadecimal to decimal conversion.
Young, R.A. col L3 6:8 Aug8l p413 ***
Conversions / Hexadecimal
On the use of Fourier Transforms to explore
biological rhythms. Owens, A.J. col L1 6:4
Apr8l p314-326 *** Biorhythm / Fourier Apr81 p314 Transforms

GORITIM

"My Dear Aunt Sally" algorithm*. Grappel,
Robert. art 1:6 Feb/6 pl8-25 ***
Programming Instruction / Definitions
Graphics text editor for music, part 2:
algorithms. Nelson, Randolph. art 5:5 May80
pl04-118 *** Text Editor / Music
Khachiyan's algorithm, part 1: a new solution to
linear programming...*. Berresford/et al. art
5:8 Aug80 pl98-208 *** Mathematics /
Linear Programming
Khachiyan's algorithm, part 2: problems with the
algorithm. Berresford/et al. art L1 5:9
Sep80 p242-255 *** Linear Programming /
Mathematics / TRS-80 Model I
Life algorithms (Game of Life). Niemiec, Mark.
art L9 4:1 Jan79 p90-97 *** Games / Life
/ Mathematics
Simple algorithms for calculating elementary ALGORITHM

/ Mathematics Simple algorithms for calculating elementary functions. Rheinstein, John. art Ll 2:8 Aug77 p142-145 *** Mathematics / Programming Instruction
Simple maze traversal alogrithms. Allen/Allen. art 4:6 Jun79 p36-44 *** Robots / Artificial Intelligence / Programming Instruction

Artificial Intelligence / Programming Instruction
Solving problems involving variable terrain, part 1: a general algorithm. Jones, Scott. art 5:2 Feb80 p58-68 *** Simulation / Topology Standard data encryption algorithm, part 1: an overview. Meushaw, Robert. art 4:3 Mar79 p56-74 *** Cryptology Standard data encryption algorithm, part 2: implementing the algorithm. Meushaw, Robert. art L:3 4:4 Apr79 p110-130 *** Cryptology / KIM Variable-duty-cycle algorithm. Stryker, Timothy.

/ Air Variable-duty-cycle algorithm. Stryker, Timothy. col Ll 6:10 Oct81 p391-393 *** Programming Instruction

ALTAIR
ARRL Convention / Visit to Mits / Visit to SWTPC.
Helmers, Carl. art 1:14 0ct76 pl07-l09
*** Shows / Manufacturing / SWTPC

ALTAIR (CONTINUED)

Albuquerque happenings (World Altair Computer Convention). art 1:10 Jun76 p36-37 *** Conference
Altair (S-100) bus forum: PCC 77. McCallum, John. col 3:3 Mar78 p148-151 *** Standards / S-100 Bus
Are they real? (a visit to Sphere, SWTPC and Mits). Green, Wayne. col 1:2 Oct75 p61+
*** Manufacturing / Sphere / SWTPC
Assembling an Altair 8800. Zarrella, John. art
1:4 Dec75 p78-80 *** Hardware Construction
Beating North Star - MITS incompatability.
Miller, Alan. col L3 3:7 Jul78 p119 ***
Programming Instruction / North Star
Capital of New Mexico is Santa Fe. White,
Loring. col L1 3:3 Mar78 p170-171 ***
Education / Social Science
Diddle (Altair 8800 game to stop a pattern of moving lights). Skoglund, Stan. art L3 2:12
Dec77 p168-169 *** Games
Flights of fancy with the Enterprise (Star Trek game). Price, David. art L1 2:3 Mar77
p106-113 *** Games / Strategy
From the publisher (lack of plugs on the Altair computer). Green, Wayne. col 1:3 Nov75 p5*
*** Design / Standards
GRAPH: a system for television graphics, part 1.
Webster/Young. art 3:5 May78 p62-77 ***
Video Display / Interface / Hardware
Construction

Construction
High school computer system. Lett, Christopher. art 1:10 Jun76 p28-30 *** Education / Secondary Education
I strobes for the Altair 8800. Schulein, John. art 1:8 Apr76 p79 *** Hardware. Construction
Impossible dream cassette interface. Lomax, Daniel. art L3 2:2 Feb77 p82-85 ***
Interface / Tape Cassette
JITIER (blinking lights on an Altair)*. Speer, Gordon. col L3 1:10 Jun76 p94 ***
Control
MERLIN video interface adds a visual dimension to

MERLIN video interface adds a visual dimension t your Altair or IMSAI. hr 1:15 Nov76 p62-64 *** Hardware Review / Video Display /

Interface

your Altair or IMSAI. hr 1:15 Nov76 p62-64
*** Hardware Review / Video Display /
Interface
MITS computer caravan. art 1:5 Jan76 p73 ***
Marketing
Microcomputers in the chemistry laboratory.
DeSieno, Robert. col 6:2 Feb8l p274-278
*** Higher Education / Science
New Altair 680. Vice, James. art 1:6 Feb76
p42-45 *** Hardware Review / Microcomputer
System
Pick up BASIC by PROM bootstraps. Kreitner, Jim.
art L3 2:1 Jan77 p50-51 *** Utility
Program / PROM / Hardware Construction
Processor Technology VDM-1. Anderson, O. hr L3
1:16 Dec76 p36-39 *** Hardware Review /
Video Display / IMSAI
Put your computer to work (cassette controller).
Roch, Bill. hr 6:2 Feb81 p102-103 ***
Hardware Review / Tape Cassette / Interface
Recognition for Heuristics Speechlab. Parfitt,
Rick. hr 2:9 Sep77 p50 *** Hardware
Review / Speech Recognition
SLL_an Altair (S-100) to LSI-11 bus adaptor.
Bondy, Jonathan. col 3:9 Sep78 p102-112
*** S-100 Bus / Standards / LSI-11
SCORIOS: implementation of a music language.
Taylor, Hal. art 2:9 Sep77 p12-21+ ***
Music / Languages
Sets: tutoring in BASIC. Schreiber, Linda. col
11 5:3 Mar80 p244-245 *** Mathematics /
Computer Assisted Instruction / Children
Space game. White, Loring. art L1 4:10 Oct79
p196-199 *** Games / Arcade
Strike a MATCH (matching up penpals)*. Hansford,
Phillip. art L3 1:10 Jun76 p48-51 ***
Programming Instruction / Assembly Language
Systems of note (Roger Amidon's Spider and
Altair). Helmers, Carl. col 1:12 Aug76
p88-89 *** Microcomputer System
Two computer music system (Altair B800/Intellec
8/MON 80). Lederrocomputer System
Two computer music system (Altair B800/Intellec
8/MON 80). Lederrocomputer System
Two computer music system (Altair B800/Intellec
8/MON 80). Lederrocomputer System
Two computer music system (Altair B800/Intellec
8/MON 80). Lederrocomputer System
Two computer music system (Altair B800/Intellec
8/MON 80). Lederrocomputer System
Two computer music system (Altair B800/Intellec
8/MON 80). Lederrocomputer Dahmke,
Mark. hr 5:11 Nov80 p158-170 *** Hardware

Altos ACS8000 single-board computer. Dahmke, Mark. hr 5:11 Nov80 p158-170 *** Hard Review

Mark. hr 5:11 Nov80 p158-170 *** Hardware Review

ANALOG/DGITAL CIRCUIT

A/D and D/A conversion - an inexpensive approach. Mikel, Roger. art 6:2 Feb81 p312-316 *** Digital/Analog Circuit / Hardware Construction Apple analog-to-digital conversion in 27 microseconds. Seeds/Levison. art L3 6:10 Oct81 p458-461 *** Apple II / Hardware Construction / Astronomy Color computer from A to D: make your color computer "see" and "feel"... Barden, William. art L1 6:12 Dec81 p134-160 *** TRS-80 Color / Interface / Joystick Controlling small DC motors with analog signals. Sweer/et al. art 2:8 Augy7 p18-24 *** Control / Plotter / Simulation Designing multichannel analog interfaces. Kraul, Douglas. art L3 2:6 Jun77 p18-23 *** Interface / Design Easy-to-use A/D converter. Daggit, Robert. art L3 6:6 Jun81 p378-383 *** Hardware Construction / 6502 Energy measurement with the Apple II. Murray, William. col L1 6:7 Jul81 p294-299 *** Energy / Apple II

ANALOG/DIGITAL CIRCUIT (CONTINUED)

Getting inputs from joysticks and slide pots.
Helmers, Carl. art L3 1:6 Feb76 p86-88

*** Joystick / Hardware Construction
I've got you in my scanner! (computer controlled
light scanner). Ciarcia, Steve. col L1 3:11
Nov78 p76-89 *** Security / Home / Hardware
Construction
In defense of analog?. Sodamann, F.D. col 3:10
Oct78 p65 ***
Interfacing with an analog world - part 1. Carr,
Joseph. art 2:5 May77 p56-60 ***
Interface / Design
Interfacing with an analog world - part 2. Carr,
Joseph. art 2:6 Jun77 p54-59+ ***
Digital/Analog Circuit / Design
Low-speed analog-to-digital converter for the
Apple II. Hallgren, Richard. art L3 4:9
Sep79 p70-78 *** Interface / Hardware
Construction / Apple II
Mind over matter: add biofeedback input for your
computer. Ciarcia, Steve. col L1 4:6 Jun79
p49-58 *** Control / Health / Hardware
Construction
PADULES: interfacing with modular breadboards.

p49-58 *** Control / nearch /

Construction
Pot position digitizing idea. Schulein, John.
art 1:7 Mar/6 p79 *** Hardware Construction
Simple digital filter. Grappel, Robert. art 1.3
3:2 Feb/8 p168-1/1 *** Design
Sonic anemometry for the hobbyist. Dvorak, Neil.
art 1.3 4:7 Jul79 p120-132 *** Hardware
Construction / Weather
Talk to me! Add a voice to your computer for \$35.
Ciarcia, Steve. col 1.3 3:6 Jun/8 p142-151
*** Voice Synthesis / Hardware Construction
IMATION

ANIMATION

IMATION
Animation in computer-assisted instruction:
replication of DNA. Eckert, Richard. col L1
6:7 Jul81 p358-366 *** Computer Assisted
Instruction / Science / TRS-B0 Model I
Representing three-dimensional objects in your
computer. Blum, Richard. art L1 4:5 May79
p14-29 *** Three-Dimensional Graphics
Writing animated computer games*. Estep, Tony,
art L3 4:11 Nov79 p152-170 *** Games /
Programming Instruction / 8080

APL and graphics. Kellerman, Eduardo. art L9 3:9 Sep78 p40-53 *** Graphics / Programming Instruction

3:9 Sep/8 p40-53 *** Graphics / Programming Instruction
APL and the greatest common divisor / APL aids instructors. Claxton/Evans. col L9 4:5
May79 p206-207 *** Higher Education
APL character generator. Langner, John. art L2
5:9 Sep80 p116-124 *** Character Generator / Hardware Construction
APL character sets (loading APL character sets).
Billwiller, Charles. col 2:7 Jul77 p150 ***
APL interpreter for microcomputers, part 1*.
Wimble, Michael. art 2:8 Aug77 p50-65 ***
Interpreter / Contests
APL interpreter for microcomputers, part 2:
evaluation expression. Wimble, Mike. art 2:9
Sep77 p126-155 *** Programming Instruction
APL interpreter for microcomputers, part 3:
mathematical processing*. Wimble, Mike. art
2:10 Oct77 p64-68+ *** Interpreter /
Mathematics
APL interpreter: further thoughts*. Brightman,


Mathematics APL interpreter: further thoughts*. Brightman, Tom. col 3:6 Jun/8 pl22-123 *** Interpreter APL makes life easy (and vice versa). Evans, Selby. col L9 5:10 Oct80 pl92-193 ***

Tom. col 3:6 Jun78 p122-123 ***
Interpreter

APL makes life easy (and vice versa). Evans, Selby. col L9 5:10 Oct80 p192-193 ***
Games / Life

APL runs circles. Nicholson, Philip. col L9 6:12 Dec81 p484-485 *** Programming
Instruction
APL update (difference between operators and functions). Anthony, E.H. col 2:8 Aug77 p17+ *** Programming Instruction
APL/S: an alternative. Brown, Robert. col L9 4:12 Dec79 p88-99 *** Games / Programming
Instruction
Comments on APL character generators. Naess, Olav. col 3:2 Feb78 p134-135 ***
Comments on APL character generators. Naess, Olav. col 3:5 May78 p143-144 ***
Continuing comments on APL. Stryker, Timothy. col 3:12 Dec78 p180-182 ***
GRAPLing with APL. Leler, William. col 2:11 Nov77 p220-222 *** Languages
Grappling with GRAPL: some choice comments. Koenig, Andrew. col 3:5 May78 p165-167 ***
Here's APL in action (lunar lander program). Keefe, David. art L9 2:8 Aug77 p44-47 ***
Games / Strategy
Questioning APL / APL optimization / An APL bigot speaks. col 2:11 Nov77 p194-197 ***
Serendipitous circles explored. Kellerman, Eduardo. art 3:4 Apr78 p178-183 *** Arthree versions of APL. Williams, Gregg, sr 6:4 Apr81 p188-208 *** Software Review Understanding APL. Ilverson, Kenneth. art L9 2:8 Aug77 p36-40 *** Programming Instruction Virtual memory and VSAM for micros. Dahmke, Mark. col 2:11 Nov77 p224 *** Memory / Information Storage / Virtual Memory
Information S

RM/COBOL MAKES IT ACROSS!



The RM/COBOL language runs on more different Operating Systems and more different-sized computers than any other similar language. For starters, it runs on NCR and TI minicomputers and, in the micro field, on the CP/M², MP/M², TRSDOS³, OASIS⁴, MOASIS⁴, and UNIX (ONYX version) Operating Systems...to mention only a few.

Until now, serious business software of the scope and flexibility seen in the minicomputer world has not been available on micros. RM/COBOL now allows transfer of such software with a minimum of fuss.

We have participated in such a mini-to-micro transfer of a major set of general business software. .using RM/COBOLas the transfer mechanism, of course. Running on literally thousands of minicomputers, these refined, enhanced, and proven software packages cover A/R, A/P, G/L, P/R, Order Entry (with Invoicing and Inventory Control) as well as Sales Analysis. The packages define a new level of achievement for features and flexibility in micro applications software and offer top quality at a reasonable price.

For immediate information, call 714-848-1922 for your complete product descriptions.



...PLUS ALL THE OLD, FAMILIAR FAVORITES that we continue to offer such as:

General Business—Client Accounting (CPA Write-up)
FMS⁶ (Financial Modeling System)
NAD⁷ (Name and Address System)

Real Estate—REAP (Real Estate Acquisition Programs)
PMS (Property Management System)
MLS⁶ (Multiple Listing System)

Health Care—APH⁸ (Automated Patient History)

Word Processing and System Software—Magic Wand⁹ QSORT⁷

CBASIC210

and Cybernetics' unique $TRS-80^3$, Model II CP/M offering high performance, hard disk support, and CP/M compatibility.

Trademarks of:

1—Ryan McFarland Corp.; 2—Digital Research, Inc.; 3—Tandy Corp.; 4—Phase One Systems, Inc.; 5—Bell Telephone Laboratories, Inc.; 6—American Business Systems, Inc.; 7—Structured Systems Group, Inc.; 8—Cybernetics, Inc.; 9—Peachtree Software, Inc.; 10—Compiler Systems, Inc.



8041 NEWMAN AVE., SUITE 208 HUNTINGTON BEACH, CA 92647

Maze (maze generator for the Apple I). Bishop, Robert. col Ll 3:10 Oct78 pl36-138 *** Graphics / Games

ROBERT. COI LI 3:10 OCL78 p130-130 AMB ROBERT. COI LI 3:10 OCL78 p130-130 AMB APPLE II Apple Pascal cross-reference. Woodhead, Robert. col L6 6:10 Oct81 p419-429 *** Pascal / Utility Program Apple kaleidoscope. Bishop, Robert. col L3 4:7 Ju179 p52-53 *** Color Graphics Apple name-address. Stotts, Gary. col L1 6:4 Apr81 p32-34 *** Mail List Computing inflation with the consumer price index. Haldeman, Joe. col L1 6:7 Ju181 p300-302 *** Consumer Information / Inflation Energy measurement with the Apple II. Murray, William. col L1 6:7 Ju181 p294-299 *** Energy / Analog/Digital Circuit Era of off-the-shelf personal computers has arrived. Helmers, Carl. col L6 5:1 Jan80 p6-10+ *** History / Microcomputer System / Pascal

p6-10+ *** History / Microcomputer System / Pascal Generating programs automatically. Jacobs, Jacob. art L1 6:12 Dec81 p352-362 *** Utility Program Hydrocarbon molecule constructor. Matthews, Randall. art L1 5:3 Mar80 p156-166 *** Science / Education Kinetic string art for the Apple. Cesa, Louis. col 5:11 Nov80 p62-63 *** Co'or Graphics / High Resolution Graphics / Art List Pager (Apple II utility). Lovett, Allan. col L1 6:10 Oct81 p122 *** Utility Program / Printer Logo for personal computers. Nelson, Harold. art L9 6:6 Jun81 p36-44 *** T1 99/4 / Logo More colors for your Apple. Watson/Wozniak. art L1 4:6 Jun79 p60-68 *** Color Graphics / High Resolution Graphics / Hardware Modification Music making (square-wave music and software-driven D/A synthesis). col 6:7 Jul81 p84 *** Music / Digital/Analog Circuit Nybble on the Apple: Helmers, Carl. col 2:4 Apr77 p10 *** Color Graphics One step forward - three steps backup: computing in the US space program. Stakem, Patrick. art 6:9 Sep81 p112-144 *** Test / Space Program Pascal library unit for the Micromodem II.

scal library unit for the Micromodem II.
Woteki, Thomas. art L6 6:2 Feb81 p106-136
*** Modem / Pascal

woter, indias.
*** Modem / Pascal
Picture-perfect Apple. Roybal, Phil. art 6:1
Jan81 p226-235 *** High Resolution Graphics

Jan81 p226-235 *** High Resolution Graphics / Printer
Three-dimensional graphics for the Apple II.
Sokol, Dan. art Ll 5:11 Nov80 p148-154
*** High Resolution Graphics /
Three-Dimensional Graphics /
Time your tape. 0'Flaherty, John. col Ll 5:9
Sep80 p66-74 *** Tape Cassette

Sepou pool-4 has lape tassette
Voice for the Apple without extra hardware.
Payne, Robert. art L3 6:11 Nov81 p499-501
*** Digital Audio / Voice Synthesis
White-noise generator for the Apple II.
0'Flaherty, John. col L2 5:4 Apr80 p68
*** Sound Effects

CONTROL

Apple X10 control. Arczynski, Wayne. col L3 6:12 Dec81 p469-472 *** Control / Home / 6502

Computer-controlled viewing of the 1980 eclipse. Helmers, Carl. col L6 5:5 May80 p6+ ***
Control / Photography / Astronomy
Hunting the computerized eclipse. Helmers, Carl. col L6 5:3 Mar80 p6-12+ *** Control / Photography / Astronomy

Computer-aided drafting with Apple Pascal.
Sokol, Dan. art L6 -6:7 Jul81 p388-429 ***
Design / Electronic Circuits / Pascal

GAMES

GAMES
Asteroids in Space and Planetoids. Holt, Oliver. sr 6:5 May8l pl16-120 *** Software Review / Games / Arcade
Battle of the asteroids. Williams, Gregg. sr 6:12 Dec8l pl63-165 *** Software Review / Arcade / Games
Computer Bismark. Ansoff, Peter. sr 5:12
Dec80 p282-286 *** Software Review / Games / Simulation

Simulation

Output of the control of the control

Dec81 p278-298 *** Games / Programming Instruction
Gorgon. Callamaras, Peter. sr 6:12 Dec81 p90-100 *** Software Review / Games / Arcade Lost Dutchman's Gold*. Liddil/Li. art L1 5:12 Dec80 p268-280 *** Games / Strategy Missile Defense vs ABM. Moskowitz, Robert. sr 6:12 Dec81 p80-90 *** Software Review / Games / Arcade Odyssey: The Compleat Apventure. Nelson, Harold. sr 5:12 Dec80 p90-92 *** Software Review / Games / Strategy Dlympic Decatholon. Kater, David. sr 6:12 Dec81 p74-78 *** Arcade / Games / Software Review Prisoner. Liddil, Bob. sr 6:9 Sep81 p386-387 *** Software Review / Games / Strategy Reversal: Othello for the Apple II. Freidman, Mark. sr 6:11 Nov81 p76-80 *** Software Review / Othello / Games

APPLE II (CONTINUED)
Robotwar. Feigel, Curtis. sr 6:12 Dec81
p24-34 *** Software Review / Games /
Programming Instruction
Stellar Trek. Nelson, Harold. sr 5:12 Dec80
p78-82 *** Software Review / Games / Arcade
Tranquility Base. Moore, Robin. sr 6:5 May81
p112-114 *** Software Review / Games / Arcade

HARDWARE CONSTRUCTION

HARDWARE CONSTRUCTION
Apple analog-to-digital conversion in 27
microseconds. Seeds/Levison. art L3 6:10
Oct81 p458-461 *** Analog/Digital Circuit /
Hardware Construction / Astronomy
Apple audio processing. Cross, Mark. art L3
5:4 Apr80 p212-218 *** Voice Synthesis /
Hardware Construction / Audio Processing
Build a low-cost speech-synthesizer interface.
Ciarcia, Steve. col L1 6:6 Jun81 p46-68
*** Voice Synthesis / Hardware Construction /
TRS-80 Model I
Cross-pollinating the Apple LI (serial

*** Voice Synthesis / Hardware Construction / TRS-80 Model I
Cross-pollinating the Apple II (serial interface). Campbell, Richard. art L3 4:4 Apr79 p20-25 *** Interface / Serial Input/Output / Hardware Construction Low-speed analog-to-digital converter for the Apple II. Hallgren, Richard. art L3 4:9 Sep79 p70-78 *** Analog/Digital Circuit / Interface / Hardware Construction

HARDWARE REVIEW

Apple to Byte: one user's review of the Apple II.
Helmers, Carl. hr L3 3:3 Mar78 p18-46
*** Hardware Review / Microcomputer System
Microsoft Softcard. Pelczarski, Mark. hr 6:11
Nov81 p152-162 *** Hardware Review / Z-80 /
CP/M

CP/M
Mountain Computer's MusicSystem. Moore, Robin.
hr L3 6:7 Ju181 p60-92 *** Hardware
Review / Music
Videx keyboard and display enhancer. Pelczarski,
Mark. hr L6 6:7 Ju181 p354-356 ***
Hardware Review / Video Display / Keyboard
alphaSyntauri Music Synthesizer. Levine/Mauchly.
hr 6:12 Dec81 p108-128 *** Hardware
Review / Music

INTERFACE

INTERFACE
Cross-pollinating the Apple II (serial interface). Campbell, Richard. art L3 4:4 Apr79 p20-25 *** Interface / Serial Input/Output / Hardware Construction
Digital plotting with the Apple II computer. Hallgren, Richard. art L1 6:5 May81 p296-314 *** Plotting / Interface / Plotter Low-speed analog-to-digital converter for the Apple II. Hallgren, Richard. art L3 4:9 Sep79 p70-78 *** Analog/Digital Circuit / Interface / Hardware Construction Plotter

MATHEMATICS

Impossible dream: computing e to 116,000 places with a personal computer: Wozniak, Stephen. art L3 6:6 Jun81 p392-407 *** Mathematics Unlimited precision division. Raskin, Jef. art L1 4:2 Feb79 pj64-156 *** Mathematics / Programming Instruction / BASIC

PROGRAMMING INSTRUCTION

Bits and bytes in Pascal: and other binary wonders. Casseres, David. art L6 6:10 Oct81 p448-457 *** Pascal / Documentation /

Programming Instruction

mme of left/right. Smith, Truck. art ll

Dec81 p278-298 *** Games / Programming

Instruction

Game of left/right. Smith, Truck. art L1 6:12
Dec81 p2/8-298 *** Games / Programming
Instruction
Micromodem support in Apple Pascal. Robinson,
Scott. art L6 6:7 dul81 p308-324 ***
Modem / Pascal / Programming Instruction
Notes on absolute location interfaces to Apple
Pascal. Sokol, Daniel. col L6 5:9 Sep80
p324-325 *** Pascal / Programming Instruction
Recursive procedures for the 6502 microprocessor.
Dennis, Phillip. col L3 6:10 Oct81
p467-469 *** 6502 / Programming Instruction
Robotwar. Feigel, Curtis. sr 6:12 Dec81
p24-34 *** Software Review / Games /
Programming Instruction
SWEET 16: the 6502 dream machine (Apple pseudo
machine interpreter)*. Wozniak, Stephen. art
L3 2:11 Nov77 p150-159 ** Interpreter /
6502 / Programming Instruction
Shape table conversion for the Apple II.
Partyka, Dave. col L1 4:11 Nov79 p63 ***
High Resolution Graphics / Programming
Instruction / Conversions
Tree searching, part 1: basic techniques.
Williams, Gregg. art L1 6:9 Sep81 p72-106
*** Artificial Intelligence / Programming
Instruction / Puzzles
Unlimited precision division. Raskin, Jef. art
L1 4:2 Feb79 p154-156 *** Mathematics /
Programming Instruction / BASIC
Using interrupts on the Apple II system. White,
George. art L3 6:5 May81 p280-294 ***
Programming Instruction / 6502
Using page two with Apple Pascal turtle graphics.
Wallace, Bruce. col L6 6:5 May81 p222
*** Programming Instruction / Graphics /
Pascal

SOFTWARE REVIEW

Apple II file-management systems.
Ken. sr 6:11 Nov81 p274-300
Review / Data Base Management
Asteroids in Space and Planetoids. Holt, Oliver.
sr 6:5 May81 p116-120 *** Software Review
/ Games / Arcade

APPLE II (CONTINUED)

Battle of the asteroids. Williams, Gregg. sr 6:12 Dec81 pl63-165 *** Software Review /

6:12 Decoi pios-103
Arcade / Games
Computer Bismark. Ansoff, Peter. sr 5:12
Dec80 p282-286 *** Software Review / Games /

Computer bismark. Ansort, reter. s. 7 512
Dec80 p282-286 *** Software Review / Games /
Simulation
Dungeon Campaign. Williams, Gregg. sr 5:12
Dec80 p74 *** Software Review / Games /
Strategy
Four word processors for the Apple II.
Carlson/Haber. sr 6:6 Jun81 p176-204 ***
Software Review / Word Processing
Gorgon. Callamaras, Peter. sr 6:12 Dec81
p90-100 *** Software Review / Games / Arcade
Missile Defense vs ABM. Moskowitz, Robert. sr
6:12 Dec81 p80-90 *** Software Review /
Games / Arcade
Odyssey: The Compleat Apventure. Nelson, Harold.
sr 5:12 Dec80 p90-92 *** Software Review
/ Games / Strategy
Olympic Decathlon. Kater, David. sr 6:12
Dec81 p74-78 *** Arcade / Games / Software
Review
Prisoner. Liddil, Bob. sr 6:9 Sep81 p386-387

Dec81 p74-78 *** Arcade / Games / Software Review
Prisoner. Liddil, Bob. sr 6:9 Sep81 p386-387
*** Software Review / Games / Strategy
Reversal: Othello for the Apple II. Freidman,
Mark. sr 6:11 Nov81 p76-80 *** Software
Review / Othello / Games
Robotwar. Feigel, Curtis. sr 6:12 Dec81
p24-34 *** Software Review / Games /
Programming Instruction
Sargon II: an improved chess-playing program for
the Apple II. Martellaro, John. sr 5:12
Dec80 p14-118 *** Software Review / Ches
Stellar Trek. Nelson, Harold. sr 5:12 Dec80
p78-82 *** Software Review / Games / Arcade
Tranquility Base. Moore, Robin. sr 6:5 May81
p112-114 *** Software Review / Games / Arcade

TRS-80 MODEL I

TRS-80 MODEL I

Build a low-cost speech-synthesizer interface.
Ciarcia, Steve. col ll 6:6 Jun8l p46-68
*** Voice Synthesis / Hardware Construction /
TRS-80 Model I
Electromagnetic interference. Ciarcia, Steve.
col 6:1 Jan8l p48-68 *** Radio-frequency
Interference / TRS-80 Model I / Atari
Some more on performance evaluation*. Helmers,
Carl. col ll 5:7 Jul80 p216-219 ***
Benchmark Testing / TRS-80 Model I
PLE III

APPLE III
Apple III. Morgan, Chris. hr L3 5:7 Jul80
p50-54 *** Hardware Review / Microcomputer

Apple III p50-54 System ARCADE

CADE
Asteroids in Space and Planetoids. Holt, Oliver.
sr 6:5 May8l pl16-120 *** Software Review
/ Games / Apple II
Battle of the asteroids. Williams, Gregg. sr
6:12 Dec8l pl63-165 *** Software Review /
Games / Apple II
Big Five software (Attack Force, Cosmic Fighter,
and Galaxy Invasion). Williams, Gregg. sr
6:9 Sep8l p384-386 *** Software Review /
Games / TRS-80 Model I
Coinless acrade: more arcade fun. Williams.

Games / TRS-80 Model I
Coinless arcade: more arcade fun. Williams,
Gregg. col 6:12 Dec81 p36-41 *** Software
Review / Games
Dancing Demon from Radio Shack. Cooper/Kolya.
sr 6:5 May81 p148-150 *** Software Review
/ Games / TRS-80 Model I
Gorgon. Callamaras, Peter. sr 6:12 Dec81
p90-100 *** Software Review / Games / Apple II
How to implement Space War (or using your
oscilloscope as a telescope). Kruglinski,
Dave. art L3 2:10 Oct77 p86-111 ***
Games / Programming Instruction / Graphics
Landing module simulation with random surface.
Houng, S,J. art L3 5:3 Mar80 p130-139 ***
Simulation / Games / 6800
Missile Defense vs ABM. Moskowitz, Robert. sr

simulation / Games / 6800
Missile Defense vs ABM. Moskowitz, Robert. sr
6:12 Dec8l p80-90 *** Software Review /
Games / Apple II
Olympic Decathlon. Kater, David. sr 6:12
Dec8l p74-78 *** Games / Software Review /
Apple II

Apple II

Space game. White, Loring. art L1 4:10 Oct79
p196-199 *** Games / Altair

Star Raiders. Williams, Gregg. sr 6:5 May81
p106-108 *** Software Review / Games / Atari

Starfighter. Grammer, Eric. sr 6:12 Dec81
p486-487 *** Software Review / Games / TRS-80
Model I

Stellar Trek. Nelson, Harold. sr 5:12 Dec80
p78-82 *** Software Review / Games / Apple II

Super Nova. Liddil, Bob. sr 6:5 May81
p108-110 *** Software Review / Games / TRS-80
Model I

Tranquility Base. Moore, Robin. sr 6:5 May81

Model I Tranquility Base. Moore, Robin. sr 6:5 May81 pll2-114 *** Software Review / Games / Apple II

Computer art (About the cover - color graphics done on a GRASS system). Defanti/Tetz. col 2:10 Oct77 p22-25 *** High Resolution Graphics / PDP-11 Cybernetic crayon: a low cost approach to...color graphics. Dwyer/Sweer. art L3 1:16 Dec76 p24-29+ *** Color Graphics / Programming Instruction / IMSAI Good grief! ("Snoopy" as seen on a PDP-8/S). Brockman, Dave. col 1:11 Jul76 p74 *** Graphics / PDP-8
It's more fun than crayons. Rosner, Richard. art 1:15 Nov76 p6-9 *** Graphics / Children



Remember the \$500 pocket calculator?

The same thing just happened to computer software.

Everyone remembers when pocket calculators first came out. They were so impressive and futuristic, people were happy to pay \$500 for one. But it didn't take the electronics industry long to offer a smaller, more fully-featured calculator for only \$25.

Demand and Supply.

As more and more individuals and businesses turn to small computers for their various needs, the small computer industry will turn out more and more computer software. This increased volume naturally lowers the cost per unit. And the rapid growth of the CP/M® compatible computers has meant even greater sales volume for these popular and valuable software packages.

Here is what All Systems offers:

Wordstar 3.0®

\$199

Quite simply, the best word processing program for the small computer. Price shown is for the Apple system, \$249 for all others.

SuperCalc[™]

\$199

The state of the art in electronic worksheet programs, with features and enhancements that previous programs just did not have.

*VisAccount™

\$199

The greatest software buy in the country. It is a fully-integrated accounting package with a General Ledger, Accounts Receivable/Order Entry, Accounts Payable/Purchase Order, Payroll, Inventory, Fixed Assets, and even a Mailing List program—all for one price.

*Data Manager

\$199

A powerful and professional data base management program that's wonderfully simple to operate. Features include: data base building, lists, comparative analysis (by generating history & performance reports), various file maintenance, fast assembly language (sort/merge), fast data retrieval, record selection, report writing and forms handling.

*Both VisAccount and Data Manager come with a 45-day conditional money back guarantee. We know of no other software company with the confidence to provide a similar guarantee.

All Systems offers these programs for the following computers:

Apple II Heath/Zenith

Apple II Radio Shack Models I, II & III Osborne I

Superbrain North Star IBM

Hewlett Packard 125
Most CP/M Compatible Computers

How To Order

To find the dealer nearest you, or to order, call toll free $800\text{-}221\text{-}2486^{\dagger}$

In New York or for further information, call 212-685-0090. You may use your **Visa, MasterCard, American Express,** or (for an additional charge) order C.O.D.
Or you may send a check or money order to:



332 East 30th St., New York, N.Y. 10016

CP/M is a registered trademark of Digital Research. Wordstar is a registered trademark of Micro Pro International. SuperCalc is a trademark of Sorcim. Inc VisAccount is a trademark of CSCA. All Systems is a division of Computer Services Corporation of America. †24 hours, 7 days a week.

ART (CONTINUED)

Kinetic string art for the Apple. Cesa, Louis. col 5:11 Nov80 p62-63 *** Color Graphics / High Resolution Graphics / Apple II

Mathematics of computer art. Schmucker, Kurt. art 4:7 Jul79 p105-116 *** Mathematics

Personal computing: new prospects for art and science. Helmers, Carl. col 3:4 Apr78 p6+

*** Science / Computers and Society

Serendipitous circles (circle drawing program with suprises). Anderson/Galway. art L3 2:8

Aug77 p70-75 *** Graphics / 6800

Serendipitous circles explored. Kellerman, Eduardo. art 3:4 Apr78 p178-183 *** APL

Some example plots. Dameron, David. col L1 5:2 Feb80 p140-144 *** Plotting / Cromemco Toolbox: a Smalltalk illustration system. Bowman/Flegal. art 6:8 Aug81 p369-376 *** Smalltalk / Graphics winners in the ByTE first computer art contest. col 1:16 Dec76 p70 *** Contests

ARTIFICIAL INTELLIGENCE

Artificial Intelligence. Roberts, Steven. art 6:98 Sp81 p164-178 ****

TIFICIAL INTELLIGENCE
Artificial Intelligence. Roberts, Steven. art
6:9 Sep81 pi64-178 ***
Artificial intelligence and entropy. Kiehn, R.M.
art 4:6 Jun79 pi52-154 ***
Artificial intelligence, an evolutionary idea
(part 1: an overview). Mimble, Michael. art
2:5 May77 p26-32 *** Simulation
Artificial intelligence, an evolutionary idea,
part 2: implementation. Wimble, Michael. art
2:5 Jun77 p100-107 *** Simulation
Artificial intelligence: what is it?. Rosenbaum,
Richard. art 2:4 Apr77 p50-56 ***
Definitions

Richard. art 2:4 Apr77 p50-56 ***
Definitions
Brains of men and machines, part 1: biological
models for robotics. Kent, Ernest. art 3:1
Jan78 p11-22+ *** Robots
Brains of men and machines, part 2: how the brain
controls outputs. Kent, Ernest. art 3:2
Feb78 p84-90+ *** Robots
Brains of men and machines, part 3: how the brain
analyzes input Kent, Ernest. art 3:3 Mar78
p74-83+ *** Robots
Brains of men and machines, part 4: machinery of

analyzes input. Nent, trnest. art 3:3 Mar/8 p74-83+ *** Robots
Brains of men and machines, part 4: machinery of emotion and choice. Kent, Ernest. art 3:4 Apr/8 p66-89 *** Robots
Compleat robotics experimenter. Helmers, Carl. col 2:11 Nov/7 p6+ *** Robots
Could a computer take over? Rush, Ed. art 1:6 Feb/6 p76-83 *** Robots
Creating a chess player: an essay on human and computer chess skill*. Frey/Atkin. art 3:10 Oct/8 p182-191 *** Chess
Frankenstein emulation. Murray. Joe. art 1:8

Oct/8 p182-191 *** Chess Frankenstein emulation. Murray, Joe. art 1:8 Apr76 p50-54 *** Robots Improved maze program. Lyons, David. col L3 5:1 Jan80 p153-154 *** Knowledge-based expert systems come of age. Duda/Gaschnig. art L1 6:9 Sep81 p238-281 *** Knowledge-based Expert Systems

Microcomputers in education: a concept-oriented approach. Wolfe, George. col 6:6 Jun81 p146-160 *** Education / Computer Assisted

approach. Wolfe, George. Col io bundl pl46-160 *** Education / Computer Assisted Instruction
Natural language processing and small systems. Tennant, Harry. art 3:6 Jun/8 p38-54 *** Languages / Natural Language Construction
Natural-language processing: the field in perspective. Hendrix/Sacerdoti. art L9 6:9 Sep81 p304-352 *** Natural Language
Construction / Linguistics
Odds and beginnings (artificial intelligence, shows, Japanese market). Morgan, Chris. col 6:9 Sep81 p6-10 *** Shows / Foreign
Competition
On finite state machines and their uses. Owens, Gerald. col 2:9 Sep77 p184-185 ***
Fiction fiction's intelligent computers. Byrd, Donald. art 6:9 Sep81 p200-214 ***
Fiction
What computers cannot do. Lewis, T.G. art 5:1

What computers cannot do. Lewis, T.G. art 5:1 Jan80 p100-112 *** Robots

6800 Eighteen with a die: a learning game player. Yost, Russell. art L3 5:1 Jan80 p212-229 *** Games / 6800 / Strategy

Tree searching, part 1: basic techniques. Williams, Gregg. art [1 6:9 Sep8] p72-106 *** Programming Instruction / Apple II / Puzzles

CONTROL

Nature of robots, part 1: defining behavior.
Powers, William. art Ll 4:6 Jun79 pl32-144
*** Robots // Control / Design

*** Robots / Control / Design

DESIGN

Designing a robot from nature, part 1: biological considerations. Filo, Andrew. art 4:2 Feb79 p12-29 *** Robots / Design Model of the brain for robot control, part 1: defining notation. Albus, James. art 4:6 Jun79 p10-34 *** Robots / Design Model of the brain for robot control, part 2: a neurological model. Albus, James. art 4:7 Ju179 p54-95 *** Robots / Design Model of the brain for robot control, part 3: a comparison... Albus, James. art 4:8 Aug79 p66-80 *** Robots / Design Model of the brain for robot control, part 4: mechanisms of choice. Albus, James. art 4:9 Sep79 p130-148 *** Robots / Design Nature of robots, part 1: defining behavior. Powers, William. art Ll 4:6 Jun79 p132-144 *** Robots / Control / Design

ARTIFICIAL INTELLIGENCE (CONTINUED)

On building a light-seeking robot mechanism.
Allen/Rossetti. art 3:8 Aug78 p24-42 ***
Robots / Design

GAMES
Eighteen with a die: a learning game player.
Yost, Russell. art L3 5:1 Jan80 p212-229
*** Games / 6800 / Strategy
Hexpawn: a beginning project in artificial
intelligence. Wier, Robert. art 1:3 Nov75
p36-40 *** Games / Programming Instruction
Machine problem solving, part 3: the alpha-beta
procedure*. Frey, Peter. art L1 5:11 Nov80
p244-264 *** Games / TRS-80 Model I
Simulating human decision-making on a personal
computer. Frey, Peter. art 5:7 Jul80
p56-72 *** Games / Othello / Programming
Instruction Instruction

PROGRAMMING INSTRUCTION
Hexpawn: a beginning project in artificial intelligence. Wier, Robert. art 1:3 Nov75 p36-40 **** Games / Programming Instruction
My computer runs mazes. Stanfield, David. art L2 4:6 Jun79 p86-99 *** Programming Instruction / MIKBUG
Simple maze traversal alogrithms. Allen/Allen. art 4:6 Jun79 p36-44 *** Robots / Programming Instruction / Algorithm
Simulating human decision-making on a personal computer. Frey, Peter. art 5:7 Jul80 p56-72 *** Games / Othello / Programming Instruction

Instruction

Tree searching, part 1: basic techniques.
Williams, Gregg. art Ll 6:9 Sep81 p72-106
*** Programming Instruction / Apple II / Puzzles

Puzzles
Tree searching, part 2: heuristic techniques.
Williams, Gregg. art Ll 6:10 Oct81
p195-212 *** Programming Instruction

TRS-80 MODEL I

Machine problem solving, part 1: trial-and-error, a mechanical plan... Frey, Peter. art Ll
5:9 Sep80 pl02-ll2 *** Puzzles / TRS-80 Model I

Model I Machine problem solving, part 3: the alpha-beta procedure*. Frey, Peter. art Ll 5:11 Nov80 p244-264 *** Games / TRS-80 Model I

CII 5 byte hexadecimal to ASCII converter. Doshi, Ashwin. col L3 4:6 Jun/9 p208 *** Conversions / Hexadecimal / 8080 ASCII string program. Comer, William. col L3 4:10 Oct/9 p246-248 *** Programming Instruction / 6800 Alpha lock for your ASCII keyboard. Conboy, Terry, art 5:1 Jan80 p156-158 *** Keyboard / Hardware Modification Build a serial ASCII word generator. Finger, Ronald. art 1:9 May/fo p50-53 *** Interface / Hardware Construction / Test Equipment

Interrace / Hardware Construction / Test Equipment Complete ASCII (codes given in binary, octal, hex and decimal). Ciemiewicz, David. col 3:2 Feb78 p19 *** Standards
Deciphering mystery keyboards. Helmers, Carl. art 1:1 Sep75 p62-69 *** Keyboard
Don't waste memory space (one way to squeeze fat out of text strings). Baker, Robert. art 1:16 Dec76 p58-59 *** Information Storage / Programming Instruction / Memory
How to save BYTES (a proposed character set).
McIntire, Thomas. art 1:6 Feb76 p46-47 ***
Memory

McIntire, Thomas. art 1:0 1007
Memory
New ASCII standards (notice). col 2:5 May77
pl17 *** Standards
Using a keyboard ROM*. Brehm, Bob. art 2:5
May77 p76-82 *** Keyboard / ROM / Conversions
What is a character?*. Peshka, Manfred. art
1:4 Dec75 p30-38 *** Binary Coded Decimal /
Baudot Code / Standards ASK BYTE

1:4 Dec75 p30-38 *** Binary Coded Decimal / Baudot Code / Standards

SK BYTE

4116 pointers / TRS-80 ports / TRS-80 tape formats / BSR X-10. Ciarcia, Steve. col 6:4 Apr8l p328-331 ***

69 lines and 160 character display / Cross-assembler for the TMS-1000. Ciarcia, Steve. col 6:8 Aug8l p388-389 ***

Altair bus / Terminology / British TV displays. col 2:6 Jun77 p604 ***

Atari memory and RS-232 / SWTPC memory problem / Robot remote control. Ciarcia, Steve. col 6:9 Sep8l p360-362 ***

BSR X-10 / EKG monitor / LEG graphics / DVM / Recommended texts. Ciarcia, Steve. col 5:11 Roy00 p266-274 ***

BSR X-10 controller / 16-bit systems. Ciarcia, Steve. col 5:7 Jul80 p230-231 ***

BUS-signal lines / Power supply / EMG + TRS-80 / SDK-86 / Control. Ciarcia, Steve. col 6:1 Jan8l p282-290 ***

Chess group / APL ROMS / BASIC questions. col Ll 2:9 Sep77 p97-98+ ***

Computer-controlled wood stove / Uninterruptible power supply / BSR X-10. Ciarcia, Steve. col 5:9 Sep80 p1/2-176 ***

Data Storage / Engineering systems. col 1:16 Dec76 p56-57 ***

Data atorage / Engineering systems. col 1:16 Dec76 p56-57 ***

Data atorage / Engineering systems. Col 2:1 Dec76 p348-320 ***

Digital anemometer / Joystick interface / Periodical guide / \$50 computer. Ciarcia, Steve. col 5:12 Dec80 p318-320 ***

Double-siding diskettes / Minimum lab test equipment / Ranging sensor. Ciarcia, Steve. col 6:9 Sep81 p360 ***

ASK BYTE (CONTINUED)

Help! I want robots. Blondefield, Dean. let
2:1 Jan/7 p140 ***
How do you store 5,000 patient records?. col
1:11 Jul76 p95 *** Information Storage /
Business / Data Structures
1BM Selectric interface / Cyclops TV camera /
Where to start?. Ciarcia, Steve. col 6:8
Aug81 p389-390 ***

IBM Selectric interface / Cyclops TV camera / Where to start?. Ciarcia, Steve. col 6:8 Aug8l p389-390 ***
LED Display / Notching diskettes / RF modulator / Lowercase / Beep tone. Ciarcia, Steve. col 6:5 May8l p384-392 ***
Liquid-crystal displays / Computerize a home / Music with the AY-3-8910. Ciarcia, Steve. col 5:8 Aug80 p234-244 ***
Mail-order TRS-80s / TRS-80 EPROM / Big Trak toy / Logic analyzer board. Ciarcia, Steve. col 6:10 Oct81 p316-320 ***
Mass storage / 10,000,000,000 bits / Stock market / Conversions. col 2:10 Oct77 p184-186 ***
Memory requirements for languages / Computer-controlled tank / Modems. Ciarcia, Steve. col 6:8 Aug81 p388 ***
Modem modification / Communications / BSR X-10 / Character descension. Ciarcia, Steve. col 6:3 Mar91 p254-260 *** / /
More characters on the TRS-80 color / Circuit to compare frequencies. Ciarcia, Steve. col 6:6 Jun81 p346 ****
Percom doubler / What is CP/M? / TRS-80 Model II and a remote terminal. Ciarcia, Steve. col 6:12 Dec81 p252 ***
Program conversion / Linear equations / Moral void. col 2:5 May77 p148-150 ***
Remote keyboard circuit / LED displays / Uninterruptible power / 2114. Ciarcia, Steve. col 5:6 Jun80 p86 ***
Robot questions. col 2:4 Apr77 p59+ ***
S-100 Bus / 8008 multiplication. col 2:7 Ju177 p41 ***
Sensing alarms / Biofeedback probes / Remote data entry. Ciarcia, Steve. col 6:2 Feb81

p41 *** Sensing alarms / Biofeedback probes / Remote data entry. Ciarcia, Steve. col 6:2 Feb81 p280-282 ***

p280-282 ***
Slow memory signals / 30 MHz vs 50 MHz
oscilloscope / Modem modification . Ciarcia,
Steve. col 6:7 Jul81 p214-218 ***
Switching interfaces / Wire wrapping noise /
TRS-80 Model III expansion. Ciarcia, Steve.
col 6:11 Nov81 p364-367 **
TRS-80 Model III memory upgrade / D/A converters
/ BSR X-10. Ciarcia, Steve. col 6:12 Dec81
p252-256 ***
TRS-80 and VTR screen titles / EPROM programmers
/ printer interface. Ciarcia, Steve. col 6:2

/ printer interface. Ciarcia, Steve. col 6:7 Jul81 p210-214 ***

Jul81 p210-214 ***

TRS-80 power problems /Mail order computers /
Modem / Optical fibers. Ciarcia, Steve. col
6:2 Feb8l p282-286 ***

TRS-80 tape loading / Compucolor II and the S-100
bus. Ciarcia, Steve. col 6:7 Jul81
p218-220 ***

TS-80 voice recognition / Atari game ROMs /
Voice-response systems. Ciarcia, Steve. col
L1 6:11 Nov81 p367-368 ***
TIL to drive LEDs? / Refreshing from memory. col
3:2 Feb78 p126-127 ***

Vinterface questions. let 2:2 Feb77 p32

/ /

*** / /
Terminal expense / TRS-80 keyboard bounce and memory upgrade / COMM-80. Ciarcia, Steve. col 5:10 Oct80 p306-311 ***
Transistor and IC specifications. col 3:6 Jun78 p105 ***

ASSEMBLER

Add macro expansion to your microcomputer, part

1. Brown, David. art L3 5:10 Oct80
p154-170 *** Assembly Language / Programming

p154-170 *** Assembly Language / Programmin Instruction
Add macro expansion to your microcomputer, part
2. Brown, David. art 5:11 Nov80 p361-371
*** Design / Programming Instruction
Aids for hand assembling programs. Pfeiffer,
Erich. art L3 4:5 May79 p238-244 ***
Assembly Language / Programming Aids / KIM
Atari Assembler/Editor. Pelcarski, Mark. sr
6:7 Jul81 p174-176 *** Software Review /
Atari

Atari
Designing the "Tiny Assembler": defining the problem". Emmerichs, Jack. art L3 2:4 Apr77 p60-67 *** Programming Instruction / 6800

Expanding the Tiny Assembler. Emmerichs, Jack. art L3 2:9 Sep77 p44-49 *** 6800 / SWTPC / Programming Instruction
Implementing the Tiny Assembler. Emmerichs, Jack. art L3 2:5 May77 p84-96 *** 6800 / Bar Codes
MIKBUG and the Top Code

Jack. art L3 2:5 May77 p34-96 *** 6800 / Bar Codes

MIKBUG and the TRS-80, part 1: a cross-assembler for the Motorola 6800. Labenski, Robert. art L1 6:12 Dec31 p229-250 *** MIKBUG / TRS-80 Model 1 / 6800 Microsoft Editor/Assembler Plus. Carlson, Keith. sr 6:8 Aug8l p398-400 *** Software Review / TRS-80 Model 1 Misosys Software's DISKMOD: put Radio Shack's Editor/Assembler on disk. Hughes, Steve. sr 6:9 Sep81 p146-148 *** Software Review / Utility Program / TRS-80 Model 1 NOVAL assembler for the 8008 microprocessor. Helmers, Peter. art L2 1:2 Oct75 p64-67 *** 8008 / Data General Relocating assemblers and linking loaders. Bochardt, Ottmar. col L3 5:9 Sep80 p194-202 *** Programming Instruction Simplify your homemade assembler. Jewell, Gregory. art L3 1:9 May76 p74-79 *** Programming Instruction / Assembly Language To err is human (automated correction). McGregor, Roger. art 5:3 Mar80 p230-231 *** Assembly Language

MICROPROCESSOR CONTROLLED EPROM PROGRAMMER

PROGRAMS - TESTS - COPIES - VERIFIES

□ 2716 **□ 2516** □ 2732 □ 2732A

The K2578 EPROM Programmer is a microprocessor based standalone unit complete with power supply, housing and test socket. The unit comes standard with 16Kbit RAM (2K byte), and is expandable to 32Kbit (4K byte). It has a crystal controlled clock and requires no personality modules.

CONTROLS

- 24 Key pad includes hexadecimal keyboard and function keys.
- 12 address LED's
- 4 function LED's (error, program, OK and size).
- 2 hexadecimal displays.

- Blank Test, Blank Error, Verify Test, Verify Error and Reset,
- Program with automatic blank and verify test.
- Input or modify data in user RAM at any desired address.

- Load RAM function to fill the RAM area with data from a preprogrammed PROM to perform a copy.
- Parallel load capability from a DMA controlled RAM field
- Size selection (16K/32K) with single push-button.
- OK indication for succesfull executed functions.
- ERROR indication with error codes on display.
- Illegal address access error.
- Increment function which stores the input data via hex keyboard and jumps to the next address in user RAM.

Model No. K2578

Regular \$649.95 SPECIAL with COUPON \$595.95

COUPON Bring this COUPON into one of our stores or mail to our Mail Order address shown below to receive the SPECIAL PRICES listed on this page. Offer EXPIRES on January 31, 1981 ADDRESS ZIP PHONE Coupons accepted only with full name and address filled in

MINIATURE DOT MATRIX

IMPACT PRINTER

Power Supplies from ADTECH POWER

6.0 5.0 3.0 2.2 3.0 1.6 1.5 1.0 APS 5-6 APS 12-4 APS 15-3 APS 24-2.2 APS 15-1.5 APS 24-1 1-9 10 up 25 up \$42.50 \$40.65 \$38.85 1-9 10 up 25 up \$66.90 \$64.00 \$61.10



SYN *SPEC	JPON	
\$208	ID KTM PRODUCTS	
SYM-1	Single Board Computer with 6502 Processor and Firmware	\$239.00
SM100	OEM Version of SYM-1 without Keyboard/Display/Drivers/Tone	229.00

SYM AND	KTM PRODUCTS						
SYM-1	Single Board Computer with 6502 Processor and Firmware						
SM100	DEM Version of SYM-1 without Keyboard/Display/Drivers/Tone Generator/Manuals	229.00					
SYM-1/68	SYM-1 Single Board Computer with 6800 Processor and Firmware	329.00					
SYM-1/69	SYM-1 Single Board Computer with 6809 Processor and Firmware						
KTM-2	40 Column Keyboard Terminal Module for CRT/TV	329.00					
KTM-2/80	80 Column Version of KTM-2 Special w/Coupon \$348	399.00					
KTM-3	40 Column Expanded KTM with Power Supply and Case. Requires only CRT Monitor	389.00					
KTM-3/80	80 Column Version of KTM-3 Special w/Coupon \$399	449.00					
SRM-1	1K Bytes Static RAM Kit	42.00					
SRM-3	3K Bytes Static RAM Kit						
PEX-1	SYM Port Expansion and Connector Kit						
CAS-1	Audio Cassette Recorder with Tape Counter and Tone Control						
MOD-68	Adapter Board for SYM-1 with 6800 Processor and Firmware	119.00					
MOD-69	Adapter Board for SYM-1 with 6809 Processor and Firmware 14						
MON-1.1	Revised 4K Bytes SUPERMON SYM Monitor 15.0						
BAS-1	8K Basic Plug-in ROMs for SYM-1	95.00					
EDC 1	CVM Disposetic Test Program in 2716 EDROM						

MON-1.1	Revised 4K Bytes SUPERMON SYM Monitor	15.00
BAS-1	8K Basic Plug-in ROMs for SYM-1	95.00
EPS-1	SYM Diagnostic Test Program in 2716 EPROM	75.00
RAE-1	Resident Assembler/Editor ROM-8K (1 Chip Version)	159.00
RAE-1/2	Resident Assembler/Editor ROM-8K (2 Chip Version)	95.00
MBC SIN	GLE BOARD COMPUTERS	
MBC01A2	Second Source SBC Micromodule for Motorola MM01A2	400.00
MBC01A2-1	MBC01A2 with Four Connectors	440.00
MBC010-65	Single Board Computer with 6500 Series Microprocessor	369.00
MBC010-68	Single Board Computer with 6800 Series Microprocessor	369.00
MBC020-65	SBC 6500 Series CPU with Complete Video Capability	495.00
MBC020-68	SBC 6800 Series CPU with Complete Video Capability	495.00

6500 SERIES MICROPROCESSOR IC's

A = (2 MHz)			в =	: (3 MHz)	C = (4 MHz)				
	P6502 S	8.82	P6506A	\$8.82	P6520A	\$3.74	P6530-005	\$15.84	
	P6502A	9.66	P6507	8.09	P6820	3.40	P6532	10.82	
	P6502B	15.02	P6507A	8.82	P68B20	3.74	P6532A	11.87	
	P6502C	21.00	P6512	8.82	P6521	4.90	P6545-1	17.51	
	P6503	8.09	P6512A	9.66	P6521A	5.34	P6545A-1	22.44	
	P6503A	8.82	P6513	8.09	P6821	4.90	P6551	10.71	
	P6504	8.09	P6513A	8.82	P68B21	5.34	P6551A	11.76	
	P6504A	8.82	P6514	8.09	P6522	8.40	P6591	40.00	
	P6505	8.09	P6514A	8.82	P6522A	11.24	P1791-02	40.00	
	P6505A	8.82	P6515	8.09	P6530-004	15.84	P1793-02	40.00	
	P6506	8.09	P6520	3.40					
		* S	PECIAL 2	0% DI	SCOUNT W	тн со	UPON *		

-(•

P.O. BOX 2208Y, CULVER CITY, CA 90230 STORES DO NOT ACCEPT MAIL ORDERS MAIL ORDER

PHONE ORDERS: (213) 641-4064

Minimum Order \$10.00. Add \$2.00 to cover postage and handling. Master Charge and VISA welcomed. Please include your charge card number, interbank number and expiration date. Some items are subject to prior sale. Not responsible for typos. Store pricing may vary from Mail Order pricing. We reserve the right to substitute manufacturer.

ATLANTA CULVER CITY 3330 Piedmont Rd. N.E. Atlanta, GA 30305

11080 Jefferson Blvd. Culver City, CA 90230 (213) 390-3595

HOUSTON 2649 Richmond Houston, TX 77098 (713) 529-3489

PORTLAND 1125 N.E. 82nd Ave. Portland, OR 97220 (503) 257-9464

SANTA ANA

1300 E. Edinger Ave. Santa Ana, CA 92705 (714) 547-8424

SUNNYVALE

1054 E. El Camino Real Sunnyvale, CA 94087 (408) 243-4121

TUCSON 4518 E. Broadway Tucson, AZ 8571 (602) 881-2348


Introducing the full featured. expandable color computer!

(K commodore

REG \$299.95 **★SPECIAL W/COUPON★** \$275.00

BASF 51/4" FLOPPY DISK

P/N	DESCRIPTION	REG	SPECIAL with COUPON			
54256						
54257	5¼" FLOPPY DISK	\$4.10	10 for \$23.90	100 for \$214.00		
54258	and reduced					



FFATURES

- Z-80 CPU with 158 instructions
- On-Board Keyboard and Display
- On-Board PROM Programmer for PROMS (2716, 2758, TI2516)
- Kansas City Standard Cassette Int. Simple Key Controlled Audio Cas-sette Load and Dump
- Expansion Provision for Mounting
- Two S-100 Connectors
- Wire Wrap Area for Custom Circuitry Single Step through RAM or PROM

MEMORIES

STARTER KIT A COMPLETE MICRO-

COMPUTER ON A BOARD Regular \$401.00 SPECIAL with COUPON★ \$368.00

- Memory Examine and Change Port Examine and Change
- Z-80 CPU Register and Change . 2K Byte ZBUG Monitor in ROM
- 1 K Bytes of RAM (expandable to 2K)
- 4 Channel Hardware Counter/Times
- Two Bi-Directional 8-Bit I/O Ports
- Up to 5 Programmable Breakpoints Switch Selectable PROM or Moni-
- tor Restart · Vectored Interrupts provided by

2.95

2.80

2.95

2.20

100 up

2.60 2.50

2.60

Z-80-CTC and Z-80-P10

2102-1 (500 ns) \$2.00 \$1.80 \$1.10

3.50

3.40

3.50

3.00

2114L-2 (200 ns)

2114-3

2114-2

4116

(330 ns)

(200 ns)

(200 ns)

	1111111111111
The Unique New Printer	That Gives
You All These Exciting	

- Low Cost
- Disposable printing head
- Simple interface
- Handles any type font
- Needs only one 12-volt DC
- power supply
- Model DP-822
- Uses standard 2¼" adding machine tape or carbonless paper • 21-column printing at 25

MODEL

DP-822

- lines per second
- Easy to install and maintain


\$70.00

Dot Matrix Printer Control/Drive Card Model DP-822-08B \$125.00

2716-5 (5 VOLT)

* SPECIAL \$3.90 WITH COUPON *

EPROM Erasing Lamps



SORCERER COMPUTER — Speaks Your Language



74C SERIES CMOS

FEATURES: 280 - 4K ROM - 32K RAM - Dual Cassette I/O - 30 Lines of 64 Characters - 64 Defined Characters and 64 User Defined Characters - 512 x 240 Graphic Resolution - Edge Card Connection to S-100 Bus - Serial and Parallel I/O.

Order Part No. DP1002-2 32K \$1395.00

74C195N \$ 1.61 | 74C915N \$ 1.71

* SUPER SPECIAL \$895.00 WITH COUPON *

Z-80 SERIES MICROPROCESSOR IC's

2.5 MHz 2 2-80-DART \$14.30 4.0 MHz 2-80-DART \$15.50 2-80-CPU \$7.10 2-80-S10/0 20.10 2-80-CPU \$8.05 | 2-80-S10/0 21.15 2-80-CPU \$8.05 | 2-80-S10/0 15.70 2-80-PU \$8.05 | 2-80-DMA \$9.05 | 2-80-PU \$9.05 |

★ SPECIAL 20% DISCOUNT WITH COUPON ★

THE REAL PROPERTY.	7	Canada Sole I	(30,515)		A-1042-007	140 1) LIII	ed cm	10	74C200N	12.05	74C917N	11.00
THE RESERVE OF THE PERSON NAMED IN	2708		3.50	3.30	3.10	74C00N	\$.38	74C90N	\$1.32	74C221N	2.10	74C918N	1.64
EPROM's	2716	(5v)	_	4.80	4.50	74C02N	.38	74C93N	1.32	74C240N	2.28	74C922N	5.65
	2732	1/	13.00	11.00	9.90	74C04N	.38	74C95N	1.61	74C244N	2.28	74C923N	5.75
	7 2/32	(350 hs)	3.00	11.00	5.50	74C08N	.38	74C107N	1.89	74C373N	2.67	74C925N	7.46
* S	PECIAL 20%	DISCOUNT WIT	H COUP	NC ★		74C10N	.38	74C150N	5.67	74C374N	2.67	74C926N	7.46
1					-	74C14N	.76	74C151N	3.80	74C901N	.71	74C927N	7.46
* MIC	ROPRO	CESSOR (CRYS	TALS	*	74C20N	.38	74C154N	5.67	74C902N	.71	74C928N	7.46
FREQ	FREQ		FREQ			74C30N	.38	74C157N	3.40	74C903N	.71	74C932N	2.22
(MHz) CASE P/N	PRICE (MHz)	CASE P/N PRICE		CASE P/N	PRICE	74C32N	.38	74C160N	1.71	74C904N	.71	74C941N	2.28
	\$9.50 4.9562			HC18 CY15A	\$4.75	74C42N	1.42	74C161N	1.71	74C905N	11.20	74C989N	7.80
1.8432 HC33 CD1A	9.50 5.00	HC18 CY7A 6.00		HC18 CY19A	4.75	74C48N	2.13	74C162N	1.71	74C906N	.71	80C95N	.79
2.00 HC33 CY2A 2.4576 HC33 CY2B	8.25 5.068 8.25 5.7143	HC18 CY58 6.00 3 HC18 CB5C 6.00			4.75 4.75	74C73N	.90	74C163N	1.71	74C907N	.71	80C96N	.79
3.2768 HC33 CY28	6.00 6.00	HC18 CB5C 6.00		HC18 CY2UA	5.25	74C74N	.87	74C164N	1.61	74C908N	1.49	80C97N	.79
3.579 HC33 CY3D	6.00 6.144	HC18 CY5C 6.00			5.25	74C76N	.90	74C165N	1.61	74C909N	2.54	80C98N	.79
4.00 HC18 CY3A	6.00 8.00	HC18 CY8G 6.00		HC18 CY27A	8.15	74C83N	2.00	74C173N	1.50	74C910N	12.05	82C19N	5.67
4.434 HC18 CY4C	6.00 10.00	HC18 CY12A 4.75	32.00	HC18 CY32A	8.15	74C85N	2.00	74C174N	1.20	74C911N	11.00	88C29N	2.98
4.55 HC18 CY4B	6.00 14.3181	18 HC18 CY14A 4.75	100.00	HC18 CY100A	8.15	74C86N	.99	74C192N	1.71	74C912N	11.00	88C30N	2.98
* :	SPECIAL 209	6 DISCOUNT WIT	H COUP	ON *		74C89N	7.80	74C193N	1.71	74C914N	2.18		land to be
VISIT A STORE N	VISIT A STORE NEAR YOU TODAY - We stock a large selection of Technical Books, Discrete Components, Integrated Circuits, Test Equipment and Electronic Supplies.												

Circle 23 on inquiry card.

(404) 261-7100

ASSEMBLER (CONTINUED)

SEMBLER (CONTINUED)
Toward a structured 6809 assembly language, part
2: ... assembler. Walker, Gregory. art L3
6:12 Dec81 p198-228 *** 6809 / Programming
Instruction / Structured Programming
Write your own assembler*. Fylstra, Dan. art
L3 1:1 Sep75 p50-58 *** Programming
Instruction

Instruction
Z80 op codes for an 8080 assembler*. Powers,
William. art 5:6 Jun80 p64-84 *** Z-80 /
8080 / Programming Instruction
ASSEMBLY LANGUAGE

iEMBLY LANGUAGE
8080 microprocessor op code table. Baker,
Robert. art 1:6 Feb76 p84 *** 8080 /
Programming Instruction
Add macro expansion to your microcomputer, part
1. Brown, David. art L3 5:10 Oct80
p154-170 *** Assembler / Programming

Add macro expansion to your microcomputer, part 1. Brown, David. art L3 5:10 Oct80 pl54-170 *** Assembler / Programming Instruction

Aids for hand assembling programs. Pfeiffer, Erich. art L3 4:5 May/9 p238-244 *** Programming Aids / KIM / Assembler

Assembling programs by hand. Helmers, Carl. art L3 1:7 Mar/6 p52-61 *** Programming Instruction / 6800

BASIC to assembly language linkage. Fitzgerald, Pat. col L3 3:7 Ju1/8 p112-114 *** Programming Instruction / BASIC / PDP-11

Design an on line debugger. Wier/Brown. art 1:8 Apr/6 p56-62 *** Debugging / Programming Instruction / BASIC / PDP-11

Design and assembling M6800 relative addresses. Boaz, Ray. art 3:4 Apr/8 p46 *** Programming Instruction Hand assembling M6800 relative addresses. Boaz, Ray. art 3:4 Apr/8 p46 *** Programming Instruction / 6800

Introduction to code tightening / Mining the skip chain for extra bytes... Gass, Geoffrey. col L3 5:2 Feb80 p146-148 *** Program Optimization / 6800

MICROB: using BASIC to learn assembly language. Pickett, Robert. art L1 5:7 Ju180 p236-248 *** Programming Instruction / Simulation Maintaining a single exit point. Inselberg, Armond. col L3 5:5 May80 p154 *** Programming Instruction SC/MP instruction set summary. Burton, Walter. col 6:1 Jan81 p90 *** SC/MP / Programming Instruction SC/MP instruction set summary. Burton, Walter. col 6:1 Jan81 p90 *** SC/MP / Programming Instruction Should the D0 loop become an assembly-language construct?. Williams, Glenn. art 6:10 Oct80

Instruction
Should the D0 loop become an assembly-language construct. Williams, Glenn. art 6:10 Oct81 p413-418 *** Microprocessor / Programming Design
Simplify your homemade assembler. Jewell, Gregory. art L3 1:9 May/6 p74-79 ***
Assembler / Programming Instruction
Some notes on modular assembly programming.
Lewis, James. art L3 4:12 Dec79 p222-226
*** Programming Instruction / Sound Effects / TRS-80 Model 1

TRS-80 Model I

Strike a MATCH (matching up penpals)*. Hansford, Phillip. art 13 1:10 Jun76 p48-51 ***
Programming Instruction / Altair
Subroutine parameters. Maurer, W.D. art 4:7 Ju179 p226-230 *** Programming Instruction To err is human (automated correction).

McGregor, Roger. art 5:3 Mar80 p230-231 *** Assembler
Toward a structured 6809 assembly language part

*** Assembler
Toward a structured 6809 assembly language, part
Walker, Gregory, art

Toward a structured 6809 assembly language, part
1: an introduction... Walker, Gregory. art
L3 6:11 Nov81 p370-382 *** 6809 /
Programming Instruction / Structured Programming
Twenty-four ways to write a loop: Dr. Maurer
takes you through a loop. Maurer, W.D. art
L1 4:12 Dec79 p241-246 *** Programming
Instruction / BASIC
ASSOCIATIONS
Join the Cub (computer associations and

SOCIATIONS
Join the club (computer associations and societies). Helmers, Carl. col 1:6 Feb76 p4-8+ *** Clubs
Reactions to previous comments (a computer language development society). Janes, Leigh. col 3:2 Feb78 p159 *** Languages

ASTRONOMY

Jul79 p8-14 *** Science / Control / Photography
Constellation I: an astronomy program. Berenbon, Howard. col Ll 6:3 Mar81 p333-335 *** Education / TRS-80 Model I / SWTPC
Hunting the computerized eclipse. Helmers, Carl. col L6 5:3 Mar80 p6-12+ *** Control / Photography / Apple II
Simulated view of the galaxy. Dahmke, Mark. art L4 4:4 Apr79 p66-80 *** Simulation / Science

L4 4:

What time does the sun rise and set?. Barkstrom, Bruce. art L1 6:7 Jul81 p94-114 *** Energy

Atari Assembler/Editor. Pelczarski, Mark. 6:7 Jul81 p174-176 *** Software Revi Software Review /

Assembler
Atari tutorial, part 1: the display list.
Crawford, Chris. art 6:9 Sep81 p284-300
*** Design / Video Display / Graphics
Atari tutorial, part 2: graphics indirection.
Crawford, Chris. art L1 6:10 Oct81 p70-84
*** Graphics / Color Graphics / Programming
Instruction

ATARI (CONTINUED)

ARI (CONTINUED)
Atari tutorial, part 3: player-missile graphics.
Crawford, Chris. art L1 6:11 Nov81
p312-338 *** Graphics / Programming
Instruction
Atari tutorial, part 4: display-list interrupts.
Crawford, Chris. art L1 6:12 Dec81
p166-186 *** Programming Instruction /
Graphics / Video Display
Atari's Telelink I. Flint, Glen. sr 6:10
Oct81 p86-90 *** Software Review / Utility
Program / Terminal
Electromagnetic interference. Ciarcia, Steve.

rrogram / lerminal
Electromagnetic interference. Ciarcia, Steve.
col 6:1 Jan81 p48-68 *** Radio-frequency
Interference / TRS-80 Model I / Apple II
Introduction to Atari graphics. Crawford/Winner.
art Ll 6:1 Jan81 p18-32 *** Graphics /
Color Graphics

color Graphics
RAMCRAM memory module for the Atari. Pelczarski,
Mark. hr 6:6 Jun81 p24-26 *** Hardware
Review / Memory
Star Raiders. Williams, Gregg. sr 6:5 May81
p106-108 *** Software Review / Games / Arcade
ATHLETICS

MLEIICS
Golf handicapping. Haller, George. art L3 1:5
Jan/6 p46-47 *** SCELBI / 8008
National micropastime. Roehrig, Joseph. art L1
4:11 Nov79 p113-136 *** Simulation /
Statistics / North Star

AUDIO PROCESSING DIO PROCESSING
Apple audio processing. Cross, Mark. art L3
5:4 Apr80 p212-218 *** Voice Synthesis /
Hardware Construction / Apple II
Addio processing with a microprocessor. O'Haver,
Tom. art L3 3:6 Jun78 p166-173 ***
Digital Audio / Sound Effects / 6502
Faster audio processing with a microprocessor*.
Dally, William. art L3 4:12 Dec79 p54-76
*** Digital Audio / Design / Sound Effects

AUTOMOBILE

Wightal Audio / Design / Sound Effects

MomoBile

Analyze your car's gas economy with your computer. Bauernschub, John. art ll 2:10 Oct77 pl66-167 *** SMTPC / Energy

Gasuse (program to keep track of automobile expenses). Firth, Mike. col ll 5:2 Feb80 p82-84 *** Energy

Kalman mileage predictor-monitor. Lobdill, Jerry. art l2 6:7 Jul81 p230-248 *** Energy / Calculator / Mathematics

Simulation of motion, part 2: an automobile suspension. Smith, Stephen. art ll 2:12 Dec77 pl12-116 *** Simulation / Mathematics / Science & CODES

BAR CODES

R Science
R CODES
Another PAPERBYTES test. col 2:3 Mar77
pl30-135 *** PAPERBYTES
Another format / Bar codes and other topics. col
2:7 Jul77 pl28 *** PAPERBYTES
Bar codes, revisited.... Helmers, Carl. col
5:4 Apr80 p6-10 *** Bibliography / Interface
Build a bar-code scanner inexpensively. Bennett,
Bradley. art 6:11 Nov81 p62-72 ***
Hardware Construction
Comparison of bar code encoding schemes.
Moseley, Robin. col 4:4 Apr79 p50-52 ***
Dr Welles' economy floppy disk drivers: machine
readable object code. Welles, Kenneth. art
L2 2:7 Jul77 pl56-157 *** Floppy Disk
Drive / Programming Instruction
Generating bar code in the Hewlett-Packard
format*. McNeal, Thomas. art L1 6:1 Jan81
p148-178 *** Hewlett-Packard / Conversions

Conversions

p148-178 *** Hewlett-Packard / Calculator / Conversions

HP-41C: a literate calculator?. Hayes, Brian. hr 6:1 Jan81 p118-138 *** Hardware Review / Calculator

Implementing the Tiny Assembler. Emmerichs, Jack art 1.3 2:5 May77 p84-96 *** Assembler / 6800

Low cost light wand amplifier*. Moseley, Robin. art 3:5 May78 p92-95 *** Hardware Construction / Light Wand Micro-Scan Corp bar code scanner. Merkowitz, Frederick. hr 3:10 Oct78 p166-167 *** Hardware Review

Novel bar code reader. Farnell/Seeds. art 3:10 Oct78 p165-165 *** PAPERBYTES / Design

PAPERBYTE bar codes with Integral Data Systems printers. Louis, G. col L6 6:5 May81 p228-232 *** Printer / PAPERBYTES / PAPERBYTES / PAPERBYTES forum (Reader's tests / Backlighted scanning / Criticism). col 2:4 Apr77 p162

*** PAPERBYTES forum (multiple sync characters / machine readable Braille). col 2:3 Mar77 p13+ *** PAPERBYTES

Proposal for a kitchen inventory system, or don't byte the wand that... Shuford, Richard. col 3:12 Dec78 p184-185 *** Inventory / Home / Light Wand

Samples of machine readable printed software.

3:12 Dec78 pl84-185 *** Inventory / Home / Light Mand Samples of machine readable printed software. Banks/Sanderson. art 1:16 Dec76 pl2-l7 *** Information Storage / Standards / PAPERBYTES

Information storage / standards / FARCEDIES Signal processing for optical bar code scanning. Merkowitz, Frederick. art 1:16 Dec76 p77-84 *** Fiber-polics / Hardware Construction Software for reading bar codes. Regli, Keith. art 1:16 Dec76 p18-20 *** Programming

art 1:16 Dec/6 p18-20 *** Programming Instruction
UPC bar codes with the Centronics 737. Anderson, John. col Ll 6:5 May81 p228+ *** Printer / TRS-80 Model I

SIC
Amended BASIC (possible changes to BASIC). Bass,
Robert. col 4:4 Apr79 p238-239 ***
Languages
BASIC cross-reference table generator.
Englander/Englander. col Ll 4:4 Apr79
p190-192 *** Utility Program / IMSAI

BASIC (CONTINUED)

BASIC sorts. Pittet, Rene. col Ll 3:4 Apr78 p184 *** Sorting / SWTPC

BASIC text editor. Ruckdeschel, Fred. art Ll 4:6 Jun79 p156-164 *** Text Editor / North Star / IMSAI Come from...continued (comments on improving the BASIC language). Clark, R. Lawrence. col 4:9 Sep79 p164 *** Languages
Data abstractions and program correctness (BASIC vs. Pascal). McCoy, Earl. col L6 4:9 Sep79 p166-171 *** Languages / Pascal Dataline (converts object code to BASIC data statements). Hunt, Daniel. col Ll 6:3 Mar8l p216-222 *** Conversions / Utility Program / SOL.

Is Pascal the next BASIC2. Helmers, Carl. col 2:12 Dec77 p6-8 *** Pascal / Languages Measuring program size. Dobrowolski, Stefan. col 3:2 Feb78 p167 *** Memory Pascal versus BASIC: nound 2 includes FORTRAN. Andrews, Lawrence. col L4 4:4 Apr79 p239 *** Languages / Pascal / FORTRAN. Testing memory in BASIC. Adams, Russell. art Ll 3:10 Oct78 p58-60 *** Memory / Test What this country needs is a good 8-bit high level language. Helmers, Carl. col 1:4 Dec75 p5-10 *** Languages / PL/M

APPLE II Unlimited precision division. Raskin, Jef. art L1 4:2 Feb79 p154-156 *** Mathematics / Programming Instruction / Apple II

GAMES BASIC, computer languages, and computer adventures. Pournelle, Jerry. col 5:12 Dec80 p222-238 *** Languages / Games /

Software Review
Pascal versus BASIC: an exercise. Schwartz,
Allan. art L6 3:8 Aug/8 pl68-176 ***
Pascal / Games / Languages
Tic-Tac-Toe in BASIC*. Stoddard, Mike. col L1
3:12 Dec78 pl74-175 *** Games / Strategy

MATHEMATICS

BASIC factorials. Miller, Alan. col Ll 4:6
Jun79 p206 *** Mathematics
Complex number subroutines. Harlow, William.
col Ll 5:11 Nov80 p116-118 ***
Mathematics / Utility Program
Dynamic simulation in BASIC. Houng, S.J. col
Ll 6:10 Oct81 p394-399 *** Simulation /
Mathematics
Elements of statistics?

Mathematics
Elements of statistical computation. For
Alan. art Ll 4:1 Jan79 pl82-184 *
Statistics / Programming Instruction /

Mathematics Symbolic math using BASIC. Stoutemyer, David. art L1 5:10 Oct80 p232-246 *** Mathematics

Unlimited precision division. Raskin, Jef. art Ll 4:2 Feb79 pl54-156 *** Mathematics / Programming Instruction / Apple II

PROGRAMMING INSTRUCTION
BASIC bit twiddling. Owens, Ralph. col Ll 4:7
Jul79 pl92 *** Programming Instruction
BASIC formatted output (PRINT USING subroutines).
Roch, William. art Ll 5:2 Feb80 pl76-186
*** Utility Program / Programming Instruction
BASIC to assembly language linkage. Fitzgerald,
Pat. col L3 3:7 Jul78 pl12-114 ***
Programming Instruction / Assembly Language /
PDP-11
BASICally BASIC (na information)

BASICally BASIC (an informal introduction t BASIC). Baker, Robert. art Ll 2:7 Ju p96-115 *** Programming Instruction /

BASIC). Baker, Robert. art Ll 2:7 Jul7/
p96-115 *** Programming Instruction /
Languages
Bug in BASIC. Maurer, W.D. col Ll 6:1 Jan81
p188-196 *** Test / Programming Instruction
Change your GOTOs to FOR...NEXT loops. Carew,
David. col Ll 6:1 Jan81 p334 ***
Programming Instruction
Changing a BASIC FOR...NEXT loop into a
REPEAT...UNTIL loop. Majorana, James. col Ll
6:9 Sep81 p162 *** Programming Instruction
Computerized mailing list. Doyle, Thomas. art
Ll 4:1 Jan79 p84-89 *** Mail List /
Programming Instruction
Day of the week and elasped time programs.
Agocs, W.B. col Ll 4:9 Sep79 p126-129 ***
Calendar / Programming Instruction
Elements of Statistical computation. Forsythe,
Alan. art Ll 4:1 Jan79 p182-184 ***
Statistics / Programming Instruction /
Mathematics

Mathematics

Mathematics
Faster BASIC for the Ohio Scientific. Sauter,
John. col Ll 6:5 May8l p236-242 ***
Programming Instruction / OSI / 6502
Files on parade, part 2: using files. Klein,
Mark. art Ll 4:3 Mar79 p32-41 ***
Information Storage / Programming Instruction /
Data Structures

Information Storage / Programming Instruction / Data Structures
Good cents (formatting dollars and cents without PRINT USING). Childress, James. let L1 6:2 Feb81 pl50 *** Programming Instruction
Implementing dynamic data structures with BASIC files. Carter, Ted. art L1 5:2 Feb80 p92-102 *** Information Storage / Data Structures / Programming Instruction
Similarity comparator for strings. O'Haver, T.C. col L1 4:9 Sep79 p58-60 *** Programming Instruction / OSI
Some words about program structure. Hearn.

Some words about program structure. Hearn, Albert. art Ll 3:9 Sep78 p68-76 *** Programming Instruction / Structured Programming

QUALITY DISK SOFTWARE

BACKED BY ON-GOING APPLICATIONS SUPPORT

APPLE II (A)

TRS-80 ①

HOME FINANCE PAK I: Entire Series \$49.95 (1) CHECK REGISTER AND BUDGET: This comprehensive CHECKING ACCOUNT MANAGEMENT SYSTEM not only keeps complete records, it also gives you the analysis and control tools you need to actively manage your account. The system provides routines for BUDGETING INCOME AND EXPENSE, AUTO-MATIC CHECK SEARCH, and BANK STATEMENT RECONCILING, CRT or printer reports are produced for ACTUAL EXPENSE vs BUDGET, CHECK SEARCH DISPLAY BECONCILIATION REPORT and CHECK REGISTER DISPLAY by month. Check entry is prompted by user-defined menus of standard purposes and recipient codes, speeding data entry and reducing disk storage and retrieval time. Six fields of data are stored for each check: amount, check no., date, purpose, recipient and TAX DEDUCTIBLE REMINDER, CHECK SEARCH routines allow searching on any of these data fields. Up to 100 checks/mo. \$39.95

SAVINGS: Account management system for up to 20 separate Savings accounts. Organizes, files and displays deposits, withdrawals and interest earned for each account. \$14.95

UNIVERSAL COMPUTING MACHINE: \$49.95

A user programmable computing system structured around a 50 row x 50 column table. User defines row and column names and equations forming a unique computing machine. Table elements can be multiplied, divided, subtracted or added to any other element. Hundreds of unique computing machines can be defined, used, stored, and recalled, for later use. Excellent for sales forecasts, budgets, inventory lists, income statements, production planning, project cost estimates-in short for any planning, analysis or reporting problem that can by solved with a table.

COLOR CALENDAR:

\$29.95 (A)

Got a busy calendar? Organize it with Color Calendar. Whether it's birthdays, appointments, business meetings or a regular office schedule, this program is the perfect way to schedule your activities.

The calendar display is a beautiful HI-RES color graphics calendar of the selected month with each scheduled day highlighted in color. Using the daily schedule, you can review any day of the month and schedule an event or activity in any one of 20 time slots from 8:00 A.M. to 5:30 P.M.

BUSINESS SOFTWARE: Entire Series \$159.95 (A) (T)

MICROACCOUNTANT: The ideal accounting system for small businesses. Based on classic T-accounts and double-entry booking, this efficient program provides a journal for recording posting and reviewing up to 1,000 transactions per month to any one of 300 accounts. The program produces CRT and printer reports covering:

TRANSACTION JOURNAL ACCOUNT LEDGERS

BALANCE SHEET INCOME AND EXPENSE STATEMENT

Includes a short primer on Financial Accounting. (48K) \$49.95

UNIVERSAL BUSINESS MACHINE: This program is designed to SIMPLIFY and SAVE TIME for the serious businessman who must periodically Analyze, Plan and Estimate. The program was created using our Universal Computing Machine and it is programmed to provide the following planning and forecasting tools.

CASH FLOW ANALYSIS
PROFORMA PROFIT & LOSS
PROFORMA BALANCE SHEET
REAL ESTATE INVESTMENT

SALES FORECASTER SOURCE AND USE OF FUNDS JOB COST ESTIMATOR INVENTORY ANALYSIS

Price, including a copy of the Universal Computing Machine \$89.95

LOGIC DESIGNER: Interactive HI-RES graphics program for designing digital logic systems. Draw directly on the screen up to 10 different gate types, including NAND, NOR, INVERTER, EX-OR, T-FLOP, JK-FLOP, D-FLOP, RS-FLOP, 4BIT COUNTER and N-BIT SHIFT REGISTER. User interconnects gates using line graphics commands. Network descriptions for LOGIC SIMULATOR generated simultaneously with the CRT diagram being drawn \$159.95 (A)

MANUAL AND DEMO DISK: Instruction Manual and demo disk illustrating capabilities of both program (s) \$29.95 (A) (T)

ELECTRONIC SERIES VOL III & IV: Entire Series \$259.95 CIRCUIT SIMULATOR: Tired of trial & error circuit design? Simulate & debug your designs before you build them! With CIRCUIT SIMULATOR you build a model of your circuit using RESISTORS. CAPACITORS. INDUCTORS. TRANSISTORS. DIODES, VOLTAGE and CURRENT SOURCES and simulate the waveform response to inputs such as PULSES. SINUSOIDS. SAWTOOTHS. etc...all fully programmable. The output is displayed as an OSCILLOSCOPE-STYLE PLOT of the selected waveforms (Apple only) or as a printed table of voltage vs time. Handles up to 200 notes and up to 20 sources. Requires 48 RAM \$159.95 (A) (T)

CIRCUIT DESIGNER: Interactive HI-RES graphics program for designing electronic circuits. Draw directly on the screen up to 10 different component types, including those referenced above. Components interconnect list for CIRCUIT SIMULATOR generated automatically. Requires \$159.95

MATHEMATICS SERIES: Entire Series \$49.95

STATISTICAL ANALYSIS I: This menu driven program performs LINEAR REGRESSION analysis, determines the mean, standard deviation and plots the frequency distribution of user-supplied data sets. Printer, Disk, I/O routines \$19.95

NUMERICAL ANALYSIS: HI-RES 2-Dimensional plot of any function. Automatic scaling. At your option, the program will plot the function, plot the INTEGRAL, plot the DERIVATIVE, determine the ROOTS, MAXIMA. MINIMA.

NTEGRAL VALUE

3-D SURFACE PLOTTER: Explore the **ELEGANCE** and **BEAUTY** of **MATHEMATICS** by creating **HI-RES PLOTS** of 3-dimensional surfaces from any 3-variable equation. Disk save and recall routines for plots. Menu driven to vary surface parameters. Hidden line or transparent plotting \$19.95

ACTION ADVENTURE GAMES: Entire Series \$29.95 (A)
RED BARON: Can you outfly the RED BARON? This fast action game simulates a machine-gun DOGFIGHT between your WORLD WAR I BI-PLANE and the baron's. You can LOOP, DIVE, BANK or CLIMB-and so can the BARON. In HI-RES graphics plus sound.

FREE CATALOG-All programs are supplied on disk and run on Apple II w/Disk & Applesoft ROM Card & TRS-80 Level II and require 32K RAM unless otherwise noted. Detailed instructions included. Orders shipped within 5 days. Card users include card number. Add \$1.50 postage and handling with each order. California residents add 61/2% sales tax. Foreign orders add \$5.00 postage and handling.



SPECTRUM SOFTWARE 142 Carlow, P.O. Box 2084 Sunnyvale, CA 94087

FOR PHONE ORDERS: (408) 738-4387 DEALER INQUIRIES INVITED.





379

BASIC (CONTINUED)

SIC (CONTINUED)

String comparator for Horizon. Lindberg, Richard. col Ll 5:2 Feb80 p86 ***
Programming Instruction / North Star
Table of subroutines. Meek, Peter. col Ll
4:10 Oct79 p248 *** Programming Instruction
Twenty-four ways to write a loop: Dr. Maurer
takes you through a loop. Maurer, W.D. art
Ll 4:12 Dec79 p241-246 *** Programming
Instruction / Assembly Language
Unlimited precision division. Raskin, Jef. art
Ll 4:2 Feb79 p154-156 *** Mathematics /
Programming Instruction / Apple II
Variable type converter for numerical quantities.
Moskowitz, Mike. col Ll 6:2 Feb81
p271-272 *** Conversions / Programming
Instruction / Hewlett-Packard
Warnier-Orr diagrams: some further thoughts.
Wedemeyer, G.T. col Ll 3:5 May78 p145-148
*** Structured Programming / Programming
Instruction

SOFTWARE REVIEW BASIC, computer languages, and computer adventures. Pournelle, Jerry. col 5:12 Dec80 p222-238 *** Languages / Games /

Dec80 p222-238 *** Languages / Games / Software Review
Extended color BASIC for the TRS-80 Color Computer*. Miastkowski, Stan. sr Li 6:5 May8l p36-45 *** Software Review / TRS-80 Color / Languages Infinite Business. Mitchell, Scott. sr 6:2 Feb8l p96-102 *** Software Review / Utility Program / TRS-80 Model I SCELBAL (SCientific ELementary BAsic Language). Wadsworth/Arnold. art 1:10 Jun76 p82-86 *** Languages / Software Review Whose BASIC does what?** Li, Teri. art 6:1 Jan8l p318-327 *** Software Review / Conversions

TRS-80 MODEL I

Infinite BASIC and Infinite Business. Mitchell,
Scott. sr 6:2 Feb81 p96-102 *** Software
Review / Utility Program / TRS-80 Model I

BAUDOT CODE

Guide to Baudot machines: part 1, description of

Guide to Baudot machines: part 1, description of available devices. McNatt, Michael. art 2:4 Apr77 p12-17+ *** Printer Guide to Baudot machines: part 2, interfacing techniques. McNatt, Michael. art 2:5 May77 p93-104 *** Printer / Interface Guide to Baudot machines: part 3, a teleprinter test circuit. McNatt, Michael. art 2:5 Jun77 p154-157 *** Printer / Test / Interface What is a character?* Poshka Manfred art

what is a character?*. Peshka, Manfred. art 1:4 Dec75 p30-38 *** Binary Coded Decimal / ASCII / Standards
BENCHMARK TESTING

BASIC, Pascal, or Tiny-c?: a simple benchmarking comparison. Hughes, Phil. col L8 6:10 Oct81 p372-375 *** Languages Benchmarks, standards, etc. Helmers, Carl. art 1:3 Nov75 p90-92 *** Consumer Information /

1:3 Nov/5 p90-92 *** Consumer Information / Standards
Favorite benchmarks and other programs. Wilcox, David. col 6:5 May81 p378 ***
High-level language benchmark. Gilbreath, Jim. art L9 6:9 Sep81 p180-198 *** Languages
Some more on performance evaluation*. Helmers, Carl. col L1 5:7 Ju180 p216-219 ***
TRS-80 Model I / Apple 11
State of the art (as seen in Nov75). Helmers, Carl. art 1:3 Nov75 p6-7+ ***
Microprocessor / RAM / ROM
TRS-80 performance evaluation by program timing*. Lewis, James. art L3 5:3 Mar80 p84-94
*** TRS-80 Model I / IBM
Three micromputer LISPs. Levitan/Bonar. sr L9 6:9 Sep81 p388-412 *** Software Review / LISP / Z-80
BIBLIOGRAPHY
Bar codes, revisited... Helmers, Carl. col

BLIOGRAPHY

Bar codes, revisited.... Helmers, Carl. col
5:4 Apr80 p6-10 *** Bar Codes / Interface
Build a super simple floppy-disk interface, part
1*. Nicholson/Camp. art 6:5 May81 p360-376
*** Floppy Disk Drive / Interface / Hardware
Construction
Computers in learning environments: an imperative
for the 1980s. Braun, Ludwig. col 5:7 Ju180
p6-10+ *** Computer Assisted Instruction /
Education

p6-10+ *** Computer Assisted Instruction / Education
Permutation bibliography. Kellerman, Eduardo.
col 4:8 Aug79 p126-127 *** Mathematics
Varieties of threaded code for language
implementation*. Ritter/Walker. art L6 5:9
Sep80 p206-227 *** Languages / Interpreter /
Threaded Codes
What is FORTH?; a tutorial introduction*. James,
John. art L7 5:8 Aug80 p100-126 ***
FORTH / Programming Instruction
CYCLE

Gear-ratio calculation for bicycle derailleurs. Lehman, John. col Ll 5:3 Mar80 p68-70 *** Science

BINARY NARY
Addition and subtraction: the 1802 versus the
Z80. Merrin, Stephen. col 6:3 Mar81
p224-228 *** 1802 / Z-80 / Mathematics
Binary-to-8CD converter for the 8080. Brockman,
D.M. col 1.3 6:8 Aug81 p418-419 ***
Conversions / Binary Coded Decimal / 8080
Fast, multibyte binary to binary-coded-decimal
conversion routine. McQuade, Michael. art L
5:2 Feb80 p106-114 *** Conversions BINARY (CONTINUED)

BINARY (CONTINUED)

How to do a number of conversions*. Brown,
James. art L3 1:13 Sep76 p50-60 ****
Conversions / Hexadecimal / 8080
Introduction to numbers. Simmons, Webb. art
2:7 Jul77 p82-87 *** Computer Instruction /
Mathematics
Noice's eye on computer arithmetic. Ledder,
Wayne. art 3:1 Jan78 p150-159 ***
Mathematics / Computer Instruction
Piano's reproductive system (anatomy of a Duo-Art
player piano). Morgan, Chris. art 2:9 Sep77
p122-125 *** Music
Proposed standard for publishing binary data in
machine readable form. Banks/Sanderson. art
1:15 Nov76 p10-14 *** Standards /
Publishing / Software Publishing
BINARY CODED DECIMAL
Beware of interrupts (binary-coded-decimal
conversion). Feldman, Dave. col 5:9 Sep80
p320 *** Conversions
Binary-to-80C converter for the 8080. Brockman,
D.M. col L3 6:8 Aug81 p418-419 ***
Conversions
Fast, multibyte binary to binary-coded-decimal
conversion routine. McQuade, Michael. art L3
5:2 Feb80 p106-114 *** Conversions /
Binary
What is a character?* Peshka, Manfred. art

Binary
What is a character?*. Peshka, Manfred. art
1:4 Dec75 p30-38 *** ASCII / Baudot Code / Standards

BIORHYTHM Biorhythm for computers*. Fox/Fox. art L1 1:8 Apr76 p20-23 *** Is pseudoscience done by computer

rs pseudoscience done by computer
pseudo-computer-science? (biorhythms).
Helmers, Carl. col 4:11 Nov79 p6-10 ***
On the use of Fourier Transforms to explore
biological rhythms. Owens, A.J. col L1 6:4
Apr81 p314-326 *** AIM / Fourier Transforms
BUBBLE MEMORY

BBLE MEMORY

Bubble memories: a short tutorial. Halsema, A.I. art 4:6 Jun79 p166-167 *** Computer

Instruction

Tinstruction

Til. Helmers, Carl. col 2:7 Ju177 p6+ ***

Predictions /

RUSTNESS IINESS
BASIC floppy-disk accounting system. Roehrig,
Joseph. art L1 5:9 Sep80 p328-335 ***
Accounting / North Star / Floppy Disk Drive
Bridging the 10-percent gap. Brady, Paul. art
6:10 Oct81 p264-274 *** North Star / Office

Automation

Computer generated reminder message. Pass, E.M. art L1 5:1 Jan80 p160-172 *** Calendar / SMTPC

How do you store 5,000 patient records?. col 1:11 Jul76 p95 *** Information Storage / Ask BYTE / Data Structures

Ask BYTE / Data Structures
How to write an application program. Jenkins,
William. col L2 2:10 Oct77 p18-20+ ***
Calculator
IRS and the computer entrepreneur. Hughes,
Elizabeth. art 3:1 Jan78 p27-35+ ***
Taxes / Federal Government
Intellectual ethics and software: an inquiry into
the nature of ideas... Helmers, Carl. col
5:9 Sep80 p6-10 *** Ethics / Higher
Education
Label and file program. Carpenter, Andrew. col
L1 4:4 Apr79 p222-223 *** Utility Program
/ SWTPC

/ SWTPC

Microcomputers and the IRS. Kingman, James. col 6:9 Sep81 p426-427 *** Taxes / Accounting

6:9 Sep81 p426-42/ *** Taxes / Accounting / Law
Pascal versus COBOL: where Pascal gets down to business. Bowles, Ken. art L6 3:8 Aug78 p122-132 *** Pascal / COBOL
Power of VisiCalc. Ramsdell, Robert. sr 5:11 Nov80 p190-192 *** Software Review / Accounting
Simple approach to data smoothing.
Ruckdeschel/Krinsky. art L1 6:3 Mar81 p262-298 *** Statistics / North Star
Small business accounting system. Lehman, John. art 1:10 Jun76 p8-12 *** Accounting / Taxes User-oriented descriptions of Smalltalk systems. Reenskaug, Trygve. art L9 6:8 Aug81 p184-166 *** Smalltalk / Programming Instruction

Instruction BYTE CORRECTIONS

APL interpreter for microcomputers / Using a keyboard ROM. Dickey, Fred. col 2:11 Nov77 p37+ ***

keyboard ROM. Dickey, Fred. Col 2:11 Nov/7
p3/+ ***

APL interpreter for microcomputers. Col 2:12
Dec77 p151 ***

Add a kluge harp... / Life line 2 / Write your
own assembler. Col L3 1:3 Nov75 p78-79 ***
Add a stack to your 8008 / Serial interface. Col
1:4 Dec75 p10 ***
Alpha-beta pruning. Gropper, John. Col 5:2
Feb80 p208 ***
Articulate automata. Gagnon, Richard. Col 6:5
May81 p232 ***
BASIC timing delay (Avoid self-modifying code).
Kinzer, Don. Col 3:4 Apr78 p155 ***
Biorhythm for computers* / Controlling external
devices... Col 1:11 Ju176 p100 ***
Build a low-cost PROM eraser / Calculating
filter capacitor values.... Col 5:7 Ju180
p228 ***
Build a super simple floppy-disk interface, part

p228 ***
Build a super simple floppy-disk interface, part
1. col 6:9 Sep81 pll0 ***
Build an oscilloscope graphics interface / What
is a character?. col 1:5 Jan76 p77 ***
Build-it-yourself modem for \$50. col 5:11
Nov80 pll2 ***

BYTE CORRECTIONS (CONTINUED)

IL CURKECTIONS (CONTINUED)

Build-it-yourself modem for under \$50. col 5:10
Oct80 p332 ***

Building an M6800 microcomputer / Pseudorandom
number generator*. col L2 3:2 Feb78 p93

Cassette transports for the "Roll Your Own" hobbyist. col 2:6 Jun77 p160-162 ***
Commodore VIC 20 microcomputer / KNIGHT: a knight's tour problem... col 6:7 Jul8: p118 ***

pll8 ***
Communicate on a light beam / Tic-Tac-Toe /
Cryptography...field, part 2 . col Ll 4:8
Aug79 pl94 ***
Computer-controlled light dimmer /
Hewlett-Packard's...HP-85. col 5:6 Jun80
pl82-183 ***

Computer-controlled light dimmer / What is FORTH?. col 5:11 Nov80 p322 ***
Computerized wine cellars. col 4:7 Jul79 p156

Creating a chess player: an essay... / HP-67 and HP-97: Hewlett-Packard... col L2 3:12 Dec70 pl63 ***

HP-97: Hewlett-Packard... col L2 3:12 Dec/ p163 ***
Data paths / Taking advantage of memory address space. col 1:9 May76 p56 ***
Designing the Tiny Assembler. col 2:7 Jul77 p57 ***

Designing the Tiny Assembler. col 2:7 Jul77 p57 ***

Errors in MIKBUG roadmap / Give your micro some muscles. col 2:5 May77 p128 ***

Escher's nationality (BYTE cover Feb80). Koss, Neal. col 5:5 May80 p236 ***

Extended color BASIC for the TRS-80 computer. col 6:9 Sep81 p110 ***

Fast Fourier transforms on your home computer. col 11 4:5 May79 p205 ***

Faster BASIC for the Ohio Scientific. col L3 6:9 Sep81 p110 ***

Faster BASIC for the Ohio Scientific. col L3 6:9 Sep81 p110 ***

Faster audio processing with a microprocessor. Werner, Bob. col 5:4 Apr80 p220 ***

Fifteen: a game of strategy / Calculator airborne navigation. col L1 5:12 Dec80 p294-296 ***

Fifteen: a game of strategy. Rheinstein, John. col L1 5:9 Sep80 p268 ***

Financial analysis program / Varieties of threaded code... col 5:10 Oct80 p302-304 ***

Floating point arithmetic. col 4:2 Feb79 p65

Floppy disk interface / Inexpensive joystick interface. col 3:3 Mar78 p46 ***
Functional approximations / I've got you in my scanner. Ruckdeschel, F.R. col 4:1 Jan79 p53 ***
GRAPH: a system for television graphics (part 2) / APL interpreter... col 3:8 Aug78 p62 ***
General interpolating graphics package for the TRS-80. Jackisch, Philip. col L1 6:7 Jul81 p118 ***

Good cents (reformatting dollars and cents). col

Li 5:1 Jan80 pl99 ***
History of computers: the IBM 704 / Commander in chief. col L2 4:4 Apr79 p201 ***
How to do a number of conversions / Biorhythm / Morse code station... col L3 1:15 Nov76 p90 ***

p90 ***
If Sam Morse could see us now / Controlling
external devices.... col L3 1:16 Dec76 p54

Improved lunar lander algorithm / NIMBLE: the ultimate NIM. col 3:4 Apr78 p64 ***
Interfacing the IBM Selectric keyboard printer. col 2:10 Oct77 p174 ***
Jeu de NIM / Blackjack bug / Sweet auto line. col L2 2:9 Sep77 p172-173 ***
Khachiyan's algorithm, part l. col L1 5:9 Sep80 p313 ***
Let your fingers do the talking: add a noncontact touch scanner... col 3:10 Oct78 p151 ***
Linear circuit analysis. Graham, D.M. col 4:1 Jan79 p53 ***
Logic probes-hardware bug chasers / My dear aunt sally. col 1:8 Apr76 p74 ***
Low cost light wand amplifier. col 3:9 Sep78 p54 ***
Machine problem solving. col L1 6:5 May81

Machine problem solving. col Ll 6:5 May81 p252 ***

make your next peripheral... / Do it yourself weather predictions. col 2:3 Mar77 pl37 ***
Marsport, here I come / History of computers: the IBM 650. col L2 4:8 Aug79 pl94 ***
Memory meanderings (machine language puzzler). col 4:4 Apr79 p53 ***
Morse code trainer / Computerize a home. col 5:4 Apr80 p66 ***
My Dear Aunt Sally / SR-52; another world's smallest. col 1:10 Jun76 pl04 ***
Pirate's Adventure / Lost Dutchman's Gold. col L1 6:4 Apr81 p302 ***
L1 6:4 Apr81 p302 ***
L1 6:4 Apr81 p302 ***
L1 6:5 Apr81 p302 ***
L1 6:4 Apr81 p302 ***
L1 6:5 Apr81 p302 ***
L2 Figure an 8080... col 1:15 Nov76 p90-91

Plot: north by northwest. col Ll 6:9 Sep81

p383 ***
Programming strategies in the game of Reversi.
Maggs, Peter. col Ll 5:3 Mar80 p180 ***
Programming strategies in the game of Reversi.
col Ll 5:2 Feb80 p168 ***
Pseudorandom number generator / Short history of
computing. col 3:11 Nov78 p146-147 ***
RS-232 levels / BASIC Star Trek trainer. col Ll
2:1 Jan77 p97-99 ***
SWEET 16: the 6502 dream machine. col L3 3:2
Feb78 p93 ***
SWFFT for XIM / 519 music interface / How to not

SWEET 16: the bouz green minimizers / How to get your Tarbell going. col 3:11 Nov78 p146 ***
Self-refreshing LED graphics display. col 4:12
Dec79 p102 ***

1-UPMANSHIP.



We opened our doors with two basic goals:

To distribute as many software packages to as many dealers as possible.

And to make money doing so.

Our success on both counts is the result of hard work, a positive business attitude and a recognition that you, as a retailer, have a right to be treated fairly and honestly by your distributor.

We're 1-up for three good reasons:

- 1. We always offer a wide selection of the latest and best microcomputer software packages available anywhere. (Why should you have to hunt for what you need?)
- 2. Our dealer discounts start with quantities of 1. (Remember all those times you just wanted one or two to see how they'd sell?)
- 3. We don't play The BackOrder Game. (If we can't ship your order within 48 hours we'll let you know, instead of hanging you out to dry.)

If there's anything else we can do for you, just let us know. Because we're 1-up and we intend to stay that way.

Software Distributors, 9929 Jefferson Blvd., Culver City, CA 90230. Telex 4990032 BVHL,

ATT: SOFT

For our dealer info package, call (213) 668-0238 today.

SOFTWARE DISTRIBUTORS

We won't leave you holding the bag.

Circle 382 on inquiry card.

BYTE CORRECTIONS (CONTINUED)
Serial interface / TV color graphics. col 1:7
Mar76 p88 ***
Simulation of motion (part 3) / Where to get
bargains in used...equipment. col 3:5 May78
p155 ***

Single stepping the 8080. col L3 4:4 Apr79 p192 ***

Some more notes on performance evaluation. col L1 5:12 Dec80 p296 *** Some more on performance evaluation. Berman, Martin. col L1 5:11 Nov80 p292 *** Some musings on Boolean algebra / Robot simulation on microcomputers. col 3:7 Jul78 p118 ***

Stepping motor primer, part 1 / Polyphony made easy. col 4:4 Apr/9 pl92 ***
Stepping motor primer, part 1 / Polyphony made easy. col 4:4 Apr/9 pl92 ***
Strike a MATCH / JITTER / Build the BIT BOFFER / PROM information. col 1:12 Aug/6 p76 ***
Structured programming with Warnier-Orr diagrams, part 2: coding. col 3:4 Apr/8 p64 ***
TRS-80 ROM / Dutchman's gold. col 6:1 Jan81 p292:296 ***
Take a course in microprogamming / Floppy disk interface / 6800 relocator. col 3:6 Jun/8 p94 ***
Three types of praudors at a second second

p94 ***
Three types of pseudorandom sequences / Marsport, here I come. col L2 4:10 Oct79 p209 ***
Tic-Tac-Toe in BASIC / Zapper / Cassette interface switching box. col L1 4:2 Feb79 p43,65 ***

Dusing interrupts for real time clocks / Program your next EROM in BASIC. col L3 3:4 Apr78 p62 ***

p62 ***
Using interrupts for real time clocks. col 3:3
Mar78 p46 ***
What is APL1 (correction). D'Agostino, Carmen.
let 2:2 Feb77 p119 ***
What's inside Radio Shack's color computer?. col
6:6 Jun81 p376 ***
Whose BASIC does what? / Generating bar code... /
Is this...necessary?. col L1 6:8 Aug81
p392 ***

p392 ***
Writing animated computer games. Urrila, Olli.
col L3 5:6 Jun8O p183-184 ***
280 op codes for an 8080 assembler / TRS-80
performance evaluation. col L1 5:9 Sep80
p16-18 ***

6800

Fast Fourier comes back (correction for "Fast Fourier for the 6800"). Roxburgh, Alastair. col L3 6:5 May8l p458-461 *** Fourier Transforms / 8080 / 6800

Fast Fourier comes back (correction for "Fast Fourier for the 6800"). Roxburgh, Alastair. col L3 6:5 May8l p458-461 *** Fourier Transforms / 8080 / 6800

OESIGN
Comment and correction for Mouse ("Mouse: a language for microcomputers"). Lane, Tom. col L6 5:6 Jun80 p238-240 *** Languages / Design / Interpreter
BYTE SURVEY
On using a contraction

BYTE SURVEY
On using a personal computer for practical purposes. Helmers, Carl. col 3:10 Oct78 p6+ *** Publishing
Surveying the field (BYTE reader survey).
Helmers, Carl. col 2:5 May77 p6-9+ *** Publishing / Marketing
Who reads BYTE?. Helmers, Carl. col 5:10 Oct80 p6-14 *** Publishing
C PROGRAMMING LANGUAGE
BDS C compiler. Kern, Christopher. sr 6:6 Jun81 p356-362 *** Software Review / Compiler

Jun61 p356-362 *** Sottware Review / Compiler
C: a language for microprocessors?. Madden, J. Gregory. art 2:10 Oct77 p130-138 *** Languages / Programming Instruction
Comparison of C and Pascal. col 6:6 Jun81 p358 *** Languages / Pascal
LIST - a source-listing program for the C language. Taylor, Jeff. col L8 6:6 Jun81 p234-246 *** Utility Program
Printf for the C function library. Kern, Christopher. col L8 6:5 May81 p430-434
*** Programming Instruction
Self-reproducing programs. Burger/et al. col
L8 5:8 Aug80 p72-74 *** LISP
User's look at Tiny-c. Kern, Christopher. art
L8 4:12 Dec79 p196-206 *** Software Review
CULATOR Compiler

CALCULATOR Calculator airborne navigation*. Kuhns, L.J. col L2 4:11 Nov79 p245-246 *** Flying /

Calculator airborne navigation*. Kuhns, L.J. col L2 4:11 Nov79 p245-246 *** Flying / Navigation
Chessboard journey on the TI-59 programmable calculator. Gilpin, Michael. col L9 6:5 May81 p198-202 *** Chess
Converting pitch to frequency. Katz, Robert. col L2 6:2 Feb81 p92-94 *** Music / Conversions
Digital circuit simulation. Felkins, S. Leon. col L2 4:4 Apr79 p172-174 *** Simulation / Electronic Circuits
Generating bar code in the Hewlett-Packard format*. McNeal, Thomas. art L1 6:1 Jan81 p148-178 *** Bar Codes / Hewlett-Packard / Conversions
How to write an application program. Jenkins,

How to write an application program. Jenkins, William. col L2 2:10 Oct77 p18-20+ ***
Business /

Business /
Marsport, here I come: the three-dimensional
celestial...simulation...*. Hinrichs, Delmer.
art L2 4:4 Apr79 p84-108 *** Simulation /

CALCULATOR (CONTINUED)

CULATOR (CONTINUED)
Periodic chart at your fingertips: using the
TI-59. Marquardt, Bruce. col L2 5:3 M
p208-210 *** Science

Interface your computer to a printing calculator. Astmann, Robert. art L3 3:12 Dec78 p94-99 *** Interface / 8080 / Printer

Binary guessing game: calculator pattern recognition. Zimmermann/Blodgett. art L2 4:4 Apr79 p236-237 *** Games
Commander in chief: a game for the II-58 programmable calculator. Kollar, Larry. col L2 3:12 Dec78 p192-193 *** Games
Darth Vader's force battle for the II-59. Jackson, Clete. col L2 5:10 Oct80 p50-54 *** Games
Digits (II SR-52 game). Snyder, Hal. col L2 4:5 May79 p182-183 *** Games
HP-67 and HP-97: Hewlett-Packard's personal computers*. Pearce, Craig. art L1 3:6 Jun78 p112-117 *** Games / Hardware Review / Hunt the wumpus with your HP-41C. Librach, Hank. col L2 6:3 Mar81 p230-232 *** Games / Hordware Review / Hunt the wumpus with your HP-41C. Librach, Hank. col L2 6:3 Mar81 p230-232 *** Games / Pogramming Instruction
Pocket computer?. Carbrey, Bruce. hr L2 5:12 Dec80 p244-262 *** Hardware Review / Games
Race car for the SR-52. Bertsch, John. col L 4:3 Mar79 p26-30 *** Games
Race car for the SR-52. Bertsch, John. col L 2:6 Jun77 p150-153 *** Games / SR-52 card black Jack*. Garvey, Michael. col L2 2:6 Jun77 p150-153 *** Games / Shooting stars for the SR-52 and PC-100 printer (Desk top wonders). Pearce, Craig. col L2 1:16 Dec76 p92-93 *** Games /
Some random games (Guess the number / Dice program). Adams, C.K. col L2 4:1 Jan79 p170-173 *** Games

HARDWARE REVIEW

HARDWARE REVIEW

Nelson, Richard. art 1:4 Dec75 p70-71 ***
Hardware Review /
HP-41C: a literate calculator?. Hayes, Brian.
hr 12 6:1 Jan8l p118-138 *** Hardware
Review / Bar Codes /
HP-67 and HP-97: Hewlett-Packard's personal
computers*. Pearce, Craig. art L1 3:6
Jun78 p112-117 *** Games / Hardware Review /
Pocket computer?. Carbrey, Bruce. hr 12 5:12
Dec80 p244-262 *** Hardware Review / Games
Power of the HP-67 programmable calculator, part
1. Arp, Robert. art 4:3 Mar79 p196-204
*** Hardware Review /
SR-52: another world's smallest*. Flippin, J.
Bradley. art 1:8 Apr76 p36-41 ***
Hardware Review /

INTERFACE
Calculator keyboard input for the microcomputer.
Hoegerl, Joseph. art L3 2:2 Feb77 p104-107
*** Input/Output / Keyboard / Interface
Interface your computer to a printing calculator.
Astmann, Robert. art L3 3:12 Dec78 p94-99
*** Interface / 8080 / Printer

MATHEMATICS

Analysis of polynomial functions with the TI-59 calculator, part 2. Chance, Pierre. art 5: Jan80 pl30-136 *** Mathematics Extended multiplication with the TI-58. Extended multiplication with the TI-58.

Manwaring, Michael. col 12 4:11 Nov79
p244-245 *** Mathematics
Kalman mileage predictor-monitor. Lobdill,
Jerry, art 12 6:7 Ju181 p230-248 ***
Energy / Automobile / Mathematics
Power of the HP-67 programmable calculator, part
2. Arp, Robert. art 12 4:4 Apr79 p176-188
*** Mathematics / Programming Instruction /
Prime numbers on the HP-19C. Aslan, Wilfred.
col 12 5:10 Oct80 p54-58 *** Mathematics
I has faster solutions (speed in solving
simultaneous equations). Larson, Marvin. col
4:8 Aug79 p128 *** Mathematics

4:8 Aug79 pl28 *** Mathematics

PROGRAMMING INSTRUCTION

Buried gold in the SR-52. Penn, Clif. art L3
1:16 Dec76 p30-34 *** Programming
Instruction /
Cryptography in the field, part 2: using the
pocket calculator*. Costas, John. art L2
4:4 Apr79 pl44-l65 *** Cryptology /
Programming Instruction /
Jeu de NIM, Peut Etre? (NIM for the SR-52)*.
Chance, Alain. col L2 2:7 Ju177 p90-91

*** Games / Programming Instruction
Power of the HP-67 programming Instruction /
2. Arp, Robert. art L2 4:4 Apr79 pl76-l88

*** Mathematics / Programming Instruction /
Self-modifying code for the TI-58/59. Green,
Ted. col L3 6:1 Jan81 pl42-144 ***
Programming Instruction /
LENDAR

CALENDAR Computer generated reminder message. Pass, E.M. art Ll 5:1 Jan80 p160-172 *** Business / SWTPC

SWIPC
Computing time between dates. Condon, Paul. col
Ll 5:6 Jun80 p202 *** Programming
Instruction
Cutting the Gregorian knot (handling dates in a
computer). Pulier, Myron. col Ll 5:3 Mar80
p188-193 *** Programming Instruction
Day of the week and elasped time programs.
Agocs, W. B. col Ll 4:9 Sep79 p126-129
Programming Instruction / BASIC

Eclectic card reader. Schaeffer, Anthony. 4:2 Feb79 p70-74 *** Hardware Constr Hardware Construction

/ Input/Output CHARACTER GENERATOR

ARACTER GENERATOR

APL character generator. Langner, John. art L2
5:9 Sep80 p116-124 *** APL / Hardware
Construction
Programmable character generator, part 1:
hardware. Weinstein, Larry. art 3:5 May78
p79-90 *** Video Display / Interface /
Hardware Construction
Programmable character generator, part 2:
software. Weinstein, Larry. art 3:6 Jun78
p14-22 *** Graphics / Programming Instruction
Theatrical lighting graphics package. Hemsath/et
al. art 1:3 3:6 Jun78 p153-156 ***
Graphics / Control

ESS
Alpha-beta pruning*. Maurer, W.D. art 4:11
Nov79 p84-96 *** Programming Instruction
Antique mechanical computers, part 3: the Torres
Chess Automaton. Williams, James. art 3:9
Sep78 p82-92 *** History / Robots
Chess 4.7 versus David Levy: The computer beats a
chess master. Douglas, J.R. art 3:12 Dec78
p84-90 *** Contests / People
Chessboard journey on the T1-59 programmable
calculator, Gilpin, Michael. col L9 6:5
May81 p198-202 *** Calculator
Computer chess tutorial. Whaland, Norman.
3:10 Oct78 p168-181 *** Programming
Instruction
Creating a chess player, part 2: Chess 0.5.

Instruction
Creating a chess player, part 2: Chess 0.5.
Frey/Atkin. art L6 3:11 Nov/8 p162-181
*** Programming Instruction / Pascal
Creating a chess player, part 3: Chess 0.5
(continued). Atkin/Frey. art L6 3:12 De
p140-157 *** Programming Instruction /
Pascal

(continued). Atkin/Frey. art L6 3:12 Dec78 p140-157 *** Programming Instruction / Pascal
Creating a chess player, part 4: strategy in computer chess. Frey/Atkin. art 4:1 Jan79 p126-145 *** Programming Instruction
Creating a chess player: an essay on human and computer chess skill*. Frey/Atkin. art 3:10 Oct78 p182-191 *** Artificial Intelligence
Exchange evaluator for computer chess.
Spracklen/Spracklen. art L3 3:11 Nov78 p16-28 **** Programming Instruction / Z-80
First steps in computer chess programming.
Spracklen/Spracklen. art L3 3:10 Oct78 p86-98 *** Programming Instruction / Z-80
Grandmaster Walter Brown versus Chess 4.6.
Douglas, John. art 4:1 Jan79 p110-115 *** Contests / People
Interface a chessboard to your KIM-1. Teeters, Jeff. art L3 4:9 Sep79 p34-54 *** Interface / KIM / Hardware Construction
KNIGHT: a knight's tour problem in MMSFORTH*. Frei, Ulrich. col L7 6:2 Feb81 p325 *** FORTH / Puzzles / TRS-80 Model I
Microchess 1.5 versus Dark Horse. Jennings, Peter. art 3:3 Mar78 p166-167 *** Contests Responses to "Solving the Eight Queens Problem". col L1 4:2 Feb79 p132-148 *** Puzzles Sargon 2.5: Newest Sargon-2.5: Nartellaro, John. sr 6:1 Jan81 p208-212 *** Software Review
Sargon II: an improved chess-playing program for the Apple II. Martellaro, John. sr 5:12 Dec80 p114-118 *** Software Review / Apple II.

Second world computer chess championships.
Jennings, Peter. art 3:1 Jan78 p108-118
*** Contests

Solving the eight queens problem. Smith, Terry.
art L1 3:10 Oct78 p122-126 *** Puzzles
CHILDREN

ILDREN

Is the Smalltalk-80 system for children?.
Goldberg/Ross. art 6:8 Aug8l p348-368 ***
Smalltalk / Programming Instruction / History
It's more fun than crayons. Rosner, Richard.
art 1:15 Nov76 p6-9 *** Graphics / Art
My experiences with the 2650 (Signetics 2650
microprocessor). Moran, Brian. art 2:11
Nov77 p66-67 *** Microprocessor / 2650
New cultures from new technologies. Papert,
Seymour. col 5:9 Sep80 p230-240 ***
Education / Future / Computers and Society
Sets: tutoring in BASIC. Schreiber, Linda. col
Ll 5:3 Mar80 p244-245 *** Mathematics /
Computer Assisted Instruction / Altair

DCK
Adding an interrupt driven real time clock.
Sneed, James. art L3 2:11 Nov77 p72-74
*** Hardware Construction / 6502
Anyone know the real time?. Ciarcia, Steve. col
L1 4:8 Aug79 p50-59 *** Hardware
Construction
Asynchronitis (clock communication problems and
fixes). Bancroft, C. art 1:2 Oct75 p68-69
*** Interface

Asynchronitis (clock communication placems fixes). Bancroft, C. art 1:2 Oct75 p68-69
*** Interface
Beware compromising the stack pointer. Pittman,
Tom. col 3:6 Jun78 p136-137 ***
Programming Instruction / 6800
Can your computer tell time?. Hogenson, James.
art L3 1:4 Dec75 p32-87 *** Programming
Instruction / 8080
Computer-based laboratory timer. Gibson, John.
art L3 6:6 Jun81 p110-144 *** Hardware
Construction / 6800 / Science
Do you need the real time?. Trollope, Gregory.
art L3 2:11 Nov77 p166-169 *** MIKBUG /
6800 / Hardware Modification
Does anybody know what time it is?. Grappel,
Robert. art L3 2:11 Nov77 p58-70 ***
Interface / 6800 / Hardware Construction

COMPUTER STOP

2545 W. 237 St. Torrance, CA. 90505

MON. — SAT. 10-6 TOLL FREE ORDER DESK 800-421-1947

TECHNICAL INFO (213) 371-8500 371-4010

ORDER STATUS (213) 539-7670





APPLE HARDWARE

Parallel Printer Interface Card
Communications Card165
High Speed Serial Interface
Pascal Language System
Centronics Printer Interface
Applesoft Firmware Card160
Integer Firmware Card160
Disk][with Controller DOS 3.3
Disk][only475

OTHER HARDWARE

TYMAC Interface for EPSON printers
SEAGATE ST 506 51/4" 5-megabyte Winchester Disk
with Cabinet and Power Supply
51/4 5 megabyte Winchester with Controller and
Apple interface and software
Apparrat Inc. Prom Programmer
2708, 2716, 2732
CPS Mulifunction Card195
Apple Cat Modem299
Micromodem][
Double Vision 80 x 24 Interface 245
OmniVision 80 x 24 with Lower Case descenders 295
16K Ram Card145
Microworks DS-65 Digisector
SVA 8 inch Disk Controller Single Density360
SVA 8 inch Disk Controller Double Density460
Sup-R-Mod30
CCS Asynchronous Serial Interface129
Corvus 10 Meg. Hard Disk
Corvus Constellation695
Corvus 20 MEG Hard Disk

MISCELLANEOUS SUPPLIES

16K RAM Chips — Set of 8 (200-250 NS)
Verbatum Datalife Diskette (Box of 10)
Dysan Diskettes (Box of 10)45
Apple Diskettes (Box of 10)
Verbatim Diskette Box (Holds 50 Disks)
Silentype Paper (Box of 10 rolls)40

PRINTERS

Apple Silentype with Inteface	Ċ
IDS 460 with Graphics	į.
IDS 560 with Graphics 10)	í
NEC Spinwriter (RO, Serial)	i.
Epson MX-80	ò
Epson MX-80 FT	
Epson MX-100750	Ċ,

APPLE][Plus 16K.....\$1075 48K.....\$1149 Diskl[Drive..\$529 with Controller & Dos. 3.3 **PASCAL SYSTEM** \$425 **Z-80 Softcard** \$299

MONITORS/DISPLAYS
Zenith 12" Screen Phosphor119KG-12C Green Phos. Monitor275NEC 12" Green Phosphor. Monitor225NEC 1201 Color Monitor-Composite Video475NEC 1202 Color Monitor-RGB995
SOFTWARE
PFS-Personal Filing System
direct connect
Visifile 195 Visidex 169
Visiterm
Visiplot
Visitrend/Visiplot
Datadex150
Super Text
Pascal Tutor (by Denver Software)
Financial Partner (by Denver Software)
Dow Jones News & Quoter Reporter
Dos Tool Kit
BPI Business Software
DBASE II (needs Z-80/cpm)
The best data base system on the market. We use it
for every thing — order entry, inventory control, accts receivables, check register etc. etc.
Easywriter Professional System195
DB Master Data Management175
Visicalc Dos 3.3
Data Factory DMS
Apple Plot
Apple Pilot
Wordstar
77010000

ORDERING INFORMATION: Phone orders invited using VISA, MASTERCARD or bank wire transfers. VISA & MC credit card service charge of 2%. American Exp. 5%

Mail order may send charge card number (include expiration date), cashier's check, money order or personal check (allow 10 business days to clear.) Please include a telephone number with all orders. Foreign orders (excluding Military PO's) add 10% for shipping. All funds must be in U.S. dollars (letters of credit permitted). Shipping, Handling and insurance in U.S. add 3% (minimum \$4.00). California residents add 6% sales tax. Our low margins prohibit us to send COD or on purchase orders or open account (please send for written quotation). All equipment is subject to price change and availability. Equipment is new and complete with the manufacturer warranty. We do not guarantee merchantibility written quotation). All equipment is subject to price change and availability. Equipment is now and complete within 2 days.

RETAIL STORE PRICES MAY DIFFER FROM MAIL ORDER PRICES.

PLEASE SEND ORDERS TO:

COMPUTER STOP, 2545 W. 237 St., TORRANCE, CA 90505

Store Address: 16811 Hawthorne Blvd.

Lawndale, CA 90260

CLOCK (CONTINUED)

DCK (CONTINUED)
Interrupt-driven real-time clock for the TMS
9900. Morris, Thomas. art L3 5:9 Sep80
p282-302 *** 9900 / Hardware Construction
KIMER: a KIM-1 timer. Baker, Robert. art L3
3:7 Ju178 p12 *** KIM / Programming
Instruction

Instruction
Souping up your SWTPC 6800. Hughes, Steve. art
3:10 Oct78 p144-146 *** Hardware
Modification / SWTPC
Stretch that 6800 clock. Henshaw, Jerry. art
1:16 Dec76 p42-46 *** Interface / SWTPC /

Stretch that 6800 clock. Henshaw, Jerry. art 1:16 Dec/Fo p42-46 *** Interface / SWTPC / Hardware Construction
Turn your KIM into a metronome. Kellerman, David: col L3 4:8 Aug79 p213-214 *** Sound Effects / KIM
Using interrupts for real time clocks*. Smith, M.F. art L3 2:11 Nov77 p50-53 *** Hardware Construction / 6800 / Programming Instruction

CLUBS UBS
Club computer network. Kasser, Joe. art 5:5
May80 p202-212 *** Networks / Ham Radio
Clubs and newsletters directory (123 clubs listed in 1977). Rehling, Floyd. col 2:1 Jan77
p119-130 *** Newsletters
Clubs and newsletters directory (1979). Hanson, Laura. col 4:10 Oct79 p210-240 ***
Newsletters
Clubs and newsletters directory. Freiberg,

Newsletters Clubs and newsletters directory. Freiberg, Charley. col 6:4 Apr81 p158-184 *** Newsletters

Newsletters
Clubs and newsletters directory. Hanson, Laura.
col 3:9 Sep78 pl24-144 *** Newsletters
Computer hobbyist club survey. Caulkins, David.
art 2:1 Jan77 pl16-ll8 ***
Join the club (computer associations and
societies). Helmers, Carl. col 1:6 Feb76
p4-8+ *** Associations
Meeting activities for computer clubs. Douds,
Charles. art 1:14 Oct76 pl18-125 ***
Some notes on clubs (Homebrew Computer Club,
SCCS). Helmers, Carl. col 1:12 Aug76 p4+

Pascal versus COBOL: where Pascal gets down to business. Bowles, Ken. art L6 3:8 Aug78 p122-132 *** Pascal / Business

pl22-132 *** Pascal / Business
COLOR DISPLAY
Colorful future of personal computing. Helme
Carl. col 2:10 Oct77 p6+ *** Video
Display / Color Graphics / High Resolution
Graphics
COLOR GRAPHICS
About the cover (color graphics on the TV

OR GRAPHICS
About the cover (color graphics on the TV
Dazzler). Helmers, Carl. art 1:10 Jun76
p6-7 *** Cromemoc / Hardware Review / High
Resolution Graphics
Animated slot machine in color. Hoffer, W.C.
col Ll 5:4 Apr80 p60-65 *** Games /

Compucator

Compucolor
Apple kaleidoscope. Bishop, Robert. col L3
4:7 Jul79 p52-53 *** Apple II
Atari tutorial, part 2: graphics indirection.
Crawford, Chris. art L1 6:10 Oct81 p70-84
*** Atari / Graphics / Programming Instruction
Color displays on black and white televsion sets.
Bain, Steve. art 2:2 Feb77 p44-48+ ***
Video Display / Interface
Colorful future of personal computing. Helmers,
Carl. col 2:10 Oct77 p6+ *** Video
Display / High Resolution Graphics / Color
Display / Bigh Resolution Graphics / Color

Display / High Resolution Graphics / Color Display Compucolor 8051 (Color graphics on the Compucolor 8051). Dwyer/Critchfield. art 3:5 May78 p32-39 *** Hardware Review / Compucolor / Microcomputer System Cybernetic crayon: a low cost approach to...color graphics. Dwyer/Sweer. art L3 1:16 Dec76 p24-29+ *** Programming Instruction / IMSAI / Art

Art
Future of computer graphics. Brown/Levine. 8
5:11 Nov80 p22-28 *** Graphics / Future
Three-Dimensional Graphics
Graphic color slides, part 1. Grogono, Alan.
art L1 5:11 Nov80 p126-144 *** Compuco

Three-Dimensional Graphics
Graphic color slides, part 1. Grogono, Alan.
art L1 5:11 Nov80 p126-144 *** Compucolor
/ Plotting
Graphic color slides, part 2. Grogono, Alan.
art L1 5:12 Dec80 p96-112 *** Compucolor
/ Plotting
Introduction to Atari graphics. Crawford/Winner.
art L1 5:12 Dec80 p96-112 *** Compucolor
/ Plotting
Introduction to Atari graphics. Crawford/Winner.
art L1 6:1 Jan81 p18-32 *** / Color
Graphics
Kinetic string art for the Apple. Cesa, Louis.
col 5:11 Nov80 p62-63 *** High Resolution
Graphics / Art / Apple II
Language control structures for easy electronic
visualization. DeFanti, Thomas. art 5:11
Nov80 p90-106 *** Languages / High
Resolution Graphics
Making color slides with an Intecolor
microcomputer. Grogono, Alan. art 5:1 Jan80
p20-24 *** Photography / Intecolor
Micrograph, part 1: ...an instruction set for a
raster-scan display. Booch, E. Grady. art L3
5:11 Nov80 p64-82+ *** High Resolution
Graphics / Design / Video Display Generator
Micrograph, part 2: video-display processor.
Booch, E. Grady. art L3 5:12 Dec80
p120-138+ *** High Resolution Graphics /
Hardware Construction / Video Display
Micrograph, part 3: software and operation.
Booch, E. Grady. art L3 5:1 Jan81 p238-280
*** High Resolution Graphics / Programming
Instruction
More colors for your Apple. Watson/Wozniak. art
L1 4:6 Jun79 p60-68 *** High Resolution
Graphics / Hardware Modification / Apple II

COLOR GRAPHICS (CONTINUED)

Mybble on the Apple. Helmers, Carl. col 2:4

Apr/7 pl0 *** Apple II

Photograph is also hard copy. Egbert, Dwight.

art 3:5 May/8 pl0-14 *** High Resolution

Graphics / Photography

Raster scan graphics suggestion. Adams, Tello.
col 3:5 May/8 p44 *** High Resolution

Graphics

col 3:5 Graphics

Raster scan graphics suggestion. Adams, Tello. col 3:5 May78 p44 *** High Resolution Graphics
Seventh annual SIGGRAPH conference.
Livingston/Dahmke. art 5:11 Nov80 p172-176
*** Conference / Graphics
Simplified theory of video graphics, part 2.
Watson, Allen. art 5:12 Dec80 p142-156 ***
Video Display / Design
TV color graphics*. Lancaster, Don. art 1:6
Feb76 p62-69 *** Video Display / Design
COMPILER
8080 high level language project of Peter Skye, continued. Skye, Peter. col 2:5 May77
p68-70 *** Languages / 8080
Approach to high level languages for small systems. Stavely, Donald. col 2:4 Apr77
p128-131 *** Interpreter / Languages
BDS C compiler. Kern, Christopher. sr 6:6
Jun81 p356-362 *** Software Review / C
Programming Language
Case for a "compiler interpreter". Rodman,
Richard. col 3:2 Feb78 p30-33 ***
Interpreter
Changes to FLOPTRAN-IV. Watson, George. col L1
6:7 Ju181 p134 *** PET / Languages
Compilation and Pascal on the new
microprocessors. Forsyth/Howard. art L3 3:8
Aug78 p50-61 *** Pascal / Microprocessor
Concerning PASCAL: a homebrew compiler project.
Smith, Stephen. col 3:4 Apr78 p150-151 ***
Pascal / Homebrew
FLOPTRAN-IV: a tiny compiler. Zimmermann, Mark.
art L1 5:10 Oct80 p196-228 *** PET /
Languages
FORTH extensibility or how to write a compiler in
25 words are set. Harris, Kim. art L7 5:8

art LI 5:10 Octoo p194-220 FEI /
Languages
FORTH extensibility or how to write a compiler in 25 words or less. Harris, Kim. art L7 5:8
Aug80 p164-184 *** FORTH / Programming Instruction
High level language for 8 bit machines.
Williams/Conley. art 3:7 Jul78 p152-161
*** Languages / Interpreter / Design
Hombrew Pascal compiler. Stein, Herbert. col 3:8 Aug87 p46-47 *** Pascal / Homebrew
Pascal-80. Archer, Rowland. sr 6:12 Dec81 p304-312 *** Software Review / Pascal / TRS-80 Model I
TRS-80 Model I
Trocessing a leebraic expressions part 2. Maurer,

TRS-80 Model I
Processing algebraic expressions part 2. Maurer,
W. Douglas. art 1:7 Mar76 p62-67 ***
Programming Instruction / Mathematics
Proposed Pascal compiler. Yuer/Chung. col 3:8
Aug78 p117+ *** Pascal
Smalltalk-80 virtual machine. Krasner, Glenn.
art 6:8 Aug81 p300-320 *** Smalltalk /

art 6:6 Augoi pout-300 non Smalltalk /
Interpreter / Design
Tiny Pascal compiler, part 1: the P-code
interpreter. Chung/Yuen. art L6 3:9 Sep/8
p58-65+ *** Pascal / Programming Instruction
Tiny Pascal compiler, part 2: the P-compiler.
Chung/Yuen. art L1 3:10 Oct78 p34-52 *** Pascal

Pascal
Tiny Pascal compiler, part 3: P-code to 8080
conversion. Chung/Yuen. art L6 3:11 Nov78
p182-192 *** Pascal / Conversions / 8080
Tiny Pascal in 8080 assembly language (Nybbles
Library). Louis, G. col 4:7 Ju179 p174
*** Pascal / 8080

COMPUCOLOR

MPUCOLOR
Animated slot machine in color. Hoffer, W.C.
col Ll 5:4 Apr80 p60-65 *** Games / Color
Graphics
Compucolor 8051 (Color graphics on the Compucolor
8051). Dwyer/Critchfield. art 3:5 May78
p32-39 *** Hardware Review / Color Graphics /
Microcomputer System
Graphic color slides, part 1. Grogono, Alan.
art Ll 5:11 Nov80 p126-144 *** Color
Graphics / Plotting
Graphic color slides, part 2. Grogono, Alan.
art Ll 5:12 Dec80 p96-112 *** Color
Graphics / Plotting
Mathematical modeling: a BASIC program to
simulate real-world systems. Hicks, Randall.
art Ll 6:6 Jun81 p72-86 *** Mathematics /
Simulation / Science

Simulation / Science
COMPUSERVE
Electronic home banking (You can bank on it).
col 6:1 Jan8l pl0 *** Home / Money /
TRS-80 Model I
COMPUTER ASSISTED INSTRUCTION

Animation in computer-assisted instruction: replication of DNA. Eckert, Richard. col Ll 6:7 Jul81 p358-366 *** Animation / Science / TRS-BO Model I

6:7 Jul81 p358-366 *** Animation / Science / TRS-80 Model I
Books as an antidote to the CAI blues, or take a publisher to lunch. Dwyer, Tom. col 5:7 Jul80 p74-84 *** Publishing / Education / Software Publishing (Education / Software Publishing (Education / Software Publishing (Education / Education (Education Education) Education (Education Education / Education | Education / Education | Education

COMPUTER ASSISTED INSTRUCTION (CONTINUED)
Microcomputer in the undergraduate science
curriculum. Hubin, W.N. art 5:7 Jul80
pl74-196 *** Science / Higher Education
Microcomputers in education: a concept-oriented
approach. Wolfe, George. col 6:6 Jun81
pl46-160 *** Education / Artificial
Intelligence
PLOT/P: implementing a high-level language in a
hurry. Mundie, David. art L6 5:7 Jul80
pl54-170 *** PLOT/ Pascal
Personal computer - 1 last chance for CAI.
Frenzel, Lou. col 5:7 Jul80 p86-96 ***
Definitions / Education
Sets: tutoring in BASIC. Schreiber, Linda. col
L1 5:3 Mar80 p244-245 *** Mathematics /
Children / Altair
Teaching with a microcomputer. Gerhold, George.
art 3:12 Dec78 p124-126 *** Education /
Higher Education
Thirty days to a faster input (touch typing
tutor). Armstrong, Arthur. art L1 4:12
Dec79 p250-251 *** Keyboard
COMPUTER BULLETIN BOADD SYSTEMS
Hobbyist computerized bulletin board.
Chiistensen/Suess. art 3:11 Nov/8 p150-157

Hobbyist computerized bulletin board.
Christensen/Suess. art 3:11 Nov78 p150-157

COMPUTER INSTRUCTION

MPUTER INSTRUCTION
Bubble memories: a short tutorial. Halsema, A.I. art 4:6 Jun79 p166-167 *** Bubble Memory
College microcomputer facility. Foster/Southern.
art 3:4 Apr78 p90-96 *** Microprocessor / Higher Education
Computers are ridiculously simple!. Wadsworth,
Nat. art 1:3 Nov75 p20-33 *** 8008
Flip flops exposed. Browning, William. art 1:4
Dec75 p58-61 *** Integrated Circuits
Give your micro a megabyte (virtual memory techniques). Grappel, Robert. art 2:7
p78-81 *** Memory / Information Storage / Virtual Memory

tecnniques). Grappel, Robert. art 2:7 Ju p78-81 *** Memory / Information Storage / Virtual Memory
ss and outs of volatile memories. Lancaster, Don. art 1:3 Nov75 p12-17 *** Memory / RAM

RAM
Introduction to microprogramming. Quek, S.M.
art 2:6 Jun77 p116-120 *** Machine Language
Magic of computer languages. Nelson, Theodor.
art 1:8 Apr76 p24-27 *** Languages /
Definitions
Microprocessor course. Fohl, Mark. art 2:8
Aug77 p26-28* *** Microprocessor / Education
/ Higher Education

Aug77 p26-28+ *** Microprocessor / Education / Higher Education Multiprogramming simplified. Lahasky, Irwin. art 2:12 Dec77 p140-142 *** Multiprocessing Notes on teaching with microcomputers. Norton, William. art 3:6 Jun78 p138-139 *** KIM / Higher Education Read only memories in microcomputer memory address space. Eichbauer, Dale. art 1:9 May76 p24-26 *** ROM / PROM Read only memory technology. Lancaster, Don. art 1:4 Dec75 p64-69 *** ROM / ROM Take a course (in microprogramming)*. Mac Millan, Richard. art 3:3 Mar78 p168-169 *** Universal turing machine. Millen, Jonathan. art 1:16 Dec76 p114-119 *** Turing Machines We interrupt this program... Small, Gary. col 6:6 Jun81 p162-166 *** Microprocessor What is an interrupt?. Atkins, R. Iravis. art 4:3 Mar79 p230-236 *** Input/Output / Microprocessor

8080
Explore an 8080 with Educator-8080*. Howerton, Charles. art L3 1:11 Ju176 p22-29 ***
Education / 8080 / Programming Instruction
Stack it up. Allen, Charlton. art L3 4:11
Nov79 p140-148 *** 8080 / Programming
Instruction

DESIGN
Building a computer from scratch. Jones, Hilary.
art 2:11 Nov77 p80-92 *** Hardware
Construction / Design / Microcomputer System
Designing a universal Turing Machine: a software
approach. Munnecke, Thomas. art L3 3:12
Dec78 p26-30 *** Design / Turing Machines
Dirt-cheap bootstrap: more notes on bringing up a
microcomputer. Woodhull, Albert. art L3 5:3
Mar80 p142-152 *** Microcomputer System /
Design

Mar80 p142-152 *** Microcomputer System, Design
Introduction to microprogramming. Cline, Ben. art 4:4 Apr79 p210-217 *** Design
Programming the implementation. Crayne, Charles. art 1:8 Apr76 p16-18 *** Design / SCELBI
This circuit multiplies. Hall, Tom. art 2:7 Ju177 p36-39 *** Mathematics / Design
Watts inside a power supply. Liming, Gary. art 2:1 Jan77 p42-48 *** Power Supply / Design
Who's afraid of dynamic memories?. Hauck, Lane. art 3:7 Ju178 p42-46* *** Memory / Design
/ RAM

HARDWARE CONSTRUCTION

Build your own Turing machine. Willis, James. art L3 6:4 Apral p122-146 *** Hardware Construction / Definitions / Turing Machines Building a computer from scratch. Jones, Hilary. art 2:11 Nov77 p80-92 *** Hardware Construction / Design / Microcomputer System Coincident current ferrite core memories. Jones, James. art 1:11 Ju176 p6-16 *** Memory / Hardware Construction
Tutorial training computer. Winkel, David. col 2:1 Jan77 p76-77 *** Education / Hardware Construction



Maxell Floppy Disks. Class of '81.

Not a single dropout among them.

These are the disks that achieve all you expect from them. They are certified free of dropouts. And each one meets or exceeds the most demanding specifications every computer authority can set. That includes ISO, IBM, ECMA, ANSI, JIS and Shugart.


The quality begins with the finest raw materials available, and we make sure the quality stays high. Every Maxell floppy disk must pass an exhaustive series of eight quality control inspections. Under test conditions, after 10,000,000 passes, there is no loss of quality.

Maxell Floppy Disks actually help protect your computer drive heads. The self-cleaning jacket liner

inside every Maxell disk removes dust before it can affect your system. The surface lubricant reduces any chance of disk-caused head-wear.

There are Maxell disks for every disk drive system in operation today. Maxell is leading the way with new disk technology for tomorrow's computers. Your Maxell Business or Maxell Personal Computer Products supplier can put our "honor-grad" to work for you, and for your computer, now and in the future.

Call or write for more information. You'll learn that the care we take manufacturing Maxell Floppy Disks makes them live up to your highest expectations.



HARDWARE REVIEW
Heath microprocessor training system. Hubin,
W.N. hr 3:11 Nov78 p158-159 *** Hardw.
Review / Microprocessor / Heath

INTERFACE

Notes on parallel output interfaces in memory address space. Helmers, Carl. art 1:3 Nov75 p52-55 *** Parallel Input/Output / Interface

MATHEMATICS
Comments on floating point representation.
Baker; R.A. col 2:9 Sep77 pl85 ***
Mathematics
Floating point

Floating point arithmetic*. Hashizume, Burt. art 2:11 Nov77 p76-78+ *** Mathematics / FORTRAN

Floating point arithmetic*. Hashizume, Burt. art 2:11 Nov77 p76-78+ *** Mathematics / FORTRAN Introduction to numbers. Simmons, Webb. art 2:7 Ju177 p82-87 *** Mathematics / Binary Novice's eye on computer arithmetic. Ledder, Wayne. art 3:1 Jan78 p150-159 *** Mathematics / Binary Overview of long division. Gass, Geoffrey. art 4:8 Aug79 p220-224 *** Mathematics Sources of numerical error. Buskirk, Daniel. art 4:4 Apr79 p46-49 *** Mathematics This circuit multiplies. Hall, Tom. art 2:7 Ju177 p36-39 *** Mathematics / Design What's in a floating point package?. Linker, Sheldon. art 2:5 May77 p62-66 *** Mathematics / Programming Instruction

PROGRAMMING INSTRUCTION

PROGRAMMING INSTRUCTION

Explore an 8080 with Educator-8080*. Howerton, Charles. art 13 1:11 Ju176 p22-29 ****
Education / 8080 / Programming Instruction
Introduction to addressing methods. Zarrella, John. art 1:10 Jun76 p76-80 ***
Programming Instruction / Machine Language
Processing logical expressions (Bauer-Samelson algorithm extension). Maurer, W. Douglas. art 2:8 Aug77 p130-135 *** Programming Instruction / Machine Language
Stack it up. Allen, Charlton. art L3 4:11 Nov79 p140-148 *** 8080 / Programming Instruction
Stacks in microprocessors. Radhakrishnan/Bhat. art 4:6 Jun79 p168-174 *** Microprocessor / Programming Instruction
What's in a floating point package?. Linker, Sheldon. art 2:5 May77 p62-66 *** Mathematics / Programming Instruction
MMDUTER LITERACY
Comments on the acquisition of Propulators

COMPUTER LITERACY
Comments on the acquisition of knowledge.
Helmers, Carl. col 2:8 Aug77 p5+ ***
Computer illiteracy - a national crisis and a
solution for it. Luehrmann, Arthur. col 5:7
Jul80 p98-102 *** Education
Homebrewery vs the software priesthood.
Wilber/Fylstra. art 1:14 Oct76 p90-94 ***
Software Piracy / Homebrew
COMPUTERS AND SOCIETY
New cultures from new technologies. Papert. COMPUTER LITERACY

MPUTERS AND SOCIETY
New cultures from new technologies. Papert,
Seymour. col 5:9 Sep80 p230-240 ***
Education / Future / Children
Personal computing: new prospects for art and
science. Helmers, Carl. col 3:4 Apr78 p6+
*** Art / Science
Some laws of personal computing. Lewis, T.G.
art 4:10 Oct79 p186-191 *** History
What is this phenomenon personal computing?.
Helmers, Carl. col 3:1 Jan78 p6+ ***
Publishing
WEERRNCE

CONFERENCE

Albuquerque happenings (World Altair Computer Convention). art 1:10 Jun76 p36-37 ***

Minicomputer fair: tiny and personal. Piele, Donald. art 2:11 Nov77 p26-29 *** Contests / Secondary Education / Higher Education
Seventh annual SIGGRAPH conference

Education
Seventh annus SIGGRAPH conference.
Livingston/Dahmke. art 5:11 Nov80 p172-176
*** Graphics / Color Graphics
Software protection in the United Kingdom.
Hayman, Martin. art 6:10 Oct81 p126-139
*** Copyright / Law / Software Piracy
CONSUMER INFORMATION
Benchmarks, standards, etc. Helmers, Carl. art
1:3 Nov75 p90-92 *** Standards / Benchmark
Testing
Budget building on a bare board. Parker, Dan.
art 4:10 Oct79 p206-208 *** Hardware
Construction
Computing inflation with the consumer price
index. Haldeman, Joe. col Ll 6:7 Ju181
p300-302 *** Inflation / Apple II
How to choose a microprocessor. Frenzel, Lou.
art 3:7 Ju178 p124-150 *** Microprocessor
/ Hardware Review
Systems approach to a personal microprocessor.
Suding, Robert. art 1:10 Ju176 p32-34 ***
Microprocessor
Where to get bargains in used computer
equipment*. Libes, Sol. art 2:12 Dec77
p154-155 *** Retailing
World Power Systems: a report. Morgan, Chris.
col 4:7 Ju179 p193 *** Crime
Source. Boudinoth, R.D. art 1:9 May76
p18-23 *** Retailing / Manufacturing
CONTESTS

pla-23 ** Reserving.
CONTESTS
APL interpreter for microcomputers, part 1*.
Wimble, Michael. art 2:8 Aug77 p50-65 ***
APL / Interpreter
BYTE game contest. col 6:12 Dec81 p302-303
*** Games

CONTESTS (CONTINUED)

Chess 4.7 versus David Levy: The computer beats a chess master. Douglas, J.R. art 3:12 Dec78 p84-90 *** Chess / People
Grandmaster Walter Brown versus Chess 4.6.
Douglas, John. art 4:1 Jan79 p110-115 ***
Chess / People
Microchess 1.5 versus Dark Horse. Jennings,
Peter. art 3:3 Mar78 p166-167 *** Chess
Minicomputer fair: tiny and personal. Piele,
Donald. art 2:11 Nov77 p26-29 ***
Conference / Secondary Education / Higher
Education
Santa Cruz Open: Othello tournament for
computers. Frey, Peter. art 6:7 Jul81
p26-37 *** Othello / Games
Second world computer chess championships.
Jennings, Peter. art 3:1 Jan78 p108-118
*** Chess
Winners in the BYIE first computer art contest.
col 1:16 Dec76 p70 *** Art
Winners of the Great APL Contest (APL
interpreter). Kaniss/DiChristofaro. col 4:6
Jun79 p194-196 *** APL

Classroom demonstration: controlling a system with a microcomputer. Hill, Garnet. art L3 3:11 Nov78 pl12-118 *** Science / Higher Education

Education
Computers and eclipses. Helmers, Carl. col 4:7
Jul79 p8-14 *** Astronomy / Science /
Photography
Controlling small DC motors with analog signals.
Sweer/et al. art 2:8 Aug77 p18-24 ***
Plotter / Analog/Digital Circuit / Simulation
Don't forget the hardware...(control in the
home). Helmers, Carl. col 4:5 May79 p6+
*** Home
Heating and cooling management system. Hall,
Tom. art 6:2 Feb81 p326-331 *** Energy /
Home

*** Home

Heating and cooling management system. Hall,

Tom. art 6:2 Feb81 p326-331 *** Energy /

Home

How to computerize your model railroad. Brown,

David. art 2:7 Ju177 p12-21 ** LSI-11

JITTER (blinking lights on an Altair)*. Speer,

Gordon. col L3 1:10 Jun76 p94 *** Altair

Microcomputer and the pipe organ. Raskin, Jef.

art 3:3 Mar78 p56-68 *** Music

Microcomputer as a laboratory instrument.

Cosgrove, Daniel. art L3 6:11 Nov81

p84-95+ *** Science / Higher Education

Model railroad switch control circuit. De

Monstoy, Herman. let 1:2 Oct75 p87 ***

Nature of robots, part 2: simulated control

system. Powers, William. art L1 4:7 Ju179

p134-152 *** Robots / Simulation / North Star

On beginning a new project...(local controller of

music peripherals). Helmers, Carl. col 4:6

Jun79 p6+ *** 6809 / Music

Shadow, Buck Rogers, and the home computer (home

applications). Gardner, Richard. art 1:2

Oct75 p58-60 *** Home / Predictions / Future

Taking the first step (stepper motors). Bober,

Robert. art L3 3:2 Feb78 p55-36+ ***

Graphics / Character Generator

6800

6800
Computer-controlled light dimmer, part 2:
implementation. Gibson, John. art L3 5:2
Feb80 p72-80 *** 6800 / Hardware
Construction
Give your micro some muscles*. Grappel, Robert.
art 2:3 Mar77 p9-11+ *** 6800

8080

Add some control to your computer: an output port tutorial. Barbier, Ken. art L3 4:9 Sep79 p196-200 *** Hardware Construction / 8080

APPLE II
Apple X10 control. Arczynski, Wayne. col L3
6:12 Dec81 p469-472 *** Home / Apple II /
6502

6502
Computer-controlled viewing of the 1980 eclipse. Helmers, Carl. col L6 5:5 May80 p6+ ***
Photography / Astronomy / Apple II
Hunting the computerized eclipse. Helmers, Carl. col L6 5:3 Mar80 p6-12+ *** Photography / Astronomy / Apple II

DESIGN
Computer-controlled light dimmer, part 1:
design*. Gibson, John. art L3 5:1 Jan80
p56-72 *** Design
Computer-controlled wood stove. Ciarcia, Steve.
col 5:2 Feb80 p32-56 *** Energy / Home /

Computer-controlled wood stove. Ciarcia, Steve. col 5:2 FebBD p32-56 *** Energy / Home / Design
Controlling the real world. Olson, Hank. art 3:3 Mar/8 p174-177 *** Design
Interfacing pneumatic player pianos. Helmers, Carl. art 2:9 Sep7 p112-120+ *** Interface / Music / Design
Nature of robots, part l: defining behavior. Powers, William. art Ll 4:6 Jun79 p132-144 *** Robots / Design / Artificial Intelligence
Nonlinearities in illumination. Terry, Christopher. col 6:2 FebBl p188-194 *** Design
Stepping motor primer, part 1: theory of operation*. Giacomo, Paul. art 4:2 Feb79 p90-105 *** Design stepping motor primer, part 2: interfacing and other considerations. Giacomo, Paul. art 4:3 Mar/9 p142-149 *** Interface / Design

HARDWARE CONSTRUCTION

Add some control to your computer: an output port tutorial. Barbier, Ken. art L3 4:9 Sep79 p196-200 *** Hardware Construction / 8080

Hardware Construction
Build a simple video switch. Hallgren, Richard.
col 6:3 Mar8l p234 *** Video Display /
Hardware Construction
Build a touch tone decoder for remote control.
Ciarcia, Steve. col 6:12 Dec81 p42-70 ***
Hardware Construction / Home /
Telecommunications
Cassette interface switching box for the TRS-80*.
Anderson, Craig. art 3:11 Nov78 p160-161
*** Tape Cassette / TRS-80 Model I / Hardware
Construction

*** Tape Cassette / IRS-80 Model I / Hardwar Construction Computer-controlled light dimmer, part 2: implementation. Gibson, John. art L3 5:2 Feb80 p72-80 *** 6800 / Hardware Construction

Feb80 p72-80 *** 6800 / Hardware
Construction
Computer-controlled tank. Ciarcia, Steve. col
L1 6:2 Feb81 p44-64 *** Toys / Hardware
Construction
Control the world! (or at least a few analog
points). Ciarcia, Steve. art L1 2:9 Sep77
p30-43* *** Digital/Analog Circuit / Hardware
Construction
Controlling DC motors. Walton, Robert. art L3
3:7 Jul78 p72-80 *** Hardware Construction
Controlling DE motors. Walton, Robert. art L8
4:8 Ap76
p42-45 *** Hardware Construction
Controlling external devices with hobbyist
computers*. Bosen, Robert. art 1:8 Ap76
p42-45 *** Hardware Construction / Interface
DC motor controls: build a motorized platform.
Ciarcia, Steve. col 6:5 May81 p66-98 ***
Hardware Construction
Do it yourself weather predictions*. Firth,
Michael. art 1:16 Dec76 p62-69 ***
Hardware Construction / Weather
Furnace watchdog. Wierenga, Theron. art L1
5:1 Jan80 p74-90 *** Energy / Home /
Hardware Construction
Handheld remote control for your computerized
home. Ciarcia, Steve. col L1 5:7 Jul80
p22-42 *** Home / Hardware Construction /
Input/Output
Home in on the rangel. Ciarcia. Steve. col L1

p22-42 *** Home / Hardware Construction / Input/Output Home in on the range!. Ciarcia, Steve. col L1 5:11 Nov80 p32-58 *** Hardware Construction / Interface / TRS-80 Model I Microprocessor based analog/digital conversion. Frank, Roger. art L3 1:9 May76 p70-73 *** Digital/Analog Circuit / Hardware Construction Mind over matter: add biofeedback input for your computer. Ciarcia, Steve. col L1 4:6 Jun79 p49-58 *** Health / Analog/Digital Circuit / Hardware Construction Race-car monitoring program. Johnson, Jeff. col

ph9-38 *** Health / Analog/Digital Circuit / Hardware Construction
Race-car monitoring program. Johnson, Jeff. col
L6 5:6 Jun80 p196-202 *** Hardware
Construction
Telephone-dialing microcomputer. Renbarger,
John. art L3 5:6 Jun80 p140-170 ***
Telecommunications / KIM / Hardware
Construction
There's more to blinking lights than meets the
eye. Helmers, Carl. art L3 1:5 Jan76
p52-54 *** Hardware Construction / 8008
Tune in and turn on!, part 1: a computerized
wireless AC control system. Ciarcia, Steve.
col L1 3:4 Apr78 p114-125 *** Hardware
Construction / Home
Tune in and turn on, part 2: an AC wireless
remote control system. Ciarcia, Steve. col
3:5 May78 p97-102 *** Hardware Construction
/ Home

/ Home

INTERFACE

Computerize a home (BSR X-10 and a TRS-80)*.
 Ciarcia, Steve. col ll 5:1 Jan80 p28-54
*** Security / Home / Interface
Controlling external devices with hobbyist
 computers*. Bosen, Robert. art l:8 Apr76
 p42-45 *** Hardware Construction / Interface
Home in on the range!. Ciarcia, Steve. col ll
 5:11 Nov80 p32-58 *** Hardware Construction
/ Interface / TRS-80 Model I
Interactive control of a videocassette recorder
with a personal computer . Hallgren, Richard.
 art l3 5:7 Jul80 p116-134 *** Computer
 Assisted Instruction / Interface / Higher Educatio
Interfacing pneumatic player pianos. Helmers,
 Carl. art 2:9 Sep77 p112-120 ***
Interface / Music / Design
Stepping motor primer, part 2: interfacing and
 other considerations. Giacomo, Paul. art 4:3
Mar79 p142-149 *** Interface / Design
Train control display using the LSI-11
microcomputer. Hart, Jack. art 2:7 Jul77
 p44-50 *** Interface / LSI-11

TRS-80 MODEL I

TRS-80 MODEL I

Cassette interface switching box for the TRS-80*. Anderson, Craig. art 3:11 Nov78 p160-161 *** Tape Cassette / TRS-80 Model I / Hardware Construction

Apple* en CASTELLANO 변 Tercer Medio presenta su sistema administrativo (T.M.A.) para Apple

Diseñado de acuerdo con los principios contables aceptados en todos los países de habla hispana.

APLICACIONES COMERCIALES Y CIENTIFICAS

• CONTABILIDAD GENERAL

Diario General
Resumen del Diario
Consulta parcial al Diario
Mayor General
Balance de Comprobación
Balance General
Ganancias y Pérdidas
Catálogos de Cuentas
Consultas por pantalla


CUENTAS
 POR COBRAR

Catálogo de Cuentas Listado de Transacciones Antigüedad de Saldos Saldos por Vencer Relación de Cobranzas Relación de Pagos Estado de Cuentas Consultas varias por pantalla

- INVENTARIO Y FACTURACION
- CONTROL DE BANCOS
- PERT/CPM
- CUENTAS A PAGAR
- CONTROL DE COSTO DE OBRAS

VENTAJAS DEL SISTEMA T.M.A.

- Son completamentes conversacionales.
- El chequeo de la información es instantáneo.
- Los reportes impresos o por pantalla guardan los formatos generalmente aceptados.
- Están pensados para adaptarse a cualquier empresa.
- Toda la información está instantáneamente disponible
- Precisión Expandida.
- Números de hasta + 999,999,999,99



Circle 413 on inquiry card.



APARTADO DE CORREOS 62533 CARACAS 1060 - A - VENEZUELA TELEX: 27.876 - CPB TH - VE. TELEFONOS: 283.60.88 - 284.74.68

oublicidad Gráficas León, S

CONTROL (CONTINUED)

CONTROL (CONTINUED)

Home in on the range!. Ciarcia, Steve. col L1
5:11 Nov80 p32-55 *** Hardware Construction
/ Interface / TRS-80 Model 1

CONTROL STRUCTURES

Building control structures in the Smalltalk-80
system. Deutsch, L. Peter. art L9 6:8
Aug81 p32-346 *** Smalltalk / Design /
Programming Instruction

CONVERSIONS
5 byte housefully 1855

VVERSIONS

5 byte hexadecimal to ASCII converter. Doshi,
Ashwin. col L3 4:6 Jun79 p208 *** ASCII
/ Hexadecimal / 8080

AIM-65 16-bit hexadecimal to decimal conversion.
Young, R.A. col L3 6:8 Aug81 p413 ***
Hexadecimal / AIM

Young, R.A. col L3 6:8 Aug81 p413 ***
Hexadecimal / AIM
Alpha locking in software (uppercase to lowercase
conversion). Lewis, W.S. col L3 5:5 May80
p152-154 *** Z-80 / Programming Instruction
Alpha-Beta tree search converted to assembler.
Gale, Stephen. col L3 6:8 Aug81 p408-412
*** Games / IRS-80 Model I / Strategy
Beware of interrupts (binary-coded-decimal
conversion). Feldman, Dave. col 5:9 Sep80
p320 *** Binary Coded Decimal
Binary-to-BCD converter for the 8080. Brockman,
D.M. col L3 6:8 Aug81 p418-419

Binary / Binary Coded Decimal / 8080
Converting North Star's deletion characters.
Miller, Alan. col L3 3:10 Oct78 p141 ***
North Star
Converting pitch to frequency. Katz, Robert.

North Star
Converting pitch to frequency. Katz, Robert.
col L2 6:2 Feb8l p92-94 *** Music /
Calculator
DC to DC converter. Picco, Michael. art 5:5
May80 p20 *** Power Supply / Design
Dataline (converts object code to BASIC data
statements). Hunt, Daniel. col Ll 6:3
Mar81 p216-222 *** BASIC / Utility Program /
Sol

Mar81 p216-222 *** BASIC / Utility Program / SOL
Fast, multibyte binary to binary-coded-decimal conversion routine. McQuade, Michael. art L3 5:2 Feb80 p106-114 *** Binary Coded Decimal / Binary Generating bar code in the Hewlett-Packard format*. McNeal, Thomas. art L1 6:1 Jan81 p188-178 *** Bar Codes / Hewlett-Packard / Calculate According to the code of the code

Calculator

How to do a number of conversions*. Brown, James. art L3 1:13 Sep76 p50-60 *** Binary / Hexadecimal / 8080

Binary / Hexadecimal / 8080
Lowercase-to-uppercase converter. Degler, Rogercol 13 5:9 Sep80 p326-327 *** Design / Lowercase Modification
No power for your interfaces? Build a 5 W DC to DC converter. Ciarcia, Steve. col 3:10 Oct78 p22-31 *** Hardware Construction / Power Supply
On converting 60 Hz VDM-1s to 50 Hz line current. Mowchanuk, Timothy. col 3:6 Jun78 p130
*** Power Supply
Shape table conversion for the Apple II.
Partyka, Dave. col LI 4:11 Nov79 p63 *** High Resolution Graphics / Programming Instruction / Apple II.

Partyka, Dave. col L1 4:11 Nov/9 pb3 ***
High Resolution Graphics / Programming
Instruction / Apple II
Simple base conversions for the TRS-80. Curran,
James. col L1 5:11 Nov80 pl45 ***
Hexadecimal / TRS-80 Model I /
Those calculating Romans (Roman numeral
calculator). Dishman, Laurence. col L1 3:6
Jun78 pl09-111 *** Mathematics / North Star
Tiny Pascal compiler, part 3: P-code to 8080
conversion. Chung/Yuen. art L6 3:11 Nov78
pl82-192 *** Pascal / Compiler / 8080
Using a keyboard ROM*. Brehm, Bob. art 2:5
May77 p76-82 *** Keyboard / ROM / ASCII
Variable type converter for numerical quantities.
Moskowitz, Mike. col L1 6:2 Feb81
p271-272 *** Programming Instruction /
Hewlett-Packard / BASIC
Whose BASIC does what?*. Li, Teri. art 6:1
Jan81 p318-327 *** BASIC / Software Review
PYRIGHT

COPYRIGHT

YPRIGHT
Are you an author?. Mooers, Calvin. art 1:13
Sep76 p16-22 *** Software Publishing /
Software Piracy / Security
How can we stop software piracy?. Morgan, Chris.
col 6:5 May81 p6-10 *** Software Piracy /

col 6:5 May8l p6-10 *** Software Piracy Security
Legal protection for computer hardware and software. Becker, Stephen. art 6:5 May8l p140-146 *** Patent / Law Software protection in the United Kingdom. Hayman, Martin. art 6:10 Oct81 p126-139 *** Law / Software Piracy / Conference Washington tackles the software problem. Kern, Christopher. art 6:5 May8l p128-138 *** Law / Patent SMAC

COSMAC MAC COSMAC VIP, the RCA fun machine. Weisbecker, Joseph. hr 2:8 Aug77 p30-32+ *** Hard

Review
COSMAC doodler. Duntemann, Jeff. art L2 5:5
May80 p214-224 *** Graphics / Memory /
Hardware Construction
Easy programming system (hexadecimal interpretive

Easy programming system (hexadecimal interpretive programming system). We isbecker, Joseph. art L9 3:12 Dec78 p108-122 *** Programming Instruction / Hexadecimal IPS, an unorthodox high level language. Meinzer, Karl. col L9 4:1 Jan/9 p146-159 *** Languages / Design Turn your COSMAC VIP into a frequency counter. Mod1a, Andrew. art L3 6:2 Feb81 p318-323 *** Frequency Counter / Utility Program

AMA-3 emulator for the Hazeltine 1500. Shoemaker, Charles. col L3 6:4 Apr81 p304-308 *** Terminal / Utility Program

CP/M (CONTINUED)

A (Continue)

A

Construction
CP/M: a family of 8- and 16-bit operating
systems. Kildall, Gary. 6:6 Jun81
p216-232 *** Operating Systems
Ins and outs of CP/M. Larson, James. art L3
6:6 Jun81 p268-300 *** Programming

6:6 Jun81 p268-300 *** Programming Instruction /
MINCE: a text editor. Kern, Christopher. sr
6:9 Sep81 p150-160 *** Software Review /
Text Editor
Microsoft Softcard. Pelczarski, Mark. hr 6:11
Nov81 p152-162 *** Hardware Review / Z-80 /
Apple II
Reformatter for CP/M and IBM floppy disks.
Lehman, John. sr 6:4 Apr81 p94-96 ***
Software Review / Utility Program / IBM
Wordsmith (CP/M or North Star word processor).
Datmke, Mark. sr 6:5 May81 p254-258 ***
Software Review / Word Processing / North Star CP1600

General Instrument CP1600. Baker, Robert. art 1:7 Mar76 p46-51 *** Microprocessor / Hardware Review

On the importance of casting abstractions in concrete. Helmers, Carl. col 4:12 Dec79 p6-8

World Power Systems: a report. Morgan, Chris. col 4:7 Jul79 p193 *** Consumer Information CROMEMCO

\$5.25 interface to the BSR X-10 home control 53.c3 Interface to the 5st A-10 Nome Control system. Trimble, Alan. col L3 5:9 Sep80 p314-316 *** Home / Control / Interface About the cover (color graphics on the TV Dazzler). Helmers, Carl. art 1:10 Jun76 p6-7 *** Color Graphics / Hardware Review / With Poschatting Camphing.

p6-7 *** Color Graphics / Hardware Review / High Resolution Graphics |
Fix for the Dazzler Baltrush, Michael. col 4:4 Apr/9 p247-248 *** Hardware Modification Wy TRS-80 talks to my Cromemoz 7-2- Hallen, Rod. art 1.3 5:6 Jun80 p88-94 *** TRS-80 Model I / Serial Input/Output / RS-232 Proposed graphics software standard, part 2. Jones, Vincent. col L.3 4:12 Dec/9 p82-85+ *** Graphics / Standards |
Some example plots. Dameron, David. col L1 5:2 Feb80 p140-144 *** Plotting / Art YPTOLOGY

CRYPTOLOGY

YPTOLOGY
YPT

Algorithm CYBER 170

Linking a Pascal Microengine to a Cyber 170. Sedlet/Dust. art L6 6:11 Nov81 p472-489 *** Interface / Pascal / Pascal Microengine DATA BASE MANAGEMENT

IA BASE MANAGEMENT
Apple II file-management systems. Blochowiak,
Ken. sr 6:11 Nov81 p274-300 *** Software
Review / Apple II
Data-base management systems: powerful newcomers
to microcomputers. Gagle/Koehler. art L1
6:11 Nov81 p97-122 *** Programming Design /
Programming Instruction / North Star
Datahandler from Miller Microcomputer Services.
Richardson, Allyn. sr 6:11 Nov81 p138-150
*** Software Review / FORTH / TRS-80 Model I
Fundamentals of relational data organization.
Neely/Stewart. art 6:11 Nov81 p48-60 ***
Data Structures / Information Storage
Information-retrieval system. Elmore/Agarwal.

Information-retrieval system. Elmore/Agarwal. art 5:10 Oct80 pl14-150 *** Information Storage / Programming Instruction / Data Structures

Structures
PDQ: a data manager for beginners. Swanson,
Paul. art ll 6:11 Nov81 p236-262 ***
Inventory / Programming Instruction / TRS-80
Model III
Survey of data-base management systems for
microcomputers. Barley/Driscoll. art 6:11
Nov81 p208-234 *** Software Review
Writing with a data-base management system.
Brent, Edward. art 6:11 Nov81 p18-34 ***
Writing / Word Processing
TA GENERAL

GENERAL BASIC Star Trek trainer*. Herd, Gerald. art L1 1:13 Sep76 p40-42 *** Games / Programming

1:13 Sep/o p40-42 Number of the South of the

DATA STRUCTURES

A STRUCTURES
Building data structures in the Smalltalk-80
system. Althoff, James, art L9 6:8 Aug81
p230-278 *** Smalltalk / Programming
Instruction / Information Storage
Can we agree on standards?. Morgan, Chris. col
6:11 Row81 p6-8 *** Standards / Information

5:11 novel po-5 --- Standards, / Information Storage IF: a format for data exchange between applications programs. Kalish/Mayer. art L1 6:11 Nov8l p174-206 *** Standards / Information Storage

DATA STRUCTURES (CONTINUED)
Files on parade, part 1: types of files. Klein,
Mark. art 4:2 Feb79 p186-192 ***
Information Storage / Programming Instruction
Files on parade, part 2: using files. Klein,
Mark. art Ll 4:3 Mar79 p32-41 ***
Information Storage / Programming Instruction /

Information Storage / programming Instruction / BASIC Fundamentals of relational data organization. Neely/Stewart. art 6:11 Nov81 p48-60 *** Information Storage / Data Base Management Fundamentals of sequential file processing. Smith, Wayne. art 2:10 Oct77 p114-127 *** Information Storage / Programming Instruction / Tape Cassette How do you store 5,000 patient records?. col 1:11 Jul76 p95 *** Information Storage / Ask BYTE / Business Implementing dynamic data structures with BASIC files. Carter, Ted. art L1 5:2 Feb80 p92-102 *** Information Storage / Programming Information-retrieval system. Elmore/Agarwal.

Instruction / BASIC Information-retrieval system. Elmore/Agarwal. art 5:10 Oct80 pl14-150 *** Information Storage / Programming Instruction / Data Base

Storage / Programming Instruction / Data Base Management Introduction to data compression. Corbin, Harold. art L3 6:4 Apr3l p218-250 *** Information Storage / Programming Instruction Introduction to tables. Butterfield, James. art 3:4 Apr3B p18-21 *** Programming Instruction / Information Storage PERT organization: a technique for evaluating schedules. Maurer, W. Douglas. art 6:10 Oct81 p407-412 *** Mathematics Partitioned data sets. Halsema, A.I. art 3:12 Dec78 p168-173 *** Floppy Disk Drive / Information Storage / Programming Instruction Types and uses of direct access storage. Hill, Curt. art 2:1 Jan77 p60-65 *** Hard Disk Drive / Floppy Disk Drive / Information Storage Understanding ISAM. Gates, Reginald. art 5:6 Jun80 p108-118 *** Information Storage Understanding Instruction / Floppy Disk Drive DATA TRANSISION Communicate on a light beam* C. Ciarcia, Steve.

TA TRANSMISSION

Communicate on a light beam*. Ciarcia, Steve. col 4:5 May79 p32-49 *** Fiber-optics / Hardware Construction

Communicating in two directions. Titchener, Mark. art 5:6 Jun80 p96-106 *** Design / Networks

Networks
Data paths*. Liming, Gary. art 1:6 Feb76
p32-40 *** RS-232 / Definitions /
Telecommunications
Digicast system: receiving data and information
over your FM radio. Halsema, A.I. art 4:1
Jan79 p100-102 *** Online Systems
Hamming error correcting code. Wimble, Michael.
art 4:2 Feb79 p180-182 *** Parity Checking
/ Hamming Codes / Error Checking

./ Hamming Lodge / Error Lnecking
How to pick up a dropped bit. Maurer, W.
Douglas. art 2:7 Jul77 p72-76 *** Tape
Cassette / Parity Checking / Error Checking
Multiuser data network: communicating over VHF
radio. Bruninga, Robert. art 3:11 Nov78
p120-130 *** Networks / Multi-user Systems / Ham Radio Sky's the limit: use ham radio bands for

oxy's the limit use ham radio bands for intercomputer communication. Kasser, Joe. art 3:11 Nov78 p48-61 *** Networks / Ham Radio Transmission of digital data over twisted pair lines. Beebe, Edward. col 3:11 Nov78 p136-137 *** RS-232

DEBUGGING

p136-137 *** RS-232
BUGGING

AMSAT 8080 standard debug monitor: AMS80 version
2. Allen/Kasser. art L3 1:13 Sep76
p108-122 *** Monitor / 8080
BOSS: a debugging utility for the TRS-80 Model I.
Mitchell, Scott. sr 6:8 Aug81 p401 ***
Software Review / Utility Program / TRS-80
Model I
Comments on live board removal and insertion.
Stough, S.A. col 2:11 Nov77 p170 ***
Maintenance
DEMONS: a symbolic debugging monitor. Halsema,
A.I. art L3 6:5 May81 p326-358 ***
Monitor / 6800 / Disassembler
Design an on line debugger. Wier/Brown. art
1:8 Ap76 p56-62 *** Assembly Language /
Programming Instruction
Handy pulser. Chrisp, Bob. art 4:9 Sep79
p160-161 *** Test Equipment / Hardware
Construction
Is this a valid hot board placement procedure?

Construction
Is this a valid hot board placement procedure?.
col 2:7 Jul77 pl50 *** Maintenance
Jack and the machine debug...or reading the
traces of a wild program. Grappel/Hemenway.
art 2:12 Dec77 p91+ *** 6800 / MIKBUG /
Ittility Propram

Utility Program
Logic probes - hardware bug chasers*. Burr,
Alex. art 1:4 Dec75 p20-24 *** Test
Equipment / Logic Probe

Equipment / Logic Probe
Programming entomology (debugging programs).
McGath, Gary. art 3:2 Feb78 pl62-166 ***
Programming Instruction / Documentation
Single stepping the 8080 processor*. Sharp,
Charles. coi L3 4:1 Jan/9 pl79-180 ***
Monitor / 8080
Super STEP (TRS-80 utility). Robbins, Stanley.
sr 6:5 May81 p248-252 *** Software Review
/ TRS-80 Model I / Utility Program
Trapping technique for the 8080. Schulein, John.
art L3 2:8 Aug/7 pl58-161

Programming Instruction / 8080
DEFINITIONS
"My Dear Aunt Sally" algorithm*. Grannel

INTITIONS
"My Dear Aunt Sally" algorithm*. Grappel,
Robert. art 1:6 Feb76 p18-25 ***
Programming Instruction / Algorithm

Your prayers have been answered.

If you own or use a micro-computer, then chances are that from time to time, you've wished that someone could simplify programming.

Because as useful as micro-computers are, they can only ever be as good as the programs they run.

Well then, how does this sound?

No more program-coding. No more debugging. And no more time wasting.

Arguably more comprehensive and advanced than anything else of its kind, The Last One is a computer program that writes computer programs. Programs that work first time, every time.

By asking you questions in plain English about what you want your program to do, The Last One uses your answers to generate a

ready-to-use program in BASIC.

What's more, with The Last One, you can change or modify your program as often as you wish. Without effort, fuss or any additional cost. So as your requirements change, your programs can too.

And if, because of the difficulties and costs of buying, writing and customising software, you've put off purchasing a computer system up to now, you need delay no longer.

Available now.

The Last One costs \$600 plus local taxes where applicable and is now available from better computer stores.

For further information, write to D.J. 'AI' Systems Ltd.,

Two Century Plaza, Suite 480,

2049 Century Park East, Los Angeles, CA 90067.

Tel: (213) 203 0851.

THE LAST ONE

DEFINITIONS (CONTINUED)
Artificial intelligence: what is it?. Rosenbaum, Richard. art 2:4 Apr77 p50-56 ***
Artificial Intelligence
Build your own Turing machine. Willis, James. art L3 6:4 Apr8l p122-146 *** Hardware Construction / Computer Instruction / Turing Machines Data paths*. Liming, Gary. art 1:6 Feb76
p32-40 *** RS-232 / Telecommunications / Data
Transmission

p32-40 *** RS-232 / Telecommunications / Data Transmission
FORTH glossary. Williams, Gregg. art 5:8
Aug80 p186-196 *** FORTH
FORTH standards team. Ragsdale, William. art 5:10 Oct80 p274-277 *** FORTH / Standards
K or k (abbreviations and symbols). Peshka, Manfred. art 1:5 Jan76 p64-66 *** Writing LISP notes (definitions). Allen, John. art 4:8 Aug79 p62 *** LISP
Magic of computer languages. Nelson, Theodor. art 1:8 Apr76 p24-27 *** Languages / Computer Instruction
Magnetic recording for computers. Manly, William. art 1:7 Mar76 p18-28 ***
Information Storage / Tape Cassette / Diskettes Microcomputer glossary. Price, David. art 2:4 Apr77 p124-126 ***
Origins of the word "byte". Buchholtz, W. let 2:2 Feb77 p144 *** History / IBM
Personal computer - last chance for CAI. Frenzel, Lou. col 5:7 Ju180 p86-96 ***
Computer Assisted Instruction / Education Serial storage media: an introduction and glossary. Murphy, Brian. art 2:2 Feb77 p50-53 *** Information Storage / Tape Cassette
Smalltalk glossary. Williams, Gregg. col 6:8

Cassette Cassette
Smalltalk glossary. Williams, Gregg. col 6:8
Aug8l p48 *** Smalltalk

DESIGN

SIGN
Advanced real-time music synthesis techniques.
Chamberlin, Hal. art L3 5:4 Apr80 p70-94+
*** Music / Digital/Analog Circuit
Another plotter to toy with. Lucas, Peter. col
4:2 Feb79 p66-68 *** Plotter
Ari tutorial, part 1: the display list.
Crawford, Chris. art 6:9 Sep81 p284-300
*** Atari / Video Display / Graphics
Calculating filter capacitor values for computer
power supplies*. Thomas, John. art 5:4
Apr80 p118-122 *** Power Supply
Closer look at the TI Speak & Spell. Vernon,
Peter. art 6:4 Apr81 p150-154 *** Voice
Synthesis

Peter. a Synthesis Closer look

Apr80 p118-122 *** Power Supply
Closer look at the TI Speak & Spell. Vernon,
Peter. art 6:4 Apr81 p150-154 *** Voice
Synthesis
Closer look at the TRS-80 Color Computer. Baker,
Woody. col Ll 6:10 Oct81 p334-340 ***
TRS-80 Color
Comment and correction for Mouse ("Mouse: a
language for microcomputers"). Lane, Tom. col
L6 5:6 Jun80 p238-240 *** Languages /
Interpreter / BYTE Corrections
Communicating in two directions. Titchener,
Mark. art 5:6 Jun80 p96-105 *** Data
Transmission / Networks
Computer information arrangement. Holladay,
David. art 2:10 Oct77 p156-159 ***
Information Storage / Tape Cassette
Current state of robotics. Helmers, Carl. col
4:2 Feb/9 p6-7+ *** Robots
Cto DC converter. Picco, Michael. art 5:5
May80 p20 *** Power Supply Conversions
Design principles behind Smalltalk. Ingalls,
Daniel. art 6:8 Aug81 p286-298 ***
Smalltalk / Object-Oriented Languages
Designing a command language. Van den Bout, G.A.
art L9 4:6 Jun79 p176-187 *** Languages
Designing a command language. Van den Bout, G.A.
art L9 4:6 Jun79 p176-187 *** Languages
Designing a notot from nature, part 1: biological
considerations. Filo, Andrew. art 4:2 Feb/9
p12-29 *** Robots / Artificial Intelligence
Designing a universal Turing Machine: a software
approach. Munnecke, Thomas. art L3 3:12
Dec/8 p26-30 *** Computer Instruction /
Turing Machines
Designing the logic of the system - processor
board description, part 2. Helmers, Carl. col
4:10 Oct79 p6-14 *** Microcomputer System

Designing with double sided printed circuit
boards. Lamkins, David. art 4:3 Mar79
p38-48 *** Tape Cassette / Information
Storage / Digital Audio
Digital storage of images. Williams, Thomas.
art 5:11 Nov80 p220-238 *** Image
Processing / Information Storage / Graphics
Dirt-cheap bootstrap; more notes on bringing up a
microcomputer. Woodhull, Albert. art L3 5:3
Mar80 p142-152 *** Computer Instruction /
Microcomputer System
Double sided notes (on double sided printed
circuit boards). Titus, Jonathan. col 4:6
Jun/9 p193 *** Electronic Circuits
Editorializing with your c

Text Editor

Error checking and correcting for your computer.

Walker, Gregory. art 5:5 May80 p250-276

*** Hamming Codes / Parity Checking / Error
Checking

Extremely low-cost computer voice response
system. Anderson, James. art L3 6:2 Feb81
p36-43 *** Voice Synthesis

Faster audio processing with a microprocessor*.

Dally, William. art L3 4:12 Dec79 p54-76

*** Digital Audio / Sound Effects / Audio
Processing

DESIGN (CONTINUED)

SIGN (CONTINUED)
Floppy disk tutorial. Rampil, Ira. art 2:12
Dec77 p24-45 *** Floppy Disk Drive /
Information Storage / IBM
Friends, humans, and countryrobots: lend me your
ears (computer speech). Rice, D. Lloyd. art
1:12 Aug76 p16-24 *** Voice Synthesis /
From the publisher (lack of plugs on the Altair
computer). Green, Wayne. col 1:3 Nov75 p5*

*** Altair / Standards
Getting to know your monitor. Dalpiaz, Ron. art
5:11 Nov80 p206-217 *** Video Display /
Maintenance

Getting to know your monitor. Dalpiaz, Ron. art 5:11 Nov8D p206-217 *** Video Display / Maintenance
Give an ear to your computer (a speech recognition primer). Georgiou, Bill. art 3:6
Jun78 p56-91 *** Speech Recognition
Graphics text editor for music, part 1: structure of the editor. Nelson, Randolph. art 5:4
Apr80 p124-138 *** Text Editor / Music / Graphics
High level language for 8 bit machines.
Williams/Conley. art 3:7 Jul78 p152-161
*** Languages / Interpreter / Compiler
How to define an OS which does not need a wizard.
Jones, James. col 4:4 Apr79 p245-246 ***
Operating Systems
IPS, an unorthodox high level language. Meinzer,
Karl. col 19 4:1 Jan79 p146-159 ***
Languages / COSMAC
Intelligent memory block: adding processors to enhance performance. Castleman, Kenneth. art
3:3 Mar78 p186-192 *** Multiprocessing
Interfacing with an analog world - part 2. Carr,
Joseph. art 2:6 Jun77 p54-59* ***
Analog/Digital Circuit / Digital/Analog Circuit
Introduction to microprogramming. Cline, Ben.
art 4:4 Apr79 p210-217 *** Computer
Instruction
Introduction to multiprogramming. Dahmke, Mark.
art 4:9 Sep79 p20-32 *** Multi-user

Instruction
Introduction to multiprogramming. Dahmke, Mark.
art 4:9 Sep79 p20-32 *** Multi-user
Systems / Multiprogramming
LISP applications in Boolean logic.
Weyhrauch/Graves. art 19 4:8 Aug79
p206-211 *** LISP / Electronic Circuits
Linear circuit analysis. Anderson, Leonard. art
3:10 Oct78 p100-118 *** Electronic
Circuits

Circuits

3:10 Oct/8 pl00-118 *** Electronic Circuits
Lowercase-to-uppercase converter. Degler, Roger. col L3 5:9 Sep80 p326-327 ***
Conversions / Lowercase Modification
M6809 is silicon. Ritter/Boney. col 4:5 May/9
p30-31 *** 6809 / Test
Make liquid-crystal displays work for you. Ciarcia, Steve. col 5:10 Oct80 p24-38 ***
LCD Display
Microcomputer timesharing: a review of the techniques,...further reading. Johnson, Kenneth. art 4:4 Apr/9 p224-234 ***
Timesharing / Multi-user Systems
Micrograph, part 1: ...an instruction set for a raster-scan display. Booch, E. Grady. art L3
5:11 Nov80 p64-82* *** Color Graphics / High Resolution Graphics / Video Display Generator Microprocessor for the revolution: the 6809, part 1: design philosophy. Ritter/Boney. art L3
4:1 Jan/9 p14-42 *** Microprocessor / 6809
Microprocessor for the revolution: the 6809, part 2: instruction set... Ritter/Boney. art 4:2 Feb79 p32-42 *** Microprocessor / 6809
Microprocessor for the revolution: the 6809, part 3: final thoughts. Ritter/Boney. art 4:3 Mar/9 p46-52 *** Microprocessor / 6809
Manufacturing
Model of the brain for robot control, part 1:

Mar/9 p46-52 *** Microprocessor / 6809 / Manufacturing Model of the brain for robot control, part 1: defining notation. Albus, James. art 4:6 Jun79 p10-34 *** Robots / Artificial Intelligence Model of the brain for robot control, part 2: a neurological model. Albus, James. art 4:7 Ju179 p54-95 *** Robots / Artificial Intelligence

neurological model, Albus, James. art 4:7
Jul79 p54-95 *** Robots / Artificial
Intelligence
Model of the brain for robot control, part 3: a
comparison... Albus, James. art 4:8 Aug79
p66-80 *** Robots / Artificial Intelligence
Model of the brain for robot control, part 4:
mechanisms of choice. Albus, James. art 4:9
Sep79 p130-148 *** Robots / Artificial
Intelligence
More on inexpensive plotters. Carmichael,
Michael. col 2:10 Oct77 p58-59 ***
Plotting / Plotter
Mouse: a language for microcomputers. Grogono,
Peter. art L6 4:7 Jul79 p198-220 ***
Languages / Interpreter
Multiprocessing with Motorola's Mc6809E. Scales,
Hunter. art L3 6:7 Jul81 p136-156 ***
Multiprocessing / 6809
Nature of robots, part 3: a closer look at human
behavior. Powers, William. art L1 4:8
Aug79 p94-116 *** Robots / Simulation /
North Star
Nature of robots, part 4: looking for controlled
variables. Powers, William. art L1 4:9
Sep79 p96-112 *** Robots / Simulation /
North Star
Newt: a mobile, cognitive robot. Hollis, Ralph.
art 2:6 Jun77 p30-45 *** Robots
Note on advances in technology (amorphous
semiconductors). Robinson, Paul. col 3:1
Jan78 p165 *** Memory
Novel bar code reader. Farnell/Seeds. art 3:10
Oct78 p162-165 *** Memory
Novel bar code reader. Farnell/Seeds. art 3:10
Oct78 p162-165 *** Robots / PAPERBYTES
On bullding a light-seeking robot mechanism.
Allen/Rossetti. art 3:8 Aug78 p24-22 ***
Robots / Artificial Intelligence
On expressing multiple condition. Faught, David.

DESIGN (CONTINUED)

Pattern-directed invocation langauges. Kornfeld, William. art 4:8 Aug79 p34-48 ***
Languages / LISP
Plot continues. Walter, Leslie. art 5:1 Jan80 p138-144 ***
Plotter
Power-line protection circuit. Schneider, Neil. art 5:3 Mar80 p126 *** Power Supply
Programming the implementation. Crayne, Charles. art 1:8 Apr76 p16-18 *** Computer
Instruction / SCELBI
Protection circuits. Newswanger/Schafer. col 5:9 Sep80 p96-98 *** Power Supply /
Rationale of yet another homebrew system.
Helmers, Carl. col 4:9 Sep79 p6-9+ ***
6809 / Microcomputer System / Homebrew
Search for vector graphics. Gilberg, Mitchell. col 4:3 Mar79 p182 *** Graphics
Simple digital filter. Grappel, Robert. art L3 3:2 Feb78 p168-171 *** Analog/Digital
Circuit
Simplified theory of video graphics, part 1.
Watson, Allen. art 5:11 Nov80 p180-189 ***
Video Display / Graphics
Simplified theory of video graphics, part 2.
Watson, Allen. art 5:12 Dec80 p142-156 ***
Video Display / Color Graphics
Smalltalk-80 virtual machine. Krasner, Glenn. art 6:8 Aug81 p300-320 *** Smalltalk / Compiler / Interpreter
Smart memory, part 1. Smith, Randy. art 4:4
Apr79 p54-62 *** Memory / Information Storage
Smart memory, part 2. Smith, Randy. art 4:9
Ay79 p150-160 *** Memory
Some musings on hardware design. Ellis, Clayton. art 4:9 Sep79 p62-69 *** Integrated
Circuits
Some plotting comments. Roberts, T.P. col 3:2
Feb78 p172-175 **** Plotting / Plotter

art 4:

Greuits

Some plotting comments. Roberts, T.P. col 3:2
Feb78 pl72-175 *** Plotting / Plotter

Speech recognition for a personal computer
system. Boddie, James. art Ll 2:7 Jul77
p64-71 *** Speech Recognition

Spikes: pesky voltage transients and how to
minimize their effects. McCain, John. art
2:11 Nov77 p54-56 *** Power Supply

TIL loading considerations. Tomalesky, Greg.
art 2:2 Feb77 p122-124 *** TIL Gates

TV color graphics*. Lancaster, Don. art 1:6
Feb76 p62-69 *** Video Display / Color
Graphics

Tick...Tick...Boooom (safety problems with
small TV sets). Jazembski, W.B. col 3:4
Apr78 p154-155 *** Video Display / Power

Supply

small TV sets). Jazembski, M.B. col 3:4
Apr78 pl54-155 *** Video Display / Power
Supply
Timesharing: squeezing the most from your micro.
Linker, Sheldon. art 4:6 Jun79 p228-233
*** Timesharing / Multi-user Systems
Toward a common pseudocode for expression of
programs. Wingerter, Richard. col 3:6 Jun78
pl25-127 *** Languages
Ultra-lòw-cost network for personal computers.
Clements/Daugherty. art 6:10 Oct81 p50-66
*** Networks / Multi-user Systems /
Programming Design
Using finite state machines. Cortesi, David.
col 4:10 Oct79 p70-72 *** Languages
Watts inside a power supply. Liming, Gary. art
2:1 Jan77 p42-48 *** Power Supply /
Computer Instruction
What's in a video display terminal?. Walters,
Don. art 1:7 Mar76 p78-79 *** Video
Display / Terminal
Mho's afraid of dynamic memories?. Hauck, Lane.
art 3:7 Jul78 p42-46* *** Memory /
Computer Instruction / RAM
Z-80 in parallel (parallel processing). Loewer,
Bob. art 3:7 Jul78 p60-63+ *** Z-80 /
Microcomputer System

6800
Design of an M6800 LISP interpreter. Taft, S. Tucker. art L3 4:8 Aug79 pl32-152 *** Interpreter / LISP / 6800
How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3 3:4 Apr78 p28-35* *** Mathematics / 6800 / Mirropress 28-35*

3:4 Apr/8 p28-35+ *** Mathematics / 6800 / Microprocessor
Time-sharing/multi-user subsystem for microprocessors. Kinzer, Don. art L3 5:6 Jun80 p122-134 *** Timesharing / Multi-user Systems / 6800

APPLE II
Computer-aided drafting with Apple Pascal.
Sokol, Dan. art L6 6:7 Jul81 p388-429 ***
Electronic Circuits / Apple II / Pascal

CONTROL

Building control structures in the Smalltalk-80 system. Deutsch, L. Peter. art 1.9 6:8 Aug81 p322-346 *** Smalltalk / Programming Instruction / Control Structures
Computer-controlled light dimmer, part 1: design*. Gibson, John. art L3 5:1 Jan80 p56-72 *** Control
Computer-controlled wood stove. Ciarcia, Steve. col 5:2 Feb80 p32-56 *** Energy / Control / Home
Controlling the real world. Olson, Hank. art 3:3 Mar/8 p174-177 *** Control
Interfacing pneumatic player planos. Helmers, Carl. art 2:9 Sep77 p112-120* ***
Interface / Control / Music
Minifloppy interface. Allen, David. art 3:2 Feb78 p114-125 *** Minidisk Drive / Interface / Disk Controllers
Nature of robots, part 1: defining behavior. Powers, William. art L1 4:6 Jun79 p132-144 ***
Robots / Control / Artificial

ETTER PERFECT WORDS

ATARI 400/800

APPLE II & II+

EASY TO USE - Letter Perfect is a single load easy to use program. It is a menu driven, character orientated processor with the user in mind. FAST machine language operation, ability to send control codes within the body of the program, mnemonics that make sense, and a full printed page of buffer space for text editing are but a few features. Screen Format allows you to preview printed text. Indented margins are allowed. Data Base Merge with DATA PERFECT by LJK, form letters, accounting files and mailing labels only with MAIL MERGE/UTILITY by LJK. FEATURES — Proportional/Incremental spacing * Right Justification * File Merging * Block movement * Headers * Footers * Print Multiple Copies * Auto Page Numbering * Scroll forward/backward * Search and Replaces * Full cursor control * Underlining * Boldface * Superscripts * Subscripts * Auto page numbering * Insert character/line * Delete character/line * Centering * Horizontal tabs/changeable * Multifunction format line (line spacing - left margin - page width - lines/page - change fonts - top/ bot margin adjust) MUCH MORE! \$149.95

ATARI VERSION 2.0 #2001

Compatible with Atari DOS. Uses proportional font, right justified with Atari 825/Centronics* 737, 739 printers. Uses EPSON MX* Series + Graftrax/italicized font. Can mix type fonts on same page; mix boldface and enhanced font in same line with justification. Can be used with 16K Atari/400.

"Compared to the price of many other word processors, this package is a steal. It does everything the advertisement claims and more. On top of this the software is very easy to use." A.N.A.L.O.G. MAGAZINE

APPLE VERSION 5.0 # 1001

DOS 3.3 compatible — Use 40 or 80 column interchangeably (Smarterm — ALS; Videoterm-Videx; Full View $80-Bit\ 3$ Inc.; Vision 80 — Vista; Sup-R-Term — M&R Ent.) Reconfigurable at any time for different video, printer, or interface. USE HAYES MICROMODEM II*LCA necessary if no 80 column board, need at least 24 K of memory. Files saved as either Text or Binary. Shift key modification allowed. Data Base Merge compatible with DATA PERFECT* by LJK.

"For \$150, Letter Perfect offers the type of software that can provide quality word processing on inexpensive microcomputer systems at a competitive price." INFOWORLD

DATA PERFECT T.M. LJK

APPLE & ATARI DATA BASE MANAGEMENT

\$99.95

Complete Data Base System. User orientated for easy and fast operation. 100% Assembly language. Easy to use. You may create your own screen mask for your needs. Searches and Sorts allowed, Configurable to use with any of the 80 column boards of Letter Perfect word processing, or use 40 column Apple video. Lower case supported in 40 column video. Utility enables user to convert standard files to Data Perfect format. Complete report generation capability. Much More!

EDIT 6502 T.M. LJK

This is a coresident — two pass ASSEMBLER, DISASSEMBLER, TEXT EDITOR, and MACHINE LANGU-AGE MONITOR. Editing is both character and line oriented. Disassemblies create editable source files with ability to use predefined labels. Complete control with 41 commands, 5 disassembly modes, 24 monitor commands including step, trace, and read/write disk. Twenty pseudo opcodes, allows linked assemblies, software stacking (single and multiple page) plus complete printer control, i.e. paganation, titles and tab setting. User can move source, object and symbol table anywhere in memory. Feel as if you never left the environment of BASIC. Use any of the 80 column boards as supported by LETTER PERFECT, Lower Case optional with LCG.

LJK DISK UTILITY

This menu driven program allows the user to manipulate a variety of different file types. Binary, Text, and Source files may be easily converted into each other. The program may be used with APPLESOFT*, VISCALC*, and other programs. These program files may be readily adapted for multiple use including editing with LETTER PERFECT word processings.


MAIL MERGE/UTILITY APPLE & ATARI

This menu driven program combined with LETTER PERFECT allows user to generate form letters and print mailing labels. With the Atari, you may CONVERT ATARI DOS FILES, or Visicalc files compatible for editing with LETTER PERFECT. Utility creates Data Base files for Letter Perfect.

LOWER CASE CHARACTER **GENERATOR**

\$34.95

Lower Case Character Generator for the Rev. 7, Apple II or II+ computers. When installed, this Eprom will generate lower case characters to the video screen. Lower case characters set has two dot true descenders. Installation instruction included. Manual includes listing of software for full support and complete instructions for shift key modification. Compatible with LETTER PERFECT.



ENTERPRISES

LJK ENTERPRISES INC. P.O. Box 10827 St. Louis, MO 63129 (314) 846-6124

DEALER INQUIRES INVITED

Trademarks of: Apple Computer — Atari Computer — Epson America — Hayes Microcomputers — Personal Software - Videx - Bit 3 Inc. - M&R Ent. - Advanced Logic Systems - Vista Computers

DESIGN (CONTINUED)

Nonlinearities in illumination. Terry,
Christopher. col 6:2 Feb81 p188-194 ***

Christopher. col 6:2 Feb81 pl88-194 ***
Control
Single chip video controller. Haas, Bob. art
4:5 May79 p52-75 *** Video Controller /
Integrated Circuits / Hardware Review
Stepping motor primer, part 1: theory of
operation*. Giacomo, Paul. art 4:2 Feb79
p90-105 *** Control
Stepping motor primer, part 2: interfacing and
other considerations. Giacomo, Paul. art 4:2

other considerations. Giacomo, Paul. art 4:3 Mar79 p142-149 *** Control / Interface

Approaching game program design. Stuck, H.L. art 4:2 Feb79 pl20-126 *** Games / Programming Instruction
Character variation in role-playing games. Freeman, Jon. art 5:12 Dec80 pl86-190 *** Games / Strategy

Games / Strategy

HARDWARE CONSTRUCTION

Another plotter to toy with, revisited: design and construction details. Newcomb, Robert. art 1.3 5:2 Feb80 p202-207 *** Plotter / Hardware Construction / KIM

Building a computer from scratch. Jones, Hilary. art 2:11 Nov77 p80-92 *** Hardware Construction / Computer Instruction / Microcomputer System

Computer music: a design tutorial. Orlofsky, Thomas. art 1.3 6:3 Mar81 p317-332 *** Music / Hardware Construction / Z-80

Designing a robot from nature, part 2: constructing the eye. Filo, Andrew. art 4:3 Mar97 p114-123 *** Robots / Hardware Construction

Implementing an LSI frequency counter. Lynne, Perry. art 1.3 2:11 Nov77 p146-149 *** Frequency Counter / Hardware Construction

LEDs light up your logic. Gray, E.W. art 1:6 Feb76 p54-57 *** Hardware Construction

Modular construction, or why not do it yurself?. Walters, Don. art 1:2 Oct75 p46-47 *** Hardware Construction

Photo essay: physical hardware of a new computer backplane. Helmers. Carl. art 4:7 Jul79

Walters, Don. art 1:2 Oct/5 p40-4/
Hardware Construction
Photo essay: physical hardware of a new computer backplane. Helmers, Carl. art 4:7 Jul79 p194-197 *** Hardware Construction / Microcomputer System
Photographic notes on prototype construction. Helmers, Carl. art 1:4 Dec75 p94-96 ***
Hardware Construction
Recording with current instead of voltage. Hein, David. col 6:2 Feb81 p138-140 *** Tape Cassette / Hardware Construction
Switching power supplies: an introduction.
Ciarcia, Steve. col 6:11 Nov81 p36-45 ***
Power Supply / Hardware Construction

HARDWARE REVIEW Single chip video controller. Haas, Bob. art 4:5 May79 p52-75 *** Video Controller / Integrated Circuits / Hardware Review

INTERFACE

INTERFACE

Designing multichannel analog interfaces. Kraul, Douglas. art L3 2:6 Jun77 p18-23 *** Interface / Analog/Digital Circuit ** How to get your Tarbell going (cassette interface) **. Weinstein, Larry. art L3 3:7 Jul78 p162-171 *** Tape Cassette / Interface Interfacing pneumatic player pianos. Helmers, Carl. art 2:9 Sep77 p112-120+ *** Interface / Control / Music Interfacing with an analog world - part 1. Carr, Joseph. art 2:5 May77 p56-60 *** Interface / Analog/Digital Circuit Minifloppy interface. Allen, David. art 3:2 Feb78 p114-125 *** Minidisk Drive / Interface / Disk Controllers

Stepping motor primer, part 2: interfacing and other considerations. Glacomo, Paul. art 4:3 Mar79 p142-149 *** Control / Interface Waterloo RF modulator. Banks, Walter. art 3:1 Jan78 p94 *** Video Display / Interface

MATHEMATICS
Clockless multiplication and division circuits.
Weed, Mike. art 3:12 Dec78 p128-136 ***
Mathematics / Microprocessor
How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3
3:4 Apr78 p28-35* *** Mathematics / 6800 / Microprocessor

Microprocessor
Numerical methods in data analysis. Nguyen,
Toan. art L4 6:5 May81 p435-446 ***
Mathematics / FORTRAN
Some musings on Boolean algebra*.
Bunce/Schwartz. art 3:2 Feb78 p25-29 ***
Mathematics / TIT Gates
This circuit multiplies. Hall, Tom. art 2:7
Ju177 p36-39 *** Computer Instruction /
Mathematics

PROGRAMMING INSTRUCTION

PROGRAMMING INSTRUCTION
Add macro expansion to your microcomputer, part
2. Brown, David. art 5:11 Nov80 p361-371
*** Assembler / Programming Instruction
Approaching game program design. Stuck, H.L.
art 4:2 Feb79 p120-126 *** Games /
Programming Instruction
Building control structures in the Smalltalk-80
system. Deutsch, L. Peter. art L9 6:8
Aug81 p322-346 *** Smalltalk / Programming
Instruction / Control Structures
Smalltalk-80 system. Xerox Learning Group. art
6:8 Aug81 p36-48 *** Smalltalk /
Programming Instruction

DESIGN (CONTINUED)

SIGN (CONTINUED)
Structured programming with Warnier-Orr diagrams,
part 1: design. Higgins, David. art 2:12
Dec77 p104-110 *** Structured Programming /
Programming Instruction
What's inside Radio Shack's color computer?*.
Ahrens/et al. art 6:3 Mar81 p90-130 ***
TRS-80 Color / 6809 / Programming Instruction
SITAL AUDIO

What's inside Radio Shack's color computer?*.
Ahrens/et al. art 6:3 Mar8l p90-130 ***
TKS-80 Color / 6809 / Programming Instruction
DIGITAL AUDIO
Audio processing with a microprocessor. O'Haver,
Tom. art L3 3:6 Jun78 p166-173 *** Sound
Effects / 6502 / Audio Processing
Digital cassette subsystem: part 1, digital
recording background... Rampil/Breimeir. art
2:2 Feb7 p24-31 *** Tape Cassette
Digital cassette subsystem: part 2, digital data
formats... Rampil/Breimeir. art 2:3 Mar77
p38-48 *** Tape Cassette / Information
Storage / Design
Faster audio processing with a microprocessor*.
Dally, William. art L3 4:12 Dec79 p54-76
*** Design / Sound Effects / Audio Processing
Voice for the Apple without extra hardware.
Payne, Robert. art L3 6:11 Nov81 p499-501
*** Voice Synthesis / Apple II
DIGITAL/ANALOG CIRCUIT
A/D and D/A conversion - an inexpensive approach.
Mikel, Roger. art 6:2 Feb81 p312-316 ***
Analog/Digital Circuit / Hardware Construction
Advanced real-time music synthesis techniques.
Chamberlin, Hal. art L3 5:4 Apr80 p70-94+
*** Music / Design
Control the world! (or at least a few analog
points). Ciarcia, Steve. art L1 2:9 Sep77
p30-43+ *** Control / Hardware Construction
Interfacing with an analog world - part 2. Carr,
Joseph. art 2:6 Jun77 p54-59+ ***
Analog/Digital Circuit / Design
Microprocessor based analog/digital conversion.
Frank, Roger. art L3 1:9 May76 p70-73 ***
Control / Hardware Construction
Music making (square-wave music and
software-driven D/A synthesis). col 6:7
Jul81 p84 *** Music / Apple II
PADDLES: interfacing with modular breadboards.
Combs/Field. art 6:4 Apr81 p348-357 ***
Analog/Digital Circuit / Interface / Hardware
Construction
DISASSEMBLER
6800 disassembler. Lentz, Bob. art L3 4:5
May79 p104-108 *** 6800 / SWTPC

SASSEMBLER
6800 disassembler. Lentz, Bob. art L3 4:5
May79 p104-108 *** 6800 / SWTPC
DEMONS: a symbolic debugging monitor.
A.I. art L3 6:5 May81 p326-358 ***
Debugging / Monitor / 6800
Mini-disassembler for the 2650. Teja/Gonnella.
art L3 4:5 May79 p233-237 *** 2650
SK CONTROLLERS

SK CONTROLLERS
Build the Disk-80: memory expansion and
floppy-disk control (TRS-80). Ciarcia, Steve.
col 6:3 Mar81 p36-52 *** Hardware
Construction / Minidisk Drive / TRS-80 Model I
Floppy disk interface*. Allen, David. art L3
3:1 Jan78 p58-76 *** Floppy Disk Drive /
Interface / 6800
Improve TRS-80 disk operation: add an external
data separator. Kline, Ken. col 6:5 May81
p102-104 *** TRS-80 Model I / Hardware
Modification / Minidisk Drive
Interface a floppy-disk drive to an 8080A-based
computer. Hoeppner, John. art L3 5:5 May80
p72-102 *** Interface / 8080 / Minidisk
Drive

Minifloppy interface. Allen, David. art 3:2 Feb78 pl14-125 *** Minidisk Drive /

Minifloppy interface. Allen, David. art 3:2
Feb78 pl14-125 *** Minidisk Drive /
Interface / Design
Percom's Doubler. Kelly, Mahlon. hr 6:7 Jul81
p344-352 *** Hardware Review / TRS-80 Model
I / Minidisk Drive
Relocatable bootstrap for the Tarbell disk
controller. Smith, Hector. col L3 6:4
Apr81 p148 *** Operating Systems
DISKETTES
WEIGHT PRODUCTION of Computators Manky

Magnetic recording for computers. Manly, William. art 1:7 Mar76 p18-28 *** Information Storage / Tape Cassette / Definitions DOCUMENTATION

CASSPIRES. David. art L6 6:10

Bits and bytes in Pascal: and other binary wonders. Caseres, David. art L6 6:10 Oct81 p448-457 *** Pascal / Programming Instruction / Apple II Concerning user's manuals. Coburn, H. Edgar. col 4:6 Jun79 p190-192 *** Introduction to BNF (Backus Normal Form). Maurer, W.D. art 4:1 Jan79 p116-125 *** Languages
Programming entomology (debugging programs). McGath, Gary. art 3:2 Feb78 p162-166 *** Debugging / Programming Instruction What is good documentation?. Howard, Jim. art 6:3 Mar81 p132-150 *** Writing ROM

EAROM
Add nonvolatile memory to your computer.
Ciarcia, Steve. col 4:12 Dec79 p36-53 ***
Memory / Hardware Construction

UCATION

Books as an antidote to the CAI blues, or take a publisher to lunch. Dwyer, Tom. col 5:7 Jul80 p74-84 *** Computer Assisted Instruction / Publishing / Software Publishing Capital of New Mexico is Santa Fe. White, Loring, col 11 3:3 Mar78 p170-171 *** Altair / Social Science

Computer illiteracy - a national crisis and a solution for it. Luehrmann, Arthur. col 5:7 Jul80 p98-102 *** Computer Literacy

EDUCATION (CONTINUED)

Computers in learning environments: an imperative for the 1980s. Braun, Ludwig. col 5:7 Jul80 p6-10+ *** Computer Assisted Instruction / Bibliography
Constellation I: an astronomy program. Berenbon, Howard. col Ll 6:3 Mar81 p333-335 *** Astronomy / TRS-80 Model I / SWTPC
CourseWare magazine. Holden, Elaine. sr 6:11 Nov81 p166-172 *** Software Review / Publishing
Explore an 8080 with Educator-8080*. Howerton, Charles. art L3 1:11 Jul76 p22-29 *** Computer Instruction / 3080 / Programming Instruction | Migh school computer system. Lett, Christopher. art 1:10 Jun76 p28-30 *** Altair / Secondary Education | Hydrocarbon molecule constructor. Matthews, Randall. art Ll 5:3 Mar80 p156-166 *** Science / Apple II LISP based systems for education. Laubsch/et al. art 4:8 Aug/9 p18-24 *** LISP / Logo Microcumputers in education: a concept-oriented approach. Wolfe, George. col 6:6 Jun81 p146-160 *** Computer Assisted Instruction / Artificial Intelligence
Microprocessor course. Fohl, Mark. art 2:8 Aug/7 p26-28+ *** Microprocessor / Computer Instruction / Higher Education Multi-micro learning environments (Solo/NET/works Project). Dwyer, Thomas. col 6:1 Jan81 p104-116 *** Multi-user Systems / Games / Simulation Multiple-machine loader for classroom computers.

Project). Dwyer, Thomas. col 6:1 Jan81 p104-116 *** Multi-user Systems / Games / Simulation
Multiple-machine loader for classroom computers. Hallgren, Richard. col 5:10 Oct80 p90-94
*** Interface / Multi-user Systems
New cultures from new technologies. Papert, Seymour. col 5:9 Sep80 p230-240 ***
Future / Computers and Society / Children
Personal computer - last chance for CAI.
Frenzel, Lou. col 5:7 Jul80 p86-96 ***
Computer Assisted Instruction / Definitions
Teaching with a microcomputer. Gerhold, George. art 3:12 Dec78 p124-126 *** Computer
Assisted Instruction / Higher Education
Tutorial training computer. Winkel, David. col 2:1 Jan77 p76-77 *** Computer Instruction / Hardware Construction
MuSIMP/muMATH-79 symbolic math system. Williams, Gregg. sr 5:11 Nov80 p324-338 ***
Software Review / Mathematics / Utility Program
ELECTRONIC CIRCUITS
Computer-aided drafting with Apple Pascal.

Software Review / Mathematics / Utility Program ELECTRONIC CIRCUITS Computer-aided drafting with Apple Pascal. Sokol, Dan. art L6 6:7 Jul81 p388-429 *** Design / Apple 11 / Pascal Designing with double sided printed circuit boards. Lamkins, David. art 4:3 Mar79 p94-102 *** Design Distal circuit simulation. Felkins, S. Leon. col L2 4:4 Apr79 p172-174 *** Simulation / Calculator / Double sided notes (on double sided printed circuit boards). Titus, Jonathan. col 4:6 Jun79 p193 *** Design LISP applications in Boolean logic. Weyhrauch/Graves. art L9 4:8 Aug79 p206-211 *** LISP / Design Linear circuit analysis. Anderson, Leonard. art 3:10 Oct78 p100-118 *** Design Make your own printed circuits. Hogenson, James. art 1:11 Ju176 p58-63 *** Hardware Construction / Manufacturing What's an 12L (I squared L)?. Steeden, Terry. art 1:12 Aug76 p84-86 *** TIL Gates ELECTRONIC MAIL Grass roots electronic post office. Helmers, Carl. col 5:6 Jun80 n6-10 ***

ELECTRONIC MAIL

Grass roots electronic post office. Helmers,
Carl. col 5:6 Jun80 p6-10 ***
Interpersonalized media: what's news?. Levin,
James. art 5:6 Jun80 p214-228 ***
Electronic News / Networks
Personal computer network (transfer of messages
and files). col 2:9 Sep77 p59-61 ***
Networks
ELECTRONIC NEWS
Interpersonalized media:

ELECTRONIC NEWS
Interpersonalized media: what's news?. Levin,
James. art 5:6 Jun80 p214-228 ***
Electronic Mail / Networks
ELEMENTARY EDUCATION

Simple math lessons (math test). Lloyd, Robert. col Ll 2:11 Nov77 p60 *** Mathematics / Tiny BASIC What makes computer games fun?. Malone, Thomas. art 6:12 Dec81 p258-277 *** Games / Software Review ERGY

ENERGY

CAMPY
Analyze your car's gas economy with your computer. Bauernschub, John. art L1 2:10 0ct77 p166-167 *** Automobile / SWTPC Computer simulation of a solar-energy system. Doan, Daniel. art L1 6:7 Jul81 p158-172 *** Simulation

Computer-controlled wood stove. Ciarcia, Steve. col 5:2 Feb80 p32-50 *** Control / Home /

Computer-controlled wood stuve. Control / Home / Design
col 5:2 Feb80 p32-56 *** Control / Home / Design
Energy conservation with a microcomputer.
Jackson/Callahan. art Ll 6:7 Jul81 p178-208 *** Home / PET
Energy measurement with the Apple II. Murray,
William. col Ll 6:7 Jul81 p294-299 ***
Analog/Digital Circuit / Apple II.
Energy-saving cost/benefit analysis.
Hetherington, R. col Ll 6:2 Feb81 p266-270
*** Home
Fwaluate your home's energy efficiency: conserve

Evaluate your home's energy efficiency: conserve energy with your.... Beasley, Kimball. art L1 6:10 Oct81 p250-260 *** Home / TRS-80

392





800_{xx}\$749

410 Recorder	9.00
810 Disc Drive	4.00
822 Printer	9.00
	9.00
830 Modem	9.00
820 Printer	9.00
	9.00
	1.00
	4.00
	8.00
CX40 Joy Stick	8.00
	9.00
Microtek 16K RAM	5.00
Microtek 32K RAM \$16	9.00
Charles and American Control of C	



400_{TM}

\$329

ATARI SOFTWARE

CX404 Word Processor \$119.00 CX404 PLLOT \$68.00 CX413 Microsoft Basic \$68.00 CX4101 Invitation To Programing I \$17.00 CX4102 Kingdom \$13.30 CX4103 Statistics \$17.00 CX4104 Mialing List \$17.00 CX4105 Blackjack \$13.30 CX4106 Invitation to Programing 2 \$20.00 CX4107 Biorythm \$13.00 CX4109 Graph II \$17.00 CX4110 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4101 Educational Master \$21.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX41002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00	ATANISOFTWANE	_
CX413 Microsoft Basic \$68.00 CX4101 Invitation To Programing I \$17.00 CX4102 Kingdom \$13.00 CX4103 Statistics \$17.00 CX4105 Blackjack \$13.00 CX4106 Invitation to Programing 2 \$20.00 CX4107 Biorythm \$13.00 CX4108 Hangman \$13.00 CX4109 Graph It \$17.00 CX4110 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$99.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Connersational Languages (ea.) \$45.00 CX4101 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8108 Bond Analysis \$20.00 CX1200 Basic Computing Language \$46.00 CX14003 Assembler Editor \$46.00	CX404 Word Processor \$119.00	
CX4101 Invitation To Programing I \$17.00 CX4102 Kingdom \$13.00 CX4103 Statistics \$17.00 CX4104 Mialing List \$17.00 CX4105 Blackjack \$13.00 CX4106 Invitation to Programing 2 \$22.00 CX4107 Biorythm \$13.00 CX4108 Hangman \$13.00 CX4109 Graph II \$17.00 CX4111 Touch Typing \$20.00 CX4111 FACE INVADERS \$17.00 CX4111 SPACE INVADERS \$17.00 CX4111 Shortgage & Loan Analysis \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Nortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118 Loconversational Languages (ea.) \$45.00 CX4121 Energy Czar \$13.00 CXL4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8107 Stock Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00	CX404 PILOT \$68.00)
CX4102 Kingdom \$13.00 CX4103 Statistics \$17.00 CX4104 Mialing List \$17.00 CX4105 Blackjack \$13.00 CX4106 Invitation to Programing 2 \$20.00 CX4107 Biorythm \$13.00 CX4108 Hangman \$13.00 CX4109 Graph II \$17.00 CX4110 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4111 States & Capitals \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8108 Isok Charting \$20.00 CX14002 Basic Computing Language \$46.00 CX14003 Assembler Editor \$46.00	CX413 Microsoft Basic)
CX4103 Statistics \$17.00 CX4104 Mialing List \$17.00 CX4105 Blackjack \$13.00 CX4106 Invitation to Programing 2 \$20.00 CX4107 Biorythm \$13.00 CX4108 Hangman \$13.00 CX4109 Graph It \$17.00 CX4110 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Fersonal Fitness Program \$99.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4101 Educational Master \$21.00 CX5001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CX14003 Assembler Editor \$46.00 CX14004 Basketball \$24.00 CX14007 Music Composer \$35.00 CX14009 Chess \$30.00 CX1401 STAR RAIDERS \$39.00 CX1401 Trac-Toe \$24.00 CX14010 Trac-Toe </td <td>CX4101 Invitation To Programing I \$17.00</td> <td>)</td>	CX4101 Invitation To Programing I \$17.00)
CX4104 Mialing List \$17.00 CX4105 Blackjack \$13.00 CX4106 Invitation to Programing 2 \$20.00 CX4107 Blorythm \$13.00 CX4108 Hangman \$13.00 CX4109 Graph II \$17.00 CX41010 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4111 SPACE INVADERS \$13.00 CX4112 States & Capitals \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Portogage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118 Lenergy Czar \$13.00 CX4112 Energy Czar \$13.00 CX4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8107 Stock Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CX14003 Assembler Editor \$46.00 CX14004 Basketball \$24.00 CX14005 Video Easel \$24.00 CX14007 Music Composer \$45.00 CX1400	CX4102 Kingdom \$13.00)
CX4105 Black, ack \$13.00 CX4106 Invitation to Programing 2 \$20.00 CX4107 Biorythm \$13.00 CX4108 Hangman \$13.00 CX4108 Graph It \$17.00 CX4110 Touch Typing \$20.00 CX4111 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4101 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8107 Stock Analysis \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4007 Music Composer \$45.00 <	CX4103 Statistics)
CX4106 Invitation to Programing 2 \$20.00 CX4107 Biorythm \$13.00 CX4108 Hangman \$13.00 CX4109 Graph II \$17.00 CX4110 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118 L20 Conversational Languages (ea.) \$45.00 CX4121 Energy Czar \$13.00 CX4001 Educational Master \$21.00 CX6001-17Talk & Teach Series (ea.) \$23.20 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4011 STAR RAIDERS \$39.00	CX4104 Mialing List \$17.00	
CX4107 Biorythm \$13.00 CX4108 Hangman \$13.00 CX4108 Graph It \$17.00 CX4110 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118 Languages (ea.) \$45.00 CX4118 Languages (ea.) \$45.00 CX4117 Invitation To Programing 3 \$20.00 CX4118 Languages (ea.) \$23.30 CX4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 <	CX4105 Blackjack \$13.00	
CX4108 Hangman \$13.00 CX4109 Graph It \$17.00 CX4110 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$99.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4112 Energy Czar \$13.00 CX4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CX14003 Assembler Editor \$46.00 CX14004 Basketball \$24.00 CX14005 Video Easel \$24.00 CX14007 Music Composer \$45.00 CX14009 Chess \$30.00 CX14010 JO Tic-Tac-Toe \$24.00 CX14011 STAR RAIDERS \$39.00 CX14012 MISSLE COMMAND \$32.00 CX14015 TeleLink \$20.00 <td< td=""><td>CX4106 Invitation to Programing 2 \$20.00</td><td></td></td<>	CX4106 Invitation to Programing 2 \$20.00	
CX4109 Graph II \$17.00	CX4107 Biorythm	
CX4110 Touch Typing \$20.00 CX4111 SPACE INVADERS \$17.00 CX4111 Slates & Capitals \$13.00 CX4112 States & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118 20 Conversational Languages (ea.) \$45.00 CX4118 20 Conversational Languages (ea.) \$45.00 CX4101 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL40107 Jo Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND </td <td>CX4108 Hangman \$13.00</td> <td></td>	CX4108 Hangman \$13.00	
CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX412 Energy Czar \$13.00 CX4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CX14003 Assembler Editor \$46.00 CX14004 Basketball \$24.00 CX14005 Video Easel \$24.00 CX14007 Music Composer \$45.00 CX14009 Chess \$30.00 CX14010 Jo D Tic-Tac-Toe \$24.00 CX14011 STAR RAIDERS \$39.00 CX14012 MISSLE COMMAND \$32.00 CX14015 TeleLink \$20.00 Visicalc \$149.00 Visicalc \$199.00	CX4109 Graph It	
CX4111 SPACE INVADERS \$17.00 CX4112 States & Capitals \$13.00 CX4114 European Countries & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX412 Energy Czar \$13.00 CX4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX14002 Basic Computing Language \$46.00 CX14003 Assembler Editor \$46.00 CX14004 Basketball \$24.00 CX14005 Video Easel \$24.00 CX14007 Music Composer \$45.00 CX14009 Chess \$30.00 CX14010 Jo D Tic-Tac-Toe \$24.00 CX14011 STAR RAIDERS \$39.00 CX14012 MISSLE COMMAND \$32.00 CX14015 TeleLink \$20.00 Visicalc \$149.00 Visicalc \$199.00	CX4110 Touch Typing	ы
CX4114 European Countries & Capitals \$13.00 CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4121 Energy Czar \$13.00 CX4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX1010 Stock Charting \$20.00 CX14002 Basic Computing Language \$46.00 CX14003 Assembler Editor \$46.00 CX14004 Basketball \$24.00 CX14005 Video Easel \$24.00 CX14006 Super Breakout \$30.00 CX14009 Chess \$30.00 CX140103 D Tic-Tac-Toe \$24.00 CX14011 STAR RAIDERS \$39.00 CX14012 MISSLE COMMAND \$32.00 CX14013 ASTEROIDS \$32.00 CX14015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX4111 SPACE INVADERS	
CX4115 Mortgage & Loan Analysis \$13.00 CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4121 Energy Czar \$13.00 CXL4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8101 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4005 Video Easel \$24.00 CXL4005 Video Easel \$24.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3-D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Vetter Perfect (Word Processor) \$109.00	CX4112 States & Capitals \$13.00)
CX4116 Personal Fitness Program \$59.00 CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4121 Energy Czar \$13.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL40103 D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX4114 European Countries & Capitals \$13.00)
CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4121 Energy Czar \$13.00 CXL4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8101 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4009 Chess \$30.00 CXL40103 D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX4115 Mortgage & Loan Analysis \$13.00) [
CX4117 Invitation To Programing 3 \$20.00 CX4118-20 Conversational Languages (ea.) \$45.00 CX4121 Energy Czar \$13.00 CXL4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8101 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4009 Chess \$30.00 CXL40103 D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX4116 Personal Fitness Program \$59.00)
CX4121 Energy Czar \$13.00 CXL4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8101 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL40103 D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4015 TeleLink \$20.00 VIsicalc \$149.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX4117 Invitation To Programing 3 \$20.00	
CXL4001 Educational Master \$21.00 CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX81010 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4004 Basketball \$24.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4009 Chess \$330.00 CXL40103 D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX4118-20 Conversational Languages (ea.) \$45.00	
CX6001-17 Talk & Teach Series (ea.) \$23.00 CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8107 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3-D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX4121 Energy Czar \$13.00	
CX8106 Bond Analysis \$20.00 CX8107 Stock Analysis \$20.00 CX8101 Stock Charting \$20.00 CX44002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4009 Chess \$30.00 CXL40103 D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
CX8107 Stock Analysis \$20.00 CX8101 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3-D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX6001-17 Talk & Teach Series (ea.) \$23.00)
CX8101 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$66.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3-D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
CX8101 Stock Charting \$20.00 CXL4002 Basic Computing Language \$46.00 CXL4003 Assembler Editor \$66.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3-D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX8107 Stock Analysis \$20.00)
CXL4003 Assembler Editor \$46.00 CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3-D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CX8101 Stock Charting \$20.00	
CXL4004 Basketball \$24.00 CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3-D Tic-Tac-Toe \$24.00 CLS4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CXL4002 Basic Computing Language \$46.00)
CXL4005 Video Easel \$24.00 CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3.0 Tic-Tac-Toe \$24.00 CLS4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
CXL4006 Super Breakout \$30.00 CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3-D Tic-Tac-Toe \$24.00 CXL4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
CXL4007 Music Composer \$45.00 CXL4009 Chess \$30.00 CXL4010 3.D Tic-Tac-Toe \$24.00 CLS4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
CXL4009 Chess \$30.00 CXL4010 3 D Tic-Tac-Toe \$24.00 CLS4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CXL4006 Super Breakout	
CXL4010 3-D Tic-Tac-Toe \$24.00 CLS4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
CLS4011 STAR RAIDERS \$39.00 CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CXL4009 Chess \$30.00	
CXL4012 MISSLE COMMAND \$32.00 CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00	CXL4010 3-D Tic-Tac-Toe	
CXL4013 ASTEROIDS \$32.00 CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
CXL4015 TeleLink \$20.00 Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00		
Visicalc \$149.00 Letter Perfect (Word Processor) \$109.00 Source \$89.00	CXL4015 TeleLink \$20.00	1
Letter Perfect (Word Processor) \$109.00 Source \$89.00	Visicalc \$149.00	
Source \$89.00	Letter Perfect (Word Processor) \$109.00	
	Source \$89.00	1

Cxcommodore



CBM 8032 \$1149

4016												Ġ.			,					i a					i			v						9	67	9	9.	0	(
4032																											į							9	69	19	9.	9	ç
B096																	Ĺ								ï								9	5	17	9	5.	0	C
CBM																																							
Tally	8	30):	24	1																												9	61	16	9	9.	0	C
CBM	1	3	2	N	1	C	2	15	55	S	e	t	te	9)	i	٧	e																	9	6	9.	Ō	C
CBM																																							
CBM																																							
																	_							_		_													
															;	ò	C)	-	T	٧	۷	Д	ıF	3	E													


SOFTWARE	
WordPro3 Plus	\$229.00
WordPro4 Plus	\$329.00
Commodore Tax Package	\$399.00
Visicalc	\$149.00
BPI General Ledger	\$329.00
OZZ Information System	\$329.00
Dow Jones Portfolio	\$129.00
Pascal	\$239.00
Legal Time Accounting	\$449.00
Word Craft 80	\$289.00
Create-A-Base	\$249.00
Power	\$89.00
Socket-2-Me	\$20.00
Jinsam	\$Call
MAGIC	. \$ Call



VIC 20 \$259

	Vic-TV Modual	\$19.0	0
	Vic Cassette	\$69.0	0
	Vic 6 Pack Program	\$44.0	0
	VIC1530 Commodore Datassette	\$69.0	0
		499.0	
		399.0	
	VIC1210 3K Memory Expander	\$32.0	
	VIC1110 8K Memory Expander	\$53.0	
	VIC1011 RS232C Terminal Interface	\$43.0	
	VIC1112 VIC IEEE-488 Interface	\$86.0	
	VIC1211 VIC 20 Super Expander	\$53.0	
	VIC1212 Programmers Aid Cartridge	\$45.0	
	VIC1213 VICMON Machine Language Monitor.	\$45.0	
	VIC1901 VIC AVENGERS	\$23.0	
	VIC1904 SUPERSLOT	\$23.0	0
	VIC1906 SUPER ALIEN	\$19.0	0
	VIC1907 SUPER LANDER	\$23.0	0
	VIC1908 DRAW POKER	\$23.0	0
	VIC1909 MIDNIGHT DRIVE	\$23.0	0
	VT106A Recreation Pack A	\$44.0	
	VT107A Home Calculation Pack A	\$44.0	
	VT164 Programmable Character/Gramegraphics	\$12.0	
	VT232 VICTerm I Terminal Emulator		
-	TIESE TIESE TO THE TENED TO THE	. 40.0	_

HEWLETT PACKARD



HP•85 \$2595

NEW! HP•125	\$3295.00
HP•83	\$1795.00
HP®85 16K Memory Module	\$249.00
51/4 " Dual Master Disc Drive	\$2129.00
Graphics Plotter (7225B)	\$2079.00
Call for HP Software Prices & Information.	



TI-99/4 \$399

PHC 004 TI-99/4 Home Computer \$39	9.00
PHP 1600 Telephone Coupler \$16	9.00
PHP 1700 RS-232 Accessories Interface \$16	9.00
PHP 1800 Disk Drive Controller \$23	9.00
PHP 1850 Disk Memory Drive \$38	9.00
PHP 2200 Memory Expansion (32K RAM) \$23	9.00
	3.00
	1.00
PHM 3006 Home Financial Decisions \$20	6.00
	3.00
PHD 5001 Mailing List \$60	0.00
	8.00
	00.0
	6.00
	6.00
	6.00
	6.00
	2.00
	5.00
	2.00
	2.00
PHM 3034 Hustle \$22	2.00
	3.00
PHM 3037 Hangman	3.00
	3.00
	2.00
PHM 3017 Terminal Emulator I \$39	9.00
	3.00
PHM 3035 Terminal Emulator II \$45	5.00

DISCS

Sycom Blank Disk (10)										\$29.00
Maxell MD I	 			*						\$36.00
Maxell MD II (10)			 							\$46.00

PRINTERS

Epson MX-70	
Epson MX-80	Call far Dilana
Epson MX-80 FT	Call for Prices
Diablo 630	
TEC 1500 Starwriter 25cps	\$1495.00
TEC 1500 Starwriter 45cps	\$1795.00

No Risk, No Deposit On Phone Orders, COD or Credit Card, Shipped Same Day You Call *

* on all in stock units IN PA, CALL (717) 327-9575 (800) 233-8950

501 E. THIRD ST., WILLIAMSPORT, PA 17701

OVER 40 YEARS EXPERIENCE IN SOPHISITICATED ELECTRONICS





Phone orders invited (800 number is for order desk only). Or send check or money order and receive free shipping. Pennsylvania residents add 6% sales tax. Add 3% for Visa or M.C. Equipment is subject to price change and availability without notice. Please call between 11 AM & 6 PM.

ENERGY (CONTINUED)

Furnace watchdog. Wierenga, Theron. art L1 5:1 Jan80 p74-90 *** Control / Home / Hardware Construction

Hardware Construction
Gasuse (program to keep track of automobile
expenses). Firth, Mike. col Ll 5:2 Feb80
p82-84 *** Automobile
Harvesting the sun's energy. Mobus, George. art
Ll 6:7 Jul81 p48-58 *** Simulation /
PDP-11

Heating and cooling management system. Hall, Tom. art. 6:2 Feb81 p326-331 *** Control /

Home
Infamous traveling-salesman problem: a practical approach. Parry/Pfeffer. art Ll 6:7 Jul81 p252-290 *** Mathematics / Puzzles / SWTPC Kalman mileage predictor-monitor. Lobdill, Jerry. art L2 6:7 Jul81 p230-248 *** Automobile / Calculator / Mathematics Power helps analyze electric bills. Wolfe, Karen. art Ll 4:10 Oct79 p48-54 *** Home / North Star What time does the sun rise and set?. Barkstrom, Bruce. art Ll 6:7 Jul81 p94-114 *** Astronomy ROM

Astronomy

ROM

Build a low-cost EPROM eraser*. Golter, L.B. art 5:4 Apr80 p234-238 *** Hardware
Construction

Build an intelligent EPROM programmer. Ciarcia,
Steve. col Ll 6:10 Oct81 p36-48 ***
Hardware Construction / Z8

Build the "Coffee Can Special" EROM eraser.
Burbey, Lawrence. art 2:1 Jan77 p91 ***
Hardware Construction
Progam those 2708s1. Glaser, Robert. art L3
5:4 Apr80 p198-210 *** Hardware
Construction / Programming Instruction / 8080
Program your next EROM in BASIC*. Ciarcia,
Steve. col Ll 3:3 Mar78 p84-93 ***
Hardware Construction / Programming Instruction
Programming in the dark (programming 2708s).
Sainio, Jeffrey. col 5:9 Sep80 p321 ***
Programming Instruction
Zapper: a computer driven EROM programmer*.
Gable, G.H. art L3 3:12 Dec78 p100-106

*** Hardware Construction / Programming
Instruction
Instruction

PROGRAMMING APPROGRAMMING INSTRUCTION | Programming
Instruction | Programming
Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | Programming Instruction | P

Instruction

Instruction
ERROR CHECKING
Error checking and correcting for your computer.
Walker, Gregory. art 5:5 May80 p250-276
*** Design / Hamming Codes / Parity Checking
Hamming error correcting code. Wimble, Michael.
art 4:2 Feb79 p180-182 *** Data
Transmission / Parity Checking / Hamming Codes
How to pick up a dropped bit. Maurer, W.
Douglas. art 2:7 Ju177 p72-76 *** Data
Transmission / Tape Cassette / Parity Checking
ETHERNET

ETHERNET

Local-area networks: possibilities for personal computers. Saal, Harry. art 6:10 Oct81 p92-112 *** Networks / Multi-user Systems /

Standards

Xerox Alto computer. Wadlow, Thomas. art 6:9
Sep81 p58-68 *** Microcomputer System /
Networks / Xerox Alto

Intellectual ethics and software: an inquiry into the nature of ideas... Helmers, Carl. col 5:9 Sep80 p6-10 *** Higher Education / Business FANTASY

Creating a fantasy world on the 8080. Nicholson, Robert. art 5:7 Jul80 p210-214 *** Games / 8080

/ 8080
Zork and the future of computerized fantasy simulations. Lebling, P. David. art 5:12
Dec80 p172-182 *** Games / Simulation / Programming Instruction
FEDERAL GOVERNMENT

FEDERAL GOVERNMENT

Computers and amateur radio. Gipe, Michael. art

1:3 Nov75 p42-45 *** Ham Radio

FCC regulation of personal and home-computing
devices: new rules.... Mahn, Terry. art 5:9
Sep80 p180-190 *** Radio-frequency
Interference

IRS and the computer entrepreneur. Hughes,
Elizabeth. art 3:1 Jan78 p27-35* ***

Taxes / Business
FIBER-OPTICS
Communicate on a light heam*. Ciarcia. Steve.

Communicate on a light beam*. Ciarcia, Steve. col 4:5 May79 p32-49 *** Data Transmission / Hardware Construction

/ Hardware Construction
Signal processing for optical bar code scanning.
Merkowitz, Frederick. art 1:16 Dec76 p77-84
*** Bar Codes / Hardware Construction

CTION

Computers of Star Trek. Schmucker/Tarr. art 2:12 Dec77 p12-144 *** Future 60T0locks and the three sorts. Hadley, Gwen. art 4:1 Jan79 p174-175 ***
How I was born 300 years ahead of my time. Helmers, Carl. col 2:4 Apr77 p6* ***

Future

Future
Jack and the machine talk (or, the making of an assembler). Grappel/Hemenway. art 1:12
Aug76 p52-63 ***
LISP vs FORTRAN: a fantasy. Rocheleau/Clay. col
6:6 Jun81 p30-34 *** Languages
Mother chip. Willard, Lawrence. art 3:12
Dec78 p186-191 ***
Panasonic and Quasar hand-held computers.
Williams/Meyer. hr 6:1 Jan81 p34-45 ***
Hardware Review / Hand-held Computer
Science fiction's intelligent computers. Byrd,
Donald. art 6:9 Sep81 p200-214 ***
Artificial Intelligence

FICTION (CONTINUED)

Why aren't there any Altairs on Arcturus II?.

Melton, Henry. art 2:4 Apr77 p94-97 ***

Future FINANCIAL ANALYSIS

FINANCIAL ANALYSIS

Financial analysis program*. Lehman, John. art
L1 5:2 Feb80 p192-201 *** Financial
Statements / Accounting
FINANCIAL STATEMENTS

VANCIAL STATEMENTS
Financial analysis program*. Lehman, John.
L1 5:2 Feb80 p192-201 *** Accounting /
Financial Analysis

FLOPPY DISK DRIVE

L1 5:2 Feb80 p192-201 *** Accounting / Financial Analysis
.OPPY DISK DRIVE
BASIC floppy-disk accounting system. Roehrig, Joseph. art L1 5:9 Sep80 p328-335 ***
Accounting / Business / North Star.
Build a super simple floppy-disk interface, part 1*. Nicholson/Camp. art 6:5 May81 p360-376 *** Interface / Hardware Construction / Bibliography
Build a super simple floppy-disk interface, part 2: software. Nicholson/Camp. art L3 6:6
Jun81 p302-340 *** Interface / Operating Systems / 6502
Build this economy floppy disk interface. Welles, Kenneth. art L3 2:2 Feb77 p34-43 *** Interface / Hardware Construction Comparing floppy-disk drives by software simulation. Nendza, Dennis. art L1 5:5 May80 p130-140 *** Minidisk Drive / Test / Hardware Review Dr Welles' economy floppy disk drivers: machine readable object code. Welles, Kenneth. art L2 2:7 Jul77 p156-157 *** Programming Instruction / Bar Codes
Floppy disk interface*. Allen, David. art L3 3:1 Jan/8 p58-76 *** Interface / 6800 / Disk Controllers
Floppy disk tutorial. Rampil, Ira. art 2:12 Dec77 p24-45 *** Design / Information Storage / IBM
BM compatible disk drives. Harman, Jefferson. art 4:10 Oct79 p100-106 *** IBM / Standards Interfacing the Sykes OEM floppy disk kit to a personal computer (SWIPC). Hughes, Phil. art L3 3:3 Mar78 p178-184 *** Interface / Hardware Construction / SWIPC
Omikron TRS-80 boards, NEMBOS+, and sundry other matters. Pournelle, Jerry. col 5:7 Jul80 p198-208 *** TRS-80 Model I / Operating Systems
Partitioned data sets. Halsema, A.I. art 3:12 harz8 p18-184 *** Interface /

Systems
Partitioned data sets. Halsema, A.I. art 3:12
Dec78 p168-173 *** Information Storage /
Programming Instruction / Data Structures
Picking up the pieces (rebuilding a bit map of
used sectors on a disk). Baker, Alfred. art
L3 4:10 Oct79 p76-86 *** Minidisk Drive /

L3 4:10 Oct79 p76-86 *** Minidisk Drive / Utility Program
Software for the economy floppy disk. Welles, Kenneth. art L3 2:6 Jun77 p88-97 ***
Programming Instruction / Input/Output / 8080
Types and uses of direct access storage. Hill, Curt. art 2:1 Jan77 p60-65 *** Hard Disk Drive / Information Storage / Data Structures Understanding ISAM. Gates, Reginald. art 5:6 Jun80 plo8-118 *** Information Storage / Programming Instruction / Data Structures FLOMCHART

MCHARI Structured programming and structured flowcharts. Williams, Gregg. art Ll 6:3 Mar81 p20-34 *** Structured Programming / TRS-80 Model I

Calculator airborne navigation*. Kuhns, L.J. col L2 4:11 Nov79 p245-246 *** Calculator / Navigation

/ Navigation
Computer assisted flight planning. Purdin,
Titus. col 4:3 Mar79 p206-211 ***
Headwind progress made (response to "Computer
assisted flight planning"). Fiene, Bruce.
col 4:7 Jul79 p225 ***

Computerized wine cellar*. Jolliffe, Rodney.
col 4:2 Feb79 pl28-l30 *** SOL
FOREIGN COMPETITION
Japanese computer invasion.
art 6:8 Aug8l p200-220 *** Marketing /
Manufacturing
Odds and beginnings (artificial intelligence,

shows, Japanese market). Morgan, Chris. col 6:9 Sep81 p6-10 *** Artificial Intelligence Shows

FOREIGN LANGUAGE KEIGH LANGUAGE French-English / English-French Dictionary. Levit, Fred. col Ll 5:1 Jan80 p206-208 ***

RTH

BREAKFORTH into FORTH. Miller/Miller. art L7

5:8 Aug80 p150-163 *** Games / TRS-80 Model

1 / Programming Instruction

Coding sheet for FORTH. Bumgarner, John. col

17 6:3 Mar81 p155-162 *** Programming Aids

Datahandler from Miller Microcomputer Services.

Richardson, Allyn. sr 6:11 Nov81 p138-150

*** Software Review / Data Base Management /

TRS-80 Model I

Evolution of FORTH, an unusual language. Moore,

Charles. art L7 5:8 Aug80 p76-92 ***

Languages / History

FORTH extensibility or how to write a compiler in

25 words or less. Harris, Kim. art L7 5:8

Aug80 p164-184 *** Compiler / Programming

Instruction

FORTH glossary. Williams, Gregg. art 5:8

Instruction
FORTH glossary. Williams, Gregg. art 5:8
Aug80 pl86-196 *** Definitions
FORTH standards team. Ragsdale, William. art
5:10 Oct80 p274-277 *** Standards /
Definitions

Definitions
KNIGHT: a knight's tour problem in MMSFORTH*.
Frei, Ulrich. col L7 6:2 Feb8l p325 ***
Puzzles / TRS-80 Model I / Chess

FORTH (CONTINUED)
PS - a FORTH-like threaded language, part 1.
Motalygo, Valo. art 6:10 Oct81 p462-466
*** Languages / Threaded Codes
PS - a FORTH-like threaded language, part 2.
Motalygo, Valo. art 6:11 Nov81 p400-408
*** Languages / Threaded Codes
Selected FORTH vendors. col 5:8 Aug80 p98
*** Software Review
Stacking strings in FORTH. Cassady, John. ar
L7 6:2 Feb81 p152-162 *** Programming
Instruction

L/ b:2 Feb81 p152-162 *** Programming Instruction
Threads of a FORTH tapestry. Williams, Gregg. col 5:8 Aug80 p6-10+ *** Threaded Codes
What is FORTH2: a tutorial introduction*. James, John. art L7 5:8 Aug80 p100-126 ***
Programming Instruction / Bibliography

John. art L7 5:8 Aug80 p100-126 ***
Programming Instruction / Bibliography

FORTRAN
FORTRAN and its generalizations. Maurer, W.
Douglas. art 3:12 Dec/8 p194-200 ***
Programming Instruction
Floating point arithmetic*. Hashizume, Burt.
art 2:11 Nov77 p6-78+ *** Mathematics /
Computer Instruction
Numerical methods in data analysis. Nguyen,
Toan. art 14 6:5 May81 p435-446 ***
Mathematics / Design
Pascal versus BASIC: round 2 includes FORTRAN.
Andrews, Lawrence. col L4 4:4 Apr79 p239
*** Languages / Pascal / BASIC
Radio Shack FORTRAN package. Daneliuk, Tim. sr
L4 6:10 Oct81 p385-390 *** Software Review
/ TRS-80 Model I
FOURIER TRANSFORMS
Approximation makes a magnitude of difference.
Leedom, Bob. col 4:6 Jun79 p188-189 ***
Mathematics
Beginner's guide to spectral analysis, part 1:
tiny timesharing music. Zimmermann, Mark. art
L1 6:2 FebB1 p68-90 *** Music / PET /
Mathematics
Beginner's guide to spectral analysis, part 2.

Mathematics

Beginner's guide to spectral analysis, part 2.
Zimmermann, Mark. art L3 6:3 Mar81
p166-198 *** PET / Image Processing /

Polo-196 Per Per / Image Processing / Holography
Fast Fourier comes back (correction for "Fast Fourier for the 6800"). Roxburgh, Alastair. col L3 6:5 May81 p458-461 *** 8080 / 6800 / BYTE Corrections

/ BYIL COPPECTIONS
Fast Fourier for the 6800. Lord, Richard. art
L3 4:2 Feb79 p108-119 *** 6800 /
Mathematics
Fast Fourier transforms on your home computer*.
Stanley/Peterson. art L1 3:12 Dec78 p14-25
*** Mathematics

Frequency analysis of data using a microcomputer.
Ruckdeshel, F.R. art Ll 4:12 Dec79 pl0-35
*** Mathematics / North Star / Frequency Analysis

Analysis

Numerical analysis for the TRS-80 pocket

computer. Salem, Mike. col ll 6:1 Jan81
pl82-184 *** Mathematics / Hand-held Computer
/ TRS-80 Pocket Computer
On the use of Fourier Transforms to explore
biological rhythms. Owens, A.J. col Ll 6:4
Apr81 p314-326 *** Biorhythm / AIM
Walsh functions: a digital Fourier series.
Jacoby, Benjamin. art 2:9 Sep77 p190-198

*** Mathematics
FREQUENCY ANALYSIS
Frequency analysis of data using a microcomputer.

QUENCY AMACISIS Frequency analysis of data using a microcomputer. Ruckdeshel, F.R. art Ll 4:12 Dec79 pl0-35 *** Fourier Transforms / Mathematics / North FREQUENCY COUNTER

QUENCY COUNTER
Implementing an LSI frequency counter. Lynne,
Perry. art L3 2:11 Nov77 p146-149 ***
Design / Hardware Construction
Turn your COSMAC VIP into a frequency counter.
Mod1a, Andrew. art L3 6:2 Feb81 p318-323
*** COSMAC / Utility Program

Home for your computer. Dawes, Joseph. art 4:6
Jun79 p70-72 *** FIITHDE

Jun79 p70-72 ***

TURE

Catalog of liberating home computer concepts.
Lau, Ted. art 2:5 May77 p17-244 *** Home
Computers of Star Trek. Schmucker/Tarr. art
2:12 Dec77 p12-144 *** Fiction
Excerpts from future history. Burgeson, John.
art 1:14 Oct76 p116-117 *** Predictions
Future of computer graphics. Brown/Levine. art
5:11 Nov80 p22-28 *** Graphics / Color
Graphics / Three-Dimensional Graphics
Future trends in personal computing. Morgan,
Chris. col 6:4 Apr81 p6-10 *** Video
Display / Minidisk Drive / Osborne I
How I was born 300 years ahead of my time.
Helmers, Carl. col 2:4 Apr77 p6* ***
Fiction
New cultures from new technologies. Papert,
Seymour. col 5:9 Sep80 p230-240 ***
Education / Computers and Society / Children
Predictions, predictions.... Libes, Sol. col
6:1 Jan81 p204 *** Predictions
Shadow, Buck Rogers, and the home computer (home
applications). Gardner, Richard. art 1:2
Oct75 p58-60 *** Home / Control /
Predictions

Predictions

Why aren't there any Altairs on Arcturus II?.
Melton, Henry. art 2:4 Apr77 p94-97 ***
Fiction

MES
APL makes life easy (and vice versa). Evans,
Selby. col L9 5:10 Oct80 p192-193 ***
APL / Life
Animated slot machine in color. Hoffer, W.C.
col L1 5:4 Apr80 p60-65 *** Color
Graphics / Compucolor

Small, Dark and Handsome



The Rhino® XR-1 high tech robot, though small in size, is built with the same operating technology as large industrial robots. And it features an RS232C interface (using 3 wires) making it compatible with the programming capabilities of any computer from the small PET®, Apple II®, or TRS-80® to the big IBM's. The Rhino® XR-1 is available for immediate delivery. Write for more information on your company letterhead to the address below.

Features:

- Digital Choppers on All Axes
- Powerful DC Servo Gear Motors
- Controller Card with Intel 8748 CPU
- Eight Motor Control Capability (Rhino® XR-1 has 6 motors)
- Operators Manual and Tool Kit
- Rigid ¼" Aluminum Space Frame Construction
- "Built-In" Functional Self-Test Program

Options:

- Custom Hand
- Computer Controlled Carousel, Conveyor, or Lateral Slide Base

Specs:

- · Reach: 22.5" Maximum, 32" High
- Grasp: 2 lbs.—open 3"
- · Lift: 2 lbs. at extension

Drice.

\$2,400.00 (F.O.B. Champaign, IL., Delivered via UPS in Continental USA) Illinois residents add 5% sales tax

Includes everything you need to run your Rhino® XR-1 (Except your computer)

We reserve the right to alter price and specifications without notice.



Sandhu Machine Design, Inc. Sales Dept. 308 S. State, Champaign, IL. 61820 (217) 352-8485

RHING XR

GAMES (CONTINUED)

BASIC game: GOBANG (large Tic-Tac-Toe game).

Allwork, John. col ll 4:ll Nov79 p56-62

*** SWTPC / Strategy

BYTE game contest. col 6:12 Dec8l p302-303

*** Contests

Binary guessing game: calculator pattern
recognition. Zimmermann/Blodgett. art L2

4:4 Apr79 p236-237 *** Calculator /
Black friday (PDP-10 stock market game in BASIC).

Baker, Robert. art L1 2:l Jan77 p56-58

*** Stock Market
Commander in chief: a game for the TI-58
programmable calculator. Kollar, Larry. col

L2 3:12 Dec78 p192-193 *** Calculator /
Darth Vader's force battle for the TI-59.

Jackson, Clete. col L2 5:ll Oct80 p50-54

*** Calculator

Diddle (Altair 8800 game to stop a pattern of
moving lights). Skoglund, Stan. art L3 2:l2

Dec77 p168-169 *** Altair

Digits (TI SR-52 game). Snyder, Hal. col L2

4:5 May79 p182-183 *** Calculator /
Fifteen: a game of strategy (or Tic-Tac-Toe
revisited)*. Rheinstein, John. art L1 5:6

Jun80 p230-234 *** Strategy

Flights of fancy with the Enterprise (Star Trek
game). Price, David. art L1 2:3 Mar77
p106-113 *** Altair / Strategy

Great race and micro disk files: horse race
simulations. Roehrig, Joseph. art L1 5:4
Apr80 p142-177 *** Horse Racing / Simulation
/ North Star

Apr80 p142-177 *** Horse Macing / Simulation. / North Star
Here's APL in action (lunar lander program).
Keefe, David. art L9 2:8 Aug77 p44-47 ***
APL / Strategy
Hunt the wumpus with your HP-41C. Librach, Hank.
col 12 6:3 Mar81 p230-232 *** Calculator
JACPOT (slot machine simulation in BASIC).
Hastings, Edwin. art L1 3:8 Aug78 p166-167
*** PDP-11
**IM noes to the moon (game). Butterfield, Jim.

*** PDP-11
KIM goes to the moon (game). Butterfield, Jim.
art L3 2:4 Apr77 p8-9+ *** KIM
Mastermind (in RT-11 BASIC). Milligan, W. Lloyd.
art L1 2:10 Oct77 p168-171 *** Strategy
Maze (maze generator for the Apple I). Bishop,
Robert. col L1 3:10 Oct78 p136-138 ***
Graphics / Apple I

Graphics / Apple I
Moster Combat. Chapel, Lee. col L1 5:12
Dec80 p288-292 *** KIM / Strategy
Multi-micro learning environments (Solo/NET/works
Project). Dwyer, Thomas. col 6:1 Jan81
p104-116 *** Education / Multi-user Systems /

Simulation
NIMBLE: the ultimate NIM?*. Doliner, Irwin. art
L1 2:11 Nov77 p172-178 *** Strategy
Othello, a new ancient game. Duda, Richard. art
L1 2:10 Oct77 p60-62 *** Othello /

Other 10. L1 2:10 Oct77 pbu-o2
Strategy
Pascal versus BASIC: an exercise. Schwartz,
Allan. art L6 3:8 Aug/8 pl68-176 ***
Pascal / BASIC / Languages
Quest (Adventure type game). Chaffee, Roger.
art L1 4:7 Ju179 p176-186 *** PET /

Quest (Adventure 1) 19 p176-180 art L1 4:7 Jul79 p176-180 Strategy
Race car for the SR-52. Bertsch, John. col L 4:3 Mar79 p26-30 *** Calculator /
SR-52 card blackjack*. Garvey, Michael. col L2 2:6 Jun77 p150-153 *** Calculator /

SR-52 card blackjack*. Garvey, Michael. col L2
2:6 Jun77 pl50-153 *** Calculator /
Strategy /
Santa Cruz Open: Othello tournament for
computers. Frey, Peter. art 6:7 Jul81
p26-37 *** Othello / Contests
Shooting stars for the SR-52 and PC-100 printer
(Desk top wonders). Pearce, Craig. col L2
1:16 Dec76 p92-93 *** Calculator
Shooting stars. Nico, Willard. art L3 1:9
May76 p42-49 *** SCELBI / 8008
Simulation of motion, part 1: an improved lunar
lander algorithm*. Smith, Stephen. art L1
2:11 Nov77 p18-22+ *** Simulation / Science
Some random games (Guess the number / Dice
program). Adams, C.K. col L2 4:1 Jan79
p170-173 *** Calculator /
Space game. White, Loring. art L1 4:10 Oct79
p196-199 *** Altair / Arcade
Spacecraft simulator. Sivak, Gary. art L1
4:11 Nov79 p104-111 *** Simulation /
Strategy

4:11 Nov/9 plu4-111 Strategy
Super TIC (three-dimensional Tic-Tac-Toe).
Roehrig, J. art Ll 5:3 Mar80 p232-238 ***
North Star / Strategy
Tic-Tac-Toe in BASIC*. Stoddard, Mike. col Ll
3:12 Dec78 p174-175 *** Strategy / BASIC

6800 Eighteen with a die: a learning game player.
Yost, Russell. art L3 5:1 Jan80 p212-229
*** Artificial Intelligence / 6800 / Strategy
Landing module simulation with random surface.
Houng, S,J. art L3 5:3 Mar80 p130-139 ***
Simulation / 6800 / Arcade

8080
Creating a fantasy world on the 8080. Nicholson, Robert. art 5:7 Jul80 p210-214 ***
Fantasy / 8080
Fumber queersa-

Fantasy / 8080

Number guessing game. Laudenslager, Keith. col L3 2:12 Dec77 pl48 *** Mathematics / 8080

Writing animated computer games*. Estep, Tony. art L3 4:11 Nov79 pl52-170 *** Animation / Programming Instruction / 8080

APPLE II
Asteroids in Space and Planetoids. Holt, Oliver.
sr 6:5 May81 pl16-120 *** Software Review
/ Apple II / Arcade

MES (CONTINUED)
Battle of the asteroids. Williams, Gregg. sr
6:12 Dec81 p163-165 *** Software Review /
Arcade / Apple II
Computer Bismark. Ansoff, Peter. sr 5:12
Dec80 p282-286 *** Software Review /
Simulation / Apple II
Dungeon Campaign. Williams, Gregg. sr 5:12
Dec80 p74 *** Software Review / Apple II /
Strategy

Dec80 p/4
Strategy
Game of left/right. Smith, Truck. art L1 6:12
Dec81 p278-298 *** Programming Instruction
/ Apple II e II Callamaras, Peter. sr 6:12 Dec81 D *** Software Review / Arcade / Apple

Gorgon. (p90-100 II

p90-100 *** Software Review / Arcade / Apple II
Lost Dutchman's Gold*. Liddil/Li. art LI 5:12
Dec80 p268-280 *** Apple II / Strategy
Missile Defense vs ABM. Moskowitz, Robert. sr
6:12 Dec81 p80-90 *** Software Review /
Arcade / Apple II
Odyssey: The Compleat Apventure. Nelson, Harold.
sr 5:12 Dec80 p90-92 *** Software Review /
Apple II / Strategy
/ Apple II / Strategy
Olympic Decathlon. Kater, David. sr 6:12
Dec81 p74-78 *** Arcade / Software Review /
Apple II / Strategy
Trisoner. Liddil, Bob. sr 6:9 Sep81 p386-387
*** Software Review / Strategy / Apple II
Reversal: Othello for the Apple II. Freidman,
Mark. sr 6:11 Nov81 p76-80 *** Software
Review / Othello / Apple II
Robotwar. Feigel, Curtis. sr 6:12 Dec81
p24-34 *** Software Review / Apple II /
Programming Instruction
Stellar Trek. Nelson, Harold. sr 5:12 Dec80
p78-82 *** Software Review / Apple II / Arcade
Tranquility Base. Moore, Robin. sr 6:5 May81
p112-114 *** Software Review / Apple II /
Arcade

DESIGN Approaching game program design. Stuck, H.L. art 4:2 Feb79 p120-126 *** Design / Programming Instruction Character variation in role-playing games. Freeman, Jon. art 5:12 Dec80 p186-190 *** Freeman, Jon. art Design / Strategy

HARDWARE CONSTRUCTION
Life line 4: integrating graphics control
commands. Helmers, Carl. art 1:5 Jan76
p32-41 *** Graphics / Hardware Construction /

Toy store begins at home. Ciarcia, Steve. col L1 4:4 Apr79 pl0-18 *** Music / Hardware Construction

HARDWARE REVIEW HP-67 and HP-97: Hewlett-Packard's personal computers*. Pearce, Craig. art L1 3:6 Jun78 pi12-117 *** Calculator / Hardware Review /

Review / New software, new hardware computer languages, and games. Pournelle, Jerry. col 6:11 Nov81 p449-457 *** Languages / Software Review / Hardware Review Pocket computer?. Carbrey, Bruce. hr 5:12 Dec80 p244-262 *** Hardware Review / Calculator

INTERFACE

Multimachine games. Wasserman/Stryker. art L1 5:12 Dec80 p24-40 *** Interface / PET MATHEMATICS

MATHEMATICS

Life (Game of Life). Englander, William. col L1 3:12 Dec78 p76-82 *** Mathematics / Strategy / Life

Life after death. Macaluso, Pat. art L1 6:7 Jul 13 p326-333 *** Mathematics / TRS-80 Model I / Life

Life after death. Macaluso, Pat. art L1 6:7 Jul 13 p326-333 *** Mathematics / TRS-80 Model I / Life

Life algorithms (Game of Life). Niemiec, Mark. art 19 4:1 Jan79 p90-97 *** Life / Mathematics / Algorithm

Life can be easy (8080 version of the Game of Life). Soderstrom, Randy. art L3 4:4 Apr79 p166-169 *** Mathematics / Strategy / Life

Life with your computer (Game of Life). *** Mathematics / Strategy / Life

Number guessing game. Laudenslager, Keith. col L3 2:12 Dec77 p148 *** Mathematics / 8080 One-dimensional life (Game of Life). Millen, Jonathan. art 3:12 Dec78 p68-74 ** Mathematics / Strategy / Life

Solving soma cubes and polyomino puzzles using a microcomputer. Macdonald, Douglas. art L3 4:11 Nov79 p26-52 *** Puzzles / Mathematics / PET

Some facts of life (Game of Life). Buckingham, David. art 3:12 Dec78 p54-66 ***

Mathematics / Strategy / Life

Soacwar in Tiny BASIC: navigating through Integer BASIC. Beard, David. art L1 4:5 May79 p110-115 *** Tiny BASIC / Mathematics / Programming Instruction

PROGRAMMING INSTRUCTION

PROGRAMMING INSTRUCTION
APL/S: an alternative. Brown, Robert. col L9
4:12 Dec79 p88-99 *** APL / Programming
Instruction

Instruction
Approaching game program design. Stuck, H.L.
art 4:2 Feb79 pl20-126 *** Design /
Programming Instruction
BASIC Star Trek trainer*. Herd, Gerald. art Ll
1:13 Sep76 p40-42 *** Programming
Instruction / Data General

GAMES (CONTINUED)

MES (CONTINUED)

BREAKFORTH into FORTH. Miller/Miller. art L7
5:3 Aug80 p150-163 *** FORTH / TRS-80 Model
I / Programming Instruction
Computer models for board games. Yost, Russell.
art 2:1 Jan77 p78-81 *** Programming
Instruction
Game of left/right. Smith, Truck. art L1 6:12
Dec81 p278-298 *** Programming Instruction
/ Apple I1
Hexpawn: a beginning project in artificial
intelligence. Wier, Robert. art 1:3 Nov75
p36-40 *** Artificial Intelligence /
Programming Instruction
How to build a maze. Matuszek, David. art 6:12
Dec81 p190-196 *** Puzzles / Programming
Instruction
How to build a maze. Matuszek, David. art 6:12
Dec81 p190-196 *** Puzzles / Programming
Instruction
How to implement Space War (or using your
oscilloscope as a telescope). Kruglinski,
Dave. art L3 2:10 Oct77 p86-111 ***
Programming Instruction / Graphics / Arcade
Jeu de NIM, Peut Etre? (NIM for the SR-52)*.
Chance, Alain. col L2 2:7 Jul77 p90-91
*** Programming Instruction / Life
Life line 2*. Helmers, Carl. art 1:2 Oct75
p34-42 *** Programming Instruction / Life
Life lines. Helmers, Carl. art 1:4 Dec75
p48-55 *** Programming Instruction / Life
Programming strategies in the game of Reversi*.
Mag9s, Peter. art L1 4:11 Nov79 p66-79
*** Programming Instruction / Life
Programming the game of Go. Millen, Jonathan.
art 6:4 Apr8l p102-120 *** Programming
Instruction / KIM / Strategy
Robotwar. Feigel, Curtis. sr 6:12 Dec81
p24-34 *** Software Review / Apple 11 /
Programming Instruction
Spacewar in Tiny BASIC: navigating through
Inteer BASIC. Beard. David. art L1 4:5

computer. Frey, Peter. art 5:7 Ju180 p56-72 *** Othello / Artificial Intelligence / Programming Instruction
Spacewar in Tiny BASIC: navigating through Integer BASIC. Beard, David. art L1 4:5 May/9 p110-115 *** Tiny BASIC / Mathematics / Programming Instruction
Structured program design. Higgins, David. art L1 2:10 Oct77 p146-151 *** Structured Programming / Programming Instruction
Tic-Tac-Toe: a programming mexercise*. Hinrichs, Delmer. art L1 4:5 May/9 p196-203 *** Programming Instruction / Strategy
Tic-tac-tactics. Miller, John. col 4:10 Oct79 p175 *** Programming Instruction
Writing animated computer games*. Estep, Tony. art L3 4:11 Nov79 p152-170 *** Animation / Programming Instruction / 8080
Zork and the future of computerized fantasy simulations. Lebling, P. David. art 5:12 Dec80 p172-182 *** Simulation / Programming Instruction / Forgramming Instruction / Frogramming Instruction / Programming Instruction / Frogramming Instruction / Programming Instruction / Frogramming Instruction / F

SOFTWARE REVIEW

Asteroids in Space and Planetoids. Holt, Oliver. sr 6:5 May8l pl16-120 *** Software Review / Apple II / Arcade

BASIC, computer languages, and computer adventures. Pournelle, Jerry. col 5:12 Dec80 p222-238 *** Languages / BASIC / Software Review

Battle of the acteroids. Williams Grang sr

Dec80 p222-238 *** Languages / BASIC / Software Review Battle of the asteroids. Williams, Gregg. sr 6:12 Dec81 p163-165 *** Software Review / Arcade / Apple II
Big Five software (Attack Force, Cosmic Fighter, and Galaxy Invasion). Williams, Gregg. sr 6:9 Sep81 p384-386 *** Software Review / Arcade / TRS-80 Model I
Coinless arcade: more arcade fun. Williams, Gregg. col 6:12 Dec81 p36-41 *** Software Review / Arcade / TRS-80 Model I
Commuter Bismark. Ansoff, Peter. sr 5:12 Dec80 p282-286 *** Software Review / Simulation / Apple II
Dancing Demon from Radio Shack. Cooper/Kolya. sr 6:5 May81 p148-150 *** Software Review / TRS-80 Model I / Arcade
Dungeon Campaign. Williams, Gregg. sr 5:12 Dec80 D74 *** Software Review / TRS-80 Model I / Arcade
Dungeon Campaign. Williams, Gregg. sr 5:12 Dec80 D74 *** Software Review / Apple II / Strategy

Strategy
Gorgon. Callamaras, Peter. sr 6:12 Dec81
p90-100 *** Software Review / Arcade / Apple
II

p50-100 *** Software Review / Arcade / Apple II
Interactive Fiction: Six Micro Stories. Liddil, Bob. sr 6:9 Sep81 p436 *** Software Review / Simulation / TRS-80 Model I Microsoft Adventure. Liddil, Bob. sr 5:12 Dec80 p264-266 *** Software Review / TRS-80 Model I / Strategy
Missile Defense vs ABM. Moskowitz, Robert. sr 6:12 Dec81 p80-90 *** Software Review / Arcade / Apple II
Morloc's Tower. Williams, Gregg. sr 5:12 Dec80 p84-86 *** Software Review / TRS-80 Model I / Strategy
New games, new directions. Williams, Gregg. col 6:12 Dec81 p6-10 *** Software Review / Review / TRS-80 Model I / Strategy
New software, new hardware computer languages, and games. Pournelle, Jerry. col 6:11 Nov81 p449-457 *** Languages / Software Review / Hardware Review

Hardware Review

Odyssey: The Compleat Apventure. Nelson, Harold.
sr 5:12 Dec80 p90-92 *** Software Review
/ Apple II / Strategy

Introducing The Grappler:

The only interface that makes computer graphics easy as Apple pie.



Orange Micro offers the only universal parallel interface card that simplifies high resolution graphics for Apple™ computers. No longer does the user need to load clumsy software routines to dump screen graphics - it's all done by the Grappler's exclusive E-PROM chip. There are versions to accommodate the Anadex, Epson MX-100, MX-80* and MX-70, IDS Paper Tigers, Centronics 739, and NEC 8023, C. Itoh Prowriter, and future graphics printers. The Grappler™ accepts 18 simple software commands accessible through the keyboard or user program, making it the most intelligent Apple Interface available. Order The Grappler™ through Orange Micro direct, or authorized dealers.

*Required Graftrax-80

FEATURES-User Benefits

SELECT PAGE—Choice of Hi-Resolution Graphics page 1 or page 2.

INVERSE GRAPHICS—Provides reverse graphics of black-on-white or white-on-black.

EMPHASIZED GRAPHICS—Allows high density graphics on certain printers.

DOUBLE SIZE PICTURE—Doubles the graphic screen representation vertically & horizontally.

90° ROTATION—Rotates the screen picture 90°

CENTER GRAPHICS—Accomplished through setting left margin thereby centering the graph.

CHART RECORDER MODE – Successive horizontal pictures are combined continuously simulating a chart recorder.

BLOCK GRAPHICS—For printers with block graphics (e.g. Epson MX-80, Okidata M80), the high order bit can be controlled. BELL—For printers with a bell, bell characters are deleted during user program listings. MARGINS—Set left and right margins.

SKIP-OVER-PERF—Set page length; printer will automatically skip 6 lines between each page


VARIABLE LINE LENGTH—For user program listings, sets line length and wraps around with breakpoint at nearest blank. TEXT SCREEN DUMP—The text from a user report or page of program listing can be dumped directly from the screen. WORKS WITH PASCAL & CPM

Orange Micro

3150 E. La Palma, Suite G, Anaheim, CA 92806

(800) 854-8275 TOLL FREE (714) 630-3322 CA, AK, HI





(714) 554-4520 CompuCable Corporation (714) 635-7330

Dealer inquiries welcome to: Waybern Corporation

GAMES (CONTINUED)

Olympic Decathlon. Kater, David. sr 6:12 Dec81 p74-78 *** Arcade / Software Review / Apple II

n the road to adventure. Liddil, Bob. art 5:12 Dec80 p158-170 *** Software Review /

On the road to adventure. Lidd11, Bob. art
5:12 Dec80 p158-170 *** Software Review /
Strategy
Prisoner. Liddi1, Bob. sr 6:9 Sep81 p386-387
*** Software Review / Strategy / Apple II
Reversal: Othello for the Apple II. Freidman,
Mark. sr 6:11 Now81 p76-80 *** Software
Review / Othello / Apple II
Robotwar. Feigel, Curtis. sr 6:12 Dec81
p24-34 *** Software Review / Apple II /
Programming Instruction
Star Raiders. Williams, Gregg. sr 6:5 May81
p106-108 *** Software Review / Atari / Arcade
Starfighter. Grammer, Eric. sr 6:12 Dec81
p486-487 *** Software Review / Arcade /
TRS-80 Model I
Startrek 4.0 and Startrek 3.5. Mitchell, Scott.
sr 6:6 Jun81 p352-354 *** Software Review
/ TRS-80 Model I / Strategy
Stellar Trek. Nelson, Harold. sr 5:12 Dec80
p78-82 *** Software Review / Apple II / Arcade
Super Nova. Liddi1, Bob. sr 6:5 May81
p108-110 *** Software Review / TRS-80 Model I
/ Arcade
Tranquility Base. Moore. Robin. sr 6:5 May81

/ Arcade
Tranquility Base. Moore, Robin. sr 6:5 May8l pl12-l14 *** Software Review / Apple II / Arcade
What makes computer games fun?. Malone, Thomas. art 6:12 Dec81 p258-277 *** Software Review / Elementary Education
Zork, the great underground empire (TRS-80). Liddil, Bob. sr 6:2 Feb81 p262-264 *** Software Review / TRS-80 Model I / Strategy

TRS-80 MODEL I

TRS-80 MODEL I
Alpha-Beta Tree search converted to assembler.
Gale, Stephen. col L3 6:8 Aug81 p408-412
*** Conversions / TRS-80 Model I / Strategy
BREAKFORTH into FORTH. Miller/Miller. art L7
5:8 Aug80 p150-163 *** FORTH / TRS-80 Model I
/ Programming Instruction
Big Five software (Attack Force, Cosmic Fighter, and Galaxy Invasion). Williams, Gregg. sr
6:9 Sep81 p384-386 *** Software Review /
Arcade / TRS-80 Model I
Computer a tele-game for two. Stewart, George.
sr 6:12 Dec81 p100-104 *** Software Review /
/ Strategy / TRS-80 Model I
Computer scrabble. Roehrig, Joseph. art L1
6:12 Dec81 p320-351 *** Strategy / North
Star / TRS-80 Model I
Computing the I CHING with a TRS-80. Dethlefsen, Edwin. art L1 5:4 Apr80 p96-102 ***
TRS-80 Model I
Dancing Demon from Radio Shack. Cooper/Kolya.

TRS-80 Model I
Dancing Demon from Radio Shack. Cooper/Kolya.
sr 6:5 May81 pl48-150 *** Software Review
/ TRS-80 Model I / Arcade
Interactive Fiction: Six Micro Stories. Liddil,
Bob. sr 6:9 Sep81 p436 *** Software
Review / Simulation / IRS-80 Model I
Life after death. Macaluso, Pat. art L1 6:7
Jul81 p326-333 *** Mathematics / TRS-80
Model I / Life
Machine problem solving, part 3: the alpha-beta
procedure*. Frey, Peter. art L1 5:11 Nov80
p244-254 *** Artificial Intelligence /
TRS-80 Model I
Microsoft Adventure. Liddil, Bob. sr 5:12

TRS-80 Model I Microsoft Adventure. Liddil, Bob. sr 5:12 Dec80 p264-266 *** Software Review / TRS-80

Model I / Strategy Morloc's Tower. Williams, Gregg. sr 5:12 Dec80 p84-86 *** Software Review / TRS-80 Model I / Strategy Pirate's Adventure*. Adams, Scott. art L1 5:12 Dec80 p192-212 *** TRS-80 Model I /

5:12 Dec80 p192-212 *** TRS-80 Model I / Strategy
Starfighter. Grammer, Eric. sr 6:12 Dec81 p366-368 *** Software Review / Arcade / TRS-80 Model I
Startrek 4.0 and Startrek 3.5. Mitchell, Scott. sr 6:6 Jun81 p352-354 *** Software Review / TRS-80 Model I / Strategy
Super Nova. Liddil, Bob. sr 6:5 May81 p108-110 *** Software Review / TRS-80 Model I / Arcade

/ Arcade

/ Arcade
ork, the great underground empire (TRS-80).
Liddil, Bob. sr 6:2 Feb81 p262-264 ***
Software Review / TRS-80 Model I / Strategy

Tracing your own roots. Merrill, Stan. art Ll 4:10 Oct79 p22-46 ***

GRAPH THEORY
First look at graph theory applications.
Ashbrook/Zinn. art L1 5:2 Feb80 p18-28
*** Sorcerer GRAPHICS

Add this graphics display to your system.

Buschbach, Thomas. art 1:15 Nov76 p32-39

*** Hardware Construction / High Resolution

*** Hardware Construction / High Resolution Graphics Atari tutorial, part 2: graphics indirection. Crawford, Chris. art L1 6:10 Oct81 p70-84 *** Atari / Color Graphics / Programming Instruction Computer generated maps, part 1. Johnston, William. art L1 4:5 May79 p10-12+ *** Social Science / Three-Dimensional Graphics / Mathematics

Mathematics / Computer generated maps, part 2. Johnston, William art Ll 4:6 Jun79 p100-123 ***
Three-Dimensional Graphics / Social Science / Mathematics

Future of computer graphics. Brown/Levine. art 5:11 Nov8O p22-28 *** Color Graphics / Future / Three-Dimensional Graphics

GRAPHICS (CONTINUED)

GRAPH: a system for television graphics, part 2
(8080 code)*. Webster/Young. art L3 3:6
Jun78 p158-165 *** Video Display
Good grief! ("Snoopy" as seen on a PDP-8/S).
Brockman, Dave. col 1:11 Jul76 p74 ***
Art / PDP-8

Graphic input of weather data. Smith, Stephen.
art L1 4:7 Jul79 p16-30 *** Input/Output
/ Science / Weather
Graphic manipulations using matrices.
Hungerford, Joel. art L1 3:9 Sep78
p156-165 *** Programming Instruction /
Three-Dimensional Graphics
Graphics in depth: 3-D adds a new dimension to
your display. Walters/Harris. art L1 3:5
May78 p16-18+ *** Programming Instruction /
Three-Dimensional Graphics
Introduction to Atari graphics. Crawford/Winner.

Three-Dimensional Graphics
Introduction to Atari graphics. Crawford/Winner.
art Ll 6:1 Jan81 pl8-32 *** Atari /
Color Graphics
It's more fun than crayons. Rosner, Richard.
art 1:15 Nov76 p6-9 *** Children / Art
Proposed graphics software standard, part 1.
Jones, Vincent. col 4:11 Nov79 pl96-218
*** Standards
Proposed graphics software standard, part 2.

*** Standards
Proposed graphics software standard, part 2.
Jones, Vincent. col L3 4:12 Dec79 p82-85+
*** Standards / Cromemco
Rotation algorithm (graphic designs). Bates,
Samuel. col L1 6:1 Jan81 p328-333 ***
Plotting / Hewlett-Packard
Seventh annual SIGGRAPH conference.

Seventh annual SIGGRAPH conference.
Livingston/Dahmke. art 5:11 Nov80 p172-176
*** Conference / Color Graphics
Some graphics background information. Rampil,
Ira. art 1:15 Nov76 p56-59 ***
Review / High Resolution Graphics
Three-dimensional computer graphics, part 1.
Crow, Franklin. art L6 6:3 Mar81 p54-82
*** High Resolution Graphics /
Three-Dimensional Graphics /
Three-dimensional computer graphics, part 2:
software. Crow, Franklin. art L6 6:4 Apr81
p290-302 *** Three-Dimensional Graphics /
Tolobox: a Smalltalk illustration system.
Bowmanfflegal. art 6:8 Aug81 p369-376 ***
Smalltalk / Art
Two short graphics programs for the OSI C-IP.

Two short graphics programs for the OSI C-IP. Leahy, John. col Li 6:10 Oct81 p354 ***

World of computer graphics. Lodding/Nickson. col 5:11 Nov80 p6-14 *** Three-Dimensional

Enterprising display device (GT-6144 graphics display generator). Deres, Joe. art L3 1:15 Nov76 p42-54 *** Hardware Construction / 6800 / SWTPC

Serendipitous circles (circle drawing program with suprises). Anderson/Galway. art L3 2:8 Aug77 p70-75 *** Art / 6800

8080

8080

Build the beer budget graphics interface.
Nelson, Peter. art L3 1:15 Nov76 p26-29
*** Interface / Hardware Construction / 8080
Vector graphics for raster displays. Beetem,
John. art L3 5:10 Oct80 p286-293 ***
Video Display / 8080

Using page two with Apple Pascal turtle graphics.
Wallace, Bruce. col L6 6:5 May8l pl22
*** Programming Instruction / Pascal / Apple

CONTROL

Theatrical lighting graphics package. Hemsath/et al. art L3 3:6 Jun78 p153-156 ***
Control / Character Generator

DESIGN

Atari tutorial, part 1: the display list.
Crawford, Chris. art 6:9 Sep81 p284-300
*** Atari / Design / Video Display
Digital storage of images. Williams, Thomas.
art 5:11 Nov80 p220-238 *** image
Processing / Information Storage / Design
Graphics text editor for music, part 1: structure
of the editor. Nelson, Randolph. art 5:4
Apr80 p124-138 *** Text Editor / Music /
Design
Search for vector graphics. Gilberg, Mitchell.
col 4:3 Mar79 p182 *** Design
Simplified theory of video graphics, part 1.
Watson, Allen. art 5:11 Nov80 p180-189 ***
Video Display / Design

GAMES

How to implement Space War (or using your oscilloscope as a telescope). Kruglinski, Dave. art L3 2:10 Oct77 p86-111 *** Games / Programming Instruction / Arcade Life line 4: integrating graphics control commands. Helmers, Carl. art 1:5 Jan76 p32-41 *** Games / Hardware Construction / life

Maze (maze generator for the Apple I). Bishop, Robert. col Ll 3:10 Oct78 p136-138 *** Games / Apple I

HARDWARE CONSTRUCTION

Add this graphics display to your system.
Buschbach, Thomas. art 1:15 Nov76 p32-39
*** Hardware Construction / High Resolution
Graphics

GRAPHICS (CONTINUED)

Build an oscilloscope graphics interface*.

Hogenson, James. art L3 1:2 Oct75 p70-80

*** Hardware Construction / Video Display / Interface

Interface
Build the beer budget graphics interface.
Nelson, Peter. art L3 1:15 Nov76 p26-29
*** Interface / Hardware Construction / 8080
COSMAC doodler. Duntemann, Jeff. art L2 5:5
May80 p214-224 *** COSMAC / Memory /
Hardware Construction
Digital feedback loop (graphic displays).
Loomis, Summer. let 1:3 Nov75 p46-47 ***
Video Display / Interface / Hardware
Construction

Video Display / Interface / Hardware Construction Enterprising display device (GT-6144 graphics display generator). Deres, Joe. art L3 1:15 Nov76 pA2-54 *** Hardware Construction / 6800 / SMTPC Let there be light pens. Loomis, Summer. art 1:5 Jan76 p26-30 *** Light Pen / Hardware Construction Life line 4: integrating graphics control commands. Helmers, Carl. art 1:5 Jan76 p32-41 *** Games / Hardware Construction / Life Make your next peripheral a real eve opener*.

Life
Make your next peripheral a real eye opener*.
Ciarcia, Steve. art L3 1:15 Nov76 p78-89+
*** Hardware Construction
Self-refreshing LED graphics display*. Ciarcia,
Steve. col L1 4:10 0ct79 p58-69 ***
Hardware Construction / LED Display

HARDWARE REVIEW

Some graphics background information. Rampil, Ira. art 1:15 Nov76 p56-59 *** Hardware Review / High Resolution Graphics

INTERFACE

Build an oscilloscope graphics interface*.
Hogenson, James. art L3 1:2 Oct75 p70-80
*** Hardware Construction / Video Display / Interface

Interface
Build the beer budget graphics interface.
Nelson, Peter. art L3 1:15 Nov76 p26-29
*** Interface / Hardware Construction / 8080
Digital feedback loop (graphic displays).
Loomis, Summer. let 1:3 Nov75 p46-47 ***
Video Display / Interface / Hardware
Construction

MATHEMATICS

MATHEMATICS
Computer generated maps, part 1. Johnston,
William. art L1 4:5 May79 p10-12+ ***
Social Science / Three-Dimensional Graphics /
Mathematics
Computer generated maps, part 2. Johnston,
William. art L1 4:6 Jun79 p100-123 ***
Three-Dimensional Graphics / Social Science /
Mathematics
General internal-ties

General interpolating graphics package for the TRS-80*, Cohen/Crowe. art Ll 5:11 Nov80 p296-310 *** TRS-80 Model I / Mathematics / Plotting Mathematics of computer graphics. Posdamer/et al. art 3:9 Sep78 p22-39 *** Mathematic

PROGRAMMING INSTRUCTION
Atari tutorial, part 2: graphics indirection.
CrawFord, Chris. art Ll 6:10 Oct81 p70-84
*** Atari / Color Graphics / Programming

*** Atari / Williams and Atari tutorial, part 3: player-missile graphics. Crawford, Chris. art Ll 6:ll Nov8l p312-338 *** Atari / Programming Instruction Atari tutorial, part 4: display-list interrupts. Crawford, Chris. art Ll 6:l2 Dec8l p166-186 *** Atari / Programming Instruction

pl66-186 *** Atari / Programming Instruction / Video Display
Exploring TRS-80 graphics. Yeager, George. art L2 4:8 Aug79 p82-84 *** TRS-80 Model 1 / Programming Instruction / Z-80
Fast line-drawing technique. Higgins, Mike. col L1 6:8 Aug81 p414-416 *** Programming Instruction

L1 6:8 Augus p414-410 Troysomm Instruction Graphic manipulations using matrices. Hungerford, Joel. art L1 3:9 Sep78 p156-165 *** Programming Instruction / Three-Dimensional Graphics

p156-165 *** Programming Instruction /
Three-Dimensional Graphics
Graphics fundamentals. Sandifur, Kathleen. art
L9 6:10 Oct81 p284-300 *** Programming
Instruction / Hewlett-Packard
Graphics in depth: 3-D adds a new dimension to
your display. Walters/Harris. art L1 3:5
May78 p16-18+ *** Programming Instruction /
Three-Dimensional Graphics
How to implement Space War (or using your
oscilloscope as a telescope). Kruglinski,
Dave. art L3 2:10 Oct77 p86-111 ***
Games / Programming Instruction / Arcade
Programmable character generator, part 2:
software. Weinstein, Larry. art 3:6 Jun78
p14-22 *** Programming Instruction /
Character Generator
Smalltalk graphics kernel. Ingalls, Daniel. art
L9 6:8 Aug81 p168-194 *** Smalltalk /
Programming Instruction
Speeding up IRS-80 graphics. Bobo/Knoderer. art
L1 6:5 May81 p171-184 *** Programming
Instruction / TRS-80 Model I
Using page two with Apple Pascal turtle graphics.
Wallace, Bruce. col L6 6:5 May81 p122
*** Programming Instruction / Pascal / Apple

TRS-80 MODEL I Exploring TRS-80 graphics. Yeager, George. ar L2 4:8 Aug79 p82-84 *** TRS-80 Model I / Programming Instruction / Z-80

64K Static RAM available now from stock

Ultra Fast - 100 nsec. chips Fast access allows memory management manipulation without wait states.

8/16 - 8 or 16-bits wide Dynamically switches data path width per IEEE Standard.

Low Power

Typical power consumption less than 2 amps for active board. Less for power down boards.

Extended Addressing

24-bit IEEE addressing allows 16-megabyte range. Single shunt changes to 16-bit addressing.


Fully Static

No clocks, no refresh required for easy DMA use.

Special Features

Any 4K block can be disabled. Or, can disable everything above or below any 4K boundary. Available in 16K increments for OEM quantities.

100 nsec. Chips - Qty. 1-3 OEM & Dealer prices also available.



TO ORDER:

May be ordered through your local computer store or factory direct. Personal checks, CODs, VISA and MC accepted from within USA. 10-day return privilege on factory orders. Shipping paid by SCP on prepaid USA and Canadian orders. All boards fully assembled, guaranteed one year.

Circle 377 on inquiry card.

A	CTA		
44	SEA		
77	SEA		-
			·V

1114 Industry Dr. Seattle WA 98188

Information Hotline: 206/575-1830

Send more information: ()_ Name _

Company . Address _ City_

State

GRAPHICS (CONTINUED)
General interpolating graphics package for the
RRS-80* Cohen/Crowe. art Ll 5:11 Nov80
p296-310 *** TRS-80 Model I / Mathematics /

p296-310 Am 163-00 hosel Plotting Speeding up TRS-80 graphics. Bobo/Knoderer. art Ll 6:5 May81 p171-184 *** Programming Instruction / TRS-80 Model I

HAM RADIO

RADIO Add this 6800 MORSER to your amateur radio station. Grappel/Hemenway. art L3 1:14 Oct76 p30-35 *** Programming Instruction / 6800

Oct76 p30-35 *** Programming Instruction / 6800
Club computer network. Kasser, Joe. art 5:5
May80 p202-212 *** Clubs / Networks
Computer..versus..hand sent morse code.
Hickey, William. art 1:14 Oct76 p12-14+
*** Hardware Construction
Computers and amateur radio. Gipe, Michael. art
1:3 Nov75 p42-45 *** Federal Government
Efficient storage of morse character codes.
Krakauer, Lawrence. art L3 1:14 Oct76
p36-38 *** Programming Instruction / Memory
Ham's application dreams. Hosking, W.J. art
1:14 Oct76 p26-29 *** Hardware Construction
If only Sam Morse could see us now*. Sewell,
Wayne. art L3 1:14 Oct76 p42-49 ***
Programming Instruction / 6800 / SWTPC
Morse code station data handler*. Filgate,
Bruce. art L3 1:14 Oct76 p52-70 ***
Programming Instruction / 8008
Morse code trainer*. Bernstein, Mark. art L3
4:12 Dec79 p247-249 *** 6800 / Programming
Instruction
Multiuser data network: communicating over VHF
radio. Bruninga, Robert. art 3:11 Nov78
p120-130 *** Networks / Multi-user Systems /
Data Transmission

pl20-l30 *** Networks / Multi-user Systems / Data Transmission
Personal computers in a distributed communications network. Steinwedel, Jeff. art 3:2 Feb78 p80-82+ *** Networks
Sky's the limit: use ham radio bands for intercomputer communication. Kasser, Joe. 3:11 Nov78 p48-61 *** Networks / Data Transmirter.

3:11 Nov78 p48-61 *** Networks / Data Transmission

HAMMING CODES

Error checking and correcting for your computer. Walker, Gregory. art 5:5 May80 p250-276 *** Design / Parity Checking / Error Checking Hamming error correcting code. Himble, Michael. art 4:2 Feb79 p180-182 *** Data Transmission / Parity Checking / Error Checking HAND-HELD COMPUTER

NU-HELD COMPUTER
Hand-Held computer / Byte changes. Morgan,
Chris. col 6:1 Jan81 p6-10 *** Publishing
Numerical analysis for the TRS-80 pocket
computer. Salem, Mike. col Ll 6:1 Jan81
p182-184 *** Mathematics / Fourier Transforms
/ TRS-80 Pocket Computer
Panasonic and Quasar hand-held computers.

Williams/Meyer. hr 6:1 Jan81 p34-45 ***
Hardware Review / Fiction
HANDICAPPED

Hardware Review / Fiction
HARDICAPPED
Computer speech: an update. Dahmke, Mark. col
6:2 Feb8l p6-12 *** Voice Synthesis
Handi-writer: a video note pad for the physically
handicapped. Batie, Howard. art L1 6:12
Dec8l p474-482 *** Video Display / TRS-80
Model I / Interface
HARD DISK DRIVE
Big disks must be managed properly. Rovira,
Charles. col 3:6 Jun78 p128-129 ***
Directory of hard-disk manufacturers. col 5:8
Aug80 p146 *** Manufacturing /
Hard-disk explosion: high-powered mass storage
for your personal computer. Manuel, Tom. art
5:8 Aug80 p58-70+ *** Hardware Review
Look at Shugart's new fixed disk drive. Morgan,
Chris. art 3:6 Jun78 p174-176 ***
Manufacturing /
Types and uses of direct access storage. Hill,
Curt. art 2:1 Jan77 p60-65 *** Floppy
Disk Drive / Information Storage / Data
Structures

HARDWARE CONSTRUCTION

8 digit hexadecimal readout. Burns, R.R. art
2:8 Aug77 pl14-l16 *** Hexadecimal / LED

RRUMARE CONSTRUCTION

8 digit hexadecimal readout. Burns, R.R. art
2:8 Aug77 pl14-l16 *** Hexadecimal / LED
Display

A/D and D/A conversion - an inexpensive approach.
Mikel, Roger. art 6:2 Feb81 p312-316 ***
Analog/Digital Circuit / Digital/Analog Circuit
AMSAT-GOLEM-80 (S-100 bus microcomputer project).
Kasser, Joe. art 4:9 Sep79 p182-195 ***
Microcomputer System / S-100 Bus
APL character generator. Langner, John. art L2
5:9 Sep80 p116-124 *** APL / Character
Generator
Aargh! (or, how to automate PROM burning without
EML). Helmers, Peter. art 1:8 Apr76 p34-35
*** PROM
Add a \$3 light pen to your video display.
Webster/Young. art L3 3:2 Feb78 p52-58
**** Light Pen
Add a stack to your 8008*. Chamberlin, Hal. art
L3 1:2 Oct75 p52-55 *** Programming
Instruction / 8008
Add cursor control to your TVT II. McGahee,
Thomas. art 2:7 Jul77 p122-123 *** Video
Display / Keyboard
Add nonvolatile memory to your computer.
Ciarcia, Steve. col 4:12 Dec79 p36-53 ***
Memory / EAROM
Add this graphics display to your system.
Buschbach, Thomas. art 1:15 Nov76 p32-39
*** High Resolution Graphics / Graphics
Adding an interrupt driven real time clock.
Sneed, James. art L3 2:11 Nov77 p72-74
**** Clock / 6502

HARDWARE CONSTRUCTION (CONTINUED)

ROWARE CONSTRUCTION (CONTINUED)

Answer/Originate modem. Parsons, Ronald. art
L3 5:6 Jun80 p24-40 *** Modem / CP/M

Anyone know the real time?. Ciarcia, Steve. col
L1 4:8 Aug/9 p50-59 *** Clock
Assembling a Sphere. Anderson, Bruce. art 1:11
Jul76 p18-20 *** Microcomputer System /
Sphere / Kit Building

Assembling an Altair 8800. Zarrella, John. art
1:4 0ec75 p78-80 *** Altair
Assembling the ADM-3A. Franson, Paul. art 4:2
Feb79 p76-82 *** Terminal / Kit Building
Aduible interrupts for humans. Douds, Charles.
art 2:2 Feb77 p54-58 *** Sound Effects
Audible logic test probe. Woodward, James. art
4:1 Jan79 p186-187 *** Test Equipment /
Logic Probe
Budget building on a bare board. Parker, Dan.
art 4:10 0ct79 p206-208 *** Consumer
Information

Build a TIL pulse catcher. Walde, William. art

Information
Build a TTL pulse catcher: Walde, William. art
1:6 Feb76 p58-60 *** Test Equipment
Build a TV readout device for your
microprocessor. Suding, Robert. art L3 1:12
Aug76 p66-73 *** Video Display
Build a bar-code scanner inexpensively. Bennett,
Bradley. art 6:11 Nov81 p62-72 *** Bar
Codes

Codes
Build a keyboard function decoder. Ciarcia,
Steve. col 3:7 Jul78 p98-103 *** Keyboard
/ Input/Output
Build a low-cost EPROM eraser*. Golter, L.B.
art 5:4 Apr80 p234-238 *** EPROM
Build a low-cost logic analyzer. Ciarcia, Steve.
col Ll 6:4 Apr81 p36-44 *** Test
Equipment

Equipment
Build a low-cost, remote data-entry terminal.
Ciarcia, Steve. col 5:9 Sep80 p26-42 ***
Terminal / Home
Build a noise-based random number generator.
Mayhugh, Terry. col 6:5 May81 p452-456 ***
Random Numbers

Random Numbers
Build a null modem. Haar, Robert. col 6:2
Feb81 p198-200 *** Modem
Build a simple digital oscilloscope. DeCaro,
Frank. art 4:11 Nov79 p222-226 *** Test
Equipment

Equipment
Build a television display. Gantt, C.W. art
1:10 Jun76 p16-21 *** Video Display
Build an intelligent EPROM programmer. Ciarcia,
Steve. col LI 6:10 Oct81 p36-48 ***
EPROM / Z8

tMKOM / Z8
Build an octal/hexadecimal output display.
Ciarcia, Steve. col 3:12 Dec78 p32-39 ***
Hexadecimal / Input/Output
Build the "Coffee Can Special" EROM eraser.
Burbey, Lawrence. art 2:1 Jan77 p91 ***
EPROM

Build your own Turing machine. Willis, James. art L3 6:4 Apr81 p122-146 *** Definitions

Build your own Turing machine. Willis, James. art 1.3 6:4 Apr81 p122-146 *** Definitions / Computer Instruction / Turing Machines Build-it-yourself modem for under \$50*. Ciarcia, Steve. col 5:8 Aug80 p22-38 *** Modem / Acoustic Coupler Built-in logic tester. Christner, Kurt. art 2:1 Jan77 p82-83 *** Test Equipment COSMAC doodler. Duntemann, Jeff. art L2 5:5 May80 p214-224 *** Graphics / COSMAC / Memory Catch bytes with a comparator. MacDonald, Doug. col 6:7 Jul81 p368-370 *** Test Equipment Coincident current ferrite core memories. Jones, James. art 1:11 Jul76 p6-16 *** Memory / Computer Instruction
Comments on a prototyping bus / Some comments on the universal bus. Simmons/Faiman. col 2:3 Mar77 p102-104 *** Standards
Communicate on a light beam*. Ciarcia, Steve. col 4:5 May79 p32-49 *** Fiber-optics / Data Transmission
Computer...versus...hand sent morse code. Hickey, William. art 1:14 Oct76 p12-14+ *** Ham Radio
Construction of a fourth-generation video terminal nart 1 Moreans Theorems 1.2

*** Ham Radio

Construction of a fourth-generation video terminal, part 1. Wierenga, Theron. art L3 5:8 Aug80 p210-224 *** Terminal / 8085

Construction of a fourth-generation video terminal, part 2. Wierenga, Theron. art L3 5:9 Sep80 p126-160 *** Terminal / 8085

Pressing up front panels (press on letters). Walters, Don. art 1:6 Feb76 p60 ***

Ease into 16-bit computing, part 2: examining a small multi-user system. Clarcia, Steve. col L3 5:4 Apr80 p40-58 *** Multi-user Systems / 8088 / Multi-tasking

Easy-to-use A/D converter. Daggit, Robert. art L3 6:6 Jun81 p378-383 *** Analog/Digital Circuit / 6502

L3 0:0 Jun81 p3/8-383 *** Analog/Digita Circuit / 6502 Eclectic card reader. Schaeffer, Anthony. ar 4:2 Feb/9 p70-74 *** Input/Output / Card Reader

Keader Flameless IC recycling trick. Bondy/Droms. 1:13 Sep76 p104 *** Integrated Circuits Get your system together (putting equipment ic cabinet). Whitney, John. art 2:12 Dec77 p84 ***

Getting inputs from joysticks and slide pots. Getting inputs from joysticks and slide pots.
Helmers, Carl. art L3 1:6 Feb76 p86-88
*** Joystick / Analog/Digital Circuit
Ham's application dreams. Hosking, W.J. art
1:14 Oct76 p26-92 *** Ham Radio
Handy pulser. Chrisp, Bob. art 4:9 Sep79
p160-161 *** Test Equipment / Debugging
Hobby unwrap. Stirling, Ralph. col 4:5 May79
p218-219 *** Wire Wrap
Hobbyist robot arm. Baxter/Daly. art 4:2
Feb79 p84-88 *** Robots
How to build a memory with one layer printed
circuits (static RAM). Lancaster, Don. art
1:8 Apr76 p28-32 *** Memory

HARDWARE CONSTRUCTION (CONTINUED)

ROWARE CONSTRUCTION (CONTINUED)
How to build an inexpensive cassette level
indicator. Chepko, Milan. col 6:9 Sep81
p435 *** Tape Cassette
I've got you in my scanner! (computer controlled
light scanner). Ciarcia, Steve. col Ll 3:11
Analog/Digital Circuit
10 strobes for the Altair 8800. Schulein, John.
art 1:8 Apr76 p79 *** Altair
Inexpensive optical paper-tape reader. Harron,
Brian. art 4:9 Sep79 p118-121 *** Paper
Tape Reader
Interrupt-driven real-time clock for the TMS

Tape Reader

Interrupt-driven real-time clock for the TMS
9900. Morris, Thomas. art L3 5:9 Sep80
p882-302 *** Clock / 9900

Let there be light pens. Loomis, Sumner. art
1:5 Jan76 p26-30 *** Light Pen / Graphics
Let your fingers do the talking: add a noncontact
touch scanner... Ciarcia, Steve. col L1
3:8 Aug78 p156-165 *** Input/Output / Video
Display

Line-failure indicator. Olson, Hank. col 5:11
Nov80 p86-88 *** Power Supply / Test
Equipment
Low cost light wand amplifier*. Moseley, Robin.
art 3:5 May78 p92-95 *** Bar Codes / Light
Wand

Wand

wand
Make your next peripheral a real eye opener*.
Ciarcia, Steve. art L3 1:15 Nov76 p78-89+
*** Graphics

Ciarcia, Steve. art L3 1:15 Nov76 p78-89+
*** Graphics
Make your own printed circuits. Hogenson, James.
art 1:11 Jul76 p58-63 *** Manufacturing /
Electronic Circuits
Micrograph, part 2: video-display processor.
Booch, E. Grady. art L3 5:12 Dec80
p120-138+ *** Color Graphics / High
Resolution Graphics / Video Display
More information on PROMs*. Smith, Roger. art
L3 1:9 May76 p28-34 *** PROM / Programming
Instruction
Multiplex your digital LED displays. Hogenson,
James. art 2:3 Mar77 p122-128 ***
Input/Output / LED Display
New dress for KIM (mounting a KIM in a
briefcase). Atkins, R. Travis. art 2:9
Sep77 p26-27 *** KIM
No power for your interfaces? Build a 5 W DC to
DC converter. Ciarcia, Steve. col 3:10
Oct78 p22-31 *** Power Supply / Conversions
Note to novice kit builders.... col 2:12 Dec77
p192 *** Integrated Circuits / Kit Building
Notes on bringing up a microcomputer. Libes,
Sol. art 3:1 Jan/8 p162-164 ***

Note to novice kit builders.... col 2:12 Dec77 p192 *** Integrated Circuits / Kit Building Notes on bringing up a microcomputer. Libes, Sol. art 3:1 Jan78 p162-164 *** Microcomputer System Cotal front panel. DeMonstoy, Herman. art 1:9 May76 p38-40 *** Input/Output / Keyboard On a test equipment diet? Try an 8 channel DVM cocktail!. Ciarcia, Steve. col 12 2:12 Dec77 p76-80+ *** Test Equipment One-sided view of wire wrap sockets. Rampil, Ira;. art 2:9 Sep77 p54-55 *** Wire Wrap Penny pinching address state analyzer. Ciarcia, Steve. col 3:2 Feb78 p6-12 *** Test Equipment / Memory Personal computer on a student's budget. Johnston, J.C. art 5:7 Jul80 p18-146 *** Microcomputer System / Kit Building Photographic notes on wire wrapping. Helmers, Carl. art 1:5 Jan76 p56-59 *** Wire Wrap Pick up B8JC by PROM bootstraps. Kreitner, Jim. art 1.3 2:1 Jan77 p50-51 *** Utility Porposition digitizing idea. Schulein, John. art 1:7 Mar76 p79 *** Analog/Oigital Circuit
Dwerless IC test clip. Errico/Baker. art 1:4 Dec75 p26-27 *** Test Feuiment / Integrated

Program / Arcail
Pot position digitizing idea. Schulein, John.
art 1:7 Mar76 p79 *** Analog/Ojgital
Circuit
Powerless IC test clip. Errico/Baker. art 1:4
Dec75 p26-27 *** Test Equipment / Integrated
Circuits
Program your next EROM in BASIC*. Ciarcia,
Steve. col Ll 3:3 Mar78 p84-93 *** EPROM
/ Programming Instruction
Programmable IC tester. Thorson, Mark. art 3:6
Jun78 p28-35 *** Test Equipment /
Integrated Circuits
Proposal for a universal prototyping bus
structure. Washburn, David. col 1:16 Dec76
p128-130 *** Standards
Recycling used ICs. Mikkelsen, Carl. art 1:1
Sep75 p20-21 *** Integrated Circuits
Save money using mini wire wrap. Thompson,
Roger. art 1:8 Apr76 p80-81 *** Wire Wrap
Secret of unraveling wire wrap boards. Lerseth,
Richard. art 1:4 Dec75 p17 *** Wire Wrap
Self-refreshing LED graphics display*. Ciarcia,
Steve. col Ll 4:10 Oct79 p58-69 ***
Graphics / LED Display
Signal processing for optical bar code scanning.
Merkowitz, Frederick. art 1:16 Dec76 p77-84
*** Bar Codes / Fiber-optics
Simple approaches to computer music synthesis.
Schneider, Thomas. art 2:10 Oct77 p140-144
*** Wusic
Soldering techniques. Trimmer, William. art
4:9 Sep79 p84-88 *** Kit Building
Sonic anemometry for the hobbyist. Dvorak, Neil.
art L3 4:7 Jul79 p120-132 ***
Analog/Digital Circuit / Weather
Sound Effects
IV oscilloscope (building a display and using it
as a test instrument). Barbier, Ken. art 2:7
Jul77 p52-57 *** Video Display / Test
Equipment
Talk to a turtle: build a computer controlled
robot. Gupton, James. art 4:6 Jun79 p74-84
*** Robots

Microline 84.

Introducing the Microline 84. The newest addition to the remarkable Microline family of printers from Okidata.

The Microline 84 prints bidirectionally at 200 cps and has 72 x 72 dot-addressable and block graphics. A full 96-character ASCII II set and condensed printing. Tractor and friction feeds. Parallel Centronics-compatible or RS232 interfaces. With all that as standard, you get a full year's warranty on the print head and 4000 to 5000 hours MTBF. And print quality that's crisp and clear in both text and graphics applications.

The Microline 84 gives you the throughput and reliability you need. Once again, quality printing from the company that stands apart from the rest. Okidata.

Interested? Contact us at III Gaither Drive, Mount Laurel, N.J. 08054, 609-235-2600 for more information on the remarkable Microline 84. Also available through authorized Okidata distributors.



H84 microline

Making small printers for people who think big.

Okidata is a subsidiary of Oki Electric Industry Company Ltd.

HARDWARE CONSTRUCTION (CONTINUED)

Talk to me! Add a voice to your computer for \$35. Ciarcia, Steve. col L3 3:6 Jun78 p142-151 *** Voice Synthesis / Analog/Digital Circuit

/
Tip for using wiring pencils. Burhans, R.W. art
1:15 Nov76 p40 *** Wire Wrap
Tune in with some chips (programmable music tone
generator). Sierad, Ted. art L2 2:9 Sep77
p84-94 *** Music / Sound Effects
12:1 Jan77 p76-77 *** Computer Instruction /
Education
Versatile read only memory programmer. Helmers.

Education

Versatile read only memory programmer. Helmers, Peter. art 1:3 Nov75 p56-71 *** PROM / Programming Instruction

What's involved in kit building? Frenzel, Louis. art 2:3 Mar77 p50-60 *** Kit Building

Wire-wrapping and proto-system techniques. Mangieri, Adolph. art 6:5 May81 p152-170

*** Wire Wrap

Zapper: a computer driven EROM programmer*. Gable, 6.H. art 1.3 3:12 Dec78 p100-106

*** EPROM / Programming Instruction

6800

Add a kluge harp to your computer*. Helmers, Carl. art L3 1:2 Oct75 p14-18 *** Music / 6800

Carl. art L3 1:2 Oct75 p14-18 *** Music / 6800 System with this kit. Kay, Garv. art 1:4 Dec75 p72-76 *** SMTPC / 6800 / Microcomputer System Build this video display terminal. Anderson, Alfred. art L3 1:15 Nov76 p106-118 *** Terminal / Video Display / 6800 Building an M6800 microcomputer*. Abbott, Bob. art 1:10 Jun76 p40-46 *** 6800 / Microcomputer System / MIKBUG COMPLEAT tape cassette interface. Hemenway, Jack. art L3 1:7 Mar76 p10-16 *** Interface / Tape Cassette / 6800 Computer-based laboratory timer. Gibson, John. art L3 6:6 Jun81 p110-144 *** Clock / 6800 / Science. Computer-controlled light dimmer, part 2: implementation. Gibson, John. art L3 5:2 Feb80 p72-80 *** Control / 6800 Does anybody know what time it is?. Grappel, Robert. art L3 2:11 Nov77 p68-70 *** Clock / Interface / 6800 Enterprising display device (GT-6144 graphics display generator). Deres, Joe. art L3 1:1 Nov76 p42-54 *** Graphics / 6800 / SMTPC Using interrupts for real time clocks*. Smith, M.F. art L3 2:11 Nov77 p50-53 *** Clock / 6800 / Programming Instruction

8080 Add some control to your computer: an output port Add some control to your computer: an output port tutorial. Barbier, Ken. art L3 4:9 Sep79 p195-200 *** Control / 8080 Build the beer budget graphics Interface. Nelson, Peter. art L3 1:15 Nov76 p26-29 *** Graphics / Interface / 8080 Build this mathematical function unit, part 2: software. Guthrie, R. Scott. art L3 1:14 Oct76 p74-80 *** Mathematics / Programming Instruction / 8080 (Try this computer on for size). Clarcia, Steve. art 2:3 Mar77 p114-121+ *** Microcomputer System / Hardware Review / 8080

pl14-121+ *** Microcomputer System / Hardware Review / 8080 et on at the right address (changing the "wake up" address of the 8080). Holman, Frank. art 3:3 Mar78 pl85 *** 8080 Memory mapped IO. Clarcia, Steve. col L3 2:11 NoV77 pl0-16 *** Memory / 8080 / Input/Output Progam those 2708si. Glaser, Robert. art L3 5:4 Apr80 pl98-210 *** EPROM / Programming Instruction / 8080

APPLE II

Apple analog-to-digital conversion in 27
microseconds. Seeds/Levison. art L3 6:10
Oct81 p488-461 *** Analog/Digital Circuit /
Apple II / Astronomy
Apple audio processing Cross, Mark. art L3
5:4 Apple II / Audio Processing
Build a low-cost speech-synthesizer interface.
Ciarcia, Steve. col L1 6:6 Jun81 p46-68
*** Apple II / Voice Synthesis / TRS-80 Model
I

I Cross-pollinating the Apple II (serial interface). Campbell, Richard. art L3 4:4 Apr79 p20-25 *** Interface / Serial Input/Output / Apple II Low-speed analog-to-digital converter for the Apple II. Hallgren, Richard. art L3 4:9 Sep79 p70-78 *** Analog/Digital Circuit / Interface / Apple II

CONTROL

Add some control to your computer: an output port tutorial. Barbier, Ken. art 13 4:9 Sep79 p196-200 *** Control / 8080 Build a 78-based control computer with BASIC, part 1. Ciarcia, Steve. col 6:7 Jul81 p38-47 *** Microcomputer System / Control / 28 Build a Z8-based control computer with BASIC, part 2. Ciarcia, Steve. col 11 6:8 Aug81 p50-72 *** Control / Microcomputer System / 28

Z8
Build a computer controlled security system for
your home. Clarcia/Sunderland. col 4:1
Jan79 p56-71 *** Security / Home / Control

HARDWARE CONSTRUCTION (CONTINUED)

Whate construction (controlled security system for your home: part 2. Ciarcia, Steve. col L2 4:2 Feb79 p162-179 *** Security / Home / Control

Control
Build a computer controlled security system for
your home: part 3. Ciarcia, Steve. col L3
4:3 Mar79 p150-167 *** Security / Home /

Control
Build a simple video switch. Hallgren, Richard.
col 6:3 Mar81 p234 *** Video Display / col 6:3 Control

Col 6:3 Mar8l p234 *** Video Display /
Control
Build a touch tone decoder for remote control.
Ciarcia, Steve. col 6:12 Dec8l p42-70 ***
Control / Home / Telecommunications
Build to Disk-80: memory expansion and
floppy-disk control (TRS-80). Ciarcia, Steve.
col 6:3 Mar8l p36-52 *** Disk Controllers
/ Minidisk Drive / TRS-80 Model I
Cassette interface switching box for the TRS-80*.
Anderson, Craig. art 3:11 Nov78 p160-161
*** Tape Cassette / Control / TRS-80 Model I
Computer-controlled light dimmer, part 2:
implementation. Gibson, John. art L3 5:2
Feb80 p72-80 *** Control / 6800
Computer-controlled tank. Ciarcia, Steve. col
L1 6:2 Feb81 p44-64 *** Control / Toys
Control the world! (or at least a few analog
points). Ciarcia, Steve. art L1 2:9 Sep77
p30-43+ *** Control / Digital/Analog Circuit
Controlling DC motors. Walton, Robert. art L3
3:7 Ju178 p72-80 *** Control
Controlling external devices with hobbyist
computers*. Bosen, Robert. art 1:8 Apr76
p42-45 *** Control / Interface
DC motor controls: build a motorized platform.
Ciarcia, Steve. col 6:5 May81 p66-98 ***
Controll
Do it yourself weather predictions*. Firth,
Michael. art 1:16 Dec76 p62-69 ***

Ciarcia, Steve. col 6:5 May81 p66-98 ***
Control
Do it yourself weather predictions*. Firth,
Michael. art 1:16 Dec76 p62-69 ***
Control / Weather
Furnace watchdog. Wierenga, Theron. art L1
5:1 Jan80 p74-90 *** Energy / Control / Home
Handheld remote control for your computerized
home. ciarcia, Steve. col L1 5:7 Ju80
p22-42 *** Control / Home / Input/Output
Home in on the rangel. Ciarcia, Steve. col L1
5:11 Nov80 p32-58 *** Control / Interface /
TRS-80 Model I
Microprocessor based analog/digital conversion.
Frank, Roger. art L3 1:9 May76 p70-73 ***
Control / Digital/Analog Circuit
Mind over matter: add biofeedback input for your
computer. Ciarcia, Steve. col L1 4:6 Jun79
p49-58 *** Control / Health / Analog/Digital
Circuit
Race-car monitoring program. Johnson, Jeff. col

Circuit
Race-car monitoring program. Johnson, Jeff. col
L6 5:6 Jun80 pl96-202 *** Control
Telephone-dialing microcomputer. Renbarger,
John. art L3 5:6 Jun80 pl40-170 ***
Control / Telecommunications / KIM
There's more to blinking lights than meets the
eye. Helmers, Carl. art L3 1:5 Jan76
p52-54 *** Control / 8008
Tune in and turn onl, part 1: a computerized
wireless AC control system. Ciarcia, Steve.
col L1 3:4 Apr78 pl14-125 *** Control /
Home

Tune in and turn on, part 2: an AC wireless remote control system. Ciarcia, Steve. col 3:5 May/8 p97-102 *** Control / Home

6502 personal system design: Kompuutar. Brader, David. art L3 2:11 Nov77 p94-141 ***
Design / 6502 / Microcomputer System
Another plotter to toy with, revisited: design and construction details. Newcomb, Robert. art L3 5:2 Feb80 p202-207 *** Plotter / KIM / Design

art L3 5:2 Feb80 p202-207 *** Plotter /
KIM / Design
Building a computer from scratch. Jones, Hilary.
art 2:11 Nov77 p80-92 *** Design /
Computer Instruction / Microcomputer System
Computer music: a design tutorial. Orlofsky.
Thomas. art L3 6:3 Mar81 p317-332 ***
Music / 2-80 / Design
Designing a robot from nature, part 2:
constructing the eye. Filo, Andrew. art 4:3
Mar79 p114-123 *** Robots / Design
Implementing an LSI frequency counter. Lynne,
Perry. art L3 2:11 Nov77 p146-149 ***
Frequency Counter / Design
LEDs light up your logic. Gray, E.W. art 1:6
Feb76 p54-57 *** Design
Modular construction, or why not do it yurself?
Walters, Don. art 1:2 Oct75 p46-47 ***
Design

Waiters, Don. art 1:2 Detro pro-47
Design
Photo essay: physical hardware of a new computer
backplane. Helmers, Carl. art 4:7 Jul79
p194-197 *** Microcomputer System / Design
Photographic notes on prototype construction.
Helmers, Carl. art 1:4 Dec75 p94-96 ***

Helmers, Carr. art.

Design
Recording with current instead of voltage. Hein,
David. col 6:2 FebBl p138-140 *** Tape
Cassette / Design
Switching power supplies: an introduction.
Ciarcia, Steve. col 6:11 Nov81 p36-45 ***
Power Supply / Design

GAMES
Life line 4: integrating graphics control commands. Helmers, Carl. art 1:5 Jan76 p32-41 *** Games / Graphics / Life
Toy store begins at home. Ciarcia, Steve. col L1 4:4 Apr79 p10-18 *** Music / Games

HARDWARE REVIEW
Assembling the H9 video terminal. Steeden,
Terry. art 3:10 Oct78 p130-135 ***
Terminal / Heath / Hardware Review

HARDWARE CONSTRUCTION (CONTINUED)

KUWAKK LUNSIRUCIION (CONTINUED)
CT-1024 kit. Hogenson, James. hr 1:5 Jan76
p92-95 *** Hardware Review / Terminal / Video
Display
Digital Group 8080A (Try this computer on for
size). Ciarcia, Steve. art 2:3 Mar77
pl14-121+ *** Microcomputer System / Hardware
Review / 8080

p114-121+ *** Microcomputer System / Hargware Review / 3080
R6S 008A microcomputer kit. Hogenson, James. hr
1:1 Sep75 p16-19 *** Hardware Review / Microcomputer System / 8008
SWFD 6809 Microcomputer System. Harmon, Tom. hr L3 6:1 Jan81 p216-222 *** Hardware Review / SWTPC / 6809

Microcomputer System. Harmon, Tom. hr L3 6:1 Jan81 p216-222 *** Hardware Review / SWTPC / 6809

INTERFACE

\$19 music interface (and some music theory for computer nuts)*. Struve, Bill. art L2 2:12 Dec77 p48-694 *** Interface / Music / KIM

8088 processor for the S-100 bus, part 2.

Cantrell, Thomas. art L3 5:10 Oct80 p62-88

*** 8088 / S-100 Bus / Interface

Build a serial ASCII word generator. Finger,

Ronald. art 1:9 May76 p50-53 ***

Interface / ASCII / Test Equipment

Build a super simple floppy-disk interface, part

1*. Nicholson/Camp. art 6:5 May81 p360-376

*** Floppy Disk Drive / Interface for the

S-100. Richards, David. art L3 6:10 Oct81

p400-406 *** Keyboard / S-100 Bus / Interface

Build a versatile keyboard interface for the

S-100. Richards, David. art L3 6:10 Oct81

p400-406 *** Keyboard / S-100 Bus / Interface

Build an osciloscope graphics interface*.

Hogenson, James. art L3 1:2 Oct75 p70-80

*** Video Display / Interface / Graphics

Build the BIT BOFFER*. Lancaster, Don. art 1:7

Mar76 p30-39 *** Interface / Tape Cassette

Build the Ber BUFFER*. Lancaster, Don. Peter. art L3 1:15 Nov76 p26-29

*** Graphics / Interface / 8080

Build this economy floppy disk interface.

Welson, Peter. art L3 1:15 Nov76 p26-29

*** Graphics / Interface / Boso

Build this economy floppy disk interface.

Welson, Peter. art L3 1:15 Nov76 p26-29

*** Graphics / Interface / Supe Cassette

Welson, Peter. art L3 1:15 Nov76 p26-29

*** Graphics / Interface / Supe Cassette / Super Controlling external devices with hobbyist computers*. Bosen, Robert. art 1:8 Apr76 p42-45 *** Control / Interface.

Cons-pollinating the Apple II (serial interface). Campbell, Richard. art L3 4:4

Apr79 p20-25 *** Interface / Serial Input/Output / Apple II

Ingital feedback loop (graphic displays). Loomis, Summer. let 1:3 Nov75 p46-47 ***

Video Display / Graphics / Interface

Digital minicassette controller. Kahn, James. art L3 2:1 Nov77 p68-70 ***

Clock / Interface / 6800

Expanded digital voltmeter (Add more zing to the cocktail). Clarcia

Condra, David. art 4:10 Oct79 p124-136 ***
S-100 Bus / 8255 / Interface
Interfacing the Sykes OEM floppy disk kit to a personal computer (SWTPC) . Hughes, Phil. art L3 3:3 Mar78 p178-184 *** Floppy Disk Drive / Interface / SWTPC
Joystick interfaces. Ciarcia, Steve. col L3 4:9 Sep79 p10-18 *** Joystick / Interface Low-speed analog-to-digital converter for the Apple II. Hallgren, Richard. art L3 4:9 Sep79 p70-78 *** Analog/Digital Circuit / Interface / Apple II
Navigation with Mini-O: part 3, software. Salter, Richard. art L3 2:4 Apr77 p100-109 *** Interface / 6502 / Navigation
PADDLES: interfacing with modular breadboards. Combs/field. art 6:4 Apr81 p388-357 *** Digital/Analog Circuit / Analog/Digital Circuit / Interface
Penny pincher's joystick interface. Wexler, Steven. art L3 5:9 Sep80 p86-90 *** Joystick / Interface / KIM
Polyphony made easy*. Roberts, Steven. art 4:1 Jan79 p104-109 *** Music / Interface
Programmable character generator, part 1: hardware. Weinstein, Larry. art 3:5 May78 p79-90 *** Video Oisplay / Interface / Character Generator

16 Bit 8086 Multi-User Microcomputer System

\$7595 FOUR USER SYSTEM FOR MP/M-86TM



THE

TEC 86M

T=B6

F

STANDARD FEATURES

1/2 MEGABYTE OF MEMORY

TWO 8 INCH D.D. FLOPPY DISKS

16 BIT 8086 CPU - Processor performance is the most critical element in a Multi-User System. Speed, power and the increased throughput of our 16 Bit 8086 CPU are just a few of the reasons why our TEC 86M Multi-User Systems really perform.

1/2 MEGABYTE OF MEMORY - The second most important factor which affects system performance is available user memory. Our 1/2 Megabyte, four user system gives each user well over 100K Bytes of memory, eliminating program size compromises which lead to poor Multi-User system performance.

MP/M-86™ COMPATIBILITY - The TEC 86M includes a ROM Boot for MP/M-86™ and is designed to provide optimal support for MP/M-86™. The MP/M-86™ Operating System is available separately from Tecmar for \$600. See Software Options listed below for important MP/M-86™ features.

FULLY INTERRUPT DRIVEN - The TEC 86M provides terminal and disk I/O interrupts to MP/M-86™, allowing for maximum system performance in Multi-User operation.

TWO 8 INCH DOUBLE DENSITY FLOPPY DISK DRIVES - The two Double Density floppy disks total 1.2 Megabytes of storage. Options include double sided floppy disk drives and Winchester drives.

FOUR SERIAL USER PORTS - Four serial user ports are provided. Each port can be independently set for speeds from 50 to 19200 Baud. **MULTIPLE PARALLEL PORTS** - Parallel ports are provided for operating printers as well as other parallel devices.

EASILY EXPANDABLE - The modular design of the Tec 86 and Tec 86M assures you of continued system expandibility. All options are easily field installable. Available options include: Memory 64K and 256K, additional users, double sided floppy disks, Winchester 31 Megabyte hard disk, terminals, and printers.

ATTRACTIVE DESKTOP ENCLOSURE - Tecmar Single and Multi-User systems come in your choice of an attractive desk top enclosure with wood grained side panels to blend nicely into your office surroundings, or an industrial quality cabinet for more hostile environments. Rack mount enclosures are available as options.

ONE YEAR WARRANTY - Tecmar Systems are fully assembled and thoroughly tested. All Tecmar Components carry a full One Year Warranty.

SOFTWARE OPTIONS

MP/M-86TM - Multi-User interrupt driven Operating System for the 16 Bit 8086 TEC 86M Microcomputer System. FILE PASSWORD PROTECTION - Access to user files can be restricted to require proper passwords prior to access. CONCURRENT FILE ACCESS -Files may be accessed by multiple users, each reading and/or writing the same file, with protection provided at both the file and the record level. FILE TIME AND DATE STAMPING - Files contain creation, and modification Times and Dates for ease and accuracy in determining the latest or most useful file versions. PRINT SPOOLER - Files may be submitted to the System Spool file for printing. This frees the user terminal to continue operation during the independent printing function.

LANGUAGES - BASIC-86™ FORTRAN-86™ PASCAL-86™ CBASIC/86™ CIS-COBOL™ PASCAL/M86™ FORTH
*NOT INCLUDING MP/M-86 and User Terminals.

OTHER FINE S100 and APPLE PRODUCTS AVAILABLE, INCLUDING:

ANALOG to DIGITAL CONVERTERS (12, 14, 16 bit accuracy; 30, 40, 100, 125 KHz Conversion rates; 16 to 256 Channels; programmable gain; timer/counters). DIGITAL to ANALOG CONVERTERS (12 bit accuracy, 3 microsecond conversion rate). 8086 CPU Board, I/O Boards 64K/256K Memory Boards, Real-time Video Digitizer and Display. Complete Systems also available for Data Acquisition, Video Digitization, and General Purpose Applications.

REQUEST OUR CATALOG FOR COMPLETE LISTING, AND SPECIFICATIONS ON THE ENTIRE TECMAR PRODUCT LINE.



DEALER INQUIRIES INVITED

TECMAR, INC. (216) 464-7410

23600 Mercantile Rd. • Cleveland, OH 44122

CP/M-85 and MP/M-85 are registered trademarks of Digital Research loc. BLSC-85, FRMEIAN-95 and PRSCN-85 are registered trademarks of Microsest loc.

CANADA: Our Ontario Distributor is OCTANT COMPUTER SERVICES INC., 146 Front Street West, Suite 485, Toronto, Ontario M5J 2L7 (416) 598-1046

HARDWARE CONSTRUCTION (CONTINUED)

Quad terminal interface. Alpert, Stephen. art
5:2 Feb80 pl16-125 *** Interface / Terminal
/ PDP-11 / PD-11 Remote terminal (Come upstairs and be respectable). Ciarcia, Steve. art 2:5 May77 p50-54 *** Terminal / Interface / Serial Input/Output Input/Output
Serialize those bits from your mystery keyboard.
Haller, George. art 1:9 May76 p36-37 ***
Interface / Serial Input/Output / Parallel Input/Output
Simplified Omega receiver details. Burhans,
Ralph. art 2:3 Mar77 p70-80 *** Interface
/ Nayigation
Stretch that 6800 clock. Henshaw, Jerry. art
1:16 Dec76 p42-46 *** Clock / Interface /
SWTPC Input/Output SWTPC
Telephone dialing by computer. Joyce, Edward.
art 5:1 Jan80 p122-128 *** Interface /
Telecommunications / Terminal
Use your television set as a video monitor.
Loos, Timothy. art 4:2 Feb79 p46-54 ***
Video Display / Interface
Why wait? Build a FAST cassette interface.
Suding, Robert. art L3 1:11 Jul76 p46-53
*** Tape Cassette / Interface MATHEMATICS
Build this mathematical function unit, part 1:
hardware. Guthrie, R. Scott. art 1:13 Sep76
p26-33 *** Mathematics
Build this mathematical function unit, part 2:
software. Guthrie, R. Scott. art L3 1:14
Oct76 p74-80 *** Mathematics / Programming
Instruction / 8080
How to multiply in a wet climate, part 2: design
details. Bryant/Swasdee. art L3 3:5 May/8
p104-114 *** Mathematics / SWTPC /
Microprocessor MATHEMATICS TRS-80 MODEL I Build a low-cost speech-synthesizer interface. Ciarcia, Steve. col Ll 6:6 Jun81 p46-68 *** Apple II / Voice Synthesis / TRS-80 Model *** Apple II / Voice Synthesis / IRS-80 Model II
Build an unlimited-vocabulary speech synthesizer.
Clarcia, Steve. col L1 6:9 Sep81 p38-50
*** Voice Synthesis / TRS-80 Model III
Build the Disk-80: memory expansion and floppy-disk control (TRS-80). Clarcia, Steve. col 6:3 Mar81 p36-52 *** Disk Controllers / Minidisk Drive / TRS-80 Model I
Cassette interface switching box for the TRS-80*. Anderson, Craig. art 3:11 Nov78 p160-161
*** Tape Cassette / Control / TRS-80 Model I
Computerized testing. Clarcia, Steve. col L1 5:12 Dec80 p44-70 *** Test Equipment / TRS-80 Model I
Home in on the rangel. Clarcia, Steve. col L1 5:11 Nov80 p32-58 *** Control / Interface / TRS-80 Model I
1/0 expansion for the Radio Shack TRS-80 TRS-80 Model I
I/O expansion for the Radio Shack TRS-80
(principles of parallel ports). Ciarcia,
Steve. col 5:5 May80 p22-40 *** Parallel
Input/Output / TRS-80 Model I
I/O expansion for the TRS-80, part 2: serial
ports. Ciarcia, Steve. col 5:6 Jun80
p42-62 *** Serial Input/Output / TRS-80 Model HARDWARE MODIFICATION RDWARE MODIFICATION
6502 gets microprogrammable instructions.
Harrod, Dennette. art 1.3 5:10 Oct80
p282-285 **** 6502 / Programming Instruction
Add dual trace and delayed sweep to your
oscilloscope. Stetson, Robert. col 6:9
Sep81 p428-431 *** Test Equipment
Alpha lock for your ASCII keyboard. Conboy,
Terry, art 5:1 Jan80 p156-158 ***
Keyboard / ASCII
Audio meter for your TRS-80. Miller, David. col
5:2 Feb80 p172-174 *** Tape Cassette /
TRS-80 Model I
Cassette lives on: an alternative to floopv-disk Audio meter for your TRS-80. Miller, David. col
5:2 Feb80 p121-174 *** Tape Cassette / TRS-80 Model I
Cassette lives on: an alternative to floppy-disk mass storage. Cook, Emory. art 5:5 May80 p12-18 *** Tape Cassette / Maintenance / Information Storage
Challenger writes on Comprint. Carlson, Edward. col 13 6:4 Apr81 p310-312 *** Printer / Interface / OSI
Do you need the real time?. Trollope, Gregory. art L3 2:11 Nov77 p166-169 *** Clock / MIKBUG / 6800
Fix for the Dazzler. Baltrush, Michael. col
4:4 Apr79 p247-248 *** Cromemco
Forcing the Z80 starting address. Soderstrom, Randy. col 6:2 Feb81 p288 *** Z-80
Giving KIM some fancy jewels (remote display board). Grater, Robert. art 2:7 Ju177
p126-127 *** KIM / Input/Output / LED Display Improve TRS-80 disk operation: add an external data separator. Kline, Ken. col 6:5 May81 p102-104 *** Disk Controllers / TRS-80 Model I / Minidisk Drive Keyboard modification. Macomber, George. art
1:6 Feb76 p16 *** Keyboard
Making an Hy understand lower case. Frye, George. col 3:9 Sep78 p147 *** Heath / Lowercase Modification
Modifying the SwTPC computer (for 6809 operation). Weaver, Thomas. art 6:2 Feb81 p332-334 *** SWTPC / 6809
More colors for your Apple. Watson/Wozniak. art
£1 4:6 Jun79 p60-68 *** Color Graphics / High Resolution Graphics / Apple II
Mounting a paper tape reader. Bryant, Jack. art
3:1 Jan78 p161 *** Paper Tape Reader

HARDWARE MODIFICATION (CONTINUED)
Plugging the KIM-2 gap. Notley, M. Garth. col
3:9 Sep78 pl23 *** Memory / KIM
Radio Shack's modifications to the FRS-80*. Li,
Terry. col 5:10 Oct80 pl32-184 *** TRS-80
Model I / ROM
Separate very same (how to modify a TV monitor) Model I / ROM
Separate your sync (how to modify a TV monitor).
Rosen, David. art 2:1 Jan77 p92-93 ***
Video Display
Simpler digital cassette tape interface.
Burhans, Ralph. art 3:10 Oct78 p142-143
*** Tape Cassette / Interface
Souping up your SwTPC 6800. Hughes, Steve. art
3:10 Oct78 p144-146 *** Clock / SWTPC
Speeding up MIKBUG IO routines. Moore, T.W. col
3:6 Jun78 p132-134 *** MIKBUG / 6800 /
Input/Output
Switching ROMs in the Fairchild F8 evaluation Input/Output
Switching ROMs in the Fairchild F8 evaluation
kit. Polonchak, John. art 2:11 Nov77 pl8
*** ROM
True confessions: how I relate to KIM. Gupta,
Yogesh. art 1:12 Aug76 p44-48 *** KIM
HARDMARE REVIEW True confessions: how I relate to KIM. Gupta, Yogesh. art 1:12 Aug76 p44-48 *** KIM RWDMARE REVIEW 8008: microprocessor update. Baker, Robert. hr 2:4 Ap77 pil0-l11+ *** 8008 / Microprocessor Development of the tropy of tropy of the tropy of tropy of tropy of the tropy of the tropy of tropy of tropy of the tropy of tropy P 65: world's smallest computer system.
Nelson, Richard. art 1:4 Dec75 p70-71 ***
Calculator Calculator
HP-41C: a literate calculator?. Hayes, Brian.
hr 6:1 Jan81 p118-138 *** Calculator / Bar
Codes /
Hard-disk explosion: high-powered mass storage
for your personal computer. Manuel, Tom. art
5:8 Aug80 p58-70+ *** Hard Disk Drive
Heath H-14 printer. Rehm, Bradford. hr 6:2
Feb81 p253-260 **** Printer / Heath
Heath H-99 computer. Dahmke, Mark. hr L1 5:8
Aug80 p46-56 *** Heath
Heath Heroprocessor training system. Hubin,
W.N. hr 3:11 Nov78 p158-159 *** Computer
Instruction / Microprocessor / Heath
Hewlett-Packard's new personal computer: the
HP-85*. Morgan, Christopher. hr L3 5:3
Mar80 p60-66 *** HP-85 / Microcomputer
System
How to choose a microprocessor. Frenzel, Lou.
art 3:7 Ju178 p124-150 *** Microprocessor
/ Consumer Information
IBM personal computer: first impressions.
Lemmons, Phil. hr 6:10 Oct81 p26-34 ***
Microcomputer System / IBM Personal Computer
Integral Data's Paper Tiger 460. Willner,
Eliäkim. hr 6:10 Oct81 p378-382 ***
Printer
Intel 8086 (and the SDK-86 system design kit). HP-41C: a literate calculator?. Hayes, Brian. hr 6:1 Jan81 pl18-138 *** Calculator / Bar Eliakim. hr 6:10 Oct81 p378-382 ***
Printer
Intel 8086 (and the SDK-86 system design kit).
Ciarcia, Steve. col 4:11 Nov79 p14-24 ***
8086 / Microprocessor
Keep PACE with the times. Baker, Robert. art
1:14 Oct76 p82-86 *** Microprocessor
Matrox ALT-256 video board (product description).
Ruple, Gary. hr 3:5 May78 p24-30 ***
Video Display / High Resolution Graphics /
S-100 Bus

HARDWARE REVIEW (CONTINUED) COMARK REVIEW (COMINACE) Mauro Proac plotter: Dahmke, Mark. hr 6:10 Oct81 p383-384 *** Plotter Micro-Scan Corp bar code scanner. Merkowitz, Frederick. hr 3:10 Oct78 p166-167 *** Bar Codes
MicroAce computer. Searls, Delmar. hr 6:4
Apr8l p46-62 *** MicroAce
MicroAngelo video display. Dahmke, Mark. hr
5:11 Nov80 p196-202 *** Video Display /
High Resolution Graphics / 5-100 Bus
NEC PC-8001: a new Japanese personal computer.
Keith/Kocher. hr 6:1 Jan8l p72-88 ***
PC-8001 NEC PC-8001: a new Japanese personal computer. Keith/Kocher. hr 6:1 Jan81 p72-88 *** PC-8001

New Altair 680. Vice, James. art 1:6 Feb76 p42-45 *** Altair / Microcomputer System

New mini-microcomputer system: the Digital Equipment Corporation LS-11. Baker, Robert. art 1:5 Jan76 p12-24 *** LSI-11 / Microcomputer System

Noval 760 (System description: The Noval 760). Hauck/Nash. hr 2:9 Sep7 p102-108 ***

Microcomputer System

Noval 760 (System description: The Noval 760). Hauck/Nash. hr 2:9 Sep7 p102-108 ***

Microcomputer System

SSI (model 300 computer training board - product description). Baker, Robert. col 2:1 Jan77 p94-95 *** OSI

PEI 2001 (User's report: the PET 2001). Fylstra, Dan. hr 3:3 Mar78 p14-127 *** PET / Microcomputer System

Panasonic and Quasar hand-held computers. Williams/Meyer. hr 6:1 Jan81 p34-45 ***

Hand-held Computer / Fiction
Power of the HP-67 programmable calculator, part 1. Arp, Robert. art 4:3 Mar79 p196-204 *** Calculator
Preview of the Z-8000. Rampil, Ira. art 4:3 Mar79 p80-91 *** Z-8000 / Microprocessor Terchnology VDM-1. Anderson, D. hr L3 1:16 Dec76 p36-39 *** Video Display / Altair / IMSAI

Put the "do everything" chip in your next design (TMS-S501). Baker, Robert. art 1:11 Ju176 p40-44 *** Microprocessor / TMS-5501

RAMCRAM memory module for the Atari. Pelczarski, Mark. hr 6:6 Jun81 p24-26 *** Memory / Ataii Radio Shack's Daisy Wheel Printer II. Kolya, RAMCRAM memory module for the Atari. Pelczarski Mark. hr 6:6 Jun81 p24-26 *** Memory / Atari
Radio Shack's Daisy Wheel Printer II. Kolya, Yvon. hr 6:2 Feb81 p30-34 *** Printer / Recognition for Heuristics Speechlab. Parfitt, Rick. hr 2:9 Sep77 p50 *** Speech Recognition / Altair
SC/MP fills a gap. Baker, Robert. art 1:13 Sep76 p76-79 *** SC/MP / Microprocessor SOL-20 (User's report: the SOL-20). Barbour, Dennis. hr 3:4 Apr78 p126-130 *** SOL / Microcomputer System
SR-52: another world's smallest*. Flippin, J. Bradley. art 1:8 Apr76 p36-41 *** Calculator
SMTPC PR-40 alphanumeric printer (review). Kay, SWTPC PR-40 alphanumeric printer (review). Kay, Gary. hr 2:3 Mar77 pl8-24 *** Printer / SWTPC SMTPC
Sinclair Research ZX80. McCallum, John. hr 6:1
Jan81 p94-102 *** Sinclair ZX80
Some graphics background information. Rampil,
Ira. art 1:15 Nov76 p56-59 *** Graphics /
High Resolution Graphics High Resolution Graphics
Superboard II: a surprising single board computer
from OSI. Morgan, Christopher. col 4:5
May79 p50-51 *** OSI
Synertek systems KTM-2 terminal-on-a-board.
Nowes, Phil. hr 5:10 Oct80 p42-48 *** Terminal
TDL system monitor board: a writer's view. Rehm,
Bradford. hr 3:4 Apr78 p10-16 ***
Microcomputer System
Teleterminal Fly Reader paper tape reader (Come
fly with KIM). Simpson, Rick. hr 2:6 Jun77
p76-80 *** Information Storage / Paper Tape
Reader
Teyas Instruments Texas Instruments TMS9900. Baker, Robert. art 1:8 Apr76 p64-70 *** 9900 / Microprocessor Time has come to talk. Atmar, Wirt. art 1:12
Aug76 p26-33 *** Voice Synthesis /
User's reaction to the SOL-10 computer. Bumpous,
Robert. hr 3:1 Jan78 p86-93 *** SOL /
Microcomputer System
User's report on the Intercept Jr. Lahore,
Henry. art 2:12 Dec77 p186-190 ***
Microcomputer System
Welcome, IBM, to personal computing. hr 1:4
Dec75 p90 *** IBM
Dec75 p90 *** IBM
210g Z80. Hashizume, Burt. hr 1:12 Aug76
p34-38 *** Microprocessor / Z-80 / Astral 2000. hr 1:15 Nov76 p132-134 ***
Microcomputer System / 6800
Preview of the Motorola 68000. Halsema, A.I.
art 4:8 Aug79 p170-174 *** 68000 /
Microprocessor
Systems of note (M6800 from Celdat Design
Associates). hr 1:10 Jun76 p106-108 ***
6800 / Microcomputer System

Stocking Stuffers FROM HAYDEN!

New! KLONDIKE 2000

(Trackman) Gold is hidden in the desolate caves of a mine in the Martian desert. You discover the secret to gaining the loyalty of hostile robots guarding the gold. But you must fight conniving opponents and carry your gold out of the mine. Suspense! Excitement! Treachery!

#10209, Apple II Disk, \$24.95

New! TRS-80 GALAXY OF

GAMES (Dilley, Savolaine and Wilkerson) A real bargain - and hours of fun, too! HANGMAN - The most famous word game - you'll get hung up on it!

ONE-ARM-BANDIT - A home version of the casino slot machine. SKUNK - An exciting dice game! You get "skunked" when you roll no points! JACKS - A card game in which small is great! Trade high cards for low ones and win! #09903, TRS-80 Models I and III, \$14.95



New! TETRAD (Hess) Now try 3-dimensional tic tac toe, and enjoy beautiful color, surprising sound, and a choice of 3 levels of difficulty. A real challenge that allows 76 winning combinations. TETRAD adds a new dimension to a familiar game as you battle the computer to get 4 in a row in any direction. #09809, Apple II, \$19.95

Available at your local computer store!

New! MIND THRUST (Sackson and Wazanev) Match wits with the computer! Be the first to complete a chain across the board. Switch sides at any time and control your opponent's pieces as he controls yours. #07403, TRS-80 Level II, \$16.95

Coming Soon! Atari Version! REVERSAL

(Spracklens) One of our most popular games! This version of the 200-year-old game Reversi features 27 levels of play and high resolution color graphics. Written by the authors of SARGON II!
#07004, Apple II tape
#07012, ATARI tape (soon to be available) each tape, \$29.95 #07009, Apple II Disk, \$34.95

Coming Soon! ALIBI (Trackman) You must interrogate sleazy, intelligent, treacherous and deceitful suspects to solve dreadful murders. Cases become more difficult and the number of suspects increases as you become more skillful! The best detective game for microcomputers.

#10909, Apple II Disk, \$19.95

Coming Soon! STAR

TRADERS (Trackman) Just as centuries ago merchants loaded sailing ships with gems, gold, herbs, and spices to trade throughout the world, so can you load your space ship with computer software, uranium, precious metals, etc., and travel to distant planets for the best deal! Who wins? The one with the most money, of course!

#10709, Apple II Disk, \$19.95

ORDER TODAY!

Hayden Book Co., Inc. 50 Essex St. Rochelle Park, NJ 07662 Please send me the software checked. Residents of

NJ and CA must add sales tax. Name of individual ordering must be filled in Offer good in US only. Payment must accompany orders from P.O. Box numbers. Prices subject to change without notice.

\Box	Enclosed is my check or money order
	Please bill to my Master Card or VISA account #

Interbank #_ _ Expiration Date_ □ 07004 □ 07403 □ 10209 □ 10709 □ 10909 □ 09809 □ 09903 07009

Name Address __

B 12/81-009

For Orders, Inquiries and Technical Support, Call Toll Free

YDEN HOTL B00-631-0856

50 Essex Street, Rochelle Park, NJ 07662 Book Company, Inc.

City/State/Zip

HARDWARE REVIEW (CONTINUED)

Apple III. Morgan, Chris. hr L1 5:7 Jul80 p50-54 *** Apple III / Microcomputer System Apple to Byte: one user's review of the Apple II. Helmers, Carl. hr 3:3 Mar78 p18-46 *** Apple II / Microcomputer System Microsoft Softcard. Pelczarski, Mark. hr 6:11 Nov81 p152-162 *** Z-80 / Apple II / CP/M Mountain Computer's MusicSystem. Moore, Robin. hr 6:7 Jul81 p60-92 *** Music / Apple II Videx keyboard and display enhancer. Pelczarski, Mark. hr 6:7 Jul81 p354-356 *** Video Display / Apple II / Keyboard alphaSyntauri Music Synthesizer. Levine/Mauchly. hr 6:12 Dec81 p108-128 *** Music / Apple II

CONTROL Intel 8275 CRT controller. Tennant, Chris. art
4:5 May79 p130-148 *** Video Controller
Percom's Doubler. Kelly, Mahlon. hr 6:7 Jul81
p344-352 *** Disk Controllers / TRS-80 Model
I / Minidisk Drive

Single chip video controller. Haas, Bob. ar 4:5 May79 p52-75 *** Video Controller / Integrated Circuits / Design

DESIGN Single chip video controller. Haas, Bob. ar 4:5 May79 p52-75 *** Video Controller / Integrated Circuits / Design

GAMES
HP-67 and HP-97: Hewlett-Packard's personal computers*. Pearce, Craig. art L1 3:6 Jun78 pl12-117 *** Calculator / Games
New software, new hardware computer languages, and games. Pournelle, Jerry. col 6:11 Nov. p449-457 *** Languages / Software Review / Games

Pocket computer?. Carbrey, Bruce. hr 5:12 Dec80 p244-262 *** Calculator / Games

HARDWARE CONSTRUCTION
Assembling the H9 video terminal. Steeden,
Terry, art 3:10 Oct78 pl30-135 ***
Terminal / Heath / Hardware Construction
CT-1024 kit. Hogenson, James. hr 1:5 Jan76
p92-95 *** Terminal / Hardware Construction /
Video Display
Digital Group 8080A (Try this computer on for
size). Clarcia, Steve. art 2:3 Mar77
pl14-121+ *** Hardware Construction /
Microcomputer System / 8080
Microcomputer System / Hogenson, James. hr
1:1 Sep75 pl6-19 *** Microcomputer System
/ Hardware Construction / 8008
SMTPC 6809 Microcomputer System. Harmon, Tom.
hr 6:1 Jan81 p216-222 *** SMTPC / 6809 /
Hardware Construction HARDWARE CONSTRUCTION

INTERFACE

8088 processor for the S-100 bus, part 1.
Cantrell, Thomas. art 5:9 Sep80 p46-64 ***
8088 / S-100 Bus / Interface
Convert your TV set to a video monitor. Fylstra,
Dan. art 3:5 May78 p22+ *** Video Display
/ Interface
MERLIN video interface adds a visual dimension to
your Altair or INSAI. hr 1:15 Nov76 p62-64
*** Video Display / Interface / Altair
Ohio Scientific CA-15 universal telephone
interface. Williams, Gregg. hr L1 5:8
Aug80 p40-44 *** Interface / OSI /
Telecommunications

Aug80 p40-44 *** Interface / OSI / Telecommunications Put your computer to work (cassette controller). Roch, Bill. hr 6:2 Feb81 p102-103 *** Tape Cassette / Interface / Altair Using the PolyMorphics video interface. Wenzlaff, Wayne. art 2:12 Dec77 p130-132 *** Video Display / Interface

Number crunching processor (NSC MM57109). Nelson, Peter. art L3 3:3 Aug78 p64-74 *** Microprocessor / Mathematics

SOFTWARE REVIEW New software, new hardware computer languages, and games. Pournelle, Jerry. col 6:11 Nov p449-457 *** Languages / Software Review / Games

TRS-80 MODEL I Exatron Stringy Floppy data-storage system.
Carlson, Keith. hr 6:11 Nov81 p126-130 ***
Information Storage / TRS-80 Model I / Stringy

Information Storage / TRS-80 Model I / Stringy Floppy
Micro Matrix Photopoint Light Pen (TRS-80).
Gray, Stephen. hr 6:3 Mar81 p84-88 ***
Light Pen / TRS-80 Model I
Percom's Doubler. Kelly, Mahlon. hr 6:7 Jul81
p344-352 *** Disk Controllers / TRS-80 Model I
/ Minidisk Drive
Radio Shack TRS-80: an owner's report. Fylstra,
Dan. hr 3:4 Apr78 p49-60 *** TRS-80 Model I
/ Microcomputer System
TRS-80 speaks: using BASIC to drive a speech
synthesizer. Gargagilano/Fons. art L1 4:10
Oct79 p113-122 *** Voice Synthesis / TRS-80
Model I
TRS-80: Radio Shack's new entry into the personal

Model I
TRS-80: Radio Shack's new entry into the personal
computer market. Morgan, Chris. col 2:11
Nov77 p46 *** TRS-80 Model I
Three new computers from Radio Shack (Model III,
Color and Pocket). Miastkowski, Stan. hr
5:10 Oct80 p172-180 *** TRS-80 Model III /
TRS-80 Color / TRS-80 Pocket Computer

NHING
Easy to use hashing function. Kinzer, Don. art
L3 4:10 0ct79 p200-204 *** 6800 /
Programming Instruction
Making hash with tables. Dollhoff, Terry. art
L3 2:1 Jan77 p18-30 *** Programming
Instruction / 8080
ALTH

Mind over matter: add biofeedback input for your computer. Ciarcia, Steve. col Ll 4:6 Jun79 p49-58 *** Control / Analog/Digital Circuit / Hardware Construction

NTH
Assembling the H9 video terminal. Steeden,
Terry. art 3:10 Oct78 pl30-135 ***
Terminal / Hardware Construction / Hardware

Review
Building the Heath HB computer. Poduska, Paul.
art L1 4:3 Mar79 p12-13+ *** Kit Building
/ Hardware Review / Microcomputer System
Heath H-14 printer. Rehm, Bradford. hr L1 6:2
Feb31 p253-260 *** Hardware Review /
Printer

Printer

Heath H-89 computer. Dahmke, Mark. hr L1 5:8
Aug80 p46-56 *** Hardware Review
Heath microprocessor training system. Hubin,
N.N. hr 3:11 Nov78 p158-159 *** Hardware
Review / Computer Instruction / Microprocessor
Making an H9 understand lower case. Frye,
George. col 3:9 Sep78 p147 *** Hardware
Modification / Lowercase Modification
PAM/8: a new approach to front panel design.
Letwin, Gordon. art 3:10 Oct78 p70-84 ***
Monitor / Software Review / LED Display
HEWLETT-PACKARD

Generating bar code in the Hewlett-Packard format*. McNeal, Thomas. art Ll 6:1 p148-178 *** Bar Codes / Calculator / Conversions

Conversions
Graphics fundamentals. Sandifur, Kathleen. art
L9 6:10 Oct81 p284-300 *** Graphics /
Programming Instruction
Minimizing curve-plotting calculation. Bowker,
Timothy. art L9 4:12 Dec79 p134-142 ***
Plotting / Programming Instruction
Noniterative digital solution of linear transfer
functions. Finlay, Bryan. art L1 4:12
Dec79 p144-166 *** Mathematics / Simulation
Rotation algorithm (graphic designs). Bates,
Samuel. col L1 6:1 Jan81 p328-333 ***
Graphics / Plotting
Variable type converter for numerical quantities.
Moskowitz, Mike. col L1 6:2 Feb81
p271-272 *** Conversions / Programming
Instruction / BASIC
XADECIMAL

HEXADECIMAL

Instruction / BASIC

HEXADECIMAL

5 byte hexadecimal to ASCII converter. Doshi, Ashwin. col 1.3 4:6 Jun79 p.208 ***
Conversions / ASCII / 8080

8 digit hexadecimal readout. Burns, R.R. art 2:8 Aug/7 pli4-li6 *** Hardware
Construction / LED Display

AM-65 16-bit hexadecimal to decimal conversion. Young, R.A. col 1.3 6:8 Aug81 p413 ***
Conversions / AIM

Build an octal/hexadecimal output display.
Ciarcia, Steve. col 3:12 Dec78 p32-39 ***
Hardware Construction / Input/Output
Easy programming system (hexadecimal interpretive programming system). Weisbecker, Joseph. art 1.9 3:12 Dec78 p108-122 *** Programming Instruction / COSMAC

How to do a number of conversions*. Brown, James. art 1.3 1:13 Sep76 p50-60 ***
Conversions / Binary / 3080
Peek at poke (pokes hexadecimal values into memory). Parris, M. col Ll 4:6 Jun79 p212-213 *** Utility Program / TRS-80 Model I Simple base conversions for the TRS-80. Curran, James. col Ll 5:11 Nov80 p145 ***
Conversions / TRS-80 Model I
HIGH RESOLUTION GRAPHICS
About the cover (color graphics on the TV Dazzler). Helmers, Carl. art 1:10 Jun76

About the cover (color graphics on the TV Dazzler). Helmers, Carl. art 1:10 Jun76 p6-7 *** Color Graphics / Cromemco / Hardware Review
Add this graphics display to your system.
Buschbach, Thomas. art 1:15 Nov76 p32-39 *** Hardware Construction / Graphics / Colorful future of personal computing. Helmers, Carl. col 2:10 Oct77 p6* *** Video Display / Color Graphics / Color Display Computer art (About the cover - color graphics done on a GRASS system). Defanti/Tetz. col 2:10 Oct77 p22-25 *** Art / P0P-11 Kinetic string art for the Apple. Cesa, Louis. col 5:11 Nov80 p62-63 *** Color Graphics / Art / Apple II Language control structures for easy electronic visualization. Defanti, Thomas. art 5:11 Nov80 p90-106 *** Languages / Color Graphics Matrox ALT-256 video board (product description). Ruple, Gary. hr 3:5 May78 p24-30 *** Hardware Review / Video Display / S-100 Bus MicroAngelo video display. Dahmke, Mark. hr L1 5:11 Nov80 p196-202 *** Hardware Review / Video Display / S-100 Bus MicroGraph, part 1: ...an instruction set for a raster-scan display. Booch, E. Grady. art L3 5:11 Nov80 p619-22 *** Color Graphics / Design / Video Display Generator Micrograph, part 1: ...an instruction set for a raster-scan display. Booch, E. Grady. art L3 5:12 Dec80 p120-138* *** Color Graphics / Hardware Construction / Video Display Generator Booch, E. Grady. art 13 5:12 Dec80 p120-138* *** Color Graphics / Programming Instruction **** Color Graphics / Programming Instruction *** About the cover (color graphics on the TV Dazzler). Helmers, Carl. art 1:10 Jun76 p6-7 *** Color Graphics / Cromemco / Hardware Review

HIGH RESOLUTION GRAPHICS (CONTINUED)

More colors for your Apple. Watson/Wozniak. art
L1 4:6 Jun79 p60-68 *** Color Graphics /
Hardware Modification / Apple II
Photograph is also hard copy. Egbert, Dwight.
art 3:5 May78 p10-14 *** Color Graphics /
Photography

more colors for your Apple. Watson/Wozniak. art
L1 4:6 Jun79 p60-68 *** Color Graphics /
Hardware Modification / Apple II
Photograph is also hard copy. Egbert, Dwight.
art 3:5 May78 p10-14 *** Color Graphics /
Photography
Picture-perfect Apple. Roybal, Phil. art 6:1
Jan81 p226-235 *** Printer / Apple II
Raster scan graphics suggestion. Adams, Tello.
col 3:5 May78 p44 *** Color Graphics
Shape table conversion for the Apple II.
Partyka, Dave. col Ll 4:11 Nov79 p63 ***
Programming Instruction / Apple II /
Conversions
Some graphics background information. Rampil,
Ira. art 1:15 Nov76 p56-59 *** / High
Resolution Graphics
Three-dimensional computer graphics, part 1.
Crow, Franklin. art L6 6:3 Mar81 p54-82
*** Graphics / Three-Dimensional Graphics
Three-dimensional graphics for the Apple II.
Sokol, Dan. art L1 5:11 Nov80 p148-154
*** Apple II / Three-Dimensional Graphics
HIGHER EDUCATION
APL and the greatest common divisor / APL aids
instructors. Claxton/Evans. col L9 4:5
May79 p206-207 *** APL
Classroom demonstration: controlling a system
with a microcomputer. Hill, Garnet. art L3
3:11 Nov78 p112-118 *** Control / Science
College microcomputer facility. Foster/Southern.
art 3:4 Apr78 p90-96 *** Computer
Instruction / Microprocessor
Computer Assisted Instruction on a microcomputer.
Davidson/et al. art 3:11 Nov78 p90-94 ***
Computer Assisted instruction on a computer.
Garson, James. col 6:5 May81 p186-196 ***
Computer Assisted Instruction Intellectual ethics and software: an inquiry into
the nature of ideas... helmers, Carl. col
5:9 Sep80 p6-10 *** Ethics / Business
Interactive control of a videocassette recorder
with a personal computer. Hallgren, Richard.
art L3 5:7 Jul80 p116-134 *** Control /
Computer Assisted Instruction / Interface
Microcomputer as a laboratory instrument.
Cosgrove, Daniel. art L3 6:11 Nov81
p84-95 *** Science / Control
Microcomputers in the chemistry laboratory.
Designo, Robert. col 6:2 Feb81 p274-278
**** Science / Altair

p1/4-190 ** Computer Assisted Instruction / Science ** Computer Assisted Instruction / Science / Altair ** Science / Science / Fohl, Mark. art 2:8 Aug77 p25-28+ *** Microprocessor / Computer Instruction / Education ** Minicomputer fair: tiny and personal. Piele, Donald. art 2:11 Nov77 p25-29 *** Conference / Contests / Secondary Education Notes on teaching with microcomputers. Norton, William. art 3:6 Jun78 p138-139 *** Computer Instruction / KIM Teaching with a microcomputer. Gerhold, George. art 3:12 Dec78 p124-126 *** Computer Assisted Instruction / Education View from the lectern: what's wrong with technical writing today?. Barnum, Carol. col 6:11 Nov81 p409-412 *** Writing STORY

O::1 NOVOL P4U9-41Z *** Writing
STORY
Antique mechanical computers, part 1: early
automata. Williams, James. art 3:7 Jul78
p48-58 ***
Antique mechanical computers, part 2: 18th and
19th century...marvels. Williams, James. art
3:8 Aug78 p96-107 *** Robots
Antique mechanical computers, part 3: the Torres
Chess Automaton. Williams, James. art 3:9
Sep78 p82-92 *** Robots / Chess
Emperor's old clothes (lecture by the 1980 ACM
Turing Award winner). Hoare, Charles. art
6:9 Sep81 p414-425 *** People
Era of off-the-shelf personal computers has
arrived. Helmers, Carl. col L6 5:1 Jan80
p6-10+ *** Microcomputer System / Apple II /
Pascal
Evolution of FORTH, an unusual language. Moore.

p6-10* *** Microcomputer System / Apple II / Pascal
Pvolution of FORTH, an unusual language. Moore, Charles. art L7 5:8 Aug80 p76-92 *** FORTH / Languages
First ten years of amateur computing. Libes, Sol. art 3:7 Ju178 p64-71 ***
History of computers: the IBM 650*. Reid-Green, Keith. art 4:3 Mar79 p238-240 *** IBM History of computing: the IBM 7070. Reid-Green, Keith. art 4:1 Jan79 p190-192 *** IBM History of computing: the IBM 7070. Reid-Green, Keith. art 4:6 Jun79 p148-150 *** IBM How BYTE started. Green, Wayne. col 1:1 Sep75 p99 *** Publishing
Is the Smalltalk-80 system for children?. Goldberg/Ross. art 6:8 Aug81 p348-368 *** Smalltalk / Programming Instruction / Children Origins of the word "byte". Buchholtz, W. let 2:2 Feb77 p144 *** Definitions / IBM Other early computers. Lane, G.B. col 4:5 May79 p211-212 ***
Personal computing: an idea whose time has finally comel. Isaacson, Portia. col 2:2 Feb77 p4 ***
Philadelphia's 179 year old android. Penniman, Charler art 2:2 ** Aug78 mon 4. ***
Philadelphia's 179 year old android. Penniman, Charler art 2:2 ** Aug78 mon 4. ***
Philadelphia's 179 year old android. Penniman, Charler art 2:2 ** Aug78 mon 4. ***
Philadelphia's 179 year old android. Penniman, Charler art 2:2 ***
Philadelphia's 179 year old android. Penniman, Charler art 2:2 ****

finally come!. Isaacson, Portia. col 2:2
Feb77 p4+ ***
Philadelphia's 179 year old android. Penniman,
Charles. art 3:8 Aug78 p90-94 *** Robots
Reflections on entry into our third year.
Helmers, Carl. col 2:9 Sep77 p6+ ***
Publishing



FREE PREMIUM! 1982 subscribers will receive the special MATH1 package of PC programs. You qualify to receive this valuable free gift if you check either box 2 or 3 below! Don't delay! Get started learning how to enjoy your pocket computer today. Use this handy subscription card!

SUBSCRIPTION FORM

- \square 1981 Charter Subscriber (Issues 1 10). \$20.00 for U.S. delivery. (U.S. \$24.00 to Canada. U.S. \$30.00 elsewhere.)
- \square 1981/82 Charter Subscriber (Issues 1 20). \$40.00 in U.S. (U.S. \$48.00 to Canada. U.S. \$60.00 elsewhere.)
- \square 1982 Regular Subscriber (Issues 11 20). \$30.00 in U.S. (U.S. \$36.00 to Canada, U.S. \$45.00 elsewhere.)
- Sample issue. \$3.00 in U.S. (U.S. \$4.00 elsewhere.)

Orders must be accompanied by payment in full. We do not issue invoices for the POCKET COMPUTER NEWSLETTER. Thank you for your remittance.

Name:			
Addr:			
City:	State:	_Zip:	
MC/VISA #	E	xpires:	
Signature:			

Convert your IBM Selectric / Electronic into a letter quality printer for under \$600 **Driven** by any Micro or Mini Computer 12919 Alcosta Boulevard San Ramon, CA 94583 Call Toll Free: 800-227-2148 Missen

SERVING YOU SINCE 194:

Main Showroom & Offices: 216 South Oxford Avenue Los Angeles, CA 90004 WE HONOR

VISA and MASTERCHARGE

TELEX: 67 34 77 ORDER DESKS open 7 Days a Week! 7:00 AM to 7:00 PM Mon thru Sat Sunday Noon to 5:00 PM Order Desks: (213) 739-1130

TOLL-FREE TOLL-FREE (outside Calif.)

(within Calif.) 800-421-8045 800-252-2153

Write & request our FAMOUS Catalog! White & request our rains of the Mundreds & hundreds of products-from many manufacturers-such as SONY, CASIO, VICTOR, CODE-A-PHONE, MATTEL, SHARP, CANON, and on and on. . .too many to list here!

All goods subject to availability; this ad super-sedes all previous ads; we are not responsible for typographical errors; we will meet or beat any advertised prices if the competition has the goods on hand. Minimum shipping and handling \$4.95. All orders subject to verification and acceptance

HEWLETT PACKARD Retail Your Cost

HP-85 Microcomputer

in ou microcompater	2230,00	1/95.00
16K Exp-Memory Module	295.00	259.95
Graphics Plotter 7225	2450.00	2089.95
Personality Mod. for 7225	750.00	679.95
2631B Impact prnter/hvy dty	3950.00	3295.00
Option 020 for 2631B	150,00	129.95
8 Disk Drives to choose from		
82902S	1300,00	1149.95
9895A 8" Dual Drive	6850.00	5595.00
Graphics Tablet 9111A	2050.00	1699.95
HP-41CV New 2.2K bytes mer	n 325.00	259.95
HP-41 C Calculator	250.00	188.95
Card Reader for 41 CV/C	215.00	168.95
Printer for 41 CV/C	385.00	284.95
Optical Wand for 41 CV/C	125.00	97.95
Quad Ram equals 4 Mem. Mod	s 95.00	84.95
Memory Modules for 41 C		26.95
HP-97 Progrmble Printer	750.00	579.95
HP-67 Progrmble Calculator	375.00	297.95
HP 34C Programble Coinntific	150.00	117 05

3250.00 2595.00

HP-34C Progrmble Scientific HP-38C Progrmble Bus, R/E HP-32E Adv. Scientific 150.00 119.95 48.95 58.95 HP-37E Business Mgmt. 75.00 We carry a large inventory of Libraries, accessories and supplies.

apple computer

We are an AUTHORIZED SERVICING APPLE DEALER

the best price in America!

16K-32K-48K-96K-128K

Drive with controller DOS 3.3 and others. . 80 column cards
Dow Jones & Quote Reporter
DC Hayes Micromodem II
and others. . .

Graphics Tablet Pascal and Fortran

Languages VisiCalc and more and more APPLE III 96K and 128K "CALL US" Ask for Package One to Three Special Prices!

Texas Instruments

TI-99/4 Home Computer	950.00	\$379.95
10" Color Monitor for 99/4	650.00	319.95
32K Exp. Mem. Module	399.95	314,95
Extended Basic, a MUST fo	r 100.00	75.00
32K Module		
Speech Synthesizer	150.00	129.95
Disk Memory Drive	500.00	397.95
RF Modulator	69.50	49.50
Telephone Coupler (Modem)	225.00	189.95
Printer (solid state)	400.00	319.95
T1-59 Progrmble Calculator	295.00	199.95
TI-58C Progrmble Calculator	130.00	93.95
PC-100C Prntr/Plotr for 59/58	225.00	149.95
TI-57 Scientific Calculator	99.95	39.95
MBA Finance & Business	70.00	51.95
TI Investmt Analyst	65.00	46.95
TI-55 Slide Rule	40.00	32.95
TI-Progrmr HexidecmI/Octal	65.00	48.50
We carry a large inventory of accessories and supplies.	of softwa	re,

OHIO SCIENTIFIC

Professional Computers
C8PDF-48K Retail Your Cost 3495.00 3195.00 • Dual 8" Drives • 64 col x 32 line/color • .7 MIPS - FAST! • Many more stndard feature

Fortran & Pascal available Many other OSI products available -at discounted prices, of course!

ATARI PERSONAL COMPUTER

**SPECIAL! ATARI 400 (16K) Retail: \$595.00 Your Cost: \$339.95 Language cartridge not included; Optional basic language cartridge: \$54.95

optional basic language of	ui ti iugo. wo-	1.00
800 16K bytes of RAM	1080,00	759.95
410 Program Recorder	90,00	79.95
810 Disk Drive	600.00	469.95
825 Printer (80 col	999.95	779.95
Centronic 737)		
820 Printer (40 col impact)	450.00	359.95
830 Acoustic Modem	200,00	159,95
850 Interface Module	220.00	179.95
Atari VisiCalc	200,00	169,95
Large inventory of softwa	re and acce	ssories.

NEW! From TI-Series 10 Personal Information Terminal Retail 995,00 Your Cost 795,00

PRINTERS

DIABLO (Letter Quality)

5	630 R102 bi-directnal/tractors 1640K109 keyboard, tractors		
5	630 RO Receive only	2710,00	
	1650K136 keyboard/tractors	3220.00	2999.95
5 5 5 5 5	 CENTRONICS dot matrix 		
Ď	700-9 Parallel, heavy duty	1460,00	1199,95
5	704-9 Serial, heavy duty	1795.00	1599.95
5	737-1 Parallel	995.00	799.95
•	737-3 Serial	1045.00	899.95
5	704-11 Parallel	1870.00	1695.00
5	P-1 Electrostatic	495.00	189.95
5	PAPER TIGER		
?	445G with graphics	795.00	695.00
	460G with graphics	1394.00	1195.00
5	560G New full size	1695.00	1399.00
5	• EPSON		
)	MX 80 Impact printer	645.00	499.95
	MX 70 Impact printer	500.00	399.95
	MX 80 FT cut sheet/tractor	745.00	639.95
4	MX 100 FT 15" paper	945.00	789.00
- 1	WE ALSO HAVE		

Retail Your Cost

WE ALSO HAVE . . NOVATION Modems Retail Your Cost CAT 199.95 **159.95** 199.95 D-CAT APPLE-CAT Direct connect 349.95 SANYO Monitors High Resolution, Number 1 seller!
13" Color (new) high quality 550.00
12" Green Phosphorous 360.00

239.95 12" Black and White 15" Black and White 9" B/W the best seller! 340.00 370.00 219.95 239.95 235 00 149.95 AMDEK(Leedex)High Quality Monitors 100 12" B/W, 12 MHz 100-80 12" B/W, metal cab., space for floppy 179.00 199.00

100-G 12" Green, 12 MHz 199.00 300-G 12" Green 18 MHz 249.00 Color I 13" Color, NTSC comp.449.00 159.95 189.95 329.95 input, audio amp & speaker Color II 13" Color, RBG input, 999.00 699.95 hi res graphics, speaker

 HAZELTINE Video Display Terminals SHUGART Disk Drives
 DEC VT100 & VT103

Call us for your DISCOUNTED price TODAY!

HISTORY (CONTINUED)
Sampling of techniques for computer performance of music. Chamberlin, Hal. art L3 2:9
Sep77 p62-83 *** Music / KIM / Programming Instruction
Short history of computing*. Reid-Green, Keith. art 3:7 Jul78 p84-94 ***
Some laws of personal computing. Lewis, T.G. art 4:10 Oct79 p186-191 *** Computers and Society

art 4:10 Oct79 p186-191 *** Computers and Society
What is BYTE? - (the first) editorial. Helmers, Carl. col 1:1 Sep75 p4-6 *** Publishing HOLOGRAPHY

.OGRAPHY Beginner's guide to spectral analysis, part 2. Zimmermann, Mark. art L3 6:3 Mar81 p166-198 *** Fourier Transforms / PET / Image Processing

MS. 55.25 interface to the BSR X-10 home control system. Trimble, Alan. col L3 5:9 Sep80 p314-316 *** Control / Interface / Cromemco Apple X10 control. Arczynski, Wayne. col L3 6:12 Dec81 p469-472 *** Control / Apple II / 6502

6:12 Dec3l p469-472 *** Control / Apple II / 6502

Build a computer controlled security system for your home. Ciarcia/Sunderland. col 4:1
Jan79 p56-71 *** Security / Control / Hardware Construction
Build a computer controlled security system for your home: part 2. Ciarcia, Steve. col L2
4:2 Feb79 p162-179 *** Security / Hardware Construction / Control
Build a computer controlled security system for your home: part 3. Ciarcia, Steve. col L3
4:3 Mar79 p150-167 *** Security / Control / Hardware Construction
Build a low-cost, remote data-entry terminal. Ciarcia, Steve. col 5:9 Sep80 p26-42 *** Hardware Construction / Terminal Build a louch tone decoder for remote control. Ciarcia, Steve. col 6:12 Dec81 p42-70 *** Control / Hardware Construction / Telecommunications

Control / Hardware Construction / Telecommunications
Catalog of liberating home computer concepts.
Lau, Ted. art 2:5 May/7 pJ7-24+ *** Future
Checkbook balancer. Hallen, Rod. col Ll 3:11
Nov78 p66 *** Money / SOL
Checkbook balancing routine. White, Loring. col
Ll 4:6 Jun/9 p208-210 *** Money
Computer-controlled wood stove. Ciarcia, Steve.
col 5:2 Feb80 p32-56 *** Energy / Control
/ Design

Computer control of the control of t

*** Control
Electronic home banking (You can bank on it).
col 6:1 Jan81 pl0 *** Money / TRS-80 Model

Electronic home banking (you can wank on 1), col 6:1 Jan8l pl0 *** Money / TRS-80 Model I / CompuServe Energy conservation with a microcomputer. Jackson/Callahan. art Ll 6:7 Jul8l pl78-208 *** Energy / PFT Energy-saving cost/benefit analysis. Hetherington, R. col Ll 6:2 Feb8l p266-270 *** Energy Evaluate your home's energy efficiency: conserve energy with your.... Beasley, Kimball. art Ll 6:10 Oct8l p250-260 *** Energy / TRS-80 Model I

Model I Furnace watchdog. Wierenga, Theron. art Ll 5:1 Jan80 p74-90 *** Energy / Control / Hardware Construction Handheld remote control for your computerized home. Ciarcia, Steve. col Ll 5:7 Jul80 p22-42 *** Control / Hardware Construction / Locut/Cultur

Input/Output
Heating and cooling management system. Hall,
Tom. art 6:2 Feb81 p326-331 *** Energy /
Control

Control
I've got you in my scanner! (computer controlled
light scanner). Clarcia, Steve. col Ll 3:1!
Nov78 p76-89 *** Security / Analog/Digital
Circuit / Hardware Construction
Pascal checkbook balancing program. Helmers,
Carl. col L6 5:1 Jan80 p174-175 ***
Money

Pascal checkbook balancing program. Helmers, Carl. col L6 5:1 Jan80 pl74-175 ***

Money

Power helps analyze electric bills. Wolfe, Karen. art L1 4:10 0ct79 p48-54 ***
Energy / North Star
Proposal for a kitchen inventory system, or don't byte the wand that... Shuford, Richard. col 3:12 Dec78 pl84-185 *** Inventory / Bar Codes / Light Wand

Shadow, Buck Rogers, and the home computer (home applications). Gardner, Richard. art 1:2 0ct75 p58-60 *** Control / Predictions / Future

Total kitchen information system. Lau, Ted. art 1:5 Jan76 p42-45 *** Programming Instruction / Information Storage

Trends in applications. Helmers, Carl. col 1:9 May76 p4-6+ *** Predictions

Tune in and turn on!, part 1: a computerized wireless AC control system. Ciarcia, Steve. col 11 3:4 Apr78 p114-125 *** Control / Hardware Construction

Tune in and turn on, part 2: an AC wireless remote control system.

Hardware Construction
Tune in and turn on, part 2: an AC wireless
remote control system. Ciarcia, Steve. col
3:5 May78 p97-102 *** Control / Hardware
Construction

Construction
HOMEBREW
Concerning PASCAL: a homebrew compiler project.
Smith, Stephen. col 3:4 Apr78 p150-151 ***
Pascal / Compiler
Designing the logic of the system - processor
board description, part 2. Helmers, Carl. col
4:10 Oct79 p6-14 *** Microcomputer System
/ Design / 6809

HOMEBREW (CONTINUED)
Hombrew Pascal compiler. Stein, Herbert. col
3:8 Aug78 p46-47 *** Pascal / Compiler
Homebrewery vs the software priesthood.
Wilber/Fylstra. art 1:14 Oct76 p90-94 ***
Computer Literacy / Software Piracy
Rationale of yet another homebrew system.
Helmers, Carl. col 4:9 Sep79 p6-9+ ***
Design / 6809 / Microcomputer System
HOSE RACING
Great race and micro dick file.

RSE RACING Great race and micro disk files: horse race simulations. Roehrig, Joseph. art Ll 5 Apr80 p142-177 *** Simulation / Games / North Star

-85
Hewlett-Packard's new personal computer: the
HP-85*. Morgan, Christopher. hr L1 5:3
Mar80 p60-66 *** Hardware Review /
Microcomputer System

MOR
Chips found floating down silicon slough.
Trumbull, Roy. art 1:6 Feb76 p41 ***
Early indications of technology in Roman military
arts or Plexitus. Barnes, E.E. art 2:4
Apr77 p78-80 ***
Establishing the CHU dynasty (computer hobbyist
uniform). Gray, Stephen. art 2:4 Apr77
p70-74 ***

p70-74 ***
Having a "Private Affair" with your computer.
Ciarcia, Steve. art 2:4 Apr77 pl8-31 ***
MicroShakespeare revisted or Kilobard. Kalnik,
Andrew. col 6:4 Apr81 p98-100 *** Puzzle
MicroShakespeare. Kalnik, Andrew. col 5:4
Apr80 p104-108 ***
Twelve computerized days of Christmas.
Li/Cooper. col 5:12 Dec80 p94 ***

M6800 Selectric IO printer program. Guzzon, Fulvio. art L3 2:6 Jun77 p140-142 *** Printer / Utility Program / 6800 Floppy disk tutorial. Rampil, Ira. art 2:12 Dec77 p24-45 *** Floppy Disk Drive / Design / Information Storage History of computers: the IBM 650*. Reid-Green, Keith. art 4:3 Mar79 p238-240 *** History History of computers the IBM 707. Reid-Green, Keith. art 4:1 Jan79 p190-192 *** History History of computing the IBM 707. Reid-Green, Keith. art 4:6 Jun79 p148-150 *** History IBM compatible disk drives. Harman, Jefferson. art 4:10 Oct79 p100-106 *** Floppy Disk Drive / Standards

Drive / Standards
Drive / Standards
IBM's personal computer. Morgan, Chris. col
6:7 Jul81 p6-10 *** Microcomputer System
Interfacing the IBM Selectric keyboard printer
(teaching KIM to type)**. Fylstra, Dan. art
L3 2:6 Jun77 p46-52+ *** Printer /
Interface / Hardware Construction
Origins of the word "byte". Buchholtz, W. let
2:2 Feb77 p144 *** Definitions / History
Reformatter for CP/M and IBM floppy disks.
Lehman, John. sr 6:4 Apr81 p94-96 ***
Software Review / Utility Program / CP/M
TRS-80 performance evaluation by program timing*.
Lewis, James. art L3 5:3 Mar80 p84-94
*** Benchmark Testing / TRS-80 Model I
Welcome, IBM, to personal computing. hr 1:4
Dec75 p90 *** Hardware Review
M PERSONAL COMPUTER

Dec/5 ppu *** naroware neview

IBM PERSONAL COMPUTER:
IBM personal computer: first impressions.
Lemmons, Phil. hr 6:10 oct81 p26-34 ***
Hardware Review / Microcomputer System

Chip off the olde PDP 8/E: the Intersil IM6100 part 1. Nelson, Robert. art 1:9 May/6 p60-68 *** Microprocessor / PDP-8 / Hardware

Chip off the olde PDP 8/E: the Intersil IM6100 part 2. Nelson, Robert. art 1:10 Jun76 p58-62 *** Microprocessor / PDP-8 / Hardware

IMAGE PROCESSING Beginner's guide to spectral analysis, part 2. Zimmermann, Mark. art L3 6:3 Mar81 p166-198 *** Fourier Transforms / PET /

plob-198 *** Fourier Transforms / PEI /
Holography
Digital storage of images. Williams, Thomas.
art 5:11 Nov80 p220-238 *** Information
Storage / Graphics / Design
Image processing with a printer. Calkins, Clark.
art L3 6:2 Feb81 p220-248 *** Printer
IMP-16

Which microprocessor for you?. Chamberlin, Hal. art 1:1 Sep75 p10-14 *** Microprocessor / 8080 / 8008

3080 / 8008

SAI

JASIC cross-reference table generator.
Englander/Englander.. col L1 4:4 Apr79
p190-192 *** Utility Program / BASIC

BASIC text editor. Ruckdeschel, Fred. art L1
4:6 Jun79 p156-164 *** Text Editor / North
Star / BASIC

Cybernetic crayon: a low cost approach to...color
graphics. Dwyer/Sweer. art L3 1:16 Dec76
p24-29+ *** Color Graphics / Programming
Instruction / Art
Memory test program. Caperello, Frank. col L3
4:8 Aug79 p215-217 *** Memory / Test / 8080
Processor Technology VDM-1. Anderson, D. hr L3
1:16 Dec76 p36-39 *** Hardware Review /
Video Display / Altair
SYS By...your own executive commands. Nico,
Willard. art 2:1 Jan77 p66-70 *** Monitor
/ Programming Instruction
Swet auto line (automatic line numbering)*.
Nico, Willard. art L3 2:2 Feb77 p12-20
*** Utility Program

BYTE cumulative index: September 1975 - December 1981. col 6:12 Dec81 p370+ *** Publishing 1981. col 6:12 Dec / Information Sources

/ Information sources
INFLATION
Computing inflation with the consumer price index. Haldeman, Joe. col L1 6:7 Jul81 p300-302 *** Consumer Information / Apple II INFORMATION SOURCES

BYTE cumulative index: September 1975 - December 1981. col 6:12 Dec81 p370+ *** Publishing

/ Indexing

INFORMATION STORAGE

Can we agree on standards?. Morgan, Chris. col 6:11 Nov81 p6-8 *** Standards / Data

6:11 Nov81 pb-8 ** Stanua. 6 J.
Structures
Cassette lives on: an alternative to floppy-disk mass storage. Cook, Emory. art 5:5 May80 p12-18 *** Tape Cassette / Hardware Modification / Maintenance
DIF: a format for date exchange between applications programs. Kalish/Mayer. art L1 6:11 Nov81 p174-206 *** Standards / Data

6:11 Nov81 p174-200
Structures
Digital data on cassette recorders. Mauch,
Harold. art 1:7 Mar76 p40-45 *** Tape
Cassette
Fundamentals of relational data organization.
Neely/Stewart. art 6:11 Nov81 p48-60 ***
Data Structures / Data Base Management
Give your micro a megabyte (virtual memory
techniques). Grappel, Robert. art 2:7 Ju17
p78-81 *** Memory / Computer Instruction / Give your micro a megabyte (virtual memory techniques). Grappel, Robert. art 2:7 Ju177 p78-81 *** Memory / Computer Instruction / Virtual Memory
Horror story (erased data tapes). Warren, Jim. art 1:5 Jan76 p31 *** Maintenance
How do you store 5,000 patient records?. col 1:11 Ju176 p95 *** Ask BYTE / Business / Data Structures
Information unlimited: the Dialog Information Retrieval Service. Miastkowski, Stan. art 6:6 Jun81 p88-108 *** Online Systems / Online Information
Lambdino storage management system (a dialect of LISP). Prini/Rudalics. art 4:8 Aug79 p26-32 *** LISP
Magnetic recording for computers. Manly, William. art 1:7 Mar76 p18-28 *** Tape Cassette / Diskettes / Definitions
Magnetic recording technology. Helmers, Carl. col 1:7 Mar76 p6-8+ *** Tape Cassette / Memory
Samples of machine readable printed software.

Nemory
Samples of machine readable printed software.
Banks/Sanderson. art 1:16 Dec76 pl2-17 ***
Bar Codes / Standards / PAPERBYTES
Serial storage media: an introduction and
glossary. Murphy, Brian. art 2:2 Feb/7
p50-53 *** Tape Cassette / Definitions
Types and uses of direct access storage. Hill,
Curt. art 2:1 Jan/7 p60-65 *** Hard Disk
Drive / Floppy Disk Drive / Data Structures
Virtual memory and VSAM for micros. Dahmke,
Mark. col 2:11 Nov/7 p224 *** APL /
Memory / Virtual Memory
What do you do with a video disk?. Buchanan,
Martin. art 1:12 Aug/76 p6-8+ *** Video
Disk

DESIGN

DESIGN
Computer information arrangement. Holladay,
David. art 2:10 Oct77 p156-159 *** Design
/ Tape Cassette
Digital cassette subsystem: part 2, digital data
formats.... Rampil/Breimeir. art 2:3 Mar77
p38-48 *** Tape Cassette / Design / Digital

Audio
Digital storage of images. Williams, Thomas.
art 5:11 Nov80 p220-238 *** Image
Processing / Graphics / Design
Floppy disk tutorial. Rampil, Ira. art 2:12
Dec77 p24-45 *** Floppy Disk Drive / Design
/ IBM

Smart memory, part 1. Smith, Randy. art 4:4 Apr79 p54-62 *** Memory / Design

HARDWARE REVIEW

Exatron Stringy Floppy data-storage system.
Carlson, Keith. hr 6:11 Nov81 p126-130 ***
Hardware Review / TRS-80 Model I / Stringy

Hardware Never 100 / Plant Tape reader (Come fly with KIM). Simpson, Rick. hr 2:6 Jun77 p76-80 *** Hardware Review / Paper Tape Reader

PROGRAMMING INSTRUCTION

PROGRAMMING INSTRUCTION

Don't waste memory space (one way to squeeze fat out of text strings). Baker, Robert. art 1:16 Dec76 p58-59 *** Programming Instruction / ASCII / Memory
Files on parade, part 1: types of files. Klein, Mark. art 4:2 Feb79 p186-192 ***
Programming Instruction / Data Structures
Files on parade, part 2: using files. Klein, Mark. art L1 4:3 Mar79 p32-41 ***
Programming Instruction / BASIC / Data Structures
Fundamentals of sequential file processing. Smith, Mayne. art 2:10 Oct77 p114-127 ***
Programming Instruction / Tape Cassette / Data Structures
Give your computer an ear for names. Munnecke, Tom. art L1 5:5 May80 p196-200 ***
Programming Instruction / FIT
Implementing dynamic data structures with BASIC files. Carter, Ted. art L1 5:2 Feb80 p92-102 *** Data Structures / Programming Instruction / BASIC

PRICE EXAMPLES:

	00 with 16K memory	\$749
ATARI 4	00 with 16K memory	329
ATARI 8	10 DISK	439
ATARI 4	10 RECORDER	65
ATARI 8	25 PRINTER	599

Jawbreaker (16K Disk)	24.95
Pro Football (Text) (Cass. 16K)	NEW 7.95
Dodge Racer (16K Cass. 24K Disk)	19.95
Asteroids	34.95
Missile Command	34.95

Mail Order Customers

- Indicate Unit(s) you want
- Shipping Address
 Mass. res. 5% sales tax
- · Include check, money order, MC or VISA number We ship by best means possible freight collect

4 Elm St., Braintree, MA 02184 (617) 843-1133 1-800-343-5691 (24 hours)

Send for Catalog of complete Atari products

Buy Wholesale Direct And Save \$\$\$!

Floppy Discs Box of 10

Memorex: (For 3M brand, add \$4/box) DENSITY SIDE 51/4"

Single	Single	\$24.95	\$34.95
Double	Single	29.95	42.95
Double	Double	34.95	49.95

Printer Ribbons

Epson MX70, 80: \$12 each, 3/\$33 Epson MX100: \$22.95 each, 3/\$64 Qume Multistrike \$3.50 each, 12/\$34 Centronics Zip Pack \$4 each, 12/\$36 Diablo Hy Type II \$5 each, 12/\$48

*Other Printer Ribbons Available

Printer Paper

**91/2" x 11", 15# White, 1500/cs: \$16.95 **91/2" x 11", 20# White, 1000/cs: \$14.95

Storage Systems


Clear Vinyl Binder Sheets (holds 20 minis): 10/\$6.95 Amber Flip Sort (holds 60 discs): \$24.95

Coast Computer Supplies

4 RODGERS STREET / SAN FRANCISCO, CA 94103 JUST ONE CALL, WE STOCK IT ALL! CALL 800-227-3296 or IN CALIFORNIA, 415-864-0344

Californians Add 6% Sales Tax; Personal checks accepted on a mail order basis only; MasterCard/Visa or C.O.D.; \$2 Shipping/Handling on ALL Orders

**Additional UPS Charges on Paper



INTRODUCING PLINK II,™ a giant step towards microcomputing perfection: the eight million byte program.

Lifeboat's fast, versatile PLINK II two-pass linkage editor helps you create large, sophisticated programs without any programming changes.

PLINK II is unique. While other linkage editors require you to construct programs in memory, PLINKII constructs your program on disk. You gain complete use of your computer's memory, using the full address space, up to 64K resident segments even on smaller machines.

PLINK II also constructs applications larger than your computer's address space. By creating arbitrarily complex overlay structures, you can flexibly bring in chunks of code from disk during execution.

Ideal for use with all popular high level languages, PLINK II even simplifies construction of bootstrap routines, allows menu-driven links,

Reach out towards the infinite through PLINK II...and see how far your programs can take you.

Lifeboat Worldwide offers you the world's largest library of software from its offices in the U.S.A., Japan, U.K., Switzerland, W. Germany, and France.

1651 Third Aven	n to: Lifeboat Associates 1e, New York, New York 10 TWX 710-581-2524 (LBSOI	028 or call
	d me more information on PLIN d me a free Lifeboat Catalog.	NK II.
Name	Title	
Company		
Street		SOFTWARE WITH
City		SUPPORT
State	Zip	
	rk of Phoenix Software Associates by Lifeboat Associates.	
	at Associ	

INFORMATION STORAGE (CONTINUED)
Information-retrieval system. Elmore/Agarwal.
art 5:10 Oct80 pl14-150 *** Programming
Instruction / Data Base Management / Oata

art 5:10 Octab p114-150 *** Programming Instruction / Data Base Management / Data Structures Introduction to data compression. Corbin, Harold. art L3 6:4 Apr81 p218-250 *** Programming Instruction / Data Structures Introduction to tables. Butterfield, James. art 3:4 Apr8 p18-21 *** Programming Instruction / Data Structures Partitioned data sets. Halsema, A.I. art 3:12 Dec/8 p168-173 *** Floppy Disk Drive / Programming Instruction / Data Structures Pascal and the great race. Mundie, David. col L6 5:9 Sep80 p94 *** Pascal / Programming Instruction Text compression. Peterson, James. art L1 4:12 Dec/9 p106-118 *** Programming Instruction Total kitchen information system. Lau, Ted. art 1:5 Jan76 p42-45 *** Home / Programming Instruction Understanding ISAM. Gates, Reginald. art 5:6

Instruction
Understanding ISAM. Gates, Reginald. art 5:6
Jun80 p108-118 *** Programming Instruction /
Floppy Disk Drive / Data Structures
Variables whose values are strings. Maurer, W.D.
art 4:10 Oct79 p90-97 *** Programming

TRS-80 MODEL I

Exatron Stringy Floppy data-storage system.

Carlson, Keith. hr 6:11 Nov81 p126-130 ***

Hardware Review / TRS-80 Model I / Stringy Floppy

Natural Reviews Action of the National Page 18 Page 18

art 4:4 Apr79 p218-220 *** Terminal / LED Display Electic card reader. Schaeffer, Anthony. art 4:2 Feb79 p70-74 *** Hardware Construction / Card Reader

oliving KIM some fancy jewels (remote display board). Grater, Robert. art 2:7 Ju177 p126-127 *** Hardware Modification / KIM /

p126-127 *** Hardware Modification / KIM / LED Display
Graphic input of weather data. Smith, Stephen. art L1 4:7 Jul79 p16-30 *** Graphics / Science / Weather
Handheld remote control for your computerized home. Clarcia, Steve. col L1 5:7 Jul80 p22-42 *** Control / Home / Hardware Construction

nome. Clarcia, Steve. Col LL 5:/ Jul80
p22-42 *** Control / Home / Hardware
Construction
Indirect I/O addressing on the 8080. Zarucki,
Paul. col L3 6:8 Aug81 p402-403 *** 8080
/ Programming Instruction
Keyboard input software for the Z80. Newcom,
Keryo. col L3 4:11 Nov79 p192-193 ***
Keyboard / Z-80 / Programming Instruction
Let your fingers do the talking (scanner
applications)*. Clarcia, Steve. col L1 3:9
Sep78 p94-100 *** Video Display /
Programming Instruction
Let your fingers do the talking: add a noncontact
touch scanner... Clarcia, Steve. col L1
3:8 Aug78 p156-165 *** Hardware
Construction / Video Display
Memory mapped 10. Clarcia, Steve. col L3 2:11
Nov77 p10-16 *** Hardware Construction / Video Display
Memory mapped 10. Clarcia, Steve. col L3 2:11
Nov77 p10-16 *** Hardware Construction / Memory / 8080
Multiplex your digital LED displays. Hogenson,
James. art 2:3 Mar77 p122-128 ***
Hardware Construction / LED Display
Octal front panel. DeMonstoy, Herman. art 1:9
May76 p38-40 *** Keyboard / Hardware
Construction
Simultaneous input and output for your 8080.
Maurer, W.D. art L3 4:5 May79 p164-172
*** 8080 / Programming Instruction
Software for the economy floppy disk. Welles,
Kenneth. art L3 2:6 Jun77 p88-97 ***
Floppy Disk Drive / Programming Instruction /
8080
Speeding up MIKBUG IO routines. Moore, T.W. col
3:6 Jun78 p132-134 *** MIKBUG / Hardware

8080
Speeding up MIKBUG IO routines. Moore, T.W. col
3:6 Jun78 p132-134 *** MIKBUG / Hardware
Modification / 6800
What is an interrupt?. Atkins, R. Travis. art
4:3 Mar79 p230-236 *** Computer Instruction / Microprocessor

Making color slides with an Intecolor microcomputer. Grogono, Alan. art 5:1 Jan80 p20-24 *** Color Graphics / Photography INTEGRATED CIRCUITS

ITEGRATED CIRCUITS
Flameless IC recycling trick. Bondy/Droms. art
1:13 Sep76 pl04 *** Hardware Construction
Flip flops exposed. Browning, William. art 1:4
Dec75 p58-61 *** Computer Instruction
Look what you can do...with an edge as a cue
(non-standard uses of ICs). Tenny, Ralph. art
2:8 Aug77 pl20-126 *** TIT. Gates
Note to novice kit builders.... col 2:12 Dec77
pl92 *** Hardware Construction / kit Building
Powerless IC test clip. Errico/Baker. art 1:4
Dec75 p26-27 *** Test Equipment / Hardware
Construction

Construction
Programmable IC tester. Thorson, Mark. art 3:6
Jun78 p28-35 *** Test Equipment / Hardware
Construction

INTEGRATED CIRCUITS (CONTINUED)

Recycling used ICs. Mikkelsen, Carl. art 1:1
Sep75 p20-21 *** Hardware Construction
Single chip video controller Haas, Bob. art
4:5 May79 p52-75 *** Video Controller /
Hardware Review / Design
Some musings on hardware design. Ellis, Clayton.
INTERFACE
INTERFACE

Code

How to drive a teletype without a UART. Jewell, Gregory. art 2:1 Jan77 p32 *** Printer / Serial Input/Output / Parallel Input/Output Impossible dream cassette interface. Lomax, Daniel. art L3 2:2 Feb77 p82-85 *** Tape Cassette / Altair

Improved cassette interface circuit. Mauch, Harold. let 1:8 Apr76 p8-10 *** Tape Cassette

Interface an ASCII keyboard to a 60 mA TTY loop. Cotton, Jay. art 1:8 Apr76 p46-47 *** Printer / Keyboard

Interfacing TTL to a 20 mA current loop. Hsiao,

Cotton, Jay. art 1:8 Apr/o p40-4/ ***
Printer / Keyboard
Interfacing TTL to a 20 mA current loop. Hsiao,
H.S. col 4:2 Febr9 p150 *** Printer /
RS-232 / TTL Gates
Interfacing the PET to a line printer. Govind,
P.K. art L1 4:11 Nov79 p98-102 ***
Printer / PET
Linking a Pascal Microengine to a Cyber 170.
Sedlet/Dust. art L6 6:11 Nov81 p472-489
*** Pascal / Pascal Microengine / Cyber 170
More on the SWTPC 6800 system. Kay, Gary. art
1:6 Feb76 p50-53 *** SWTPC / Serial
Input/Output / Parallel Input/Output
Multiple-machine loader for classroom computers.
Hallgren, Richard. col 5:10 Oct80 p90-94
*** Education / Multi-user Systems
Notes on parallel output interfaces in memory
address space. Helmers, Carl. art 1:3 Nov75
p52-55 *** Parallel Input/Output / Computer
Instruction

Saturation recording's not all that hard. Allen, David. art 2:1 Jan77 p34-41 *** Tape Cassette

uaviu. art 2:1 Jan// p34-41 *** Tape Cassette
Save software: use a UART for serial IO.
McGahee, Thomas. art L3 2:12 Dec77
p164-166 *** Parallel Input/Output / Serial
.Input/Output / Serial
.Input/Output / Serial
.Input/Output / UART
/ Parallel Input/Output / UART
/ Parallel Input/Output
/ Parallel Input/Output
Simpler digital cassette tape interface.
Burhans, Ralph. art 3:10 Oct78 p142-143
*** Tape Cassette / Hardware Modification
Televison interface. Lancaster, Don. art 1:2
Oct75 p20-32 *** Video Display
Toward a parallel interface standard. Helmers,
Carl. col 1:10 Jun76 p4+ *** Standards /
Parallel Input/Output

6800

COMPLEAT tape cassette interface. Hemenway,
Jack. art L3 1:7 Mar76 pl0-l6 *** Tape
Cassette / Hardware Construction / 6800
Does anybody know what time it is?. Grappel,
Robert. art L3 2:11 Nov7 p68-70 ***
Clock / 6800 / Hardware Construction
Floppy disk interface*. Allen, David. art L3
3:1 Jan78 p58-76 *** Floppy Disk Drive /
6800 / Disk Controllers
Software controlled 1200 bps audio tape
interface. Helmers, Carl. art L3 2:4 Apr77
p40-49 *** Tape Cassette / Utility Program /
6800

Build the beer budget graphics interface. Nelson, Peter. art L3 1:15 Nov76 p26-29 *** Graphics / Hardware Construction / 8080

INTERFACE (CONTINUED)

Interface a floppy-disk drive to an 8080A-based computer. Hoeppner, John. art L3 5:5 May p72-102 *** Disk Controllers / 8080 /

Minidisk Drive
Interface your computer to a printing calculator.
Astmann, Robert. art L3 3:12 Dec78 p94-99
*** 3080 / Calculator / Printer

APPLE II
Cross-pollinating the Apple II (serial interface). Campbell, Richard. art L3 4:4 Apr79 p20-25 *** Serial Input/Output / Hardware Construction / Apple II
Oigital plotting with the Apple II computer. Hallgren, Richard. art L1 6:5 May81 p296-314 *** Plotting / Apple II / Plotter Low-speed analog-to-digital converter for the Apple II. Hallgren, Richard. art L3 4:9 Sep79 p70-78 *** Analog/Oigital Circuit / Hardware Construction / Apple II

Sep79 p70-78 *** Analog/Digital Circuit / Hardware Construction / Apple II

CONTROL

\$5.25 interface to the BSR X-10 home control system. Trimble, Alan. col L3 5:9 Sep80 p314-316 *** Home / Control / Cromemco Computerize a home (BSR X-10 and a TRS-80)*. Ciarcia, Steve. col L1 5:1 Jan80 p28-54 *** Security / Home / Control / Bardware Construction Controlling external devices with hobbyist computers*. Bosen, Robert. art 1:8 Apr76 p42-45 *** Control / Hardware Construction Floppy disk interface*. Allen, David. art L3 3:1 Jan78 p58-76 *** Floppy Disk Drive / 6800 / Disk Controllers
Home in on the range!. Cíarcia, Steve. col L1 5:11 Nov80 p32-58 *** Control / Hardware Construction / TRS-80 Model I Interactive control of a videocassette recorder with a personal computer. Hallgren, Richard. art L3 5:7 Jul80 p116-134 *** Control / Computer Assisted Instruction / Higher Education Interface a floppy-disk drive to an 8080A-based computer. Heeppner, John. art L3 5:5 May80 p72-102 *** bisk Controllers / 8080 / Minidisk Drive
Interfacing pneumatic player pianos. Helmers, Carl. art 2:9 Sep77 p112-120+ *** Control / Music / Design Minifolopy interface. Allen, David. art 3:2 Feb78 p114-125 *** Minidisk Drive / Disk Controllers / Design Stepping motor primer, part 2: interfacing and other considerations. Giacomo, Paul. art 4:3 Mar79 p142-149 *** Control / Design Train control display using the LSI-11 microcomputer. Hart, Jack. art 2:7 Jul77 p44-50 *** Control / LSI-11

DESTON

DESIGN

Designing multichannel analog interfaces. Kraul,
Douglas. art L3 2:6 Jun77 pl8-23 ***
Analog/Digital Circuit / Design
How to get your Tarbell going (cassette
interface)*. Weinstein, Larry. art L3 3:7
Jul78 pl62-111 *** Tape Cassette / Design
Interfacing pneumatic player pianos. Helmers,
Carl. art 2:9 Sep7 pl12-120+ *** Control
/ Music / Design

/ Music / Design
Interfacing with an analog world - part 1. Carr,
Joseph. art 2:5 May77 p56-60 ***
Analog/Digital Circuit / Design
Winifloppy interface. Allen, David. art 3:2
Feb78 p114-125 *** Minidisk Drive / Disk
Controllers / Design
Stepping motor primer, part 2: interfacing and
other considerations. Giacomo, Paul. art 4:3
Mar79 p142-149 *** Control / Design
Waterloo RF modulator. Banks, Walter. art 3:1
Jan78 p94 *** Video Display / Design

GAMES

Multimachine games. Wasserman/Stryker. art L1 5:12 Dec80 p24-40 *** Games / PET

5:12 Dec80 p24-40 *** Games / PET

HARDWARE CONSTRUCTION

\$19 music interface (and some music theory for computer nuts)*. Struve, Bill. art L2 2:12 Dec77 p48-69* *** Music / Hardware Construction / KIM

8088 processor for the S-100 bus, part 2. Cantrell, Thomas. art L3 5:10 Oct80 p62-88

*** 8088 / S-100 Bus / Hardware Construction

8uid a serial ASCII word generator. Finger, Ronald. art 1:9 May/6 p50-53 *** ASCII / Hardware Construction / Test Equipment


8uid a super simple floppy-disk interface, part 1*. Nicholson/Camp. art 6:5 May81 p360-376

*** Floppy Disk Drive / Hardware Construction / Bibliography

8uid a versatile keyboard interface for the S-100. Richards, David. art L3 6:10 Oct81 p400-406 *** Keyboard / S-100 Bus / Hardware Construction

Construction

Construction
Build an oscilloscope graphics interface*.
Hogenson, James. art L3 1:2 Oct75 p70-80
*** Hardware Construction / Video Display /
Graphics
Build the BIT BOFFER*. Lancaster, Don. art 1:7
Mar76 p30-39 *** Tape Cassette / Hardware
Construction
Build the beer budget graphics interface.
Nelson, Peter. art L3 1:15 Nov76 p26-29
*** Graphics / Hardware Construction / 8080
Build this economy floppy disk interface.
Welles, Kenneth. art L3 2:2 Feb77 p34-43
*** Floppy Disk Drive / Hardware Construction





It's our Model 9123 and we'll ship Factory-Direct Post-Paid for only \$199 each. Check the features. It's one of the best buys ever for the personal computing field. ✓ 0-300 Baud ✓ Automatic Voice to Data Transfer √ FCC Registered for connection to any Switched Telephone Network ✓ Manual Originate/Answer/Auto Answer / RS232C Capability with Bell 100 Series and 212A Compatibility.

Take advantage of our 15 years experience in Data Communications — order your 9123 today! CALL 800-528-8423 OR SEND CHECK/MONEY ORDER



2405 South 20th Street . Phoenix, Arizona 85034

\$459

TRS-80_® MODEL I 64K CP/M



MM-16K CP/M 2.2 \$200 \$125

with BIOS special BOOT - ROM \$25.00 extra on request

specify 16K, 32K or 48K Minimum 16K & 1 Disk Drive

Now enjoy the portability of CP/M_® combined with the power of a full 64K of RAM with the MM-16K memory management unit which includes 16K of on board RAM. The MM-16K Will work with 16K of TRS-80 RAM, and one disk but we suggest 48K and two disk drives.

Model III version soon available Dealer inquiries Invited

Martin Data Systems 3010 Santa Monica Blvd. Suite 193 Santa Monica, Ca. 90404

\$3.50 shipping and handling charge (UPS) check or money order, Calif. residents add 6% sales tax CP/M Trademark Digital Research TRS-80 Trademark Tandy Corp.

ABSOLUTELY THE LOWEST PRICES EVER! COMPUTERWORLD DOES IT AGAIN!

LOBO DRIVES

MINIFLOPPY WITH CONTROLLER

FOR APPLE

and labor warranty.

ADD-ON DRIVE FOR APPLE \$389 **DUAL 8" DOUBLE-SIDED** DOUBLE DENSITY DRIVES FOR APPLE WITH CONTROLLER 2.2 MEGABYTES DOS 3.3 COMPATIBLE \$2299 LCA22 DUAL DENSITY 8" DRIVE CONTROLLER FOR APPLE \$599 5MB AND 10MB HARD DISKS SYSTEMS

WITH FLOPPY BACK-UP AND CONTROLLER FOR APPLE \$CALL LOBO MANUFACTURE A COMPREHENSIVE RANGE OF DISK DRIVES AND ACCESSORIES FOR THE APPLE, TRS-80 AND S-100 SYSTEMS ALL LOBO DRIVES products have a one year parts

VERBATIM DISKETTES

MD525-01 SOFT SECTORED (10) \$26.95 FD34-4001 DSDD \$47.95

VISTA COMPUTER COMPANY FOR APPLE 150 40 CHARACTER TYPE AHEAD BUFFER 39.95 VISTA MUSIC MACHINE 99.00 VISION 80 COLUMN CARD \$ 299.00 PRINTERS: V300-25P 25CPS Daisy Wheel Printer/Parallel \$1655.00 with uni. P/S and Paper/Ribbon Out switches \$1725.00 V300-25R 25CPS with RS232C Interface \$1725.00 V300-45P 45CPS Daisy Wheel Printer/Parallel \$1999.00 Forms Tractor \$275.00

APPLE IS A TRADEMARK OF APPLE COMPUTER. INC

EPSON PRINTERS

WE SELL THE ENTIRE LINE OF EPSON PRINTERS AND

ACCESSORIES. MX-80FT

SERIAL IMPACT DOT MATRIX PRINTER 80 CPS BIDIRECTIONAL/9 x 9 MATRIX FRICTION FEED AND ADJUSTABLE TRACTOR FEED/STANDARD PARALLEL INTERFACE

MX-100

SERIAL IMPACT DOT MATRIX PRINTER SIMILAR MX-80 WITH 136 CHARACTERS NORMAL AND 233 COMPRESSED/ALSO WITH DOT RESOLUTION GRAPHICS \$CALL

APPLE II PLUS 48K

16K RAMCARD FOR APPLE ONLY \$ 109

CALIFORNIA COMPUTER SYSTEMS

7424-01 CALENDAR CLOCK \$ 97 7440-01 PROGRAMMABLE TIMER BOARD \$ 95 7710-01 SERIAL ASYNCHRONOUS BOARD \$ 135 7712-01 SERIAL SYNCHRONOUS BOARD \$ 145 7720-01 PARALLEL INTERFACE 7720-02 PARALLEL CENTRONICS BOARD \$ 109 7811-01 ARITHMETIC PROCESSOR BOARD WITH DISKETTE (OR WITH ROM) \$ 375 CALL FOR PRICES ON OTHER CCS PRODUCTS

THE SECRET OF APPLE™ DOS IS OUT! **APPLE DOSSIER**

A beginners text book and an experts reference.

THIS BOOK EXPLAINS EVERYTHING YOU ALWAYS WANTED TO KNOW ABOUT DOS BUT APPLE WEREN'T GOING TO TELL.

A perfect Christmas Gift for any loved one in love with the Apple.

A book guaranteed to reduce night time frustration: enter a world of enlightenment based on knowledge, not chance and experimentation!

This book is a COMPLETE WORKSHOP MANUAL on the DOS software and the Disk II system hardware.

EXPLAINS:

\$CALL

\$1129

- · Ways of fixing corrupted diskettes
- · DOS in depth
- · Customisation of DOS for a particular application or just for efficiency
- · Call DOS routines at any level from Basic and Assembly language programs
- · Find out how to protect your special software from being easily copied

DOS IS A BLACK BOX NO MORE. MAKE IT WORK FOR YOU THE WAY YOU WANT.

Once you understand how it works, DOS will be easier to use ESPECIALLY for the relative novice. AVAILABLE THROUGH COMPUTERWORLD OR YOUR LOCAL DEALER AT ONLY



(303) 279-2727

COMPUTERWORLD INTERNATIONAL, INC.

SUITE 133, P.O. BOX 81, WHEAT RIDGE COLORADO, U.S.A. 80034-0081

TERMS

MAIL ORDER/VISIT BY APPOINTMENT WE WILL SHIP UPS FREIGHT COLLECT OR ADD 3% FOR SHIPPING.

> COLORADO RESIDENTS ADD APPROPRIATE SALES TAX

411

INTERFACE (CONTINUED)

Building the AC-30 cassette interface. Liming, Gary. art 1:16 Dec76 pillo-111 ***
Hardware Construction / Tape Cassette / SWTPC COMPLEAT tape cassette interface. Hemenway, Jack. art 1:3 1:7 Mar76 plo-16 *** Tape Cassette / Hardware Construction / 6800 Controlling external devices with hobbyist computers*. Bosen, Robert. art 1:8 Apr76 p42-45 *** Control / Hardware Construction Cross-pollinating the Apple II (serial interface). Campbell, Richard. art 1:3 4:4 Apr79 p20-25 *** Serial Input/Output / Hardware Construction / Apple II (serial interface). Campbell, Richard. art 1:3 4:4 Apr79 p20-25 *** Serial Input/Output / Hardware Construction / Apple II Digital feedback loop (graphic displays). Loomis, Sumner. let 1:3 Nov75 p46-47 *** Video Oisplay / Graphics / Hardware Construction / Spital minicassette controller. Kahn, James. art 6:4 Apr8l p66-92 *** Tape Cassette / Hardware Construction Des anybody know what time it is?. Grappel, Robert. art 1:3 :11 Nov77 p68-70 *** Clock / 6800 / Hardware Construction Expanded digital voltmeter (Add more zing to the cocktail). Ciarcia, Steve. col 1:3 3:1 Jan78 p37-54 *** Test Equipment / Hardware Construction / T-80 GRAPH: a system for television graphics, part 1. Webster/Young. art 3:5 May78 p62-77 *** Video Display / Hardware Construction / Altair Home in on the rangel. Ciarcia, Steve. col L1 5:11 Nov80 p32-58 *** Control / Hardware Construction / TRS-80 Model I Inexpensive joystick interface*. Buschbach, Thomas. art 1:3 2:3 Mar77 p88-93 *** Joystick / Hardware Construction Interface a chessboard to your KIM-1. Teeters, Jeff. art 1:3 4:9 Sep79 p34-54 *** Printer / HBM / Hardware Construction Interfacing the Subscience of Figure Construction Interfacing the Subscience of Figure Construction Interfacing the Subscience of Figure Pillor (Hardware Construction Interfacing the Subscience Ciarcia, Steve. col L3 4:9 Sep79 p10-18 *** Figure / Hardware Construction Interfacing the Sykes OEM floppy disk kit to a personal computer (SWFC). Hughes, Phil. art 1:3 4:9 S

4:9 Sep79 p10-16 And JoyStick / Hardware Construction
Low-speed analog-to-digital converter for the Apple II. Hallgren, Richard. art L3 4:9 Sep79 p70-78 *** Analog/Digital Circuit /

Low-speed analog-to-digital converter for the Apple II. Hallgren, Richard. art L3 4:9 Sep79 p70-78 *** Analog/Digital Circuit / Hardware Construction / Apple II
Navigation with Mini-O: part 3, software.
Salter, Richard. art L3 2:4 Apr77 p100-109 *** Hardware Construction / 6502 / Navigation PADDLES: interfacing with modular breadboards. Combs/Field. art 6:4 Apr81 p348-357 *** Digital/Analog Circuit / Analog/Digital Circuit / Hardware Construction Penny pincher's joystick interface. Wexler, Steven. art L3 5:9 Sep80 p86-90 *** Joystick / KIM / Hardware Construction Polyphony made easy*. Roberts, Steven. art 4:1 Jan79 p104-109 *** Music / Hardware Construction Programmable character generator, part 1: hardware. Weinstein, Larry. art 3:5 May78 p79-90 *** Video Display / Hardware Construction / Construction / Character Generator Quad terminal interface. Alpert, Stephen. art 5:2 Feb80 p116-125 *** Terminal / Hardware Construction / PDP-11 Remote terminal (Come upstairs and be respectable). Ciarcia, Steve. art 2:5 May77 p50-54 *** Terminal / Hardware Construction / Serial Input/Output
Serial Input/Output / Parallel Input/Output / Hardware Construction Maygation Simplified Omega receiver details. Burhans, Ralph. art 2:3 Mar77 p70-80 *** Hardware Construction Simplified Omega receiver details. Burhans, Ralph. art 2:3 Mar77 p70-80 *** Hardware Construction Stepthone dialing by computer. Joyce, Edward. art 5:1 Jan80 p122-128 **** Telegramy of Apr 2 Ap

Telephone dialing by computer. Joyce, Edward. art 5:1 Jan80 p122-128 *** Telecommunications / Hardware Construction /

Terminal Use your television set as a video monitor. Loos, Timothy. art 4:2 Feb79 p46-54 *** Video Display / Hardware Construction Why wait? Build a FAST cassette interface. Suding, Robert. art L3 1:11 Jul76 p46-53 *** Tape Cassette / Hardware Construction

HARDWARE REVIEW

8088 processor for the S-100 bus, part 1.
Cantrell, Thomas. art 5:9 Sep80 p46-64 ***
8088 / S-100 Bus / Hardware Review
Convert your TV set to a video monitor. Fylstra,
Dan. art 3:5 May78 p22+ *** Video Display
/ Hardware Review
MERLIN video interface adds a visual dimension to
your Altair or IMSAI. hr 1:15 Nov76 p62-64
*** Hardware Review / Video Display / Altair
Ohio Scientific CA-15 universal telephone
interface. Williams, Gregg. hr L3 5:8
Aug80 p40-44 *** Hardware Review / OSI /
Telecommunications HARDWARE REVIEW

INTERFACE (CONTINUED)
Put your computer to work (cassette controller).
Roch, Bill. hr L3 6:2 Feb8l pl02-l03 ***
Hardware Review / Tape Cassette / Altair
Using the PolyMorphics video interface.
Wenzlaff, Wayne. art 2:12 Dec77 pl30-l32
*** Video Display / Hardware Review

TRS-80 MODEL I

Handi-writer: a video note pad for the physically handicapped. Batie, Howard. art L1 6:12 Dec81 p474-482 *** Handicapped / Video Display / TRS-80 Model I

Home in on the rangel. Ciarcia, Steve. col L1 5:11 Nov80 p32-58 *** Control / Hardware Construction / TRS-80 Model I

TITERNATIONAL MICROCOMPUTING BYTE goes international (Australian and Japanese editions). Helmers, Carl. col 2:3 Mar77 p14+ *** Publishing

Surplus electronics in Tokyo and Manila. Hayes, Michael. art 1:11 Ju176 p54-55 ***

Retailing

INTERPRETER

APL interpreter for microcomputers, part 1*.

TERRETER
APL interpreter for microcomputers, part 1*.
Wimble, Michael. art 2:8 Aug77 p50-65 ***
APL / Contests
APL interpreter for microcomputers, part 3:
mathematical processing*. Wimble, Mike. art
2:10 Oct77 p64-68* *** APL / Mathematics
APL interpreter: further thoughts*. Brightman,
Tom. col 3:6 Jun78 p122-123 *** APL
Approach to high level languages for small
systems. Stavely, Donald. col 2:4 Apr77
p128-131 *** Compiler / Languages
Case for a "compiler interpreter". Rodman,
Richard. col 3:2 Feb78 p30-33 ***
Compiler

Richard. col 3:2 Feb78 p30-33 ***
Compiler
Comment and correction for Mouse ("Mouse: a language for microcomputers"). Lane, Tom. L6 5:6 Jun80 p238-240 *** Languages / Design / BYTE Corrections
Comments on "A high level language for 8 bit machines". Newton, Glen. col 4:6 Jun79 p216-219 *** Languages
Defining LIL, a little interpretive language. Cluff, Jack. col 2:10 Oct77 p30+ ***
Languages

Cluff, Jack. col 2:10 Oct77 p30+ ***
Languages
Design of an M6800 LISP interpreter. Taft, S.
Tucker. art L3 4:8 Aug79 p132-152 ***
LISP / Design / 6800
High level language for 8 bit machines.
Williams/Conley. art 3:7 Jul78 p152-161
*** Languages / Compiler / Design
Mouse: a language for microcomputers. Grogono,
Peter. art L6 4:7 Jul79 p198-220 ***
Languages / Design
SWEET 16: the 6502 dream machine (Apple pseudo
machine interpreter)*. Wozniak, Stephen. art
L3 2:11 Nov77 p150-159 *** Apple II / 6502
/ Programming Instruction

L3 2:11 Nov77 pl50-159 *** Apple II / 6502 / Programming Instruction Smalltalk-80 virtual machine. Krasner, Glenn. art 6:8 Aug81 p300-320 *** Smalltalk / Compiler / Design Varieties of threaded code for language implementation*. Ritter/Walker. art L6 5:9 Sep80 p206-227 *** Languages / Threaded Codes / Bibliography

INVENTORY / Old log raphy

PDO: a data manager for beginners. Swanson,
Paul. art L1 6:11 Nov81 p236-262 ***

Data Base Management / Programming Instruction
/ TRS-80 Model III
Proposal for a kitchen inventory system, or don't
byte the wand that... Shuford, Richard. col
3:12 Dec/8 p184-185 *** Home / Bar Codes /
Light Wand
JOYSTICK
Color commuter for

YSTICK
Color computer from A to D: make your color
computer "see" and "feel"... Barden, William.
art L1 6:12 Dec81 pl34-160 *** TRS-80
Color / Interface / Analog/Digital Circuit
Getting inputs from joysticks and slide pots.
Helmers, Carl. art L3 1:6 Feb76 p86-88
*** Analog/Digital Circuit / Hardware
Construction
Laypensius joystick interface* Buschbach

Construction
Inexpensive joystick interface*. Buschbach,
Thomas. art L3 2:3 Mar77 p88-93 ***
Interface / Hardware Construction
Joystick interfaces. Ciarcia, Steve. col L3
4:9 Sep79 p10-18 *** Interface / Hardware

Construction
Penny pincher's joystick interface. Wexler,
Steven. art L3 5:9 Sep80 p86-90 ***
Interface / KIM / Hardware Construction

Interface / KIM / Hardware Construction
YBOARD
Add cursor control to your TVT II. McGahee,
Thomas. art 2:7 Ju177 p122-123 ***
Hardware Construction / Video Display
Alpha lock for your ASCII keyboard. Conboy,
Terry. art 5:1 Jan80 p156-158 *** ASCII /
Hardware Modification
Build a keyboard function decoder. Ciarcia,
Steve. col 3:7 Ju178 p98-103 *** Hardware
Construction / Input/Output
Build a versatile keyboard interface for the
S-100. Richards, David. art L3 6:10 Oct81
p400-406 *** S-100 Bus / Hardware
Construction / Interface
Calculator keyboard input for the microcomputer.
Hoegerl, Joseph. art L3 2:2 Feb77 p104-107
*** Input/Output / Interface / Calculator
Cherry pro keyboard. Parker, Dan. art 4:11
Nov79 p232-234 *** Hardware Review
Deciphering mystery keyboards. Helmers, Carl.
art 1:1 Sep75 p52-69 *** ASCII
Interface an ASCII keyboard to 460 mA TTY loop.
Cotton, Jay. art 1:8 Apr76 p46-47 ***
Interface / Printer KEYBOARD

KEYBOARD (CONTINUED) YBOARD (CONTINUED)

Keyboard input software for the Z80. Newcom,
Kerry. Col L3 4:11 Nov79 pl92-193 ***
Input/Output / Z-80 / Programming Instruction
Keyboard modification. Macomber, George. art
1:6 Feb76 pl6 *** Hardware Modification
Octal front panel. DeMonstoy, Herman. art 1:9
May76 p38-40 *** Input/Output / Hardware
Construction
Ouick test of keyboards. Walters, Don. art 1:2
Oct75 p43 *** Test
Thirty days to a faster input (touch typing
tutor). Armstrong, Arthur. art L1 4:12
Dec79 p250-251 *** Computer Assisted
Instruction
Using a Keyboard ROM*. Brehm, Bob. art 2:5

Instruction
Using a keyboard ROM*. Brehm, Bob. art 2:5
May77 p76-B2 *** ROM / ASCII / Conversions
Videx keyboard and display enhancer. Pelczarski,
Mark. hr 6:7 Jul31 p354-356 *** Hardware
Review / Video Display / Apple II

M \$19 music interface (and some music theory for computer nuts)*. Struve, Bill. art L2 2:12 Dec77 p48-69+ *** Interface / Music / Hardware Construction
Aids for hand assembling programs. Pfeiffer, Erich. art L3 4:5 May/9 p238-244 *** Assembly Language / Programming Aids / Assembler

Assembly Language / Programming Aids / Assembler
Another plotter to toy with, revisited: design and construction details. Newcomb, Robert. art L3 5:2 FebBO p202-207 *** Plotter / Hardware Construction / Design Date with KIM. Simpson, Richard. art 1:9 May76 p8-12 *** Hardware Review / Microcomputer System Formatted program output for the KIM-1. Ezard, Lawrence. col L3 5:5 May80 p190-194 *** Utility Program Giving KIM some fancy jewels (remote display board). Grater, Robert. art 2:7 Ju177 p126-127 *** Hardware Modification / Input/Output / LED Display Interface a chessboard to your KIM-1. Teeters, Jeff. art L3 4:9 Sep79 p34-54 *** Chess / Interface a chessboard to your KIM-1. Teeters, Jeff. art L3 4:9 Sep79 p34-54 *** Chess / Interface a Chardware Construction KIM goes to the moon (game). Butterfield, Jim. art L3 2:4 Apr77 p8-9+ *** Games KIM-1 multiplication and division. Couchman, James. col L3 5:3 Mar80 p212-216 *** Mathematics KIMODS: using your KIM-1 with a Percom floopy-disk drive. Swank. Joel. art L3 5:5

James. col L3 5:3 Mar80 p212-216 ***
Mathematics
KIMDOS: using your KIM-1 with a Percom
floppy-disk drive. Swank, Joel. art L3 5:5
May80 p44-50+ *** Operating Systems /
Minidisk Drive
KIMER: a KIM-1 timer. Baker, Robert. art L3
3:7 Ju178 p12 *** Clock / Programming
Instruction
Monster Combat. Chapel, Lee. col L1 5:12
Dec80 p288-292 *** Games / Strategy
More music for the 6502. O'Haver, T.C. art L3
3:6 Jun78 p140-141 *** Music / 6502
New dress for KIM (mounting a KIM in a
briefcase). Atkins, R. Travis. art 2:9
Sep77 p26-27 *** Hardware Construction
Notes on teaching with microcomputers. Norton,
William. art 3:6 Jun78 p183-139 ***
Computer Instruction / Higher Education
Penny pincher's Joystick interface. Wexler,
Steven. art L3 5:9 Sep80 p86-90 ***
Joystick / Interface / Hardware Construction
Plugging the KIM-2 gap. Notley, M. Garth. col
3:9 Sep78 p123 *** Hardware Modification /
Memory
Programming the game of Go. Millen, Jonathan.

Nugging the All States and States

implementing the algorithm. recusion, Nove art L3 4:4 Apr79 pll0-130 *** Cryptc / Algorithm Telephone-dialing microcomputer. Renbarger, John. art L3 5:6 Jun80 pl40-170 *** Control / Telecommunications / Hardware Construction

Construction
True confessions: how I relate to KIM. Gupta,
Yogesh. art 1:12 Aug76 p44-48 ***
Hardware Modification
Turn your KIM into a metronome. Kellerman,
David. col L3 4:8 Aug79 p213-214 ***
Clock / Sound Effects
What have you found? (undefined op codes).
MacLean, Dave. col 3:10 Oct78 p57 ***
Programming Instruction
KIT BUILDING
Assembling a Sohere. Anderson, Bruce. art 1:

IN BUILDING

Assembling a Sphere. Anderson, Bruce. art 1:11
Ju176 p18-20 *** Hardware Construction /
Microcomputer System / Sphere
Assembling the ADM-3A. Franson, Paul. art 4:2
Feb79 p76-82 *** Terminal / Hardware
Construction
Big board: a Z80 system in kit form. Thompson,
David. hr 6:9 Sep81 p52-56 *** Hardware
Review / Z-80 / Microcomputer System
Building the Heath H8 computer. Poduska, Paul.
art L1 4:3 Mar79 p12-13* *** Heath /
Hardware Review / Microcomputer System
Note to novice kit builders... col 2:12 Dec77
p192 *** Hardware Construction / Integrated
Circuits



Shop around find your best price then call us COLLECT*we'll match the price plus ship it direct to you by A R

ABSOLUTELY FREE!*

WORRY FREE WARRANTY - This is our third year with North Star with a reputation of only the finest service (call North Star for a reference) all repairs are handled through our store service center.

*CONTINENTAL U.S. ONLY

LONG ISLAND COMPUTER GENERAL STORE

103 ATLANTIC AVE. LYNBROOK NEW YORK 11563 (516) 887-1500

Model EP-2A-79 **EPROM Programmer**

North Star Apple S-100 SS-50 STD-Bus Atari Pet Kim-1



TRS-80 H-8 H-89 Ohio Scientific **SWTP** Aim-65 Sym-1

Three years in the field with unsurpassed performance. Software is available for the EP-2A-79 for most all of the microcomputers including the popular CP/M, FLEX, HDOS operating systems. Write or call for specific hardware/software interfacing. Driver packages available for F-8, 6800, 6809, 8080,8085, Z-80, 1802, 6502 and 2650 based systems.

115V 50/60 HZ\$169.00

Personality Modules

	PM-0	TMS 2708	\$17.00	PM-5	2716, 2758	\$17.00
	PM-1	2704, 2708	17.00	PM-5E	2816	35.00
	PM-2	2732	33.00	PM-8	MCM68764	35.00
	PM-2A	2732A	33.00	PM-9	2764	35.00
	PM-3	TMS 2716	17.00	SA-64-2	TMS 2564	39.00
ı	PM-4	TMS 2532	33.00	SA-64-3	2764	39.00

Optimal Technology, Inc.

Phone (804) 973-5482

Earlysville, VA 22936 Blue Wood 127

Buy with Confidence from the best

GREAT PRICES, GREAT SERVICE, GUARANTEED

CALL TOLL FREE: 1 800 421-1520 COMPUTERS, PRINTERS, TERMINALS In Calif. 213 320-4772 card now available

apple



computer

Apple Computers Disk drives, accessories software, graphics tablets.

HEWLETT

Whether you want their great computer or a wide selection of computer calculators-we have them HP-85 - Retail \$3250

Call us for great prices: Altos, Atari, NEC, Zenith and other computers

> NEW MX 100 &

> > MX 80 F/T

CALL FOR BEST PRICES

PACKARD

PRINTERS - MONITORS

MONITORS **BMC & NEC Green Screen NOW IN STOCK**

EDUCATORS We have the CORVUS

systems to hook up several Apple computers at once!

NEC & DIABLO PRINTERS

Anadex, Paper Tiger. CALL for latest prices

Ramcard \$139

The new 136 column Epson printer with graphics and the Friction/tractor MX 80 are in stock. WE HAVE THE GRAPHIC PACKAGE FOR MX 80. call.

SILENTYPE PRINTER ONLY \$295.00

Computer furniture too

CCESSORIES - SOFTWARE

Amazing Mountain Hardware CPS Multi-function card ALL IN ONE:

PLOTTERS

SOFTWARE

Parallel/Serial/Clock/Calen

Visicalc 3.3\$175/Reg. \$199 BPI GL/INV/AR/etc 299/Reg. 399 Tax Preparer by Howardsoft ... 125/Reg. Real Estate Analyzer, Howardsoft 125/Reg. Creative Financing, Howardsoft 125/Reg.

ASCII Express II by SDS...... 55/Reg. Z-TERM (CPM) (16 sector) ... 85/Req. TRS 80 & ATARI SOFTWARE TOO

Bausch&Lomb plotters for your computer by 150 Houston Instruments... 65

CALL TOLL FREE MICROSOFT 16K 1041 Disks only 3.95

1(800)421-1520 in Cal (213)3204772

Mail orders ONLY:

Visit our retail store: **Net Profit Computers** 521 W. Chapman Ave Anaheim, Cal. 92802 714 750-7318

NET PROFIT COMPUTERS 2908 Oregon Court, Bld G1 Torrance, Ca 90503

1(800)421-1520 in Cal: 213 320-4772



Cal residents add 6% sales tax. Minimum shipping and handling charges are \$3.00. Mstch, Visa, Amex prices slightly higher on sale items. Store prices differ

KIT BUILDING (CONTINUED) KIT BUILDING (CONTINUED)

Personal computer on a student's budget.

Johnston, J.C. art 5:7 Jul80 pl38-146 ***
Microcomputer System / Hardware Construction
Soldering techniques. Trimmer, William. art
4:9 Sep79 p84-88 *** Hardware Construction
What's involved in kit building? Frenzel,
Louis. art 2:3 Mar77 p50-60 *** Hardware
Construction
KNOWLEDGE-BASED EXPERT SYSTEMS Knowledge-based expert systems come of age.
Duda/Gaschnig. art Ll 6:9 Sep81 p238-281
*** Artificial Intelligence
LANGUAGES

Artificial Intelligence

RIGHAGES

About the cover (Pascal's Triangle). Helmers,
Carl. art 3:8 Aug/8 p16-18 *** Pascal

Amended BASIC (possible changes to BASIC). Bass,
Robert. col 4:4 Apr/9 p238-239 *** BASIC
And its interest SN800ls. Silverston, Stefan.
col 4:10 Oct/9 p174 *** SN800l

Approach to high level languages for small
systems. Stavely, Donald. col 2:4 Apr/7
p128-131 *** Compiler / Interpreter

BASIC, Pascal, or Tiny-c?: a simple benchmarking
comparison. Hughes, Phil. col L8 6:10
Oct81 p372-375 *** Benchmark Testing

Calling attention to HPL (a Hewlett-Packard
language). Robb, Gerald. col 3:12 Dec/8
p182 ***
Case statements and related topics. Grogono,

ranywage). KoDb, Gerald. col 3:12 Dec78 p182 *** Case statements and related topics. Grogono, Peter. col 4:10 Oct79 p178-182 *** Pascal Changes to FLOPTRAN-1V. Watson, George. col LI 6:7 Ju181 p134 *** Compiler / PET Come from..continued (comments on improving the BASIC language). Clark, R. Lawrence. col 4:9 Sep79 p164 *** BASIC Comments on "A high level language for 8 bit machines". Newton, Glen. col 4:6 Jun79 p216-219 *** Interpreter Comments on PASCAL, learning how to program, and small systems. Ford, Gary. col 3:5 May78 p136-142 *** Pascal Comments on Peter Skye's language proposal. Kenton, Jeffrey. col 2:11 Nov77 p191-192 ***

Comments on the TDL relocatable loader format.
Pittman, Tom. col 2:11 Nov77 p204-205 ***
Standards
Comparison of C and Pascal. col 6:6 Jun81
p358 *** C Programming Language / Pascal
Comparison of some high-level languages. Morris,
Robert. art 5:2 Feb80 p128-139 ***
Data abstractions and program correctness (BASIC
vs. Pascal). McCoy, Earl. col 16 4:9 Sep79
p166-171 *** BASIC / Pascal
Defining LIL, a little interpretive language.
Cluff, Jack. col 2:10 Oct77 p30+ ***
Interpreter
Defining a language: PL/B. Wilson, David. col

Interpreter
Defining a language: PL/B. Wilson, David. col
L9 3:11 Nov/B p100-109 ***
Don't overlook LISP. Allen, John. col 4:3
Mar79 p6* *** LISP
Evolution of FORTH, an unusual language. Moore,
Charles. art L7 5:8 Aug80 p76-92 ***
FORTH / History
FLOPTRAN-IV: a tiny compiler. Zimmermann, Mark.
art L1 5:10 Oct80 p196-228 *** Compiler /
PET

PEI GRAPPing with APL. Leler, William. col 2:11 Nov77 p220-222 *** APL High-level language benchmark. Gilbreath, Jim. art L9 6:9 Sep81 p180-198 *** Benchmark

High-level language benchmark. Gilbreath, Jim. art L9 6:9 Sep81 p180-198 *** Benchmark Testing Importance of choice of languages. MacCallum, I.R. col 3:6 Jun78 p124-125 *** Introducing the Smalltalk-80 system. Goldberg, Adele. art 6:8 Aug81 p14-26 *** Smalltalk Introduction to BNF (Backus Normal Form). Maurer, W.D. art 4:1 Jan79 p116-125 *** Documentation

Maurer, W.D. art 4:1 Jan79 pl16-125 ***
Documentation

Is Pascal the next BASIC?. Helmers, Carl. col
2:12 Dec77 p6-8+ *** Pascal / BASIC
LISP vs FORTRAN: a fantasy. Rocheleau/Clay. col
6:6 Jun81 p30-34 *** Fiction
Language control structures for easy electronic
visualization. Defanti, Thomas. art 5:11
Nov80 p90-106 *** Color Graphics / High
Resolution Graphics
Language development: a proposal. Taylor, Glen.
col 2:11 Nov77 p190-191 ***
Look at LISP. MGGath, Gary. art L9 2:12
Dec77 p156-161 *** LISP
Magic of computer languages. Nelson, Theodor.
art 1:8 Apr76 p24-27 *** Computer
Instruction / Definitions
More on multiple conditions. Lawrence, Scott.
col 4:9 Sep79 p165 ***
Natural language processing and small systems.
Tennant, Harry. art 3:6 Jun78 p38-54 ***
Natural Language Construction / Artificial
Intelligence
New literacy: programming languages as languages.
Handal bon art 11.6:3 Mar88 n300-307

New literacy: programming languages as languages. Handel, Jon. art Ll 6:3 Mar81 p300-307

Notes on floating point and critique of PL/Skye. Alpert, Stephen. col 2:11 Nov77 p192-194

Object-oriented software systems. Robson, David. art 6:8 Aug81 p74-86 *** Object-Oriented

art 6:8 Aug81 p74-bb and standardization of Languages and standardization of human interfaces. Mikes, Peter. col 3:4 Apr78 p149-150 *** Standards PS - a FORTH-like threaded language, part 1. Motalygo, Valo. art 6:10 Oct81 p462-466 *** FORTH / Threaded Codes PS - a FORTH-like threaded language, part 2. Motalygo, Valo. art 6:11 Nov81 p400-408 *** Threaded Codes / FORTH

LANGUAGES (CONTINUED)

Pascal critique and a comment. O'Loughlin, J. col 3:12 Dec78 p179-180 *** Pascal

Pascal versus BASIC: round 2 includes FORTRAN. Andrews, Lawrence. col L4 4:4 Apr79 p239

*** Pascal / BASIC / FORTRAN
Reactions to previous comments (a computer language development society). Janes, Leigh. col 3:2 Feb78 p159 *** Associations

Response to "A proposed microprocessor software standard". Ogdin, Carol. col 2:11 Nov77 p198-199 *** Standards

Returning to the Tower of Babel, or...some notes about LISP, languages... Helmers, Carl. col 4:8 Aug79 p6+ *** LISP

SCORTOS: implementation of a music language.

Taylor, Hal. art 2:9 Sep77 p12-21+ ***

Music / Altair

SNOBLOS commentary. Sachs, Jonathan. col 4:11

SCORTOS: implementation of a music language.
Taylor, Hal. art 2:9 Sep77 pl2-21+ ***
Music / Altair
SNOBOL commentary. Sachs, Jonathan. col 4:11
Nov79 p248 *** SNOBOL
SNOBOL conquers all?. Burns, Bruce. col 4:6
Jun79 p220-221 *** SNOBOL
SMalltalk: a language for the 1980s. Morgan,
Chris. col 6:8 Aug81 p6-10 *** Smalltalk
Some contrary opinion (on Pascal). Robertson,
Peter. col 4:4 Apr79 p243-245 *** Pascal
Standard for writing standards. Wallace, David.
col 3:2 Feb78 p175-176 *** Standards
Standardization of high level languages: some
questions. Greene, E.M. col 3:5 May78
p163-165 *** Standards
Technical Design Labs relocatable object module
format. Colvin, Neil. col 2:11 Nov77
p199-204 *** Standards
Towers of Hanoi in BaSICO9. Ritter, Terry. col
L1 5:10 Oct80 p279 *** Puzzles
Two computer music system (Altair 8800/Intellec
8/MOD 80). Lederer/et al. art 3:3 Mar78
p8-12+ *** Music / Altair
UCSD PASCAL: a (nearly) machine independent
software system. Bowles, Kenneth. col 3:5
May78 p46+ *** Pascal / Standards
Varieties of threaded code for language
implementation*. Ritter/Walker. art L6 5:9
Sep80 p206-227 *** Interpreter / Threaded
Codes / Bibliography
MADUZITOD: how to write a language in 256 words
or less. Kheriaty, Larry. art L3 3:9 Sep78
p166-175 ***
What this country needs is a good 8-bit high
level language. He lmers. Carl. col 1:4

what this country needs is a good 8-bit high level language. Helmers, Carl. col 1:4 Dec75 p5-10 *** BASIC / PL/M

Dec75 p5-10 *** BASIC / PL/M

DESIGN

Comment and correction for Mouse ("Mouse: a language for microcomputers"). Lane, Tom. col L6 5:6 Jun80 p238-240 *** Design / Interpreter / BYTE Corrections

Designing a command language. Van den Bout, G.A. art L9 4:6 Jun79 p176-187 *** Design

High level language for 8 bit machines.

Williams/Conley. art 3:7 Jul78 p152-161

*** Interpreter / Compiler / Design

IPS, an unorthodox high level language. Meinzer, Karl. col L9 4:1 Jan79 p146-159 ***

Design / COSMAC

Mouse: a language for microcomputers. Grogono, Peter. art L6 4:7 Jul79 p188-220 ***

Design / Interpreter

On expressing multiple condition. Faught, David. col 3:12 Dec78 p176-178 *** Design

PROLOG: a step toward the ultimate computer language. Ferguson, Ron. art L9 6:11 Nov81 p384-399 *** Programming Design / Robots

Pattern-directed invocation languages. Kornfeld, William. art 4:8 Aug79 p34-48 *** Design / LISP

/ LISP
Toward a common pseudocode for expression of programs. Wingerter, Richard. col 3:6 Jun78 p125-127 *** Design
Using finite state machines. Cortesi, David. col 4:10 Oct79 p70-72 *** Design

GAMES
BASIC, computer languages, and computer
adventures. Pournelle, Jerry. col 5:12
Dec80 p222-238 *** BASIC / Games / Software
Review
New software, new hardware computer languages,
and games. Pournelle, Jerry. col 6:11 Nov81
p449-457 *** Software Review / Hardware/
Pavinu / Games

Review / Games Pascal versus BASIC: an exercise. Schwartz, Allan. art L6 3:8 Aug78 pl68-176 *** Pascal / Games / BASIC

HARDWARE REVIEW

New software, new hardware computer languages, and games. Pournelle, Jerry. col 6:11 Nov81 p449-457 *** Software Review / Hardware Review / Games

PROGRAMMING INSTRUCTION
BASICally BASIC (an informal introduction to
BASIC1) Baker, Robert. art Ll 2:7 Jul77
p96-Ll5 *** Programming Instruction / BASIC
C: a language for microprocessors?. Madden, J.
Gregory. art 2:10 Oct77 p130-138 *** C
Programming Language / Programming Instruction
What is APL*. Arnold, Mark. art 1:15 Nov76
p20-24+ *** APL / Programming Instruction

SOFTWARE REVIEW
BASIC, computer languages, and computer
adventures. Pournelle, Jerry. col 5:12
Dec80 p222-238 *** BASIC / Games / Software
Review

LANGUAGES (CONTINUED)
Exposure to MUMPS (programming language).
Sherertz, David. art 4:1 Jan79 p74-82 ***
Software Review
Extended color BASIC for the TRS-80 Color
Computer*. Miastkowski, Stan. sr Ll 6:5
May81 p36-45 *** Software Review / TRS-80
Color / BASIC

Color / BASIC

New software, new hardware computer languages, and games. Pournelle, Jerry. col 6:11 Nc p449-457 *** Software Review / Hardware

p449-457 *** Software Review / Hardware Review / Games
SCELBAL (SCjentific ELementary BASic Language).
Wadsworth/Arnold. art 1:10 Jun/6 p82-86
*** BASIC / Software Review
Tiny BASIC (a review of Tom Pittman's Tiny
BASIC, Rosner, Richard. sr L1 2:4 Apr/7
p34-38 *** Software Review / Tiny BASIC

Legal protection for computer hardware and software. Becker, Stephen. art 6:5 May8l pl40-146 *** Copyright / Patent Microcomputers and the IRS. Kingman, James. col 6:9 Sep81 p426-427 *** Taxes / Accounting

/ Business

/ Business
Software protection in the United Kingdom.
Hayman, Martin. art 6:10 Oct81 p126-139
*** Copyright / Software Piracy / Conference
Washington tackles the software problem. Kern,
Christopher. art 6:5 May81 p128-138 ***

Mashington tackies the software problem. Kern,
Christopher. art 6:5 May81 pl28-138 ***
Copyright / Patent
LCD DISPLAY
Make liquid-crystal displays work for you.
Ciarcia, Steve. col 5:10 Oct80 p24-38 *** Design LED DISPLAY

8 digit hexadecimal readout. Burns, R.R. art 2:8 Aug77 pl14-116 *** Hardware Construction / Hexadecimal Digital alphanumeric display. Chester, Daniel. art 4:4 Apr79 p218-220 *** Input/Output Terminal Input/Output /

Giving KIM some fancy jewels (remote display board). Grater, Robert. art 2:7 Ju177 p126-127 *** Hardware Modification / KIM / Input/Output

Input/Output
Multiplex your digital LED displays. Hogenson,
James. art 2:3 Mar77 pl22-128 ***
Hardware Construction / Input/Output
PAN/S: a new approach to front panel design.
Letwin, Gordon. art 3:10 Oct78 p70-84 ***
Heath / Monitor / Software Review
Self-refreshing LED graphics display*. Ciarcia,
Steve. col ll 4:10 Oct79 p58-69 ***
Graphics / Hardware Construction

Graphics / Hardware Construction

FE

APL makes life easy (and vice versa). Evans,
 Selby. col L9 5:10 Oct80 p192-193 ***
APL / Games

Life (Game of Life). Englander, William. col
 L1 3:12 Dec78 p76-82 *** Games /
 Mathematics / Strategy
 Life after death. Macaluso, Pat. art L1 6:7
 Jul81 p326-333 *** Games / Mathematics /
 TRS-80 Model I

Life algorithms (Game of Life). Niemiec, Mark.
 art L9 4:1 Jan79 p90-97 *** Games /
 Mathematics / Algorithm

Life can be easy (8080 version of the Game of
 Life). Soderstrom, Randy. art L3 4:4 Apr79
 p166-169 *** Games / Mathematics / Strategy
 Life line 2*. Helmers, Carl. art 1:2 Oct75
 p34-42 *** Games / Programming Instruction
 Life line 4: integrating graphics control
 commands. Helmers, Carl. art 1:5 Jan76
 p32-41 *** Games / Graphics / Hardware
 Construction

Life line. Helmers, Carl. art 1:1 Sep75
 p32-80 *** Comer / Programming Instruction

Life line. Helmers, Carl. art 1:1 Sep75
 p32-80 **** Comer / Programming Instruction

commands. Helmers, Carl. art 1:: Jan/b
p32-41 *** Games / Graphics / Hardware
Construction
Life line. Helmers, Carl. art 1:1 Sep75
p72-80 *** Games / Programming Instruction
Life with your computer (Game of Life).
Milliun/et al. art 3:12 Dec78 p45-50 ***
Games / Mathematics / Strategy
One-dimensional life (Game of Life). Millen,
Jonathan. art 3:12 Dec78 p68-74 *** Games
/ Mathematics / Strategy
Some facts of life (Game of Life). Buckingham,
David. art 3:12 Dec78 p54-66 *** Games /
Mathematics / Strategy
LIGHT PEN
Add a \$3 light pen to your video display.
Webster/Young. art L3 3:2 Feb78 p52-58
*** Hardware Construction
Let there be light pens. Loomis, Sumner. art
1:5 Jan/6 p26-30 *** Hardware Construction
/ Graphics
Micro Matrix Photopoint Light Pen (TRS-80).
Gray, Stephen. hr L3 6:3 Mar81 p84-88 ***
Hardware Review / TRS-80 Model I
LIGHT WAND
Low cost light wand amplifier*. Moseley, Robin.
art 3:5 May78 p92-95 *** Bar Codes /
Hardware Construction
Proposal for a kitchen inventory system, or don't
byte the wand that.... Shuford, Richard. col
3:12 Dec78 p184-185 *** Inventory / Home /
Bar Codes
LINEAR PROGRAMMING
Khachiyan's algorithm, part 1: a new solution to
linear programming...* Berresford/et al. art


NEAR PROGRAMMING
Khachiyan's algorithm, part 1: a new solution to
linear programming...*. Berresford/et al. art
5:8 Aug80 p198-208 *** Mathematics /
Algorithm
Khachiyan's algorithm, part 2: problems with the
algorithm. Berresford/et al. art L1 5:9
Sep80 p242-255 *** Mathematics / Algorithm /
TRS-80 Model 1
KGUISTICS

LINGUISTICS Natural-language processing: the field in perspective. Hendrix/Sacerdoti. art L9 6:9 Sep81 p304-352 *** Natural Language Construction / Artificial Intelligence



- RELIABILITY AND DURABILITY

 FULLY IBM AND SHUGART SA850R COMPATIBLE
- . DOUBLE-SIDED, DOUBLE-DENSITY
- 1.6 MBYTE/DISK
- SOFTOUCHTM PROPRIETARY HEAD LOAD MECHANISM
- . 3 MS TRACK-TO-TRACK ACCESS TIME
- . HIGH QUALITY, ALL FERRITE MnZn HEADS
- PRECISION BUILT/MODULAR CONSTRUCTION
- 6 MONTH WARRANTY



*\$525.00 Available from stock. Terms: cash, check, money orders, VISA, MasterCharge. Tax: 6% if California resident. *Price subject to change without notice.

NCLIDATA

1333 Lawrence Expressway, Suite 408
Santa Clara, California 95051
(408) 247-3450/TWX 910-338-7442
AUTHORIZED SALES AND SERVICE AGENT
FOR INFORMATION CONTACT HOLLY SAUER
OEM INQUIRIES INVITED

The Making of the MICRO

A History of the Computer

by Christopher Evans

START WITH THE counting frame and watch it evolve into the microprocessor! Discover the fascinating story of the science, the mathematics,

and the human ingenuity that have turned dreams of intelligence into reality.

Dozens of photographs and diagrams bring to life the developments that have shrunk the computer from a gargantuan machine to today's pocket-sized calculator. And you'll get an inside look at the "wizards" whose inventions changed the face of the world forever—but whose genius was often overshadowed by eccentricities.

Get acquainted with John Napier, whose discovery of logarithms led to the invention of the slide rule ... Blaise Pascal, who invented the world's first calculating machine while still in his teens... Charles Babbage, who designed a programmable computer in an age when there were no tools to build it... and many others.

Send for your FREE-examination copy today!

VAN NOSTRAND Mail Order Service 7625 Empire Drive		
send \$14.95 plus I	ocal sales tax, postage an	ys' free trial. After 15 days I w nd handling, or return the boo orders to P.O. box addresses
and owe nothing. (ayment must accompany	orders to 1.0. box addresses
Name	ayment must accompany	orders to 1.0. box addresses
,	ayment must accompany	orders to 1.0. box addresses
NameAddress	State	Zip_partment approval. Price subject

WE DISCOUNT PRICES — NOT SERVICE



APPLE II PLUS 48K \$1,075

APPLE II PLUS 16K \$1,025

HARDWARE

DISK II DRIVE & INTERFACE

DISK II DRIVE & INTERFACE49
DISK II SECOND DRIVE43
BASF 51/4" DISKETTES (10)
LANGUAGE SYSTEM W/PASCAL379
INTEGER BASIC FIRMWARE CARD 149
APPLESOFT II FIRMWARE CARD 149
CENTRONICS PRINTER INTERFACE CARD . 179
HIGH-SPEED SERIAL INTERFACE CARD 149
GRAPHICS TABLET649
APPLE IEEE-488 INTERFACE CARD339
M&R SUP-R-MOD RF MODULATOR 25
MICROSOFT Z-80 SOFTCARD SYSTEM 29
MICROSOFT 16K RAM CARD169
VIDEX 80 COLUMN BOARD
HAYES MICROMODEM II
AMDEX 13" COLOR MONITOR429
NEC 12" GREEN MONITOR
SILENTYPE PRINTER W/INTERFACE 350
EPSON MX-100
QUME SPRINT 5/45 PRINTER2499



SOFTWARE

APPLE DOS TOOLKIT
APPLE PLOT 60
TAX PLANNER 99
APPLE FORTRAN
APPLE PILOT119
APPLEWRITER 65
DOW JONES PORTFOLIO EVALUATOR 45
DOW JONES NEWS & QUOTES REPORTER . 85
THE CONTROLLER495
VISICALC (16 SECTOR)
VISITREND/VISIPLOT
DESKTOP PLAN II
BPI BUSINESS SOFTWARE (EACH)335
TAX PREPARER 85
REAL ESTATE ANALYZER
SUPER TEXT II
EASYWRITER (80 COLUMNS)219
WORD STAR
D.B. MASTER180
MICROSOFT FORTRAN



APPLE III 128K \$3,295

DISK III																			.4/9
MONITOR III .																			. 280
INFORMATION	١,	A	1	1	A	L	Y	5	16	Γ									.399
PASCAL III																			.215
SILENTYPE III												•							.329
			,,,			į													

XEROX 820 "SAM"

SYSTEM I (51/4" DRIVES)				.2500
SYSTEM II (8" DRIVES)				.3150
DIABLO 630 PRINTER				
WORD PROCESSING (WORDSTAR)				425
CP/M OPERATING SYSTEM				

ATARI 800 & 400

ATARI 800 (16K)	١
ATARI 400 (16K)	
410 PROGRAM RECORDER 69	9
810 DISK DRIVE439	9
16K RAM MEMORY MODULE 89	9
850 INTERFACE MODULE	9
825 PRINTER (CENTRONIC 737) 650)
ATARI VISICALC	

computer age, inc.

Authorized Apple Dealer & Service Center 4688 CONVOY STREET, SAN DIEGO, CA 92111 (714) 565-4062 Technical & California (800) 854-1941 Outside California Order Desk TO ORDER: Please send cashier's check, money order or personal check (allow 10 business days to clear). VISA and Master Card credit card service add 3%. American Express credit card service add 5%. Shipping, handling and insurance in U.S. add 3% (minimum \$4). California residents add 6% sales tax. Foreign orders add 10% for shipping. Equipment is subject to price change and availability. All equipment carries factory warranty. Store prices differ from mail order prices. TELEX: 697120 DATAMAX-SDG

CALL OR WRITE FOR A COMPLETE PRICE LIST

Design of an M6800 LISP interpreter. Taft, S. Tucker. art L3 4:8 Aug79 p132-152 *** Interpreter / Design / 6800 Don't overlook LISP. Allen, John. col 4:3 Mar79 p6* *** Languages LISP applications in Boolean logic. Weyhrauch/Graves. art L9 4:8 Aug79 p206-211 *** Electronic Circuits / Design LISP based symbolic math systems. Stoutemyer, David. art 4:8 Aug79 p176-192 *** Mathematics LISP based systems for education. Laubsch/et al. art 4:8 Aug79 p18-24 *** Education / Logo LISP notes (definitions). Allen, John. art 4:8 Aug79 p62 *** Definitions Lambdino storage management system (a dialect of LISP). Prini/Rudalics. art 4:8 Aug79 p26-32 *** Information Storage Look at LISP. McGath, Gary. art L9 2:12 Dec77 p156-161 *** Languages Mathematician's view of LISP. Pratt, Vaughan. art 4:8 Aug79 p162-168 *** Mathematics Overview of LISP. Allen, John. art L9 4:3 Aug79 p10-16+ *** Programming Instruction Pattern-directed invocation languages. Kornfeld, William. art 4:8 Aug79 p34-48 *** Languages / Design Returning to the Tower of Babel, or...some notes about LISP, languages... Helmers, Carl. col 4:8 Aug79 p6* *** Languages
Self-reproducing programs. Burger/et al. col L8 5:8 Aug80 p72-74 **** C Programming Language Symbolic differentiation a la LISP. Nicol, MATHEMATICS (CONTINUED)
Fast Fourier transforms on your home computer*.
Stanley/Peterson. art ll 3:12 Dec78 pl4-25
*** Fourier Transforms
Floating point arithmetic*. Hashizume, Burt.
art 2:11 Nov77 p76-78+ *** Computer
Instruction / FORTRAN
Formatting dollars and cents. Palenik, Les. col
Ll 3:10 Oct78 p68 *** Utility Program /
PET
Frequency analysis of data using a microcomputer. MAINTENANCE
Cassette lives on: an alternative to floppy-disk Cassette lives on: an alternative to floppy-di mass storage. Cook, Emory. art 5:5 May80 p12-18 *** Tape Cassette / Hardware Modification / Information Storage Comments on live board removal and insertion. Stough, S.A. col 2:11 Nov77 p170 *** Debugging Getting to know your monitor. Dalpiaz, Ron. 5:11 Nov80 p206-217 *** Video Display / PET
Frequency analysis of data using a microcomputer.
Ruckdeshel, F.R. art L1 4:12 Dec79 p10-35
*** Fourier Transforms / North Star /
Frequency Analysis
Functional approximations. Ruckdeschel, Fred.
art L1 3:11 Nov78 p34-46

How far - which way? (navigation program).
Pittet, Rene. art L1 2:7 Ju177 p118-119
*** SWTPC / Navigation
Infamous traveling-salesman problem: a practical
approach. Parry/Pfeffer. art L1 6:7 Ju181
p252-290
*** Puzzles / Energy / SWTPC
Introduction to numbers. Simmons, Webb. art
2:7 Ju177 p82-87
**** Computer Instruction /
Binary
Inverse trig functions. Miller. Alan. col. il Design
Horror story (erased data tapes). Warren, Jim.
art 1:5 Jan/6 p31 *** Information Storage
Is this a valid hot board placement procedure?.
col 2:7 Jul77 p150 *** Debugging
On the importance of backups (includes a Pascal
utility to recover files). Helmers, Carl. col
L6 4:4 Apr/9 p6+ *** Pascal / Utility NUFACTURING

ARRL Convention / Visit to Mits / Visit to SWTPC.

Helmers, Carl. art 1:14 0ct76 p107-109

*** Shows / Altair / SWTPC

Are they real? (a visit to Sphere, SWTPC and

Mits). Green, Wayne. col 1:2 0ct75 p61+

*** Altair / Sphere / SWTPC

Caught by surprise (lack of "big" firms in
personal computing). Helmers, Carl. col 1:16

Dec76 p6-9+ *** Marketing / Retailing

Directory of hard-disk manufacturers. col 5:8

Aug80 p146 *** Hard Disk Drive

Japanese computer invasion. Miastkowski, Stan.

art 6:8 Aug81 p200-220 *** Foreign

Competition / Marketing

Look at Shugart's new fixed disk drive. Morgan,

Chris. art 3:6 Jun78 p174-176 *** Hard

Disk Drive MANUFACTURING 2.7 Jul77 p82-87 *** Computer Instruction / Binary
Inverse trig functions. Miller, Alan. col L1
4:3 Mar79 p92 ***
KIM-1 multiplication and division. Couchman,
James. col L3 5:3 Mar80 p212-216 *** KIM
Kalman mileage predictor-monitor. Lobdill,
Jerry. art L2 6:7 Jul81 p230-248 ***
Energy / Automobile / Calculator
Khachiyan's algorithm, part 1: a new solution to
linear programming...*. Berresford/et al. art
5:8 Aug80 p198-208 *** Algorithm / Linear
Programming
LISP based symbolic math systems. Stoutemyer,
David. art 4:8 Aug79 p176-192 *** LISP
Mathematical modeling: a BASIC program to
simulate real-world systems. Hicks, Randall.
art L1 6:6 Jun81 p72-86 *** Simulation /
Compucolor / Science
Mathematics for computer art. Schmucker, Kurt.
art 4:8 Aug79 p162-168 *** LISP
Mathematics of computer art. Schmucker, Kurt.
art 4:7 Jul79 p105-116 *** Art
Mathematics of computer graphics. Posdamer/et
al. art 3:9 Sep78 p22-39 *** Graphics
Noniterative digital solution of linear transfer
functions. Finlay, Bryan. art L1 4:12
Dec79 p144-166 *** Hewlett-Packard /
Simulation Language Symbolic differentiation a la LISP. Nicol, Ronald. art L9 6:9 Sep81 p216-234 *** Mathematics / Programming Instruction / TRS-80 Chris. art 3:6 Jun78 p174-176 *** Hard Disk Drive Make your own printed circuits. Hogenson, James. art 1:11 Jul76 p58-63 *** Hardware Construction / Electronic Circuits Microprocessor for the revolution: the 6809, part 3: final thoughts. Ritter/Boney. art 4:3 Mar79 p46-52 *** Microprocessor / Design / 6809 rugel 1
Three microcomputer LISPs. Levitan/Bonar. sr
L9 6:9 Sep81 p388-412 *** Software Review
/ Z-80 / Benchmark Testing
Trees (on the virtues of LISP). Steele, Guy.
col 4:10 0ct79 p192-194 *** Poetry
LOGIC PROBE Trend toward hassle free products. Helmers, Carl. col 1:11 Jul76 p4+ *** Marketing View from the silicon valley (new companies). Warren, Jim. art 1:6 Feb76 p74-75 *** n Source. Boudinot, R.D. art 1:9 May76 p18-23 *** Consumer Information / Retailing MARKETING GIC PROBE
Audible logic test probe. Woodward, James.
4:1 Jan79 p186-187 *** Test Equipment /
Hardware Construction
Logic probes - hardware bug chasers*. Burr,
Alex. art 1:4 Dec75 p20-24 *** Test
Equipment / Debugging Noniterative digital solution of linear transfer functions. Finlay, Bryan. art 11 4:12
Dec79 p144-166 *** Hewlett-Packard /
Simulation
Novice's eye on computer arithmetic. Ledder,
Wayne. art 3:1 Jan78 p150-159 ****
Computer Instruction / Binary
Numerical analysis for the TRS-80 pocket
computer. Salem, Mike. col Ll 6:1 Jan81
p182-184 *** Fourier Transforms / Hand-held
Computer / TRS-80 Pocket Computer
Overview of long division. Gass, Geoffrey. art
4:8 Aug79 p220-224 *** Computer Instruction
PERT organization: a technique for evaluating
schedules. Maurer, W. Douglas. art 6:10
Oct81 p407-412 *** Data Structures
Permutation bibliography. Kellerman, Eduardo.
col 4:8 Aug79 p126-127 *** Bibliography
Prime numbers on the HP-19C. Aslan, Wilfred.
col 1:2 5:10 Oct80 p54-58 *** Calculator
Puzzling rotation. Barbier, Ken. col 11 4:5
May79 p216 *** Puzzles
Response to "Unlimited Precision Division".
Zimmerman, Mark. col 4:5 May79 p210 ***
Sets: tutoring in BASIC. Schreiber, Linda. col
11 5:3 Mar80 p244-245 *** Computer
Assisted Instruction / Children / Altair
Simple math lessons (math test). Lloyd, Robert.
col 12:11 Nov77 p60 *** Tiny BASIC /
Elementary Education
May80 p152 *** Plotting
Simulation of motion, part 2: an automobile /
Science
Sources of numerical error. Buskirk, Daniel.
art 4:4 Anry7 n646.49 *** Computer RKETING

Gaught by surprise (lack of "big" firms in personal computing). Helmers, Carl. col 1:16

Dec76 p6-9+ *** Manufacturing / Retailing
Japanese computer invasion. Miastkowski, Stan. art 6:8 Aug8l p200-220 *** Foreign

Competition / Manufacturing

MITS computer caravan. art 1:5 Jan76 p73 ***

Altair

Reviewing the afficiency functions. Finlay, Bryan. art Ll 4: Dec79 pl44-166 *** Hewlett-Packard UISP based systems for education. Laubsch/et al. art 4:8 Aug79 p18-24 *** LISP / Education Logo for personal computers. Nelson, Harold art L9 6:6 Jun8) p36-44 *** TI 99/4 / Apple II LOWERCASE MODIFICATION MERCASE MODIFICATION
Adding lowercase display to the ADM-3A. Walker,
A.W. col 4:3 Mar79 p190-193 *** Terminal
Lowercase-to-uppercase converter. Degler, Roger.
col 1.3 5:9 Sep80 p326-327 ***
Conversions / Design
Making an H9 understand lower case. Frye,
George. col 3:9 Sep78 p147 *** Hardware
Modification / Heath Altair
Reviewing the microcomputer revolution. Faber,
Ed. col 6:11 Nov81 p134-136 *** Retailing
Sphere rolls into town. art 1:5 Jan76 p80
*** Sphere
Surveying the field (BYTE reader survey).
Helmers, Carl. col 2:5 May77 p6-9+ ***
Publishing / BYTE Survey
Trend toward hassle free products. Helmers,
Carl. col 1:11 Ju176 p4+ ***
Manufacturing
THEMATICS How to computerize your model railroad. Brown, David. art 2:7 Jul77 pl2-21 *** Control New mini-microcomputer system: the Digital Equipment Corporation LSI-II. Baker, Robert. art 1:5 Jan76 pl2-24 *** Microcomputer System / Hardware Review / S2L: an Altair (S-100) to LSI-II bus adaptor. Bondy, Jonathan. col 3:9 Sep78 pl02-112 *** S-100 Bus / Standards / Altair Train control display using the LSI-II microcomputer. Hart, Jack. art 2:7 Jul77 p44-50 *** Control / Interface Manufacturing
THEMATICS
APL interpreter for microcomputers, part 3:
mathematical processing*. Wimble, Mike. art
2:10 Oct77 p64-68+ *** APL / Interpreter
Adding new transcendentals to limited BASICs.
Sempronio, Vince. col 2:9 Sep77 p61- ***
Tiny BASIC
Addition and subtraction: the 1802 versus the
280. Merrin, Stephen. col 6:3 Mar81
p224-228 *** Binary / 1802 / Z-80
Algebraic identities are not numerical
identities. Forsythe, Alan. col 5:2 Feb80
p174 *** Statistics
Analysis of polynomial functions with the TI-59
calculator, part 2. Chance, Pierre. art 5:1
Jan80 p130-136 *** Calculator
Approximation makes a magnitude of difference.
Leedom, Bob. col 4:6 Jun79 p188-189 ***
Fourier Transforms
BASIC factorials. Miller, Alan. col L1 4:6
Jun79 p206 *** BASIC
Beginner's guide to spectral analysis, part 1:
tiny timesharing music. Zimmermann, Mark. art
L1 6:2 Feb81 p68-90 *** Music / Fourier
Transforms / PET
Comments on floating point representation.
Baker, R.A. col 2:9 Sep77 p185 ***
Computer Instruction
Complex number subroutines. Harlow, William.
col L1 5:11 Nov80 p116-118 *** Utility
Program / BASIC
Computer generated maps, part 1. Johnston,
William. art L1 4:5 May79 p10-12+ ***
Graphics
Computer generated maps, part 2. Johnston,
William. art L1 4:5 May79 p10-12+ ***
Graphics
Computer generated maps, part 2. Johnston,
William. art L1 4:5 May79 p10-124 *** MATHEMATICS MACHINE LANGUAGE
Introduction to addressing methods. Zarrella,
John. art 1:10 Jun76 p76-80 ***
Programming Instruction / Computer Instruction
Introduction to microprogramming. Quek, S.M.
art 2:6 Jun77 p116-120 *** Computer
Instruction
Machine language programming for the "8008" (CPU Dec/7 pl12-116 *** Simulation / Automobile / Science
Sources of numerical error. Buskirk, Daniel. art 4:4 Apr79 p46-49 *** Computer
Instruction
Symbolic math using BASIC. Stoutenyer, David. art L1 5:10 Oct80 p232-246 *** BASIC
II has faster solutions (speed in solving simultaneous equations). Larson, Marvin. col 4:8 Aug79 p128 *** Calculator
Those calculating Romans (Roman numeral calculator). Dishman, Laurence. col L1 3:6 Jun78 p109-111 *** Conversions / North Star
Three types of pseudorandom sequences*. Honess, C. Brian. art L1 4:6 Jun79 p234-246 *** Random Numbers
Walsh functions: a digital Fourier series. Jacoby, Benjamin. art 2:9 Sep77 p190-198
*** Fourier Transforms Machine language programming for the "8008" (CPU instruction set). Wadsworth, Nat. art 1:11 Ju176 p30-37 *** Programming Instruction / 8008
Machine language programming for the "8008"
(fundamental skills). Wadsworth, Nat. art L3
1:13 Sep76 p84-91 *** Programming
Instruction / 8008
Machine language programming for the "8008"
(initial steps). Wadsworth, Nat. art 1:12
Aug76 p40-42 *** Programming Instruction /
8008 Memory manipulator: eliminate hex-a-phobia.
Witt, Louis. col Ll 6:10 Oct81 p356-364
*** TRS-80 Model I / Utility Program
Processing logical expressions (Bauer-Samelson
algorithm extension). Maurer, W. Douglas. a
2:8 Aug/7 p130-135 *** Programming
Instruction / Computer Instruction 6800
8 bit fractional multiplication. Chayut, Ira. col L3 1:13 Sep76 p124 *** Programming Instruction / 6800
Decisions, decisions (+ or - signs for numbers). Gass, decoffrey. col L3 5:5 May80 p190 *** 6800 / Programming Instruction Easy way to calculate sines and cosines. Grappel, Robert. art L3 4:4 Apr79 p170-171 *** Programming Instruction / 6800
Fast Fourier for the 6800. Lord, Richard. art L3 4:2 Feb79 p108-119 *** Fourier Transforms / 6800
How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3 3:4 Apr78 p28-35* *** Design / 6800 / Microprocessor Graphics
Computer generated maps, part 2. Johnston,
William. art Ll 4:6 Jun79 p100-123 ***
Graphics / Three-Dimensional Graphics / Social
Science
Curve fitting with your computer. Ruckdeschel,
Fred. art Ll 4:10 Oct79 p150-160 ***
Statistics
Dynamic simulation is Pacca. MAIL LIST IL LIST

Apple name-address. Stotts, Gary. col Ll 6:4
Apr8l p32-34 *** Apple II

Computerized mailing list. Doyle, Thomas. art
Ll 4:1 Jan79 p84-89 *** Programming

Instruction / BASIC


Direct impact of the computer (using a line
printer in place of a stamp). Shuford,
Richard. col Ll 5:3 Mar80 p186-187 ***

Utility Program

Keed in search of a product (mailist program).
Helmers, Carl. col 1:2 Oct75 p6 *** Statistics

Dynamic simulation in BASIC. Houng, S.J. cc
L1 6:10 Oct81 p394-399 *** Simulation BASIC Extended multiplication with the TI-58.
Manwaring, Michael. col L2 4:11 Nov79 p244-245 *** Calculator

SOFTWAR **FOR MANUFACTURERS**



Micro Manufacturing Systems has been developing and supplying manufacturing software directly to manufacturers for several years and is now offering its MCS-2 system to dealers and OEM's.

MCS-2 is the most comprehensive manufacturing control system designed for the CPM based micro computer. MCS-2 consists of nine separate modules which can be purchased as a complete system or individually as required.

For more information contact:

MICRO MANUFACTURING **SYSTEMS**

1670 Norma Rd. . Columbus, Ohio 43229 Phone: (614) 885-0738

Components Express, Inc.

"Have you kissed your computer lately?" 1380 E. Edinger, Unit CC Santa Ana. CA 92705 (714) 558-3972

BROAD BAND MICROWAVE RECEIVER SYSTEM 1.8GHZ to 2.4 GHZ

only \$295.00



With built-in-converter to channel 2, 3, or 4 of any standard TV set.

RANGE: Line of sight to 250 miles

SCOPE: Will receive within the frequency band from satelites, primary microwave stations, and repeater microwave booster stations.

CONTENTS: Packaged in 19"x19"x4 1/2" corrugated carton complete

with: . 24" Dish

- · 300 Ohm to 75 Ohm Adapter
- 750 Ohm to 300 Ohm Adapter
- · Feed-Horn Receiver Mounting Bracket
 - 60 Feet Coax Cable with Connectors
- Mounting Clamp
- 3 Feet Coax Cable with Connectors
- Instructions

180 days for all factory defects and electronic failures for normal useage and handling. Defective sub assemblies will be replaced with new or re-manufactured sub assembly on a 48 hour exchange

This system is not a kit and requires no additional devices or equipment other than a TV set to place in operation. DEALER INQUIRIES INVITED.

FOR ONLY \$129.95 Learn Computing From The Ground Up

Build a Computer kit that grows with you, and can expand to 64k RAM, Microsoft BASIC, Text Editor/Assembler, Word Processor, Floppy Disks and more.

EXPLORER/85

Here's the low cost way to learn the fundamentals of computing, the all-important basics you'll need more and more as you advance in computer skills. For just \$129.95 you get the advanced-design Explorer/85 motherboard, with all the features you need to learn how to write and use programs. And it can grow into a system that is a match for any personal computer on the market. Look at a match for any personal computer on the market. Look at microprocessor "heart" of the Explorer/85. [Join the millions who will buy and use the 6000/8005 this year alone!) ... Four 8-bit plus one 6-bit input/louty ports from which you can input and output your programs, as well as control exterior switches, relays, lights, etc. ... a cassette interface that lets you store and reload programs you've learned to write ... deluxe 2.000 byte operating system/monitor makes it easy to learn computing in several important ways. * It allows simpler, faster writing and entering of programs * It permits access by you to all parts of the systems you can check on the status of using a system of the CPU (registers, flags, etc.) * ... and it does much more!

You get all this in the starting level (Level A) of the

omients of the CPU (registers, flags, etc.)

omients of the CPU (registers, flags, etc.)

von get all this in the starting level (Level A) of the Explorer/85 for only \$12.98.5 incredibile To use, just plug in your 8VDC power supply and terminal or keyboard/display — If you don't have them, see our special offers below.

Level A computer kit (Terminal Version) ... \$129.85 plus \$3 P&1.*

Level A computer kit (Terminal Version) ... \$129.85 plus \$3 P&1.*

Level A kit (Hex Keypad/Display Version) ... \$129.85 plus \$3 P&1.*

plus S. Fei.

LEVEL B — This "building block" converts the mother-board into a two-slot \$100 bus (industry standard) com-puter. Now you can plug in any of the hundreds of \$100 cards available.

cards available.

☐ Level B kit . . . \$49 .95 plus \$2 P&I.*

☐ S100 bus connectors (two required) . . . \$4.85 each.

postpaid.

LEVEL C — Add still more computing power, this "building block" mounts directly on the motherboard and expands the \$100 bus to six slots.

Level C kit ... \$39.95 plus \$2 Pat.*

postpara.

LEVEL D — When you reach the point in learning that requires more memory, we offer two choices: either add 4k to 4 a memory directly on the motherboard, or add 18k to 64k of memory by means of a single S100 card, our famous

of a memory by means of a single S100 card, on S48.95 eAk of memory by means of a single S100 card, on S48.95 eAk of memory by means of a single S100 card, on S48.95 eAk of S68.95 eAk

LEVEL E — An important "building block;" it activates the 8k ROM/EPROM space on the motherboard. Now just plug in one 8k Microsoft BASIC or your own custom

ping in the or Microsoft BASIC. or your own custom programs.

Microsoft BASIC — It's the language that allows you to talk English to your computer It is available three ways:

B k cassette version of Microsoft BASIC. (requires Level B and 12k of RAM minimum; we suggest a 16k S100 "JAWS" — see above) ... \$64.95 postpaid.

B k ROM version of Microsoft BASIC. (requires Level B & Level E and 4k RAM; just plug into your Level E sockets.

We suggest either the 4k Level B RAM expansion or a 16k S100 "JAWS") ... \$99.95 plus \$2 PAI.

Disk version of Microsoft BASIC: (requires Level B, 32k ABM, floppy disk controller, 8" floppy disk drive) ... \$22 population.

32k of RAM. floppy disk controller, 8" floppy disk drive)
... \$325 postpaid.

TEXT EDITOR/ASSEMBLER — The editor/assembler is a software tool (a program) designed to simplify the task of writing program program designed to simplify the task of writing program program and the same program so were understood and more complex, the assembler can save you may hours of programming time. This software includes an editor program that enters the programs you write, makes changes, and saves the programs on cassettes. The assembler performs the clerical task of translating symbolic code into the computer-readable object code. The editor/assembler program is available either in cassette or a ROM version.

Beltor/Assembler (ROM version, supplied on an \$100 card; requires Level B and 4k RAM (min.) — we suggest either Level D or 16k "[AWS"...\$99.85 plus \$2 Pkl."

"FLOPPY DISK.—A remarkable "building block." Add our 8" in floppy disk when you need flaster operation, more convenient program storage, perhaps a business application, and access to the literally thousands of programs and program languages available today. You simply plug them into your Explorer/86 siks system—it accepts all IBM-formatted CP/M programs.

B' Floppy Disk Drive... \$499.85 plus \$2 Pkl."

Floppy Controller Card... \$199.85 plus \$2 Pkl."

□ Disk Drive Cabinet & Power Supply ... 300,300 µnus 53 P&L*
□ Drive Cables (set up for two drives) ... 325,00 plus 51,50 P&L*
□ CP/M 2.2 Disk Operating System; includes Text Editor/Assembler, dynamic debugger, and other features that give your Explorer/85 access to thousands of existing CP/M-based programs ... 515,00 postpisal.
NEED A POWER SUPPLY? Consider our AP-1. It can supply all the power you need for a fully expanded Explorer/85 (note: disk drives have their own power supply). Plus the AP-1 fits neally into the attractive Explorer steel cabinet (see below).

PIUS the AP-1 rus nearly muo the attoractive Explority association (see below).

□ AP-1 Power Supply kit (8V @ 5 amps) in deluxe steel cabinet. . 399.95 plus \$2 P81.*

NEED A TERMINAL? We

NEED A TERMINAL? We offer you choices: the least expensive one is our Hex Keypad/Display kit that displays the information on a calculator-type screen. The other choice is our ASCII Keyboard/Computer Terminal kit, that can be used with either



a CRT monitor or a TV set (if you have an RF modulator) ☐ Hex Keypad/Display kit \$69.95 plus \$2 P&L

☐ ASCII Keyboard/Computer Terminal kit featuring a full 128 character set, u&l case, full cursor control, 75 ohm video output, convertible to baudo output, selectable baud rate, RS 232-C or 20 ma.I/O, 32 or 64 character by 16 line for-mats . . . \$149.95 plus \$3 P&I.*

plus \$5 P&l.*

☐ Deluxe Steel Cabinet for the Explorer/85 . . . \$49.95 plus \$3 P&l.*

☐ Fan for cabinet . . . \$15.00 plus \$1.50 P&l.*



ORDER A SPECIAL-PRICE EXPLORER/85 PAK — THERE'S ONE FOR EVERY NEED.

□ ADD A ROM-VERSION TEXT EDITOR/ASSEMBLER (Requires Levels B and D or S100 Memory) . . . \$99.95 plus \$2 P&I.*


Starter 8" Disk System — Includes Level A, B floopy disk controller, one CDC 8" disk-drive, two-drive cable, two S100 connectors; just add your own power supplies, cabinets and hardware... [Reg. \$1056.00] SPECIAL \$396.80; jus \$131 6.81 cm. 24.8 Starter System, \$1045.80 cm. \$104

*P&I stands for "postage & insurance." For Canadian or-ders, double this amount.

Continental Credit Card Buyers Outside Connecticut:

TO ORDER Call Toll Free: 800-243-7428

To Order From Connecticut, or For Technical Assistance, call (203) 354-9375



SEND ME THE ITEMS CHECKED ABOVE Total Enclosed (Conn. Residents add sales tax): \$. Paid by:

☐ Personal Check ☐ Cashier's Check/Money Order

☐ VISA ☐ MASTER CARD (Bank No. -

Zip

NETRONICS Research & Development Ltd. 333 Litchfield Road, New Milford, CT 06776

Build this mathematical function unit, part 2: software. Guthrie, R. Scott. art L3 1:14 Oct76 p74-80 *** Programming Instruction / Hardware Construction / 8080 Integer math package for the 8080. Carbrey, Bruce. art L3 6:5 May81 p204-226 *** 8080 / Programming Instruction Novel 8 bit multiplication. Glaeser, Christopher. col L3 2:7 Ju177 p142 *** Programming Instruction / 8080 Number guessing game. Laudenslager, Keith. col L3 2:12 Dec77 p148 *** Games / 8080

APPLE II
Impossible dream: computing e to 116,000 places with a personal computer . Wozniak, Stephen. art L3 6:6 Jun81 p392-407 *** Apple II
Unlimited precision division. Raskin, Jef. art L1 4:2 Feb79 pl54-156 *** Programming Instruction / Apple II / BASIC

DESIGN

DESIGN

Clockless multiplication and division circuits. Weed, Mike. art 3:12 Dec78 pl28-136 *** Microprocessor / Design How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3 3:4 Apr78 p28-35+ *** Design / 6800 / Microprocessor Information hiding in Pascal: packages and pointers. Feldman, Michael. art L6 6:11 Nov81 p493-498 *** Pascal / Programming Design

Design Numerical methods in data analysis. Nguyen, Toan. art L4 6:5 May81 p435-446 ***

Numerical methods in data analysis. Nguyen,
Toan. art L4 6:5 May81 p435-446 ***
FORTRAN / Design
Some musings on Boolean algebra*.
Bunce/Schwartz. art 3:2 Feb78 p25-29 ***
Design / TTL Gates
This circuit multiplies. Hall, Tom. art 2:7
Ju177 p36-39 *** Computer Instruction /
Design

GAMES
Life (Game of Life). Englander, William. col
L1 3:12 Dec78 p76-82 *** Games / Strategy
/ Life
Life after death.
Jul81 p326-333 *** Games / TRS-80 Model I /
Life

Life after death. Macaluso, Pat. art L1 6:7
Jul81 p326-333 *** Games / TRS-80 Model I /
Life
Life algorithms (Game of Life). Niemiec, Mark.
art L9 4:1 Jan79 p90-97 *** Games / Life
/ Algorithm
Life can be easy (8080 version of the Game of
Life). Soderstrom, Randy. art L3 4:4 Apr79
p166-169 *** Games / Strategy / Life
Life with your computer (Game of Life).
Milliun/et al. art 3:12 Dec78 p45-50 ***
Games / Strategy / Life
Number guessing game. Laudenslager, Keith. col
L3 2:12 Dec77 p148 *** Games / 8080
One-dimensional life (Game of Life). Millen,
Jonathan. art 3:12 Dec78 p68-74 *** Games
/ Strategy / Life
Solving soma cubes and polyomino puzzles using a
microcomputer. Macdonald, Douglas. art L3
4:11 Nov79 p26-52 *** Puzzles / Games / PET
Some facts of life (Game of Life). Buckingham,
David. art 3:12 Dec78 p54-66 *** Games /
Strategy / Life
Spacewar in Tiny BASIC: navigating through
Integer BASIC. Beard, David. art L1 4:5
May79 p110-115 *** Tiny BASIC / Games /
Programming Instruction

Programming Instruction

HARDWARE CONSTRUCTION HARDMARE CONSTRUCTION
Build this mathematical function unit, part 1:
hardware. Guthrie, R. Scott. art 1:13 Sep76
p26-33 *** Hardware Construction
Build this mathematical function unit, part 2:
software. Guthrie, R. Scott. art L3 1:14
Oct76 p74-80 *** Programming Instruction /
Hardware Construction / 8080
How to multiply in a wet climate, part 2: design
details. Bryant/Swasdee. art L3 3:5 May78
pi04-114 *** Hardware Construction / SWIPC /
Microprocessor

HARDWARE REVIEW Number crunching processor (NSC MM57109). Nelson, Peter. art L3 3:8 Aug78 p64-74 *** Microprocessor / Hardware Review

*** Microprocessor / Hardware Review

PROGRAMMING INSTRUCTION

Analysis of polynomial functions with the TI-59 calculator, part 1. Chance, Pierre. art L2 4:12 Dec79 p120-133 *** Calculator / Programming Instruction

Build this mathematical function unit, part 2: software. Guthrie, R. Scott. art L3 1:14 Oct76 p74-80 *** Programming Instruction / Hardware Construction / 8080

Computing the determinant of a matrix. Flynn, Brian. col L1 6:3 Mar81 p152-154 *** Programming Instruction / TRS-80 Model 1 Decisions, decisions (+ or - signs for numbers). Gass, Geoffrey. col L3 5:5 May80 p190 *** 6800 / Programming Instruction

Easy way to calculate sines and cosines. Grappel, Robert. art L3 4:4 Apr79 p170-171 *** Programming Instruction / 6800

Elements of statistical computation. Forsythe, Alan. art L1 4:1 Jan79 p182-184 *** Statistics / Programming Instruction / BASIC

MATHEMATICS (CONTINUED)

Fast, ancient method for multiplication. Nyberg, Jostein. col L3 6:10 Oct81 p376-377 ***
6502 / Programming Instruction
Integer math package for the 8080. Carbrey, Bruce. art L3 6:5 May81 p204-226 ***
8080 / Programming Instruction
Math in the real world. Boney, Joel. art L9 3:9 Sep78 p114-119 *** Programming
Instruction / Microprocessor
Novel 8 bit multiplication. Glaeser, Christopher. col L3 2:7 Ju177 p142 ***
Programming Instruction / 8080
Power of the HP-67 programmable calculator, part 2. Arp, Robert. art L2 4:4 Apr79 p176-188
*** Calculator / Programming Instruction / Processing algebraic expressions part 2. Maurer, W. Douglas. art 1:7 Mar76 p62-67 ***
Compiler / Programming Instruction
Processing algebraic expressions. Maurer, W. Douglas. art 1:6 Feb76 p26-30 ***
Programming Instruction
Recurrence in numerical analysis. Davidson, James. art L1 6:4 Apr8 p20-30 ***
Programming Instruction
Recursion and side effects in Pascal.
Morris/Perchik. art L6 6:5 May81 p316-324
*** Programming Instruction / Pascal
Simple algorithms for calculating elementary functions. Rheinstein, John. art L1 2:8
Aug77 p142-185 *** Programming Instruction / Algorithm
Spacewar in Tiny BASIC: navigating through Integer BASIC. Beard, David. art L1 4:5
May79 p110-115 *** Tiny BASIC / Games / Programming Instruction
Symbolic differentiation a la LISP. Nicol, Ronald. art L9 6:9 Sep81 p216-234 ***
LISP / Programming Instruction
Unlimited precision division. Raskin, Jef. art
L1 4:2 Feb79 p154-156 *** Programming Instruction
Unlimited precision division. Raskin, Jef. art
L1 4:2 Feb79 p154-156 *** Programming Instruction
Unlimited precision division. Raskin, Jef. art
L1 4:2 Feb79 p154-156 *** Programming Instruction
Unlimited precision division. Raskin, Jef. art
L1 4:2 Feb79 p154-156 *** Programming Instruction
Unlimited precision division. Raskin, Jef. art
L1 4:2 Feb79 p154-156 *** Programming Instruction
What's in a floating point package?. Linker, Sheldon. art 2:5 May77 p62-66 ***
Computer Instruction / Programming

SOFTWARE REVIEW

MUSIMP/muMATH-79 symbolic math system. Williams,
Gregg. sr 5:11 Nov80 p324-338 ***
Software Review / Utility Program / Education

TRS-80 MODEL I Computing the determinant of a matrix. Flynn, Brian. col L1 6:3 Mar81 p152-154 *** Brian. col Ll 6:3 Mar8l p152-154 ***
Programming Instruction / TRS-80 Model I
General interpolating graphics package for the
TRS-80*. Cohen/Crowe. art Ll 5:11 Nov80
p296-310 *** Graphics / TRS-80 Model I /
Plotting
Khachiyan's algorithm, part 2: problems with the
algorithm. Berresford/et al. art Ll 5:9
Sep80 p242-255 *** Linear Programming /
Algorithm / TRS-80 Model I
Life after death. Macaluso, Pat. art Ll 6:7
Jul81 p326-333 *** Games / TRS-80 Model I /
Life

Multiple regression for the TRS-80. Madron, Thomas. art Ll 6:10 Oct81 p430-447 *** TRS-80 Model I

TRS-80 Model I Symbolic differentiation a la LISP. Nicol, Ronald. art L9 6:9 Sep81 p216-234 *** LISP / Programming Instruction / TRS-80 Model I

LISP / Programming Instruction / TRS-80 Model I
MEMORY
8080 free memory search. Hand, William. col L3
4:6 Jun79 p207-208 *** 8080 / Programming
Instruction
Add nonvolatile memory to your computer.
Ciarcia, Steve. col 4:12 Dec79 p36-53 ***
Hardware Construction / EAROM
Address space saturation problem (8 bit
limitations). Helmers, Carl. col 1:15 Nov76
p16+ *** Microprocessor
Almost optimum Z80 memory test program. Rampil,
Ira. col L3 6:9 Sep81 p432-434 *** Test
/ Z-80
COSMAC doodler. Duntemann. Jeff. art L2 5:5

Ira. Col L3 6:9 Sep8l p432-434 *** Test / 2-80 COSMAC doodler. Duntemann, Jeff. art L2 5:5 May80 p214-224 *** Graphics / COSMAC / Hardware Construction
Coincident current ferrite core memories. Jones, James. art 1:11 Ju176 p6-16 *** Computer Instruction / Hardware Construction
Comments on paging schemes. Gentry, James. col 2:12 Dec77 p143 *** Microprocessor
Don't waste memory space (one way to squeeze fat out of text strings). Baker, Robert. art 1:16 Dec76 p58-59 *** Information Storage / Programming Instruction / ASCII
Dynamic memory: making an intelligent decision. Malakoff, Larry. art 6:2 Feb81 p142-150
*** RAM
Efficient storage of morse character codes.
Krakauer, Lawrence. art L3 1:14 Oct76 p36-38 *** Ham Radio / Programming
Instruction
Give your micro a megabyte (virtual memory techniques). Grappel, Robert. art 2:7 Ju177 p78-81 *** Information Storage / Computer Instruction / Virtual Memory
How to build a memory with one layer printed circuits (static RAM). Lancaster, Don. art 1:8 Apr76 p28-32 *** Hardware Construction

MEMORY (CONTINUED)
How to save BYTES (a proposed character set).
MCIntire, Thomas. art 1:6 Feb76 p46-47 ***
ASCII

ASCII
Ins and outs of volatile memories. Lancaster,
Don. art 1:3 Nov75 p12-17 *** RAM /
Computer Instruction
Magnetic recording technology. Helmers, Carl.
col 1:7 Mar76 p6-8+ *** Information
Storage / Tape Cassette
Measuring program size. Dobrowolski, Stefan.
col 3:2 Feb78 p167 *** BASIC
Memory mapped IO. Ciarcia, Steve. col L3 2:11
Nov77 p10-16 *** Hardware Construction /
8080 / Input/Output
Memory pattern sensitivity test. Kinzer. Don.

MoV// pil-16 *** Hardware Construction / 9080 / Input/Output Memory pattern sensitivity test. Kinzer, Don. art L3 3:10 Oct/8 pi2-16 *** Test / 6800 Memory test program. Caperello, Frank. col L3 4:8 Aug79 p215-217 *** Test / 8080 / IMSAI Memory: the growth of a resource. Helmers, Carl. col 3:6 Jun/8 p6+ *** Predictions New wonders of the computer age. Helmers, Carl. col 3:12 Dec/8 p6+ *** Microprocessor Note on advances in technology (amorphous semiconductors). Robinson, Paul. col 3:1 Jan/78 p165 *** Design Penny pinching address state analyzer. Ciarcia, Steve. col 3:2 Feb/8 p6-12 *** Test Equipment / Hardware Construction Plugging the KIM-2 gap. Notley, M. Garth. col 3:9 Sep/8 p123 *** Hardware Modification / KIM

KAM RAMCRAM memory module for the Atari. Pelczarski, Mark. hr 6:6 Jun81 p24-26 *** Hardware Review / Atari

Mark. hr 6.6 Jun81 p24-26 *** Hardware Review / Atari

Smart memory, part 1. Smith, Randy. art 4:4

Apr79 p54-62 *** Design / Information Storage Smart memory, part 2. Smith, Randy. art 4:5

May79 p150-160 *** Design / Information Storage Smart memory, part 2. Smith, Randy. art 4:5

May79 p150-160 *** Design

Taking advantage of memory address space. Luscher, James. art 1:5 Jan76 p50-63 *** Programming Instruction / 8008

Testing memory in BASIC. Adams, Russell. art 1.3 :10 Oct78 p58-60 *** Test / BASIC

Virtual memory and VSAM for micros. Dahmke, Mark. col 2:11 Nov77 p224 *** APL / Information Storage / Virtual Memory

Virtual memory for an object-oriented language. Kaehler, Ted. art 6:8 Aug81 p378-387 *** Smalltalk / Virtual Memory

Who's afraid of dynamic memories?. Hauck, Lane. art 3:7 Ju178 p42-46+ *** Design / Computer Instruction / RAM

MICROCOMPUTER SYSTEM Appilance computer. Searls, Delmar. hr L3 6:4

App81 p46-62 *** Hardware Review

MICROCOMPUTER SYSTEM Appliance computer, circa 1977. Helmers, Carl. col 2:1 Jan77 p4+ *** Predictions Commodore's new PET Computer. col 2:10 Oct77 p50 *** PET Customization-the expression of individuality.

Commodore's new PET computer. col 2:10 Oct77 p50 *** PET Customization--the expression of individuality. Helmers, Carl. col 1:8 Apr76 p4* *** IBM's personal computer. Morgan, Chris. col 6:7 Jul81 p6-10 *** IBM Systems of note (Roger Amidon's Spider and Altair). Helmers, Carl. col 1:12 Aug76 p88-89 *** Altair
Xerox Alto computer. Wadlow, Thomas. art 6:9 Sep81 p58-68 *** Networks / Xerox Alto / Ethernet

Astral 2000. hr 1:15 Nov76 pl32-134 ***
Hardware Review / 6800
Build a 6800 system with this kit. Kay, Gary.
art 1:4 Dec75 p72-76 *** Hardware
Construction / SWTPC / 6800
Building an M6800 microcomputer*. Abbott, Bob.
art 1:10 Jun76 p40-46 *** 6800 / Hardware
Construction / MIKBUG
Systems of note (M6800 from Celdat Design
Associates). hr 1:10 Jun76 p106-108 ***
Hardware Review / 6800

BOBU
Digital Group 8080A (Try this computer on for size). Ciarcia, Steve. art 2:3 Mar77 pl14-121+ *** Hardware Construction / Hardware Review / 8080 MSC 8080+ microcomputer as a personal system.
Barbier, Ken. hr 1:13 Sep76 p44-49 ***
Hardware Review / 8080

APPLE II

APPLE II
Apple II (system description). Wozniak, Stephen.
art 2:5 May77 p34-43 *** Apple II /
Hardware Review
Apple III. Morgan, Chris. hr L3 5:7 Jul80
p50-54 *** Hardware Review / Apple III
Apple to Byte: one user's review of the Apple III
Helmers, Carl. hr 3:3 Mar78 p18-46 ***
Hardware Review / Apple II
Era of off-the-shelf personal computers has
arrived. Helmers, Carl. col L6 5:1 Jan80
p6-10+ *** History / Apple II / Pascal

CONTROL

Build a Z8-based control computer with BASIC,
part 1. Ciarcia, Steve. col 6:7 Jul81
p38-47 *** Control / Hardware Construction /
Z8

Build a Z8-based control computer with BASIC, part 2. Ciarcia, Steve. col Ll 6:8 Aug81 p50-72 *** Control / Hardware Construction / Z8

DESIGN

Building a computer from scratch. Jones, Hilary. art 2:11 Nov77 p80-92 *** Hardware Construction / Design / Computer Instruction

NEW from Hewlett-Packard HP 125 Computer System



Model 10

System features:

• Z80 • 64K • CPM • 2 Serial Ports

• 1 HP-IB Port

HP-85 Computer List \$3250 Now \$2695

HP-82905A Printer List \$ 945 Now 795 HP-41CV List \$ 325 Now 292

- Most HP Peripherals & Supplies in stock -



FARNSWORTH COMPUTER CENTER


1891 N. Farnsworth Ave. (at the E-W Tollway) Aurora, II. 60505 Ph. (312) 851-3888

Weekdays 10-8: Sat. 10-5

DEC LSI-11 Components

Dependable service at discount prices

Domestic and Export



Mini Computer Suppliers, Inc.

25 Chatham Rd., Summit, N.J. 07901 Since 1973

(201) 277-6150 Telex 13-6476

©Mini Computer Suppliers, Inc. 1979



NEW PRODUCTS! NOW AVAILABLE FROM AUTOMATED EQUIPMENT

TELEVIDEO SYSTEM I

The Televideo System I is a CP/M® based single-user computer system. State-of-the-art design and single board construction accounts for Televideo's reliability and exceptional price performance. Cobal, Basic, PL/I and Fortran are just a few of the high level languages available. As your needs grow so can your Televideo computer system. The System I can be a satellite computer of a larger network of user stations using the multi-processor multi-tasking System II or System III. System I includes TS-81 computer, Televideo 910 terminal (950 terminal available at additional cost) and CP/M® 2.2. Nation wide on-site service is available through General Electric service company.

System I specifications: Z80A, 64K Ram, 4K diagnostic Eprom, two 5" 360K drives, serial and parallel port.



 $\mathsf{CP}/\mathsf{M} \circledast$ is a licensed product supplied by Digital Research, Inc.

See Televideo System Ad.



NORTHSTAR ADVANTAGE COMPUTER

The Northstar Advantage Computer is an integrated package including full graphics capability. Line charts, bar graphs, pie charts and 3 dimensional displays are all possible as part of Northstar's optional graphics/DOS operating system or CP/M[®] graphics package. All Northstar applications software is available for the Advantage Computer. Slots for 6 additional expansion cards are included.

Specifications: Z80A CPU, 64K Ram, Green screen 12" monitor, 240 x 640 pixel graphics resolution, sculptured typewriter-like keyboard, two 5" 360K drives.

V.I.P.'s call A.E.I.

Because A.E.I. tests before shipping, has expertise on all items offered, and is price competitive.



AUTOMATED EQUIPMENT, INC.

18430 WARD STREET, FOUNTAIN VALLEY, CALIFORNIA 92708 See these products and a full line of peripheral equipment in our showroom.

ZENITH

Zenith Data Systems with world famous quality and reliability are now available from A.E.I. The Z89 and 290 are standalone micro computers with a one piece design that simplifies installation and operation. With the board line of PeachTree accounting software and Micro-Pro word processing software the Zenith computers are the ideal small business systems. Heathkit/Zenith educational courses are available making the Zenith computer an excellent choice for the first time buyer.

Zenith specifications:

Z89—48K ram standard, Z80 cpu, 2 serial ports, built in 12" terminal, one 5" 100K drive, expandable.

Z90—64K ram standard, Z80 cpu, 2 serial ports, built in 12" terminal, one 5" 200K drive, expandable.



(714) 963-1414 (800) 854-7635

MICROCOMPUTER SYSTEM (CONTINUED)
Designing the logic of the system - processor
board description, part 2. Helmers, Carl. col
4:10 Oct79 p6-14 *** Design / 6809 /

Dirt-cheap bootstrap: more notes on bringing up a microcomputer. Woodhull, Albert. art L3 5:3 Mar80 p142-152 *** Computer Instruction /

Design
Photo essay: physical hardware of a new computer backplane. Helmers, Carl. art 4:7 Jul79 p194-197 *** Hardware Construction / Design Rationale of yet another homebrew system. Helmers, Carl. col 4:9 Sep79 p6-9+ *** Design / 6809 / Homebrew Z-80 in parallel (parallel processing). Loewer, Bob. art 3:7 Jul78 p60-63+ *** Z-80 / Design

HARDWARE CONSTRUCTION

AMSAT-GOLEM-80 (S-100 bus microcomputer project).

Kasser, Joe. art 4:9 Sep79 pl82-195 ***
5-100 Bus / Hardware Construction
Assembling a Sphere. Anderson, Bruce. art 1:11
Jul76 pl8-20 *** Hardware Construction /
Sphere / Kit Building
Build a 6800 System with this kit. Kay, Gary.
art 1:4 Dec75 p27-76 *** Hardware
Construction / SWTPC / 6800
Build a Z8-based control computer with BASIC,
part 1. Ciarcia, Steve. col 6:7 Jul81
p38-47 *** Control / Hardware Construction / Z8

L8
Build a Z8-based control computer with BASIC,
part 2. Ciarcia, Steve. col L1 6:8 Aug81
p50-72 *** Control / Hardware Construction /
Z8

Z8
Building a computer from scratch. Jones, Hilary.
art 2:11 Nov77 p80-92 *** Hardware
Construction / Design / Computer Instruction
Building an M6800 microcomputer*. Abbott, Bob.
art 1:10 Jun76 p40-46 *** 6800 / Hardware
Construction / MIKBUG
Digital Group 8080A (Try this computer on for
size). Ciarcia, Steve. art 2:3 Mar77
p114-121+ *** Hardware Construction /
Hardware Review / 8080
Notes on bringing up a microcomputer. Libes,
Sol. art 3:1 Jan78 p162-164 *** Hardware
Construction

Construction

Construction
Personal computer on a student's budget.
Johnston, J.C. art 5:7 Jul80 pl38-146 ***
Hardware Construction / Kit Building
Photo essay: physical hardware of a new computer
backplane. Helmers, Carl. art 4:7 Jul79
p194-197 *** Hardware Construction / Design
RGS 008A microcomputer kit. Hogenson, James. hr
1:1 Sep75 pl6-19 *** Hardware Review /
Hardware Construction / 8008

HARDWARE REVIEW

Hardware Construction / 8008

HARDWARE REVIEW

Apple II (system description). Wozniak, Stephen. art 2:5 May77 p34-43 *** Apple II / Hardware Review Apple III. Morgan, Chris. hr L3 5:7 Jul80 p50-54 *** Hardware Review / Apple III. Morgan, Chris. hr L3 5:7 Jul80 p50-54 *** Hardware Review / Apple III. Apple to Byte: one user's review of the Apple III. Helmers, Carl. hr 3:3 Mar78 p18-46 *** Hardware Review / Apple III. Astral 2000. hr 1:15 Nov76 p132-134 *** Hardware Review / 6800

Big board: a Z80 system in kit form. Thompson, David. hr L1 6:9 Sep81 p52-56 *** Hardware Review / Kit Building / Z-80

Building the Heath H8 computer. Poduska, Paul. art L1 4:3 Mar79 p12-13+ *** Heath / kit Building / Hardware Review Compucolor 8051 (Color graphics on the Compucolor 8051). Dwyer/Critchfield. art 3:5 May78 p32-39 *** Hardware Review / Compucolor / Color Graphics
Date with KIM. Simpson, Richard. art 1:9 May76 p8-12 *** KIM / Hardware Review Digital Group 8080A (Try this computer on for size). Ciarcia, Steve. art 2:3 Mar77 p114-121+ *** Hardware Construction / Hardware Review / 8080

Hewlett-Packard's new personal computer: the HP-85* Morgan, Christopher. hr L6 5:3 Mar8D p60-66 *** Hardware Review / HP-85 IBM personal computer: first impressions. Lemmons, Phil. hr 6:10 Oct81 p26-34 *** Hardware Review / 18M Personal Computer MSC 8080+ microcomputer as personal system. Barbier, Ken. hr 1:13 Sep76 p44-49 *** Hardware Review / 1800 Mew Altair 680. Vice, James. art 1:6 Feb76 p42-45 *** Altair / Hardware Review / Roven in Febra Review / Noval 760 (System description: The Noval 760 (System description: The Noval 760). Hardware Review / Rev

New mini-microcomputer system: the opigial Equipment Corporation LSI-11. Baker, Robert. art 1:5 Jan/6 pl2-24 *** LSI-11 / Hardware Review / Noval 760 (System description: The Noval 760). Hauck/Nash. hr 2:9 Sep77 pl02-108 *** Hardware Review / ET 2001 (User's report: the PET 2001). Fylstra, Dan. hr 3:3 Mar/8 pl14-127 *** Hardware Review / PET RES 008A microcomputer kit. Hogenson, James. hr 1:1 Sep75 pl6-19 *** Hardware Review / Hardware Construction / 8008 Radio Shack TRS-80: an owner's report. Fylstra, Dan. hr 3:4 Apr78 pd9-60 *** Hardware Review / TRS-80 Model I SOL-20 (User's report: the SoL-20). Barbour, Dennis. hr 3:4 Apr78 pl26-130 *** Hardware Review / Sol.-20 (User's report: the Sol-20). Barbour, Dennis. hr 3:4 Apr78 pl26-130 ***

MICROCOMPUTER SYSTEM (CONTINUED)

Systems of note (M6800 from Celdat Design Associates). hr 1:10 Jun76 p106-108 ***

Hardware Review / 6800

TDL system monitor board: a writer's view. Rehm, Bradford. hr 3:4 Apr78 p10-16 ***

Hardware Review

User's reaction to the SOL-10 computer. Bumpous, Robert. hr 3:1 Jan78 p86-93 *** Hardware Review / SOL

User's report on the Intercept Jr. Lahore, Henry. art 2:12 Dec77 p186-190 ***

Hardware Review

TRS-80 MODEL I

Radio Shack TRS-80: MODEL I report. Fylstra, Dan. hr 3:4 Apr78 p49-60 *** Hardware Review / TRS-80 Model I MICROPROCESSOR

Dan. hr 3:4 Apr78 p49-60 *** Hardware Review / TRS-80 Model 1

[CROPROCESSOR Address space saturation problem (8 bit limitations). Helmers, Carl. col 1:15 Nov76 p16+ *** Memory

College microcomputer facility. Foster/Southern. art 3:4 Apr78 p90-96 *** Computer Instruction / Higher Education

Comments on paging schemes. Gentry, James. col 2:12 Dec77 p143 *** Memory

Compare new processors carefully. Kemp, David. col 4:5 May79 p213-216 *** 6809 / 6516

Compilation and Pascal on the new microprocessors. Forsyth/Howard. art L3 3:8 Aug78 p50-61 *** Compiler / Pascal Microprocessor course. Fohl, Mark. art 2:8 Aug78 p50-61 *** Compiler / Pascal Microprocessor. Twichell, Jon. col 2:6 Jun77 p26-28+ *** Computer Instruction / Education / Higher Education

More on using the 8x300 (Signetics 8x300 microprocessor). Twichell, Jon. col 2:6 Jun77 p74+ ***

My experiences with the 2650 (Signetics 2650 microprocessor). Moran, Brian. art 2:11 Nov77 p66-67 *** Children / 2650

New doner of the computer age. Helmers, Carl. col 3:12 Dec78 p6+ *** Memory Proposed microprocessor software standard. Formaniak/Leitch. col 2:7 Jul77 p34+ *** Standards / Z-80

State of the art (as seen in Nov75). Helmers, Carl. art 1:3 Nov75 p6-7+ *** RAM / ROM / Benchmark Testing Systems approach to a personal microprocessor. Suding, Robert. art 1:10 Jun76 p32-34 *** Consumer Information

We interrupt this program... Small, Gary. col 6:6 Jun81 p162-166 *** Computer Instruction What is a interrupt? atkins P Taxivis art

wonsumer information
We interrupt this program... Small, Gary. col
6:6 Jun81 p162-166 *** Computer Instruction
What is an interrupt?. Atkins, R. Travis. art
4:3 Mar79 p230-236 *** Computer Instruction
/ Input/Output

/ input/output
Where am I?: a proposal for a new microprocessor
instruction. Reddi, S.S. col 6:11 Nov81
p413 ***

6800

How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3 3:4 Apr78 p28-35+ *** Mathematics / Design / 6800

/ 6800
Preview of the Motorola 68000. Halsema, A.I. art 4:8 Aug/9 p170-174 *** 68000 / Hardware Review
Son of Motorola (or, the \$20 CPU chip). Fylstra, Daniel. art L3 1:3 Nov/5 p56-62 *** 6800 / Programming Instruction / 6501

8080

Which microprocessor for you?. Chamberlin, Hal. art 1:1 Sep75 pl0-14 *** 8080 / 8008 / IMP-16

DESTGN

DESIGN
Clockless multiplication and division circuits.
Weed, Mike. art 3:12 Dec78 p128-136 ***
Mathematics / Design
How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3 3:4 Apr78 p28-35+ *** Mathematics / Design / 6800

7-807 pcs-357 mathematics / besign / 6800 Microprocessor for the revolution: the 6809, part 1: design philosophy. Ritter/Boney. art L3 4:1 Jan79 pl4-42 *** Design / 6809 Microprocessor for the revolution: the 6809, part 2: instruction set... Ritter/Boney. art 4:2 Feb79 p32-42 *** Design / 6809 Microprocessor for the revolution: the 6809, part 3: final thoughts. Ritter/Boney. art 4:3 Mar79 p46-52 *** Design / 6809 / Manufacturing Should the DO loop become an assembly-language construct?. Williams, Glenn. art 6:10 Oct81 p413-418 *** Assembly Language / Programming Design

Design

HARDWARE CONSTRUCTION

How to multiply in a wet climate, part 2: design details. Bryant/Swasdee. art L3 3:5 May78 p104-114 *** Mathematics / Hardware Construction / SWTPC

HARDWARE REVIEW
Chip off the olde PDP 8/E: the Intersil IM6100
part 1. Nelson, Robert. art 1:9 May76
p60-63 *** IM6100 / PDP-8 / Hardware Review
Chip off the olde PDP 8/E: the Intersil IM6100
part 2. Nelson, Robert. art 1:10 Jun76
p58-62 *** IM6100 / PDP-8 / Hardware Review
Circuit for Z-80s. Suding, Robert. art 1:13
Sep76 p62-71 *** Z-80 / Hardware Review

MICROPROCESSOR (CONTINUED)
Ease into 16-bit computing: get 16-bit
performance from an 8-bit computer. Ciarcia,
Steve. col L3 5:3 Mar80 p17-32 *** 8088
/ Hardware Review

/ Hardware Review
F8 system (microprocessor update). Baker,
Robert. hr 2:2 Feb77 p88-95 *** Hardware
Review
General Instrument CP1600. Baker, Robert. art
1:7 Mar76 p46-51 *** CP1600 / Hardware

Review

1:7 Mar/6 p46-51 *** CP1600 / Hardware
Review
Heath microprocessor training system. Hubin,
M.N. hr L9 3:11 Nov78 p158-159 ***
Hardware Review / Computer Instruction / Heath
How to choose a microprocessor. Frenzel, Lou.
art 3:7 Ju178 p124-150 *** Hardware Review
/ Consumer Information
Intel 8086 (and the SDK-86 system design kit).
Ciarcia, Steve. col 4:11 Nov79 p14-24 ***
8086 / Hardware Review
Keep PACE with the times. Baker, Robert. art
1:14 Oct76 p82-86 *** Hardware Review
Number crunching processor (NSC MM57109).
Nelson, Peter. art L3 3:8 Aug78 p64-74
*** Mathematics / Hardware Review
Preview of the Motorola 68000. Halsema, A. I.
art 4:8 Aug79 p170-174 *** 68000 /
Hardware Review
Preview of the Motorola 68000. Halsema, A. I.
art 4:8 Aug79 p170-174 *** 68000 /
Hardware Review /
Put the "do everything" chip in your next design
(TMS-5501). Baker, Robert. art 1:11 Ju176
p40-44 *** TMS-5501 / Hardware Review /
SCMP fills a gap. Baker, Robert. art 1:13
Sep76 p76-79 *** SCMP / Hardware Review
Texas Instruments TMS9900. Baker, Robert. art
1:18 Apr76 p64-70 *** 9900 / Hardware Review
Zing 280. Hashizume, Burt. hr 1:12 Aug76
p34-38 *** Hardware Review / Z-80 /
MATHEMATICS

MATHEMATICS

MATHEMATICS
Clockless multiplication and division circuits.
Weed, Mike. art 3:12 Dec78 p128-136 ***
Mathematics / Design
How to multiply in a wet climate, part 1: use and basis for a design. Bryant/Swasdee. art L3 3:4 Apr

How the work of the water of th

PROGRAMMING INSTRUCTION

PROGRAMMING INSTRUCTION

Map of the TMS-9900 instruction space. Melton,
Henry. art 4:3 Mar79 pl4-22 *** 9900 /
Programming Instruction
Math in the real world. Boney, Joel. art L9
3:9 Sep78 pl14-119 *** Mathematics /
Programming Instruction
Son of Motorola (or, the \$20 CPU chip). Fylstra,
Daniel. art L3 1:3 Nov75 -p56-62 *** 6800
/ Programming Instruction / 6501
Stacks in microprocessors. Radhakrishnan/Bhat.
art 4:6 Jun79 pl66-174 *** Programming
Instruction / Computer Instruction
(8UG

Stacks in microprocessors. Radakarishnan/Bhat. art 4:6 Jun79 p168-1.74 *** Programming Instruction / Computer Instruction
MIKBUG
Building an M6800 microcomputer*. Abbott, Bob. art 1:10 Jun76 p40-46 *** 6800 / Microcomputer System / Hardware Construction
Do you need the real time?. Trollope, Gregory. art L3 2:11 Nov77 p166-169 *** Clock / 6800 / Hardware Modification
Jack and the machine debug...or reading the traces of a wild program. Grappel/Hemenway. art 2:12 Dec77 p91+ *** Debugging / 6800 / Utility Program
MIKBUG and the TRS-80, part 1: a cross-assembler for the Motorola 6800. Labenski, Robert. art L1 6:12 Dec81 p229-250 *** TRS-80 Model I / 6800 / Assembler
MIKBUG roadmap...*. Rathkey, John. art L3 2:2 Feb77 p96-99 *** Monitor / 6800
My computer runs mazes. Stanfield, David. art L2 4:6 Jun79 p86-99 *** Artificial Intelligence / Programming Instruction
Speeding up MIKBUG 10 routines. Moore, T.W. col 3:6 Jun78 p132-134 *** Hardware Modification / 6800 / Input/Output Thompson lister (for 6800 or programs). Thompson, Noel. col L3 1:14 Oct76 p99 *** 6800 / Utility Program / Printer
MINDISK DRIVE
Build the Disk-80: memory expansion and floppy-disk control (TRS-80). Ciarcia, Steve. col 6:3 Mar8l p36-52 *** Disk Controllers / Hardware Construction / TRS-80 Model I Comparing floppy-disk drives by software simulation. Nendza, Dennis. art L1 5:5 May80 p130-140 *** Floppy Disk Drive / Test / Hardware Review DOSPlus: double-density operating system for the TRS-80. Kolya, Yvon. sr 6:7 Jul81 p334-34 *** Software Review Operating Systems for the TRS-80 Model I Disk catalog for the eighties. Liddil, Bob. col L1 6:8 Aug8l p404-407 *** Utility Program / TRS-80 Model I

TRS-80 Model I
Disk catalog for the eighties. Liddil, Bob. col
Ll 6:8 Aug8l p404-407 *** Utility Program
/ TRS-80 Model I
Future trends in personal computing. Morgan,
Chris. col 6:4 Apr8l p6-10 *** Future /
Video Display / Osborne I

Blue, Tan or Gray

3 ft. x 5 ft. - \$69.00 4 ft. x 6 ft. - \$99.00

SEND CHECK WITH ORDER (Freight Paid)



STOP STATIC INTERFERENCE!

Attractive, long-wearing carpet mats designed to reduce static electricity for trouble free data processing.

DEALER INQUIRIES INVITED





CHARGE CARDS & C.O.D. ACCEPTED

Oxford Diversified Products, Inc. (404)226-6344

P.O. Box 3940, Dept. B1 Dalton, GA 30721

AVAILABLE TODAY

from MSD: the XENIX™ Operating System, Microsoft's Adaption of Bell Laboratories Time-Tested UNIX™ Version 7 Operating System.

MSD provides this comprehensive line of products for the UNIX community:

■ XENIX Operating System ■ Screen Oriented Text Editor for VT-100 Compatible Terminals ■ Database Manager and Report Generator Which Will Easily and Efficiently Control Large Accumulations of Information
Accounts Receivable System Which Can Be Used to Monitor and Control Receivables in Order to Improve Cash Flow ■ Uni-Calc[™] — An Electronic Spreadsheet Which Makes Financial Analysis, Forecasting and Business Planning Easier

In addition to reliable Software pre-configured for your Hardware, MSD will provide complete user support by:

■ Answering your telephone questions ■ Providing new releases as available
Supplying you with the best Hardware for your **UNIX** requirements



MSD Corporation 2449 Camelot Court, SE Grand Rapids, MI 49506 (616) 942-5060

MANAGEMENT SYSTEMS DEVELOPMENT

Uni-Calc, UNIX and XENIX are trademarks of MSD Corp., Bell Laboratories and Microsoft respectively

Computer Catalog

with 32 pages of continuous business forms for small computer systems

Send today for our NEW full color 32 page catalog with programming guides, prices and order forms for continuous checks, invoices, statements, envelopes, stock paper and labels.

- Quality products at low prices
- Available in small quantities
- Fast Service
- Money Back Guarantee
- Convenient TOLL-FREE ordering

Fast Service by mail or. . . PHONE TOLL FREE 1 + 800 - 225 - 9550

Mass. residents 1+800-922-8560 8:30 a.m. to 5:00 p.m. Eastern Time Monday — Friday

Please rush a new computer forms catalog to:	CODE 2246
Name	
Company	
Street	
City, State and Zip	
Phone	
Computer make & model	
Nebs	s iter Forms :

78 Hollis Street, Groton, Mass. 01471 A division of New England Business Service, Inc.

INDISK DRIVE (CONTINUED)
Improve TRS-80 disk operation: add an external data separator. Kline, Ken. col 6:5 May81 p102-104 *** Disk Controllers / TRS-80 Model I / Hardware Modification
Interface a floppy-disk drive to an 8080A-based computer. Hoeppner, John. art L3 5:5 May80 p72-102 *** Disk Controllers / Interface / 8080 MINIDISK DRIVE (CONTINUED) 8080
KIMDOS: using your KIM-1 with a Percom
floppy-disk drive. Swank, Joel. art L3 5:5
May80 p44-50+ *** Operating Systems / KIM
Minifloppy interface. Allen, David. art 3:2
Feb78 p114-125 *** Interface / Disk
Controllers / Design
Percom's Doubler. Kelly, Mahlon. hr 6:7 Jul81
p344-352 *** Hardware Review / Disk
Controllers / TRS-80 Model I
Picking up the pieces (rebuilding a bit map of
used sectors on a disk). Baker, Alfred. art
L3 4:10 Oct/9 p76-86 *** Floppy Disk Drive
// Utility Program Answer/Originate modem. Parsons, Ronald. art L3 5:6 Jun80 p24-40 *** Hardware Construction / CP/M Build a null modem. Haar, Robert. col 6:2 Feb81 p198-200 *** Hardware Construction Build-it-yourself modem for under \$50*. Ciarcia, Steve. col 5:8 Aug80 p22-38 *** Hardware Construction / Acoustic Coupler Micromodem support in Apple Pascal. Robinson, Scott. art L6 6:7 Jul81 p308-324 *** Pascal / Apple II / Programming Instruction Pascal library unit for the Micromodem II. Woteki, Thomas. art L6 6:2 Feb81 p106-136 *** Apple II / Pascal Some thoughts about modems. Helmers, Carl. col 3:7 Jul78 p6+ *** Telecommunications NEY
Checkbook balancer. Hallen, Rod. col Ll 3:11
Nov78 p66 *** Home / SOL
Checkbook balancing routine. White, Loring. col
Ll 4:6 Jun79 p208-210 *** Home
Electronic home banking (You can bank on it).
col 6:1 Jan8l p10 *** Home / TRS-80 Model
I / CompuServe
Pascal checkbook balancing program. Helmers,
Carl. col L6 5:1 Jan80 p174-175 *** Home MONITOR NITÓR
8088 processor for the S-100 bus, part 3.
Cantrell, Thomas. art L3 5:11 Nov80
p340-360 *** 8088 / S-100 Bus
AMSAT 8080 standard debug monitor: AMS80 version
2. Allen/Kasser. art L3 1:13 Sep76
p108-122 *** Debugging / 8080
DEMONS: a symbolic debugging monitor. Halsema,
A.I. art L3 6:5 May81 p326-358 ***
Debugging / 6800 / Disassembler
Discover the machine beneath the machine: a ZX80
monitor program. FitzGerald, R. Scott. col monitor program. FitzGerald, R. Scott. col L1 6:10 Oct81 p278-280 *** Sinclair ZXBO Interact with an ELM (monitors). Gable, G.H. art 1:10 Jun76 p66-72 *** Programming art 1:10 Instruction art 1:10 July 2007 pBo-12 *** Programming Instruction
MIKBUG roadmap...*. Rathkey, John. art L3 2:2 Feb77 p96-99 *** MIKBUG / 6800
Monitor 8½ - your own pseudo instructions. Nico, willard. art L:3 Nov75 p64-65 *** 8008
PAM/8: a new approach to front panel design. Letwin, Gordon. art 3:10 Oct78 p70-84 *** Heath / Software Review / LED Display
SYS 8½...your own executive commands. Nico, willard. art 2:1 Jan77 p66-70 *** IMSAI / Programming Instruction
Single stepping the 8080 processor*. Sharp, Charles. col L3 4:1 Jan79 p179-180 *** 8080 / Debugging
TMS-9900 monitor. Jones/Jones. col 4:5 May79 p128 *** 9900
Using interrupts to speed up an ELM. Gable, G.H. art 2:1 Jan77 p106-114 *** Programming Instruction art 2:1 a Instruction

MULTI-TASKING
Ease into 16-bit computing, part 2: examining a small multi-user system. Ciarcia, Steve. col L3 5:4 Apr80 p40-58 *** Multi-user Systems / 8088 / Hardware Construction Simple implementation of multitasking. Brown, Wendell. art L3 6:10 Oct81 p176-192 *** Programming Instruction / 6502

MULTI-USER SYSTEMS
Distributed Naturork Hoston Glen art 3:11 Programming Instruction / 6502
ULTI-USER SYSTEMS
Distributed Network. Horton, Glen. art 3:11
Nov78 p62-64 *** Networks
Ease into 16-bit computing, part 2: examining a small multi-user system. Ciarcia, Steve. col L3 5:4 Apr80 p40-58 *** 8088 / Hardware Construction / Multi-tasking
Introduction to multiprogramming. Dahmke, Mark. art 4:9 Sep79 p20-32 *** Design / Multiprogramming
Local-area networks: possibilities for personal computers. Saal, Harry. art 6:10 Oct81 p92-112 *** Networks / Standards / Ethernet Microcomputer timesharing; a review of the techniques,...further reading _ Johnson, Kenneth. art 4:4 Apr79 p224-234 *** Timesharing / Design
Multi-micro learning environments (Solo/NET/works Project). Dwyer, Thomas. col 6:1 Jan81 p104-116 *** Education / Games / Simulation Multiple-machine loader for classroom computers. Hallgren, Richard. col 5:10 Oct80 p90-94 *** Education / Interface
Multiuser data network: communicating over VHF radio. Bruninga, Robert. art 3:11 Nov78 p120-130 *** Networks / Ham Radio / Data Transmission

MULTI-USER SYSTEMS (CONTINUED)
Time-sharing/multi-user subsystem for
microprocessors. Kinzer, Don. art L3 5:6
Jun80 pl22-134 *** Timesharing / Design / 6800 6800
Timesharing: squeezing the most from your micro.
Linker, Sheldon. art 4:6 Jun79 p228-233
*** Timesharing / Design
Ultra-low-cost network for personal computers.
Clements/Daugherty. art 6:10 Oct81 p50-66
*** Networks / Design / Programming Design
MULTIPROCESSINS
Intelligent memory block: adding processors to enhance performance. Castleman, Kenneth. art 3:3 Mar78 p186-192 *** Design Multiprocessing with Motorola's Mc6809E. Scales, Hunter. art L3 6:7 Jul81 p136-156 *** Design / 6809 Multiprogramming simplified. Lahasky, Irwin. art 2:12 Dec77 p140-142 *** Computer art 2:12 Instruction MULTIPROGRAMMING Introduction to multiprogramming. Dahmke, Mark. art 4:9 Sep79 p20-32 *** Multi-user Systems / Design Systems / Design |
Stystems / Design |
Stystem graphics text editor for music, part 1: structure of the editor. Nelson, Randolph. art 5:4
Apr80 p124-138 *** Text Editor / Graphics / or the editor, neison, analogous Apr80 p124-138 *** Text Editor / Graphics / Design Graphics text editor for music, part 2: algorithms. Nelson, Randolph. art 5:5 May80 p104-118 *** Text Editor / Algorithm Interfacing pneumatic player pianos. Helmers, Carl. art 2:9 Sep77 p112-120+ *** Interface / Control / Design Microcomputer and the pipe organ. Raskin, Jef. art 3:3 Mar78 p56-68 *** Control More music for the 6502. D'Haver, T.C. art L3 3:6 Jun78 p140-141 *** 6502 / KIM Mountain Computer's MusicSystem. Moore, Robin. hr L3 6:7 Jul81 p60-92 *** Hardware Review / Apple II Music making (square-wave music and software-driven D/A synthesis). col 6:7 Jul81 p84 *** Apple II / Digital/Analog Circuit Circuit
On beginning a new project...(local controller of
music peripherals). Helmers, Carl. col 4:6
Jun79 p6+ *** 6809 / Control
Orchestra-80. Cooper/Kolya. sr 6:11 Nov81
p264-272 *** Software Review / TRS-80 Model I Orchestra-80. Cooper/Kolya. sr 6:11 Nov81
p264-272 *** Software Review / TRS-80 Model 1
Piano's reproductive system (anatomy of a Duo-Art
player piano). Morgan, Chris. art 2:9 Sep77
p122-125 *** Binary
Polyphony made easy*. Roberts, Steven. art 4:1
Jan79 p104-109 *** Interface / Hardware
Construction
SCORTOS: implementation of a music language.
Taylor, Hal. art 2:9 Sep77 p12-21+ ***
Languages / Altair
Sampling of techniques for computer performance
of music. Chamberlin, Hal. art L3 2:9
Sep77 p62-83 *** History / KIM / Programming
Instruction
Simple approaches to computer music synthesis.
Schneider, Thomas. art 2:10 Oct77 p140-144
*** Hardware Construction
Toy store begins at home. Ciarcia, Steve. col
L1 4:4 Apr79 p10-18 *** Games / Hardware
Construction
Tune in with some chips (programmable music tone) Tune in with some chips (programmable music tone generator). Sierad, Ted. art L2 2:9 Sep77 p84-94 *** Hardware Construction / Sound Treets and the construction of South Constru Natural language processing and small systems. Tennant, Harry. art 3:6 Jun78 p38-54 *** Languages / Artificial Intelligence

Natural-language processing: the field in perspective. Hendrix/Sacerdoti. art L9 6:9 Sep81 p304-352 *** Artificial Intelligence / NAVIGATION Calculator airborne navigation*. Kuhns, L.J.
col L2 4:11 Nov79 p245-246 *** Calculator col L2 4:11 Nov79 p245-246 *** Calculator / Flying
Cub S4, where are you? (or how to navigate using Mini-0). Burhans, Ralph. art 2:2 Feb77 p62-74 ***
How far - which way? (navigation program). Pittet, Rene. art L1 2:7 Ju177 p118-119 *** Mathematics / SWTPC
Navigation with Mini-0: part 3, software.
Salter, Richard. art L3 2:4 Apr77 p100-109 *** Interface / Hardware Construction / 6502 Simplified Omega receiver details. Burhans, Simplified Omega receiver details. Burhans, Ralph. art 2:3 Mar77 p70-80 *** Interface / Hardware Construction NETWORKS Build an intercomputer data link. Wingfield, Mike. art L3 6:4 Apr81 p252-288 *** Telecommunications / Programming Instruction / 6800 Telecommunications / Programming Instruction / 6800
CIE Net: a design for...information exchanges, part 1: the beginnings. Wilber, Mike. art 3:2 Feb78 pl4+ ***
CIE Net: a design for...information exchanges, part 2: protocols. Wilber, Mike. art 3:3 Mar78 pl52-164 *** Standards
CIE Net: a design for...information exchanges, pt 3: other considerations. Wilber, Mike. art 1:3 3:4 Apr78 pl68-176 *** Standards
CIE Net: a design for...information exchanges, pt 3: other considerations. Wilber, Mike. art 1:3 3:4 Apr78 pl68-176 *** Standards
Club computer network. Kasser, Joe. art 5:5 May80 p202-212 *** Clubs / Ham Radio
Communicating in two directions. Titchener, Mark. art 5:6 Jun80 p96-106 *** Data
Transmission / Design
Distributed Network. Horton, Glen. art 3:11
Nov78 p62-64 *** Multi-user Systems
Interpersonalized media: what's news?. Levin, James. art 5:6 Jun80 p214-228 ***
Electronic Mail / Electronic News
Local networks are buzzing. Morgan, Chris. col 6:10 Oct81 p6-8 ***
Local-area networks: possibilities for personal computers. Saal, Harry. art 6:10 Oct81 p92-112 *** Multi-user Systems / Standards / Ethernet
Wiltiuser data network: communicating over VHF PSC-112 multi-user Systems / Standards / Ethernet Multiuser data network: communicating over VHF radio. Bruninga, Robert. art 3:11 Nov78 p120-130 *** Multi-user Systems / Ham Radio / Data Transmission
Network tools: ideas for intelligent network
software. Reintjes, Peter. art L6 6:10
Oct81 p140-174 *** Telecommunications / Oct81 p140-174 *** Telecommunications / Programming Design
Personal computer network (transfer of messages and files). col 2:9 Sep77 p59-61 ***
Electronic Mail
Personal computers in a distributed communications network. Steinwedel, Jeff. art 3:2 Feb78 p80-82+ *** Ham Radio Sky's the limit: use ham radio bands for intercomputer communication. Kasser, Joe. art 3:11 Nov78 p48-61 *** Ham Radio / Data Transmission Transmission Ultra-low-cost network for personal computers.
Clements/Daugherty. art 6:10 Oct81 p50-66
*** Design / Multi-user Systems / Programming *** Design / Multi-user Systems / Programming Design
Rerox Alto computer. Wadlow, Thomas. art 6:9
Sep81 p58-68 *** Microcomputer System / Xerox Alto / Ethernet
NEWSLETTERS
Clubs and newsletters directory (123 clubs listed in 1977). Rehling, Floyd. col 2:1 Jan77 p119-130 *** Clubs
Clubs and newsletters directory (1979). Hanson, Laura. col 4:10 Oct79 p210-240 *** Clubs
Clubs and newsletters directory. Freiberg, Charley. col 6:4 App81 p158-184 *** Clubs
Clubs and newsletters directory. Hanson, Laura. col 3:9 Sep78 p124-144 *** Clubs
NORTH STAR
Add a simple text editor to your BASIC programs. RTH STAR
Add a simple text editor to your BASIC programs.
Goff, Robert. art L1 5:4 Apr80 p34-39 ***
Text Editor
BASIC floppy-disk accounting system. Roehrig,
Joseph. art L1 5:9 Sep80 p328-335 ***
Accounting / Business / Floppy Disk Drive
BASIC text editor. Ruckdeschel, Fred. art L1
4:6 Jun79 p156-164 *** Text Editor / IMSAI
/ BASIC
Reating North Star. - MITS incompatability. / BASIC Beating North Star - MITS incompatability. Miller, Alan. col L3 3:7 Jul78 pll9 *** Programming Instruction / Altair Bridging the 10-percent gap. Brady, Paul. art 6:10 Oct81 p264-274 *** Business / Office Automation Computer scrabble. Roehrig, Joseph. art L1 6:12 Dec81 p320-351 *** Games / Strategy / TRS-80 Model I Converting North Star's deletion characters.
Miller, Alan. col L3 3:10 Oct78 p141 ***
Conversions
Data-has-Conversions
Data-base management systems: powerful newcomers to microcomputers. Gagle/Koehler. art L1
6:11 Nov81 p97-122 *** Data Base Management Programming Design / Programming Instruction
Exploring ballistics with your personal computer. Jenks, Robert. art L1 5:9 Sep80 p270-280
*** Simulation / Science
Frequency analysis of data using a microcomputer. Ruckdeshel, F.R. art L1 4:12 Dec79 p10-35
*** Fourier Transforms / Mathematics / Frequency Analysis

NATURAL LANGUAGE CONSTRUCTION (CONTINUED)



800-638-9098




PRICE WAR ON TRS-80'S Save Yourself Some Money! TOLL FREE 1-800-841-0860

WRITE FOR FREE CATALOG

Micro Management Systems, Inc.

DEPT. NO 1 115 C. SECOND AVE. S.W. CAIRO, GA. 31728 912-377-7120



MODEL III from \$609



MODEL II from \$3000

COLOR COMPUTERS FROM \$318 FULL LINE OF TRS-80 PRODUCTS

TM TRADEMARK OF TANDY CORPORATION

(301) 298-3130

NORTH STAR (CONTINUED)
Great race and micro disk files: horse race
simulations. Roehrig, Joseph. art Ll 5:4
Apr80 p142-177 *** Horse Racing / Simulation Games

/ Games
// Games
// Games
// Games
// Games
Jul81 pl20-132 *** Weather
// Val81 pl20-132 *** Weather
// Val81 pl20-132 *** Weather
// Val91 pl31-136 *** Simulation /
// Athletics / Statistics
// Athletics / Statistics
// Val91 pl34-152 *** Robots / Control / Simulation
// Nature of robots, part 2: simulated control
// System Powers, William. art L1 4:7 Jul79
// pl34-152 *** Robots / Control / Simulation
// Nature of robots, part 3: a closer look at human
// Dehavior. Powers, William. art L1 4:8
// Aug79 pg4-116 *** Robots / Design /
// Simulation

p134-152 *** RODOUS / CONTRO! / SIMULATION Nature of robots, part 3: a closer look at human behavior. Powers, william. art L1 4:8 Aug79 p94-116 *** Robots / Design / Simulation
Nature of robots, part 4: looking for controlled variables. Powers, William. art L1 4:9 Sep79 p96-112 *** Robots / Design / Simulation
Power helps analyze electric bills. Wolfe, Karen. art L1 4:10 Oct79 p48-54 *** Energy / Home
Simple approach to data smoothing.
Ruckdeschel/Krinsky. art L1 6:3 Mar81 p262-298 *** Statistics / Business
Sorting with a catch. Brady, Paul. col L1 5:9 Sep80 p322-238 *** Sorting / Programming Instruction
String comparator for Horizon. Lindberg, Richard. col L1 5:2 Feb80 p86 ***
Programming Instruction / BASIC
Super IIC (three-dimensional Tic-Tac-Toe).
Roehrig, J. art L1 5:3 Mar80 p232-238 ***
Games / Strategy
Those calculating Romans (Roman numeral calculator). Dishman, Laurence. col L1 3:6 Jun78 p109-111 *** Mathematics / Conversions
Tiny Pascal source creator. Phillips, Thomas. col L1 4:7 Jul79 p231-232 *** Pascal / Utility Program
Wordsmith (CP/M or North Star word processor). Dahmke, Mark. sr 6:5 May81 p254-258 ***
Software Review / Word Processing / CP/M
XYZ phenomenon: stereoscopic plotting by computer. Powers, William. art L1 4:10 Oct79 p140-149 *** Plotting / Three-Dimensional Graphics
Design principles behind Smalltalk. Ingalls, Daniel. art 6:8 Aug81 p286-298 ***

OBJECT-ORIENTED LANGUAGES

Design principles behind Smalltalk. Ingalls,
Daniel. art 6:8 Aug8l p286-298 ***
Smalltalk / Design
Object-oriented software systems. Robson, David.
art 6:8 Aug8l p74-86 *** Languages

OFFICE AUTOMATION
Bridging the 10-percent gap. Brady, Paul. art
6:10 Oct81 p264-274 *** Business / North
Star

ONLINE INFORMATION

ONLINE INFORMATION

Information unlimited: the Dialog Information
Retrieval Service. Miastkowski, Stan. art
6:6 Jun81 p88-108 *** Online Systems /
Information Storage
Online information retrieval: promise and
problems. Roberts, Steven. art 6:12 Dec81
p452-461 *** Online Systems
ONLINE SYSTEMS
Dialogast system: receiving data and information.

LINE SYSTEMS
Digicast system: receiving data and information over your FM radio. Halsema, A.I. art 4:1 Jan79 p100-102 *** Data Transmission Information unlimited: the Dialog Information Retrieval Service. Miastkowski, Stan. art 6:6 Jun81 p88-108 *** Online Information / Information Storage
Let's be PALs: some comments on BBB teletext. Silson, R.G. col 4:3 Mar79 p186-188 *** Teletext

Teletext

Online information retrieval: promise and problems. Roberts, Steven. art 6:12 p452-461 *** Online Information OPERATING SYSTEMS Dec81

ERATING SYSTEMS
Build a super simple floppy-disk interface, part
2: software. Nicholson/Camp. art L3 6:6
Jun81 p302-340 *** Floppy Disk Drive /
Interface / 6502
CP/M: a family of 8- and 16-bit operating
systems. Kildall, Gary. 6:6 Jun81
p216-232 *** CP/M
DOSPlus: double-density operating system for the
TRS-80. Kolya, Yvon. sr 6:7 Jul81 p334-343
*** Software Review / TRS-80 Model I /
Minidisk Drive
Drop JCL and start with WFL. Gregory Docald

Minidisk Drive
Drop JCL and start with WFL. Gregory, Donald.
col 4:10 Oct79 p176-178 ***
ENHBAS (TRS-80 Model I/III enhanced operating
environment and BASIC). Kelly, Mahlon. sr Ll
6:11 Nov81 p342-360 *** Software Review /
Utility Program / TRS-80 Model I
How to define an OS which does not need a wizard.
Jones, James. col 4:4 Apr79 p245-246 ***
Design

Jones, James. col 4:4 Apr79 p245-246 ***
Design
KIMDDS: using your KIM-1 with a Percom
floppy-disk drive. Swank, Joel. art L3 5:5
May80 p44-50+ *** KIM / Minidisk Drive
New 16-bit operating systems, or, the search for
Benutzerfereundlichkeit. Morgan, Chris. col
6:6 Jun81 p6-10 *** UNIX
Omikron TRS-80 boards, NEMDDS+, and sundry other
matters. Pournelle, Jerry. col 5:7 Ju180
p198-208 *** TRS-80 Model I / Floppy Disk
Drive
Operating systems: let's have some UNIX-inspired
software. Howell, Jim. col 4:9 Sep79
p82-83 *** UNIX
Relocatable bootstrap for the Tarbell disk

p82-83 *** UNIX Relocatable bootstrap for the Tarbell disk controller. Smith, Hector. col L3 6:4 Apr81 p148 *** Disk Controllers

OPERATING SYSTEMS (CONTINUED)
UNIX operating system and the XENIX standard operating environment. Greenberg, Robert. art 6:6 Jun81 p248-264 *** UNIX / XENIX

Future trends in personal computing. Morgan, Chris. col 6:4 Apr8l p6-10 *** Future / Video Display / Minidisk Drive

Video Display / Minidisk Drive

Challenger writes on Comprint. Carlson, Edward.

col 13 6:4 Apr8l p310-312 *** Printer /
Interface / Hardware Modification

Faster BASIC for the Ohio Scientific. Sauter,
John. col 11 6:5 May8l p236-242 ***

Programming Instruction / BASIC / 6502

Graphic execution display (OSI). Minton, R.B.

col 11 6:4 Apr8l p34 *** Programming
Instruction

OSI (model 300 computer training board - product
description). Baker, Robert. col 2:1 Jan77
p94-95 *** Hardware Review

Ohio Scientific CA-15 universal telephone
interface. Williams, Gregs, hr 11 5:8

Aug80 p40-44 *** Hardware Review / Interface
/ Telecommunications

Similarity comparator for strings. O'Haver, T.C.

col 11 4:9 Sep79 p58-60 *** Programming
Instruction / BASIC

Superboard II: a surprising single board computer
from OSI. Morgan, Christopher. col 4:5

May79 p50-51 *** Hardware Review

Terminal width problems with the OSI Challenger.
Sacks, Shel. col 6:7 Jul81 p24 ***
Programming Instruction

Two short graphics programs for the OSI C-IP.
Leahy, John. col 11 6:10 Oct81 p354 ***

BELLO

Othello, a new ancient game. Duda, Richard. art

OTHELLO

Graphics
OTHELLO
Othello, a new ancient game. Duda, Richard. art
Ll 2:10 Oct77 p60-62 *** Games / Strategy
Reversal: Othello for the Apple II. Freidman,
Mark. sr 6:11 Nov81 p76-80 *** Software
Review / Games / Apple II
Santa Cruz Open: Othello tournament for
computers. Frey, Peter. art 6:7 Jul81
p26-37 *** Contests / Games
Simulating human decision-making on a personal
computer. Frey, Peter. art 5:7 Jul80
p56-72 *** Games / Artificial Intelligence /
Programming Instruction
PAPER TAPE READER
Inexpensive optical paper-tape reader. Harron,
Brian. art 4:9 Sep79 p118-121 ***
Hardware Construction
Mounting a paper tape reader. Bryant, Jack. art
3:1 Jan78 p161 *** Hardware Modification
Teleterminal Fly Reader paper tape reader (Come
fly with KIM). Simpson, Rick. hr 2:6 Jun77
p76-80 *** Hardware Review / Information
Storage
PAPERRYTES
Another PAPERRYTES test. col 2:3 Mar77

p76-80 *** Hardware Review / Information
Storage

PAPERBYTES
Another PAPERBYTES test. col 2:3 Mar77
pl30-135 *** Bar Codes
Another Format / Bar codes and other topics. col
2:7 Ju177 pl28 *** Bar Codes
Novel bar code reader. Farnell/Seeds. art 3:10
Oct78 pl62-165 *** Bar Codes / Design
PAPERBYTE bar codes with Integral Data Systems
printers. Louis, 6. col L6 6:5 May81
p228-232 *** Bar Codes / Printer
PAPERBYTE forum (Reader's tests / Backlighted
scanning / Criticism). col 2:4 Apr77 pl62
*** Bar Codes
PAPERBYTES forum (multiple sync characters /
machine readable Braille). col 2:3 Mar77
pl3+ *** Bar Codes
Samples of machine readable printed software.
Banks/Sanderson. art 1:16 Dec76 pl2-17 ***
Bar Codes / Information Storage / Standards
PARALLEL INPUT/OUTPUT
How to drive a teletype without a UART. Jewell,
Gregory. art 2:1 Jan77 p32 *** Interface
/ Printer / Serial Input/Output
1/0 expansion for the Radio Shack TRS-80
(principles of para]lel ports). Ciarcia,
Steve. col 5:5 May80 p22-40 *** Hardware
Construction / TRS-80 Model I
More on the SMTPC 6800 system. Kay, Gary. art
1:6 Feb76 p50-53 *** SWTPC / Serial
Input/Output / Interface
Notes on parallel output interfaces in memory
address space. Helmers, Carl. art 1:3 Nov75
p52-55 *** Interface / Computer Instruction
Save software: use a UART for serial 10.
McGahee, Thomas. art 1.3 2:12 Dec77
p164-166 *** Serial Input/Output / Interface
Serial interface*. Lancaster, Don. art 1:1
Sep75 p22-37 *** Serial Input/Output / Interface
Frial reface / UART
Serialize those bits from your mystery keyboard.
Haller, George. art 1:9 May76 p36-37 ***
Interface / JURT
Interface / Jurg

Interface
PARITY CHECKING
Error checking and correcting for your computer.
Walker, Gregory. art 5:5 May80 p250-276
*** Design / Hamming Codes / Error Checking
Hamming error correcting code. Wimble, Michael.
art 4:2 Feb79 p180-182 *** Data
Transmission / Hamming Codes / Error Checking
How to pick up a dropped bit. Maurer, W.
Douglas. art 2:7 Jul77 p72-76 *** Data
Transmission / Tape Cassette / Error Checking

About the cover (Pascal's Triangle). Helmers, Carl. art 3:8 Aug78 p16-18 *** Languages Case statements and related topics. Grogono, Peter. col 4:10 Oct79 p178-182 *** Languages Comments on PASCAL, learning how to program, and small systems. Ford, Gary. col 3:5 May78 p136-142 *** Languages Comparison of C and Pascal. col 6:6 Jun81 p358 *** Languages Comparison of C and Pascal. col 6:6 Jun81 p358 *** Languages / C Programming Language Compilation and Pascal on the new microprocessors. Forsyth/Howard. art L3 3:8 Aug78 p50-61 *** Compiler / Microprocessor Concerning PASCAL: a homebrew compiler project. Smith, Stephen. col 3:4 Apr78 p150-151 *** Compiler / Homebrew Consistency - or a lack thereof...(BYTE standards for Pascal listings). Helme.s, Carl. col 3:8 Aug78 p89 *** Standards / Publishing Data abstractions and program correctness (BASIC vs. Pascal). McCoy, Earl. col 16 4:9 Sep79 p166-171 *** Languages / BASIC Drawing with UCSD Pascal and the Hiplot plotter. Stork, James. art L6 6:10 Oct81 p214-246 *** Plotting / Z-80 / Plotter
File catalog system for UCSD Pascal. Heyman, Edward. art L6 6:5 May81 p408-427 *** Utility Program Hombrew Pascal compiler. Stein, Herbert. col 3:8 Aug78 p46-47 *** Compiler / Homebrew Is Pascal the next BASIC: Helmers, Carl. col 2:12 Dec77 p6-8+ *** BASIC / Languages Linking a Pascal Microengine to a Cyber 170. Sedlet/Dust. art L6 6:11 Now81 p472-489 *** Interface / Pascal Microengine / Cyber 170 On the importance of backups (includes a Pascal utility to recover files). Helmers, Carl. col L6 4:4 Apr79 p6+ *** Maintenance / Utility Program PILOT/c Tomputer Assisted Instruction Pascal critique and a comment. O'Loughlin, J. col 3:12 Dec78 p179-180 *** Languages

hurry. Mundie, David. art L6 5:7 Jul80 p154-170 *** PILDT / Computer Assisted Instruction
Pascal critique and a comment. O'Loughlin, J. col 3:12 Dec78 p179-180 *** Languages
Pascal versus BASIC: round 2 includes FORTRAN. Andrews, Lawrence. col L4 4:4 Apr79 p239 *** Languages / BASIC / FORTRAN
Pascal versus COBOL: where Pascal gets down to business. Bowles, Ken. art L6 3:8 Aug78 p122-132 *** COBOL / Business
Proposed Pascal compiler. Yuen/Chung. col 3:8 Aug78 p122-132 *** COBOL / Business
Proposed Pascal compiler. Yuen/Chung. col 3:8 Aug78 p17+ *** Compiler
Seven bridges of Konigsberg / Direct cursor addressing in UCSD Pascal. Helmers, Carl. col L6 5:2 Feb80 p6-10 *** Puzzles / Topology
Short note on Pascal and other projects. Helmers, Carl. col 4:1 Jan79 p6 ***
Some contrary opinion (on Pascal). Robertson, Peter. col 4:4 Apr79 p243-245 ***
Languages

Peter. Co. Languages in Pascal compiler, part 2: the P-compiler. Chung/Yuen. art Ll 3:10 Oct78 p34-52 ***

Languages Compiler, part 2: the P-compiler. Chung/Yuen. art L1 3:10 Oct78 p34-52 *** Compiler Tiny Pascal source creator. Phillips, Thomas. col L1 4:7 Jul79 p231-232 *** Utility Program / North Star UCSD PASCAL: a (nearly) machine independent software system. Bowles, Kenneth. col 3:5 May78 p46+ *** Languages / Standards Vision of an industry (dimensions of the software publishing problem). Helmers, Carl. col 3:8 Aug78 p66 *** Software Publishing / Predictions

8080

Tiny Pascal compiler, part 3: P-code to 8080 conversion. Chung/Yuen. art L6 3:11 Nov78 p182-192 *** Compiler / Conversions / 8080 Tiny Pascal in 8080 assembly language (Nybbles Library). Louis, G. col 4:7 Ju179 p174 *** 8080 / Compiler

APPLE II


APPLE II
Apple Pascal cross-reference. Woodhead, Robert.
col L6 6:10 Oct81 p419-429 *** Utility
Program / Apple II
Bits and bytes in Pascal: and other binary
wonders. Casseres, David. art L6 6:10
Oct81 p448-457 *** Documentation /
Programming Instruction / Apple II
Computer-aided drafting with Apple Pascal.
Sokol, Dan. art L6 6:7 Jul81 p388-429 ***
Design / Electronic Circuits / Apple II
Era of off-the-shelf personal computers has
arrived. Helmers, Carl. col L6 5:1 Jan80
p6-10+ *** History / Microcomputer System /
Apple II

II
Pascal library unit for the Micromodem II.
Woteki, Thomas. art L6 6:2 Feb81 pl06-l36
*** Apple II / Modem
Using page two with Apple Pascal turtle graphics.
Wallace, Bruce. col L6 6:5 May81 pl22
*** Programming Instruction / Graphics / Apple

DESIGN
Computer-aided drafting with Apple Pascal.
Sokol, Dan. art L6 6:7 Ju181 p388-429 ***
Design / Electronic Circuits / Apple II

Complete AIM 65 Expansion

For complete AIM 65 expansion, Fore-thought Products brings you the AIM-Mate Series, quality expansion products with price, performance and versatility that puts them in a class of their own.



The compact AIM-Mate case puts it all together in a sturdy, portable, desk top unit.

Write today for complete details on the AIM-Mate System- AIM 65 expansion products for the professional.

FORETHOUGHT PRODUCTS

87070 Dukhobar Road, Eugene, Oregon 97402 (503) 485-8575

OMEGASOFT 6809 PASCAL MEANS PRODUCTIVITY

Now available for most 6809 operating systems is a compact singlepass compiler that quickly translates Pascal into optimized assembly language code. OmegaSoft Pascal is an ideal way to increase your programmers' productivity in all phases of program generation and maintenance.

The accepted syntax is based on the proposed ISO standard with extensions designed to interface to the real world. Byte wide variables can be manipulated to easily access I/O devices and complete support is provided allowing user defined interfaces to be used with the standard Pascal procedures. Dynamic length strings, long integers, and random disk files facilitate development of sophisticated applications programs for industry and business.

An interactive symbolic debugger is included to allow you to quickly execute your program. The debugger allows setting breakpoints at the start of Pascal statements, examining and changing variables, and to trace through one statement at a time. Utilities are provided to interactively create the control files used to automatically compile, assemble, and link the Pascal program to produce a totally position independent, reentrant, and romable object module.

OmegaSoft currently supports five of the most popular 6809 operating systems and OEM licenses can be arranged. Single unit domestic list price ('81) for the compiler package is \$425 with quantity and dealer discounts available. For a data sheet and ordering information write or call:

OmegaSoft
P.O. Box 70265
Sunnyvale, CA 94086
1 (408) 733-6979



Unwrap the Crypto Mystery

IOF Thank Digital \$495


Thanks to the Western Digital CryptoPrimer™

Development Kit, cryptography is no longer a deep, dark secret. In fact, the kit is specially

designed for personal computer owners and is based on the National Bureau of Standards' data encryption algorithm.

Included in the kit are: a CryptoPrimer™ manual, a cryptographic system built around our WD 2001/2 data encryption

chip, a convenient RS 232 connector and a special



We think keeping cryptography a mystery is a crime.

Making the leading edge work for you.

WESTERN DIGITAL

Telecommunications Division 2445 McCabe Way, Irvine, CA 92714 (714) 557-3550 PASCAL (CONTINUED) Information hiding in Pascal: packages and pointers. Feldman, Michael. art L6 6:1 Nov81 p493-498 *** Programming Design / Mathematics

GAMES
Pascal versus BASIC: an exercise. Schwartz,
Allan. art L6 3:8 Aug78 p168-176 ***
Games / BASIC / Languages

INTERFACE Linking a Pascal Microengine to a Cyber 170.
Sedlet/Dust. art L6 6:11 Nov81 p472-489
*** Interface / Pascal Microengine / Cyber 170

MATHEMATICS Information hiding in Pascal: packages and pointers. Feldman, Michael. art L6 6:11 Nov81 p493-498 *** Programming Design /

Nov81 p493-498 *** rroy amming belg...
Mathematics
Recursion and side effects in Pascal.
Morris/Perchik. art L6 6:5 May81 p316-324
*** Programming Instruction / Mathematics
WRITELONG: a Pascal simulation of long-integer
output. Hunt, Daniel. col L6 6:11 Nov81
p414-415 *** Programming Instruction /
Mathematics Mathematics

PROGRAMMING INSTRUCTION
Bits and bytes in Pascal: and other binary
wonders. Casseres, David. art L6 6:10
Oct81 p448-457 *** Documentation /
Programming Instruction / Apple II
Creating a chess player, part 2: Chess 0.5.
Frey/Atkin. art L6 3:11 Nov78 p162-181
*** Chess / Programming Instruction
Creating a chess player, part 3: Chess 0.5.
(continued). Atkin/Frey. art L6 3:12 Dec78
p140-157 *** Chess / Programming Instruction
Designing structured programs. Weems, Chlp. art
L6 3:8 Aug78 p143-154 *** Structured
Programming / Programming Instruction
In praise of PASCAL. Mundie, David. col L6
3:8 Aug78 p110-116 *** Structured
Programming / Programming Instruction
Micromodem support in Apple Pascal. Robinson,
Scott. art L6 6:7 Jul81 p308-324 ***
Modem / Apple II / Programming Instruction
More GOTOXY (Pascal cursor addressing).
Bolthoff, George. col L6 5:4 Apr80 p110
*** Programming Instruction
Notes on absolute location interfaces to Apple
Pascal. Sokol, Daniel. col L6 5:9 Sep80
p324-325 *** Programming Instruction / Apple
II PROGRAMMING INSTRUCTION

PASCAL: a structurally strong language. Alpert, Stephen. art L6 3:8 Aug78 p78-88 *** Programming Instruction Pascal and the great race. Mundie, David. col L6 5:9 Sep80 p94 *** Programming Instruction / Information Storage Recursion and side effects in Pascal. Morris/Perchik. art L6 6:5 May81 p316-324 *** Programming Instruction / Mathematics Tiny Pascal compiler, part 1: the P-code interpreter. Chung/Yuen. art L6 3:9 Sep78 p58-55+ *** Compiler / Programming Instruction

Instruction Using page two with Apple Pascal turtle graphics.
Wallace, Bruce. col L6 6:5 May81 pl22
*** Programming Instruction / Graphics / Apple

MRITELONG: a Pascal simulation of long-integer output. Hunt, Daniel. col L6 6:11 Nov81 p414-415 *** Programming Instruction / Mathematics

SOFTWARE REVIEW
Lucidata P-6800 Pascal. Hughes, Phil. sr 5:3
Mar80 pl84 *** Software Review / SWTPC
Pascal-80. Archer, Rowland. sr 6:12 Dec81
p304-312 *** Software Review / TRS-80 Model I / Compiler

TRS-80 MODEL I
Pascal-80. Archer, Rowland. sr 6:12 Dec81
p304-312 *** Software Review / TRS-80 Model I
/ Compiler
PASCAL MICROENGINE

Scale microcrashe
Linking a Pascal Microengine to a Cyber 170.
Sedlet/Dust. art L6 6:11 Nov81 p472-489
*** Interface / engine / Cyber 170

PATENT
Legal protection for computer hardware and
software. Becker, Stephen. art 6:5 May81
pl40-l46 *** Copyright / Law
Washington tackles the software problem. Kern,
Christopher. art 6:5 May81 pl28-l38 ***
Copyright / Law
PC-8001

ru-8001

NEC PC-8001: a new Japanese personal computer.

Keith/Kocher. hr 6:1 Jan81 p72-88 ***

Hardware Review
PDP-11

P-11
BASIC to assembly language linkage. Fitzgerald,
Pat. col L3 3:7 Jul78 pll2-l14 ***
Programming Instruction / BASIC / Assembly
Language
Computer art (About the cover - color graphics
done on a GRASS system). Defanti/Tetz. col
2:10 Oct77 p22-25 *** Art / High Resolution
Graphics

Graphics

Harvesting the sun's energy. Mobus, George. art L1 6:7 Jul81 p48-58 *** Energy / Simulation
JACPOT (slot machine simulation in BASIC).
Hastings, Edwin. art L1 3:8 Aug78 pl66-167
*** Games

PDP-11 (CONTINUED)

Quad terminal interface. Alpert, Stephen. art
5:2 Feb80 pl16-125 *** Interface / Terminal
/ Hardware Construction

Chip off the olde PDP 8/E: the Intersil IM6100 part 1. Nelson, Robert. art 1:9 May76 p60-68 *** Microprocessor / IM6100 / Hardware

Review
Chip off the olde PDP 8/E: the Intersil IM6100
part 2. Nelson, Robert. art 1:10 Jun76
p58-62 *** Microprocessor / IM6100 / Hardwi

Review
Good grief! ("Snoopy" as seen on a PDP-8/S).
Brockman, Dave. col 1:11 Jul76 p74 *** Art / Graphics

OPLE
Chess 4.7 versus David Levy: The computer beats a chess master. Douglas, J.R. art 3:12 Dec78 p84-90 *** Chess / Contests
Emperor's old clothes (lecture by the 1980 ACM Turing Award winner). Hoare, Charles. art 6:9 Sep81 p414-425 *** History
Grandmaster Walter Brown versus Chess 4.6. Douglas, John. art 4:1 Jan79 p110-115 *** Chess / Contests
Outstanding computer hobbyist of the year award (Sol Libes). Dilks, John. col 1:15 Nov76 p16 ***

Some candid shots from Personal Computing 76. art 2:1 Jan77 p100-101 *** Shows

Beginner's guide to spectral analysis, part 1: tiny timesharing music. Zimmermann, Mark. art L1 6:2 Feb81 p68-90 *** Music / Fourier Transforms / Mathematics

tiny timesharing music. Zimmermann, Mark. art L1 6:2 FebBl p6B-90 *** Music/Fourier Transforms / Mathematics
Beginner's guide to spectral analysis, part 2.
Zimmermann, Mark. art L3 6:3 MarBl
p166-198 *** Fourier Transforms / Image
Processing / Holography
Changes to FLOPTRAN-IV. Watson, George. col L1
6:7 Jul8l p134 *** Compiler / Languages
Commodore's new PET computer. col 2:10 Oct77
p50 *** Microcomputer System
Energy conservation with a microcomputer.
Jackson/Callahan. art L1 6:7 Jul8l
p178-208 *** Energy / Home
FLOPTRAN-IV: a tiny compiler. Zimmermann, Mark.
art L1 5:10 Oct80 p196-228 *** Compiler /
Languages
Formatting dollars and cents. Palenik, Les. col
L1 3:10 Oct78 p68 *** Utility Program /
Mathematics
Give your computer an ear for names. Munnecke,
Tom. art L1 5:5 May80 p196-200 ***
Information Storage / Programming Instruction
Interfacing the PET to a line printer. Govind,
P.K. art L1 4:11 Nov79 p98-102 ***
Printer / Interface
Multimachine games. Wasserman/Stryker. art L1
5:12 Dec80 p24-40 *** Games / Interface
PET 2001 (User's report: the PET 2001). Fylstra,
Dan. hr 3:3 Mar78 p114-127 *** Hardware
Review / Microcomputer System
Quest (Adventure type game). Chaffee, Roger.
art L1 4:7 Jul79 p176-186 *** Games /
Strategy
Simulating physical systems: the two-dimensional ideal gas. Zimmerman, Mark. art L1 4:4
Apr/9 p26-41 *** Simulation / Science

ideal gas. Zimmerman, Mark. art L1 4:4
Apr79 p26-41 *** Simulation / Science
Solving soma cubes and polyomino puzzles using a
microcomputer. Macdonald, Douglas. art L3
4:11 Nov79 p26-52 *** Puzzles / Games / Mathematics

PHOTOGRAPHY Computer-controlled viewing of the 1980 eclipse. Helmers, Carl. col L6 5:5 May80 p6+ *** Control / Astronomy / Apple II Computers and eclipses. Helmers, Carl. col 4:7 Jul79 p8-14 *** Astronomy / Science / Control

Control
Hunting the computerized eclipse. Helmers, Carl.
col L6 5:3 Mar80 p6-12+ *** Control /
Astronomy / Apple II
Making color slides with an Intecolor
microcomputer. Grogono, Alan. art 5:1 Jan80
p20-24 *** Color Graphics / Intecolor
Photograph is also hard copy. Egbert, Dwight.
art 3:5 May/8 p10-14 *** Color Graphics /
High Resolution Graphics

omputer assisted instruction on a microcomputer.

Davidson/et al. art 3:11 Nov78 p90-94 ***

Computer Assisted Instruction / Higher Education

PILOT/P: implementing a high-level language in a hurry. Mundie, David. art L6 5:7 Jul80 p154-170 *** Computer Assisted Instruction /

Pascal
PLM
What this country needs is a good 8-bit high
level language. Helmers, Carl. col 1:4
Dec75 p5-10 *** Languages / BASIC
PLOTTER
Another plotter to toy with, revisited: design
and construction details. Newcomb, Robert,
art L3 5:2 Feb80 p202-207 *** Hardware
Construction / KIM / Design
Another plotter to toy with. Lucas, Peter. col
4:2 Feb79 p66-68 *** Design
Controlling small DC motors with analog signals.
Sweer/et al. art 2:8 Aug77 p18-24 ***
Control / Analog/Digital Circuit / Simulation
Digital plotting with the Apple II computer.
Hallgren, Richard. art L1 6:5 May81
p296-314 *** Plotting / Apple II / Interface
Drawing with UCSD Pascal and the Hiplot plotter.
Stork, James. art L6 6:10 Oct81 p214-246
*** Plotting / Pascal / Z-80

PLOTTER (CONTINUED)

OTTER (CONTINUED)

Mauro Proac plotter. Dahmke, Mark. hr L6 6:10
Oct81 p383-384 *** Hardware Review
More on inexpensive plotters. Carmichael,
Michael. col 2:10 Oct77 p58-59 ***
Plotting / Design
Plot continues. Walter, Leslie. art 5.1 Jan80
p138-144 *** Design
Some plotting comments. Roberts, T.P. col 3:2
Feb78 p172-175 *** Plotting / Design

PLOTTING DTING
Digital plotting with the Apple II computer.
Hallgren, Richard. art Ll 6:5 May81
p296-314 **** Apple II / Interface / Plotter
Drawing with UCSD Pascal and the Hiplot plotter.
Stork, James. art L6 6:10 Oct81 p214-246
*** Pascal / Z-80 / Plotter
General interpolating graphics package for the
TRS-80** Cohen/Crowe. art L1 5:11 Nov80
p296-310 *** Graphics / TRS-80 Model I /
Mathamatics

IRS-80*. Cohen/Crowe. art L1 5:11 Nov80 p296-310 *** graphics / IRS-80 Model I / Mathematics Graphic color slides, part 1. Grogono, Alan. art L1 5:11 Nov80 p126-144 *** Color Graphics / Compucolor Prophic color slides, part 2. Grogono, Alan. art L1 5:12 Dec80 p96-112 *** Color Graphics / Compucolor Hidden line subroutines for three-dimensional plotting. Gottlieb, Mark. art L1 3:5 May78 p49-58 *** Programming Instruction / Inree-Dimensional Graphics Minimizing curve-plotting calculation. Bowker, Ifmothy. art L9 4:12 Dec79 p134-142 *** Programming Instruction / Hewlett-Packard More on inexpensive plotters. Carmichael, Michael. col 2:10 Oct77 p58-59 *** Plotter / Design PLOT30: a function plotting program. Stoddard, Mike. col L1 3:5 May78 p60-61 *** Three-Dimensional Graphics Plot is incomplete without characters (Plotting)* Largeth Pichard art L3 1:11

mike. col Ll 3:5 May/8 p60-61 ***
Three-Dimensional Graphics
Plot is incomplete without characters
(plotting)**. Lerseth, Richard. art L3 1:11
Ju176 p64-72 *** Programming Instruction
Rotation algorithm (graphic designs). Bates,
Samuel. col Ll 6:1 Jan81 p328-333 ***
Graphics / Hewlett-Packard
Simplifying the curve-plotting calculation by
geometric means. Nawrocki, A. David. col 5:5
May80 p152 *** Mathematics
Some example plots. Dameron, David. col Ll
5:2 Feb80 p140-144 *** Cromemco / Art
Some plotting comments. Roberts, T.P. col 3:2
Feb78 p172-175 *** Plotter / Design
XYZ phenomenon: stereoscopic plotting by
computer. Powers, Milliam. art Ll 4:10
Oct79 p140-149 *** North Star /
Three-Dimensional Graphics
ETRY

Trees (on the virtues of LISP). Steele, Guy. col 4:10 Oct79 p192-194 *** LISP POWER SUPPLY

MER SUPPLY
Calculating filter capacitor values for computer power supplies*. Thomas, John. art 5:4
Apr80 p118-122 *** Design
Oc to DC converter. Picco, Michael. art 5:5
May80 p20 *** Design / Conversions
Line-failure indicator. Olson, Hank. col 5:11
Nov80 p86-88 *** Test Equipment / Hardware
Construction

Lonstruction
No power for your interfaces? Build a 5 W DC to
DC converter. Ciarcia, Steve. col 3:10
Oct78 p22-31 *** Hardware Construction /
Conversions
On converting 60 Hz VDM-1s to 50 Hz line current.
Mowchanuk, Timothy. col 3:6 Jun78 p130


*** Conversions


Mowchanuk, Imothy. col 3:6 Jun/8 pl.30

*** Conversions
Power-line protection circuit. Schneider, Neil.
art 5:3 Mar80 pl26 *** Design
Protection circuits. Newswanger/Schafer. col
5:9 Sep80 p96-98 *** Design
Spikes: pesky voltage transients and how to
minimize their effects. McCain, John. art
2:11 Mov77 p54-56 *** Design
Switching power supplies: an introduction.
Ciarcia, Steve. col 6:11 Nov81 p36-45 ***
Design / Hardware Construction
Tick...Tick...Tick...Booom (safety problems with
small TV sets). Jazembski, W.B. col 3:4
Apr78 p154-155 *** Video Display / Design
Watts inside a power supply. Liming, Gary. art
2:1 Jan77 p42-48 *** Design / Computer
Instruction
PREDICTIONS
Appliance computer, circa 1977. Helmers, Carl.

Instruction
PREDICTIONS
Appliance computer, circa 1977. Helmers, Carl. col 2:1 Jan77 p4+ *** Microcomputer System Excerpts from future history. Burgeson, John. art 1:14 Oct76 p116-117 *** Future Memory: the growth of a resource. Helmers, Carl. col 3:6 Jun78 p6+ *** Memory Predictions, predictions. Libes, Sol. col 6:1 Jan81 p204 *** Future
Shadow, Buck Rogers, and the home computer (home applications). Gardner, Richard. art 1:2 Oct75 p58-60 *** Home / Control / Future
This elephant never forgets (bubble memories from T1). Helmers, Carl. col 2:7 Ju177 p6+ ***
Bubble Memory
Trends in applications. Helmers, Carl. col 1:9 May76 p4-6+ *** Home
Vision of an industry (dimensions of the software publishing problem). Helmers, Carl. col 3:8 Aug78 p6+ *** Software Publishing / Pascal
PRINTER
6800 Selectric IO printer program. Guzzon,

INTER 6800 Selectric IO printer program. Guzzon, Fulvio. art L3 2:6 Jun77 p140-142 *** Utility Program / IBM / 6800 Axiom Ex800 Printer: a user's report. Bosen, R.J. hr 3:7 Ju178 p28-29 *** Hardware





ADALAB is a small lab computer system with LARGE capabilities from Interactive Microware, Inc.

ADALAB HARDWARE PACKS MORE POWER. . . for collecting data and controlling your laboratory instruments. It includes a 12-bit analog voltage input, a 12-bit analog voltage output, 8 digital sense inputs, 8 digital control outputs, a 32-bit real-time clock and two 16-bit timers/counters. .ALL ON A SINGLE APPLE INTERFACE CARD!

QUICKI/O SOFTWARE MAKES IT EASY...Simple commands in BASIC give you control of all hardware features of ADALAB. Sample programs and easy-touse manuals will enable you to start using your ADALAB system right away. Additional software for laboratory applications is available at extra cost. A complete self-test diagnostic program is included to assure you that all of the hardware is working properly and accurately.

- Saves time by eliminating manual calculations.
- Is easy to use because the manuals and software are complete and well written.
- Saves money by adding convenience and utility to older instruments.
- · Has a great memory to store and organize experimental data.
- Is versatile; it works with many different instruments.
- Is more accurate than a meter or chart recording. . Is fully supported by a dedicted team of scientists.

GREAT PRICE/PERFORMANCE. .the ADALAB Add-on Package with interface card, cables, self-test module, QUICKI/OTM software and manuals is available today for ONLY \$495.

Put a complete, reliable computer system in your laboratory FOR ONLY \$3295, including a 48K APPLE II+* computer, disk drive, graphics/text printer, video monitor and ADALAB Add-on Package.

Send for FREE hardware and software brochures or enclose \$10 for complete manuals. For fastest service, call in your VISA/Master Card order NOW. Dealer inquiries invited! *Trademarks of Apple Computer, Inc.



INTERACTIVE MICROWARE, INC.

P.O. Box 771, Dept. B State College, PA 16801 CALL (814) 238-8294 for IMMEDIATE ACTION

PMC PERSONAL COMPUTER

Ideal for small businesses, schools, colleges, homes, etc. Suitable for the experienced, inexperienced, hobbyist,



range of software already available ● Self contained, PSU, UHF modulator, and cassette ● Simple. UHF modulator, and cassette • Simply plugs into video monitor or UHF TV • Full expansion to disks and printer • Absolutely complete — just fit into mains plug.



SHARP PC1211 \$190

COMPUTER POWER THAT

ONCE FILLED A ROOM
CAN NOW BE CARRIED IN YOUR POCKET! ● Programs in BASIC ● "QWERTY" Alphabetic Keyboard ● 1.9K Random Access Memory ● Long Battery Life.

TV GAME BREAK OUT KIT

Has got to be one of the world's greatest TV games. You really get hooked. Has also 4 other pinball games and lots of options. Good kit for up-grading old amusement games



PCB, sound & vision modulator, memory chip and de-code chip. Very simple to construct. \$30.00
OR PCB \$6.00 MAIN LSI \$17.00

TTL SALE

74LS00	\$0.15	74LS74	\$0.45	74LS365	\$0.75
75LS04	\$0.15	74LS86	\$0.55	74LS373	\$2.20
74LS05	\$0.20	74LS93	\$0.90	Z80A	\$5.50
74LS10	\$0.29	74LS157	\$1.20	Z80	\$4.20
74LS32	\$0.35	74LS165	\$1.75	REG. 7805	\$0.90

SOCKETS LOW PROFILE

18 PIN **\$0.15** 20 PIN **\$0.15** 24 PIN \$0.25 40 PIN \$0.30 10V Power Adapter 600ml. \$6.90 UHF Modulators \$9.90

GET YOURSELF A NEW EPSON MX80 & MX70 PRINTER AND SAVE A FORTUNE

Price on application

Interface Cards for Apple, Pet, TRS80, and PMC — RS232 Interface Cards n necessary for parallel.

Full TRS80



COMP PRO MIXER



Professional audio mixer that you can build yourself and save over \$200.

Only \$199 for complete kit.

> power supply \$50.00

POSTAGE

ACCESSIT AUDIO ADD-ONS

LOOK!

MICROACE/ SINCLAIR USERS

8K FLOATING POINT SUPER ROM PACK

WITH NEW MANUAL

ONLY \$35

MICROACE/SINCLAIR VIDEO UPGRADE KIT

Only runs with NEW ROM (Smooth screen display)

ONLY \$29

MICROACE/SINCLAIR **16K RAM PLUS EXPANSION BOARD**

3 SLOTS WITH EXTRA POWER SUPPLY

16K \$149

ONLY 4K \$110





Please make checks and money orders payable to MicroAce or phone your order quoting Master Charge, Visa, Diners Club or American Express number for immediate despatch. Add 6% Tax for Shipments inside California. MicroAce, 1348 East Edinger, Santa Ana, California, Zip Code 92705. Telephone: (714) 547 2526

PRINTER (CONTINUED) INIER (CONTINUED)

Challenger writes on Comprint. Carlson, Edward.
col L3 6:4 Apr81 p310-312 *** Interface /
OSI / Hardware Modification
Epson MM-20 and MX-70 printers. Cohan, Kevin.
hr L3 6:5 May81 p22-34 *** Hardware Review
Guide to Baudot machines: part 1, description of Guide to Baudot machines: part 1, description of available devices. McNatt, Michael. art 2:4 Apr77 p12-17+ *** Baudot Code
Guide to Baudot machines: part 2, interfacing techniques. McNatt, Michael. art 2:5 May77 p98-104 *** Interface / Baudot Code
Guide to Baudot machines: part 3, a teleprinter test circuit. McNatt, Michael. art 2:6
Jun77 p154-157 *** Test / Interface / Baudot Code
Heath H-14 printer. Rehm, Bradford. hr L3 6:2
Feb81 p253-260 *** Hardware Review / Heath
How to drive a teletype without a UART. Jewell,
Gregory. art 2:1 Jan77 p32 *** Interface
/ Serial Input/Output / Parallel Input/Output
Image processing with a printer. Calkins, Clark.
art L3 6:2 Feb81 p220-248 *** Image
Processing Gregory. art 2:1 Jan77 p32 *** Interface / Serial Input/Output / Parallel Input/Output | Image processing with a printer. Calkins, Clarkart L3 6:2 Feb81 p220-248 *** Image Processing | Integral Data's Paper Tiger 460. Willner, Eliakim. hr L1 6:10 Oct81 p378-382 *** | Hardware Review | Interface an ASCII keyboard to a 60 mA TTY loop. Cotton, Jay. art 1:8 Apr76 p46-47 *** | Interface / Keyboard | Interface / Sevboard | Interface / Sev Codes / TRS-80 Model I
PROGRAM OPTIMIZATION
Introduction to code tightening / Mining the skip
chain for extra bytes... Gass, Geoffrey. col
L3 5:2 Feb80 p146-148 *** Assembly
Language / 6800
Low-level program optimization: some illustrative
cases. Lewis, James. art 4:10 Oct79
p168-172 *** Cases. Called St. Admirer. Act 1.10 Oct/9
pi68-172 ****
More on skip chains. Williamsen, Mark. col L3
5:9 Sep80 p318-320 *** Programming
Instruction / 6800
Optimization: a case study. Noyce, William. art
L3 3:4 Apr/8 p40-45 *** Programming
Instruction / 8080
PROGRAMMING AIDS
Aids for hand assembling programs. Pfeiffer,
Erich. art L3 4:5 May79 p238-244 ***
Assembly Language / KIM / Assembler
Coding sheet for FORTH. Bumgarner, John. col
L7 6:3 Mar81 p155-162 *** FORTH
PROGRAMMING DESIGN County Sheet for Forkin. Bomgarner, John. Colling Sheet for Forkin. Bomgarner, John. Colling Sheet Standard Sheet Sheet

PROGRAMMING INSTRUCTION (CONTINUED)

1802 op codes. Melton, Henry. art 4:6 Jun79
p146-147 *** 1802
502 gets microprogrammable instructions.

Harrod, Dennette: art L3 5:10 Oct80
p282-285 *** 6502 / Hardware Modification
6502 loop control. Campbell, Gordon. col L3
2:9 Sepon p322 *** 6502
65 *** 6502 / Hardware Modification
6502 loop control. Campbell, Gordon. col L3
3:9 Sep76 p40-53 *** 6502
AL and gaphnics. Kellerman, Edwardo. art L9
3:9 Sep76 p40-53 *** APL / Graphics
AL interpreter for microcomputers, part 2:
evaluation expression. Wimble, Mike. art 2:9
Sep77 p126-155 *** APL
APL runs circles. Nicholson, Philip. col L9
6:12 Dec81 p844-485 *** APL
APL update (difference between operators and functions). Anthony, E.H. col 2:8 Aug77
p174 *** APL
APL update (difference between operators and functions). Anthony, E.H. col 2:8 Aug77
p174 *** ASEND
154-170 *** ASEMbler / ASEMbly Language
All this just to print a quotation mark?.
Chapman, David. art L1 2:5 May77 p132-133
*** BASIC
Alpha locking in software (uppercase to lowercase conversion). Lewis, M.S. col L3 5:5 May80
p152-154 *** Conversions / Z-80
Alpha-beta pruning*. Maurer, W.D. art 4:11
Nov79 p48-96 *** Chess
Atari tutorial, part 2: graphics indirection.
Crawford, Chris. art L1 6:10 Oct81 p70-84
*** Atari / Graphics / Color Graphics
Atari tutorial, part 4: display-list interrupts.
Crawford, Chris. art L1 6:11 Nov81
p32-338 *** Atari / Graphics
Atari tutorial, part 4: display-list interrupts.
Crawford, Chris. art L1 6:12 Dec81
p166-186 *** Atari / Graphics
Atari tutorial, part 4: display-list interrupts.
Crawford, Chris. art L1 6:12 Dec81
p166-186 *** Atari / Graphics
Atari tutorial, part 4: display-list interrupts.
Crawford, Chris. art L1 6:10 Oct81 p70-84
*** Litility Program / BASIC
BASIC to assembly language inkage, Fitzgerald, PASIC of manding and pasic pas

p188-193 *** Calendar Cybernetic crayon: a low cost approach to...color graphics. Dwyer/Sweer. art L3 1:16 Dec/6 p24-29+ *** Color Graphics / IMSAI / Art Day of the week and elasped time programs. Agocs, W.B. col L1 4:9 Sep79 p126-129 *** Calendar / BASIC Design an on line debugger. Wier/Brown. art 1:8 Apr76 p56-62 *** Debugging / Assembly Lanuage 1:8 Apr76 p56-62 *** Debugging / Assembly Language Designing structured programs. Weems, Chip. art L6 3:8 Aug78 p143-154 *** Pascal / Structured Programing
Don't waste memory space (one way to squeeze fat out of text strings). Baker, Robert. art 1:16 Dec76 p58-59 *** Information Storage / ASCII / Memory
Dr Welles' economy floppy disk drivers: machine readable object code. Welles, Kenneth. art L2 2:7 Jul77 p156-157 *** Floppy Disk Drive / Bar Codes PROGRAMMING INSTRUCTION (CONTINUED)
Easy programming system (hexadecimal interpretive programming system). Weisbecker, Joseph. art 19 3:12 Dec78 pl08-122 *** Hexadecimal / COSMAC COSMAC


Efficient storage of morse character codes.
Krakauer, Lawrence. art L3 1:14 Oct76
p36-38 *** Ham Radio / Memory
Exchange evaluator for computer chess.
Spracklen/Spracklen. art L3 3:11 Nov78
p16-28 *** Chess / Z-80

FORTH extensibility or how to write a compiler in
25 words or less. Harris, Kim. art L7 5:8
Aug80 p164-184 *** FORTH / Compiler
FORTRAN and its generalizations. Maurer, W.
Douglas. art 3:12 Dec78 p194-200 ***
FORTRAN
FORTRAN FORTH / FORTH / FORTH / FORTRAN FORTRAN FORTH / FORTRAN FORTRAN FORTH / FORTRAN FORTRAN FORTH / FORTRAN FORTRA Douglas. art 5:12 Dec/8 p194-CU0 ***
FORTRAN
Fast line-drawing technique. Higgins, Mike. col
L1 6:8 Aug8l p414-416 *** Graphics
Faster BASIC for the Ohio Scientific. Sauter,
John. col L1 6:5 May8l p236-242 *** OSI
/ BASIC / 6502
Files on parade, part 1: types of files. Klein,
Mark. art 4:2 Feb/9 p186-192 ***
Information Storage / Data Structures
Files on parade, part 2: using files. Klein,
Mark. art L1 4:3 Mar/9 p32-41 ***
Information Storage / BASIC / Data Structures
First steps in computer chess programming.
Spracklen/Spracklen. art L3 3:10 Oct/8
p86-98 *** Chess / Z-80
Five useful programs for the SC/MP. Kapps,
Charles. art L3 4:11 Nov79 p172-188 ***
SC/MP
Fundamentals of sequential file processing. Styler Fundamentals of sequential file processing. Smith, Wayne. art 2:10 Oct77 pl14-127 *** Information Storage / Tape Cassette / Data Structures
Give your computer an ear for names. Munnecke,
Tom. art 11 5:5 May80 p196-200 ***
Information Storage / PET
God cents (formatting dollars and cents without
PRINT USING). Childress, James. let L1 6:2
Feb81 p150 *** BASIC
Graphic execution display (OSI). Minton, R.B.
col L1 6:4 Apr81 p34 *** OSI
Graphic manipulations using matrices.
Hungerford, Joel. art L1 3:9 Sep78
p156-165 *** Graphics / Three-Dimensional
Graphics Graphics Graphics / Inree-Dimensional Graphics Graphics Sandifur, Kathleen. art L9 6:10 Oct81 p284-300 *** Graphics / Hewlett-Packard Hewlett-Packard Graphics in depth: 3-D adds a new dimension to your display. Walters/Harris. art ll 3:5 May78 p16-18+ *** Graphics / Three-Dimensional Graphics Hidden line subroutines for three-dimensional plotting. Gottlieb, Mark. art L1 3:5 May78 p49-58 *** Plotting / Three-Dimensional Graphics
Implementing dynamic data structures with BASIC files. Carter, Ied. art Ll 5:2 FebBO p92-102 *** Information Storage / Data Structures / BASIC In praise of PASCAL. Mundie, David. col L6 3:8 Augr8 p10-116 *** Pascal / Structured Programming
Indirect addressing for the 6502. Skier, Kenneth. art L3 5:1 Jan80 p118-120 *** Information-retrieval curse. 'Indirect addressing for the 6502. Skier. Kenneth. art L3 5:1 Jan80 pl18-120 *** 6502
Information-retrieval system. Elmore/Agarwal. art 5:10 Oct80 pl14-150 *** Information Storage / Data Base Management / Data Structures
Ins and outs of CP/M. Larson, James. art L3 6:6 Jun81 p268-300 *** CP/M
Intel 8008 table of octal op codes and "old" mnemonics. col 1:2 Oct75 p84-85 *** 8008
Interact with an ELM (monitors). Gable, G.H. art 1:10 Jun76 p66-72 *** Monitor
Introduction to addressing methods. *Larretva, John. art 1:10 Jun76 p76-80 *** Machine Language / Computer Instruction
Introduction to data compression. Corbin, Harold. art L3 6:4 Apr81 p218-250 ***
Information Storage / Data Structures
Introduction to tables. Butterfield, James. art 3:4 Apr78 p18-21 *** Information Storage / Data Structures
Is the Smalltalk-80 system for children?. Goldberg/Ross. art 6:8 Aug81 p348-368 *** Smalltalk / History / Children
KIMER: a KIM-1 timer. Baker, Robert. at L3 3:7 Jul78 p12 *** Clock / KIM
Keyboard input software for the Z80. Newcom, Kerry. col L3 4:11 Nov79 p192-193 ***
Keybard / Input/Output / Z-80
Let your fingers do the talking (scanner applications)*. Ciarcia, Steve. col L1 3:9 Sep78 p94-100 *** Input/Output / Video Display
MICRO8: using BASIC to learn assembly language. Pickett, Robert. art L1 5:7 Jul80 p236-248 Display MICROB: using BASIC to learn assembly language. Pickett, Robert. art LI 5:7 Jul80 p236-248 *** Assembly Language / Simulation Machine language programming for the "8008" (CPU instruction set). Wadsworth, Nat. art 1:11 Jul76 p30-37 *** Machine Language / 8008 Machine language programming for the "8008" (fundamental skills). Wadsworth, Nat. art L3 1:13 Sep76 p84-91 *** Machine Language / 8008 1:13 Sep/b po4-51
8008
Machine language programming for the "8008"
(initial steps). Wadsworth, Nat. art 1:12
Aug76 p40-42 *** Machine Language / 8008
Maintaining a single exit point. Inselberg,
Armond. col L3 5:5 May80 p154 ***
Assembly Language

Octal pive-174 networks / Telecommunications PROLOG: a step toward the ultimate computer language. Ferguson, Ron. art L9 6:11 Nov81 p384-399 *** Languages / Robots Should the DO loop become an assembly-language construct?. Williams, Glenn. art 6:10 Oct81 p413-418 *** Assembly Language / Microprocessor Ultra-low-cost network for personal computers. Clements/Daugherty. art 6:10 Oct81 p50-66 *** Networks / ystems / Programming Design PROGRAMMING INSTRUCTION "My Dear Aunt Sally" algorithm*. Grappel, Robert. art 1:6 Feb/6 p18-25 *** Definitions / Algorithm

PRINTER PALTM

 for Epson, NEC, Okidata, Centronics, Paper Tiger and other printers.



MODEL P80 measures 14¼ "W x 13"D x 4½" High MODEL P100 measures 21" W x 13"D x 5½" High

BOTH MODELS HAVE THE FOLLOWING FEATURES:


- ★ Stores paper below printer for extra convenience and space.
- ★ Steel construction for sturdiness and durability.
- * Attractive black textured finish & rubber feet.
- Ribbon or power cable clip to keep cable away from paper feed path.
- ★ Fully adjustable paper support brackets.
- ★ High quality materials and workmanship throughout.

P80 \$29.95 P100 \$49.95 COMPLETE

SEE YOUR DEALER OR ORDER DIRECT FROM: FMJ, Inc., P.O. Box 5281, Torrance, CA 90510 (213) 325-1900

Add \$4.00 per order for shipping & handling. California residents add 6% sales tax. Please be sure to include your name, address, zip code and full payment with order.

More Tarbell Quality... S-100 CPU/IO BOARD



One of the outstanding features of this Tarbell CPU board is memory-management hardware that allows dynamic mapping of logical to 1 Megabyte of physical memory in 4K blocks. The on-board table memory may be loaded by the programmer or system software with I/O commands.

This board is also designed to implement multi-user operating systems, such as MP/M® from Digital Research and includes a crystal controlled programmable timer which can be used for time-slicing multi-tasking

operations.

Another feature is programmable priority vectored interrupt hardware that allows the programmer to selectively disable any combination of six interrupt lines.

This Zilog Z-80A CPU will run at 2 or 4 Mhz, has two RS-232 Serial I/O ports and comes with a full six-month warranty.

Jarbell

950 DOVLEN PLACE • SUITE B CARSON, CA 90746 • (213) 538-4251 ECLECTIC SYSTEMS CORPORATION

Authorized Commodore service center
Repair of the complete line of Commodore products



HARDWARE:		SOFTWARE:	- 10
CBM 8032 Computer,		OZZ	\$299
80 Column	\$1195	Wordcraft 80	299
CBM 8050 Disk Drive	1395	Tax Preparation System	380
CBM 4032 Computer,		IRMA	380
40 Column	995	Dow Jones Portfolio	
CBM 4040 Disk Drive	995	Management System	115
CBM 4022 Printer	649	Personal Tax	55
CBM VIC 20 Computer	263	Pascal	229
CBM VS100 Cassette	68	Assembler Development	
PET to IEEE Cable	33	Package	77
IEEE to IEEE Cable	39	Wordpro 4+	329
BASE Diskette, Box of 10	30		

Order TOLL FREE 1+800-527-3135

10 AM to 4 PM CDT Monday through Friday

Texas residents call 1+214-661-1370

VISA, MASTER CHARGE, MONEY ORDERS, AND C.O.D. "Certified Check" accepted.

Units in stock shipped within 24 hours, F.O.B. Dallas, Texas.
All equipment shipped with manufacturer's warranty.

Residents of Texas, Louisiana, Oklahoma City and Tulsa, Oklahoma must add applicable taxes.

Eclectic shortly will be announcing products that are designed to work with CBM systems.

- ROMIO: two RS232 ports—three parallel ports—26K EPROM memory-managed alternate character set, software controlled—EDOS (extended DOS).
- 2. Terminal program (options with ROMIO)
- 3. EPROM programmer
- 4. Front-end processor
- 5. Additional firmware to be announced

Be sure to write the address below for more information; dealer inquiries welcome.

P.O. Box 1166 • 16260 Midway Road Addison, Texas 75001 • (214) 661-1370 PROGRAMMING INSTRUCTION (CONTINUED)

Making 6502 indirect subroutine calls efficient.

Hooper/Fallgatter. col L3 5:9 Sep80
p98-100 *** 6502

Map of the TMS-9900 instruction space. Melton,
Henry. art 4:3 Mar79 p14-22 *** 9900 /
Micrograph, part 3: software and operation.
Booch, E. Grady. art L3 6:1 Jan81 p238-280

*** Color Graphics / High Resolution Graphics
Minimizing curve-plotting calculation. Bowker,
Timothy. art L9 4:12 Dec79 p134-142 ***
Plotting / Hewlett-Packard
More GOTOXY (Pascal cursor addressing).
Bolthoff, George. col L6 5:4 Apr80 p110

*** Pascal
Morse code station data handler*. Filgate, Morse code station data handler*. Filgate, Bruce. art L3 1:14 Oct76 p52-70 *** Ham Radio / 8008 Radio / 8008

Wy computer runs mazes. Stanfield, David. art
L2 4:6 Jun79 p86-99 *** Artificial
Intelligence / MIKBUG
Note on an easy programming system. Brown, Mike.
col 4:4 Apr79 p241 *** Random Numbers
Overview of LISP. Allen, John. art L9 4:8
Aug79 p10-16+ *** LISP
PASCAL: a structurally strong language. Alpert,
Stephen. art L6 3:8 Aug78 p78-88 *** Pascal
Partitioned data sets. Halsema, A.I. art 3:12
Dec78 p168-173 *** Floppy Disk Drive /
Information Storage / Data Structures
Pascal and the great race. Mundie, David. col
L6 5:9 Sep80 p94 *** Pascal / Information
Storage L6 5:9 Sep80 p94 *** Pascal / Information Storage
Plot is incomplete without characters (plotting)*. Lerseth, Richard. art L3 1:11 Ju176 p64-72 *** Plotting)
Printf for the C function library. Kern, Christopher. col L8 6:5 May81 p430-434
*** C Programming Language
Processing logical expressions (Bauer-Samelson algorithm extension). Maurer, W. Douglas. art 2:8 Aug77 p130-135 *** Machine Language / Computer Instruction
Programmable character generator, part 2: software. Weinstein, Larry, art 3:6 Jun78 p14-22 *** Graphics / Character Generator Programming entomology (debugging programs). McGath, Gary. art 3:2 Feb78 p162-166 *** Debugging / Documentation
Programming for the beginner: a structured start. Herman, Ronald. art 1:10 Jun76 p22-26 *** Structured Programming
Programming in the dark (programming 2708s).
Sainio, Jeffrey. col 5:9 Sep80 p321 *** EPROM Queuing theory, the science of wait control. part Storage EPROM
Queuing theory, the science of wait control, part
2: system tapes. Gorney, Len. art Ll 4:5
May79 p176-181 *** Simulation
Queuing theory, the science of wait control, pt
1: queue representation. Gorney, Len. art Ll
4:4 Apr79 p132-140 *** Simulation
Quiz on exclusive-OR. Lai, Edmund. col 5:10
Oct80 p278-279 *** Assembly Language
Relative subroutines for the Z80. Kitsz, Dennis.
col L3 4:12 Dec79 p87 *** Z-80. Kitsz, Dennis.
col L3 4:12 Dec79 p87 *** Z-80. Kitsz, Dennis.
Bochardt, Ottmar. col L3 5:9 Sep80
p194-202 *** Assembler
SC/MP instruction set summary. Burton, Walter. SC/MP instruction set summary. Burton, Walter. col 6:1 Jan81 p90 *** SC/MP / Assembly Language SYS 8½...your own executive commands. Nico, Willard. art 2:1 Jan77 p66-70 *** Monitor Willard. art 2:1 Jan// p66-/0 *** Monito / IMSAI Sampling of techniques for computer performance of music. Chamberlin, Hal. art L3 2:9 Sep77 p62-83 *** Music / History / KIM Self-modifying code for the TI-58/59. Green, Ted. col L3 6:1 Jan81 p142-144 *** Calculator Calculator

Similarity comparator for strings. O'Haver, T.C. col Ll 4:9 Sep79 p58-60 *** BASIC / OSI

Simple implementation of multitasking. Brown, Wendell. art 1.3 6:10 Oct81 p176-192 *** Multi-tasking / 6502

Simple maze traversal alogrithms. Allen/Allen. art 4:6 Jun79 p36-44 *** Robots / Artificial Intelligence / Algorithm

Simplify your homemade assembler. Jewell, Gregory. art L3 1:9 May76 p74-79 *** Assembler / Assembly Language

Smalltalk environment. Tesler, Larry. art L9 6:8 Aug81 p90-147 *** Smalltalk contact of the second contact of t L9 6:8 Aug81 pl68-194 *** Smalltalk / Graphics
Software for reading bar codes. Regli, Keith. art 1:16 Dec76 pl8-20 *** Bar Codes
Some words about program structure. Hearn, Albert. art L1 3:9 Sep78 p68-76 ***
Structured Programming / BRSIC
Sorting with a catch. Brady, Paul. col L1 5:9
Sep80 p322-323 *** Sorting / North Star
Sorting with binary trees. Walker, Bill. art L1 5:10 Oct80 p96-112 *** Sorting
Stacking strings in FORTH. Cassady, John. art L7 6:2 FeB81 pl52-162 *** FORTH
Stacks in microprocessors. Radhakrishnan/Bhat. art 4:6 Jun79 pl68-174 *** Microprocessor / Computer Instruction
Strike a MATCH (matching up penpals) *. Hansford, Phillip. art L3 1:10 Jun76 p48-51 ***
Altair / Assembly Language
String comparator for Horizon. Lindberg, Richard. col L1 5:2 Feb80 p86 *** BASIC / North Star PROGRAMMING INSTRUCTION (CONTINUED)
Structured programming with Warnier-Orr...,
2: coding the program*. Higgins, David.
L1 3:1 Jan78 p122-129 *** Structured 2: coding the program*. Higgins, David. art L1 3:1 Jan78 p122-129 *** Structured Programming Subroutine parameters. Maurer, W.D. art 4:7 Ju179 p226-230 *** Assembly Language Table of subroutines. Meek, Peter. col L1 4:10 Oct79 p248 *** BASIC Taking advantage of memory address space. Luscher, James. art 1:5 Jan76 p60-63 *** 8008 / Memory Ferminal width problems with the OSI Challenger. Sacks, Shel. col 6:7 Ju181 p24 *** OSI Fext compression. Peterson, James. art L1 4:12 Dec79 p106-118 *** Information Storage Tiny Pascal compiler, part 1: the P-code interpreter. Chung/Yuen. art L6 3:9 Sep78 p58-65+ *** Pascal / Compiler Top-down modular programming. Hearn, Albert. art 3:7 Ju178 p32-38 *** Structured Programming
Total kitchen information system. Lau, Ted. art 1:5 Jan76 p42-45 *** Home / Information Storage rrogramming
Total kitchen information system. Lau, Ted. art
1:5 Jan/6 p42-45 *** Home / Information
Storage
Toward a structured 6809 assembly language, part
1: an introduction... Malker, Gregory. art
13 6:11 Nov81 p370-382 *** 6809 /
Structured Programming / Assembly Language
Toward a structured 6809 assembly Language, part
2: ... assembler. Walker, Gregory. art L3
6:12 Dec81 p198-228 *** 6809 / Structured
Programming / Assembler
Tree searching, part 2: heuristic techniques.
Williams, Grego. art L1 6:10 Oct81
p199-212 *** Artificial Intelligence
Twenty-four ways to write a loop: Dr. Maurer
takes you through a loop. Maurer, W.D. art
L1 4:12 Dec79 p241-246 *** BASIC /
Assembly Language
Understanding APL. Iverson, Kenneth. art L9
2:8 Aug77 p36-40 *** APL
Understanding ISAM. Gates, Reginald. art 5:6
Jun80 p108-118 *** Information Storage /
Floppy Disk Drive / Data Structures
Use a relative subroutine call for relocatable
280 programs. Losey, George. col L3 6:10
Oct81 p366-371 *** Z-30
User-oriented descriptions of Smalltalk systems.
Reenskaug, Tryyev. art L9 6:8 Aug81
p148-166 *** Smalltalk / Business
Using interrupts to speed up an ELM. Gable, G.H.
art 2:1 Jan/7 p106-114 *** Monitor
Variable type converter for numerical quantities.
Moskowitz, Mike. col L1 6:2 Feb81
p271-272 *** Conversions / Hewlett-Packard /
BASIC
Variable-duty-cycle algorithm. Stryker, Timothy.
col L1 6:10 Oct81 p391-393 *** Algorithm BASIC
Variable-duty-cycle algorithm. Stryker, Timothy.
col ll 6:10 Oct81 p391-393 *** Algorithm
Variables whose values are strings. Maurer, W.D.
art 4:10 Oct79 p90-97 *** Information art 4:10 Oct79 p90-97 *** Information
Storage
Warnier-Orr diagrams: some further thoughts.
Wedemeyer, G.T. col 11 3:5 May78 p145-148
*** Structured Programming / BASIC
What have you found? (undefined op codes).
MacLean, Dave. col 3:10 Oct78 p57 *** KIM
What is APL7*. Arnold, Mark. art 1:15 Nov76
p20-24+ *** APL / Languages
What is FORTH?: a tutorial introduction*. James,
John. art L7 5:8 Aug80 p100-126 ***
FORTH / Bibliography
Why people get hooked on APL. Atwood, Allen.
art 2:8 Aug77 p108-113 *** APL
Write your own assembler*. Fylstra, Dan. art
L3 1:1 Sep75 p50-58 *** Assembler
KF and X7 instructions of the MOS Technology
6502. Gordon, H.T. col 2:12 Dec77 p72 ***
6502
Z80 table lookup. McCloud, Thomas. col L3 6:6 Z80 table lookup. McCloud, Thomas. col L3 6:6 Jun8l p168-174 *** Z-80 Z80 user stack emulation. Gelder, Allen. col L3 5:1 Jan80 p208-210 *** Z-80 6800
6800 anti wipeout procedure (SWI instruction).
Worstell, Charles. col L3 1:16 bec76 pl32
*** 6800 /
8 bit fractional multiplication. Chayut, Ira.
col L3 1:13 Sep76 pl24 *** 6800 /
Mathematics
ASCII string program. Comer, William. col L3
4:10 Oct79 p246-248 *** ASCII / 6800
Add this 6800 MMRSER to your amateur radio
station. Grappel/Hemenway. art L3 1:14
Oct76 p30-35 *** Ham Radio / 6800
Assembling programs by hand. Helmers, Carl. art
L3 1:7 Mar76 p52-61 *** Assembly Language
6800
BASIC timing delay (for 6800 computers)* / o800
BASIC timing delay (for 6800 computers)*. Worth, Gregory. col l3 2:7 Ju177 pl66 *** 6800
Beware compromising the stack pointer. Pittman, Tom. col 3:6 Jun78 pl36-l37 *** 6800 / Clock Clock
Build an intercomputer data link. Wingfield,
Mike. art L3 6:4 Apr8l p252-288 ***
Telecommunications / Networks / 6800
Condensed reference chart for the 6800.
Borrmann, Robert. art 2:7 Ju177 p42-43 ***

PROGRAMMING INSTRUCTION (CONTINUED)
Easy way to calculate sines and cosines.
Grappel, Robert. art L3 4:4 Apr79 p170-171
*** Mathematics / 6800 urappel, Kobert. art L3 4:4 Apr/9 p1/0-1/1
*** Mathematics / 6800

Expanding the Tiny Assembler. Emmerichs, Jack.
art L3 2:9 Sep77 p44-49 *** Assembler /
6800 / SWTPC

Filling 6800 op code holes. Jones, Robert. col
4:3 Mar/9 p184-185 *** 6800

Fooling with the stack pointer. Pittman, Tom.
col L3 3:7 Jul78 p115-116 *** 6800

Hand assembling M6800 relative addresses. Boaz,
Ray. art 3:4 Apr/8 p46 *** 6800 /
Assembly Language

If only Sam Morse could see us now*. Sewell,
Wayne. art L3 1:14 Oct76 p42-49 *** Ham
Radio / 6800 / SWTPC
Little bit on interrupts. Wier, Robert. art
2:12 Dec77 p118-129 *** 3080 / 6800 / 6502
More on skip chains. Williamsen, Mark. col L3
5:9 Sep80 p318-320 *** Program Optimization
/ 6800

Morse code trainer*. Bernstein, Mark. art L3 5:9 Sep80 p318-320 *** Program Optimization / 6800

Morse code trainer*. Bernstein, Mark. art L3 4:12 Dec79 p247-249 *** Ham Radio / 6800

Motorola 6800 instruction set: two programming points of view. Jessop, Paul. art 3:1 Jan78 p34-85 *** 6800

Randomize your programming. Grappel, Robert. art L3 :113 Sep76 p36-38 *** Random Numbers / 6800

Relocatability and the long branch. Borrmann, Robert. art L3 2:10 Oct77 p26-29 **** 6800


Son of Motorola (or, the \$20 CPU chip). Fylstra, Daniel. art L3 1:3 Nov75 p56-62 *** Microprocessor / 6800 / 6501

SwTPC 6800 display routine / 6800 register display. Hayes, Mike. col L3 4:5 May79 p220-222 *** 6800 / SWTPC

Undocumented M6800 instructions. Wheeler, Gerry. col 2:12 Dec77 p46-47 *** 6800

Using interrupts for real time clocks*. Smith, M.F. art L3 2:11 Nov77 p50-53 *** Clock / Hardware Construction / 6800 Using interrupts for real time clocks*. Smith, M.F. art L3 2:11 Nov77 p50-3 *** Clock / Hardware Construction / 6800

8080 free memory search. Hand, William. col L3 4:6 Jun79 p207-208 *** 8080 / Memory 8080 microprocessor op code table. Baker, Robert. art 1:6 Feb76 p84 *** 8080 / Assembly Language 8080 programming notes. Krystosek/McCarty. art L3 2:5 May77 p136-138 *** 8080 art L3 2:10 Oct77 p70-77 *** Simulation / 8080 Nd0 simulator. Chung, Kin-man. art L3 2:10 Oct77 p70-77 *** Simulation / 8080 Add some BARC to your 8080. Howerton, Charles. art L3 2:2 Feb77 p132-139 *** 8080 / Utility Program Assembly language switching (8080 programming). Chayut, Ira. col L3 4:8 Aug79 p2½2-213 *** 8080 wild this mathematical function unit, part 2: software. Guthrie, R. Scott. art L3 1:14 Oct76 p74-80 *** Mathematics / Hardware Construction / 8080 Can your computer tell time?. Hogenson, James. art L3 1:4 Dec75 p82-87 *** Clock / 8080 Critique of self-modifying code. Newcomer, Joseph. col L3 2:5 Jun77 p112-115 *** Utility Program / 8080 Explore an 8080 with Educator-8080*. Howerton, Charles. art L3 1:11 Ju176 p22-29 *** Computer Instruction / Education / 8080 Indirect I/O addressing on the 8080. Zarucki Paul. col L3 6:8 Aug81 p204-226 *** Mathematics / 8080 Integer math package for the 8080. Carbrey, Bruce. art L3 6:5 May81 p204-226 *** Mathematics / 8080 Intel 8080 microprocessor instruction set. Clist, R.S. col 4:7 Jul79 p222-224 *** 8080 Intel 8080 microprocessor instruction set. Clist, R.S. col 4:7 Jul79 p222-224 *** 8080 Intel 8080 microprocessor instruction set. Clist, R.S. col 4:7 Jul79 p222-224 *** 8080 Intel 8080 poced table. Dittrich, Fred. art 1:5 Jan76 p50-51 *** 8080 Intel 8080 pcocessor. Harrentl, D. Markin, art 5:3 May8 p168-169 *** 8080 Intel 8080 pcocessor. Harrentl, D. Markin, art 5:3 Mar80 p194-207 *** 8080 / G800
Decisions, decisions (+ or - signs for numbers).
Gass, Geoffrey. col L3 5:5 May80 p190 ***
G800 / Mathematics
Designing the "Tiny Assembler": defining the
problem*. Emmerichs, Jack. art L3 2:4
Apr77 p60-67 *** Assembler / 6800
Easy to use hashing function. Kinzer, Don. art
L3 4:10 Oct79 p200-204 *** Hashing / 6800 8080
Relocating 8080 system software. Lipham, John. art L3 5:1 Jan80 pl80-192 *** Utility Program / 8080
Simultaneous input and output for your 8080.
Maurer, W.D. art L3 4:5 May79 pl64-172
*** Input/Output | 8080



The Price Is Nice.



Single Board Technology

 CP/M is a registered trademark of Digital Research, Inc. A Z80A CPU combined with the CP M* operating system opens new vistas to software availability for eight-bit micros. FORTRAN, COBOL, BASIC, APL, PL 'I and Pascal are available now to accomodate today's scientific, educational, sophisticated small business and personal system users.

Basic system with: 600K bytes \$2995

- 1.2 megabytes \$3995
- 2.4 megabytes \$4995
- 4MHz Z80A CPU
- CP/M 2 operating system
- 64K 200ns main memory
- 8-inch dual floppy drives
- · 50-pin expansion connector
- · 2-serial ports
- 2-parallel ports
- · 4-counter/timers
- Hard disk options available

Sid Illaystems, Inc.

(617) 373-1599

P.O. Box 1225,2 Washington Street, Haverhill, Ma. 01830


ROBOTS

The Future Arrives

Intelligent machines are rapidly appearing in homes, automobiles, offices and factories. Affordable cameras, speech synthesizers, and even robot arms are now on the market. Such advances are giving microcomputers the power to see, hear, grasp objects, and to move around the room. Where can you learn about this technology? In Robotics Age Magazine,

the journal of intelligent machines. Robotics Age reports the experience of hobbyists building their own robots, the latest products from industry, and the most powerful techniques from research labs. The face of the world is changing. Join us as we enter the Robotics Age.

YES! I want to stay up-to-date on this fascinating new technology!



V.I.P.'s Call A.E.

V.I.P's call A.E.I. because A.E.I. tests before shipping, has expertise on all items offered, and is price competitive.



TELEVIDEO COMPUTER

	List	Sell
System 1 Computer	3995	CALL
System 2 Computer	8995	CALL
System 3 Computer	19995	CALL
TS-80 user station	1795	CALL



TELEVIDEO TERMINALS

	List	Sell
910 Terminal	699	585
912C Terminal	925	675
920C Terminal	995	730
950 Terminal	1 195	950
550 remina	1193	



NEC PRINTERS

3510-1 30CPS Serial	List 2450	Sell 2050
7710-1 55CPS SERIAL	CALL	CALL
7720-1 KSR Serial	CALL	CALL
5510-1 55CPS Serial	3055	2495
5520-1 KSR Serial	3415	2895



NORTHSTAR HORIZON

COMITO	LINO	
	List	Sell
HRZ-2D-32K	3695	2495
HRZ-2D-64K	4195	2895
HRZ-2Q-32K	3995	2890
HRZ-2Q-64K	4495	3250
HDS-18 Hard Disc	5374	3890



, , , , , , , , , , , , , , , , , , ,	-
List	Sel
399	. 29
299	23
499	36
999	79
599	47
599	47
1	
	399 299 499 999 599



TEXAS INSTRUMENTS PRINTERS

	List	Sell
TI-810 BASIC	1895	1495
TI-810 Full ASCII	1995	1580
TI-810 FLC/CP	2195	1760
TI-820 R/O BASIC	1995	1625
TI-820 KSR Package	2395	1950



NORTHSTAR ADVANTAGE COMPUTER

	List	Sell
ADV-2Q-64K	3995	CALL
SIO Board	175	CALL
PIO Board	200	CALL
FPB Board	399	CALL
Graphics Option	299	CALL



SYSTEMS GROUP

	List	Sel
2800 Computer	5035	359
DM-6400 Memory	760	58
DMB-6400 Memory	995	73
CPC-2813 CPU+I/O	460	36
DC-2801 Controller	465	37
,		



QUME PRINTERS

	List	Sell
Sprint 9 35CPS R/O	1995	1700
Sprint 9 45 CPS R/O	2300	2000
Sprint 9 55 CPS R/O	2400	2050
Full Control Option	155	150
Memory Option	150	150



MORROW DECISION COMPUTER

	List	Sell
Decision 1 BASIC	1725	1350
Decision 2	CALL	CALL
65K Static Ram	1000	780
Switchboard I/O	259	210
Select drives from Mor	row disc s	ystems
for desired con	nfiguration	



	List	Sell
Discus 2D 1 Drive	1095	850
Discus 2D 2 Drive	1875	1450
Discus 2+2 1 Drive	1395	1150
Discus 2+2 2 Drive	2495	1945
M26 Hard Disc	4495	3525
M20 Hard Disc	4795	3850



MODEMS

	List	Sell
Cat Modem	189	140
D-Cat	199	150
Auto-Cat	249	190
Apple-Cat	389	310
DC Hayes Micro-100	379	330



ZENITH DATA SYSTEMS

VM-121 Green Monitor	List 160	Sell 125
Z-19 Terminal	995	750
Z-89 Computer	2895	2140
Z-90 Computer	3195	2490
-Call for Accessor	y Pricing	-
Peachtree Software	Availab	le



MICROPRO SOFTWARE

	List	Se
Wordstar	495	30
Apple Wordstar	375	27
Spellstar	250	19
Mailmerge	150	10
Datastar	350	25
Supersort	250	19
5		



DISCS-CABLES

	List	Sell
Memorex 5" 1D	47	27
Memorex 5" 2D	55	36
Memorex 8" 1D	65	40
Memorex 8" 2D	70	45
RS-232 5' Cable	30	20
RS-232 10' Cable	40	2

-SEE THESE PRODUCTS AND MORE IN OUR SHOWROOM-PRICES CHANGE DAILY—CALL OR VISIT FOR CURRENT PRICING



AUTOMATED EQUIPMENT, INC.

(714) 963-1414 (800) 854-7635

431

PROGRAMMING INSTRUCTION (CONTINUED)
Software addressing modes for the 8080.
Bozinovic, Dragan. col L3 6:3 Mar81
p236-240 *** 8080
Software for the economy floppy disk. Welles,
Kenneth. art L3 2:6 Jun77 p88-97 ***
Floppy Disk Drive / Input/Output / 8080
Stack it up. Allen, Charlton. art L3 4:11
Nov79 p140-148 *** Computer Instruction /
8080
TIMOUT 8080 time dalay mounties)

8080 - Computer Instruction /
TIMOUT (8080 time delaw routine). Strangio, C.
col L3 3:11 Nov78 p74 *** 8080
Trapping technique for the 8080. Schulein, John.
art L3 2:8 Aug77 p158-161 *** Debugging
/ 8080

/ 8080
Writing animated computer games*. Estep, Tony.
art L3 4:11 Nov79 p152-170 *** Animation
/ Games / 8080
Z80 op codes for an 8080 assembler*. Powers,
William. art 5:6 Jun80 p64-84 *** Z-80 /
8080 / Assembler

APPLE II

Bits and bytes in Pascal: and other binary wonders. Casseres, David. art L6 6:10 Oct81 p448-457 *** Pascal / Documentation / Apple II

Game of left/right. Smith, Truck. art L1 6:12 Dec81 p278-298 *** Games / Apple II

Micromodem support in Apple Pascal. Robinson, Scott. art L6 6:7 Ju181 p308-324 *** Modem / Pascal / Apple II

Notes on absolute location interfaces to Apple Pascal. Sokol, Daniel. col L6 5:9 Sep80 p324-325 *** Pascal / Apple II

Recursive procedures for the 6502 microprocessor. Dennis, Phillip. col L3 6:10 Oct81 p467-469 *** 6502 / Apple II

ROBOTAM Feigel, Curtis. sr 6:12 Dec81 p24-34 *** Software Review / Games / Apple II

SWEIT 16: the 6502 dream machine (Apple pseudo machine interpreter)*. Wozniak, Stephen. art L3 2:11 Nov77 p150-159 *** Apple II / Interpreter / 6502

Shape table conversion for the Apple II. / Partyka, Dave. col L1 4:11 Nov79 p63 *** High Resolution Graphics / Apple II / Conversions

Tree searching, part 1: basic techniques. Williams, Gregg. art L1 6:9 Sep81 p72-106 *** Artificial Intelligence / Apple II / Puzzles

*** Artificial Intelligence / Apple II / Puzzles
Unlimited precision division. Raskin, Jef. art
L1 4:2 Feb79 p154-156 *** Mathematics / Apple II / BASIC
Using interrupts on the Apple II system. White, George. art L3 6:5 May81 p280-294 ***
6502 / Apple II
Using page two with Apple Pascal turtle graphics.
Wallace, Bruce. col L6 6:5 May81 p122
*** Graphics / Pascal / Apple II

CONTROL
Building control structures in the Smalltalk-80
system. Deutsch, L. Peter. art L9 6:8
Aug81 p322-346 *** Smalltalk / Design /
Control Structures

DESIGN

DESIGN

Add macro expansion to your microcomputer, part 2. Brown, David. art 5:11 Nov80 p361-371 *** Assembler / Design

Approaching game program design. Stuck, H.L. art 4:2 Feb79 p120-126 *** Games / Design

Building control structures in the Smalltalk-80 system. Deutsch, L. Peter. art L. 9 6:8

Aug81 p322-346 *** Smalltalk / Design / Control Structures

Data-base management systems: powerful newcomers to microcomputers. Gagle/Koehler. art L. 1 6:11 Nov81 p97-122 *** Data Base Management / Programming Design / North Star

Is this really necessary? A first look at design techniques. Williams, Gregg. col 6:3 Mar81 p6-10+ *** Programming Design

Smalltalk-80 system. Xerox Learning Group. art 6:8 Aug81 p36-48 ** Smalltalk / Design

Structured programming with Warnier-Orr diagrams, part 1: design. Higgins, David. art 2:12 Dec77 p104-110 *** Structured Programmin / Design

Mhat's inside Radio Shack's color computer?*.

Design What's inside Radio Shack's color computer?*.
Ahrens/et al. art 6:3 Mar81 p90-130 ***
TRS-80 Color / 6809 / Design

GAMES

APL/S: an alternative. Brown, Robert. col L9
4:12 Dec79 p88-99 *** APL / Games
Approaching game program design. Stuck, H.L.
art 4:2 Feb79 p120-126 *** Games / Design
BASIC Star Trek trainer*. Herd, Gerald. art L1
1:13 Sep76 p40-42 *** Games / Data General
BREAKFORTH into FORTH. Miller/Miller. art L7
5:8 Aug80 p150-163 *** FORTH / Games /
TRS-80 Model I
Computer models for board games. Yost, Russell.
art 2:1 Jan/7 p78-81 *** Games
Game of left/right. Smith, Truck. art L1
Dec81 p278-298 *** Games / Apple II
Hexpawn: a beginning project in artificial
intelligence. Wier, Robert. art 1:3 Nov75
p36-40 *** Artificial Intelligence / Games
How to build a maze. Matuszek, David. art 6:12
Dec81 p190-196 *** Puzzles / Games
How to implement Space War (or using your
oscilloscope as a telescope). Kruglinski,
Dave. art L3 2:10 Oct77 p86-111 ***
Games / Graphics / Arcade

PROGRAMMING INSTRUCTION (CONTINUED)
Jeu de NIM, Peut Etre? (NIM for the SR-52)*.
Chance, Alain. col L2 2:7 Ju177 p90-91
*** Games / Calculator /
Life line 2*. Helmers, Carl. art 1:2 Oct75
p34-42 *** Games / Life
Life line 3. Helmers, Carl. art 1:4 Dec75
p48-55 *** Games
Life line. Helmers, Carl. art 1:1 Sep75
p72-80 *** Games / Life
Programming strategies in the game of Reversi*.
Mags, Peter. art L1 4:11 Nov79 p66-79
*** Games / Sol. / Strategy
Programming the game of Go. Millen, Jonathan.
art 6:4 Apr81 p102-120 *** Games / KIM /
Strategy
Robotwar. Feigel, Curtis. sr 6:12 Dec81
p24-34 *** Software Review / Games / Apple II
Simulating human decision-making on a personal
computer. Frey, Peter. art 5:7 Ju180
p56-72 *** Games / Othello / Artificial
Intelligence

pbb-// *** wames / utnerio / attricts.
Intelligence
Spacewar in Tiny BASIC: navigating through
Integer BASIC. Beard, David. art Ll 4:5
May/9 pl10-l15 *** Tiny BASIC / Mathematics

May/9 p110-115 *** Tiny BASIC / Mathematics / Games
Structured program design. Higgins, David. art
L1 2:10 Oct77 p146-151 *** Structured
Programming / Games
Tic-Iac-Toe: a programming exercise*. Hinrichs,
Delmer. art L1 4:5 May/9 p196-203 ***
Games / Strategy
Tic-tac-tactics. Miller, John. col 4:10 Oct79
p175 *** Games
Writing animated computer games*. Estep, Tony.
art L3 4:11 Nov79 p152-170 *** Animation
/ Games / 8080
Zork and the future of computerized fantasy
simulations. Lebling, P. David. art 5:12
Dec80 p172-182 *** Games / Simulation /
Fantasy

HARDWARE CONSTRUCTION
Add a stack to your 8008*. Chamberlin, Hal. art
L3 1:2 Oct75 p52-55 *** Hardware
Construction / 8008
Build this mathematical function unit, part 2:
software. Guthrie, R. Scott. art L3 1:14
Oct76 p74-80 *** Mathematics / Hardware
Construction / 8080
More information on PROMS*. Smith, Roger. art
L3 1:9 May76 p28-34 *** PROM / Hardware
Construction
Progam those 2708s1. Glaser, Robert. art L3
5:4 Apr80 p198-210 *** EPROM / Hardware
Construction / 8080
Program your next EROM in BASIC*. Ciarcia,
Steve. col L1 3:3 Mar78 p84-93 *** EPROM
/ Hardware Construction
Using interrupts for real time clocks*. Smith,
M.F. art L3 2:11 Nov77 p50-53 *** Clock
/ Hardware Construction
Versatile read only memory programmer. Helmers,
Peter. art 1:3 Nov75 p66-71 *** Hardware
Construction / PROM
Zapper: a computer driven EROM programmer*.
Gable, G.H. art L3 3:12 Dec78 p100-106
*** EPROM / Hardware Construction

MATHEMATICS

MATHEMATICS

8 bit fractional multiplication. Chayut, Ira. col L3 1:13 Sep76 pl24 *** 6800 / Mathematics
Analysis of polynomial functions with the TI-59 calculator, part 1. Chance, Pierre. art L2 4:12 Dec79 pl20-133 *** Mathematics / Calculator

4:12 Dec/9 p120-133 *** Mathematics / Calculator
Build this mathematical function unit, part 2: software. Guthrie, R. Scott. art L3 1:14 Oct76 p74-80 *** Mathematics / Hardware Construction / 8080

Oct/o p/4-80 *** Mathematics / Hardware Construction / 8080
Computing the determinant of a matrix. Flynn, Brian. col L1 6:3 Mar81 p152-154 *** Mathematics / TRS-80 Model I Decisions, decisions (* or - signs for numbers). Gass, Geoffrey. col L3 5:5 May80 p190 *** 6800 Mathematics
Easy way to calculate sines and cosines. Grappel, Robert. art L3 4:4 Apr79 p170-171 *** Mathematics / 6800
Elements of statistical computation. Forsythe, Alan. art L1 4:1 Jan79 p182-184 *** Statistics / Mathematics / BASIC Fast, ancient method for multiplication. Nyberg, Jostein. col L3 6:10 Oct81 p376-377 *** Mathematics / 6602
Integer math package for the 8080. Carbrev.

Jostein. col L3 6:10 Oct81 p376-377 ****
Mathematics / 6502
Integer math package for the 8080. Carbrey,
Bruce. art L3 6:5 May81 p204-226 ***
Mathematics / 8080
Math in the real world. Boney, Joel. art L9
3:9 Sep79 p114-119 *** Mathematics /
Microprocessor
Novel 8 bit multiplication. Glaeser,
Christopher. col L3 2:7 Ju177 p142 ***
Mathematics / 8080
Power of the HP-67 programmable calculator, part
2. Arp, Robert. art L2 4:4 Apr79 p176-188
*** Mathematics / Calculator
Processing algebraic expressions part 2. Maurer,
W. Douglas. art 1:7 Mar76 p62-67 ***
Compiler / Mathematics
Processing algebraic expressions. Maurer, W.
Douglas. art 1:6 Feb76 p26-30 ***
Mathematics
Recurrence in numerical analysis. Davidson,
James. art L1 6:4 Apr81 p20-30 ***
Mathematics

PROGRAMMING INSTRUCTION (CONTINUED)
Recursion and side effects in Pascal.
Morris/Perchik. art L6 6:5 May8l p316-324
*** Pascal / Mathematics
Simple algorithms for calculating elementary
functions. Rheinstein, John. art L1 2:8
Aug77 p142-145 *** Mathematics / Algorithm
Spacewar in Tiny BASIC: navigating through
Integer BASIC. Beard, David. art L1 4:5
May79 p110-115 *** Tiny BASIC / Mathematics
/ Games

May79 pl10-115 *** Tiny BASIC / Mathematics / Games Symbolic differentiation a la LISP. Nicol, Ronald. art L9 *6:9 Sep81 p216-234 *** LISP / Mathematics / TRS-80 Model I Trigonometry in two easy black boxes. Ball, John. art L1 4:5 May79 p184-194 *** Mathematics Unlimited precision division. Raskin, Jef. art L1 4:2 Feb79 p154-156 *** Mathematics / Apple II / BASIC WRITELONG: a Pascal simulation of long-integer output. Hunt, Daniel. col L6 6:11 No81 p414-415 *** Pascal / Mathematics What's in a floating point package? Linker, Sheldon. art 2:5 May77 p62-66 *** Mathematics / Computer Instruction

TRS-80 MODEL I
BREAKFORTH into FORTH. Miller/Miller. art L7
5:8 Aug80 p150-163 *** FORTH / Games /
TRS-80 Model I
Computing the Land

TRS-80 Model I
Computing the determinant of a matrix. Flynn, Brian. col ll 6:3 Mar81 pl52-154 ***
Mathematics / TRS-80 Model I
Exploring TRS-80 graphics. Yeager, George. art L2 4:8 Aug79 p82-84 *** Graphics / TRS-80 Model I / Z-80
P0Q: a data manager for beginners. Swanson, Paul. art Ll 6:11 Nov81 p236-262 ***
Data Base Management / Inventory / TRS-80 Model III

Some notes on modular assembly programming. Lewis, James. art L3 4:12 Dec79 p222-226 *** Assembly Language / Sound Effects / TRS-80 Model I

Model I
Speeding up TRS-80 graphics. Bobo/Knoderer. art
Ll 6:5 May8l pl7l-184 *** Graphics /
TRS-80 Model I
Symbolic differentiation a la LISP. Nicol,
Ronald. art L9 6:9 Sep8l p216-234 ***
LISP / Mathematics / TRS-80 Model: I

OM

Aargh! (or, how to automate PROM burning without EML). Helmers, Peter. art 1:8 Apr76 p34-35

*** Hardware Construction

More information on PROMs*. Smith, Roger. art L3 1:9 May76 p28-34 *** Programming Instruction / Hardware Construction

Pick up BASIC by PROM bootstraps. Kreitner, Jim. art L3 2:1 Jan77 p50-51 *** Utility Program / Altair / Hardware Construction

Read only wempries in microcomputer memory

Read only memories in microcomputer memory address space. Eichbauer, Dale. art 1:9 May76 p24-26 *** ROM / Computer Instruction Versatile read only memory programmer. Helmers, Peter. art 1:3 Moy75 p66-71 *** Hardware Construction / Programming Instruction IISHING

Peter. art 1:3 Nov75 p66-71 *** Hardware Construction / Programming Instruction

PUBLISHING
BYTE cumulative index: September 1975 - December 1981. col 6:12 Dec81 p370+ *** Indexing / Information Sources

BYTE goes international (Australian and Japanese editions). Helmers, Carl. col 2:3 Mar77 p14+ *** International Microcomputing

Books as an antidote to the CAI blues, or take a publisher to lunch. Dwyer, Tom. col 5:7 Jul80 p74-24 *** Computer Assisted Instruction / Education / Software Publishing Consistency - or a lack thereof...(BYTE standards for Pascal listings). Helmers, Carl. col 3:8 Aug78 p89 *** Pascal / Standards CourseWare magazine. Holden, Elaine. sr 6:11 Nov81 p166-172 *** Software Review / Education

Don't ignore the high end...or my search for manuscript editing paradise. Helmers, Carl. col 3:3 Mar78 p6+ *** Word Processing / Text Edition of the processing / Text E

p9+ *** History Notes on the appearance of BYTE (computerized typesetting). Helmers, Carl. col 4:8 Aug79 p158-159 ***

typesetting). Helmers, Carl. col 4:8 Aug79 p158-159 ***

On entering our fourth year. Helmers, Carl. col 3:9 Sep78 pō ***

On using a personal computer for practical purposes. Helmers, Carl. col 3:10 Oct78 p6+ *** BYTE Survey

Our new offices (BYTE headquarters). art 1:6 Feb76 p14 ***

Proposed standard for publishing binary data in machine readable form. Banks/Sanderson. art 1:15 Nov76 p10-14 *** Standards / Binary / Software Publishing

Reflections on entry into our third year. Helmers, Carl. col 2:9 Sep77 p6+ ***

History

Surveying the field (BYTE reader survey). Helmers, Carl. col 2:5 May77 p5-9+ ***

Marketing / BYTE Survey

What is BYTE? - (the first) editorial. Helmers, Carl. col 1:1 Sep75 p4-6 *** History

What is BYTE? - (the first) editorial. Helmers, Carl. col 3:1 Jan78 p6+ ***

Computers and Society







1981 Christmas Special

he Rusinessman

Fo	r the Businessma	n	For the Beginner
Atari 800*	OUR PRICE	LIST	OUR PRICE Atari 400 * \$350.00 Atari 410 * \$69.00 Programmer Kit * \$56.00 NORMALLY \$475.00 SPECIAL PRICE \$455.00 SAVE AN ADDITIONAL \$ \$20.00 **Tree with the purchase of any Xan 400 or 8 you will receive a Hex and Crypt Banngame Cass:
Atari 810	\$ 810.00	\$1080.00	
Atari 825	\$ 460.00	\$ 599.95	
Atari 830	\$ 680.00	\$ 799.95	
Atari 850	\$ 176.00	\$ 199.95	
NORMALLY	\$ 2280.00	\$ 219.95	
SPECIAL PRICE	\$ 170.00	\$2899.80	

PLUS MANY OTHER SPECIALS

SAVE 20% OFF ALL ATARI® SOFTWARE PLUS 3RD PARTY SOFTWARE AT COMPARABLE SAVINGS INCLUDING: VISICALC, LETTERPERFECT WORD PROCESSOR.



PLUS MUCH MUCH MORE AXLON, ALTOS, COMMODORE, DIABLO, EPSON AND MANY OTHERS.

TO ORDER: CREDIT CARD OR C.O.D. CUSTOMERS * CALL 617-964-3080 instock items shipped within 24 hours (most items continuously stocked) *credit card and C.O.D. customers add 3%; Mass residents add 5% sales tax When phoning in orders, ask for Mail Order.



The Bit Bucket

1355 Washington Street (Rt. 16) West Newton, MA 02165 617-964-3080

68000

ERG68-696 68000 CPU in production. Meets or exceeds IEEE696 S-100 standard.

\$1995

Available software: Z80 emulator, 68K FORTH systems language, Whitesmiths' UNIX-like IDRIS-O/S with C or Pascal compilers.

Integrated 68000 systems also available.

Special offer: 68K Mini-System \$7395 CPU, 4 port I/O, 64K static RAM, 68K FORTH O/S and compiler, 10 slot mainframe, (2) 8" D/D, D/S floppy drives or a 5MB 51/4" hard disk drive.

Empirical Research Group, Inc.


PO Box 1176 Milton, WA 98354 206-631-4855

McGraw-Hill **Bookstore**

The Number One **Bia Business of the Century!**

THE COMPUTER ESTABLISHMENT

by Katherine Davis Fishman



- How it developed
- · Where is it going
- · Who are the scientists and entrepreneurs behind it
- What about the corporate power struggles
- Who are those resourceful upstarts

Published by Harper & Row

The inside story of America's fastest growing industry

This comprehensive study (10 years in preparation) draws on hundreds of interviews and internal corporate papers to trace the greatest business triumph of the twentieth century.

It shows how decisions are made, strategies planned, and power wielded; the influence of Wall Street, why some high-flying-technology companies succeed while others fail; the corporate upheaval that technology can bring, and some future technological developments. \$20.95

Please print clearly

McGraw-Hill Bo	okstore 1221 Ave. of the N.Y., N.Y. 10020	e Americas BY1
Please send me_ by Katherine Day	copies of Th is Fishman @ \$20.95 e	e Computer Establishment ach.
Check, money or	der or credit card only	
		MasterCard
Account No		Expires
Name		
Address	AND REAL PROPERTY.	
City	State	Zip
	cable sales tax plus \$2.50	each for postage and handling.

PUBLISHING (CONTINUED)
What's wrong with technical writing today?.
Morgan, Chris. col 5:12 Dec80 p6-12+ ***

Morgan, Chris. col 5:12 Dec80 p6-12+ ***
Writing
Who reads BYTE?. Helmers, Carl. col 5:10
Oct80 p6-14 *** BYTE Survey
PUZZLES
8080 bug in the stack: programming puzzle.
Dolan, Bruce. col L3 2:4 Apr77 p161 *** 8080

8080
Added attraction (machine language puzzle).
Strangio, C. col 4:5 May79 p209 *** 8080
Bending BASIC in a recursive form (Towers of Hanoi puzzle). Newell, Colin. col L1 5:9 Sep80 p321 ***
How to build a maze. Matuszek, David. art 6:12 Dec81 p190-196 *** Games / Programming Instruction

Dec61 p190-196 *** Games / Programming Instruction
Infamous traveling-salesman problem: a practical approach. Parry/Pfeffer. art L1 6:7 Jul81 p252-290 *** Mathematics / Energy / SWTPC KNIGHT: a knight's tour problem in MMSFORTH*. Frei, Ulrich. col L7 6:2 Fe881 p325 *** FORTH / TRS-80 Model I / Chess Machine problem solving, part 1: trial-and-error, a mechanical plan... Frey, Peter. art L1 5:9 Sep80 p102-112 *** Artificial Intelligence / TRS-80 Model I Machine problem solving, part 2: directed search using cryptarithmetic. Frey, Peter. art L1 5:10 Oct80 p265-272 *** Cryptology / TRS-80 Model I Memory meanderings (8080 machine language

Model 1
Memory meanderings (8080 machine language
puzzle)*. Strangio, C. col L3 4:1 Jan/9
p52 *** 8080

Note: The stranging of the language process of

puzzle)* Strangio, C. col L3 4:1 Jan79
p52 *** 8080
MicroShakespeare revisted or Kilobard. Kalnik,
Andrew. col 6:4 Apr81 p98-100 *** Humor
Odd tones (Machine language puzzler - 6800 and
8080). Strangio, C. col L3 4:3 Mar79 p92
*** 8080 / 6800
Puzzling rotation. Barbier, Ken. col L1 4:5
May79 p216 *** Mathematics
Responses to "Solving the Eight Queens Problem"
col L1 4:2 Feb79 p132-148 *** Chess
Seven bridges of Konigsberg / Direct cursor
addressing in UCSD Pascal. Helmers, Carl. col
L6 5:2 Feb80 p6-10 *** Topology / Pascal
Software bug of the month 1 (Professor Floyd's
bug). Maurer, W. Douglas. col L4 1:10
Jun76 p104 ***
Software bug of the month 3 (Backus Normal Form
problem). Maurer, W. Douglas. col 1:12
Aug76 p81 ***
Software bug of the month 4 (prime numbers).
Maurer, W. Douglas. col L4 1:13 Sep76 p61

Software bug of the month 4 (prime numbers).
Maurer, W. Douglas. col L4 1:13 Sep76 p61

Software bug of the month 5 (sorting problem).

Software bug of the month 5 (sorting problem).
Maurer, W. Douglas. col 1:14 Oct76 p41 ***
Software bug of the month 6 (sine routines and

floating point). Maurer, W. Douglas. col L4
1:16 Dec/6 p91 ***
Solving soma cubes and polyomino puzzles using a
microcomputer. Macdonald, Douglas. art L3
4:11 Nov79 p26-52 *** Games / Mathematics /
per

PET
Solving the eight queens problem. Smith, Terry.
art L1 3:10 Oct78 p122-126 *** Chess
Towers of Hanoi in BASICO9. Ritter, Terry. col
L1 5:10 Oct80 p279 *** Languages
Towers of Hanoi: solution using BASIC recursion.
Switzer, Stanley. col L1 5:3 Mar80
p240-242 *** Languages

p240-242 ***
Tree searching, part 1: basic techniques.
Williams, Gregg. art Ll 6:9 Sep81 p72-106
*** Artificial Intelligence / Programming
Instruction / Apple II
Word ujbnmurle (program to rearrange letters in a
word). Gorney, Leonard. col Ll 6:8 Aug81
p417 *** TRS-30 Model II
RADIO-FREQUENCY INTERFERENCE
Flectromagnetic interference. Ciarcia. Steve.

DIO-TREQUENCY INTERFERENCE
Electromagnetic interference. Ciarcia, Steve.
col '6:1 Jan81 p48-68 *** TRS-80 Model I /
Apple II / Atari
FCC regulation of personal and home-computing
devices: new rules.... Mahn, Terry, art 5:9
Sep80 p180-190 *** Federal Government

Sep80 p180-190 *** Federal Government RAM

Dynamic memory: making an intelligent decision. Malakoff, Larry. art 6:2 Feb81 p142-150 *** Memory

Ins and outs of volatile memories. Lancaster, Don. art 1:3 Nov75 p12-17 *** Memory / Computer Instruction

State of the art (as seen in Nov75). Helmers, Carl. art 1:3 Nov75 p6-7+ *** Microprocessor / ROM / Benchmark Testing Who's afraid of dynamic memories?. Hauck, Lane. art 3:7 Ju178 p42-46+ *** Memory / Design / Computer Instruction

RANDOM NUMBERS

Build a moise-based random number generator. Mayhugh, Terry. col 6:5 May81 p452-456 *** Hardware Construction

Note on an easy programming system. Brown, Mike. col 4:4 Apr79 p241 *** Programming Instruction

Pseudorandom number generator*. Grieser, Daniel. col 13 2:11 Nov77 p218 *** 3080 / 6800 Random comments (hardware-generated random numbers). Thornley, David. col 4:6 Jun79 p222 *** Randomize your programming. Grappel, Robert.

numbers). Inorniey, David. col 4:b Jun/9
p222 ***
Randomize your programming. Grappel, Robert.
art L3 1:l3 Sep76 p36-38 *** 6800 /
Programming Instruction
Three types of pseudorandom sequences*. Honess,
C. Brian. art L1 4:6 Jun/9 p234-246 ***
Mathematics

RETAILING
Caught by surprise (lack of "big" firms in personal computing). Helmers, Carl. col 1:16
Dec76 p6-9+ *** Manufacturing / Marketing
Problem of software piracy revisited: a proposal.
Vinge, Vernor. col 4:5 May79 p207-208 ***
Software Piracy

Software Piracy
Reviewing the microcomputer revolution. Faber,
Ed. col 6:11 Nov81 p134-136 *** Marketing
Surplus electronics in Tokyo and Manila. Hayes,
Michael. art 1:11 Ju176 p54-55 ***
International Microcomputing
Where to get bargains in used computer
equipment*. Libes, Sol. art 2:12 Dec77
p154-155 *** Consumer Information
n Source. Boudinot, R.D. art 1:9 May76
p18-23 *** Consumer Information /
Manufacturing
BOTS

Manufacturing
BBOTS
Antique mechanical computers, part 2: 18th and
19th century..marvels. Williams, James. art
3:8 Aug78 p96-107 *** History
Antique mechanical computers, part 3: the Torres
Chess Automaton. Williams, James. art 3:9
Sep78 p82-92 *** History / Chess
Brains of men and machines, part 1: biological
models for robotics. Kent, Ernest. art 3:1
Jan78 p11-22+ *** Artificial Intelligence
Brains of men and machines, part 2: how the brain
controls outputs. Kent, Ernest. art 3:2
Feb78 p84-90+ *** Artificial Intelligence
Brains of men and machines, part 3: how the brain
analyzes input. Kent, Ernest. art 3:3 Mar78
p74-83+ *** Artificial Intelligence
Brains of men and machines, part 4: machinery of
emotion and choice. Kent, Ernest. art 3:4
Apr78 p66-99 *** Artificial Intelligence
Compleat robotics experimenter. Helmers, Carl.
col 2:11 Nov77 p6+ *** Artificial
Intelligence

Intelligence

Intelligence
Could a computer take over?. Rush, Ed. art 1:6
Feb76 p76-83 *** Artificial Intelligence
Current state of robotics. Helmers, Carl. col
4:2 Feb79 p6-7+ *** Design
Department of robotics hocum. Helmers, Carl.
col 3:4 Apr78 p147 ***
Designing a robot from nature, part 1: biological
considerations. Filo, Andrew. art 4:2 Feb79
p12-29 *** Design / Artificial Intelligence
Designing a robot from nature, part 2:
constructing the eye. Filo, Andrew. art 4:3
Mar79 p114-123 *** Design / Hardware
Construction
Frankenstein emulation. Murray, Joe. art 1:8

Construction
Frankenstein emulation. Murray, Joe. art 1:8
Apr76 p50-54 *** Artificial Intelligence
Hobbyist robot arm. Baxter/Daly. art 4:2
Feb79 p84-88 *** Hardware Construction
Life versus computer capacity. Stakem, Patrick.
col 4:2 Feb79 p58 ***
Model of the brain for robot control, part 1:
defining notation. Abbye. James art 4:6

Model of the brain for robot control, part 1: defining notation. Albus, James. art 4:6 Jun79 pl0-34 *** Design / Artificial Intelligence
Model of the brain for robot control, part 2: a neurological model. Albus, James. art 4:7 Jul79 p54-95 *** Design / Artificial Intelligence
Model of the brain for robot control, part 3: a comparison... Albus, James. art 4:8 Aug79 p66-80 *** Artificial Intelligence / Design Model of the brain for robot control, part 4: mechanisms of choice. Albus, James. art 4:*

Model of the brain for pool control, part 4:9
mechanisms of choice. Albus, James. art 4:9
Sep79 pl30-148 *** Design / Artificial
Intelligence
Nature of robots, part 1: defining behavior.
Powers, William. art Ll 4:6 Jun79 pl32-144
*** Control / Design / Artificial
Latelligence

*** Control / Design / Artificial
Intelligence
Nature of robots, part 2: simulated control
system. Powers, William. art L1 4:7 Ju
p134-152 *** Control / Simulation / North
Star

p134-152 *** Control / Simulation / North Star
Nature of robots, part 3: a closer look at human behavior. Powers, William. art L1 4:8
Aug79 p94-116 *** Design / Simulation / North Star
Nature of robots, part 4: looking for controlled variables. Powers, William. art L1 4:9
Sep79 p96-112 *** Design / Simulation / North Star
Newt: a mobile, cognitive robot. Hollis, Ralph. art 2:6 Jun77 p30-45 *** Design
On building a light-seeking robot mechanism.
Allen/Rossetti. art 3:8 Aug78 p24-42 ***
Artificial Intelligence / Design
PROLOG: a step toward the ultimate computer language. Ferguson, Ron. art L9 6:11 Nov81 p384-399 *** Languages / Programming Design
Philadelphia's 179 year old android. Penniman, Charles. art 3:8 Aug78 p90-94 *** History Robot simulation on microcomputers*. Webster, John. art L3 3:4 Apr78 p132-138 ***
Simulation

Simulation

Simulation
Simple maze traversal alogrithms. Allen/Allen.
art 4:6 Jun79 p36-44 *** Artificial
Intelligence / Programming Instruction /
Algorithm
Talk to a turtle: build a computer controlled
robot Gupton, James. art 4:6 Jun79 p74-84
*** Hardware Construction
What computers cannot do. Lewis, T.G. art 5:1
Jan80 p100-112 *** Artificial Intelligence

M Radio Shack's modifications to the TRS-80*. Li, Terry. col 5:10 Oct80 p182-184 *** TRS-80 Model I / Hardware Modification

ROM (CONTINUED)
Read only memories in microcomputer memory
address space. Eichbauer, Dale. art 1:9
May76 p24-26 *** PROM / Computer Instruction
Read only memory technology. Lancaster, Don.
art 1:4 Dec75 p64-69 *** Computer

Instruction
State of the art (as seen in Nov75). Helmers,
Carl. art 1:3 Nov75 p6-7+ ***
Microprocessor / RAM / Benchmark Testing
Switching ROMs in the Fairchild F8 evaluation
kit. Polonchak, John. art 2:11 Nov77 p160
*** Hardware Modification
Using a keyboard ROM*. Brehm, Bob. art 2:5
May77 p76-82 *** Keyboard / ASCII /
Conversions
RS-232
Data paths* Limics Co

RS-232

Data paths*. Liming, Gary. art 1:6 Feb76
p32-40 *** Definitions / Telecommunications /
Data Transmission

Interfacing TTL to a 20 mA current loop. Hsiao,
H.S. col 4:2 Feb79 p150 *** Interface /
Printer / TTL Gates
My TRS-80 talks to my Cromemco Z-2. Hallen, Rod.
art L3 5:6 Jun80 p88-94 *** TRS-80 Model
I / Serial Input/Output / Cromemco

Transmission of digital data over twisted pair
lines. Beebe, Edward. col 3:11 Nov78
p136-137 *** Data Transmission

S-100 BUS
8088 processor for the S-100 bus, part 1.

p136-137 *** Data Transmission
100 BUS
8088 processor for the S-100 bus, part 1.
Cantrell, Thomas. art 5:9 Sep80 p46-64 ***
8088 / Hardware Review / Interface
8088 processor for the S-100 bus, part 2.
Cantrell, Thomas. art L3 5:10 Oct80 p62-88
*** 8088 processor for the S-100 bus, part 3.
Cantrell, Thomas. art L3 5:11 Nov80
p340-360 *** 8088 / Monitor
AMSAT-GOLEM-80 (S-100 bus microcomputer project).
Kasser, Joe. art 4:9 Sep79 p182-195 ***
Microcomputer System / Hardware Construction
Altair (S-100) bus forum: PCC 77. McCallum,
John. col 3:3 Mar78 p148-151 ***
Standards / Altair
Build a versatile keyboard interface for the
S-100. Richards, David. art L3 6:10 Oct81
p400-406 *** Keyboard / Hardware Construction
/ Interface

Build a versatile keyboard interface for the S-100. Richards, David. art L3 6:10 Oct81 p400-406 *** Keyboard / Hardware Construction / Interface Comments on S-100 Bus extension. Walker, John. col 4:1 Jan/9 p54 *** Standards Interfacing the S-100 bus with the Intel 8255. Condra, David. art 4:10 Oct79 p124-136 *** 8255 / Interface / Hardware Construction Matrox ALT-256 video board (product description). Ruple, Gary. hr 3:5 May/8 p24-30 *** Hardware Review / Video Display / High Resolution Graphics MicroAngelo video display. Dahmke, Mark. hr L3 5:11 Nov80 p196-202 *** Hardware Review / Video Display / High Resolution Graphics S2L: an Altair (S-100) to LSI-11 bus adaptor. Bondy, Jonathan. col 3:9 Sep/8 p102-112 *** Standards / Altair / LSI-11 Two letters on extending the Altair S-100 Bus. Naess/McCallum. col 3:8 Aug/8 p12 *** Standards / Altair / LMP. Five useful programs for the SC/MP. Kadds.

/MP
Five useful programs for the SC/MP. Kapps,
Charles. art L3 4:11 Nov79 p172-188 ***
Programming Instruction
SC/MP fills a gap. Baker, Robert. art 1:13
Sep76 p76-79 *** Microprocessor / Hardware
Review
SC/MP instruction

SC/MP instruction set summary. Burton, Walter. col 6:1 Jan81 p90 *** Programming Instruction / Assembly Language

Instruction / Assembly Language

SCELBI

Golf handicapping. Haller, George. art L3 1:5

Jan76 p46-47 *** Athletics / 8008

Programming the implementation. Crayne, Charles.
art 1:8 Apr76 p16-18 *** Design /
Computer Instruction
Shooting stars. Nico, Willard. art L3 1:9

May76 p42-49 *** Games / 8008

SCIENCE
Animation in computer-assisted instruction:
replication of DNA. Eckert, Richard. col L1

replication of DNA. Eckert, Richard. col L1

Animation in computer-assisted instruction: replication of DNA. Eckert, Richard. col Ll 6:7 Jul81 p358-366 *** Computer Assisted Instruction / Animation / TRS-80 Model I Classroom demonstration: controlling a system with a microcomputer. Hill, Garnet. art L3 3:11 Nov78 p112-118 *** Control / Higher Education

s:11 Nov/8 pl12-118 *** Control / Higher Education
Computer-based laboratory timer. Gibson, John. art L3 6:6 Jun81 pl10-144 *** Clock / Hardware Construction / 6800
Computers and eclipses. Helmers, Carl. col 4:7 Ju179 p8-14 *** Astronomy / Control / Photography
Electron behavior in a chemical bond. Liebl, Michael. art L1 5:3 Mar80 p34-58 *** Simulation
Electronic planimetry (measuring a two-dimensional figure). Santi/et al. art L6 5:3 Mar80 p114-122 *** Topology
Exploring ballistics with your personal computer. Jenks, Robert. art L1 5:9 Sep80 p270-280 *** Simulation / North Star Gear-ratio calculation for bicycle derailleurs. Lehman, John. col L1 5:3 Mar80 p68-70 *** Bicycle

Gear-ratio calculation for picycle ueralineus. Lehman, John. col Ll 5:3 Mar80 p68-70 ** Bicycle Graphic input of weather data. Smith, Stephen. art Ll 4:7 Jul79 p16-30 *** Graphics / Input/Output / Weather Hydrocarbon molecule constructor. Matthews, Randall. art Ll 5:3 Mar80 p156-166 *** Apple II / Education

Save Bucks on Bits!

Used/demo computers and peripheral equipment . . . products from major manufacturers:

Apple • Centronics • Zenith • Hewlett Packard • Hayes • Nixdorf • Sanyo I.D.S. • Durango • and many others!

Software (Cassette and Diskette)... Books...Magazines Low prices...most at or below cost!

For more information, call or visit

Bargain Outlet

the Computer Store

We Have The Bargains.

56 Union Avenue, Sudbury, MA (617) 443-5128 • Shoppers Village Plaza, 309 E St. Rd., Feasterville, PA (215) 322-5947

All Sales Final • No Returns • Cash or Certified Check Only



SOFTWARE

Color Invaders • Color Pac Attack • Monitor • Adventure Games • Text Editors • Assemblers • PASCAL • Magikube • Finance Programs • Color Data Organizer • Graphic Games • Disassembler

HARDWARE

32 K RAM Expansion Board • 16 K RAM Set • Cables • Interfaces • Power Pack ROM Cartridge • Printers

ACCESSORIES

Books • Cassettes • Supplies • Service Manuals

Shipping from stock



Call or Write:

COMPUTERWARE

00.0---!-!--

Dept. C • Box 668 Encinitas, CA 92024 • (714) 436-3512

Computerware is a trademark of Computerware.

CALL TOLL FREE: 1-800-547-2492



Capple 16K+ \$1029

48K+ \$1075

ATARIA 400 (16H) \$329 800 (16H) \$739

Toll free number for order desk only. In Oregon and for service or warranties call (503) 479-4150. Bank wires, cashiers checks and bankcards accepted immediately. Allow 20 days for personal checks. MasterCard and VISA add 2%, sorry no C.O.D.'s. Add 3% (minimum \$4.00) for all U.P.S. shipments to cover freight, handling and insurance. \$100.00 minimum order (no sales tax). Prices subject to change without notice. NOTE: We are registered with the State of Oregon, have been in electronic sales and service for 5 years and are fully qualified for repair of any micro computer system. Three full-time certified technicians insure one-day turnaround on most Apple repairs. Hours: 9:00 to 5:00 Monday through Saturday.

"A Unique Combination of Quality Products, Competitive Prices, and Service"

APPLE HARDWARE

the state of the s	
DISK DRIVE w/3.3	
CONTROLLER	\$499
DISK DRIVE ONLY	\$429
SILENTYPE PRINTER	
w/INTERFACE	\$349
GRAPHICS TABLET	1599
APPLE SOFT OR INTEGER	-333
CARD	\$139
PASCAL LANGUAGE CARD	\$369
PARALLEL PRINTER CARD	\$129
SERIAL PRINTER CARD	\$159
CENTRONICS PRINTER CARD	\$149
LOWER CASE ADAPTOR	\$39
16K RAM CARD (MICROSOFT)	\$159
Z-80 CARD (MICROSOFT)	\$329
MICROMODEM (HAYES)	\$279
SMART MODEM (HAYES)	\$229
MOUNTAIN CLOCK	\$249
MOUNTAIN MUSIC SYSTEM	\$479
MOUNTAIN A/D CONVERTER	\$299
MOUNTAIN INTROL/X-10	233
CONTROL	\$179
MOUNTAIN C.P.S.	-1/3
MULTIFUNCTION	
	\$199
10 KEYPAD (A.B.T.)	\$129
SUP-R-TERM (80 COLO	
BY M&R)	\$299
SUP-R-MOD (MODULATOR	
BY M&R)	\$22
16K MEMORY EXPANSION	\$49
JOYSTICK (T.G. OR	
PROGRAMMA)	\$49
9" B&W MONITOR (SANYO)	\$145
9" B&W MONITOR (N.E.C.)	\$149
12" B&W MONITOR (SANYO)	\$189
12" GREEN MONITOR (SANYO	15229
12" B&W (N.E.C.) SPECIAL	\$169
13" COLOR MONITOR (SANYO)	1385
I.D.S. 445G PRINTER	4689
I.D.S. 460G PRINTER	
I.D.S. 560G PRINTER	\$799
	1999
EPSON MX-70	\$369
EPSON MX-80	\$459
EPSON MX-80FT	\$559
EPSON MX-100	\$739
EPSON CABLE & INTERFACE	\$79
EPSON GRAFTRAX	\$70

ATARI HARDWARE

CX-2600 VIDEO GAME	\$149
410 PROGRAM RECORDER	\$59
810 DISK DRIVE	1429
820 PRINTER	\$249
822 PRINTER	\$339
825 PRINTER	\$569
830 MODEM	\$149
850 INTERFACE MODULE	\$139
853 16K MEMORY EXPANSION	189

SOFTWARE

VISICALC (ATARI)	\$139
BASIC (ATARI)	\$49
VISICALC	\$139
VISIDEX	\$139
VISIPLOT	\$129
VISITERM	\$109
VISITREND	\$179
D.O.S. TOOL KIT	\$59
D.O.S. 3.3 UPDATE	\$49
MICROLAB DATA FACTORY	\$129
D B MASTER (STONEWARE)	\$179
APPLE WRITER	\$59
SUP-R-TEXT II	\$109
WORDSTAR	\$279
B.P.I. SOFTWARE (each)	\$319
GENERAL BUSINESS	-315
CONTROLLER	\$509
SOFT-TECH PAYROLL	\$179
STOCKFILE INVENTORY	\$369
ADVENTURE ZORK	\$29
	\$29
SARGON CHESS	\$29
GALAXIAN	\$22
CALL FOR OTHER HARDWARE AND SO	FTWARE

WRITE FOR CATALOG



530 N.E. 'E' Street • Grants Pass, Ore. 97526

435

SCIENCE (CONTINUED)

Marsport, here I come: the three-dimensional celestial...simulation...*. Hinrichs, Delmer. art L2 4:4 Apr.79 p84-108 *** Simulation /

Marsport, here I come: the three-dimensional celestial...simulation...*. Hinrichs, Delmer. art L2 4:4 Apr79 p84-108 *** Simulation / Calculator / Mathematical modeling: a BASIC program to simulate real-world systems. Hicks, Randall. art L1 6:6 Jun81 p72-36 *** Mathematics / Simulation / Compucolor Microcomputer as a laboratory instrument. Cosgrove, Daniel. art L3 6:11 Nov81 p84-95* *** Higher Education / Control Microcomputer in the undergraduate science curriculum. Hubin, W.N. art 5:7 Jul80 p174-196 *** Computer Assisted Instruction / Higher Education Microcomputers in the chemistry laboratory. DeSieno, Robert. col. 6:2 Feb81 p274-278 *** Higher, Education / Altair Periodic chart at your fingertips: using the TI-59. Marquardt. Bruce. col. L2 5:3 Mar80 p208-210 *** Calculator Personal computing: new prospects for art and science. Helmers, Carl. col. 3:4 Apr78 p6+ *** Art / Computers and Society Simulated view of the galaxy. Dahmke, Mark. art L4 4:4 Apr79 p66-80 *** Simulation / Astronomy Simulating physical systems: the two-dimensional ideal gas. Zimmerman, Mark. art L1 4:4

Simulating physical systems: the two-dimensional

Simulating physical systems: the two-dimensional ideal gas. Zimmerman, Mark. art Ll 4:4 Apr79 p2E-61 *** Simulation / PET Simulation of motion, part l: an improved lunar lander algorithm*. Smith, Stephen. art Ll 2:11 Nov77 p18-22* *** Simulation / Games Simulation of motion, part 2: an automobile suspension. Smith, Stephen. art Ll 2:12 Dec77 p112-116 *** Simulation / Automobile / Mathematics
Simulation of motion, part 2: and lockets and other flying objects*. Smith, Stephen. art Ll 3:1 Jan/8 p144-149 *** Simulation of Simulation of motion, part 4: extended objects, applications for boating. Smith, Stephen. art Ll 3:2 Feb/8 p42-51 *** Simulation CONDARY EDUCATION

art L3 3:2 Feb78 p42-51 *** Simulation
SECONDARY EDUCATION
High school computer system. Lett, Christopher.
art 1:10 Jun76 p28-30 *** econdary Education

Education
Minicomputer fair: tiny and personal. Piele,
Donald. art 2:11 Nov77 p26-29 ***
Conference / Contests / Higher Education

Conference / Contests / Higher Education
CURITY
Are you an author?. Mooers, Calvin. art 1:13
Sep76 p16-22 *** Copyright / Software
Publishing / Software Piracy
Build a computer controlled security system for
your home. Ciarcia/Sunderland. col 4:1
Jan79 p56-71 *** Home / Control / Hardware
Construction
Build a computer controlled security system for
your home: part 2. Ciarcia, Steve. col L2
4:2 Feb79 p162-179 *** Home / Hardware
Construction / Control
Build a computer controlled security system for
your home: part 3. Ciarcia, Steve. col L3
4:3 Mar79 p150-167 *** Home / Control /
Hardware Construction
Computerize a home (BSR X-10 and a TRS-80)*.
Ciarcia, Steve. col L1 5:1 Jan80 p28-54
*** Home / Control / Interface
How can we stop software piracy? Morgan, Chris.
col 6:5 May81 p6-10 *** Software Piracy /
Copyright
Live got you in my scanner! (computer controlled

Copyright

Copyright
I've got you in my scanner! (computer controlled
light scanner). Ciarcia, Steve. col Ll 3:11
Nov78 p76-89 *** Home / Analog/Digital
Circuit / Hardware Construction
Password protection for your computer.
Kreindler, R. Jordan. art L3 4:3 Mar79
p194-195 *** Programming Instruction / 8080 /
Z-80

SERIAL INPUT/OUTPUT RIAL INPUT/OUTPUT

Cross-pollinating the Apple II (serial interface). Campbell, Richard. art L3 4:4

Apr79 p20-25 *** Interface / Hardware
Construction / Apple II

How to drive a teletype without a UART. Jewell,
Gregory. art 2:1 Jan77 p32 *** Interface \
/ Printer / Parallel Input/Output
I/O expansion for the TRS-80, part 2: serial
ports. Ciarcia, Steve. col 5:6 Jun80
p42-62 *** Hardware Construction / TRS-80
Model II

p42-62 *** Hardware Construction / TRS-80 Model I More on the SWTPC 6800 system. Kay, Gary. art 1:5 Feb76 p50-53 *** SWTPC / Parallel Input/Output / Interface My TRS-80 talks to my Cromemco Z-2. Hallen, Rod. art 1.3 5:6 Jun80 p88-94 *** TRS-80 Model I / Cromemco / RS-232 Remote terminal (Come upstairs and be respectable). Clarcia, Steve. art 2:5 May77 p50-54 *** Terminal / Hardware Construction / Interface Interface

/ Interface: use a UART for serial IO.

Save software: use a UART for serial IO.

McGahee, Thomas. art L3 2:12 Dec77
p164-166 *** Parallel Input/Output /
Interface

Serial interface*. Lancaster, Don. art 1:1
Sep75 p22-37 *** Interface / UART / Parallel
Input/Output

Serialize those bits from your mystery keyboard.
Haller, George. art 1:9 May76 p36-37 ***
Interface / Parallel Input/Output / Hardware
Construction Construction

SHOWS 1980 West Coast Computer Faire: a watershed year for personal computing. Morgan, Chris. art 5:7 Jul80 p46-48 ***

SHOWS (CONTINUED)

ARRL Convention / Visit to Mits / Visit to SWTPC.

Helmers, Carl. art 1:14 Oct76 p107-109

*** Manufacturing / Altair / SWTPC
Come one, come all! (NCC 1976). Helmers, Carl.
col 1:13 Sep76 p6-8+ ***
Look at NCC '81. Roberts, Steven. art 6:9
Sep81 p36-37 ***
NCC '78 Personal Computer Show. Morgan, Chris.
col 3:9 Sep78 p10-12 ***
NCC: a Dallas delight (1977). Morgan/Floto. art
2:10 Oct77 p54-56 ***
New York notes (Personal Computer Expo).
Morgan/Wetherbee. art 3:2 Feb78 p178-179

Odds and beginnings (artificial interval.

Odds and beginnings (artificial intelligence, shows, Japanese market). Morgan, Chris. col 6:9 Sep81 p6-10 *** Artificial Intelligence / Foreign Competition
PC 77. Morgan/Floto. art 2:12 Dec77 p74-75

PC 77 Morgan/Floto. art 2:12 Dec77 p74-75

Random observations and conversations (First West
Coast Computer Faire). Willard, Lawrence. art
2:7 Ju177 p25-30 ***
Second West Coast Computer Faire (San Jose).
Morgan, Chris. art 3:7 Ju178 p16-20 ***
Some candid shots from Personal Computing 76.
art 2:1 Jan77 p100-101 *** People
SIMULATION
Artificial intelligence, an evolutionary idea
(part 1: an overview). Wimble, Michael. art
2:5 May77 p26-32 *** Artificial
Intelligence
Artificial intelligence, an evolutionary idea,
part 2: implementation. Wimble, Michael. art
2:6 Jun77 p100-107 *** Artificial
Intelligence
Computer simulation of a solar-energy system.
Doan, Daniel. art L1 6:7 Ju181 p158-172
*** Energy
Digital circuit simulation. Felkins, S. Leon.
col L2 4:4 Apr79 p172-174 *** Electronic
Circuits / Calculator /
Electron behavior in a chemical bond. Liebl,
Michael. art L1 5:3 Mar80 p34-58 ***
Science
Exoloring ballistics with your personal computer.

Michael. art L1 5:3 Mar80 p34-30 mm.
Science
Exploring ballistics with your personal computer.
Jenks, Robert. art L1 5:9 Sep80 p270-280
*** North Star / Science
Harvesting the sun's energy. Mobus, George. art
L1 6:7 Jul81 p48-58 *** Energy / PDP-I1
Marsport, here I come: the three-dimensional
celestial...simulation...*. Hinrichs, Delmer.
art L2 4:4 Apr79 p84-108 *** Science /
Calculator /

Calculator /
National micropastime. Roehrig, Joseph. art Ll
4:11 Nov79 p113-136 *** Athletics /
Statistics / North Star
Robot simulation on microcomputers*. Webster,
John. art L3 3:4 Apr78 p132-138 ***

Robots

Simulated view of the galaxy. Dahmke, Mark. art L4 4:4 Apr79 p66-80 *** Science /

L** 4::* Apr/9 pob-80 *** Science / Astronomy
Simulating physical systems: the two-dimensional ideal gas. Zimmerman, Mark. art Ll 4:4
Apr/9 p26-41 *** Science / PET
Simulation of motion, part 3: model rockets and other flying objects*. Smith, Stephen. art Ll 3:1 Jan/8 p144-149 *** Science
Simulation of motion, part 4: extended objects, applications for boating . Smith, Stephen. art L3 3:2 Feb/8 p42-51 *** Science
Solving problems involving variable terrain, part 1: a general algorithm . Jones, Scott. art 5:2 Feb80 p58-68 *** Topology / Algorithm Solving problems involving variable terrain, part 2: ...hexagonal grids. Jones, Scott. art 5:3
Mar80 p74-82 *** Topology

Landing module simulation with random surface. Houng, S,J. art L3 5:3 Mar80 p130-139 *** Games / 6800 / Arcade

APPLE II
Computer Bismark. Ansoff, Peter. sr 5:12
Dec80 p282-286 *** Software Review / Games /
Apple II

CONTROL
Controlling small DC motors with analog signals.
Sweer/et al. art 2:8 Aug77 p18-24 ***
Control / Plotter / Analog/Digital Circuit
Nature of robots, part 2: simulated control
system. Powers, William. art L1 4:7 Ju179
p134-152 *** Robots / Control / North Star

DESIGN Nature of robots, part 3: a closer look at human behavior. Powers, William. art Ll 4:8 Aug79 p94-116 *** Robots / Design / North

Nature of robots, part 4: looking for controlled variables. Powers, William. art Ll 4:9 Sep79 p96-112 *** Robots / Design / North Star

GAMES
Computer Bismark. Ansoff, Peter. sr 5:12
Dec80 p282-286 *** Software Review / Games /
Apple II
Great race and micro disk files: horse race
simulations. Roehrig, Joseph. art Ll 5:4
Apr80 p142-177 *** Horse Racing / Games /
North Stariction: Six Micro Stories. Liddil,
Bob. sr 6:9 Sep81 p436 *** Software
Review / TRS-80 Model I / Games

SIMULATION (CONTINUED)

MULATION (CONTINUED)
Landing module simulation with random surface.
Houng, S,J. art L3 5:3 Mar80 p130-139 ***
Games / 6800 / Arcade
Multi-micro learning environments (Solo/NET/works
Project). Dwyer, Thomas. col 6:1 Jan81
p104-116 *** Education / Multi-user Systems /
Games

p104-116 *** Education / Multi-user Systems Games Games Simulation of motion, part 1: an improved lunar lander algorithm*. Smith, Stephen. art L1 2:11 Nov77 p18-22+ *** Games / Science Spacecraft simulator. Sivak, Gary. art L1 4:11 Nov79 p104-111 *** Games / Strategy Zork and the future of computerized fantasy simulations. Lebling, P. David. art 5:12 Dec80 p172-182 *** Games / Programming Instruction / Fantasy

MATHEMATICS

Dynamic simulation in BASIC. Houng, S.J. col
L1 6:10 Octal p394-399 *** Mathematics /
BASIC

Mathematical modeling: a BASIC program to
simulate real-world systems. Hicks, Randall.
art L1 6:6 Jun81 p72-86 *** Mathematics /
Compucolor / Science
Noniterative digital solution of linear transfer
functions. Finlay, Bryan. art L1 4:12
Dec79 p144-166 *** Mathematics /
Hewlett-Packard
Simulation of motion, part 2: an automobile

new lett-rackard Simulation of motion, part 2: an automobile suspension. Smith, Stephen. art Ll 2:12 Dec77 pl12-ll6 *** Automobile / Mathematics / Science

PROGRAMMING INSTRUCTION
MICROB: using BASIC to learn assembly language.
Pickett, Robert. art L1 5:7 Jul80 p236-248
*** Assembly Language / Programming

*** Assembly Language / Programming
Instruction
Queuing theory, the science of wait control, part
2: system tapes. Gorney, Len. art L1 4:5
May79 p176-181 *** Programming Instruction
Queuing theory, the science of wait control, pt
1: queue representation. Gorney, Len. art L1
4:4 Apr79 p132-140 *** Programming
Instruction
Zork and the future of computerized fantasy
simulations. Lebling, P. David. art 5:12

simulations. Lebling, P. David. art 5: Dec8O p172-182 *** Games / Programming Instruction / Fantasy

SOFTWARE REVIEW

Computer Bismark. Ansoff, Peter. sr 5:12
Dec80 p282-286 *** Software Review / Games /
Apple II Apple II
Interactive Fiction: Six Micro Stories. Liddil,
Bob. sr 6:9 Sep8l p436 *** Software
Review / TRS-80 Model I / Games

Review / TRS-80 Model I / Games

TRS-80 MODEL I

Interactive Fiction: Six Micro Stories. Liddil, Bob. sr. 6:9 Sepil p436 *** Software
Review / TRS-80 Model I / Games

SINCLAIR ZX80

Discover the machine beneath the machine: a ZX80 monitor program. FitzGerald, R. Scott. col. Ll 6:10 Oct81 p278-280 *** Monitor
Sinclair Research ZX80. McCallum, John. hr. Ll 6:14 an81 p94-102 *** Hardware Review

SMALLTALK

Building control structures in the Smalltalk-80 system. Deutsch, L. Peter. art L. 9 6:8
Aug81 p322-346 *** Design / Programming
Instruction / Control Structures

Building data structures in the Smalltalk-80 system. Althoff, James. art L. 9 6:8 Aug81 p230-278 *** Programming Instruction / Information Storage / Data Structures

Design principles behind Smalltalk. Ingalls, Daniel. art 6:8 Aug81 p286-298 *** Design / Object-Oriented Languages
Introducing the Smalltalk-80 system. Goldberg, Adele. art 6:8 Aug81 p14-26 *** Languages
Is the Smalltalk-80 system for children?.
Goldberg/Ross. art 6:8 Aug81 p348-368 *** Programming Instruction / History / Children
Smalltalk glossary. Williams, Gregg. col 6:8
Aug81 p48 *** Definitions
Smalltalk glossary. Williams, Gregg. col 6:8
Aug81 p48 *** Definitions
Smalltalk graphics kernel. Ingalls, Daniel. art 19 6:8 Aug81 p48-368 *** Programming Instruction
Smalltalk-80 system. Xerox Learning Group. art 6:8 Aug81 p36-84 *** Graphics / Programming Instruction
Smalltalk-80 system. Xerox Learning Group. art 6:8 Aug81 p36-84 *** Frogramming Group. art 6:8 Aug81 p36-94 *** Graphics / Programming Instruction Smalltalk-80 system. Serox Learning Group. art 6:8 Aug81 p36-93 for *** Art / Graphics kernel. Instruction Smalltalk-80 system. Serox Learning Group. art 6:8 Aug81 p36-94 *** Graphics / Programming Instruction / Baltalk-80 system. Serox Learning Group. art 6:8 Aug81 p36-93 for *** Art / Graphics / Programming Instruction / Baltalk-80 system. Serox Learning Group. art 6:8 Aug81 p369-376 ***
Art / Graphics Aug81 p300-320 *** Compiler / Interpreter / Design
Smalltalk-80 virtual memory fo

Business
Virtual memory for an object-oriented länguage.
Kaehler, Ted. art 6:8 Aug81 p378-387 ***
Memory / Virtual Memory

JBOL And its interest SNOBOLs. Silverston, Stefan. col 4:10 Oct79 pl74 *** Languages SNOBOL commentary. Sachs, Jonathan. col 4:11 Nov79 p248 *** Languages



The Price

Is Nice.

SB-80

- Single Board Technology
- 4MHz Z80A CPU
- CP/M 2 operating system
- 64K 200ns main memory
- 8-inch dual floppy drives
- 50-pin expansion connector
- · 2-serial ports
- · 2-parallel ports
- 4-counter/timers
- Hard disk options available

available Basic system with: 600K bytes \$2425

2.4 megabytes1.2 megabytes\$2990

A Z80A CPU combined with the CP/M* operating system opens new vistas to software availability for eight-bit micros. FORTRAN, COBOL, BASIC, APL, PL/1 and Pascal are available now to accompdate today's scientific, educational, sophisticated small business and personal system users.

CP/M is a registered trademark of Digital Research, Inc.

NORTHEAST COMPUTER SALES

563 South Main Street Bradford, Massachusetts 01830 (617) 683-3024



INMAC INTRODUCES THE SOLUTION TO YOUR MICRO SUPPLY AND ACCESSORY NEEDS.

• One-Stop Shopping. This new catalog offers over 1,000 products specifically for Micro Computers. Compatible with Apple, Atari, Northstar, TRS-80s and many others.

• Convenient Ordering. By mail or phone, ordering supplies and accessories from this catalog will be quick and easy.

• Fast Delivery. We'll ship your order within 24 hours from our distribution centers in New Jersey, California, Illinois and Texas. Overnight delivery available.

• Top Quality Products. Virtually all our products are guaranteed for at least one year. Risk-free trial of any product for 45 days.

Send for your FREE Inmac Catalog or call (408) 727-1970.

e inmac

Dept. Micro, 2465 Augustine Drive, Santa Clara, CA 95051

Now available from your computer storethe whole line of AJ couplers and modems.



Not just selected models. *Any* models. Ranging from the 0-450 bps A 242A, the world's most widely used acoustic data coupler, to the revolutionary AJ 1259 *triple modem* that handles 300 bps Bell 103, 1200 bps Bell 212A, and 1200 bps VA 3400 protocols.

Whether you need full or half duplex or both in one; originate or answer, auto answer; acoustic coupling, or direct-connect—there's a model for you in the AJ line.

Starting now you don't have to settle for second best.

For the location of your local computer store handling the AJ line, call toll-free:

800/538-9721

California residents call 408/263-8520, Ext. 307.



437

SOCIAL SCIENCE

SNOBOL (CONTINUED)
SNOBOL conquers all?. Burns, Bruce. col 4:6
Jun79 p220-221 *** Languages IAL SCIENCE
Capital of New Mexico is Santa Fe. White,
Loring. col Ll 3:3 Mar78 p170-171 ***
Education / Altair
Computer generated maps, part 1. Johnston,
William. art Ll 4:5 May79 p10-12+ ***
Graphics / Three-Dimensional Graphics /
Mathematics Mathematics
Computer generated maps, part 2. Johnston,
William. art Ll 4:6 Jun79 p100-123 ***
Graphics / Three-Dimensional Graphics /
Mathematics
SOFTWARE PIRACY TTMARE PIRACY
Are you an author?. Mooers, Calvin. art 1:13
Sep76 p16-22 *** Copyright / Software
Publishing / Security
Homebrewery vs the software priesthood.
Wilber/Fylstra. art 1:14 Oct76 p90-94 ***
Computer Literacy / Homebrew
How can we stop software piracy?. Morgan, Chris.
col 6:5 May81 p6-10 *** Security /
Copyright How can we stop software piracy?. Morgan, Chris. col 6:5 May81 p6-10 *** Security / Copyright
Problem of software piracy revisited: a proposal. Vinge, Vernor. col 4:5 May79 p207-208 *** Retailing
Software protection in the United Kingdom. Hayman, Martin. art 6:10 Oct81 p126-139
*** Copyright / Law / Conference
SOFTWARE PUBLISHING
Are you an author?. Mooers, Calvin. art 1:13
Sep76 p16-22 *** Copyright / Software Piracy / Security
Books as an antidote to the CAI blues, or take a publisher to lunch. Dwyer, Tom. col 5:7
Jul80 p74-84 *** Computer Assisted
Instruction / Software Publishing
Prepare your program for publication. Johnson, C.A. art 6:10 Oct81 p114-118 ***
Proposed standard for publishing binary data in machine readable form. Banks/Sanderson. art 1:15 Nov76 p10-14 *** Standards / Binary / Publishing 1:15 Nov76 p10-14 *** Standards / Binary / Publishing
Software dilemma (widely available and adequate compensation). Helmers, Carl. col 2:6 Jun77 p9+ ***
Software vacuum. Ryland, Chris. art 1:4 Dec75 p12-14 *** pic-14 ****
Vision of an industry (dimensions of the software publishing problem). Helmers, Carl. col 3:8
Aug78 p6+ *** Pascal / Predictions
SOFTWARE REVIEW TWARE REVIEW
Atari Assembler/Editor. Pelczarski, Mark. sr
6:7 Jul81 p174-176 *** Assembler / Atari
Atari's Telelink I. Flint, Glen. sr 6:10
Oct81 p86-90 *** Atari / Utility Program /
Terminal BDS C compiler. Kern, Christopher. sr 6:6 Jun81 p356-362 *** Compiler / C Programming Language CourseWare magazine. Holden, Elaine. sr 6:11 Nov81 pl66-172 *** Education / Publishing Exposure to MUMPS (programming language). Sherertz, David. art 4:1 Jan79 p74-82 *** Exposure to MUMPS (programming language).
Sherertz, David. art 4:1 Jan79 p74-82 ***
Languages
Extended color BASIC for the TRS-80 Color
Computer*. Miastkowski, Stan. sr L1 6:5
May31 p36-45 *** TRS-80 Color / BASIC /
Languages
Five spelling-correction programs for CP/M-based
systems. Lemmons, Phil. sr 6:11 Nov31
p434-448 *** Word Processing / Writing
Lucidata P-6800 Pascal. Hughes, Phil. sr 5:3
Mar80 p184 *** Pascal / SWFC
MINCE: a text editor / Kern, Christopher. sr
6:9 Sep81 p150-160 *** Text Editor / CP/M
Micro word processor. Wierenga, Theron. col
4:1 Jan79 p176-178 *** Word Processing
PAM/8: a new approach to front panel design.
Letwin, Gordon. art 3:10 Oct78 p70-84 ***
Heath / Monitor / LED Display
Power of Visicalc. Ramsdell, Robert. sr 5:11
Nov30 p190-192 *** Business / Accounting
Reformatter for CP/M and IBM floppy disks.
Lehman, John. sr 6:4 Apr81 p94-96 ***
Litlity Program / IBM / CP/M
SCELBAL (Scientific Elementary BASic Language).
Wadsworth/Arnold. art 1:10 Jun76 p82-86
*** Languages / BASIC
Sargon 2.5 (Newest Sargon-2.5). Martellaro,
John. sr 6:1 Jan81 p208-212 *** Chess
Selected FORTH
Survey of data-base management systems for
microcomputers. Barley/Driscoll. art 6:11 *** FORTH

Survey of data-base management systems for microcomputers. Barley/Driscoll. art 6:11 Nov81 p208-234 *** Data Base Management

Three microcomputer LISPs. Levitan/Bonar. sr. L9 6:9 Sep81 p380-412 *** LISP / Z-80 / Benchmark Testing

Three versions of APL. Williams, Gregg. sr 6:4 Apr81 p188-208 *** APL

Tiny BASIC (a review of Tom Pittman's Tiny BASIC). Rosner, Richard. sr L1 2:4 Apr77 p34-38 *** Tiny BASIC / Languages

User's look at Tiny-C. Kern, Christopher. art L8 4:12 Dec79 p196-206 *** C Programming Language Language
Whose BASIC does what?*. Li, Teri. art 6:1
Jan81 p318-327 *** BASIC / Conversions
Wordsmith (CP/M or North Star word processor).
Dahmke, Mark. sr 6:5 May81 p254-258 ***
Word Processing / CP/M / North Star APPLE II
Asteroids in Space and Planetoids. Holt, Oliver.
sr G:5 May81 pl16-120 *** Games / Apple
II / Arcade

Battle of the asteroids. Williams, Gregg. sr 6:12 Dec81 p163-165 *** Arcade / Games / Apple II

Computer Bismark. Ansoff, Peter. sr 5:12

Dec80 p282-286 *** Games / Simulation / Apple II Apple II

Dungeon Campaign. Williams, Gregg. sr 5:12

Dec80 p74 *** Games / Apple II / Strategy

Four word processors for the Apple II / Strategy

Four word processing / Apple II

Carlson/Haber. sr 6:6 Jun81 p176-204 ***

Word Processing / Apple II

Gorgon. Callamaras, Peter. sr 6:12 Dec81
p90-100 *** Games / Arcade / Apple II

Missile Defense vs ABM. Moskowitz, Robert. sr
6:12 Dec81 p80-90 *** Games / Arcade /
Apple II

Odyssey: The Compleat Apventure. Nelson, Harold.

sr 5:12 Dec80 p90-92 **** Games / Apple II
/ Strategy Odyssey: The Compleat Apventure. Nelson, Harold. sr 5:12 Dec80 p90-92 *** Games / Apple II / Strategy
Olympic Decathlon. Kater, David. sr 6:12 Dec81 p74-78 **** Arcade / Games / Apple II Prisoner. Liddil, Bob. sr 6:9 Sep81 p386-387 *** Games / Strategy / Apple II Prisoner. Liddil, Bob. sr 6:9 Sep81 p386-387 *** Games / Strategy / Apple II Reversal: Othello for the Apple II. Freidman, Mark. sr 6:11 Nov81 p76-80 *** Othello / Games / Apple II. Robotwar. Feigel, Curtis. sr 6:12 Dec81 p24-34 *** Games / Apple II / Programming Instruction
Sargon II: an improved chess-playing program for the Apple II. Martellaro, John. sr 5:12 Dec80 p114-118 *** Chess / Apple II
Stellar Trek. Nelson, Harold. sr 5:12 Dec80 p78-82 *** Games / Apple II / Arcade
Tranquility Base. Moore, Robin. sr 6:5 May81 p112-114 *** Games / Apple II / Arcade GAMES

Asteroids in Space and Planetoids. Holt, Oliver. sr 6:5 May81 pl16-120 *** Games / Apple II / Arcade

BASIC, computer languages, and computer adventures. Pournelle, Jerry. col 5:12

Dec80 p222-238 *** Languages / BASIC / Games

Battle of the asteroids. Williams, Gregg. sr 6:12

Dec81 p163-165 *** Arcade / Games / Apple II

Big Five software (Attack Force, Cosmic Fighter, and Galaxy Invasion). Williams, Gregg. sr 6:9 Sep81 p384-386 *** Arcade / Games / TRS-80 Model I

Coinless arcade: more arcade fun. Williams, Gregg. col 6:12 Dec81 p36-41 *** Games / Arcade / Commbat: a tele-game for two. Shows a fames Arcade /
Commbat: a tele-game for two. Stewart, George.
sr 6:12 Dec81 pl00-104 *** Games /
Strategy / TRS-80 Model I
Computer Bismark. Ansoft, Peter. sr 5:12
Dec80 p282-286 *** Games / Simulation /
Apple II Apple II

Dancing Demon from Radio Shack. Cooper/Kolyans 15:5 May8l pl48-150 *** Games / TRS-80 Model I / Arcade

Dungeon Campaign. Williams, Gregg. sr 5:12 Dec80 p74 *** Games / Apple II / Strategy

Gorgon. Callamaras, Peter. sr 6:12 Dec81 p90-100 *** Games / Arcade / Apple II Interactive Fiction: Six Micro Stories. Liddil, Bob. sr 6:9 Sep81 p436 *** Simulation / TRS-80 Model I / Games Microsoft Adventure. Liddil, Bob. sr 5:12 Dec80 p264-266 *** Games / TRS-80 Model I / Strategy

Missile Defense vs ABM. Moskowitz, Robert. sr 6:12 Dec81 p80-90 *** Games / Arcade / Apple III

Morloc's Tower. Williams, Gregg. sr 5:12 Dec80 p84-86 *** Games / TRS-80 Model I / Strategy Dec80 p84-86 *** Games / IKS-OU MULE: I, Strategy
New games, new directions. Williams, Gregg. col 6:12 Dec81 p6-10 *** Games
New software, new hardware computer languages, and games. Pournelle, Jerry. col 6:11 Nov81 p449-457 *** Languages / Hardware Review / Games
Odyssey: The Compleat Apventure. Nelson, Harold. sr 5:12 Dec80 p90-92 *** Games / Apple II / Strategy Sursey: Inie Combreat Appletüre: Meanes / Apple II / Strategy |
/ Apple II |
/ Strategy |
/ Strategy |
/ Apple II |
/ Strategy |
/ Stra sr 5:12 / Strategy

SOFTWARE REVIEW (CONTINUED) SOFTWARE REVIEW (CONTINUED) Cork, the great underground empire (TRS-80). Liddil, Bob. sr 6:2 Feb81 p262-264 *** Games / TRS-80 Model I / Strategy HARDWARE REVIEW New software, new hardware computer languages, and games. Pournelle, Jerry. col 6:11 Nov81 p449-457 *** Languages / Hardware Review / MATHEMATICS
muSIMP/muMATH-79 symbolic math system. Williams,
Gregg. sr 5:11 Nov80 p324-338 ***
Mathematics / Utility Program / Education PROGRAMMING INSTRUCTION
Robotwar. Feigel, Curtis. sr 6:12 Dec81
p24-34 *** Games / Apple II / Programming
Instruction TRS-80 MODEL I
BOSS: a debugging utility for the TRS-80 Model I.
Mitchell, Scott. sr 6:8 Aug8l p401 ***
Utility Program / Debugging / TRS-80 Model I
Big Five software (Attack Force, Cosmic Fighter,
and Galaxy Invasion). Williams, Gregg. sr
6:9 Sep8l p384-386 *** Arcade / Games /
TRS-80 Model I TRS-80 Model I


Commbat: a tele-game for two. Stewart, George.
sr 6:12 Dec8l p100-104 *** Games /
Strategy / TRS-80 Model I

DSPlus: double-density operating system for the TRS-80. Kolya, Yvon. sr 6:7 Jul81 p334-343 *** Operating Systems / TRS-80 Model I / Minidisk Drive

Dancing Demon from Radio Shack. Cooper/Kolya. sr 6:5 May81 p148-150 *** Games / TRS-80 Model I / Arcade

Datahandler from Miller Microcomputer Services. Richardson, Allyn. sr 6:11 Nov81 p138-150 *** Data Base Management / FORTH / TRS-80 Model I / Mrdel P185-80 Model I / RS-80 Model I Model I Model I/III enhanced operating ENHBAS (TRS-80 Model I/III enhanced operating Mahlon. sr EMHBAS (TRS-BO Model I/III enhanced operating environment and BASIC). Kelly, Mahlon. sr L 6:11 Nov81 p342-360 *** Operating Systems / Utility Program / TRS-BO Model I IRV, a TRS-BO utility program. Li, Terry. sr 6:2 Feb81 p202-208 *** TRS-BO Model I / / Utility Program / TRS-80 Model I / STRS-80 utility Program Li, Terry. sr 6:2 Feb81 p202-208 *** TRS-80 Model I / Utility Program Ii, Terry. sr 6:2 Feb81 p202-208 *** TRS-80 Model I / Utility Program Infinite Business. Mitchell, Scott. sr 6:2 Feb81 p96-102 *** Utility Program / TRS-80 Model I / BASIC Interactive Fiction: Six Micro Stories. Liddil, Bob. sr 6:9 Sep81 p436 *** Simulation / TRS-80 Model I / Games Microsoft Adventure. Liddil, Bob. sr 5:12 Dec80 p264-266 *** Games / TRS-80 Model I / Strategy Microsoft Editor/Assembler Plus. Carlson, Keith. sr 6:8 Aug81 p398-400 *** Assembler / TRS-80 Model I / Strategy Microsoft Editor/Assembler Plus. Carlson, Keith. sr 6:8 Aug81 p398-400 *** Assembler / TRS-80 Model I / Assembler Morloc's Tower. Milliams, Gregg. sr 5:12 Dec80 p84-86 *** Games / TRS-80 Model I / Strategy Orchestra-80. Cooper/Kolya. sr 6:11 Nov81 p264-272 *** Music / TRS-80 Model I / Strategy Orchestra-80. Cooper/Kolya. sr 6:12 Dec81 p304-312 *** Pascal / TRS-80 Model I / Compiler Radio Shack FORTRAN package. Daneliuk, Tim. sr L4 6:10 Oct81 p385-390 *** FORTRAN / TRS-80 Model I / TRS-80 Model I / Startek 4.0 and Startrek 3.5. Mitchell, Scott. sr 6:6 Jun81 p352-354 *** Games / TRS-80 Model I / Startek 4.0 and Startrek 3.5. Mitchell, Scott. sr 6:6 Jun81 p352-354 *** Games / TRS-80 Model I / Startek 4.0 and Startrek 3.5. Mitchell, Scott. sr 6:6 Jun81 p352-354 *** Games / TRS-80 Model I / Arcade Super STEP (TRS-80 utility). Robbins, Stanley. Sr 6:5 May81 p248-252 *** TRS-80 Model I / Arcade Super STEP (TRS-80 utility). Robbins, Stanley. Sr 6:5 May81 p248-252 *** TRS-80 Model I / Mascames / TRS-80 Model I / Strategy Super Nova. Liddil, Bob. sr 6:5 Fay81 p262-264 *** Games / TRS-80 Model I / Nov78 p66 *** Money / Home Games / TRS-80 Model I / Strategy
L
Checkbook balancer. Hallen, Rod. col L1 3:11
Nov78 p566 *** Money / Home
Comments on the RF entry method for video
monitors. Wiseman, Victor. col 3:12 Dec78
p202-204 *** Video Display / Interface
Computerized wine cellar*. Jolliffe, Rodney.
col 4:2 Feb79 p128-130 *** Food
Dataline (converts object code to BASIC data
statements). Hunt, Daniel. col L1 6:3
Mar81 p216-222 *** Conversions / BASIC /
Utility Program
Programming strategies in the game of Reversi*.
Maggs, Peter. art L1 4:11 Nov79 p66-79
*** Games / Programming Instruction / Strategy
SOL-20 (User's report: the SOL-20). Barbour,
Dennis. h 3:4 Apr78 p126-130 ***
Hardware Review / Microcomputer System
User's reaction to the SOL-10 computer. Bumpous,
Robert. hr 3:1 Jan78 p86-93 *** Hardware
Review / Microcomputer System
RCERER
First look at graph theory applications. Review / Microcomputer System
SORCERER
First look at graph theory applications.
Ashbrook/Zinn. art Ll 5:2 Feb80 pl8-28
*** Graph Theory
SORTING
BASIC sorts. Pittet, Rene. col Ll 3:4 Apr78
pl48 *** SWTPC / BASIC

S-100 USERS



INTERFACE 9-TRACK TAPE DRIVES

With the DTI - DMA **Tape-Unit Interface**

- Transfers data via DMA up to 200K bytes per second
- Allows full control over all tape-drive functions

SPEED NUMBER-CRUNCHING SOFTWARE 5-10 X's AND MORE

With the FMP -**Fast Math Processor**

- · Kit or assembled
- 32-bit floating point operations for arith., trig., exponential, etc. functions
- · Or 64-bit floating point operations for arithmetic functions

Both the DTI and FMP meet the IEEE S-100 standard. Software is available.

For further information contact:

A MEMBER OF THE SPC GROUP



SPC TECHNOLOGIES, INC.

1500 Wilson Blvd., Arlington, VA 22209 (703) 841-3632



DISKETTE AND MANUAL

Uses CP/M or MP/M operating system to work with TRS-80, Apple's with softcard, North Star. Superbrain, Micropolis, and many other microcomputers. Needs a minimum of 16K of RAM. Uses single density 8" or 51/4" diskette.



ELLIS COMPUTING

SOFTWARE TECHNOLOGY

600 41st Avenue San Francisco, CA 94121 Edition II of Nevada COBOL,

- a subset of ANSI-74, features:
- Copy statement for library handling. · CALL...USING...CANCEL.
- PERFORM...THRU...TIMES... UNTIL... Paragraph or section names.
- IF...NEXT SENTENCE...ELSE... **NEXT SENTENCE AND/OR** <=> NOT.
- GO TO...DEPENDING ON.
- Unique easily understood diagnostic error messages.
- Interactive ACCEPT/DISPLAY...
- RELATIVE (random) access files.
- Sequential files both fixed and variable length.
- · DISPLAY, 16-bit binary or packed decimal (COMP-3) data types with up to 18-digit accuracy.
- INSPECT...TALLYING... REPLACING.
- ADD, SUBTRACT, MULTIPLY, DIVIDE, GIVING, ROUNDED, ON SIZE ERROR.
- Generates optimized 8080 machine language at up to 500 statements per minute.

WE WELCOME C.O.D's



(415) 751-1522. CP/M, MP/M and TRS-80 are registered TM's of Digital Research and Tandy Corporation.

SAVE \$\$

SCOUNT PRI





apple computer

16K APPLE II	1049.00
32K APPLE II	1074.00
48K APPLE II	1099.00
DISK W/CONTROLLER	499.00
DISK ONLY	445.00
APPLESOFT CARD	139.00
INTEGER CARD	139.00
PASCAL SYSTEM	399.00
SILENTYPE PRINTER	349.00
HAYES MICROMODEM	295.00
Z-80 SOFTCARD	295.00
VIDEX 80 COL. BRD.	295.00
16K RAM BOARD	169.00

RAM MEMORY

FOR TRS-80, APPLE II 16K SET 4116's (200 NS) 24 95



400 16K	349.00
800 16K	759.00
410 Recorder	64.00
815 Disk	1199.00
810 Disk	489.00
822 Printer	359.00
825 Printer	779.00
830 Modem	159.00
850 Interface Module	179.00
CX853 RAM	85.00
CX70 Light Pen	64.00
CX30 Paddle	18.00
CX40 Joystick	18.00

VERBATIM DISKETTES

Box of 10 51/4" 29.50 Box of 10 8" 39.50



North Star Computers

HR2-2D-32K	2795.00
HR2-20-48K	2956.00
HR2-2D-64K	3145.00
HR2-2Q-32K	2975.00
HR2-2Q-48K	3165.00
HR2-2Q-64K	3360.00
HRAM 32K	469.00
HRAM 48K	662.00
HRAM 64K	849.00
HDS-18 HARD DISK	4025.00
MDS-DRV-D	495.00
MDS-DRV-Q	665.00
ADC-1-D	740.00
ADC-2-D	995.00
ADC-1-Q	795.00
ADC-2-Q	1285 00

PRINTERS EPSON MX-70

399.00
499.00
599.00
90.00
75.00
22.50
795.00
855.00
815.00
1195.00
1450.00
2650.00
2995.00
2675.00
195.00
1695.00

General Information:

STARWRITER W/O TRACTOR

We carry a large selection of hardware and software by other companies. Send for our catalog. We are an authorized repair center for APPLE, ATARI, NORTH STAR, AND EPSON.

1500.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. MARYLAND RESIDENTS ADD 5% SALES TAX

FREDERICK PRODUCTS, INC.

5726 INDUSTRY LANE COMPUTER FREDERICK, MD. 21701 Store Hours:

TO ORDER CALL: (301) 694-8884

MON. THRU THURS. 9:30 AM—9:00 PM FRI. AND SAT. 9:30 AM—5:00 PM

Circle 168 on inquiry card.

439

SORTING (CONTINUED) Sorting with a catch. Brady, Paul. col L1 5:9
Sep80 p322-323 *** North Star / Programming Instruction
rting with binary trees. Walker, Bill. art
Ll 5:10 Oct80 p96-112+ *** Programming
Instruction SOUND EFFECTS Audible interrupts for humans. Douds, Charles. art 2:2 Feb77 p54-58 *** Hardware Construction art 2:2 Feb// p54-b8 *** Hardware
Construction
Audio processing with a microprocessor. O'Haver,
Tom. art L3 3:6 Jun78 p166-173 ***
Digital Audio / 6502 / Audio Processing
Faster audio processing with a microprocessor*.
Dally, William. art L3 4:12 Dec79 p54-76
*** Digital Audio / Design / Audio Processing
Some notes on modular assembly programming.
Lewis, James. art L3 4:12 Dec79 p222-226
*** Programming Instruction / Assembly
Language / TRS-80 Model I
Sound off (creating music and sound effects).
Ciarcia, Steve. col L3 4:7 Ju179 p34-51
*** Hardware Construction
Tune in with some chips (programmable music tone generator). Sierad, Ted. art L2 2:9 Sep77
p84-94 *** Music / Hardware Construction
Turn your KIM into a metronome. Kellerman,
David. col L3 4:8 Aug79 p213-214 ***
Clock / KIM
White-noise generator for the Apple II. White-noise generator for the Apple II.
O'Flaherty, John. col' L2 5:4 Apr80 p68
*** Apple II
SPACE PROGRAM SPACE PROGRAM

One step forward - three steps backup: computing in the US space program . Stakem, Patrick. art 6:9 Sep81 pl12-144 *** Test / Apple II SPECH RECOGNITION

Give an ear to your computer (a speech recognition primer). Georgiou, Bill. art 3:6 Jun/8 p56-91 *** Design / Recognition for Heuristics Speechlab. Rick. hr Ll 2:9 Sep77 p50 *** Hardware Review / Altair Speech recognition for a personal computer system. Boddie, James. art Ll 2:7 Jul77 p64-71 *** Design SPHERE HERE
Are they real? (a visit to Sphere, SWTPC and Mits), Green, Wayne. col 1:2 Oct75 p61+
*** Altair / Manufacturing / SWTPC
Assembling a Sphere. Anderson, Bruce. art 1
Jul76 p18-20 *** Hardware Construction /
Microcomputer System / Kit Building
Sphere rolls into town. art 1:5 Jan76 p80
*** Marketing
ANDARDS STANDARDS
Altair (S-100) bus forum: PCC 77. McCallum,
John. col 3:3 Mar78 p148-151 *** Altair / John. col 3:3 Mar/8 p148-151 *** Altair / S-100 Bus
BYTE's audio cassette standards symposium.
Peschke/Peschke. art 1:6 Feb76 p72-73 ***
Tape Cassette
Benchmarks, standards, etc. Helmers, Carl. art
1:3 Nov75 p90-92 *** Consumer Information /
Benchmark Testing
CIE Net: a design for...information exchanges,
part 2: protocols. Wilber, Mike. art 3:3
Mar/8 p152-164 *** Networks
CIE Net: a design for...information exchanges, pt
3: other considerations. Wilber, Mike. art
1: 3:4 Apr/8 p168-176 *** Networks
Can we agree on standards? Morgan, Chris. col
6:11 Nov81 p6-8 *** Information Storage /
Data Structures
Comments on S-100 Bus extension. Walker, John.
col 4:1 Jan/9 p54 *** S-10 Bus
Comments on a prototyping bus / Some comments on
the universal bus. Simmons/Faiman. col 2:3
Mar/7 p102-104 *** Hardware Construction
Comments on the TDL relocatable loader format.
Pittman, Tom. col 2:11 Nov77 p204-205 ***
Languages Pittman, Tom. col 2:11 Nov77 p204-205 ***
Languages
Complete ASCII (codes given in binary, octal, hex
and decimal). Ciemiewicz, David. col 3:2
Feb78 p19 *** ASCII
Consistency - or a lack thereof...(BYTE standards
for Pascal listings). Helmers, Carl. col 3:8
Aug78 p89 *** Pascal / Publishing
DIF: a format for data exchange between
applications programs. Kalish/Mayer. art L1
6:11 Nov81 p174-206 *** Data Structures /
Information Storage
FORTH standards team. Ragsdale, William. art
5:10 Oct80 p274-277 *** FORTH / Definitions
From the publisher (lack of plugs on the Altair
computer). Green, Wayne. col 1:3 Nov75 p5*
*** Altair / Design
IBM compatible disk drives.
art 4:10 Oct79 p100-106 *** Floppy Disk
Drive / IBM
Local-area networks: possibilities for personal
computers. Saal, Harry. art 6:10 Oct81
p92-112 *** Networks / Multi-user Systems /
Ethernet
Need for relocating loaders. Pielmeier, K.P. Ethernet
Need for relocating loaders. Pielmeier, K.P.
col 3:6 Jun78 pl30-132 *** Microprocess
New ASCII standards (notice). col 2:5 May77
pl17 *** ASCII
On consumers' languages and standardization of pll7 *** ASCII
On consumers' languages and standardization of human interfaces. Mikes, Peter. col 3:4
Apr78 pl49-150 *** Languages
Proposal for a universal prototyping bus structure. Washburn, David. col 1:16 Dec76
pl28-130 *** Hardware Construction

STANDARDS (CONTINUED)

Proposed graphics software standard, part 2.
Jones, Vincent. col L3 4:12 Dec79 p82-85+
*** Graphics / Gromemco
Proposed microprocessor software standard.
Formaniak/Leitch. col 2:7 Jul77 p34+ ***
Microprocessor / Z-80
Proposed standard for publishing binary data in
machine readable form. Banks/Sanderson. art
1:15 Nov76 p10-14 *** Binary / Publishing /
Software Publishing
Response to "A proposed microprocessor software
standard". Ogdin, Carol. col 2:11 Nov77
p198-199 *** Languages
S21: an Altair (S-100) to LSI-11 bus adaptor.
Bondy, Jonathan. col 3:9 Sep78 p102-112
*** S-100 Bus / Altair / LSI-11
Samples of machine readable printed software.
Banks/Sanderson. art 1:16 Dec76 p12-17 ***
Bar Codes / Information Storage / PAPERBYTES
Solving the problems of international television
standards. Dehaven, E. John. col 3:4 Apr78
p152-153 *** Video Display
Standards for writing standards. Wallace, David.
col 3:2 Feb78 p175-176 *** Languages
Standardization of high level languages: some
questions. Greene, E.M. col 3:5 May78
p163-165 *** Languages
Technical Design Labs relocatable object module
format. Colvin, Neil. col 2:11 Nov77
p199-204 *** Languages
Toward a parallel interface standard. Helmers,
Carl. col 1:10 Jun76 p4+ *** Interface /
Parallel Input/Output
Two letters on extending the Altair S-100 Bus.
Naess/McCallum. col 3:8 Aug78 p12 ***
S-100 Bus / Altair
UCSD PASCAL: a (nearly) machine independent
software system. Bowles, Kenneth. col 3:5
May78 p46+ *** Pascal / Languages
What is a character?*. Peshka, Manfred. art
1:4 Dec75 p30-38 *** Binary Coded Decimal /
ASCII / Baudot Code
TATISTICS
Algebraic identities are not numerical
identities. Forsythe, Alan. col 5:2 FebP0
1274 *** ATISTICS
Algebraic identities are not numerical identities. Forsythe, Alan. col 5:2 Feb80 p174 *** Mathematics Curve fitting with your computer. Ruckdeschel, Fred. art L1 4:10 Oct79 p150-160 *** Fred. art Mathematics Fred. art ll 4:10 Oct79 p150-160 ***
Mathematics
Elements of statistical computation. Forsythe,
Alan. art ll 4:1 Jan79 p182-184 ***
Programming Instruction / Mathematics / BASIC
National micropastime. Roehrig, Joseph. art ll
4:11 Nov79 p113-136 *** Simulation /
Athletics / North Star
Simple approach to data smoothing.
Ruckdeschel/Krinsky. art ll 6:3 Mar81
p262-298 *** Business / North Star
Statistical computations recomputed. Bliss, J.G.
col 4:6 Jun79 p193 ***
STOCK MARKET
Black friday (PDP-10 stock market game in BASIC).
Baker, Robert. art ll 2:1 Jan77 p56-58
*** Games STRATEGY 6800 Eighteen with a die: a learning game player. Yost, Russell. art L3 5:1 Jan80 p212-229 *** Games / Artificial Intelligence / 6800

APPLE II

Dungeon Campaign. Williams, Gregg. sr 5:12
Dec80 p74 *** Software Review / Games /
Apple II Apple II
Lost Dutchman's Gold*. Liddil/Li. art L1 5:12
Dec80 p268-280 *** Games / Apple II
Odyssey: The Compleat Apventure. Nelson, Harold.
sr 5:12 Dec80 p90-92 *** Software Review
/ Games / Apple II
Prisoner. Liddil, Bob. sr 6:9 Sep81 p386-387
*** Software Review / Games / Apple II

DESIGN Character variation in role-playing games. Freeman, Jon. art 5:12 Dec80 pl86-190 *** Games / Design

GAMES
BASIC game: GOBANG (large Tic-Tac-Toe game).
Allwork, John. col L1 4:11 Nov79 p56-62
*** Games / SWTPC
Character variation in role-playing games.
Freeman, Jon. art 5:12 Dec80 p186-190 ***
Games / Design
Commbat: a tele-game for two. Stewart, George.
sr 6:12 Dec81 p100-104 *** Software Review
/ Games / TRS-80 Model I
Computer scrabble. Roehrig, Joseph. art L1
6:12 Dec81 p320-351 *** Games / North Star
/ TRS-80 Model I
Dungeon Campaign. Williams, Gregg. sr 5:12
Dec80 p74 *** Software Review / Games /
Apple II
Eighteen with a die: a learning game player. GAMES

Apple II

Eighteen with a die: a learning game player.
Yost, Russell. art L3 5:1 Jan80 p212-229
*** Games / Artificial Intelligence / 6800

Fifteen: a game of strategy (or Tic-Tac-Toe revisited)*. Rheinstein, John. art L1 5:6
Jun80 p230-234 *** Games

Flights of fancy with the Enterprise (Star Trek game). Price, David. art L1 2:3 Mar77
p106-113 *** Games / Altair
Here's APL in action (lunar lander program).
Keefe, David. art L9 2:8 Aug77 p44-47 ***
Games / APL

STRATEGY (CONTINUED)

Life (Game of Life). Englander, William. col
Ll 3:12 Dec78 p76-B2 *** Games /
Mathematics / Life
Life can be easy (8080 version of the Game of
Life). Soderstrom, Randy. art L3 4:4 Apr79
p166-169 *** Games / Mathematics / Life
Life with your computer (Game of Life).
Milliun/et al. art 3:12 Dec78 p45-50 ***
Games / Mathematics / Life
Lost Dutchman's Gold*. Liddil/Li. art L1 5:12
Dec80 p268-280 *** Games / Apple II
Mastermind (in RT-I1 BASIC). Milligan, W. Lloyd.
art L1 2:10 Oct77 p168-171 *** Games
Microsoft Adventure. Liddil, Bob. sr 5:12
Dec80 p268-296 *** Software Review / Games /
TRS-80 Model I
Monoloc's Tower. Williams, Grego. sr 5:12
Dec80 p248-26 *** Software Review / Games /
TRS-80 Model I
NIMBLE: the ultimate NIMT*. Doliner, Irwin. art

TRS-80 Model I
NIMBLE: the ultimate NIM?*. Doliner, Irwin. art
Ll 2:ll Nov77 p172-178 *** Games
Odyssey: The Compleat Apventure. Nelson, Harold.
sr 5:l2 Dec80 p90-92. *** Software Review
/ Games / Apple II
On the road to adventure. Liddil, Bob. art
5:l2 Dec80 p158-170 *** Games / Software
Review

5:12 DeCSU p158-1/0 *** Games / Software Review
One-dimensional life (Game of Life). Millen,
Jonathan. art 3:12 Dec78 p68-74 *** Games
/ Mathematics / Life
Othello, a new ancient game. Duda, Richard. art
Ll 2:10 Cct77 p60-62 *** Games / Othello
Pirate's Adventure*. Adams, Scott. art Ll
5:12 Dec80 p192-212 *** Games / TRS-80
Model I
Prisoner. Liddil. Bob. sr 6:9 Sep81 p386-387

5:12 Dec80 p192-212 *** Games / TRS-80 Model I
Prisoner. Liddil, Bob. sr 6:9 Sep81 p386-387
*** Software Review / Games / Apple II
Programming strategies in the game of Reversi*.
Maggs, Peter. art L1 4:11 Nov79 p66-79
*** Games / Programming Instruction / SOL
Programming the game of Go. Millen, Jonathan.
art 6:4 Apr81 p102-120 *** Games /
Programming Instruction / KIM
Quest (Adventure type game). Chaffee, Roger.
art L1 4:7 Jul79 p176-186 *** Games / PET
SR-52 card blackjack*. Garvey, Michael. col L2
2:6 Jun77 p150-153 *** Games / Calculator
Some facts of life (Game of Life). Buckingham,
David. art 3:12 Dec78 p54-66 *** Games /
Mathematics / Life
Spacecraft simulator. Sivak, Gary. art L1
4:11 Nov79 p104-111 *** Games / Simulation
Startrek 4.0 and Startrek 3.5. Mitchell, Scott.
sr 6:6 Jun81 p352-354 *** Software Review
/ Games / TRS-80 Model I
Super TIC (three-dimensional Tic-Tac-Toe).
Roehrig, J. art L1 5:3 Mar80 p232-238 ***
Games / North Star
Iic-Tac-Toe in BASIC*. Stoddard, Mike. Col L1
3:12 Dec78 p174-175 *** Games / Games / Goll
3:12 Dec78 p174-175 *** Games / Games / Goll

Games / North Star

Tic-Tac-Toe in BASIC* Stoddard, Mike. col L1
3:12 Dec/B pl74-175 *** Games / BASIC

Tic-Tac-Toe: a programming exercise*. Hinrichs,
Delmer. art L1 4:5 May79 pl96-203 ***
Games / Programming Instruction

Zork, the great underground empire (TRS-80).
Liddil, Bob. sr 6:2 Feb81 p262-264 ***
Software Review / Games / TRS-80 Model I

MATHEMATICS

Life (Game of Life). Englander, William. col
Ll 3:12 Dec78 p76-82 *** Games /
Mathematics / Life
Life can be easy (8080 version of the Game of
Life). Soderstrom, Randy. art L3 4:4 Apr75
p166-169 *** Games / Mathematics / Life
Life with your computer (Game of Life).
Milliun/et al. art 3:12 Dec78 p45-50 ***
Games / Mathematics / Life
One-dimensional life (Game of Life). Millen,
Jonathan. art 3:12 Dec78 p58-74 *** Games /
/ Mathematics / Life
Some facts of life (Game of Life). Buckingham,
David. art 3:12 Dec78 p54-66 *** Games /
Mathematics / Life

PROGRAMMING INSTRUCTION PROGRAMMING INSTRUCTION
Programming strategies in the game of Reversi*.
Maggs, Peter. art Ll 4:ll Nov79 p66-79
*** Games / Programming Instruction / SOL
Programming the game of Go. Millen, Jonathan.
art 6:4 Apr81 p102-120 *** Games /
Programming Instruction / KIN
Tic-Tac-Toe: a programming exercise*. Hinrichs
Delmer. art Ll 4:5 May79 p196-203 ***
Games / Programming Instruction

SOFTWARE REVIEW Commbat: a tele-game for two. Stewart, George.
sr 6:12 Dec81 pl00-104 *** Software Review
/ Games / TRS-80 Mode! I
Dungeon Campaign. Williams, Gregg. sr 5:12
Dec80 p74 *** Software Review / Games /
Apple II

Apple II
Microsoft Adventure. Liddil, Bob. sr 5:12
Dec80 p264-266 *** Software Review / Games /
TRS-80 Model I
Morloc's Tower. Williams, Gregg. sr 5:12
Dec80 p84-86 *** Software Review / Games /
TRS-80 Model I

TRS-80 Model I
Odyssey: The Compleat Apventure. Nelson, Harold.
sr 5:12 Dec80 p90-92 *** Software Review
/ Games / Apple II
On the road to adventure. Liddil, Bob. art
5:12 Dec80 p158-170 *** Games / Software Review

Proposed graphics software standard, part 1.
Jones, Vincent. col 4:11 Nov79 p196-218
*** Graphics

HEATH

UPGRADE your H9 for a fraction of the cost of a new terminal with these features.

FLICKER FREE

If Columbus would have had to wait for his H9 operating at 600 baud, he might not have discouvered America. At last your computer can communicate with your H9 eight times faster (4800 baud) without that annoying refresh interrupt that causes the screen to flash at rates greater than 600 baud. Faster listings. Faster program execution. Eight times

CURSOR CONTROL

Why limit your output to consecutive lines of your terminal? CURSOR CONTROL allows your computer to move the cursor anywhere on the screen. Add that professional touch to your displays by utilizing masking techniques. Functions included are; left, right, up, down, left and right 20 spaces, home and erase page.

GRAFIX
Open a whole new world to your output. The graphical display capabilities of GRAFIX
allow you to create displays never before possible on the HB.

LOWER CASE ENTRY

Now you can enter lower case characters from the keyboard. A Shift Lock key allows the keyboard to operate as the standard H9 keyboard or to generate upper and lower case depending upon the Shift key as per a normal typewriter.

LOWER CASE DISPLAY Lower case capabilities greatly improve readability on terminals modified for 24 lines.

KEY CAPS

EY CAPS
\$12.50 SET 4 ARROWS \$1.00
These quality contour key caps have molded-in alphanumerics. For that professional feel.

Full Six Month Warranty - 24 Line Compatible

NORTHWEST COMPUTER SERVICES. INC. 8503 N.E. 30th Ave.

Vancouver, WA 98665
(206) 573-8381

*H9 is a registered trademark of Heath Co. MASTER CARD a



INDUCTIVE

Eliminates room noise, vibration and other acoustic coupled problems. Originate/Answer. Half/Full duplex. Crystal controlled. RS-232, TTL, CMOS, cassette recorder input/outputs. Bell 103 compatible.



Try one for 30 days. No obligation. Money back if not delighted (less shipping).

What makes this MFJ-1230 modem different from other acoustic coupled modems?

First, it uses inductive coupling for receiving. This innovative technique eliminates room noise, vibration and other acoustic coupled problems. The result is more reliable data transfer.

Second, it is RS-232 compatible and provides TTL and CMOS input/outputs. Lets you interface to nearly any computer with proper software.

Third, cassette recorder input/output jacks let you record your transmitted data and load it back to your computer or retransmit it later.

Fourth, it has Originate/Answer modes and Half/Full duplex operation.

Fifth, it is crystal controlled for high stability. Sixth, it has low price and excellent quality. Bell 103 compatible. Carrier detect, power "ON" LEDs. 0 to 300 baud. All aluminum cabinet. Simple to install and operate. Made in USA.

No other modem offers you all these features at this affordable price.

Order from MFJ and try it - no obligation. If not delighted, return it within 30 days for refund (less shipping). One year unconditional guarantee.

Order today. Call toll free 800-647-1800. Charge VISA, MC or mail check, money order for \$129.95 plus \$4.00 shipping/handling for MFJ-1230.

Enjoy Micro Net, Source, bulletin boards and others, order now. Call MFJ or see dealers.

CALL TOLL FREE ... 800-647-1800

Call 601-323-5869 in Miss., outside continental USA OR for technical info, order/repair status.

ENTERPRISES, INCORPORATED

921 Louisville Road, Starkville, MS 39759

STRATEGY (CONTINUED)
Prisoner. Liddil, Bob. sr 6:9 Sep81 p386-387
*** Software Review / Games / Apple II
Startrek 4.0 and Startrek 3.5. Mitchell, Scott.
sr 6:6 Jun81 p352-354 *** Software Review
/ Games / TRS-80 Model I
Zork, the great underground empire (TRS-80).
Liddil, Bob. sr 6:2 Feb81 p262-264 ***
Software Review / Games / TRS-80 Model I

TRS-80 MODEL I
smmbat: a tele-game for two. Stewart, George.
sr 6:12 Dec81 p100-104 *** Software Review
/ Games / TRS-80 Model I

/ Games / TRS-80 Model I
Computer scrabble. Roberig, Joseph. art L1
6:12 Dec81 p320-351 *** Games / North Star
/ TRS-80 Model I
Microsoft Adventure. Liddil, Bob. sr 5:12
Dec80 p264-266 *** Software Review / Games /
TRS-80 Model I
Morloc's Tower. Williams, Gregg. sr 5:12
Dec80 p84-86 *** Software Review / Games /
TRS-80 Model I
Pirate's Adventure*. Adams, Scott. art L1
5:12 Dec80 p192-212 *** Games / TRS-80
Model I
Startrek 4.0 and Startrek 3.5. Mitchell. Scott.

Model I
Startrek 4.0 and Startrek 3.5. Mitchell, Scott.
sr 6:6 Jun81 p352-354 *** Software-Review
/ Games / TRS-80 Model I
Zork, the great underground empire (TRS-80).
Liddil, Bob. sr 6:2 Feb81 p262-264 ***
Software Review / Games / TRS-80 Model I

STRINGY FLOPPY STRINGY FLOPPY
Exatron Stringy Floppy data-storage system.
Carlson, Keith. hr L1 6:11 Nov81 p126-130
*** Hardware Review / Information Storage /
TRS-80 Model 1
STRUCTURED PROGRAMMING

Baking Baker (comments on structured programming). Farley, Shal. col 3:2 Feb78 p135-137 ***

p135-137 ***

Common mistakes using Warnier-Orr diagrams.
Higgins, David. art 4:3 Mar79 p170-176 ***
Programming Instruction
Designing structured programs. Weems, Chip. art 16 3:8 Aug/8 p143-154 *** Pascal /
Programming Instruction
1 praise of PASCAL. Mundie, David. col L6 3:8 Aug/8 p110-116 *** Pascal / Programming Instruction
Programming for the beaters.

Instruction
Programming for the beginner: a structured start.
Herman, Ronald. art 1:10 Jun76 p22-26 ***
Programming Instruction
Some words about program structure. Hearn,
Albert. art Ll 3:9 Sep78 p68-76 ***
Programming Instruction / BASIC
Structured program design. Higgins, David. art
Ll 2:10 Oct77 pl46-151 *** Programming
Instruction / Games

Instruction / Games
Structured programming and structured flowcharts.
Williams, Gregg, art Ll 6:3 Mar8l p20-34
*** Flowchart / TRS-80 Model I
Structured programming with Warnier-Orr diagrams,
part 1: design. Higgins, David. art 2:12
Dec77 p104-110 *** Design / Programming
Instruction
Structured programming with Warnier-Orr..., part
2: coding the program*. Higgins, David. art
Ll 3:1 Jan78 p122-129 *** Programming
Instruction

Instruction
Top-down modular programming. Hearn, Albert. art 3:7 Jul78 p32-38 *** Programming Instruction

Instruction
Toward a structured 6809 assembly language, part
1: an introduction... Walker, Gregory. art
L3 6:11 Nov81 p370-382 *** 6809 /
Programming Instruction / Assembly Language
Toward a structured 6809 assembly language, part
2: ... assembler. Walker, Gregory. art L3

Toward a structure obuy assembly language, part 2: ... assembler. Walker, Gregory. art L3 6:12 Dec81 p198-228 *** 6809 / Programming Instruction / Assembler Warnier-Orr diagrams: some further thoughts. Wedemeyer, G.T. col L1 3:5 May/8 p145-148 *** Programming Instruction / BASIC PC

Business

Business Constellation I: an astronomy program. Berenl Howard. col L1 6:3 Mar81 p333-335 *** Astronomy / Education / TRS-80 Model I Designer's eye view of the AC-30. Kay, Gary. art 1:16 Dec76 p98-108 *** Interface / Tape Cassette

SWTPC (CONTINUED)

TPC (CONTINUED)
Enterprising display device (GT-6144 graphics display generator). Deres, Joe. art 13 1:15 Nov76 p42-54 *** Graphics / Hardware Construction / 6800 Expanding the Tiny Assembler. Emmerichs, Jack. art 13 2:9 Sep77 p44-49 *** Assembler / 6800 / Programming Instruction How far - which way? (navigation program). Pittet, Rene. art 11 2:7 Ju177 p118-119 *** Mathematics / Navigation How to multiply in a wet climate, part 2: design details. Bryant/Swasdee. art 13 3:5 May/8 p104-114 *** Mathematics / Hardware Construction / Microprocessor If only Sam Morse could see us now*. Sewell, Wayne. art 13 1:14 Oct76 p42-49 *** Ham Radio / Programming Instruction / 6800 Infamous traveling-salesman problem: a practical approach. Parry/Pfeffer. art 11 6:7 Ju181 p252-290 *** Mathematics / Puzzles / Energy Interfacing the Sykes OEM floppy disk kit to a personal computer (SWTPC). Hughes, Phil. art 13 3:3 Mar/8 p13-184 *** Floppy Disk Drive / Interface / Hardware Construction Label and file program. Carpenter, Andrew. col 14:4 Apr79 p222-223 *** Utility Program / Business

Drive / Interface / Hardware Construction
Label and file program. Carpenter, Andrew. col
Lat 4:4 Apr79 p222-223 *** Utility Program
/ Business
Lucidata P-6800 Pascal. Hughes, Phil. sr 5:3
Mar80 p184 *** Software Review / Pascal
Modifying the SwTPC computer (for 6809
operation). Weaver, Thomas. art 6:2 Feb81
p332-334 *** Hardware Modification / 6809
More on the SwTPC 6800 system. Kay, Gary. art
1:6 Feb76 p50-53 *** Serial Input/Output /
Parallel Input/Output / Interface
SWTPC PR-0 alphanumeric printer (review). Kay,
Gary. hr 2:3 Mar77 p18-24 *** Hardware
Review / Printer
Souping up your SwTPC 6800. Hughes, Steve. art
3:10 Oct78 p144-146 *** Clock / Hardware
Modification
Stretch that 6800 clock. Henshaw, Jerry. art
1:16 Dec76 p42-46 *** Clock / Interface /
Hardware Construction
SWTPC 6800 display routine / 6800 register
display. Hayes, Mike. col L3 4:5 May79
p220-222 *** 6800 / Programming Instruction
SWTPC 6809 Microcomputer System. Harmon, Tom.
hr 6:1 Jan81 p216-222 *** Hardware Review
/ 6809 / Hardware Construction
PE CASSETTE
Audio meter for your TRS-80. Miller, David. col
5:2 Feb80 p172-174 *** Hardware
Modification / TRS-80 Model I
BYTE's audio cassette standards symposium.
Peschke/Peschke. art 1:6 Feb76 p72-73 ***
Standards
Build the BIT BOFFER*. Lancaster, Don. art 1:7
Mar76 p30-39 *** Interface / Hardware
Construction
Building the AC-30 cassette interface **Liming,

Construction
Building the AC-30 cassette interface. Liming,
Gary. art 1:16 Dec/6 pl10-111 ***
Hardware Construction / Interface / SMTPC
COMPLEAT tape cassette interface. Hemenway,
Jack. art L3 1:7 Mar76 pl0-16 ***
Interface / Hardware Construction / 6800
Cassette interface switching box for the TRS-80*.
Anderson, Craig. art 3:11 Nov78 pl60-161
*** Control / TRS-80 Model I / Hardware
Construction
Cassette lives on: an alternative to floppy-disk
mass storage. Cook, Emory. art 5:5 May80
pl2-18 *** Hardware Modification /
Maintenance / Information Storage
Cassette transports for the "Roll Your Own"
hobbyist*. Freeman, William. art 2:3 Mar77
p26-32 *** Hardware Review
Computer information arrangement. Holladay,

pco-32 *** Hardware Review
Computer information arrangement. Holladay,
David. art 2:10 Oct77 pl56-159 ***
Information Storage / Design
Designer's eye view of the AC-30. Kay, Gary.
art 1:16 Dec76 p98-108 *** Interface /
SWTPC

SMTPC
Digital cassette subsystem: part 1, digital recording background.... Rampil/Breimeir. art 2:2 Feb77 p24-31 *** Digital Audio Digital cassette subsystem: part 2, digital data formats... Rampil/Breimeir. art 2:3 Mar77 p38-48 *** Information Storage / Design / Digital Audio

orgital tassets subsystem, pair 2, wightai day formats.... Rampil/Breimeir. art 2:3 Mar77 p38-48 *** Information Storage / Design / Digital data on cassette recorders. Mauch, Harold. art 1:7 Mar76 p40-45 *** Information Storage | Digital minicassette controller. Kahn, James. art 6:4 Apr8l p66-92 *** Interface / Hardware Construction | Fundamentals of sequential file processing. Smith, Wayne. art 2:10 Oct77 p114-127 *** Information Storage / Programming Instruction / Data Structures | Data Stru

TAPE CASSETTE (CONTINUED)

PE CASSETTE (CONTINUED)

Magnetic recording technology. Helmers, Carl.
col 1:7 Mar76 p6-8+ *** Information

Storage / Memory

Put your computer to work (cassette controller).
Roch, Bill. hr 6:2 FebB1 p102-103 ***

Hardware Review / Interface / Altair

Recording with current instead of voltage. Hein,
David. col 6:2 FebB1 p138-140 ***

Hardware Construction / Design

Saturation recording's not all that hard. Allen,
David. art 2:1 Jan77 p34-41 *** Interface
Serial storage media: an introduction and
glossary. Murphy, Brian. art 2:2 Feb77
p50-53 *** Information Storage / Definitions
Simpler digital cassette tape interface.
Burhans, Ralph. art 3:10 Oct78 p142-143

*** Interface / Hardware Modification
Software controlled 1200 bps audio tape
interface. Helmers, Carl. art L3 2:4 Apr77
p40-49 *** Interface / Utility Program /
6800

Time, your tape. O'Flaherty, John. col L1 5:9

6800
Time your tape. O'Flaherty, John. col Ll 5:9
Sep80 p66-74 *** Apple II
Why wait? Build a FAST cassette interface.
Suding, Robert. art L3 1:11 Ju176 p46-53
*** Interface / Hardware Construction

KES
IRS and the computer entrepreneur. Hughes,
Elizabeth. art 3:1 Jan/8 p27-35+ ***
Federal Government / Business
Microcomputers and the IRS. Kingman, James. col
6:9 Sep81 p426-427 *** Accounting /
Business / Law
Small business accounting system. Lehman, John.
art 1:10 Jun/76 p8-12 *** Accounting /
Business

art 1:10 Jun76 p8-12

Business
Build a touch tone decoder for remote control.
Ciarcia, Steve. col 6:12 Dec81 p42-70 ***
Control / Hardware Construction / Home:
Build an intercomputer data link. Wingfield,
Mike. art L3 6:4 App81 p252-288 ***
Programming Instruction / Networks / 6800
Data paths*. Liming, Gary. art 1:6 Feb76
p32-40 *** RS-232 / Definitions / Data
Transmission
Network tools: ideas for intelligent network
software. Reintjes, Peter. art L6 6:10
Oct81 p140-174 *** Networks / Programming
Design

Oct81 pl40-174 *** Networks / Programming Design Ohio Scientific CA-15 universal telephone interface. Williams, Gregg. hr L3 5:8 Aug80 p40-44 *** Hardware Review / Interface / OSI

OSI
Some thoughts about modems. Helmers, Carl. col
3:7 Jul78 p6+ *** Modem
Telephone dialing by computer. Joyce, Edward.
art 5:1 Jan80 p122-128 *** Interface /
Hardware Construction / Terminal
Telephone-dialing microcomputer. Renbarger,
John. art L3 5:6 Jun80 p140-170 ***
Control of KIM / Hardware Construction
TELETEXT
Let's be PALs: some comments on BBB teletext.
Silson, R.G. col 4:3 Mar79 p186-188 ***
TERMINAL

TERMINAL
ADM-3 emulator for the Hazeltine 1500.
Shoemaker, Charles. col L3 6:4 Apr81
p304-308 *** CP/M / Utility Program
Adding lowercase display to the ADM-3A.
A.W. col 4:3 Mar79 p190-193 *** Lowercase

Adding lowercase display to the ADM-3A. Walker,
A.W. col 4:3 Mar79 p190-193 *** Lowercase
Modification
Assembling the ADM-3A. Franson, Paul. art 4:2
Feb79 p76-82 *** Hardware Construction / Kit
Building
Assembling the H9 video terminal. Steeden,
Terry. art 3:10 Oct78 p130-135 *** Heath
/ Hardware Construction / Hardware Review
Atari's Telelink I. Flint, Glen. sr 6:10
Oct81 p86-90 *** Software Review / Atari /
Utility Program
Build a low-cost, remote data-entry terminal.
Ciarcia, Steve. col 5:9 Sep80 p26-42 ***
Hardware Construction / Home
Build this video display terminal. Anderson,

Build a low-cost, remote data-entry terminal.
Ciarcia, Steve. col 5:9 Sep80 p26-42 ***
Hardware Construction / Home
Build this video display terminal. Anderson,
Alfred. art L3 1:15 Nov76 p106-118 ***
Hardware Construction / Video Display / 6800
CT-1024 kit. Hogenson, James. hr 1:5 Jan76
p32-95 *** Hardware Review / Hardware
Construction / Video Display (Note of Sep19)
Construction of a fourth-generation video
terminal, part L. Wierenga, Theron. art L3
5:8 Aug80 p210-224 *** Hardware
Construction / 8085
Construction of a fourth-generation video
terminal, part 2. Wierenga, Theron. art L3
5:9 Sep80 p126-160 *** Hardware
Construction / 8085
Digital alphanumeric display. Chester, Daniel.
art 4:4 Apr79 p218-220 *** Input/Output /
LED Display
Quad terminal interface. Alpert, Stephen. art
5:2 Feb80 p116-125 *** Interface / Hardware
Construction / PDP-11
Remote terminal (Come upstairs and be
respectable). Ciarcia, Steve. art 2:5 May77
p50-54 *** Hardware Construction / Interface
/ Serial Input/Output
Synertek systems KTM-2 terminal-on-a-board.
Nowes, Phil. hr L3 5:10 Oct80 p42-48 ***
Hardware Review
lelphone dialing by computer. Joyce, Edward.
art 5:1 Jan80 p122-128 *** Interface /
Telecommunications / Hardware Construction
What's in a video display terminal?. Walters,
Don. art 1:7 Mar76 p78-79 *** Video
Display / Design





4 10 0.04 8.13 10 0.04 8.17 8.30 12.44 18.57



call (617)934-0445 for faster delivery



Add \$2 per item shipping, \$3UPS in US; \$3.50 Canada \$12 air Europe & Central America; \$18 elsewhere.

ENGINEERING SOFTWARE FOR MICRO'S

Graphic Software for Micro's - This self-teaching guide will show you how to write your own 2D and 3D graphics software. Contains 61 programs for elementary to advanced graphics operations - translation, rotation, scaling, clipping, stretching, hidden line removal, shading, perspective, intersections, animation and more. Also includes practice problems for classroom use. Program listings in BASIC fully explained and presented alongside theory. Perfect for students, professionals & software developers. "One of the most outstanding books on computer software"- Alan Grund, University of Illinois

"A magnificent book...a major contribution to the educational literature for computers"-Philip Becker, Christian Brothers College, Memphis

Book with listings-\$19.95, Disk(Apple II plus 48K DOS3.3)-\$18.95

Engineering Applications of Micro's - A collection of techniques and programs for applying micro's and computer graphics to engineering - structural mechanics, kinematics, heat transfer, systems analysis, Fourier analysis, optimization, CAD/CAM, and more. Theory with listings in BASIC fully documented. Book with listings-\$28.50, Disk(Apple II plus 48K DOS3.3)-\$19.95

Structural Analysis on Micro's - Theory and program listings in BASIC for matrix structural analysis of rigid frames. Graphical output shows displaced configuration. Member loads determined. Use software as is or modify for your special applications. Book with listings-\$39.95, Disk(Apple II Plus 48K DOS3.3)-\$24.95

ST
Almost optimum Z80 memory test program. Rampil, Ira. col L3 6:9 Sep81 p432-434 *** Memory / Z-80
Bug in BASIC. Maurer, W.D. col L1 6:1 Jan81 p188-196 *** BASIC. / Programming Instruction Comparing floppy-disk drives by software simulation. Nendza, Dennis. art L1 5:5 May80 p130-140 *** Floppy Disk Drive / Minidisk Drive / Hardware Review Guide to Baudot machines: part 3, a teleprinter test circuit. McNatt, Michael. art 2:6 Jun77 p154-157 *** Printer / Interface / Baudot Code M6809 is silicon. Ritter/Boney. col 4:5 May79

Baudot Code
M6809 is silicon. Ritter/Boney. col 4:5 May79
p30-31 *** 6809 / Design
Memory pattern sensitivity test. Kinzer, Don.
art L3 3:10 Oct78 p12-16 *** Memory / 6800
Memory test program. Caprello, Frank. col L3
4:8 Aug79 p215-217 *** Memory / 8080 / IMSAI
One step forward - three steps backup: computing
in the US space program. Stakem, Patrick.
art 6:9 Sep81 p112-144 *** Apple II /
Space Program

art b:9 Sepsi pil2-144 *** Apple il /
Space Program
Quick test of Keyboards. Walters, Don. art 1:2
Oct75 p43 *** Keyboard
Testing memory in BASIC. Adams, Russell. art
Ll 3:10 Oct78 p58-60 *** Memory / BASIC
TEST EQUIPMENT

ST EQUIPMENT

Add dual trace and delayed sweep to your oscilloscope. Stetson, Robert. col 6:9

Sep81 p428-431 *** Hardware Modification Audible logic test probe. Woodward, James. art 4:1 Jan79 p186-187 *** Hardware Construction / Logic Probe

Build a TIL pulse catcher. Walde, William. art 1:6 Feb76 p58-60 *** Hardware Construction Build a low-cost logic analyzer. Ciarcia, Steve. col Ll 6:4 Apr81 p36-44 *** Hardware Construction

col Ll 6:4 Apr8l p36-44 and natural Construction Build a serial ASCII word generator. Finger, Ronald. art 1:9 May76 p50-53 *** Interface / ASCII / Hardware Construction Build a simple digital oscilloscope. DeCaro, Frank. art 4:11 Nov79 p222-226 *** Hardware Construction Built-in logic tester. Christner, Kurt. art 2:1 Jan77 p82-83 *** Hardware Construction Catch bytes with a comparator. MacDonald, Doug. col 6:7 Jul81 p368-370 *** Hardware Construction

2:1 Jan// pBZ-93 *** Hardware Construction
Catch bytes with a comparator. MacDonald, Doug. col 6:7 Jul81 p368-370 *** Hardware Construction
Computerized testing. Ciarcia, Steve. col L1 5:12 Dec80 p44-70 *** HRS-80 Model I / Hardware Construction
Expanded digital voltmeter (Add more zing to the cocktail). Ciarcia, Steve. col L3 3:1 Jan/8 p37-54 *** Hardware Construction / Interface / Z-80
Handy pulser. Chrisp, Bob. art 4:9 Sep79 p160-161 *** Debugging / Hardware Construction
Line-failure indicator. Olson, Hank. col 5:11 Nov80 p86-88 *** Power Supply / Hardware Construction
Logic probes - hardware bug chasers*. Burr, Alex. art 1:4 Dec75 p20-24 *** Debugging / Logic Probe
On a test equipment diet? Try an 8 channel DVM cocktaill. Ciarcia, Steve. col L3 2:12 Dec77 p76-894 *** Hardware Construction
Penny pinching address state analyzer. Ciarcia, Steve. col 3:2 Feb/8 p6-12 *** Hardware Construction / Memory
Powerless IC test clip. Errico/Baker. art 1:4 Dec75 p26-27 *** Hardware Construction / Integrated Circuits / Hardware Construction
IV oscilloscope (building a display and using it as a test instrument). Barbier, Ken. art 2:7 Jul77 p52-57 *** Hardware Construction / Video Display
TEXT EDITOR
Add a simple text editor to your BASIC programs. Goff Robert. art L1 5:4 Apr80 p34-39 ***

CT EDITOR
Add a simple text editor to your BASIC programs.
Goff, Robert. art Ll 5:4 Apr80 p34-39 ***
North Star
BASIC text editor. Ruckdeschel, Fred. art Ll
4:6 Jun79 p156-164 *** North Star / IMSAI /

BASIC

Don't ignore the high end...or my search for manuscript editing paradise . Helmers, Carl. col 3:3 Mar78 p6+ *** Word Processing /

manuscript editing paradise . Melmers, Carl. col 3:3 Mar78 p6+ *** Word Processing / Publishing Editorializing with your computer (text editor). McGath, Gary. art 2:8 Aug77 p8l-85 *** Design Graphics text editor for music, part 1: structure of the editor. Nelson, Randolph. art 5:4 Apr80 p124-138 *** Music / Graphics / Design Graphics text editor for music, part 2: algorithms. Nelson, Randolph. art 5:5 May80 p104-118 *** Music / Algorithm MINCE: a text editor. Kern, Christopher. Sr 6:9 Sep81 p150-160 *** Software Review / CP/M On the virtues of writing editors. Helmers,

CP/M
On the virtues of writing editors. Helmers,
Carl. col 3:11 Nov78 p6+ *** Word
Processing
SWEETS for KIM: a low calorie text editor*.
Fylstra, Dan. art L3 3:2 Feb78 p62-77 ***
KIM

THREADED CODES

READED CODES
PS - a FORTH-like threaded language, part 1.
Motalygo, Valo. art 6:10 Oct81 p462-466
*** Languages / FORTH
PS - a FORTH-like threaded language, part 2.
Motalygo, Valo. art 6:11 Nov81 p400-408
*** Languages / FORTH

THREADED CODES (CONTINUED)

tcaucu COURS (CONTINUED)
Threads of a FORTH tapestry. Williams, Gregg.
col 5:8 Aug80 p6-10+ *** FORTH
Varieties of threaded code for language
implementation*. Ritter/Walker. art L6 5:9
Sep80 p206-227 *** Languages / Interpreter /
Ribliography

Sep80 p206-227 *** Languages / Interpreter / Bibliography
THREE-DIMENSIONAL GRAPHICS
Computer generated maps, part 1. Johnston,
William. art L1 4:5 May79 p10-12* ***
hree-Dimensional Graphics / Mathematics
Computer generated maps, part 2. Johnston,
William. art L1 4:6 Jun79 p100-123 ***
Graphics / Social Science / Mathematics
Future of computer graphics. Brown/Levine. art
5:11 Nov80 p22-28 *** uture /
Three-Dimensional Graphics
Graphic manipulations using matrices.
Hungerford, Joel. art L1 3:9 Sep78
p156-165 *** ction / Three-Dimensional
Graphics

plbb-lbb *** ction / Three-Dimensional Graphics
Graphics in depth: 3-D adds a new dimension to your display. Walters/Harris. art Ll 3:5
May78 plb-l8+ *** ction / Three-Dimensional Graphics

Hidden line subroutines for three-dimensional plotting. Gottlieb, Mark. art L1 3:5 M p49-58 *** Plotting / Programming Instruction

p49-58 *** Plotting / Programming Instruction
PLOT3D: a function plotting program. Stoddard, Mike. col Ll 3:5 May/8 p60-61 ***
Plotting Representing three-dimensional objects in your computer. 8lum, Richard. art Ll 4:5 May/9 p14-29 *** Animation
Three-dimensional computer graphics, part 1.
Crow, Franklin. art L6 6:3 Mar8l p54-82 *** aphics / Three-Dimensional Graphics
Three-dimensional computer graphics, part 2: software. Crow, Franklin. art L6 6:4 Apr8l p290-302 *** Graphics / Three-dimensional graphics / On the Apple II. Sokol, Dan. art Ll 5:11 Nov80 p148-154 *** High Resolution Graphics / Apple II.
World of computer graphics. Lodding/Nickson. col 5:11 Nov80 p6-14 *** Graphics
XYZ phenomenon: stereoscopic plotting by computer. Powers, William. art Ll 4:10 0ct79 p140-149 *** Plotting / North Star 199/4

TI 99/4 Logo for personal computers. Nelson, Harold. art L9 6:6 Jun81 p36-44 *** Apple II /

TIMESHARING WESHARING
Microcomputer timesharing: a review of the
techniques,...further reading . Johnson,
Kenneth. art 4:4 Apr79 p224-234 ***
Multi-user Systems / Design
Time-sharing/multi-user subsystem for
microprocessors . Kinzer, Don. art L3 5:6
Jun80 p122-134 *** Multi-user Systems /
Design / 6800

Design / 6800
Timesharing: squeezing the most from your micro. Linker, Sheldon. art 4:6 Jun79 p228-233
*** Multi-user Systems / Design TINY BASIC

Adding new transcendentals to limited BASICs.
Sempronio, Vince. col 2:9 Sep77 p61+ ***

Sempronio, Vince. col 2:9 Sep77 p61+ ***
Mathematics
Simple math lessons (math test). Lloyd, Robert.
col Ll 2:11 Nov77 p60 *** Mathematics /
Elementary Education
Spacewar in Tiny BASIC: navigating through
Integer BASIC. Beard, David. art Ll 4:5
May79 p110-115 *** Mathematics / Games /
Programming Instruction
Tiny BASIC (a review of Tom Pittman's Tiny
BASIC). Rosner, Richard. sr Ll 2:4 Apr77
p34-38 *** Software Review / Languages
S-5501

TMS_5501

TOPOLOGY

POLÓGY
Electronic planimetry (measuring a two-dimensional figure). Santi/et al. art L6 5:3 Mar80 pl14-l22 *** Science / Direct cursor addressing in UCSD Pascal. Helmers, Carl. col L6 5:2 Feb80 p6-l0 *** Puzzles / Pascal Solving problems involving variable terrain, part 1: a general algorithm. Jones, Scott. art 5:2 Feb80 p58-68 *** Simulation / Algorithm Solving problems involving variable terrain, part 2: ...hexagonal grids. Jones, Scott. art 5:3 Mar80 p74-82 *** Simulation YS

Computer-controlled tank. Ciarcia, Steve. col Ll 6:2 Feb81 p44-64 *** Control / Hardware Construction

TRS-80 COLOR
Closer look at the TRS-80 Color Computer. Baker,
Woody, col L1 6:10 Oct81 p334-340 ***
Design

Woody. Col Ll 6:10 Oct81 p334-340 ***
Design
Color computer from A to D: make your color
computer "see" and "feel"... Barden, Milliam.
art Ll 6:12 Dec81 p134-160 *** Interface
/ Analog/Digital Circuit / Joystick
Extended color BASIC for the TRS-80 Color
Computer*. Miastkowski, Stan. sr Ll 6:5
May81 p36-45 *** Software Review / BASIC /
Languages
Three new computers from Radio Shack (Model III,
Color and Pocket). Miastkowski, Stan. hr Ll
5:10 Oct80 p172-180 *** TRS-80 Model III /
TRS-80 Pocket Computer / Hardware Review
Mhat's inside Radio Shack's color computer?*.
Ahrens/et al. art 6:3 Mar81 p90-130 ***
6809 / Programming Instruction / Design

TRS-80 MODEL I

Animation in computer-assisted instruction:
replication of DNA. Eckert, Richard. col Ll
6:7 Jul81 p358-366 *** Computer Assisted
Instruction / Animation'/ Science
Audio meter for your IRS-80. Miller, David. col
5:2 Feb80 p172-174 *** Tape Cassette /
Hardware Modification
Constellation I: an 'astronomy program. Berenbon,
Howard. col Ll 6:3 Mar8l p333-335 ***
Astronomy / Education / SWTPC
Creativity in computer music. Howe, Hubert. art
Ll 4:7 Jul79 p158-173 *** Music
Disk catalog for the eightles. Liddil, Bob. col
.ll 6:8 Aug8l p404-407 *** Utility Program
/ Minidisk Drive
Electronic home banking (You can bank on it).
col 6:1 Jan8l p10 *** Home / Money /
CompuServe

col 6:1 Jan81 pl0 *** Home / Money / CompuServe
Evaluate your home's energy efficiency: conserve energy with your... Beasley, Kimball. art L1 6:10 Oct81 p250-260 *** Energy / Home KNIGHT: a knight's tour problem in MMSFORTH*. Frei, Ulrich. col L7 6:2 Feb81 p325 *** FORTH / Puzzles / Chess Machine problem solving, part 1: trial-and-error, a mechanical plan... Frey, Peter. art L1 5:9 Sep80 p102-112 *** Artificial Intelligence / Puzzles Machine problem solving, part 2: directed search using cryptarithmetic. Frey, Peter. art L1 5:10 Oct80 p266-272 *** Cryptology / Puzzles

Puzzles

Puzzles
Memory manipulator: eliminate hex-a-phobia.
Witt, Louis. col [1 6:10 Oct81 p356-364
*** Utility Program / Machine Language
Wy TRS-80 talks to my Cromemoc J.-2. Hallen, Rod.
art 1.3 5:6 Jun80 p88-94 *** Serial
Input/Output / Cromemoc / RS-232
Omikron TRS-80 boards, NEWDOS+, and sundry other
matters. Pournelle, Jerry. col 5:7 Jul80
p198-208 *** Operating Systems / Floppy Disk
Drive
Peek at poke (pokes hexadecimal values into

p198-208 *** Operating Systems / Floppy Disk Drive
Peek at poke (pokes hexadecimal values into memory). Parris, M. col Ll 4:6 Jun79 p212-213 *** Utility Program / Hexadecimal Radio Shack's modifications to the TRS-80*. Li, Terry. col 5:10 Oct80 p182-184 *** Hardware Modification / RoM Simple base conversions for the TRS-80. Curran, James. col Ll 5:11 Nov80 p145 **** Conversions / Hexadecimal Structured programming and structured flowcharts. Williams, Gregg. art Ll 6:3 Mar8l p20-34 *** Structured Programming / Flowchart TRS-80 performance evaluation by program timing*. Lewis, James. art L3 5:3 Mar80 p84-94 *** Benchmark Testing / IBM UPC bar codes with the Centronics 737. Anderson, John. col Ll 6:5 May8l p228+ *** Bar Codes / Printer Votrax vocabulary. Gargagliang/Fons. col 6:6

Votrax vocabulary. Gargagliano/Fons. col 6:6 Jun81 p384-391 *** Voice Synthesis Word Jibnmurle (program to rearrange letters in a word). Gorney, Leonard. col L1 6:8 Aug81 p417 *** Puzzles

6800
MIKBUG and the TRS-80, part 1: a cruss-assembler for the Motorola 6800. Labenski, Robert. art L1 6:12 Dec81 p229-250 *** MIKBUG / 6800 / Assembler

APPLE II Build a low-cost speech-synthesizer interface. Ciarcia, Steve. col Ll 6:6 Jun81 p46-68 *** Apple II / Voice Synthesis / Hardware Construction

Construction

Electromagnetic interference. Ciarcia, Steve. col 6:1 Jan81 p48-68 *** Radio-frequency Interference / Apple II / Atari

Some more on performance evaluation*. Helmers, Carl. col L1 5:7 Ju180 p216-219 ***

Benchmark Testing / Apple II

Benchmark lesting / Apple 11

CONTROL

Build the Disk-80: memory expansion and floppy-disk control (TRS-80). Ciarcia, Steve. col 6:3 Mar8l p36-52 *** Disk Controllers / Hardware Construction / Minidisk Drive

Cassette interface switching box for the TRS-80*. Anderson, Craig. art 3:11 Nov78 p160-161

*** Tape Cassette / Control / Hardware Construction


Home in on the rangel. Ciarcia, Steve. col Ll 5:11 Nov80 p32-58 *** Control / Hardware Construction / Interface

Limprove TRS-80 disk operation: add an external data separator. Kline, Ken. col 6:5 May81 p102-104 *** Disk Controllers / Hardware Modification / Minidisk Drive

Percom's Doubler. Kelly, Mahlon. hr 6:/ Jul81 p344-352 *** Hardware Review / Disk Controllers / Minidisk Drive

BREAKFORTH into FORTH. Miller/Miller. art L7
5:8 Aug80 pl50-163 *** FORTH / Games /
Programming Instruction
Big Five software (Attack Force, Cosmic Fighter,

Big Five software (Attack Force, Cosmic Fighter, and Galaxy Invasion). Williams, Gregg, sr 6:9 Sep81 pJ84-386 *** Software Review / Arcade / Games
Commbat: a tele-game for two. Stewart, George. sr 6:12 Dec81 pJ00-J04 *** Software Review / Games / Strategy



GETS FILES ACROSS!

With REFORMATTER disk utilities you can read and write IBM 3740 and DEC RT-11 single density formatted diskettes on your CP/M® system.

REFORMATTER enables you to access large system databases, improve data exchange with other organizations, increase program development capabilities, and use your micro in distributed processing.


REFORMATTER programs feature bi-directional data transfer and full directory manipulation. ASCII/EBCDIC conversion provided with $CP/M \leftrightarrow IBM$. MP/M is now fully supported.

Program Data Sheets, Application Guides, and Machine Compatibility Guides available.

Each program \$195.00 from stock. Specify CP/M ↔ IBM or CP/M ↔ DEC. Order from MicroTech Exports, Inc., 467 Hamilton Ave., Suite 2, Palo Alto, CA 94301 □ Tel: 415/324-9114 □ TWX: 910-370-7457 MUH-ALTOS □ Dealer and OEM discounts available.

CP/M® is a registered trademark of Digital Research.

TRS-80®



DISCOUNT **PRICING**

Call Us

For Discount Prices on All Radio Shack Hardware and Software

MODEL II 26-4002

MODEL III 26-1066

\$3,439°°

2,220°°

PHONE (209) 526-1496

We Pay Freight

No Taxes on Out of State Shipments

Franchise Store 7079 Radio Shack

221 McHenry Ave. Modesto, Calif. 95354

ELECTRONICS CENTER



1-800-228-4097

Call For "Unbelievable" Low Low Prices On These Lines:



APPLE **ATARI**

BASE 2

CENTRONICS

COMMODORE

DC HAYES HAZELTINE

LEEDEX

MACROTRONICS

MAXELL

MICROSOFT

MOUNTAIN HARDWARE

N.E.C.

NORTHSTAR

PANASONIC

SANYO SYNCOM





• • **%**OUR •

ELECTRONICS PLAYGROUND

1840 "O" Street Lincoln, Nebraska 68508 In Nebraska Call (402) 476-7331



TRS-80 MODEL I (CONTINUED)

Computer scrabble. Roehrig, Joseph. art L1 6:12 Dec81 p320-351 *** Games / Strategy /

6:12 Decor processors.
North Star
Computing the I CHING with a TRS-80. Dethlefsen,
Edwin. art L1 5:4 Apr80 p96-102 ***

Games

Dancing Demon from Radio Shack. Cooper/Kolya.

sr 6:5 May8l p148-150 *** Software Review
/ Games / Arcade

Interactive Fiction: Six Micro Stories. Liddil,
Bob. sr 6:9 Sep8l p436 *** Software
Review / Simulation / Games
Life after death. Macaluso, Pat. art Ll 6:7
Ju18l p326-333 *** Games / Mathematics / Life
Machine problem solving, part 3: the alpha-beta
procedure*. Frey, Peter. art Ll 5:11 Nov80
p244-264 *** Artificial Intelligence / Games
Microsoft Adventure. Liddil, Bob. sr 5:12
Dec80 p264-266 *** Software Review / Games /
Strategy

Dec80 p264-266 *** Software Review / Games / Strategy
Morloc's Tower. Williams, Gregg. sr 5:12
Dec80 p84-86 *** Software Review / Games / Strategy
Pirate's Adventure*. Adams, Scott. art L1
5:12 Dec80 p192-212 *** Games / Strategy
Starfighter. Grammer, Eric. sr 6:12 Dec81
p486-487 *** Software Review / Arcade / Games
Startrek 4.0 and Startrek 3.5. Mitchell, Scott.
sr 6:6 Jun81 p352-354 *** Software Review
/ Games / Strategy
Super Nova. Liddil, Bob. sr 6:5 May81
p108-110 *** Software Review / Games / Arcade
Zork, the great underground empire (TRS-80).
Liddil, Bob. sr 6:2 Feb81 p262-264 ***
Software Review / Games / Strategy

HARDWARE CONSTRUCTION

Build a low-cost speech-synthesizer interface.
Ciarcia, Steve. col Ll 6:6 Jun8l p46-68
*** Apple II / Voice Synthesis / Hardware
Construction
Build the Disk-80: memory expansion and
floppy-disk control (TRS-80). Ciarcia, Steve.
col 6:3 Mar8l p36-52 *** Disk Controllers
/ Hardware Construction / Minidisk Drive
Cassette interface switching box for the TRS-80*.
Anderson, Craig, art 3:11 Nov78 p160-161
*** Tape Cassette / Control / Hardware
Construction

Construction

Construction
Computerized testing. Ciarcia, Steve. col L1
5:12 Dec80 p44-70 *** Test Equipment /
Hardware Construction
Home in on the range!. Ciarcia, Steve. col L1
5:11 Nov80 p32-58 *** Control / Hardware
Construction / Interface
I/O expansion for the Radio Shack TRS-80
(principles of parallel ports). Ciarcia,
Steve. col 5:5 May80 p22-40 *** Parallel
Input/Output / Hardware Construction
I/O expansion for the TRS-80, part 2: serial
ports. Ciarcia, Steve. col 5:6 Jun80

ports. Ciarcia, Steve. col 5:6 Jun80 p42-62 *** Serial Input/Output / Hardware Construction

Construction

HARDWARE REVIEW

Exatron Stringy Floppy data-storage system.
Carlson, Keith. hr Ll 6:11 Nov81 p126-130

*** Hardware Review / Information Storage /
Stringy Floppy
Micro Matrix Photopoint Light Pen (TRS-80).
Gray, Stephen. hr 6:3 Mar81 p84-88 ***
Hardware Review / Light Pen
Percom's Doubler. Kelly, Mahlon. hr 6:7 Jul81
p344-352 *** Hardware Review / Disk
Controllers / Minidisk Drive
Radio Shack TRS-80: an owner's report. Fylstra,
Dan. hr 3:4 Apr/8 p49-60 *** Hardware
Review / Microcomputer System
TRS-80 speaks: using BASIC to drive a speech
synthesizer. Gargagliano/Fons. art Ll 4:10
Oct79 p113-122 *** Voice Synthesis /
Hardware Review /
TRS-80: Radio Shack's new entry into the personal
computer market. Morgan, Chris. col 2:11
Nov77 p46 *** Hardware Review

INTERFACE

Handi-writer: a video note pad for the physically handicapped. Batie, Howard. art Ll 6:12 Dec3l p474-482 *** Handicapped / Video Display / Interface Home in on the rangel. Ciarcia, Steve. col Ll 5:11 Nov30 p32-53 *** Control / Hardware Construction / Interface

MATHEMATICS
Computing the determinant of a matrix. Flynn, Brian. col L1 6:3 Mar81 p152-154 *** Mathematics / Programming Instruction
General interpolating graphics package for the TRS-80*. Cohen/Crowe. art L1 5:11 Nov80 p296-310 *** Graphics / Mathematics / Plotting
Khachiyan's algorithm, part 2: problems with the algorithm. Berresford/et al. art L1 5:9 Sep80 p242-255 *** Linear Programming / Mathematics / Algorithm
Life after death. Macaluso, Pat. art L1 6:7 Ju181 p326-333 *** Games / Mathematics / Life
Multiple regression for the TRS-80. Madron, Thomas. art L1 6:10 Oct81 p430-447 *** Mathematics Mathematics

Ronald. art L9 6:9 Sep81 p216-234 ***
LISP / Mathematics / Programming Instruction

PROGRAMMING INSTRUCTION BREAKFORTH into FORTH. Miller/Miller. art L7
5:8 Aug80 p150-163 *** FORTH / Games /
Programming Instruction TRS-80 MODEL I (CONTINUED)

S-80 MODEL I (CONTINUED)

Computing the determinant of a matrix. Flynn, Brian. col ll 6:3 Mar81 p152-154 ***

Mathematics / Programming Instruction

Exploring TRS-80 graphics. Yeager, George. art L2 4:8 Aug79 p82-84 *** Graphics / Programming Instruction / Z-80

Some notes on modular assembly programming. Lewis, James. art L3 4:12 Dec79 p222-226

*** Programming Instruction / Assembly Language / Sound Effects

Speeding up TRS-80 graphics. Bobo/Knoderer. art L1 6:5 May81 p171-184 *** Graphics / Programming Instruction Symbolic differentiation a la LISP. Nicol, Ronald. art L9 6:9 Sep81 p216-234 *** LISP / Mathematics / Programming Instruction

BOSS: a debugging utility for the TRS-80 Model I.
Mitchell, Scott. sr 6:8 Aug81 p401 ***
Software Review / Utility Program / Debugging
Big Five software (Attack Force, Cosmic Fighter,
and Galaxy Invasion). Williams, Grege, Scottware Review /

6:9 Sep81 p384-386 *** Software Review /
Arcade / Games
Commbat: a tele-game for two. Stewart, George.
sr 6:12 bec81 p100-104 *** Software Review
/ Games / Strategy
DOSPlus: double-density operating system for the
TRS-80. Kolya, Yvon. sr 6:7 Jul81 p334-343
*** Software Review / Operating Systems /
Minidisk Drive
Dancing Demon from Radio Shack. Cooper/Kolya.
sr 6:5 May81 p148-150 *** Software Review
/ Games / Arcade

Dancing State of the Arcade Sr 6:5 May81 pl48-150 / Games / Arcade Datahandler from Miller Microcomputer Services. Richardson, Allyn. sr 6:11 Nov81 pl38-150 *** Software Review / Data Base Management / Services operating

EMHBAS (IRS-80 Model 1/111 enhanced operating environment and BASIC). Kelly, Mahlon. sr L 6:11 Nov81 p342-360 *** Software Review / Operating Systems / Utility Program IRV, a TRS-80 utility program. Li, Terry. sr 6:2 Feb81 p202-208 *** Software Review /

6:2 Feb81 p202-208 *** Software Review / Utility Program
Infinite BASIC and Infinite Business. Mitchell, Scott. sr 6:2 Feb81 p96-102 *** Software Review / Utility Program / BASIC
Interactive Fiction: Six Micro Stories. Liddil, Bob. sr 6:9 Sep81 p436 *** Software Review / Simulation / Games
Microsoft Adventure. Liddil, Bob. sr 5:12
Dec80 p264-266 *** Software Review / Games / Strategy
Microsoft Editor/Assembler Plus. Carlson, Keith. sr 6:8 Aug81 p398-400 *** Software Review / Assembler
Misosys Software's DISKMOD: put Radio Shack's

Microsoft Editor/Assembler Plus. Carlson, Keith. sr 6:8 Aug8l p398-400 -** Software Review / Assembler

Misosys Software's DISKMOD: put Radio Shack's Editor/Assembler on disk. Hughes, Steve. sr 6:9 Sep8l p146-148 *** Software Review / Utility Program / Assembler

Morloc's Tower. Williams, Gregg. sr 5:12 Dec80 p84-86 *** Software Review / Games / Strategy

Orchestra-80. Cooper/Kolya. sr 6:11 Nov81 p264-272 *** Software Review / Music Pascal-80. Archer, Rowland. sr 6:12 Dec81 p304-312 *** Software Review / Music Pascal-80. Archer, Rowland. sr 6:12 Dec81 p304-312 *** Software Review / Pascal / Compiler

Radio Shack FORTRAN package. Daneliuk, Tim. sr L4 6:10 Oct81 p385-390 *** Software Review / FORTRAN

Starfighter. Grammer, Eric. sr 6:12 Dec81 p366-368 *** Software Review / Arcade / Games Statrek 4.0 and Statrek 3.5. Mitchell, Scott. sr 6:6 Jun81 p352-354 *** Software Review / Games / Strategy

Super Nova. Liddil, Bob. sr 6:5 May81 p108-110 *** Software Review / Games / Arcade Super STEP (TRS-80 utility). Robbins, Stanley. sr 6:5 May81 p248-252 *** Software Review / Utility Program / Debugging Cork, the great underground empire (TRS-80). Liddil, Bob. sr 6:2 Fe881 p262-264 *** Software Review / Games / Strategy

TRS-80 MODEL III

Build an unlimited-vocabulary speech synthesizer Ciarcia, Steve. col L1 6:9 Sep81 p38-50 *** Voice Synthesis / Hardware Construction PDQ: a data manager for beginners. Swanson, Paul. art L1 6:11 Nov81 p236-262 *** Data Base Management / Inventory / Programming Instruction

Three new computers from Radio Shack (Model III, Color and Pocket). Miastkowski. Stan. hr L1

Instruction
Three new computers from Radio Shack (Model III,
Color and Pocket). Miastkowski, Stan. hr LI
5:10 Oct80 p172-180 *** TRS-80 Color /
TRS-80 Pocket Computer / Hardware Review
TRS-80 POCKET COMPUTER
Numerical analysis for the TRS-80 pocket
computer. Salem, Mike. col Ll 6:1 Jan81
p182-184 *** Mathematics / Fourier Transforms
/ Hand-held Computer
Three new computers from Radio Shack (Model III,
Color and Pocket). Miastkowski, Stan. hr LI
5:10 Oct80 p172-180 *** TRS-80 Model III /
TRS-80 Color / Hardware Review
TTL GATES

TRS-80 Color / Hardware Review
TTL GATES
Interfacing TTL to a 20 mA current loop. Hsiao,
H.S. col 4:2 Feb79 pl50 *** Interface /
Printer / RS-232
Look what you can do...with an edge as a cue
(non-standard uses of Ics). Tenny, Ralph. art
2:8 Aug77 pl20-126 *** Integrated Circuits
Some musings on Boolean algebra*.
Bunce/Schwartz. art 3:2 Feb78 p25-29 ***
Mathematics / Design

TTL GATES (CONTINUED)

TTL loading considerations. Tomalesky, Greg. art 2:2 Feb77 p122-124 *** Design What's an I'L (I squared L)?. Steeden, Terry. art 1:12 Aug76 p84-86 *** Electronic Circuits

TURING MACHINES

Build your own Turing machine. Willis, James. art L3 6:4 Apr81 p122-146 *** Hardware Construction / Definitions / Computer

Instruction
Designing a universal Turing Machine: a software
approach. Munnecke, Thomas. art L3 3:12
Dec78 p26-30 *** Design / Computer
Instruction
Universal turing machine. Millen, Jonathan. art
1:16 Dec76 p114-119 *** Computer
Instruction

Instruction

Serial interface*. Lancaster, Don. art 1:1 Sep75 p22-37 *** Serial Input/Output / Interface / Parallel Input/Output

Interface / Parallel Input/Output

UNIX

New 16-bit operating systems, or, the search for Benutzerfreundlichkeit. Morgan, Chris. col 6:6 Jun81 p6-10 *** Operating Systems

Operating systems: let's have some UNIX-inspired software. Howell, Jim. col 4:9 Sep79 p82-83 *** Operating Systems

UNIX operating system and the KENIX standard operating environment. Greenberg, Robert. art 6:6 Jun81 p248-264 *** Operating Systems / XENIX

UTILITY PROGRAM

ADM-3 emulator for the Hazeltine 1500.

Shoemaker, Charles. col L3 6:4 Apr81 p304-308 *** Terminal / CP/M

BASIC cross-reference table generator. Englander/Englander. col L1 4:4 Apr79 p190-192 *** IMSAI / BASIC

Dataline (converts object code to BASIC data statements). Hunt, Daniel. col L1 6:3 Mar81 p216-222 *** Conversions / BASIC / SOL Direct impact of the computer (using a line printer in place of a stamp). Shuford, Richard. col L1 5:3 Mar80 p186-187 *** Mail List

File catalog system for UCSD Pascal. Heyman.

File catalog system for UCSD Pascal. Heyman, Edward. art L6 6:5 May81 p408-427 ***

coward. art L6 6:5 May81 p408-427 ***
Pascal
Formatted program output for the KIM-1. Ezard,
Lawrence. col L3 5:5 May80 p190-194 ***
KIM
LIST - a source-listing program for the C
language. Taylor, Jeff. col L8 6:6 Jun81
p234-246 *** C Programming Language
Label and file program. Carpenter, Andrew. col
L1 4:4 Apr79 p222-223 *** Business / SWTPC
On the importance of backups (includes a Pascal
utility to recover files). Helmers, Carl. col
L6 4:4 Apr79 p6+ *** Maintenance / Pascal
Picking up the pieces (rebuilding a bit map of
used sectors on a disk). Baker, Alfred.
art
L3 4:10 Oct79 p76-86 *** Floppy Disk Drive
/ Minidisk Drive
Sweet auto line (automatic line numbering)*.
Nico, Willard. art L3 2:2 Feb77 p12-20
*** IMSAI
Tiny Pascal source creator. Phillips, Thomas.

Tiny Pascal source creator. Phillips, Thomas. col L1 4:7 Jul79 p231-232 *** Pascal /

iny Pascar Source Coll 14:7 Jul79 p231-232 *** rascar, North Star North North Star North North

6800

6800 Selectric IO printer program. Guzzon, Fulvio. art L3 2:6 Jun77 p140-142 *** Printer / IBM / 6800

Printer / IBM / 6800
R800 program relocator*. Carpenter, Andrew. col
L3 2:11 Nov77 p197 *** 6800
Jack and the machine debug...or reading the
traces of a wild program. Grappel/Hemenway.
art 2:12 Dec77 p91+ *** Debugging / 6800 / MIKBUG

MIKBUG
Software controlled 1200 bps audio tape
interface. Helmers, Carl. art L3 2:4 Apr77
p40-49 *** Interface / Tape Cassette / 6800
Text loader routine. Berenbon, Howard. col L3
4:9 Sep79 p129 *** 6800
Thompson lister (for 6800 programs). Thompson,
Noel. col L3 1:14 Oct76 p99 *** MIKBUG /
6800 / Printer

8080

8080
Add some BARC to your 8080. Howerton, Charles. art L3 2:2 Feb77 p132-139 *** Programming Instruction / 8080
Critique of self-modifying code. Newcomer, Joseph. col L3 2:6 Jun77 p112-115 *** Programming Instruction / 8080
Machine code relocator for the 8080. Zolman, Leor. art L3 2:7 Jul77 p92-95 *** 8080 / Programming Instruction
Relocating 8080 system software. Lipham, John. art L3 5:1 Jan80 p180-192 *** 8080 / Programming Instruction

APPLE II

Apple Pascal cross-reference. Woodhead, Robert.

col L6 6:10 Oct81 p419-429 *** Pascal /
Apple II

Apple II
Generating programs automatically. Jacobs,
Jacob. art Ll 6:12 Dec81 p352-362 ***
Apple II
List Pager (Apple II utility). Lovett, Allan.
col Ll 6:10 Oct81 p122 *** Printer /
Apple II

HARDWARE CONSTRUCTION Pick up BASIC by PROM bootstraps. Kreitner, Jim. art L3 2:1 Jan77 p50-51 *** PROM / Altair / Hardware Construction

INTERFACE
Software controlled 1200 bps audio tape
interface. Helmers, Carl. art L3 2:4 Apr77
p40-49 *** Interface / Tape Cassette / 6800

MATHEMATICS

MATHEMATICS
Complex number subroutines. Harlow, William.
col L1 5:11 Nov80 p116-118 ***
Mathematics / BASIC
Formatting dollars and cents. Palenik, Les. col
L1 3:10 0ct78 p68 *** Mathematics / PET
muSIMP/muMATH-79 symbolic math system. Williams,
Gregg, sr 5:11 Nov80 p324-338 ***
Software Review / Mathematics / Education

PROGRAMMING INSTRUCTION Add some BARC to your 8080. Howerton, Charles. art L3 2:2 Feb77 p132-139 *** Programming Instruction / 8080

Instruction / 8080
BASIC formatted output (PRINT USING subroutines).
Roch, William. art Ll 5:2 Feb80 p176-186
*** BASIC / Programming Instruction
Critique of self-modifying code. Newcomer,
Joseph. col L3 2:5 Jun77 p112-115 ***
Programming Instruction / 8080
Machine code relocator for the 8080. Zolman,
Leor. art L3 2:7 Ju177 p92-95 *** 8080 /
Programming Instruction
Relocating 8080 system software. Lipham, John.
art L3 5:1 Jan80 p180-192 *** 8080 /
Programming Instruction

Programming Instruction

SOFTWARE REVIEW

Atari's Telelink I. Flint, Glen. sr 6:10
Oct81 p86-90 *** Software Review / Atari /
Terminal
BOSS: a debugging utility for the TRS-80 Model I.
Mitchell, Scott. sr 6:8 Aug81 p401 ***
Software Review / Debugging / TRS-80 Model I
ENHBAS (TRS-80 Model I/III enhanced operating
environment and BASIC). kelly, Mahlon. sr L1
6:11 Nov81 p342-360 *** Software Review /
Operating Systems / TRS-80 Model I
IRV, a TRS-80 utility program. Li, Terry. sr
6:2 Feb81 p202-208 *** Software Review /
TRS-80 Model I
Infinite BASIC and Infinite Business. Mitchell,
Scott. sr 6:2 Feb81 p96-102 *** Software
Review / TRS-80 Model I / BASIC
Misosys Software's DISKMOD: put Radio Shack's
Editor/Assembler on disk. Hughes, Steve. sr
6:9 Sep81 p146-148 *** Software Review /
TRS-80 Model I / Assembler
Reformatter for CP/M and IBM floppy disks.

TRS-80 Model I / Assembler
Reformatter for CP/M and IBM floppy disks.
Lehman, John. sr 6:4 Apr81 p94-96 ***
Software Review / IBM / CP/M
Super STEP (TRS-80 Utility). Robbins, Stanley.
sr 6:5 May81 p248-252 *** Software Review
/ TRS-80 Model I / Debugging
muSIMP/muMATH-79 symbolic math system. Williams,
Gregg. sr 5:11 Nov80 p324-338 ***
Software Review / Mathematics / Education

Gregg. Sr 5:11 Novsu p3:4-3:05
Software Review / Mathematics / Education

TRS-80 MODEL I

BOSS: a debugging utility for the TRS-80 Model I.
Mitchell, Scott. sr 6:8 Aug81 p401 ***
Software Review / Debugging / TRS-80 Model I

Disk catalog for the eighties. Liddil, Bob. col
L1 6:8 Aug81 p404-407 *** Minidisk Drive
/ TRS-80 Model I

ENHBAS (TRS-80 Model I/III enhanced operating
environment and BASIC). Kelly, Mahlon. sr L1
6:11 Nov81 p342-360 *** Software Review /
Operating Systems / TRS-80 Model I

IRV, a TRS-80 utility program. Li, Terry. sr
6:2 Feb81 p202-208 *** Software Review /
TRS-80 Model I

Infinite BASIC and Infinite Business. Mitchell,
Scott. sr 6:2 Feb81 p86-102 *** Software
Review / TRS-80 Model I / BASIC

Memory manipulator: eliminate hex-a-phobia.
Witt, Louis. col L1 6:10 Oct81 p356-364
*** TRS-80 Model I / Machine Language
Misosys Software's DISKMOD: put Radio Shack's
Editor/Assembler on disk. Hughes, Steve. sr
6:9 Sep81 p146-148 *** Software Review /
TRS-80 Model I / Assembler

Peek at poke (pokes hexadecimal values into
memory). Parris, M. col L1 4:6 Jun79
p212-213 *** TRS-80 Model I / Hexadecimal
Super STEP (TRS-80 utility). Robbins, Stanley.
sr 6:5 May81 p248-252 *** Software Review
/ TRS-80 Model I / Debugging
IC-20
Commodore VIC 20 microcomputer: a low-cost, high

VIC-20
Commodore VIC 20 microcomputer: a low-cost, high performance...computer*. Williams, Gregg. hr L1 6:5 May81 p46-64 *** Hardware Review VIDEO CONTROLLER
Intel 8275 CRT controller. Tennant, Chris. art 4:5 May79 p130-148 *** Hardware Review Single chip video controller. Haas, Bob. art 4:5 May79 p52-75 *** Integrated Circuits / Hardware Review / Design VIDEO DISK
What do you do with a video disk?. Buchanan,

VIDEO DISK
What do you do with a video disk?. Buchanan,
Martin. art 1:12 Aug76 p6-8+ ***
Information Storage
VIDEO DISPLAY
Colorful future of personal computing. Helme
Carl. ccl 2:10 Oct77 p6+ *** Color
Graphics / High Resolution Graphics / Color
Display Helmers. Display

VIDEO DISPLAY (CONTINUED)
Future trends in personal computing. Morgan,
Chris. col 6:4 Apr8l p6-10 *** Future /
Minidisk Drive / Osborne I
GRAPH: a system for television graphics, part 2
(8080 code)*. Webster/Young. art L3 3:6
Jun78 p158-165 *** Graphics
Separate your sync (how to modify a TV monitor).
Rosen, David. art 2:1 Jan77 p92-93 ***
Hardware Modification
Solving the problems of international television
standards. Dehaven, E. John. col 3:4 Apr78
p152-153 *** Standards

6800

Build this video display terminal. Anderson, Alfred. art L3 1:15 Nov76 p106-118 *** Terminal / Hardware Construction / 6800

8080 Vector graphics for raster displays. Beetem, John. art L3 5:10 Oct80 p286-293 *** Graphics / 8080

APPLE II Videx keyboard and display enhancer. Pelczarski, Mark. hr 6:7 Jul81 p354-356 *** Hardware Review / Apple II / Keyboard

CONTROL

Build a simple video switch. Hallgren, Richard. col 6:3 Mar81 p234 *** Hardware Construction / Control

DESIGN
Atari tutorial, part 1: the display list.
Crawford, Chris. art 6:9 Sep81 p284-300
*** Atari / Design / Graphics
Getting to know your monitor. Dalpiaz, Ron. art
5:11 Nov80 p206-217 *** Design /
Maintenance Maintenance

S:11 Nov80 pc00-21/ ** Design / Maintenance
Simplified theory of video graphics, part 1. Watson, Allen. art 5:11 Nov80 p180-189 *** Graphics / Design
Simplified theory of video graphics, part 2. Watson, Allen. art 5:12 Dec80 p142-156 *** Color Graphics / Design
TV color graphics / Design
TV color graphics / Lancaster, Don. art 1:6 Feb76 p62-69 *** Color Graphics / Design
Tick...Tick...Tick...Boooom (safety problems with small TV sets). Jazembski, W.B. col 3:4 Apr78 p154-155 *** Design / Power Supply Waterloo RF modulator. Banks, Walter. art 3:1 Jan78 p94 *** Interface / Design What's in a video display terminal?. Walters, Don. art 1:7 Mar76 p78-79 *** Terminal / Design /

Design /

HARDWARE CONSTRUCTION

Add cursor control to your TVT II. McGahee,
Thomas. art 2:7 Ju177 p122-123 ***
Hardware Construction / Keyboard
Build a IV readout device for your
microprocessor. Suding, Robert. art L3 1:12
Aug/5 p56-73 *** Hardware Construction
Build a simple video switch. Hallgren, Richard.
col 6:3 MarSl p234 *** Hardware Construction / Control
Build a belevision display. Gantt, C.W. art
1:10 Jun76 p16-21 *** Hardware Construction
Build an oscilloscope graphics interface*.
Hogenson, James. art L3 1:2 Oct/5 p70-80
*** Hardware Construction / Interface /
Graphics

Hogenson, James. art 1.3 1:2 Oct75 p70-80
*** Hardware Construction / Interface /
Graphics
Build this video display terminal. Anderson,
Alfred. art 1.3 1:15 Nov76 p106-118 ***
Terminal / Hardware Construction / 6800
CT-1024 kit. Hogenson, James. hr 1:5 Jan76
p92-95 *** Hardware Review / Terminal /
Hardware Construction
Digital feedback loop (graphic displays).
Loomis, Summer. let 1:3 Nov75 p46-47 ***
Graphics / Interface / Hardware Construction
GRAPH: a system for television graphics, part 1.
Webster/Young. art 3:5 May78 p62-77 ***
Inferface / Hardware Construction / Altair
Let your fingers do the talking: add a noncontact
touch scanner... Ciarcia, Steve. col Ll
3:8 Aug78 p156-165 *** Input/Output /
Hardware Construction
Micrograph, part 2: video-display processor.
Booch, E. Grady. art L3 5:12 Dec80
p120-1384 *** Color Graphics / High
Resolution Graphics / Hardware Construction
Programmable character generator, part 1:
hardware. Weinstein, Larry. art 3:5 May78
p79-90 *** Interface / Hardware Construction
V Oscilloscope (building a display and using it
as a test instrument). Barbier, Ken. art 2:7
Ju177 p52-57 *** Hardware Construction /
Test Equipment
Use your television set as a video monitor.

Test Equipment
Use your television set as a video monitor.
Loos, Timothy. art 4:2 Feb79 p46-54 ***
Interface / Hardware Construction

HARDWARE REVIEW

HARDWARE REVIEW
CT-1024 kit. Hogenson, James. hr 1:5 Jan76 p92-95 *** Hardware Review / Terminal / Hardware Construction
Convert your TV set to a video monitor. Fylstra, Dan. art 3:5 May78 p22+ *** Interface / Hardware Review
MERLIN video interface adds a visual dimension to your Altair or IMSAI. hr 1:15 Nov76 p62-64
*** Hardware Review / Interface / Altair
Matrox ALT-256 video board (product description). Ruple, Gary. hr 3:5 May78 p24-30 *** Hardware Review / High Resolution Graphics / S-100 Bus

VIDEO DISPLAY (CONTINUED)

MicroAngelo video display. Dahmke, Mark. hr
5:11 Nov80 p196-202 *** Hardware Review /
High Resolution Graphics / S-100 Bus
Processor Technology VDM-1. Anderson, D. hr L3
1:16 Dec76 p36-39 *** Hardware Review /
Altair / IMSAI
Using the PolyMorphics video interface.
Wenzlaff, Wayne. art 2:12 Dec77 p130-132
*** Interface / Hardware Review
Videx keyboard and display enhancer. Pelczarski,
Mark. hr 6:7 Jul81 p354-356 *** Hardware
Review / Apple II / Keyboard

Build an oscilloscope graphics interface*.
Hogenson, James. art L3 1:2 Oct75 p70-80
*** Hardware Construction / Interface /

*** Hardware Construction / Interface / Graphics
Color displays on black and white televsion sets.
Bain, Steve. art 2:2 Feb77 p44-48+ ***
Color Graphics / Interface
Comments on the RF entry method for video monitors. Wiseman, Victor. col 3:12 Dec78 p202-204 *** SOL / Interface
Convert your TV set to a video monitor. Fylstra, Dan. art 3:5 May78 p22+ *** Interface / Hardware Review
Digital feedback loop (graphic displays).
Loomis, Summer. let 1:3 Nov75 p46-47 ***
Graphics / Interface / Hardware Construction
GRAPH: a system for television graphics, part 1.

Comis, Sumner. let 1:3 Nov75 p46-47 ***
Graphics / Interface / Hardware Construction
GRAPH: a system for television graphics, part 1.
Webster/Young. art 3:5 May/8 p62-77 ***
Interface / Hardware Construction / Altair
Handi-writer: a video note pad for the physically
handicapped. Batie, Howard. art L1 6:12
Dec81 p474-482 *** Handicapped / TRS-80
Model I / Interface
MERLIN video interface adds a visual dimension to
your Altair or IMSAI. hr 1:15 Nov76 p62-64
*** Hardware Review / Interface / Altair
Programmable character generator, part 1:
hardware. Weinstein, Larry. art 3:5 May/8
p79-90 *** Interface / Hardware Construction
/ Character Generator
Televison interface. Lancaster, Don. art 1:2
Oct75 p20-32 *** Interface
Use your television set as a video monitor.
Los, Timothy. art 4:2 Feb79 p46-54 ***
Interface / Hardware Construction
Using the PolyMorphics video interface.
Wenzlaff, Wayne. art 2:12 Dec77 p130-132
*** Interface / Hardware Review
Waterloo RF modulator. Banks, Walter. art 3:1
Jan/8 p94 *** Interface / Design

PROGRAMMING INSTRUCTION
Atari tutorial, part 4: display-list interrupts.
Crawford, Chris. art Ll 6:12 Dec81
pl66-186 *** Atari / Programming Instruction

Let your fingers do the talking (scanner applications)*. Ciarcia, Steve. col L1 3:9 Sep78 p94-100 *** Input/Output / Programming Instruction

Instruction

TRS-80 MODEL I

Handi-writer: a video note pad for the physically handicapped. Batie, Howard. art ll 6:12

Dec81 p474-482 *** Handicapped / TRS-80

Model I / Interface

VIDEO DISPLAY GENERATOR

Micrograph, part l: ...an instruction set for a raster-scan display. Booch, E. Grady. art L3
5:11 Nov80 p64-82* *** Color Graphics / High Resolution Graphics / Design

VITUAL MEMORY

Give your micro a megabyte (virtual memory techniques). Grappel, Robert. art 2:7 Ju177
p78-81 *** ion Storage / Computer Instruction / Virtual Memory

Virtual memory and VSAM for micros. Dahmke,
Mark. col 2:11 Nov77 p224 *** APL / ion

Storage / Virtual Memory

Virtual memory for an object-oriented language.
Kaehler, Ted. art 6:8 Aug81 p378-387 ***

k / Virtual Memory

VOICE SYNTHESIS

Apple audio processing. Cross, Mark. art L3
5:4 Apr80 p212-218 *** Hardware

Kaehler, led. art bis Augs1 p3/8-38/
k / Virtual Memory
IJCE SYNTHESIS
Apple audio.processing. Cross, Mark. art L3
5:4 Apr80 p212-218 *** Hardware
Construction / Apple II / Audio Processing
Articulate automata: an overview of voice
synthesis*. Fons/Gargagliano. art L1 6:2
Feb81 p164-187 ***
Build a low-cost speech-synthesizer interface.
Ciarcia, Steve. col L1 6:6 Jun81 p46-68
*** Apple II / Hardware Construction / TRS-80
Model I
Build an unlimited-vocabulary speech synthesizer.
Ciarcia, Steve. col L1 6:9 Sep81 p38-50
*** Hardware Construction / TRS-80 Model II
Closer look at the TI Speak Spell. Vernon,
Peter. art 6:4 Apr81 p150-154 *** Design
Computer speech: an update. Dahmke, Mark. col
6:2 Feb81 p6-12 *** Handicapped
Dissecting the TI Speak and Spell. Rigsby,
Michael. art 5:9 Sep80 p76-84 ***
Interface /
Extremely low-cost computer voice response
system. Anderson, James. art L3 6:2 Feb81
p36-43 *** Design
Friends, humans, and countryrobots: lend me your
ears (computer speech). Rice, D. Lloyd. art
1:12 Aug76 p16-24 *** Design
Functional specifications "The Home Brew Voder".
Helmers, Carl. col 1:2 Oct75 p5 ***
TRS-80 spaks: using BASIC to drive a speech
Synthesizer. Gargagliano/Fons. art L1 4:10
Oct79 p113-122 *** TRS-80 Model I / Hardware
Review /

VOICE SYNTHESIS (CONTINUED)
Talk to mel Add a voice to your computer for \$35.
Ciarcia, Steve. col L3 3:6 Jun78 p142-151
*** Hardware Construction / Analog/Digital Hardware Construction / Analog/Digital

*** Hardware Construction / Analog/Digital Circuit / Time has come to talk. Atmar, Wirt. art 1:12 Aug76 p26-33 *** Hardware Review Voice for the Apple without extra hardware. Payne, Robert. art L3 6:11 Nov81 p499-501 *** Digital Audio / Apple II Votrax vocabulary. Gargagliano/Fons. col 6:6 Jun81 p384-391 *** TRS-80 Model I

WEATHER

ATHER
Aids to the direct reception of weather satellite photographs. Johnston, William. col 5:1
Jan80 pl48-153 ***
Do it yourself weather predictions*. Firth, Michael. art 1:16 Dec76 p62-69 ***
Control / Hardware Construction
Graphic input of weather data. Smith, Stephen. art L1 4:7 Jul79 pl6-30 *** Graphics / Input/Output / Science
Hurricane tracking. Bailey, John. col L1 6:7
Jul81 pl20-132 *** North Star
Sonic anemometry for the hobbyist. Dvorak, Neil. art L3 4:7 Jul79 pl20-132 ***
Analog/Digital Circuit / Hardware Construction
RE WRAP WIRE WRAP

RE WRAP

Aboby unwrap. Stirling, Ralph. col 4:5 May79 p218-219 *** Hardware Construction
One-sided view of wire wrap sockets. Rampil,
Ira;. art 2:9 Sep77 p54-55 *** Hardware Construction
Photographic notes on wire wrapping. Helmers,
Carl. art 1:5 Jan76 p56-59 *** Hardware Construction
Save money using mini wire wrap. Thompson

Construction
Save money using mini wire wrap. Thompson,
Roger. art 1:8 Apr76 p80-81 *** Hardware
Construction
Secret of unraveling wire wrap boards. Lerseth,
Richard. art 1:4 Dec75 p17 *** Hardware

Richard. art 1:4 Decro par Construction
Tip for using wiring pencils. Burhans, R.W. art 1:15 Nov76 p40 *** Hardware Construction Wire-wrapping and proto-system techniques. Mangieri, Adolph. art 6:5 May81 p152-170 *** Hardware Construction

*** Hardware construction.

WORD PROCESSING

Don't ignore the high end...or my search for manuscript editing paradise . Helmers, Carl. col 3:3 Mar78 p6+ *** Text Editor /

col 3:3 Mar78 p6+ *** lext tolor, Publishing
Five spelling-correction programs for CP/M-based
systems. Lemmons, Phil. sr 6:11 Nov81
p434-448 *** Software Review / Writing
Four word processors for the Apple II.
Carlson/Haber. sr 6:6 Jun81 p176-204 ***
Software Review / Apple II
Micro word processor. Wierenga, Theron. col
4:1 Jan79 p176-178 *** Software Review
On the wirtues of writing editors. Helmers,

4:1 Jan/9 p1/0-1/8 — Software Review
On the virtues of writing editors. Helmers,
Carl. col 3:11 Nov78 p6+ *** Text Editor
Wordsmith (CP/M or North Star word processor).
Dahmke, Mark. sr 6:5 May81 p254-258 ***
Software Review / CP/M / North Star

Writing with a data-base management system. Brent, Edward. art 6:11 Nov81 p18-34 *** Data Base Management / Writing WRITING

Five spelling-correction programs for CP/M-based systems. Lemmons, Phil. sr 6:11 Nov81 p434-448 *** Software Review / Word

Processing
K or k (abbreviations and symbols). Peshka,
Manfred. art 1:5 Jan76 p64-66 ***
Definitions
View from the lectern: what's wrong with
technical writing today?. Barnum, Carol. col
6:11 Nov81 p409-412 *** Higher Education
WRYTE for BYTE. Ryland, Chris. art 1:1 Sep75
p44-47 ***

p44-47 ***
What is good documentation?. Howard, Jim. art
6:3 Mar81 p132-150 *** Documentation
What's wrong with technical writing today?.
Morgan, Chris. col 5:12 Dec80 p6-12+ ***
Publishing
Writing with a data-base management system.
Brent, Edward. art 6:11 Nov81 p18-34 ***
Data Base Management / Word Processing
NIX

UNIX operating system and the XENIX standard operating environment. Greenberg, Robert. art 6:6 Jun81 p248-264 *** Operating Systems / XEROX ALTO

Xerox Alto computer. Wadlow, Thomas. art Sep81 p58-68 *** Microcomputer System / Networks / Ethernet

Addition and subtraction: the 1802 versus the Z80. Merrin, Stephen. col 6:3 Mar81 p224-228 *** Binary / 1802 / Mathematics Almost optimum Z80 memory test program. Rampil, Ira. col L3 6:9 Sep81 p432-434 *** Memory / Test
Alpha locking in software (uppercase to lowercase conversion). Lewis, W.S. col L3 5:5 May80 p152-154 *** Conversions / Programming Lastruction

Instruction
Big board: a Z80 system in kit form. Thompson,
David. hr L3 6:9 Sep81 p52-56 ***
Hardware Review / Kit Building / Microcomputer
System
Circuit for Z-80s. Suding, Robert. art 1:13
Sep76 p62-71 *** Microprocessor / Hardware
Review

Computer music: a design tutorial. Orlofsky, Thomas. art L3 6:3 Mar81 p317-332 *** Music / Hardware Construction / Design

Music / Hardware Construction / Design
Z-80 (CONTINUED)
Drawing with UCSD Pascal and the Hiplot plotter.
Stork, James. art L6 6:10 Oct81 p214-246
*** Plotting / Pascal / Plotter
Exchange evaluator for computer chess.
Spracklen/Spracklen. art L3 3:11 Nov78
p16-28 *** Chess / Programming Instruction
Expanded digital voltmeter (Add more zing to the
cocktail). Ciarcia, Steve. col L3 3:1
Jan78 p37-54 *** Test Equipment / Hardware
Construction / Interface

Exploring TRS-80 graphics. Yeager, George. art L2 4:8 Aug79 p82-84 *** Graphics / TRS-80 Model I / Programming Instruction First steps in computer chess programming. Spracklen/Spracklen. art L3 3:10 Oct78 p86-99 *** Chess / Programming Instruction Forcing the Z80 starting address. Soderstrom, Randy. col 6:2 Feb81 p288 *** Hardware Modification Keyboard input software for the Z80. Newcom, Kerry. col L3 4:11 Nov79 p192-193 *** Keyboard / Input/Output / Programming Instruction

Keyboard / Input/Output / Programming Instruction
Microsoft Softcard. Pelczarski, Mark. hr L3
6:11 'Nov81 p152-162 *** Hardware Review /
Apple II (PC/M
Operation codes of the 8080, 8085, and Z80
processors. Harrell, D. Martin. art 5:3
Mar80 p194-207 *** Programming Instruction /
8080 / 8085

password protection for your computer.
Kreindler, R. Jordan. art L3 4:3 Mar79 p194-195 *** Security / Programming Instruction / 8080

Instruction / 8080
Proposed microprocessor software standard.
Formaniak/Leitch. col 2:7 Ju177 p34+ ***
Standards / Microprocessor
Relative subroutines for the Z80. Kitsz, Dennis.
col L3 4:12 Dec79 p87 *** Programming
Instruction

col L3 4:12 Dec79 p87 *** Programming Instruction
Three microcomputer LISPs. Levitan/Bonar. sr L9 6:9 Sep81 p388-412 *** Software Review / LISP / Benchmark Testing
Use a relative subroutine call for relocatable 280 programs. Losey, George. col L3 6:10 Oct81 p366-371 *** Programming Instruction Z-80 in parallel (parallel processing). Loewer, Bob. art 3:7 Jul78 p60-63+ *** Microcomputer System / Design Z80 op codes for an 8080 assembler*. Powers, William. art 5:6 Jun80 p64-84 *** 8080 / Assembler / Programming Instruction 280 table lookup. McCloud, Thomas. col L3 6:6 Jun81 p168-174 *** Programming Instruction 280 user stack emulation. Gelder, Allen. col L3 5:1 Jan80 p208-210 *** Programming Instruction 280 user stack emulation. Gelder, Allen. col L3 5:1 Jan80 p208-210 *** Programming Instruction 210 y280. Hashizume, Burt. hr 1:12 Aug76 p34-38 *** Hardware Review / Microprocessor Z-8000
Preview of the Z-8000. Rammil Jac

Preview of the Z-8000. Rampil, Ira. art 4:3 Mar79 p80-91 *** Microprocessor / Hardware Review /

Build a Z8-based control computer with BASIC, part 1. Ciarcía, Steve. col 6:7 Jul81 p38-47 *** Microcomputer System / Control / Hardware Construction
Build a Z8-based control computer with BASIC, part 2. Ciarcía, Steve. col L1 6:8 Aug81 p50-72 *** Control / Microcomputer System / Hardware Construction

Hardware Construction Photocompagnet System:
Build an intelligent EPROM programmer. Ciarcia,
Steve. col Li 6:10 Oct81 p36-48 ***
EPROM / Hardware Construction

4610 series — for STD-BUS-

solderable, or unpatterned.

8804 series — for S-100.

4607 — for DEC LSI-11/ PDP8-11, Heath-11.

4609 - for Apple II, Super-Kim, Pet Commodore with


4611 series — for Motorola Exorciser, TM Rockwell AIM65 expansion.


Send for FREE brochure!

Five models available.

WW, solderable and unpatterned models. 4608 series — for Intel/ National SBC/BLC 80-WW

BUILD YOUR COMPUTER BREADBOARDS ERFACES FASTER AND EA





New RACK MOUNTING CAGES & ENCLOSURES AVAILABLE.

Everything in this ad is available through distributors or factory direct, from stock, if not available locally. Vector Electronic Company

Expandamem. 4350 - for TI 980 Computer.

12460 Gladstone Ave., Sylmar, CA 91342; (213) 365-9661, TWX (910) 496-1539

448

In Less Than 3 Minutes

Your IBM Model 50, 60, or 75 **Electronic Typewriter** can be an RS232C PRINTER or TERMINAL



CALIFORNIA MICRO COMPUTER Models 5060 and 5061 can be installed easily and require NO modifications to the typewriter.

For additional information contact:

CALIFORNIA MICRO COMPUTER 9323 Warbler Ave., Fountain Valley, CA. 92708 (714) 968-0890

XENIX™-BASED WORK STATIO

Here is the complete, no-compromise UNIX[™]-based package that gives you full UNIX power at truly minimal cost. Your investment is protected against obsolescence because we use industry standard components. Unlike other UNIX or "UNIX-act-alike" systems, this is a true, complete UNIX Version 7 running on a PDP-11. This is exactly as it was meant to be in the original design and conforms to Bell Laboratories UNIX Version 7 documentation.

MSD Corporation is making a special offer on our XENIX-based 23/256 Work Station:

LSI-11/23 based processor with floating point, 256Kb random

Dual floppy subsystem, single sided (double sided may be specified at additional cost), bootstrap loader, formatting and diagnostic software. ■ 20.8 Mb Winchester disk with integrated cartridge tape backup. ■ One (1) VT-100 terminal with advanced video option.

One (1) LA38-HA tractor feed printer with keyboard, numeric keypad and stand. ■ One (1) Auto-Answer, Auto-Dial 300 Baud Modem. ■ Cables for the above. ■ XENIX Operating System, a set and 1 year telephone support.

This system is expandable up to 8 users and 83.2 Mb of disk storage. Multiple work stations, terminals, other UNIX systems, or non-UNIX systems can be networked together with no additional soft-

Price: \$23,256. Terms: 25% Down with purchase order, balance 75% upon delivery.



MSD Corporation 2449 Camelot Court, SE Grand Rapids, MI 49506 (616) 942-5060

MANAGEMENT SYSTEMS DEVELOPMENT

UNIX and XENIX are trademarks of Bell Laboratories and Microsoft respectively.




A Message to our Subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers promotional material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding

information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to BYTE Publications Inc, Attn: Circulation Department, 70 Main St, Peterborough NH 03458. Thank you.



DYNACOMP

Quality software for*:

ATARI
PET
APPLE II Plus

TRS-80 (Level II)**
NORTH STAR
CP/M Disks/Diskettes

CARD GAMES

BRIDGE 2.0 (Available for all computers)

An all-inclusive version of this most popular of card games. This program both BIDS and PLAYS either contract or duplicate bridge. Depending on the contract, your computer opponents will either play the offense OR defense. If you bid too high, the computer will double your contract BRIDGE 2.0 provides challenging entertainment for advanced players and is an excellent learning tool for the bridge novice. See the software review in 80 Software Critique. Rated #1 by Creative Computing.

HEARTS 1.5 (Available for all computers)

An exciting and entertaining computer version of this popular card game. Hearts is a trick-oriented game in which the purpose is not to take any hearts or the queen of spades. Play against two computer opponents who are arried with hard-to-obeat playing strategies. HEARTS 1.5 is a tideal game for introducing the uninitiated (your spouse) to computers. See the software review in 80 Software Critique.

STUD POKER (Atari only)

This is the classic gambler's card game. The computer deals the cards one at a time and you (and the computer) bet on what you see. The computer does not cheat and usually bets the odds. However, it sometimes bullef1. Also included is a five card draw poker betting practice program. This package will run on a 16K ATARI. Color, graphics, sound. See review in COMPUTE.

POKER PARTY (Available for all computers)

POKER PARTY is a draw poker simulation based on the book, POKER, by Oswald Jacoby. This is the most comprehensive version available for microcomputers. The party consists of yourself and six other (computer) players.

Each of these players (you will get to know them) has a different personality in the form of a varying propensity to bluff or fold under pressure. Practice with POKER PARTY before going to that expensive game tonight! Apple cassette and diskette versions require a 32 K (or larger) Apple II.

CRIBBAGE 2.0 (TRS-80 only)

Price: \$14.95 Cassette:/\$18.95 Diskette

This is simply the best cribbage game available. It is an excellent program for the cribbage player in search of a worthy opponent as well as for the novice wishing to improve his game. The graphics are superb and assembly language routines provide rapid execution. See the software review in 80 Software Critique.

THOUGHT PROVOKERS

MANAGEMENT SIMULATOR (Atari, North Star and CP/M only)

Price: \$19.95 Cassette \$23.95 Diskette

This program is both an excellent teaching tool as well as a stimulating intellectual game. Based upon similar games played at graduate business schools, each player or team controls a company which manufacturers three products. Each player attempts to outperform his competions by setting selling prices, production volumes, marketing and design expenditures etc. The most successful firm is the one with the highest stock price when the simulation ends.

FLIGHT SIMULATOR (Available for all computers)

A realistic and extensive mathematical simulation of take-off, flight and landing. The program utilizes aerodynamic equations and the characteristics of a real airfoll. You can practice instrument approaches and navigation using radials and compass headings. The more advanced flyer can also perform loops, half-rolls and imilitar aerobatic maneuers. Although this program does not employ graphics, it is exciting and very addictive. See the software review in COMPUTRONICS. Runs in 16K Atari.

VALDEZ (Available for all computers)

Price: \$15.95 Cassette/\$19.95 Diskette
VALDEZ is a computer simulation of superianker navigation in the Prince William Sound/Valdez Narrows region
of Alaska. Included in this simulation is a realistic and extensive 256 × 236 element map, portions of which may be
viewed using the ship's alphanumeric radar display. The motion of the ship itself is accurately modelled
mathematically. The simulation also contains a model for the tidal patterns in the region, as well as other traffic
(outgoing tankers and drifting icebergs). Chart your course from the Gulf of Alaska to Valdez Harborf See the software review in 80 Software Critique.

BACKGAMMON 2.0 (Atari, North Star and CP/M only)

Price: 514.95 Cassette/518.95 Diskette
This program test your backgammon skills and will also improve your game. A human can compete against another human. The computer can even play against itself. Either the human or the computer can double or generate dice rolls. Board positions can be created or saved for replay. BACKGAMMON 2.0 plays in accordance with the official rules of backgammon and is sure to provide many fascinating sessions of backgammon play.

CHECKERS 3.0 (PET only)

Price: 516.95 Cassetter/\$20.95 Diskette
This is one of the most challenging checkers programs available. It has 10 levels of play and allows the user to change skill levels at any time. Although providing a very tough game at level 4-8, CHECKERS 3.0 is practically unbeatable at level 9 and 10.

CHESS MASTER (North Star and TRS-80 only)

This complete and very powerful program provides five levels of play. It includes castling, en passant captures and the promotion of pawns. Additionally, the board may be preset before the start of play, permitting the examination of "book" plays, To maximize execution speed, the program is written in assembly language (by SOFTWARE SPECIALISTS of California). Pull graphics are employed in the TRS-80 version, and two widths of alphanumeric display are provided to accommodate North Star users. See review in onComputing.

LEM LANDER (32K Apple Disk only)

Price: \$16.95 Disketts
Priot your LEM LANDER to a safe landing on any of nine different surfaces ranging from smooth to treacherous
The game paddles are used to control craft attitude and thrust. This is a real-time high res challengel

FOREST FIRE! (Atari only)

Price: 516.95 Cassette/520.95 Diskette

Using excellent graphics and sound effects, this simulation puts you in the middle of a forest fire. Your job is to direct
operations to put out the fire while compensating for changes in wind, weather and terrain. Not protecting valuable
structures can result in startling penalities. Life-like variables are provided to make FOREST FIRE! very supenseful
and challenging. No two agames have the same setting and there are 3 levels of difficulty.

NOMINOES JIGSAW (Atari, Apple and TRS-80 only)

Price: 516.95 Cassette/\$20.95 Diskette
A jigsaw puzzle on your computer! Complete the puzzle by selecting your pieces from a table consisting of 60 different shapes. NOMINOES JIGSAW is a virtuous programming effort. The graphics are superlaive and the puzzle
will challenge you with its three levels of difficulty. Scoring it based upon the number of guesses taken and by the difficulty of the board setup. See review in ELECTRONIC GAME.

MONARCH (Atari only)

MONARCH is a fascinating economic simulation requiring you to survive an 8-year term as your nation's leader.

You determine the amount of acreage devoted to industrial and agricultural use, how much food to distribute to the populace and how much should be spent on pollution control. You will find that all decisions involve a compromise and that it is not easy to make everyone happy.

CHOMPELO (Atari only)

Price: \$11.95 Cassette: \$15.95 Diskette
CHOMPELO is really two challenging games in one. One is similar to NIM; you must bits off part of a cookie, but
avoid taking the poisoned portion. The other game is the popular board game KEVERSI. It fully uses the Atari's
graphic capability, and is hard to beat. This package will run on a 16K system.

SPACE LANES (Available for all computers)

SPACE LANES is a simple but exciting space transportation game which involves up to four players (including the computer). The object is to form and expand space transportation companies in a competitive environment. The goal is to amass more net worth than your opponent. The economics include stock purchases and company mergers. Watch your wealth grow!

*ATARI, PET, TRS-80, NORTHSTAR, CP/M and IBM are registered tradenames and/or

•• Except where noted, all model I software is available for the Model III. TRS-80 diskettes are not supplied with DOS or BASIC.

DYNACOMP OFFERS THE FOLLOWING

- Widest variety
- Guaranteed quality
- Fastest delivery
- Friendly customer service
- Free catalog
- 24 hour order phone

AND MORE...

STARTREK 3.2 (Available for all computers)

This is the classic Startek timulation, but with several new features. For example, the Kingons now shoot at the Enterprise without warning while also attacking starbases in other quadrants. The Kingons also attack with both light and heavy cruiters and move when shot at! The situation is hectic when the Enterprise is besieged by three heavy cruiters and a starbase S.O.S. is received! The Klingons get even! See the software reviews in A.N.A.L.O.G., 80 Software Critique and Came Merchandising.

BLACK HOLE (Apple only)

This is an exciting graphical simulation of the problems involved in closely observing a black hole with a space probe. The object is to enter and maintain, for a prescribed time, an orbit close to a small black hole. This is to be achieved without coming so near the anomaly that the tidal stress destroys the probe. Control of the craft is realistically simulated using side jets for rotation and main thrusters for acceleration. This program employs Hi-Res graphics and its educational as well as challenging.

SPACE TILT (Apple and Atarl only)

Price: \$10.95 Cassette/\$14.95 Diskette

Use the game paddles to tilt the plane of the TV screen to "roll" a ball into a hole in the screen. Sound simple? Not
when the hole gets smaller and smaller! A built-in timer allows you to measure your skill against others in this habitforming action game.

MOVING MAZE (Apple and Atarl only)

Price: 510.95 Cassette/514.95 Diskette
MOVING MAZE employs the games paddles to direct a puck from one side of a maze to the other. However, the
maze is dynamically (and randomly) built and is continually being modified. The objective is to cross the maze
without touching (or being hit by) a wall. Scoring is by an elapsed time indicator, and three levels of play are

ALPHA FIGHTER (Atari only)

Price: \$14.95 Cassetter/\$18.95 Diskette
Two excellent graphics and action programs in one! ALPHA FIGHTER requires you to destroy the alien starships
passing through your sector of the galaxy. ALPHA BASE is in the path of an alien UFO invasion; let five UFO's get
by and the game ends. Both games require the joystick and get progressively more difficult the higher you score!
ALPHA FIGHTER will run on 16K systems.

THE RINGS OF THE EMPIRE (Atari only)

The empire has developed a new battle station protected by rotating rings of energy. Each time you blast through the rings and destroy the station, the empire develops a new station with more protective rings. This exciting game runs on 16K systems, employs extensive graphics and sound and can be played by one or two players.

INTRUDER ALERT (Atari only)

Price: \$16.95 Cassette/\$20.95 Diskette
This is a fast paced graphics game which places you in the middle of the "Dreadstar" having just stolen its plans. The
droids have been alerted and are directed to destroy you at all costs. You must find and enter yous hip to escape with
the plans. Five levels of difficulty are provided. INTRUDER ALERT requires a joystick and will run on 16K systems.

GIANT SLALOM (Atarl only)

This real-time action game is guaranteed addictive! Use the joystick to control your path through slalom courses consisting of both open and closed gates. Choose from different levels of difficulty, race against other players or simply take practice runs against the clock. GIANT SLALOM will run on 16K systems.

TRIPLE BLOCKADE (Atari only)

Price: \$14.95 Cassette/\$18.95 Diskette
TRIPLE BLOCKADE is a two-to-three player graphics and sound action game. It is based on the classic video areade
game which millions have enjoyed. Using the Atari joyaticks, the object is to direct your blockading line around the
screen without running into your opponent(s). Although the concept is simple, the combined graphics and sound
effect lead or "high anxiety".

GAMES PACK I (Available for all computers)

GAMES PACK I contains the classic computer games of BLACKIACK, LUNAR LANDER, CRAPS,
HORSERACE, SWITCH and more. These games have been combined into one large program for ease in loading.
They are individually accessed by a convenient menu. This collection is worth the price just for the DYNACOMP version of BLACKIACK.

GAMES PACK II (Available for all computers)

Price: \$10.95 Cassette: \$14.95 Diskette
GAMES PACK II includes the games CRAZY EIGHTS, JOTTO, ACEY-DUCEY, LIFE, WUMPUS and others. As
with GAMES PACK I, all the games are loaded as one program and are called from a menu. You will particularly enjoy DYNACOMP's version of CRAZY EIGHTS.

Why pay \$7.95 or more per program when you can buy a DYNACOMP collection for just \$10.95?

MOON PROBE (Atari and North Star only)

Price: \$11.95 Cassette/\$15.95 Diskette
This is an extremely challenging "lunar lander" program. The user must drop from orbit to land at a predetermined target on the moon's surface. You control the thrust and orientation of your craft plus direct the rate of descent and approach angle.

SPACE TRAP (Atari only, 16K)

Price: \$14.95 Cassette/\$18.95 Diskette
This galactic "shoot'em up" areade game places you near a black hole. You control your spacecraft using the joystick and attempt to blast as many of the alien ships as possible before the black hole close about you.

ADVENTURE

CRANSTON MANOR ADVENTURE (North Star and CP/M only)

At last! A comprehensive Adventure game for North Star and CP/M systems. CRANSTON MANOR ADVENTURE takes you into mysterious CRANSTON MANOR where you attempt to gather fabulous treasures. Luxing in the manor are wild animals and robots who will not give up the treasures without a fight. The number of rooms is greater and the associated descriptions are much more elaborate than the current popular series of Adventure programs, making this game the top in its class. Play can be stopped at any time and the status stored on diskette. Not available in 5½" CP/M format.

GUMBALL RALLY ADVENTURE (North Star only, 48K)

Take part in this outlaw race from the east coast to the west coast. The goal is to find your way to the finish line while
maintaining the highest possible speed. You may choose one of five cars available at the garage. The choice will affect
your speed and range. Remember to take spare parts and don't get caught speeding!

SPEECH SYNTHESIS

DYNACOMP is now distributing the new and revolutionary TYPE-'N-TALKTM (TNT) speech synthesizer from Votrax. Simply connect TNT to your computer's serial interface, enter text from the keyboard and hear the words spoken. TNT is believed to be the property of the prop

Price: \$329.95 (Please add \$4.00 for shipping and handling)

TNT Software

The following DYNACOMP programs are available for use with TNT:

STUD POKER (Atari, 24K) NOMINOES JIGSAW (Atari, 24K) TEACHER'S PET I (Atari and North Star) BRIDGE 2.0 (North Star) CHOMPELO (Atari, 24K)

TALK TO ME (T'N'T Atari only, 24K)

This program presents a superb tutorial on speech synthesis using the Atari 800 and TYPE 'N TALK TM TALK TO ME will illustrate normal word generation as well as phoneme generation. The documentation includes many helpful programming tips.

Please specify 'TNT' versions when ordering

ABOUT DYNACOMP

DYNACOMP is a leading distributor of small system software with sales spanning the world (currently in excess of 40 countries). During the past two years we have greatly enlarged the DYNACOMP product line, but have maintained and improved our high level of quality and customer support. The achievement in quality is apparent from our many repeat customers and the software reviews in such publications as COMPUTRONICS, 80 Software Critique and A.N.A.L.O.G. Our customer support is as close as your phone. It is always friendly. The staff is highly trained and always willing to discuss products or give advice.

BUSINESS and UTILITIES

SPELLGUARDTM (8" CP/M only) ELELALIAMI." (B" CEP/M only)

SPELLCHARD is a revolutionary new product which increases the value of your current word processing system (WORDS STAR, MAGIC WAND, ELECTRIC PENCIL., TEXTED EDITION It and you current word processing system (WORDS STAR, MAGIC WAND, ELECTRIC PENCIL., TEXTED EDITION It and you carried the control of the Company of the Com

MAIL LIST 2.2 (Apple, Atari and North Star diskette only)

Price: \$34.95

This program is unmatched in its ability to store a maximum number of addresses on one diskette (minimum of 1100 per diskette, more than 2200 for "double density" systems!). Its many features include alphabetic and zip code sorting, label prining (1, 2, or 3 up), merging of files and a unique keyword seeking routine which retrieves entries by a virtually limitless selection of user defined codes. Mail List 2.2 will even find and delete duplicate entries. A very valuable program.

FORM LETTER SYSTEM rel. 2 (Atari, North Star and Apple Diskettes only)

FORM LETTER SYSTEM rel. 2 (Atari, North Star and Apple Diskettes only)

FORM LETTER SYSTEM (FLS) is the ideal program for creating and editing form letters and address lists. It contains an easy-to-use text editor which produces fully justified text. Special codes are used in the address list to obtain personalized salutations. Form letters are produced by automatically inserting each address into a predetermined portion of your letter. FLS is completely compatible with MAIL LIST 2.2, which may be used to manage and sort your address files.

FLS and MAIL LIST 2.2 are available as a combined package for \$59.95.

SORTIT (North Star only) Price: \$29.95 Diskette
SORTIT is a general purpose sorting program written in 8080 assembly language. This program will sent sequential data files
generated by NORTH STAR BASIC. Primary and optional secondary keys may be numeric or one to nine character strings.
SORTIT is easily used with files generated by DYNACOMP's MAIL LIST program and is very versatile in its capabilities for
all other BASIC data file sorting.

PERSONAL FINANCE SYSTEM (Atari and North Star only)

Price: \$34.95 Diskette
PFS is a single diskette, menu-oriented system composed of ten different programs. Besides recording your expenses and tax
deductible items, PFS will so rand summarize expenses by payee, and display information on expenditures by any of 26 user
defined codes by month or by payee. PFS will even produce monthly bar graphs of your expenses by extegory; This powerful
package requires only one disk drive, minimal memory (24K Atari, 23K North Star) and will store up to 600 records per disk
(and over 1000 records per disk by making a few simple changes to the programs). You can record checks plus cash expenses so
that you can finally see where your money goes and eliminate guesswork and tedious hand calculations.

FAMILY BUDGET (Apple only)

Price: \$34.95 Diskette
FAMILY BUDGET is a very convenient financial record-keeping program. You will be able to keep track of cash and credit
expenditures at well as income on a daily basis. You can record tax deductible items and charitable donations. FAMILY
BUDGET also provides a continuous record of all credit transactions. You can make daily cash and charge entries to any of 21
different expense accounts as well as to 5 payroll and tax accounts. Data are easily retrieved giving the user complete control
over an otherwise complicated (and unorganized) subject.

FELINK (Atari only)

Pries: \$49.95 Diskete
This stoftware package contains a menu-driven collection of programs for facilitating efficient two-way communications
through a full duplex modem (required for use). In one mode of operation you may connect to a data service (e.g., The
SOURCE or Microbel) and quickly load data such as stock quotations onto your diskete for later viewing. This greatly reduces "connect time" and thus the service charge. You may also record the complete contents of a communications session.
Additionally, programs written in BASIC, FORTRAN, etc. may be built off-line using the support text editor and later "pulsaded" to another computer, making the Atari a very smart terminal. Even Atari BASIC programs may be uploaded.
Further, a command file may be built off-line and used later as controlling input for a time-share system. That is, you can set
up your sequence of time-share commands and programs, and the Atari will transmit them as needed, batch processing. All
this adds up to aswing both connecte time and your time.

IXT EDITOR II (CP/M)

Price: \$39.95 Diskette/\$333.45 Disk
This is the second release version of DYNACOMP's popular TEXT EDITOR I and contains many new features. With TEXT
EDITOR II you may build test files in chunks and assemble them for later display. Blocks of text may be appended, inserted or deleted. Flee may be saved on disk/diskette in right justified/centered format to be later printed by either TEXT EDITOR II or the CP/M ED facility. Futher, ASCII CP/M files (including BASIC and assembly language programs) may be read by the editor and processed. In fact, text files can be built using ED and later formatted using TEXT EDITOR II. All in all, TEXT EDITOR II is an inexpensive, easy to use, but very flexible editing system. TEXT EDITOR II (CP/M)

DFILE (Atarl and North Star diskettes only)

Price: \$19.95
This handy program allows North Star and Atari disk users to maintain a specialized data base of all files and programs in the stack of disks which invariably accumulates. DFILE is easy to set up and use. It will organize your disks to provide efficient locating of the desired file or program.

FINDIT (North Star only)
This is a three-in-one pros DIT (North Star only)

This is a three-in-one program which maintains information accessible by keywords of three types: Personal (eg: 319.35 his is a three-in-one program which maintains information accessible by keywords of three types: Personal (eg: 1ast name). Commercial (eg: plumbers) and Reference (eg: magazine articles, record albums, etc). In addition to keyword searches, there are birthday, anniversary and appointment searches for the personal records and appointment searches for the commercial records. Reference records are accessed by a single keyword or by cross-referencing two or three keywords.

SHOPPING LIST (Atari only)

Price: 512.95 Cassette/516.95 Diskette
SHOPPING LIST stores information on items you purchase at the supermarket. Before going shopping, it will remind you of
all the things you might need, and then display (or optionally print) your shopping list and the total cost. Adding, deleting,
changing and storing data is very easy. Runs with 16K.

TAX OPTIMIZER (North Star only)

The TAX OPTIMIZER is an easy-to-use, memo oriented software package which provides a convenient means for analyzing various income tax strategies. The program is designed to provide a quick and easy data entry. Income tax is computed at lax methods (regular, income averaging, maximum and alternate minimum tax). The user may immediately observe the tax effect of critical financial decisions. TAX OPTIMIZER has been thoroughly field tested in CPA offices and comes complete with the current tax tables in its data files. TAX OPTIMIZER is tax deductible!

EDUCATION

HODGE PODGE (Apple only, 48K Applesoft or Integer BASIC)

Price: \$19.95 Cassetter/\$23.95 Diskette

Let HODGE PODGE be your child's buby sitter. Pressing any key on your Apple will result in a different and intriguing "happening" related to the letter or number of the chosen key. The program's graphics, color and sound are a delight for children
from ages | 1/s to 9. HODGE PODGE is a non-intimidating teaching device which brings a new dimension to the use of com-

TEACHER'S PET I (Available for all computers)

This is the first of DYNACOMP's educational packages. Primarily intended for pre-school to grade 3, TEACHER'S PET provides the young student with counting practice, letter-word recognition and three levels of math skill exercises.

MISCELLANEOUS

Price: \$ 9.95 Cassette/\$13.95 Diskette

N. unique signorithm randomly produces fascinating graphics displays accompanied with tones which vary as the patterns are
built. No two patterns are the same, and the combined effect of the sound and graphics are measurerizing. CRYSTALS has been
used in local stores to demonstrate the sound and color features of the Atari.

NORTH STAR SOFTWARE EXCHANGE (NSSE) LIBRARY
DYNACOMP now distributes the 23 volume NSSE library. These diskettes each contain many programs and offer an outstanding value for the purchase price. They should be part of every North Star user's collection. Call or write DYNACOMP for details regarding the contents of the NSSE collection.

Price: \$9.95 each/\$7.95 each (4 or more) The complete collection may be purchased for \$149.95

DYNACOMP CASSETTES

DYNACOMP now offers high quality DYNACOMP brand name C-20 cassettes for computer use. Each cassette is guaranteed to

Box of 10 cassettes: \$15.95 postpaid Box of 20 cassettes: \$29.95 postpaid

AVAILABILITY

DYNACOMP software is supplied with complete documentation containing clear explanations and examples. Unless otherwise specified, all programs will run within 16k program memory space (ATARI requires 24K). Except where noted, programs are available on ATARI, PET, TRAS-90 (Level II) and Apple (Applestof) casasties and diskette as well as North Stat single density (double density compatible) diskette. Additionally, most programs can be obtained on standard (IBM format) 8" CPPM floopy disks for systems running under MBASIC. 3"M" CPPM diskettes are available for North Star and Obstorne computer systems.

STATISTICS and ENGINEERING

Price: \$39,95 Cassette: \$43.59 Diskette
DIGITAL FILTER (Available for all computers)
Price: \$39,95 Cassette: \$43.59 Diskette
DIGITAL FILTER is a comprehensive data processing program which permits the use to design his own filter function of the computer DIGITAL FILTER (Available for all computers)

DATA SMOOTHER (Not available for Atari)

This special data smoothing program may be used to rapidly derive useful information from noisy business and engineering data which are equally spaced. The software features choice in degree and range of fit, as well as smoothed first and second derivative calculation. Also included is automatic plotting of the input data and smoothed results.

FOURIER ANALYZER (Available for all computers)

Price: \$19.95 Cassette/\$23.95 Diskette

Use this program to examine the frequency spectra of limited duration signals. The program features automatic scaling and
plotting of the input data and results. Practical applications include the analysis of complicated patterns in such fields as electronics, communications and business.

TFA (Transfer Function Analyzer)
This is a special software package which may be used to evaluate the transfer functions systems such as hi-fi amplifiers and filters by examining their response to pulsed inputs. TFA is a major modification of FOURIER ANALYZER and contains an engineering-oriented decibel versus log-frequency plot as well as data editing features. Whereas FOURIER ANALYZER is designed for educational and scientific use, FTA is an engineering tool. Available for all computers.

HARMONIC ANALYZER (Available for all computers)

Price: \$14.95 Cassetter/\$28.95 Diskette
HARMONIC ANALYZER was designed for the spectrum analysis of repetitive waveform. Features include data fine generation, editing and storage/retrival as wells ad atta and spectrum plotting. One particularly unique facility is that the input data
need not be equally spaced or in order. The original data is sorted and a cubic spline interpolation is used to create the data file
required by the FFT algorithm.

FOURIER ANALYZER, TFA and HARMONIC ANALYZER may be purchased together for a combined price of \$49.95 (three cassettes) and \$59.95 (three diskettes).

REGRESSION I (Available for all computers)
Price: \$19.95 Cassette/\$23.95 Diskette
REGRESSION I (a unique and exceptionally versatile one-dimensional least square: "polynomial" curve fitting program.
Features include very high accuracy; an automatic degree determination option; an extessive internal library of fitting functions; data editing; automatic data and curve plotting; a statistical analysis (eg: standard deviation, correlation coefficient,
etc.) and much more. In addition, new fits may be tried without reentering the data. REGRESSION I is certainly the corner
stone program in may data analysis follware library.

REGRESSION II (PARAFIT) (Available for all computers)

Price: \$19.95 Cassette: \$23.95 Diskette
PARAFIT is designed to handle those cases in which the parameters are imbedded (possibly nonlinearly) in the fitting function. The user simply inserts the functional form, including the parameters (A(1), A(2), etc.) as one or more BASIC statement lines. Data and results may be manipulated and plotted as with REGRESSION I. Use REGRESSION I for polynomial fitting, and PARAFIT for those complicated functions.

MULTILINEAR REGRESSION (MLR) (Available for all computers)

Price: \$24.95 Cassette/\$28.95 Diskette
MLR is a professional software package for analyzing data sets containing two or more linearly independent variables. Besides
performing the basic regression calculation, this program also provide easy to use data entry, storage, retrieval and foring
functions. In addition, the user may interrogate the solution by supplying values for the independent variables. The number of
variables and data size is limited only by the available memory.

REGRESSION I, II and MULTILINEAR REGRESSION may be purchased together for \$51.95 (three cassettes) or \$63.95

ANOVA (Not available for PET/CBM)

Price: \$39.95 Cassette:/\$43.95 Diskette
In the past the ANOVA (analysis of variance) procedure has been limited to the large mainframe computers. Now
DYNACOMP has brought the power of this method to small systems. For those conversant with ANOVA, the DYNACOMP
software package includes the 1-way, 2-way and N-way procedures. Also provided are the Yates 2^{N-V} factorial designs. For
those unfamiliar with ANOVA, do not worsy. The accompanying documentation was written in a tutorial fashino type a
profession in the subject, and severe as an excellent introduction to the subject. Accompanying ANOVA is a support program for
building the data bars. Included are several convenient features including data esting, deteing and appending.

BASIC SCIENTIFIC SUBROUTINES, Volumes 1 and 2 (Not available for Atari)
DYNACOMP is the exclusive distributor for the software keyed to the popular texts BASIC SCIENTIFIC SUBROUTINES, Volumes 1 and 2 by F. Ruckdeschel (see advertisements in BYTE magazine). These subroutines have been assembled according to chapter. Included with each collection is a menu program which selects and demonstrates each subroutine. Volume 1

Volume 1
Collection #1: Chapters 2 and 3 - Data and function plotting; complex variables and functions.
Collection #2: Chapter 4 - Extended matrix and vector operations.
Collection #3: Chapter 4 and 6 - Random number generators (Poisson, Gaussian, etc.); series approximations.
Price per collection: 514.95 Cassetter/\$18.95 Diskette
All three collections are available for \$33.95 (three assetters) and \$49.95 (three diskettes).

Volume 2
Collection #1: Chapter 1 - Linear, polynomial, multidimensional, parametric least squares.
Collection #2: Chapter 2 - Series approximation techniques (economization, inversion, reversion, shifting, etc.).
Collection #3: Chapter 4 - CORDIC approximations to trigonometric, hyperbolic, exponential and logarithmic features.

Collection #5: Chapter 5 - Table interpolation, differentiation and integration (Newton, LaGrange, splines).
Collection #6: Chapter 6 - Methods for finding the real roots of functions.
Collection #7: Chapter 7 - Methods for finding the real roots of functions.
Collection #7: Chapter 7 - Methods for finding the complex roots of functions.
Collection #8: Chapter 8 - Optimization by stepered detects.
Collection #6: Chapter 8 - Optimization by stepered detects.
All eight collections are available for \$9.95? (eight casettee) and \$129.95 (eight diskettes).
Brown a vital part of the documentation, BASIC SCIENTIFIC SUBROUTINES, Volumes 1 and 2 are available from DYNACOMP.

BASIC SCIENTIFIC SUBROUTINES, Vol 1 (319 pages): \$19.95 + 75¢ postage BASIC SCIENTIFIC SUBROUTINES, Vol 2 (790 pages): \$23.95 + \$1.50 postage See reviews in KILOBAUD and Dr. Dobbs.

ROOTS (Available for all computers)

In a nutshell, ROOTS simultaneously determines all the zeroes of a polynomial having real coefficients. There is no limit on the degree of the polynomial, and because the procedure is iterative, the accuracy is generally very good. No initial guesses are required as input, and the calculated roots are substituted back into the polynomial and the residuals displayed.

required as input, and the calculated roots are substituted back into the polynomian and ne restouats outputs/
ACTIVE CIRCUIT ANALYSIS (ACAP) (48K Apple only)

ACAP is the analog circuit designer's answer to LOGIC SIMULATOR. With ACAP you may analyze the response of an active or passive component circuit (e.g., a transistor amplifier, band pass filter, etc.). The circuit may be probed at equal steps in frequency, and the resulting complex (i.e., real and imaginary) voltages at each component juncture examined. By plotted the magnitude of these voltages, the frequency response of a filter or amplifier may be completely determined with respect to both amplitude and phase. In addition, ACAP prints a statistical analysis of the range of voltage responses which result on tolerance variations in the components. ACAP is easy to learn and use. Simply describe the circuit in terms of the elements and their placement, and execute. Circuit descriptions may be saved onto casaster or diskette to be recalled at a later time for execution or editing. ACAP should be part of every circuit designer's program library.

LOGIC SIMULATOR (Apple only; 48K RAM)

With LOGIC SIMULATOR you may easily test your complicated digital logic design with respect to given set of inputs to determine how well the circuit will operate. The elements which may be simulated include multiple input AND, OR, NOR, EXOR, EXNOR and NAND gates, as well as inverters, 1-K and D flip-flops, and one-shots. The response of the system is available every clock cycle. Inputs may be clocked in with varying clock cycle Inputs'-displacements and delays may be introduced to probe for gittches and race conditions. At the user's option, a timing diagram for any given set of nodes may be plotted using HHRES graphics. Save your breaddownding until the circuit is checked by LOGIC SIMULATOR.

ORDERING INFORMATION

All orders are processed and shipped within 48 hours. Please enclose payment with order and include the appropriate computer information. If paying by VISA or Master Card, include all numbers on card.

Shipping and Handling Charges Within North America: Add \$1.50 Outside North America: Add 10% (Air Mail)

Delivery All orders (excluding books) are sent First Class.

Quantity Discounts
Deduct 10% when ordering 3 or more programs. Dealer discount schedules are available upon request.

8" CP/M Diaks
Add \$2.30 to the listed diskette price for each 8" floppy disk (IBM soft sectored CP/M format). Programs run under
Microsoft MBASIC or BASIC-80.

54" CP/M Disks All software available on 8" CP/M disks is also available on 51/4" disks, North Star format.

Ask for DYNACOMP programs at your local software dealer. Write for detailed descriptions of these and other programs from DYNACOMP.

DYNACOMP, Inc. (Dept. B) . 1427 Monroe Avenue



Rochester, New York 14618 24 hour order phone: (716)442-8731 recording Office phone (9AM-5PM EST): (716)442-8960

New York State residents please add 7% NYS sales tax



Online Information Retrieval

Promise and Problems

Steven K Roberts 5885 Dublin Road Dublin OH 43017

one of my associates concerning

schemes which might bring us wealth.

Both design engineers with a degree

of entrepreneurial fervor, we natural-

ly settled upon high-tech products.

As avid cyclists, we chose as one of

our potential projects a digital bike

odometer/speedometer with liquid crystal display, trip memory, and

zero-drag interface with the machine.

jected most of the other harebrained

schemes, the time came for some

After we refined this idea and re-

How many times have you experienced the frustration of showing someone your computer system and finding yourself confronted with such questions as: "Can I ask it something?" or "Have you got anything in there on me?" Thanks to a wealth of naive fiction and movies, the general public (still!) thinks of even the smallest computer as a great, mysterious storehouse of information that dwarfs human minds and invades personal privacy.

We all know that our little micros hardly justify this reputation, but some systems out there do harbor astonishing volumes of information. That isn't news, but recent developments have brought some of these robust resources within the grasp of the personal computer user.

An example: not long ago, when the words were coming far too slowly on a book project, I fell into a teasodden brainstorming session with In five minutes I reviewed the US patent history of

bicycle odometers.

I picked up the phone, dialed the local Telenet access number, specified the Lockheed Dialog system, entered my password, and informed the system that I would begin with the Magazine Index (file #47). [Editor's note: For more information about Dialog, see Stan Miastkowski's review, "Information Unlimited: The Dialog Information Retrieval Service," in the June 1981 BYTE.] All

this was taking place through my Cromemco Z-2D system, which had been converted into a simple dial-up terminal via the command CHAT.

Once the big West Coast system acknowledged my presence in the Magazine Index, I said:

SELECT BICYCLE? AND ODOMETER?

(The "?" symbols are wild-card characters to accommodate plural forms of the words.) The system responded with the fact that there were, in its files, 904 articles on bicycles, two on odometers, and one dealing with both. When I directed the system to provide the details about that article, I received a bibliographic reference (and a short abstract) for the article, "How Far Did You Cycle Today?" by Arthur V Clark, which appeared in the May 1980 issue of *Popular Electronics*. On a hunch, I tried:

SELECT BICYCLE? AND SPEEDOMETER?

and received two more references one to a Beaber article in *Radio-Electronics* and the other to a Sandler piece in *Popular Mechanics*. Further

About the Author

Steve Roberts is a freelance writer and microprocessor systems consultant who lives in Dublin, Ohio. He is the author of two books and some 40 articles and, when he tears himself away from the word processor, enjoys photography, bicycling, and music.

WEHAVEIT the solution to your system problems (Single or Multi-user) Contact us Today!

Mini Micro Mart offers a variety of systems, such as the Cromemco System Two shown.

The System Two will run CDOS, CP/M®, MPM, multi-user Cromix, single or multi-user OASIS and a variety of operating systems.

Mini Micro Mart, America's leading micro processor house also offers North Star,™ Dynabyte, Intertec Superbrain, Altos and other systems.

All are currently being offered at Extra Special Savings.

MiniMicro Mart, Inc. 943 W.Genesee St. Syracuse, N.Y. 13204 (315) 422-4467



probing yielded pieces on bicycle accessories in *Better Homes and Gardens* and *Consumer Guide*.

This was all very interesting and likely to yield some ideas, but what about marketing? I directed the system to change to the "Encyclopedia of Associations" database and quickly located the addresses and phone numbers of the Cycle Parts and Accessories Association and the Bicycle Wholesale Distributors Association. Both groups would probably be useful in assessing the market potential of our device. If not, there were 17 other groups listed that were somehow connected with cycling.

We also needed to know about related patents. Would our device infringe on an existing patent? Would we be spending thousands of dollars on research and development just to conclude that round is the optimum shape of a wheel? Or, looking at it somewhat differently, could we take advantage of someone else's development effort, modifying it slightly and presenting it to the world as our own?

Formerly, a patent search was expensive and represented a major portion of the cost associated with filing a new invention, but no longer. I merely typed "B 25", to begin searching in database 25 (CLAIMS—US Patent Abstracts), and then issued the identical command that I used in the Magazine Index. Instantaneously, the system informed me that since 1978 there have been 1255 patents related to bicycles, 100 linked to odometers, and five somehow corresponding to both.

It was easy to get a lengthy description of those five, including the assignee's name, an explanation of the technique, descriptions of drawings, etc. In about five minutes, I had reviewed the recent US patent history of bicycle odometers. A quick check revealed nothing of interest from 1971-1977.

It's tempting to offer esoteric descriptions of methods for deriving information from a bicycle wheel and accumulating the data in a non-volatile counter: but that's not the

point here. Of interest to us is that much of the preliminary research was conveniently completed in a few minutes with a home computer, in a process that hardly exercised the capabilities of the interactive information-retrieval system at the other end of the data link.

Five Prerequisites

Information hasn't always been that accessible. Not until the development of at least five crucial ingredients could an untrained, casual user like me rapidly obtain so much information.


First, the obvious: there had to be great volumes of data in machine-readable form. Dialog alone houses over 35 million records—each heavily cross-indexed in ways ranging from a simple directory listing to a thorough bibliographic citation containing an abstract.


Much of this machine-readable information began to appear in the mid 1960s, when publishers discovered the wonders of computer phototype-setting and began compiling directories, magazines, handbooks, and the like in a form that could be read directly by computer. The original motivation for creating databases was thus not so much the anticipation of interactive information-retrieval systems as it was the economic considerations of the publishing industry.

Second, the development of computer hardware and relatively low-cost mass storage facilities progressed throughout the 1960s and '70s, yielding facilities that could host masses of data and allow multiple users simultaneous access to it. This was a major achievement, for the amount of data involved in a system like Dialog would have dwarfed the systems of the '60s, which also lacked the resources required for efficient information access and timesharing.

Third, all the fine hardware, then as now, was of little use without decent software. Early approaches centered around batch mode, in which a user's information requests were handled open-loop—frequently overnight. This precluded the kind of system whose responses to a person's









COLOR VIDEO PROCESSOR

• Text, Graphics, Animation • 16 Colors • 256 x 192 Resolution • NTSC Composite Video Output • Uses TMS 9918 • Includes I/O Mapped 16K Video Memory • 3D Simulation with 32 Video Sprites • 2 Byte X-Y Positioning • Real Time Clock • 8 Level Interrupt Selection • Inexpensive RF Modulator allows easy connection to any color TV • Video over Video and Extended Graphics II Mode with TMS 9918A •

PROGRAMMABLE SOUND GENERATOR

Music, Sound Effects, Tone Signaling, Ultrasonics
 27 Hz to 111 KHz Range
 3 Programmable Analog Channels with Separate Frequency, Volume and White Noise Control
 10 Selectable Envelope Wave Shapes under Software Control
 Two 8-Bit Programmable I/O Ports for use as External Keyboard/Display Interface
 Power Amplifier for driving External Speaker

Texas residents add 5% sales tax. Prices include complete documentation with programming examples. PC board is solder-masked with gold contacts. Add \$100 for assembled and tested units. Send \$14.50 for 120 page manual, refundable with order. Compatible with Z80, 8085 and 8080 at 2 or 4 MHz on S-100 buss.



ELECTRONIC DESIGN ASSOCIATES

P.O. Box 94055 Houston, Tex

Houston, Texas 77018 (713) 999-2255

MEMOREX

51/4" MINI DISKS

Flexible Disc 1s

MEMOREX
MEMOREXC
MEMOR'EXCE
MEMOR'EXCEL
MEMORYEXCELL
MEMORYEXCELLE
MEMORYEXCELLEN
MEMORY EXCELLENC
MEMORY EXCELLENC
MEMORY EXCELLENC

For Data Reliability—Memorex Flexible Discs

SINGLE SIDE SINGLE DENSITY.....

..... \$24.25 BOX OF TEN

SINGLE SIDE

DOUBLE SIDE

DOUBLE DENSITY 34.50 BOX OF TEN

MASTER CHARGE. VISA OR C.O.D. FREIGHT PREPAID ON ORDERS OF 100 OR MORE UNITS

For Data Reliability—Memorex Flexible Discs

NATIONAL DATA PRODUCTS, INC. 8510 SUNSTATE ST. TAMPA, FLORIDA 33619

CALL TOLL FREE

800-237-3875

455

queries guide the selection or refinement of further queries—altogether a more efficient and desirable way of doing things. Such interactive software presents problems that have occupied designers for years, and complaints about "friendliness" and resolution of ambiguities still exist. But the combination of good search software and high-speed machines has reduced system response time, even during peak-load periods, to an average of perhaps three or four seconds.

The big and fast machines, good code, and an abundance of useful information were fine. But there were still two things needed to make database systems practical for users outside well-funded research environments.

One was the development of data communication networks (such as Tymnet and Telenet) that could lift the burden of long-distance charges from those not blessed with WATS lines and accommodating department budgets.

The final requirement was filled with the advent of the microprocessor. Along with all its other accomplishments, the microprocessor has lowered equipment costs to the point where just \$250 can buy a reasonably decent video terminal with a built-in modem. Some people (mostly long-time owners of expensive systems, no doubt) would call this obscene, but the major economic barriers to serious widespread computer use have been removed.

Well...almost. A quick glance down Dialog's list of over 120 databases shows hourly "connect time" rates ranging from \$25 to \$300. This, to the casual observer, seems anything but cheap.

What's Your Time Worth?

Bibliographic information, such as that derived from the Magazine Index, is readily available from a well-stocked public library (although usually not so efficiently). But travel time and the extra digging made necessary by the lack of centralized

indexing can make the typical goaldirected library visit trying. Unless you know what to look for and where to find it, you might end up just browsing.

Of course, you can always browse in the Dialog system, though connect time charges averaging \$1 per minute discourage that. Instead, a session online is best approached with a "search strategy," which minimizes the time spent chasing down loosely related information. In our example, we took advantage (at a rather low level) of the Boolean operators (which include OR and NOT, as well as AND) to eliminate the need to check all 904 bicycle articles for references to odometers. I decided on this approach before signing on and interacted with the system as briskly as possible, with no time out for coffee breaks, chitchat, or manual retrieval of the referenced articles (which, it turned out, were on my bookshelf all along).

In most cases, this approach produces intense interplay with the machine that takes only as long as necessary—rarely more than 10 minutes for a specific search. The resulting charge is far cheaper than the gas and time that might otherwise be required, and the scope of the references is far greater than what would be found in a typical library.

It is this last point that underscores the value of online information retrieval. The Magazine Index is only one of Dialog's many databases, yet it provides cover-to-cover indexing of more than 370 publications. The index is updated monthly, with cumulation since January 1977.

Even more impressive are the specialized files: BIOSIS, for example, covers life sciences research with roughly 200,000 citations per year from 8000 serial publications, as well as books, notes, symposia, etc. In the engineering disciplines, there are COMPENDEX (100,000 citations per year in a variety of fields), INSPEC (150,000 per year in electrical engineering and computer fields), ISMEC (15,000 per year in mechanical engineering), SAE (800 per year in automotive engineering), and many more. It should be noted





EPISODE is a CP/M®computer with 1.6 M byte of disk storage on dual 51/4 floppies. Its compact design provides a wide range of standalone or network applications including data base sharing.

EPISODE gives you total flexibility. You can add your own CRT and Printer, whatever brand and price range you choose. All the logic including the 64K RAM memory is contained on a single 6" × 8" circuit board ensuring maximum reliability.

*Supervyz is a trademark of Epic Computer Corporation, CP/M is a trademark of Digital Research.

EPISODE includes a unique software system called SUPERVYZTM - a menu based software control system that allows the user to integrate application programs.

Dealer inquiries invited, foreign and domestic.



Epic Computer Corporation 7542 Trade Street San Diego, CA 92121 Tel: 714-695-3560

Source Code!

The Q/C compiler includes the full source code for a major extension to Ron Cain's Small-C:

- For, switch/case, do-while, goto
- Assignment operators
- Improved code generation
- Command line arguments (argy and argc)
- Conditional and comma operators
- I/O redirection
- I/O library written in C
- Generates code for M80 (or ASM or MAC)

Q/C does not include float, double, long, unsigned or short; static externals; initializers; sizeof; typedef; casts; structures and unions; multidimensional arrays; #ifdef, #if, #undef, #line.

For only \$95 (including shipping in the US and Canada) you get the full source code and a running compiler with sample programs on disk, along with a well-written user manual. (Requires 48K CP/M system.)

We also sell CW/C, a C compiler which runs on a 56K CP/M system. It supports structures, unions, multidimensional arrays, #ifdef, and will selectively search "source library" files for functions used by your program. The I/O library for CW/C is written almost entirely in assembler. CW/C costs \$75, and does not include source code for the compiler.

CW/C and Q/C both grew out of Small-C, but were developed independently. Jim Colvin of Quality Computer Systems implemented Q/C. We are offering Q/C for the many Small-C fans that want the source code to an extended compiler. (We still distribute the original Small-C source code on disk for only \$17).

CA residents add 6% tax. Visa and MasterCard welcome.

The Code Works Box 550, Goleta, CA 93116 805-683-1585

TEXAS COMPUTER SYSTEMS

COMPUTERS



Model II 64K

An excellent computer for your business needs. Easy expandability & compatibility. No formal operator training needed. All accessories available-disk expansions, printers, software, at our low discount prices. Our fast, fully insured air freight service can assure most deliveries within seven days after payment is received.

Model III 16K \$835

Model III 32K \$979 Model III 48K \$1089 With TCS Memory: Model III 32K \$909 Model III 48K \$969

Model III 48K 2 Disk RS232 \$2100

Model III 32K 1 Disk Model III 48K 1 Disk

\$1729 \$1849



Corvus Hard Disks \$Call

5, 10, or 20 megabytes of storage for the Model I, II, or III, configured with TRSDOS, NEWDOS 80, or CP/M On the property of a comparison of the compariso

Pocket Computer & Acc. SCall

Pocket Computer Printer Interface in stock.

Color Computer

4K Level 1 \$319 16K Level | \$439 16K Extended Basic \$489

With TCS Memory:

16K Level | \$369 16K Extended Basic \$449

Letter quality matrix printer has full software control of 40, 80, 66 or 132 columns. 80 cps bidirectional tractor feed, disposable printhead. \$300 less than nearest competitive printer. Lists \$645. Call for our

MX-80 Tractor Feed MX-80 FT Friction and MX-100 Graphtrax, Friction and Tractor up to 15" wide.

Graphtrax for MX-80, MX-80 FT, graphics option.

Word Processor Package \$2679

Includes 2 Disk Model III with 48K, Epson MX-80 Tractor Feed with cable, and word processing software ready to operate. Lists at \$3300. Our low price special-this month: **\$2679.** For MX-80 FT Tractor and Friction, add \$99.

- Payment: Money Order, Cashier's Check, Certified Check. Personal checks take 3 wks. VISA, MC, add 3%.
- Prices subject to change any time.
 No tax out-of-state. Texans add 5%
 Delivery subject to availability.
- . Shipping extra, quoted by phone

TEXAS COMPUTER SYSTEMS

Box 951, Brady Texas 76825

For fast, efficient service, we can air freight from Dallas to major a/p near you. Call for information.

Toll Free Number 800-433*-*5184 Texas Residents 817-274-5625

that some of these are found in the SDC ORBIT system; others both there and in Dialog.

Any consideration of the economics of using databases must include the scope of the available information. What combination of traditional information resources could offer the multidisciplinary abundance of frequently updated material in Dialog? You can even obtain reports on SEC filings of corporations, find the student-teacher ratio in your old grade school, poke around in a worldwide index of doctoral dissertations, or find out how your congressman voted on a recent issue.

Add to this the facility, in most databases, of obtaining the full-text documents of interest through an online ordering facility. At first glance, this ultimate dependence on paper appears to be a system weakness, though far superior to online transmission of documents at 300 bits per second (bps), especially in light of the connect-time charges.

Cheaper Searching

With the exception of certain dedicated systems, such as Mead Data Central's LEXIS (a legal research database) and Pergamon's VIDEO PATSEARCH (a patent database), database facilities are designed to be accessed by any dial-up terminal. Therefore, all of the system resources are housed at the far end of the data link.

Although this minimizes the equipment requirements placed on the person who desires access to the system, this approach is hardly efficient. In using Dialog and ORBIT, I have already noticed my creeping panic at the rapidly accumulating cost of online time-especially when I employ inefficient search strategies to locate something about whose classifications I am uncertain. The clock's ticking tends to encourage haste and inhibit use of some of the system's more subtle capabilities. Even line editing costs \$35-\$300 per hour, depending on the database.

But with a local processor, a

database searcher can prepare most messages associated with a session prior to the sign-on. This allows a calmer approach to preparing a search strategy, increasing precision and efficiency. Such an approach would have helped during a brief Dialog demonstration that I gave while preparing this article. Workmen were installing a security system in my house as I wrote, the din of men and machines drowning out the gentle pattering of the Hazel's keyboard. The workmen needed a break at about the time I needed some information, so I called them over to see the system. To lend a personal touch, I interrogated the Newspaper Index for references to articles about their company. Warner Security Systems. My command was:

SELECT WARNER AND SECURITY

I should have known better. Of the five articles referenced, only one was related to the company. One extraneous piece touched on Volney F Warner's opinions about national security. Another contained a quote from John W Warner Jr, concerning the conduct of security services during the attempt on President Reagan's life in March 1981.

Since I was paying \$1.25 per minute for 300 bps transmission of these references, I should have issued a more specific search command. The following command, for example, yields only the article of interest (a Wall Street Journal piece from March 12, 1980):

SELECT WARNER AND SECURITY (W)SYSTEM?

(Incidentally, SELECT is normally abbreviated S, and in the above command the (W) implies that the words SECURITY and SYSTEM must be adjacent to one another.)

My first exploration of the CLAIMS database covering US patents was equally inept. For reasons of prurience, I inquired about sex-related inventions. The very first one displayed was a method for inducing the early flowering of young deciduous trees!



A Larger Perspective

So far, my emphasis on the Rolls-Royces of the database world has neglected a new wave of economy models that together address a larger market. The Source and Compuserve have brought large-system resources to the individual at much less intimidating prices. Providing electronic mail and a variety of consumer-related services, these less expensive databases represent a service that rests between the giant systems already described and those that will ultimately appear in the living room of Mr and Mrs John O Smith of Anytown, USA. But the mass market presents several challenges. One is achieving "user-friendliness." Another lies in the choice of a "delivery mechanism" that can accommodate millions of users. Marketing and copyright and other legal snags pose still other challenges. Let's consider these separately.

Friendly Systems

A long-standing problem in all computer systems-the lack of intuitively obvious ways to interact with the machine—is especially troublesome to untrained users lacking interest in computers. A "veteran" like me can forgive an antique text editor its idiosyncracies: the idea of a "virtual pointer" is solidly established in my head, and I know most of the 25 or so commands by heart. But I have sometimes had to turn clerical personnel loose on the system, with discouraging results. The difference between string and insert modes becomes a mystery, and the commands seem like black magic.

Of course, screen editors (such as Wordstar and VEDIT) solve this problem by allowing the objects of interest to be manipulated more directly and making the results of any change immediately visible on the screen. But systems must go further to be palatable to the masses. Future systems must incorporate many of the characteristics that make arcade games fun: provision for developing competence without having to study manuals or even use reference cards; direct correlation between hand movement and

visual results; freedom from intimidating error messages (like the cryptic ERROR CODE 19); and fostering of graceful evolution from novice to expert, with enjoyment and challenge at every level.

To this end, current developments in "object-oriented programming" (like Smalltalk) offer interesting alternatives to the classic, commandoriented style of system use. For database and information utility systems to win wide acceptance, they must enable a newcomer to step up to a teletext terminal (or whatever), play around, and within a few minutes begin to derive some satisfying result, without reading any documentation or instructions. For the present, systems like Dialog and The Source, with their counterintuitive command syntaxes and their unforgiving errorhandling facilities, will serve only those who need them badly enough to tolerate their inhuman natures.

Delivery of Online Services

If you want to research the world's

literature on bicycle odometers, you dial your Telenet access number, specify the network address of the online vendor of choice, enter your password, and go to it. But if 43,608 Chicago residents simultaneously decide to check with their viewdata systems for movie information, news headlines, "yellow pages" service, airline schedules, and horse racing results, something other than a dialup network must be available. And so it is: cable TV and all its permutations. However, since no subscriber possesses his own private cable, some clever means must be provided to give at least the illusion of a "dedicated" system.

One approach involves continuous transmission of a full database and interception of desired frames by an intelligent local terminal. Another technique, called a hybrid network, accommodates the widely divergent bandwidth requirements of user input and video display. It uses the phone line for communication from the user to the system and the cable TV net-

CROMEMCO GSA SALES

TO ALL GOVERNMENT USERS AND PURCHASERS

Systems Support, Inc. is a GSA qualified Cromemco vendor under ADP Schedule Contract No. GS-00C-02901. Purchase directly from us under our generous schedule terms and eliminate the slow bidding process. Our support commitment guarantees reliable product operation.

For more information call or write

SYSTEMS SUPPORT, INC.

1208 Shady Way South Charleston, WV 25309

(304)766-7762

An Equal Opportunity Employer

work for information flow in the other direction (a sort of video packet-switching scheme).

Whatever the solution, the cost will clearly be great, and numerous competing technologies will ensure a lack of standardization for many years.

Yes, You Need This System!

Before the world becomes a community of electronic cottages, someone must do a very clever selling job. Ask a person who's not already involved with computers what he or she would do with a home system or with access to an information utility, and the answer will likely be: "Huh? I dunno." But the reality is that everyday almost everyone uses information resources that are amenable to "computerization." The online telephone directory is already under development by the French Postal Telegraph and Telephone Agency (PTT), which plans to produce 200,000 electronic-directory terminals for free distribution. PTT expects to recover the \$50 million

manufacturing cost through the obsolescence of telephone books. As a fringe benefit to the users, the terminal is compatible with Teletel (the French videotex service), as well as database, electronic mail, funds transfer, and shopping services.

In addition to telephone-directory service, we take many other information sources for granted. News media, airline and theater schedules. stock market data, and classified advertising-all are continually updated compendia of information that the bulk of the population uses routinely. And, although people are paying for these compendia in a variety of ways, cost to the individual is not obvious.

Monthly billing based on usage time for a home information terminal, however, would be very obvious. This fact may frustrate the marketing of information services for some time, especially since most potential customers will initially have trouble seeing the need for the service.

The Fine Print

We are already confronting another problem that will require landmark legal decisions before we can enter the era of online databases for the masses. Now that data storage is becoming cheap enough to permit storage of "full text" in databases, instead of offering mere bibliographic references, interesting copyright questions arise. For example, if I sell only "first serial rights" on an article to a magazine, I may not be enthusiastic about the article's subsequent appearance in an online information utility from which anyone can draw at will. In some countries, this same problem, in the nonelectronic arena of library loans, has already spawned "Public Lending Right" laws that require royalties for the author upon each borrowing of a book. If access to books in machine-readable form becomes widespread, some modifications of copyright laws will be necessary to provide compensation to authors for electronic consumption of their work.

Other legal hurdles remain. Printers' unions are likely to resist the erosion of their industry by electronic data transmission. We'll probably also see lawsuits claiming restraint of trade, monopolistic practices, invasion of privacy, copyright infringement, and unfair labor practices.

Despite these four problem areas. the information industry is experiencing explosive growth at all levels of sophistication. Though many field trials have failed, there has been enough positive feedback from users to convince corporate giants that there's big money to be made in this business. At the 1981 National Online Meeting in New York City, the largest draw of the entire three-day conference was a panel discussion on mergers and acquisitions. The intensity and scope of this industry were clear.

A Look to the Future

We must consider a broad range of database services to achieve a clear perception of the information industry: everything from consumeroriented, cable-delivered teletext to encyclopedic "research-grade" positories. Some database services



are reputedly simple enough for a child to use and others so complex that the online vendors must routinely offer seminars and consulting services.

We are likely to see a convergence of these extremes into systems that combine depth of scope with ease of use. Present videotex services have limited appeal to the professional market, and other potential users may prefer hard copy. But if new concepts of easier and more productive use of computer systems (the subject of a three-day conference in Ann Arbor, Michigan this May) enter the design of online systems, then the robust services will become much more palatable.

It is a situation comparable to the personal computer's market penetration at the consumer level: beyond games, there has to be some distinct practical value (not contrived, either—show me a recipe filing program that can beat the *Joy of Cooking* and a 3 by 5 card index!) before people will spend a few hundred dollars on something they suspect is a toy.

Above this level, however, development is proceeding apace. In most cities, small firms, calling themselves "database intermediaries," are preparing to provide infrequent users with search services. This relieves people of the need to develop expertise in using complex systems. Considering the problems associated with categorizing all of reality in a way that would allow anyone to find one item easily, such sales of expertise may represent the wave of the future.

The problem of categorizing reality becomes even more awkward where images are concerned. Superficially amenable to standard database techniques, images become troublesome when multilayered meanings call for widely divergent classifications. Should a particular painting of the crucifixion be considered in its iconographic context, or as a skinny man hanging on a cross? The question seems absurd in the twentieth century, but similar confusions of meaning have plagued art historians through the ages and render every system of classification ambiguous and ultimately traceable to the cultural biases of a few people.

The question of categorizing images is especially important, because the new technology of videodiscs has given us a powerful tool for the storage and retrieval of graphic and textual information. One commercial service (VIDEO PATSEARCH from Pergamon) already combines online database access with a local library of drawings on videodisc. With at least one manufacturer's disc capable of storing 108,000 video frames, there is great potential for the inclusion of graphics, as well as "full-text," in specialized database systems.

The online storage capabilities described here seem to presage enormous changes in the library of the future. We can only assume that mass storage of all types will continue to grow cheaper as human time becomes more expensive; it follows that everbetter tools for information seekers will continue to develop. As we gain facilities that far surpass the efficiency of books, shelves, and call slips, perhaps we can somehow avoid losing the human warmth of libraries.

SHAKE THE DIRT OFF YOUR ROOTS ROOTS/M



ROOTS/M requires at least 32K RAM, a 24 \times 80 addressable cursor terminal and CP/M. Most popular terminals are supported. Disk formats: 8" single density IBM soft sectored, 5 $\frac{1}{4}$ " NorthStar DD, 5 $\frac{1}{4}$ " Heath/Zenith SD. Master Card and VISA accepted. Write or call for a free catalog of COMMSOFT products.

ROOTS89 is available for Heath/Zenith HDOS.

CP/M is a registered trademark of Digital Research Corp.

A CP/M Genealogy Program For Your WHOLE Family

Store, retrieve and display thousands of facts about your relatives and ancestors.

Print pedigree charts and family group sheets, calculate relationships and recall anniversaries using standard genealogical conventions.

Learn how to trace your roots with the extensive course in genealogy provided in the 100-page illustrated user's manual.

124⁹⁵

665 Maybell Avenue • Palo Alto, CA 94306 (415) 493-2184

Event Queue

December 1981

December

McGraw-Hill Conferences/ Seminars, various sites throughout the US: Electronics and Data Communications magazines, published by McGraw-Hill, are sponsoring a number of conferences covering a wide range of computer-related topics. For complete details, contact McGraw-Hill Conference Center, 1221 Avenue of the Americas, New York NY 10020, (212) 997-1221.

December 9-11

The 1981 Winter Simulation Conference (WSC 81). Peachtree Plaza, Atlanta GA. WSC 81 will feature papers, panel discussions, and tutorials on discrete and combined simulation and modeling. The conference will be organized into tutorial, methodology, and application sessions. For information, contact John Carson, WSC 81 Registration Chairman, School of Industrial and Systems Engineering, Georgia Institute of Technology, Atlanta GA 30332, (404) 894-2308.

December 15-19

Gulf Computer Exhibition, Dubai International Trade Centre, Dubai, United Arab Emirates. IBM, NCR, Apple, Honeywell, Philips, Wang, Hewlett-Packard, Data General, and other well-known manufacturers will be represented at this first exhibition of computer equipment in Dubai. The scope of the show takes in systems ranging from microcomputers to mainframes. Details are available from the Trade Centre Management Company, POB 9292, Dubai, United Arab Emirates, Telex 47474 DITC EM, and from Diana Clifton Sewell, International Office,

Seymour House, 17 Waterloo Pl, London, SE1Y 4AR, England.

December 16-18

The Twentieth IEEE Conference on Decision and Control (CDC), Vacation Village Hotel, San Diego CA. The CDC is the annual meeting of the IEEE (Institute of Electrical and Electronics Engineers) Control Systems Society. It is held in cooperation with the Society for Industrial and Applied Mathematics. The conference will include contributed and invited sessions plus tutorials and presentations on all aspects of the theory and applications of systems involving decision, control, and adaptation. Topics of interest include linear and nonlinear system theory, stability theory, large-scale system theory and decentralized control, estimation, identification, signal processing and stochastic control, and control systems. For more information, contact the Institute of Electrical and Electronics Engineers Inc. 445 Hoes Ln. Piscataway NJ 08854.

December 28-30

Computer Modeling of Linguistic Theory, Grand Hyatt Hotel, New York NY. The Association for Computational Linguistics (ACL) is sponsoring three sessions on computer modeling of linguistic theory in conjunction with the annual meeting of the Linguistic Society of America (LSA). New models for grammars and new strategies for parsing will be the areas of most attention. Readings of contributed papers will also be featured. For general information, contact Stan Petrick, IBM Research Center, POB 218. Yorktown Heights NY 10598. To register, contact Margaret W Reynolds, LSA, 3520 Prospect St NW, Washington DC 20007, (202) 298-7120

January 1982

January-March

Writing for Results: A Course for Computer Professionals, various sites throughout the US. This three-day course is presented by the American Management Associations (AMA). It is designed to teach computer professionals how to get complex ideas across to technical and nontechnical readers in clear and simple prose. Individual fees are \$575 for AMA members. \$660 for nonmembers. Team fees are \$490 per person for AMA members, \$575 for nonmembers. For a complete schedule of times and locations, contact the American Management Associations, 135 W 50th St. New York NY 10020, (212) 586-8100. To register by phone, call (212) 246-0800.

January-April

Fundamentals of Data Processing for Administrative Assistants and Office Support Staff, various sites throughout the US. The American Management Associations (AMA) has designed this three-day course for secretaries, assistants, supervisors, and other personnel desiring to learn the fundamentals of data processing and its use in offices. Computer hardware and software, programming languages, and technology will all be covered. The team fee for AMA members is \$470 per individual and \$550 for nonmembers. For a schedule of dates and locations, contact the AMA, 135 W 50th St, New York NY 10020, (212) 586-8100. To register by phone, call (212) 246-0800.

January 6-8

The Fifteenth Annual Hawaii International Conference on Systems Sciences (HICSS-15), Honolulu HI. This conference is cosponsored by the University of Hawaii and the University of Southwestern Louisiana in cooperation with the Association for Computing Machinery. HICSS-15 is intended for medical information-processing researchers and practitioners. Some of the topics to be covered are diagnosis by computer, computerbased medical instrumentation, computers and the handicapped, and the use of computers in individual and group practices, medical laboratories, and hospitals. Contact Dr Bruce D Shiver and Dr Terry M Walker, c/o HICSS-15 Medical Information Processing, University of Southwestern Louisiana, POB 44330, Lafayette LA 70504.

January 7-10

The 1982 Winter Consumer Electronics Show (CES). Las Vegas Convention Center, Hilton Hotel, and the Jockey Club, Las Vegas NV. Conferences, workshops, seminars, sales meetings, press events, and exhibits of audio and video equipment, computers, telephones, and other consumer items highlight this show. For details, contact Consumer Electronic Shows. Suite 1607, Two Illinois Center, 233 N Michigan, Chicago IL 60601, (312) 861-1040.

January 12-15

Communication Networks Conference and Exposition, Georgia World Congress Center, Atlanta GA. The Communication Networks Conference is designed to bring users and the telecommunications industry together. The Conference features sessions, panel discussions, and tutorials on voice, data, and electronic-mail communications. For information, contact Communication Networks, 375 Cochituate Rd, POB 880, Framingham MA 01701, (617) 879-0700.

January 15-16

Microcomputers in Education, Arizona State University, Tempe AZ. The Tenth Annual Math/Science Conference will emphasize the microcomputer as a medium

for instruction, as a tool for research, and as an information manager. Workshops, demonstrations, panel discussions, and problem-solving groups will be offered. Contact Nancy Watson, 203 Payne Hall, Arizona State University, Tempe AZ 85287. Vendors interested in exhibiting may call Dr Gary Bitter at (602) 965-3322.

January 19-22

Peripheral Array Processors for Signal Processing and Simulation, Sheraton National Hotel, Washington DC. The fee for this course is \$795. For complete details, contact the Continuing Education Institute, Suite 1030, 10889 Wilshire Boulevard, Los Angeles CA 90024, (213) 824-9545.


January 19-22

The Which Computer? Show, National Exhibition Centre, Birmingham, England. Information about this show can be obtained from Clapp & Poliak Inc, 245 Park Ave, New York NY 10167, (800) 223-1956; in New York,

(212) 661-8410.

January 20-22

Texas Computer Show, Dallas Convention Center, Dallas TX. Conferences, panel discussions, and seminars will be featured at this show. The exhibition will include word- and data-processing equipment plus peripherals. For details, contact the Texas Computer Show, POB 214035, Dallas TX 75221, (214) 761-9108; in Georgia, (404) 452-0114; and in Canada, (416) 252-7791.



Finally, a price-performance breakthrough for mass storage in a one-piece, handsomely styled desk-top computer.

- 5¼" Micro-Winchester™ 5 Mbyte (formatted) hard disk.
- 700K or 350K floppy disk back up.
- Dual Z-80 processors with 64K RAM.
- · Dual RS232 ports.
- Complete and ready to run with CP/M™ 2.2.

DEALER & OEM INQUIRIES INVITED

TELEPHONE (206) 453-9777 TOLL FREE 1-800-426-2963




- Largest Intertec distributor in the United States.
- Distributor for C. Itoh, MPI, Epson.
- · Seagate, Tanden drives.
- Corvus hard disks, multiplexers.
- Superbrain S-100 bus, graphics, and parallel port.
- Software: MicroPro, Accounting Plus, Peachtree, Condor, Benchmark.

SuperFive ALSO DISTRIBUTED BY:

Compu Data 1 Bala Cynwyd Plaza Bala Cynwyd, Pennsylvania 19004 Telephone (215) 667-6843 Diversified Data 8043 W. 82nd Indianapolis, Indiana 46278 Telephone (317) 299-0115

CMC International

A Division of Computer Marketing Corporation 11058 Main, Suite 125, Bellevue, WA 98004 (206) 453-9777



"Crashed" Discettes AUTOMATICALLY!

Maybe it was a lightning storm, static from the rug, or just too late at night to be working. Whatever the cause, when a discette "crashes" and valuable data or programs are destroyed, the loss is enormous, both in time and money.

DISK DOCTOR is a program which automatically recovers bad discettes. Best of all DISK DOCTOR does not require any knowledge of CP/M file structure! If you can operate CP/M, then you can use DISK DOCTOR. The entire system is menu driven with key information displayed.

DISK DOCTOR is comprised of five "wards", each capable of performing a specific discette recovery operation.

- Ward A: Verifies discettes and locks out bad sectors without touching the good files that remain.
- Ward B: Copies whatever can be read from a "crashed" file and places it into a good file under user control.
- Ward C: Copies discettes without stopping for bad sectors. Bad sectors are replaced by spaces.
- Ward D: "Un-erases" files. That is, Ward D will recover accidentally erased disk files.
- Ward E: Displays directory of recoverable erased files.
 DISK DOCTOR will pay for itself the first time it is used.

Best of all, DISK DOCTOR operates almost complete automatically. The small amount of user interaction is explained in the manual as well as prompted by DISK DOCTOR.

Requires: 48K CP/M, two drives needed for complete operation.

DISK DOCTOR: Manual Alone: \$100.00 \$ 10.00

CP/M Formats: 8" soft sectored, 5"
Northstar, 5" Micropolis Mod II,
Vector MZ, Superbrain DD/QD, Apple II+

All Orders and General Information: SUPERSOFT ASSOCIATES P.O. BOX 1628 CHAMPAIGN, IL 61820 (217) 359-2112 Technical Hot Line: (217) 359-2691 (answered only when technician is available)

SuperSoft
First in Software Technology

CP/M REGISTERED TRADEMARK DIGTAL RESEARCH

January 21-22

Local Network Equipment Seminar, Phoenix AZ. This seminar will emphasize localnetwork equipment rather than the theory of local networks. General principles of local networks and future developments will be covered. These sessions will look at the Ungermann-Bass Net/One. the Network Systems Corporation Hyperchannel and Hyperbus, the Apollo Domain System, Sytek Localnet. Amdax Cablenet. Nestar Cluster I, and other systems.

The cost of this two-day seminar is \$550, which includes lecture notes, textbook, and refreshments. For details, contact Local Network Equipment Seminar, Architecture Technology Corporation, POB 24344, Minneapolis MN 55424, (612) 925-2930.

January 28-30

Conference on Modeling and Simulation on Microcomputers, Bahia Hotel, San Diego CA. The Society for Computer Simulation (SCS) is presenting this conference, which features papers, panel discussions, and tutorials on discrete and continuous simulation on microcomputers. Contact SCS, POB 2228, La Jolla CA 92038, (714) 459-3888.

February 1982

February 22-24

The Eighth Annual Federal DP Expo, Sheraton Washington Hotel, Washington DC. More than 150 computer industry companies will display and demonstrate hardware, software, systems, and services. Approximately 120 speakers will speak on a wide variety of topics during the conference portion of the program. Contact The Interface Group, 160 Speen St, Framingham MA 01701, (800) 225-4620; in Massachusetts, (617) 879-4502.■

Books Received

Analog I/O Design, Patrick H Garrett. Reston VA: Reston Publishing, 1981; 15.5 by 23.5 cm, 264 pages, hardcover, ISBN 0-8359-0208-0, \$21.95.

Apple Pascal, Arthur Luehrmann and Herbert Peckham. New York: Mc-Graw-Hill, 1981; 16 by 23.5 cm, 428 pages, softcover, ISBN 0-07-049171-2, \$14.95.

The Atari Assembler, Don Inman and Kurt Inman. Reston VA: Reston Publishing, 1981; 15.5 by 23.5 cm, 270 pages, hardcover, ISBN 0-8359-0237-4, \$14.95; softcover, ISBN 0-8359-0236-6, \$9.95.

The Community Computerists Directory, no. 3, Jeff Love and Stephen Pizzo. Guerneville CA: Alternet Inc, 1981; 21 by 27.5 cm, 72 pages, softcover, ISBN none, \$3.50.

Computer/Law Journal, vol. II, no. 3 (Summer 1980), "Computer Crime, Part II," Jay Becker, ed. Los Angeles CA: Center for Computer/Law, 1981; 17 by 25.5 cm, 332 pages, softcover, ISSN 0164-8756, \$16.

Data Base Architecture, Ivan Flores. New York: Van Nostrand Reinhold, 1981; 15.5 by 23.5 cm, 408 pages, hardcover, ISBN 0-442-22729-9, \$26.50.

Data Book 1981, Intersil Inc. Cupertino CA: Intersil Inc (10710 N Tantau Ave), 1981; 18 by 23 cm, 1228 pages, softcover, ISBN none, \$5.

Digital Technology with Microprocessors, Frank E Cave and David L Terrell. Reston VA: Reston Publishing, 1981; 18 by 24 cm, 372 pages, hardcover, ISBN 0-8359-1326-0, \$21.95.

Evaluating Data Base Management Systems, Judy M King. New York: Van Nostrand Reinhold, 1981; 16 by 23.5 cm, 296 pages, hardcover, ISBN 0-442-23994-7, \$21.95.

Feedback and Control Systems, A C McDonald and H Lowe. Reston VA: Reston Publishing, 1981; 15.5 by 23.5 cm, 532 pages, hard-cover, ISBN 0-8359-1898-X, \$22.95.

Fundamentals of Electronic Circuits, David A Bell. Reston VA: Reston Publishing, 1981; 18.5 by 24 cm, 720 pages, hardcover, ISBN 0-8359-2128-X, \$21.95.

Graphic Software for Microcomputers, B J Korites. Duxbury MA: Kern Publications, 1981; 28 by 21.5 cm, 184 pages, softcover, ISBN 0-940254-01-8, \$19.95.

Microprocessor Software: Programming Concepts and Techniques, G A Streitmatter. Reston VA: Reston Publishing, 1981; 18 by 24 cm, 357 pages, hardcover, ISBN 0-8359-4375-5, \$18.95.

Natural Language Processing, Harry Tennant. Princeton NJ: Petrocelli Books, 1981; 14 by 21 cm, 276 pages, softcover, ISBN 089433-100-0, \$17.50.

Optoelectronics, Robert G Seippel. Reston VA: Reston Publishing, 1981; 18 by 24 cm, 254 pages, hardcover, ISBN 0-8359-5255-X, \$21.95.

Raster Graphics Handbook, Conrac Division, Conrac Corporation. Covina CA: Conrac Corporation (600 N Rimsdale Ave), 1981; 13.5 by 21 cm, 246 pages, softcover, ISBN 0-9604972-0-X, \$20.■

This is a list of books received at BYTE Publications during this past month. Although the list is not meant to be exhaustive, its purpose is to acquaint BYTE readers with recently published titles in computer science and related fields. We regret that we cannot review or comment on all the books we receive; instead, this list is meant to be a monthly acknowledgment of these books and the publishers who sent them.



Clubs and Newsletters

Used Computer Exchange

The UCE (Used Computer Exchange) matches buyers and sellers of used microcomputer equipment. A listing of equipment with commission rates dependent on conclusion of a sale is available. Buyers must register with the UCE to use its services.

UCE also has consulting and referral services for those seeking the lowest prices on new computers or guidance on small-business systems hardware and software matches. For more information, contact the Used Computer Exchange, 2329 Hunters Woods Plaza, Reston VA 22091.

Purser Pursues the Atari

Purser's Atari Magazine is a special edition of Purser's Magazine that contains articles and reviews on almost every piece of software available for Atari computers. It's available for \$1. Write to Purser's Magazine, POB 466, El Dorado CA 95623.

Keep Up with the Networks

The Localnetter covers major developments in local computer networks. Ethernet standards, products, and people in the news are some of the topics covered in this monthly newsletter. All makes and kinds of networks are investigated by the publication. Localnetter costs \$250 per year in the United States and \$300 elsewhere. Back issues are available. Localnetter is published by Architecture Technology Corporation, POB 24344, Minneapolis MN 55424.

Micro Cornucopia

Micro Cornucopia is devoted to the Big Board singleboard computer made by Digital Research Computers of Garland, Texas. Articles on power supplies, memory protection, the monitor program, and more are included. A yearly (six-issue) subscription is \$12 in the United States, \$15 in Canada, and \$20 elsewhere. Contact Micro Cornucopia, 11740 NW West Rd, Portland OR 97229.

Atari Group in the North

TAIG (Twin-City Atari Interest Group) meets on the last Sunday of each month. An interest in Atari computers and \$10 annual dues are the membership requirements. A monthly newsletter, a group library of programs, and a discount at certain computer stores are all part of the membership. Write to A Middleton, 1794 James Ave, St Paul MN 55105, or call Steve Crowley at (612) 937-1001.

TRS-80 Users In New Jersey

The TRS-80 Users Group of Cherry Hill meets the fourth Monday of the month at the Cherry Hill library at 7:30 PM. The club publishes a newsletter and is interested in exchanges. Contact Bryan McPhee, 418 Virginia Dr, Browns Mills NJ 08015.

Connecticut CP/M Users Group

For more information on the Connecticut CP/M users

group, contact The Wordsmith Network, 110 Day Hill Rd, Windsor CT 06095, (203) 683-2427.

Bulletin Board in Operation

SEB Computer has started a free computer bulletin board in Jacksonville, Florida. The system is up each day from 6 PM to 8 AM. The access number is (904) 743-7050.

About Telecommunications

The Viewdata/Videotex Report is a monthy publication that is concerned with viewdata/videotex, teletext, and other systems of information distribution. Articles on Prestel, Telidon, video terminals, Compuserve, and other related subjects are featured. The Report is available for \$295 per year by Link Resources Corporation, 215 Park Ave South, New York NY 10003, (212) 473-5600.

Color Computer News

Color Computer News has information on hardware, software, and products for the TRS-80 Color Computer. Color Computer News is available for \$9 per year (six issues) from Remarkable Software, POB 1192, Muskegon MI 49443.

Hackers from the University of Dayton

The University of Dayton Microprocessor Systems Development Group is a nutsand-bolts group. Most of its members have built the Explorer-85 microcomputer by

Netronics. The group is looking for interested hackers to join in its pursuits, which are mostly concerned with 8085/ 8086 applications. We also publish a newletter called The Stack. Contact Microprocessor Systems Development Group, Rm KL-341, Kettering Labs, University of Dayton. Dayton OH 45469, or contact the club president, Bill Salyuo, POB 11, Dayton OH 45409, (513) 229-3614.

Home Computer Newsletter

Home Computer Newsletter is for anyone who has purchased a computer or plans to do so soon. It includes programming help, hardware and software reviews, product sources, and reader-contributed programs. The subscription rate is \$20 a year. Contact Home Computer Newsletter, POB 616, Silverton OR 97381, (503) 873-5012.

Computer Science Group

The NECSL (New England Computer Science League) administers monthly computer-science contests for high school students throughout the country. Contests are held at each school, and an unlimited number of students from all grade levels can compete. Students are given short theoretical and applied questions and a practical problem to solve using their schools' computer facilities. The NECSL tabulates the results and announces winners and prizes. If your school would like to learn more about NECSL, contact the League at POB 2417A, Providence RI 02906, (401) 863-3300.

Software Received

Apple II

Alkalabeth-World of Doom, a fantasy role-playing game for the Apple II. Floppy disk, \$34.95. California Pacific Computer Company, Suite B, 1623 Fifth St, Davis CA 95616.

Apple-Oids, a graphics arcade game for the Apple II. Floppy disk, \$29.95. California Pacific Computer Company (see address above).

Apple Panic, a graphics arcade game for the Apple II. Floppy disk, \$29.95. Brøderbund Software, POB 3266, Eugene OR 97403.

Autobahn, a racing simulation for the Apple II. Floppy disk, \$29.95. Sirius Software, 2011 Arden Way #225A, Sacramento CA 95825.

Bill Budge's Space Album, arcade games for the Apple II. Floppy disk, \$39.95. California Pacific Computer Company (see address above).

Bill Budge's Trilogy of Games, arcade games for the Apple II. Floppy disk, \$29.95. California Pacific Computer Company (see address above).

Both Barrels, an arcade game for the Apple II. Floppy disk, \$24.95. Sirius Software (see address above).

Castle Wolfenstein, a graphics adventure for the Apple II. Floppy disk, \$29.95. Muse Software, 330 N Charles St. Baltimore MD 21201.

Cranston Manor, a graphics adventure for the Apple II. Floppy disk, \$34.95. On-Line Systems, 36575 Mudge Ranch Road, Coarsegold CA 93614.

Cross Clues, a word game for the Apple II. Floppy disk, \$29.95. Science Research Associates, 155 N Wacker Dr, Chicago IL 60606.

Cyber Strike, a strategy game for the Apple II. Floppy disk, \$39.95. Sirius Software (see address above).

Galactic Saga IV-Tawala's Last Redoubt, a strategy game for the Apple II. Floppy disk, \$29.95. Brøderbund Software (see address above).

Gamma Goblins, graphics adventure for the Apple II. Floppy disk, \$29.95. Sirius Software (see address above).

Gobbler, an arcade game for the Apple II. Floppy disk, \$24.95. On-Line Systems (see address above).

Gorgon, an arcade game for the Apple II. Floppy disk, \$39.95. Sirius Software (see address above).

Hi-Res Football, sports simulation for the Apple II. Floppy disk, \$39.95. On-Line Systems (see address above).

Hi-Res Soccer, sports simulation for the Apple II. Floppy disk, \$29.95. On-Line Systems (see address above).

International Gran Prix, a racing simulation for the Apple II. Floppy disk, \$30. Riverbank Software, POB 128. Smith's Landing Rd. Denton MD 21629.

Missile Defense, an arcade game for the Apple II. Floppy disk, \$29.95. On-Line Systems (see address above).

Mission: Asteroid, a graphics adventure for the Apple II. Floppy disk, \$19.95. On-Line Systems (see address above).

NORAD, an arcade game for the Apple II. Floppy disk, \$29.95. Western MicroData Enterprises Ltd, POB G 33, Postal Station G, Calgary, Alberta, T3A 2G1, Canada.

Phantoms Five, an arcade game for the Apple II. Floppy disk, \$29.95. Sirius Software (see address above).

Pulsar II, an arcade game for the Apple II. Floppy disk, \$29.95. Sirius Software (see address above).

Sabotage, an arcade game for the Apple II. Floppy disk, \$24.95. On-Line Systems (see address above).

Snoggle, an arcade game for the Apple II. Floppy disk, \$32.95. Brøderbund Software (see address above).

Space Eggs, an arcade game for the Apple II. Floppy disk, \$29.95. Sirius Software (see address above).

Space Warrior, an arcade game for the Apple II. Floppy disk, \$24.95. Brøderbund Software (see address above).

Star Cruiser, an arcade game for the Apple II. Floppy disk, \$24.95. Sirius Software (see address above).

Ultima, a fantasy roleplaying game for the Apple II. Floppy disk, \$39.95. California Pacific Computer Company (see address above).

Wizard and the Princess, a graphics adventure for the Apple II. Floppy disk, \$32.95. On-Line Systems (see address above).

Atari

Alpha Fighter, arcade games for the Atari 800. Floppy disk, \$18.95. Dynacomp Inc, 1427 Monroe Ave, Rochester NY 14618.

Chomp-Othello, strategy board games for the Atari 800. Floppy disk, \$15.95. Dynacomp Inc (see address above).

Eastern Front (1941), a graphics war game for the Atari 800. Floppy disk, \$29.95. Atari Program Exchange, POB 427, 155 Moffet Park Dr, Sunnyvale CA 94086.

Fantasyland 2041 AD, a multipart, fantasy roleplaying game for the Atari 800. Floppy disks, \$59.95. Crystalware, 12215 Murphy Ave. San Martin CA 95046.

Galactic Empire, a strategy game for the Atari 400/800. Cassette, \$19.95. Adventure International, POB 3435, Longwood FL 32750.

Giant Slalom, an arcade game for the Atari 800. Floppy disk, \$18.95. Dynacomp Inc (see address above).

Intruder Alert, a graphics arcade game for the Atari 800. Floppy disk, \$20.95. Dynacomp Inc (see address above).

Kayos, an arcade game for the Atari 800. Floppy disk, \$34.95. Computer Magic Ltd, 176 Main St, Port Washington NY 11050.

Star Trek 3.5, a strategy game for the Atari 800. Cassette, \$19.95. Adventure International (see address above).

Triple Blockade, an arcade game for the Atari 800. Floppy disk, \$18.95. Dynacomp Inc (see address above).

World War III, a war game for the Atari 800. Floppy disk, \$29.95. Crystalware (see address above).

Commodore PET

Adventure at Pearl Harbor, a war game for 16 K- or

This is a list of software packages that have been received by BYTE Publications during the past month. The list is correct to the best of our knowledge, but it is not meant to be a full description of the product or the forms in which the product is available. In particular, some packages may be sold for several machines or in both cassette and floppy-disk format; the product listed here is the version received by BYTE Publications.

This is an all-inclusive list that makes no comment on the quality

or usefulness of the software listed. We regret that we cannot review every software package we receive. Instead, this list is meant to be a monthly acknowledgment of these packages and the companies that sent them. All software received is considered to be on loan to BYTE and is returned to the manufacturer after a set period of time. Companies sending software packages should be sure to include the list price of the packages and (where appropriate) the alternate forms in which they are available.

We Meet or Beat **Any Advertised Price!**



64k Quad Density •2 5/8" Dbl Side

Dbl. Density Drives •Full Factory Warranty ·List \$4495

PCB PRICE ONLY

HORIZON II 32k Double Density Reg. \$3695

HORIZON II 64k Double Density \$4195

HORIZON II 32k Quad Density \$2895



64k Quad density, 51¼ " drives. CP/M. MBasic80 and CBasic II CP/M. MBasic80 and CBasic II

\$4495

PERBR



64k Quad Density

2950 64k Double Density

PRINTERS

WORD PROCESSING

64k Main Memory, 2-51/4" floppydrives, 45 cps daisy wheel printer. LIST 7995

\$6695

COMET 8300 C.Itoh	· 450
COMET II C.Itoh parallel	. 1795
EPSON MX80 parallel	*479
EPSON MX80 RS232	\$549
EPSON GRAFTRAX UPGRADE	\$90
STARWRITER 25cps parallel	11495
STARWRITER 25cps RS232	1650
STARWRITER II 45cps parallel	11795
STARWRITER III 40 cps RS232	1750
NEC 7710 RS232	12395
NEC 3510 RS232	11895
MPI 88G List \$749	3550

HARD DISKS

CMC 5m	b for	
TRS-80.	Superbra	in.
Heath H-	-89, S-10	0
LIST	\$97	OF
\$3495	\$27	90

TELEVIDEO

910C

912C

950

920C . . .

\$595

\$665

CORVUS 10mb LIST \$5350 \$4295 20mb LIST \$6450 \$5300

Mirror Backup 5650 \$775 Multiplexer

51/4" DISK DRIVES

Tandon CDC Single Side Double Density	\$225
Tandon CDC Double Side Double Density	\$350
Tandon 100-4 80 track .	\$600
Seagate 5mb Hard	Disc
ST-506	

DISKETTES

Verbatim 525-01 Box of 10 \$29

Dysan 51/4, SS, DD Soft ... Box of 10 \$3470

SUPERBRAIN

S-100 Bus	Adapter
LIST \$59	\$475

SUPERBRAIN **Parallel Port**

\$155

LANGUAGES

C Basic II
M Basic 80 \$275
MT Pascal \$430
Fortran 80 450
Cobol 80
M Basic Compiler \$329

LIST \$90

LIST \$205

SBE Prom

GRAPHICS

Graphics board				1895
Symbol Generator				1200
Graphics Plotter.				*200
3-D Graphics			,	*400
Surface Plotter				
Graphics Terminal				
Emulator				°450

To Order Call (206) 453-8159

Mail and telephone orders only. Mastercharge, VISA add 3%. No COD. All prices FOB origin. Send for catalog. Mail all correspondence to P.O. Box 3952, Bellevue, Wa. 98009

CIFIC COMPUTER BR

11056 Palatine North, Seattle, WA 98133

32 K-byte PETs. Cassette, \$19.95. United Software of America, 750 3rd Ave, New York NY 10017.

Space Intruders, an arcade game for 8 K- to 32 K-byte PETs. Cassette, \$19.95. United Software of America (see address above).

Super Gomoku, a board game for 8 K- to 32 K-byte PETs. Cassette, \$9.95. United Software of America (see address above).

TRS-80

Bridge 2.0, card game program for the TRS-80 Model I. Floppy disk, \$21.95. Dynacomp Inc, 1427 Monroe Ave, Rochester NY 14618.

Cribbage 2.0, board game program for the TRS-80 Model I. Floppy disk, \$18.95. Dynacomp Inc (see address above).

Hearts 1.5, card game program for the TRS-80 Model I. Floppy disk, \$19.95. Dynacomp Inc (see address above).

Nominoes Jigsaw Puzzle, a graphics puzzle for the TRS-80 Model I. Floppy disk, \$20.95. Dynacomp Inc (see address above).

Voyage of the Valkyrie, a graphics war game for the TRS-80 Models I or III. Floppy disk, \$39.95. Advanced Operating Systems, Suite 792, 450 St John Rd, Michigan City IN 46360.

Other Computers

Backgammon 2.0, a board game program for CP/M. 8-inch floppy disk, \$21.45. Dynacomp Inc, 1427 Monroe Ave, Rochester NY 14618.

Flight Simulator, a flightsimulation program for CP/M. 8-inch floppy disk, \$24.45. Dynacomp Inc (see address above).

Poker Party, a game simulation for CP/M. 8-inch floppy disk, \$24.45. Dynacomp Inc (see address above).

Star Trek 3.2, a strategy game for CP/M. 8-inch floppy disk, \$18.45. Dynacomp Inc (see address above).

Technical Forum

Apple X10 Control

Wavne Arczynski c/o BYTE Publications **POB 372** Hancock NH 03449

I compliment Steve Ciarcia on his fine article describing the BSR X-10 Home Control Unit. Using the information outlined in his article "Computerize a Home" (see the January 1980 BYTE, page 28), and after reading Alan Trimble's article, "A \$5.25 Interface to the BSR X-10 Home Control System," (in the September 1980 issue of BYTE, page 314), I created the program in listing 1. This program uses an Apple II computer (or other 6502-based computer with a 1 MHz clock). To control the BSR X-10 command module, you need only a 40 kHz transducer (available from The Micro Mint of Woodmere, New York for \$6).

Implementing home control using an Apple II is simple. First enter the machine-language program into page three of memory, then hook up the transducer to annunciator zero (pin 15) and ground (pin 8) of the gamepaddle connector. You are now ready to control lights and appliances with your Apple.

Like Trimble's program, mine has two subroutines that handle critical timing. The first is FRTY, which generates a 40 kHz signal to annunciator zero. The second is DLY, which generates the delay necessary between the 40 kHz transmit bursts. Subroutines SND0 and SND1 transmit the pulse train necessary for 0 and 1, while TERM generates the required termination sequence. The MAIN ROU-TINE loads the accumulator with the command byte (from location FF hexadecimal, 255 decimal), saves the complement, and serially transmits the command. The complement is then loaded into the accumulator and transmitted serially. Finally, the termination sequence is transmitted.

In my program, the command byte is stored at location 255 decimal, and a CALL 768 is executed (in machine language: ISR \$300). All registers are saved and restored by the program; therefore, only location 255 decimal must be reserved for the program. The program may be relocated to a different location in memory, although care must be taken to verify that no timing loops cross page boundaries. This is not a severe limitation since the program fits into a single page of memory.

To use my program with Steve's BASIC program in the January 1980 BYTE, make the following changes to his program:

• change: OUT 9, C(X)

POKE 255, C(X): CALL 768

•change: OUT 9. F

POKE 255, F: CALL 768

•remove:OUT 9, 128

•remove: GOSUB XXXX : REM DELAY TIMER

You don't have to turn off the timer or wait for the byte to be transmitted in the last two items because the assembler program only transmits one command per call and returns to the calling program only after transmission is complete.

Listing 1: 6502 assembly-language program to run the BSR X-10 system from one bit of an Apple II parallel-output port.

: ASM

0900	*										
0910	*	***	**1	***	* * *	**	**	* *	* *	**	***
0920	*	*									*
0930	*	*	APF	LE	X-	10	C	ON	TR	OL	*
0940	*	*				BY					*
0950	*	*	WAY	INE	S.	A	RCZ	Y	NS	KI	*
0960	*	*	NO	DVE	MBE	R	5,	1	98	0	*
0970	*	*									*
0980	*	***	**1	***	* * *	**	**	*	**	**	***

Listing 1 continued on page 470

0990 *

```
1000 *
                           BSR X-10 CONTROLLER
                 1010 *
                 1020 *
                            GENERATE THE SIGNAL REQUIRED
                 1030 *
                                TO DRIVE A 40KHZ TRANSDUCER
                 1040 *
                            TO TRANSMIT COMMANDS TO THE
                 1050 *
                                BSR X-10 COMMAND CONSOLE
                 1060 *
                 1070 *
                 1080 *
                            COMMAND BYTE (DECIMAL):
                 1090 *
                            ALL OFF
                                    = 1
                 1100 *
                            LIGHTS ON =
                                         3
                 1110 *
                                      = 5
                            DN
                 1120 *
                            OFF
                                      = 7
                 1130 *
                            DIM
                                      = 9
                 1140 *
                                      = 11
                            BRIGHT
                 1150 *
                 1160 *
                            CH1 = 12
                                           CH9
                                                = 14
                 1170 *
                            CH2 = 28
                                           CH10 = 30
                 1180 *
                            CH3 = 4
                                           CH11 = 6
                                           CH12 = 22
                 1190 *
                            CH4 = 20
                 1200 *
                            CH5 = 2
                                           CH13 = 0
                 1210 *
                            CH6 = 18
                                           CH14 = 16
                 1220 *
                            CH7 = 10
                                           CH15 = 8
                                           CH16 = 24
                 1230 *
                            CH8 = 26
                 1240 *
                 1242 *
                            COMMAND BYTE IS LOCATION SFF
                 1244 *
                            BASIC:
                                     POKE 255, CMND
                 1246 *
                                     LDA CMND
                            M/L:
                 1248 *
                                     STA SFF
                 1250 *
                 1260 *
                            VARIABLES
                 1265 *
                 1270 ANON . EQ $C059
                                           SET ANNUNCIATOR ZERO ( ANO )
                 1275 ANDF .EQ $C058
                                           CLEAR ANO
                 1280 CTR1 .EQ $FD
                                           XMIT BIT COUNTER
                                           COMPLEMENT OF COMMAND BYTE
                 1285 COMP .EQ $FE
                 1290 CMND .EQ SFF
                                           COMMAND BYTE
                 1295 *
                 1300 *
                            MAIN ROUTINE
                 1305
                            . DR $300
0300- 08
                 1310 STRT PHP
                                           SAVE REGISTERS
0301- 48
                 1320
                            PHA
0302- 8A
                 1330
                            AXT
0303- 48
                 1340
                            PHA
0304- 98
                 1350
                            TYA
0305- 48
                 1360
                            PHA
0306- A5 FD
                 1362
                            LDA CTR1
0308- 48
                 1364
                            PHA
0309- A5 FE
                 1366
                            LDA COMP
030B- 48
                            PHA
                 1368
                 1369 *
030C- A5 FF
                 1370
                            LDA CMND
                                           GET COMMAND BYTE
                                           POSITION COMMAND
                            ROL
030E- 2A
                 1372
030F- 2A
                 1374
                            ROL
0310- 2A
                 1376
                            ROL
                                           COMPLEMENT CAND
0311- 49 FF
                            EOR #$FF
                 1380
```

```
SAVE COMPLEMENT
0313- 85 FE
                 1390
                            STA COMP
0315- 49 FF
                 1400
                            EOR #$FF
                                           UNCOMPLEMENT COMMAND BYTE
                 1410 *
0317- A2 05
                 1414
                                           SETUP TO TRANS
                            LDX #5
0319- 86 FD
                            STX CTR1
                                              5 BITS
                 1416
0318- 20 52 03
                            JSR SND1
                                           TRANSMIT START BIT
                 1420
                 1421 *
                 1422 *
                            NOTE: TRANSMITTING A BURST
                 1423 *
                                 ( ZERO OR ONE ) TAKES
                 1424 *
                                 48US IN ASSEMBLER
                 1425 *
                                 INSTRUCTIONS
                 1426 *
031E- 2A
                 1430 XLP1 ROL
031F- 90 03
                            BCC SKP1
                 1440
0321- 20 52 03
                            JSR SND1
                                           XMIT 1 IF CARRY IS SET
                 1450
                 1460 SKP1 BCS SKP2
0324- B0 03
                 1470
                                           XMIT O IF CARRY IS CLEAR
0326- 20 5D 03
                            JSR SNDO
0329- C6 FD
                 1480 SKP2 DEC CTR1
032B- D0 F1
                 1490
                            BNE XLP1
                                           LOOP UNTIL 5 BITS HAVE BEEN SENT
032D- A2 05
                 1500
                            LDX #5
                                           SETUP TO XMIT
032F- 86 FD
                 1510
                            STX CTR1
                                               5 BITS
0331- A5 FE
                 1520
                            LDA COMP
                                           SETUP FOR COMP
0333- 2A
                 1530 XLP2 RDL
0334- 90 03
                            BCC SKP3
                 1540
0336- 20 52 03
                 1550
                            JSR SND1
                                           XMIT 1 IF CARRY IS SET
0339- E0 03
                 1560 SKP3 BCS SKP4
                                           XMIT O IF CARRY IS CLEAR
033B- 20 5D 03
                 1570
                            JSR SNDO
033E- C5 FD
                 1580 SKP4 DEC CTR1
                                           LOOP UNTIL 5 BITS HAVE BEEN SENT
0340- DO F1
                 1590
                            BNE XLP2
                 1600 *
                 1610
                            JSR TERM
                                           XMIT TERMINATION SEQUENCE
0342- 20 68 03
                                           RESTORE REGISTERS
0345- 68
                 1620
                            PLA
                            STA COMP
0346- 85 FE
                 1622
0348- 68
                 1624
                            PLA
0349- 85 FD
                 1626
                            STA CTR1
034B- 68
                 1628
                            PLA
034C- A8
                 1630
                            TAY
034D- 68
                 1640
                            PLA
034E- AA
                 1650
                            TAX
034F- 68
                 1660
                            PLA
0350- 28
                 1670
                            PLP
0351- 60
                 1680
                            RTS
                                           END OF MAIN
                 1690 *
                 1700 *
                 2000 *
                            SND1
                                           XMIT A ONE
                                           4MS OF 40KHZ
0352- AU AU
                 2010 SND1 LDY #160
0354- 20 8F 03
                            JSR FRTY
                                           XMIT 40KHZ BURST
                 2020
                            LDX #79
                                           DELAY 4MS
0357- A2 4F
                 2030
                                           DELAY REMAINING TIME
0359- 20 9F
            03
                 2040
                            JSR DLY
035C- 60
                 2050
                            RTS
                 2100 *
                            SNDO
                                           XMIT A ZERO
                 2110 *
035D- A0 30
                 2120 SND0
                           LDY #48
                                           1.2MS OF 40KHZ
035F- 20 8F 03
                            JSR FRTY
                                           XMIT 40KHZ BURST
                 2130
0362- A2 87
                 2140
                            LDX #135
                                           DELAY 6.8MS
0364- 20 9F
            03
                 2150
                            JSR DLY
                                           DELAY REMAINING TIME
0367- 60
                 2160
                            RTS
                 2170 *
```

To	- 10	inal	Eas	
16		ical	roi	MINI

```
2200 *
                                            TERMINATION SEQUENCE OF 15MS OF 40KHZ
                            TERM
                                            DELAY 20US
0368- C6 FD
                 2210 TERM DEC CTR1
036A- C5 FD
                 2212
                            DEC CTR1
036C- C6 FD
                 2214
                            DEC CTR1
         FO
                            DEC CTR1
036E- C5
                 2216
0370- AO
                                            4MS OF 40KHZ
         AO
                 2218
                            LDY #160
0372- 20
                                            XMIT 40KHZ BURST
                 2220
                            JSR FRTY
         8F
            03
0375- AO
          AU
                 2230
                            LDY #160
                                            REPEAT FOR
0377- 20
         8F
            03
                 2240
                            JSR FRTY
                                              15MS OF
037A- AO
         AO
                 2250
                            LDY #160
                                              CONTINUOUS
037C- 20
         8F 03
                 2260
                            JSR FRTY
                                              40KHZ TONE
037F- A0
                 2270
                            LDY #160
         AO
0381- 20
                             JSR FRTY
         8F 03
                 2280
0384- A2 F0
                 2290
                            LDX #240
                                            DELAY OF 12MS
0386- 20 9F 03
                 2295
                             JSR DLY
0389- A2 FO
                            LDX #240
                                            DELAY OF 12MS
                 2300
038B- 20
                                            TOTAL 24MS DELAY
         9F 03
                 2305
                             JSR DLY
038E- 60
                  2310
                            RTS
                  2320 *
                  2400 *
                             FRTY
                                            GENERATE FORTY KILDHERTZ SIGNAL
                 2410 *
                            REG Y = DURATION
                  2420 *
038F- 8D 59 CO
                                            SET ANNUNCIATOR TO A HIGH LEVEL
                 2430 FRTY STA ANON
                             NOP
0392- EA
                  2440
                                            12US AT HIGH LEVEL
0393- EA
                  2450
                             NOP
0394- EA
                  2460
                             NOP
0395- EA
                  2470
                             NOP
0396- 8D 58 CO
                  2480
                             STA ANOF
                                            CLEAR ANNUNCIATOR
0399- EA
                  2490
                             NOP
                                            13US AT LOW LEVEL
039A- EA
                 2500
                             NOP
0398-88
                  2510
                             DEY
039C- DU F1
                  2520
                             BNE FRTY
                                            LOOP FOR THE DURATION SET BY REG Y
039E- 60
                  2530
                             RTS
                  2540 *
                 2550 *
                             DLY
                  2500 *
                                            DELAY BETWEEN TRANSMIT BURSTS
                  2610
                  2620 *
                             REG X = DURATION
                  2630 *
                             DURATION = (X * 50US + 5US)
                  2640 *
                             LDY #8
039F - AU 08
                                            2US
                  2650 DLY
03A1- 88
                  2660 DLP1 DEY
                                            39US LOOP
03A2- D0 FD
                  2670
                                            3US NORM, 2US Y=0
                             BNE DLP1
03A4- EA
                  2680
                             NOP
                                            2US
03A5- EA
                  2690
                             HOP
                                            205
03A6- CA
                  2700
                             DEX
                                            2US
03A7- DO F6
                  2710
                             BNE DLY
                                            3US NORM, 2US X=0
03A9- 60
                  2720
                             RTS
                  9999
                             .EN
SYMBOL TAELE
ANON
       C059
               ANOF
                       C058
                               CTR1
                                       OOFD
COMP
       OOFE
               CMND
                       OOFF
                               STRT
                                       0300
XLP1
       031E
               SKP1
                       0324
                               SKP2
                                       0329
XLP2
       0333
               SKP3
                       0339
                               SKP4
                                       033E
SND1
       0352
               SNDO
                       035D
                               TERM
                                       0368
                               DLP1
FRTY
                       039F
                                       03A1
       038F
               DLY
```

The Computer Headquarters

Now! Write a letter and print immediately!

Apple II plus 48K Apple Disc Drive II w/interface DOS 3.3 • 12" Green high resolution monitor

 OKIDATA 80 Gr. printer
 TYMAC cable and interface

> Apple writer Now Only \$244900

APPLE II ACCESSORIES

Videx Keyboard Enhancer \$109

Apple Silent Type Printer \$339

Integer Basic & 16K Expansion Card) . . . \$405

Integer BASIC Firmware Card \$159

CALIFORNIA COMPUTER SYSTEMS

Analog-to-Digital Converter \$104.95

Arithmetic Processor 309.95

Videx 80 Column Video Terminal

High Speed Serial Interface

DC Haves Micro Model II

ABT Keypad (Data Entry Pad

Microsoft Z80 . . .

BUSINESSMAN'S SPECIAL Apple II plus 48K Apple Disc Drive II and

interface DOS 3.3 • 12" Green High **Resolution Monitor** Visicalc 3.3 Software

Now Only \$203900

HOWARD SOF Tax Preparer Real Estate Analyzer . 129.95 Creative Financing . . 130.00 LJK SOFTWARE . 129.95 Letter Perfect APPLE II SOFTWARE **Dow Jones Portfolio** Evaluator The Controller 1.1 (General Bus. System) 520.00 Apple Post 67.50 Dos Tool kit Dow Jones News and Quotes Reporter . . . Apple FORTRAN . . . Apple Plot . **DENVER SOFTWARE** Financial Partner . . . 149.95

Magic Window \$85
Magic Mailer
BRODEBOND
Payroll
HAYDEN
Apple Compiler \$159
HIGH TECH
Disc-O Check \$85
DB Management \$85
Client Billing\$250
Info Master (DOS 3.3) \$130
MICROSOFT
Fortran-80 \$154.50
MICRO PRO
Word Star 3.0
Spell Star3200
Data Star
PEACH TREE f/APPLE
General Ledger \$274
Accounts Payable \$274
Accounts Receivable \$274
Magic Wand \$350
BPI General Ledger \$315 Accounts Receivable \$315 Inventory Control \$315
General Ledger \$315
Accounts Receivable 315
illivelitory control
The Source \$89
PERSONAL SOFTWARE
Visicalc 3.3
Visiplot
Visidex
STONEWARE
DB Master ^{\$} 180

BEST SELLERS ON DISK Games

Temple of Apshai 37.50
Rescue at Rigel 37.50
Crush Crumble
and Chomp 28.95
Cosmo Mission 23.95
Major League
Baseball 29.00
Apple Panic 28.95
Allen Rain 23.95
Rastler Blaster 28.95
Saragon II 32.95
Zork 37.50
Robot War 37.50
Space Eggs 28.95
Gorgon 37.95
TG Joystick 49.95

MOUNTAIN COMPUTER

moon man oom or Er
Expansion Chassis \$609%
CPS Multi Function \$18995
Music System \$475 [∞]
100,000 Day Clock . : . \$32500
The Clock \$239°5
A/D + D/A W/O Cable \$309°5
Supertalker SD200 \$25500
Introl/x-10 Controller . \$17000
Romwriter 15450

MEMOREX	Box of 10 327.0
MAXELL.	Box of 10 \$37.0
BASAF	Box of 10 35.0

Call for Diskette Quant. Price

800 with 16K 5759⁹⁵ Disc Drive

ATARI 410 PROGRAMMABLE RECORDER \$6495



Orig. 950.00 Now \$36995

Disc Drive Control 224.95
Disc Memory Drive 349.95
Solid State Printer 295.00
RF Modulator 39.95
TI 59 Program 179.95
Less Manuf. Rebate -20.00
YOUR COST 159.95
TI 58C Program 89.95
PC 100C Printer
for 58/59

HEWLETT PACKARD



The HP-85 is a powerful BASIC language computer, w/keyboard, CRT display, printer & tape drive, 16K RAM, expandable to 32K Reg. 3250.00 Now \$2595 HP-83 Reg. 2250 \$1750

NEW! HP-125 CPU Terminal Call or Write for Low Price 7225B Graphics Plotter OPT. 002 Reg. 2,200 . . \$ 1939 82901M 51/4" Dual Master 2631B Impact Printer

OPT. 885 Reg. 3,950 . \$3,095

QUME SPRINT

GOINE OF THIS	
545 RO 45 CPS	2500
5/55 RO	2550
5/55 KSR	
9/35 RO 35 CPS RS-232 31	.839
9/35 KSR 35 CPS RS-232	
with Keyboard s	1985
9/45 LTD 45 CPS RS-232	
Limited Front Control Panel . 5	2179
9/45 FULL 45 CPS RS-232	
Full Front Control Panel s	2320
9/55 LTD 55 CPS RS-232	
Limited Front Control 5	2295
9/55 FULL 55 CPS RS-232	
Full Front Control Panel 5	2440
NEC Spinwriter 3500 Series . C	ALL
Centronics 739	6699
9500 132 Column, 150 C.P.S.	1349

9501 Graphics Model DP-9500 \$1349 DIABLO 630 (RS-232) Daisywheel Prntr *2599 1650 RO 32999 1640 RO .. 32579 1650 KSR 3599 1640 KSR . 3550

PAPER TIGER 445G Graph . \$790 440G Graph . \$975 460G Graph 1299 560G Graph 1295 \$899 . 445 . \$699 . 460 . \$1275



82A PRINTER: Graphics, 120 cps Bidirectional, Friction and Pin Feed,539.95 80/132 Columns Tractor Feed Optional

83A PRINTER: Graphics, 120 cps Bidirectional, Friction and Tractor, 136 Columns, Takes 15" Paper 815.00

EPSON

MX-80 Printer MX-80 FT Printer Call or write for low price! **MX-100FT Printer** Call or write for low price!



Sanyo Monitore

Sarry World	015
VM-4509 9" B&W	. 169.95
DM-5112CX 12" Green	. 269.95
DMC-6013 13" Color	449.95
Elaatra Hama O' Crass	204 00

CORPORATE ACCOUNTS WELCOME

67 West 47th Street, New York, N.Y. 10036 115 West 45th Street, New York, N.Y. 10036 MAIL ORDER ADDRESS: 36 E. 19th St. New York, N.Y. 10003



AMERICAN **EXPRESS** (212)260-4410

TOLL FREE OUT OF STATE

Items on sale for limited time only, and are subject to limited availability. Not responsible for typographical errors. This ad supersedes all other ads prior to Nov. '81. All orders subject to verification and acceptance. Minimum shipping and handling \$4.95.

Handi-Writer

A Video Note Pad for the Physically Handicapped

Howard Batie 12002 Cheviot Drive Herndon, VA 22070

For the first 50 years of her life, severe cerebral palsy prevented Lois from answering questions that required more than a simple yes or no. But an inexpensive computer and special hardware and software have now enabled Lois to communicate complex thoughts and ideas. Using her new Handi-Writer system, Lois has shown herself to be an intelligent, alert woman who can interact effectively with those around her.

The usual cause of cerebral palsy is damage at birth to the part of the brain that controls motor coordination. Cerebral palsy usually leaves innate intelligence unimpaired. The distinction between intelligence and knowledge is vital here: simply put, intelligence is the ability to learn, and knowledge is what has been learned. It is difficult to measure either intelligence or knowledge in a person

severely afflicted with cerebral palsy. Physical impairments prevent Lois and other sufferers from responding to questions about complex thoughts and abstractions. The mind, however bright, is prisoner of the body.

Requirements for Communication

The first step in helping Lois to communicate was to understand the nature of the physical impairments that had to be overcome. Lois is severely spastic and has very little control over the movement of her hands and arms. She cannot move around on her own. She cannot talk. Although she has enough strength in her arms to bend a sturdy mechanical joystick, she cannot control it well enough for use as an input/output device. Because of a caring family that has spent much time with her, she can read.

A system to help Lois engage in two-way communication had to meet the following requirements:

- Most important, the system had to be small, portable, reliable, and inexpensive.
- The number of physical actions required of Lois had to be kept to the minimum. Since she could not operate a keyboard with many separate keys, software would have to do nearly all the decision making.
- The system had to permit selection of the most common words and phrases with a single, easy action, but still permit construction of more complex words and phrases.
- The system had to be able to correct spelling errors caused by unintentional selection of a character or a word.

System Overview

Before taking a close look at each component of the Handi-Writer system that we developed to meet these requirements, I'll give you a quick overview of the finished system.

I based the system on my own TRS-80 Model I with 16 K bytes of memory using Level II BASIC. The string-handling functions of Level II BASIC are essential to the Handi-Writer software, which displays characters and words on a video screen. The user selects a character or word by moving a variable-size




Figure 1: Arrangement of controls on the selector panel. Industrial "panic-button" switches are easily grasped by a handicapped user.

blinking cursor to it. If the cursor is on an item that is a single character, the character blinks; if the cursor is on an item that is a word, the whole word blinks. Four cursor-control buttons are placed on a small, separate, five-button panel, as shown in figure 1. Pushing the fifth button on the panel will print a selected character or word-whichever item is blinking—on a four-line work space at the bottom of the screen. The Handi-Writer interface between the TRS-80 and the selector panel consists of a 3-by-5-inch printed-circuit board housed in a separate cabinet.

Although I used the TRS-80 as the basis for Handi-Writer, the hardware and software described in this article could be modified to interface with almost any popular computer.

The Screen Display

Handi-Writer is menu-driven, but the menu is unusual. The user sees the screen shown in figure 2. The alphabet and numbers are at the left of the screen and 29 common words are at the right. Although a screen format of 64 characters per line would have accommodated more words on the screen, the format of 32 characters per line suits this application better; the larger characters reduce the degree of visual discrimination required to select items from the menu.

We tried many arrangements of the alphabet and the other menu items before we arrived at the best menu for Lois, which is what figure 2 represents. A different arrangement might better meet the needs of another person. Once the Handi-Writer system was functioning, it enabled Lois to tell us what words she wanted on the menu. We used no punctuation except the question mark because the user can indicate the end of a thought or a sentence by inserting extra spaces. Besides characters, figures, and words, the menu includes four editing functions and a RECALL function, all described below.

An important goal of screen design was to minimize the amount of motion and effort required to select a menu item. Consequently, the cursor moves in units of whole menu items.

As you look at figure 2, IS is only one unit of cursor movement to the right of I'M, despite the appearance of several blanks between the two items. WHY is only one unit of cursor movement to the right of the 2. SPACE is only one unit below either 7, 8, or 9. The question mark is only one unit to the right of SPACE, regardless of whether the cursor was on the 7, the 8, or the 9 before the user moved the cursor to SPACE.

Once the Handi-Writer was functioning, it enabled Lois to tell us what words she wanted on the menu.

Furthermore, Handi-Writer implements both vertical and horizontal wraparound in cursor movement. PLEASE, at the top of the screen, is only one unit down if the cursor is on WORD. LINE is one unit up from THANKS. COME is one unit left from Q, and Y is one unit right from THIRSTY. By moving the cursor only one unit, the user can also go from ALL in the lower right corner of the menu to A in the upper left

To prevent the user from having to select SPACE too often, the software automatically inserts a space before each word listed on the right side of the menu. No space is inserted before the ending ING, also on the right side of the menu.

How It Works

The bottom four lines of the screen form a work space, separated from the menu above by a single blank line. When the desired letter or word is blinking, the user presses the PRINT button and the letter or word appears in the work space. Repeated depression of the PRINT button will cause repeated printing of the blinking item. There is automatic line adjustment if a word won't fit on the current line.

The user can correct errors in the printed text in the work space by using one of four editing functions: LTR, WORD, LINE, and ALL. The user selects the editing functions just as he or she selects other menu items. However, when the user selects an editing function, it blinks at a rate three times faster than the blink-rate for the other items on the menu.

All four editing functions are located on the menu's ERASE line, which is the first line of menu items above the work space. If LTR is made to blink, then pressing the PRINT button will delete the last letter printed in the work space. If WORD or LINE is blinking, then pressing the PRINT button will delete the last word or line in the work space. Pressing the PRINT button when ALL is blinking will clear the entire work space, but to prevent accidents, the screen will ask ERASE SCREEN TEXT? Then the user must press the PRINT button again.

When the user comes to the end of the fourth line of the work space and prints another word or letter, the software automatically scrolls the displayed text up one line. The last three lines are still displayed. Lines that scroll up out of view go into a text buffer that can hold eight fourline "pages" of text, or a total of 32 lines. If more than 32 lines are scrolled up, the first line in the buffer is lost. An asterisk appears on the menu below the E in ERASE to warn the user.

The user recalls four-line blocks of text from the buffer by selecting RECALL on the menu and pressing the PRINT button. Like the editing functions, RECALL blinks at three times the normal rate to indicate that it is a function rather than a printable word. The first four lines displayed are the first four lines that went into the buffer, not the four lines that most recently went into the buffer. Pushing the PRINT button repeatedly when RECALL is blinking recalls the next four lines, and the next, and so on. After all the text in the buffer has been recalled for display, the message END OF TEXT appears. After that, continuing to press the PRINT button causes repeated scrolling through the same text.

The user can clear the text buffer by using the ALL editing function

Figure 2: The screen display of the Handi-Writer system.

repeatedly. Handi-Writer gives warning messages and requires confirmation before actually erasing the stored text.

The Screen Software

The Handi-Writer software is shown in listing 1. The program uses about 8 K bytes of memory. The screen software works by dimensioning a string array into which the alphabet and menu items are stored; the 74 successive array elements are then arranged visually into a nominal 7 by 11 matrix, but the software still treats them as a 74 by 1 array with sequentially numbered indexes.

The current item blinks about once each second, but the rate can be altered by changing the value of the variable *K* in the Handi-Writer program shown in listing 1. Table 1 provides a list of the program's numeric and string arrays and variables.

If you decide to change menu items in the listing, do not introduce as a

menu item any phrase that has a space in it, such as I AM. Use words only, and limit them to six letters plus the leading space for the first two columns of words on the screen, or seven letters plus the leading space for the third column.

The Hardware

Figure 3 is a schematic diagram of the Handi-Writer interface. Figure 4 is a diagram of the placement of parts on the printed-circuit board, and table 2 is alist of parts keyed to the placement diagram. The entire circuit, including power supply, fits on one 3-by-5-inch printed-circuit board. The design uses widely available CMOS (complementary metal-oxide semiconductor) instead of the 74LS series TTL (transistortransistor logic) normally used for computer interfacing. As a result, the design eliminates all but one current requirement for the CMOS logic but still provides a three-state interface

for the computer's address bus, data bus, and control lines. The only remaining requirement is that the CMOS must be operated at +5 volts in order to maintain TTL-logic-level compatibility with the TRS-80.

IC4 and IC5 are guad CMOS switches, each independently controllable. When pin 13 of IC4 is low (logic 0), the switch between pins 1 and 2 is open; ie: it presents a very high impedance (on the order of several hundred megohms) between pins 1 and 2. This is exactly the same condition as that of a 74LS367 threestate buffer when in the highimpedance mode. However, when pin 13 of IC4 goes high (logic 1), the internal switch is closed; ie: a low resistance (on the order of 200 to 400 ohms) is presented between pins 1 and 2. The switch is bidirectional in the sense that pin 1 can be used either as the output or input, and pin 2 can be used either as an input or output. In many applications, this feature of

Listing 1: The Handi-Writer program. Written in TRS-80 Level II BASIC and requiring 16 K bytes of memory, this program handles communications between the Handi-Writer interface and the TRS-80.

95 REM -- LOGO AND INITIALIZATION -100 CLS: PRINTCHR\$(23): PRINTƏ198, "HELP FOR THE HANDICAPPED": PRINTƏ272, "VERSION
1.7": PRINTƏ448, "JANUARY 1981 HOWARD F. BATIE"
110 PRINT "FO BOX 667, HERNDON VA 22070": PRINTƏ714, "FOR TRS-80 MODEL I": PRINTƏ
782, "LEVEL II, 16K"

120 CLEAR 1200: DIM M(74), M\$(74), P\$(4), T\$(33): II=0: LS=0: L=1: LP=1: EB=0: TC=1: PT=0: FOR I=1 TO 2000: NEXT: CLS: PRINTCHR\$(23)

125 REM -- PRINT DISPLAY --

130 FOR I=1 TO 74: READ A: READ X\$: M(I)=A: M\$(I)=X\$: PRINT@A, X\$;: NEXT I: PRINT @640, "ERASE:";

135 REM -- SELECT MENU ITEM TO BE PRINTED --

140 IF M(L)<690 AND M(L)<>612 THEN B=0: EB=0: GOSUB 740

150 II=0: GOSUB 230: IF L>68 THEN K=5 ELSE K=15

152 A=INP(0): IF A=255 THEN II=II+1 ELSE 170

154 IF IIKK THEN 152

156 II=0: GOSUB 240

158 A=INP(0): IF A=255 THEN II=II+1 ELSE 170

160 IF II=2*K THEN 150 ELSE 158

170 IF A=239 GOSUB 240: GOTO 250: REM -- PRINT --

180 GOSUB 230: GOSUB 240: IF A=254 L=L+1: IF L>74 L=L-74: GOTO 220: ELSE IF L=65

OR L=66 L=67: GOTO 220: REM -- RIGHT --

190 IF A=253 L=L-1: IF L<1 L=L+74: GOTO 220: ELSE IF L=65 OR L=66 L-64: GOTO 220: REM -- LEFT --

200 IF A=251 THEN IF L>3 AND L<8 L=L+67: GOTO 220: ELSE IF L>0 AND L<4 L=L+63: G

OTO 220: ELSE IF L>70 L=L-4: GOTO 220: ELSE L=L-7: GOTO 220: REM -- UP -- 210 IF A=247 THEN IF L>66 AND L<71 L=L+4: GOTO 220: ELSE IF L=64 OR L=65 OR L=66

210 IF A=247 THEN IF L>66 AND L<71 L=L+4: GUTU 220: ELSE IF L=64 UR L=65 UR L=66 L=L-63: GOTO 220: ELSE IF L>70 L=L-67: GOTO 220: ELSE L=L+7: GOTO 220: REM -- DOWN --

220 GOSUB 230: GOSUB 240: GOSUB 590: GOTO 140

230 PRINT@M(L), STRING\$(LEN(M\$(L)), " ");: FOR J=1 TO 50: NEXT J: RETURN

240 PRINTOM(L), M\$(L); RETURN

Listing 1 continued on page 478

Listing 1 continued: 245 REM -- ERASE ALL --250 IF M(L)<690 THEN 300 260 ON EB+1 GOTO 270, 280, 290, 292 270 PRINT@718, "ERASE SCREEN TEXT?";: EB=1: GOTO 140 280 GOSUB 390: LP=1: PRINT@730, "TEXT MEMORY";: EB=2: GOTO 140 290 GOSUB 740: PRINT@722, "ARE YOU SURE?";: EB=3: GOTO 140 292 PRINT@718, "TEXT MEMORY ERASED";: EB=0: FOR I=1 TO 33: T\$(I)="": NEXT I: PRIN T0704," ";: GOSUB 590: GOSUB 740: TC=1: GOTO 140 295 REM -- ERASE LAST PRINTED LETTER --300 GOSUB 740: IF M(L)=652 THEN GOSUB 420: GOSUB 590: GOTO 140 305 REM -- ERASE LAST PRINTED WORD --310 IF M(L)=662 THEN GOSUB 460: GOSUB 590: GOTO 140 315 REM -- ERASE LAST PRINTED LINE --320 IF M(L)=676 THEN GOSUB 400: GOSUB 590: GOTO 140 325 REM -- PRINT SPACE --330 IF M(L)=578 THEN B\$=" ": GOTO 500 335 REM -- RECALL TEXT FROM T\$ MEMORY --340 IF M(L)=626 THEN B\$="": GOTO 600 345 REM -- ACTIVATE EXTERNAL BUZZER -350 IF M(L)=612 AND B=0 THEN PRINT@720, "TURN ON BUZZER?";: B=1: GOTO 140 360 IF M(L)=612 AND B=1 THEN OUT 0,0: PRINT@720, "BUZZER TURNED ON";: GOSUB 590: GOSUB 590: B=0: GOSUB 740: GOTO 140 370 IF B>0 THEN B=0: GOSUB 740 375 REM -- PRINT CHARACTER/WORD --380 B\$=M\$(L): PT=0: GOTO 500 385 REM -- ERASE PRINTED LINES AND P\$ BUFFERS --390 FOR I=1 TO 4: PRINT@704+64*I,STRING\$(31," ");: P\$(I)="": NEXT I: RETURN 395 REM -- ERASE LAST PRINTED LINE --400 GOSUB 560: P\$(LP)="": LP=LP-1: IF LP<1 THEN LP=1 410 RETURN 415 REM -- ERASE LAST PRINTED LETTER --420 LS=LEN(P\$(LP)): IF LS(1 THEN P\$(LP)="": LP=LP-1 430 IF LP<1 THEN LP=1: RETURN 440 IF LS>0 THEN P\$(LP)=LEFT\$(P\$(LP),LS-1): GOSUB 560: PRINT@704+64*LP,P\$(LP); 450 RETURN 455 REM -- ERASE LAST PRINTED WORD --460 LS=LEN(P\$(LP)) 465 FOR I=LS TO 0 STEP -1: IF I<2 THEN GOSUB 400: RETURN 470 X\$=MID\$(P\$(LP),I,1): IF X\$=" " THEN B\$=RIGHT\$(P\$(LP),LS-I): P\$(LP)=LEFT\$(P\$(LP), I-1): GOSUB 560: PRINT@704+64*LP, P\$(LF);: RETURN 480 NEXTI 485 REM -- PRINT ALL FOUR LINES OF TEXT --490 FOR I=1 TO 4: IF P\$(I)="" THEN RETURN: ELSE PRINT@704+64*I,P\$(I);: LP=I: NEX T I: IF LP>4 THEN LP=4: RETURN: ELSE RETURN 495 REM -- SCROLL AND LOAD T\$ BUFFERS IF LAST LINE TOO LONG --500 IF LP>4 THEN LP=4 510 P\$(LP)=P\$(LP)+B\$: LS=LEN(P\$(LP)): IF LS<31 THEN GOSUB 490: GOSUB 590: GOTO 1 40 520 GOSUB 465: LP=LP+1: IF LP>4 THEN LP=4: GOSUB 550: T\$(TC)=P\$(1): FOR I=1 TO 3 : P\$(I)=P\$(I+1): NEXT I: P\$(4)=B\$: GOSUB 490: TC=TC+1: IF TC>29 THEN TC=29: GOSU B 540: GOSUB 590: GOTO 140: ELSE GOSUB 590: GOTO 140 530 P\$(LP)=P\$(LP)+B\$: GOSUB 490: GOSUB 590: GOTO 140 540 PRINT@704,"*";: FOR M=1 TO 32: T\$(M)=T\$(M+1): NEXTM: RETURN 545 REM -- CLEAR ALL TEXT FROM SCREEN ONLY --550 FOR I=1 TO 4: PRINT@704+64*I,STRING\$(31," ");: NEXT I: RETURN 555 REM -- CLEAR LAST LINE PRINTED FROM SCREEN ONLY---560 IF LP>4 THEN LP=4 570 PRINT@704+64*LP.STRING\$(31," "): RETURN -- BLINK DISPLAY FOR MULTIPLE MOVES --580 PRINTOM(L), STRING\$(LEN(M\$(L)), " ");: FOR Y=1 TO 50: NEXT Y: RETURN 585 REM -- DELAY BETWEEN ENTRIES --590 FOR J=1 TO 200: NEXT J: RETURN 595 REM -- RECALL TEXT FROM T\$ BUFFERS --600 FOR I=1 TO 4: IF TC+I<34 THEN T\$(TC+I-1)=P\$(I): NEXT I 610 ET=0: TC=1: PRINT@720, "--RECALL TEXT--";: T\$(33)="" 620 GOSUB 550: LP=1: TC=TC-1

```
630 TC=TC+1: IF TC=33 OR T$(TC)="" THEN 650 ELSE X=704+64*LP: IF X>999 THEN 660
640 PRINTOX, T$(TC);: LP=LP+1: GOTO 630
650 PRINT@720,"((END OF TEXT))";: ET=1: GOTO 690
660 A=INP(0): IF A=255 THEN 660
670 GOSUB 590: IF A=239 AND ET=0 THEN 620
680 IF A=239 AND ET=1 THEN 610
690 FOR I=32 TO 1 STEP -1: IF T$(I)="" THEN NEXT I
700 LP=1: TC=I-3: IF TC<1 THEN TC=1
710 FOR I=0 TO 3: P$(1+I)=T$(TC+I): NEXT I
720 GOSUB 550: GOSUB 490: GOSUB 590: GOSUB 590: GOSUB 740: GOTO 140
740 PRINT@718,STRING$(20," ");: RETURN
745 REM -- DISPLAY DATA --
750 DATA2, "A", 6, "B", 10, "C", 14, "D", 20, " PLEASE", 34, " THANKS", 48, " WANT", 66, "E", 70
"F",74,"G",78,"H",84," I'M",98," IS",112," ARE",130,"I",134,"J",138,"K",142,"L"
,148, " MY",162, " WAS"
760 DATA176," HAPPY",194,"M",198,"N",202,"O",206,"P",212," YOU",226," WILL",240,
" COME",258,"Q",262,"R",266,"S",270,"T",276," WE",290," TO",304," GO",322,"U",32
6,"V",330,"W",334,"X"
770 DATA340, " WHEN", 354, " IT", 368, " THIRSTY", 386, "Y", 390, "Z", 394, "1", 398, "2", 404
," WHY",418," NOT",434,"ING",450,"3",454,"4",458,"5",462,"6",468," WHAT",482," W
HERE",496," NOW",514,"7"
780 DATA518, "8", 522, "9", 526, "0", 532, " YES", 546, " LATER", 560, " SOON", 578, "SPACE",
578, "SPACE", 578, "SPACE", 590, "?", 596, " NO", 612, "BUZZER", 626, "RECALL", 652, "LTR", 66
2, "WORD", 676, "LINE", 690, "ALL"
790 END
```

the CMOS can be used to reduce the complexity and parts count of a circuit as well as the current requirements.

In this project, it is not necessary to fully decode all eight address lines to establish the port location since only one input/output port is required. We chose address lines A0, A1, and A4 because they are near one another

and also are near the traditional databus pins on the TRS-80 rear edge connector. This arrangement simplified constructing the cable to the computer. IC3a and IC3b decode addresses separately; the former decodes the output-port location and the latter the input-port location. The location of the input and output ports is the same; however, providing a port with a location other than 255 makes it possible to leave the cassette permanently connected to the computer. For the Handi-Writer, port location 32 is used, but the wiring would permit addressing the input and output ports by any number from 0 to 255 that has the A0, A1, and A4 lines of the address bus at logic 0.

When this condition is met and the IN control line strobe goes low, pin 13 of IC3 goes high and pir 10 of IC2c goes high, but only for the duration of the IN strobe. Either IN or OUT can be low at any one time, but not both simultaneously. Therefore, during the time when IN is low, switches b, a, and d of IC4 are closed, and the information on the three address lines is presented to and decoded by IC3b. The resulting logic 1 at pin 13 of IC3 closes switch c of IC4 and all switches of IC5. If one of the five selector-panel switches has been pressed during this time, one of the five data lines D0 through D4 will be low. This binary value on the data bus is assigned to the variable A and appropriate action is taken by the software. If no switch is pressed (A=255) or if two or more switches are simultaneously pressed, line 220 jumps to line 140 without any evident

Handi-Writer Arrays	Function
M Array (74 × 1) M\$ Array (74 × 1) P\$ Array (4 × 1) T\$ Array (33 × 1) X\$ String B\$ String	Holds video locations of characters/words (See L) Characters/words displayed on screen (See DATA) Printed lines in video work space area Text held in memory for recall Temporary string variable (length = 1) Program string variable
Handi-Writer Variables	Function
A B I,J,M,Y K L X EB ET LP LS PT TC	Program Variable Turn on Buzzer? (1 = YES, 0 = NO) Loop variables Blinking rate of selected character/word (5 or 15) Location on screen of selected character/word (See DATA) Program variable Erase T\$ text Buffer? (> 0 = YES, 0 = NO) End of Text (RECALL)? (1 = YES, 0 = NO) Line being Printed on screen (1-4) (See P\$) Length of P\$ String being printed in work space (0-31) Printing Text from T\$ buffer (RECALL)? (1 = YES, 0 = NO) Text line Counter in T\$ memory (1-32)

Table 1: The arrays and variables used in the Handi-Writer program shown in listing 1, with a brief description of their functions.





Figure 3: A schematic diagram of the Handi-Writer interface. The circuit is used to connect a TRS-80 to the five-button selector panel that lets the uset choose items for printing. The area in dotted lines at the right of the diagram is an optional circuit that enables the user to sound a buzzer by selecting an item from the Handi-Writer menu.

Number	Type	+5 V	GND
IC1	7805	SEE	SCHEMATIC
IC2	CD4011B	14	7
IC3	CD4002B	14	7
IC4	CD4066B	14	7
IC5	CD4066B	14	7



Part Numbers in Placement Diagram	Description	Radio Shack
C1 C2 D1 FWB J1 J2	100μF/35V electrolytic (PC mount) 0.1μF disk capacitor IN4001 rectifier diode 1-amp 50PIV Full Wave Bridge (DIP) 3-way open circuit phone jack 6-conductor DIN jack	272-1028 272-1069 276-1101 276-1161 274-312
J3 K1 Q1 R1 R2	15-conductor DB-15 jack 12-volt relay, 1k-ohm coil 2N2222 or equivalent NPN silicon transistor 680-ohm ½-watt carbon resistor 10k-ohm ¼-watt carbon resistor	275-003 276-2016 271-021 271-1335
R3-R13 S1 T1 U1	47k-ohm ¼-watt carbon resistor SPST Mom. contact switch (normally open) 12.6V @ 300 mA transformer + 5 V regulator (7805, 78L05, LM340T5, etc.)	271-1342 275-619 273-1385
U2 U3 U4, U5 Z1	4011B quad 2-input NAND CMOS IC 4002B dual 4-input NOR CMOS IC 4066B quad bilateral switch CMOS IC 16-pin header or prewired 6" ribbon cable w/DIP plug	276-2411 276-2466 276-1980 276-1976
Other Parts	or promised of the second cases many play	R/S Number
Fuse holder (i 110 VAC line 14-pin IC soci 16-pin IC soci 15-pin "D" pl 40-pin edge c 6-pin DIN plu Selector pane	Cabinet 14-amp fast-acting fuse Fuse holder (chassis mount) 110 VAC line cord 14-pin IC sockets (5) 16-pin IC socket (1) 15-pin "D" plug for cable to computer 40-pin edge connector for TRS-80 6-pin DIN plug for cable to selector panel Selector panel switches as appropriate (5) (momentary contact, normally open)	
Table	2: Parts list for the Handi-Writer, keyed to figure 4.	

Figure 4: A diagram of the placement of parts on the Handi-Writer printed-circuit board. The parts are listed in table 2.

action. Since the input port is repeatedly addressed within this GOSUB-RETURN loop, the effect is to scan the input switches continually and jump out of the loop only if one of the selector-panel switches is pressed.

If the same port location is addressed as an output port, the execution of a BASIC OUT statement drives the TRS-80 OUT edge connector pin low, drives IC2 pin 10 high (which closes the address switches b, a, and d of IC4, allowing the addressbus lines A0, A1, and A4 to be decoded by IC3a), and drives IC3a pin 5 low. The combination of OUT, A0, A1, and A4 all low at pins 2 through 5 of IC3a drives IC3a pin 1 high. This signal is inverted and fed to pin 13 of IC2, which is the SET input of a cross-connected RS flip-flop. Once pin 13 is taken low, pin 11 will remain high until manually reset by S1. As long as IC2 pin 11 is high, base drive saturates Q1 and keeps relay K1 closed. The switch contacts of relay

K1 can then be used to activate an external device such as a buzzer going to the nurse's station. This could be an indispensable aid for a quadriplegic or anyone else who is physically unable to activate a conventional hospital-type buzzer to summon aid.

The board accommodates all components required to include this buzzer option. If you don't want the buzzer feature, simply omit the buzzer circuit components (shown inside the dotted lines on the right in figure 3) and lines 350 through 370 of listing 1. Also, in line 780, change "BUZZER" to another menu word you'd like, and edit line 160 to read "IF L>69 K=8 ELSE K=24".

A conventional full-wave bridge rectifier circuit powers the unit. Note that there is no ON-OFF switch required (although you can add one if you want). The AC line is fused with a 1/4-amp fast-acting fuse element. A low-power 78L05 5-volt regulator in a TO-92 case was used; but a standard 7805 or LM340T5 in a TO-220 case will work and will fit the PC board layout with no changes. R1 is a dropping resistor to lower the coil voltage of relay K1 to about 12 volts. The relay specified in the parts list (and for which the PC board is tailored) has a coil resistance of 1 kilohm and therefore draws about 12 milliamperes when activated.

Connecting the Handi-Writer

The Handi-Writer board requires 5 input signals from the pushbutton switches and 11 computer lines (including ground), as shown in figure 3. The board connection to the appropriate chassis jacks is simplified by using a 16-pin socket at Z1 to accept either a 16-pin header or a preconnected ribbon cable with header. For the prototypes we used a 6-pin DIN jack for the external switchselector panel connectors and a 15-pin "D" socket for the cable leading to the computer. Do not use a standard 5-pin DIN audio cable since this will not permit the required ground connection.

We found the use of shielded cables between the Handi-Writer cabinet. the computer, and the switch-selector panel to be unnecessary. We made the six-wire cable to the selector panel with DIN plugs on both ends so that the cable can be removed, coiled, and stored when not in use. Although the DIN plug and the jack made firm electrical connection, if the selector panel is accidentally dropped or if the cable is inadvertently kicked or pulled, the cable can separate from either the selector panel or the Handi-Writer front panel without damage.

Of course, all the equipment must be placed conveniently for the user. The TRS-80 video display may require a specially made shelf or table. The selector panel can go on a separate table or it can be held in the user's lap. The Handi-Writer cabinet, TRS-80 computer, power supply, and cassette recorder can be placed with the video display unit or out of sight. With Lois's installation, all equipment is left on around the clock except for the video display, which is turned off when not in use. Leaving the equipment on eliminates the need to CLOAD the tape each time the system is used.

The Selector Panel

The physical limitations of the user will dictate the arrangement of the five switches on the selector panel. In Lois's case, we used industrial "panicbutton" switches; these have about a half-inch travel for the elevated plunger tops, which are two inches in diameter. We found that the mushroom shape of these switches allowed Lois to hook her fingers around the back of the plunger head and depress the plunger with the palm of her hand. Lois's lack of motor control required placing the five switches about six inches apart and in a nearly straight line.

Other switch arrangements and types are possible, and can be selected to meet the individual physical requirements. For example, a quadriplegic with motor control of only the head, or perhaps only the tongue, could use an appropriately designed custom harness with more sensitive microswitches. Another possibility is fabrication of a corset, necklace, or armband that can respond to contractions of various muscles in the ab-

domen, chest, neck, jaw-whichever muscles the person can control. Handi-Writer requires only that five motions or movements be distinguishable and that these motions close a normally open switch.

In the beginning, we considered using a selector panel with either touch-activated switches or interruptible light beams. But a dragging motion of the hand across panels of those kinds would continually activate the wrong switch. Both those approaches also add unnecessary electronic complexity to the selector panel. The final selector-panel design uses only simple, normally open switches, is virtually damage-proof, and is impervious to spilled liquids. But individual needs will determine the best approach for switch selection and arrangement.

Conclusions

Handi-Writer demonstrates that a personal computer can serve as the basis for a system that helps handicapped people to communicate. Together with instruction and therapy, Handi-Writer can enable a severely handicapped person to lead an intellectually active life. Although Handi-Writer uses the TRS-80 Model I, other popular computers could be used if the Handi-Writer software were adapted to the characteristics of each computer's video display and version of BASIC.

The Handi-Writer's value became clear when Lois, the system's first user, repeatedly printed the message, "THANKS THANKS THANKS THANKS THANKS" for the system's developers. Handi-Writer can give many other physically handicapped persons something to be thankful for.

For More Information

Readers interested in obtaining the Handi-Writer printed-circuit board can do so from the author. A detailed, illustrated step-by step assembly manual and the commercial-quality printedcircuit board are available for \$13.50 postpaid. Operating instructions for the Handi-Writer system are also included.

Book Reviews

Apple Machine Language

Don Inman and Kurt Inman Reston VA Reston Publishing Co 1980, 224 pages \$14.95 hardcover \$9.95 softcover

Reviewed by John Figueras 65 Steele Rd Victor NY 14564

Apple Machine Language is an instructional master-piece that should prove invaluable to anyone trying to learn 6502 machine language for the Apple. The authors pay close attention to good teaching methods, returning to each concept frequently to help reinforce learning; despite the repetition, the book never gets dull.

With its sprightly style and clever cartoons, Apple Machine Language is truly fun to read. Each chapter concludes with a set of well-chosen exercises designed to test the reader's comprehension. The book uses an abundance of detailed examples in which each step is carefully explained. In addition, each new piece of information is introduced with a minimum of extraneous detail. The Inmans' clear, jargon-free English provides a welcome contrast to much of the language used in computer literature.

The book assumes the reader is familiar with Applesoft BASIC, and it uses this familiarity as a bridge to understanding machine language. The Inmans draw parallels between assignments, conditional test statements, and loops in BASIC and in machine language.

Apple Machine Language

begins with a brief but thorough review of BASIC, with emphasis on PEEK, POKE, and CALL (commands used in what is essentially an assembler written in Applesoft). The authors show how to develop the BASIC Operating System for entering machine language programs, and in the process, they provide an excellent example of how to go about planning a program. PEEKs, POKEs, and CALLs in Applesoft require decimal parameters, but machine-language commands and addresses require hexadecimal. The BASIC Operating System, therefore, must incorporate a hexadecimal-to-decimal conversion routine, prompting a discussion of number sys-

After the BASIC Operating System is running, you can enter the first machine-language programs for such functions as plotting points in low-resolution graphics, displaying text, and generating music. Because these operations require use of Apple monitor subroutines, the book teaches the beginner how to take advantage of subroutines. This feature does, however, make the book unsuitable for owners of 6502-based systems other than APPLE.

After you've had enough practice to feel more comfortable with machine language, the book shows you how to enter programs directly through the system monitor, and, finally, how to use the mini-assembler built into some versions of the Apple monitor. The description of the mini-assembler is particularly good, compensating for the skimpy treatment given the subject in the red Apple technical manual. Once you have mastered the mini-assembler, you're ready to progress to more sophisticated assemblers.

While moving from BASIC Operating System to system monitor to mini-assembler, the book slowly introduces new machine-language commands with programs to show their application. Elementary but thorough consideration is given to binaryto-hexadecimal conversion, the ASCII (American Standard Code for Information Interchange) code, representation of negative numbers, status flags, and addressing modes. The tables at the back of the book should prove useful even to mature Apple machine-language program-

The book's few weaknesses do not mar its overall quality. The authors erroneously identify # as the sign for unequal in Applesoft. Actually this sign is used in Integer BASIC, and Applesoft requires a <> sign. A few errors in the index direct

readers to the wrong page, and the program for the BASIC Operating System could have been written more efficiently (although it is adequate for the authors' purposes).

My greatest argument with the book is its failure to more carefully explain the difference between indirect-indexed and indexed-indirect addressing modes. The authors remark that the names are confusing, but as a beginner in machine language, I found the concepts confusing as well. I'm surprised that the authors, who are otherwise very sensitive to the beginner's needs, slighted this source of misunderstanding.

My only regret while reading this book was that it was not available a few years ago, when I was struggling with machine-language programming. How much effort it would have saved me!

Articles Policy

BYTE is continually seeking quality manuscripts written by individuals who are applying personal computer systems, designing such systems, or who have knowledge which will prove useful to our readers. For a more formal description of procedures and requirements, potential authors should send a large (9 by 12 inch, 30.5 by 22.8 cm), self-addressed envelope, with 28 cents US postage affixed, to BYTE Author's Guide, POB 372, Hancock NH 03449.

Articles which are accepted are purchased with a rate of up to \$50 per magazine page, based on technical quality and suitability for BYTE's readership. Each month, the authors of the two leading articles in the reader poll (BYTE's Ongoing Monitor Box or "BOMB") are presented with bonus checks of \$100 and \$50. Unsolicited materials should be accompanied by full name and address, as well as return postage.

And then there were none.

The list of already extinct animals grows . . . the great auk, the Texas gray wolf, the Badlands bighorn, the sea mink, the passenger pigeon . . .

What happens if civilization continues to slowly choke out wildlife species by species?

Man cannot live on a planet unfit for

Join an organization that's **doing** something about preserving our endangered species. Get involved. Write the National Wildlife Federation,

Department 105, 1412 16th Street, NW. Washington, DC 20036. It's not too late.



Languages Forum

APL Runs Circles

Philip G E Nicholson Verbank Village Rd Verbank NY 12585

As a professional APL programmer, I was delighted to see the extension of the language into the home-computer market. (See "Three Versions of APL" by Gregg Williams, April 1981 BYTE, page 188.) Now, perhaps, younger programmers will learn the beauty of programming, instead of assuming that they "know computing" from exposure to BASIC.

While the review was thorough, a transcription problem resulted in two errors appearing in the definition of the CIRCLE function. The definition published is shown in listing 1.

To produce the results given in that example, statement 7 should have read as shown in listing 2. (Incidentally, the localization of RD is not needed.) Mr Williams might have produced a more readable program if he had used a leading-decision, rather than a trailing-decision loop as shown in listing 3.

It's regrettable that the looping approach to this problem found its way into print in the first place. The reader is left with the impression that APL is just another interpretive "grinder," with very little more array-processing ability than, say, BASIC. In reality, loops are rarely needed in APL, and properly written nonlooping APL code is far faster than the nested DO LOOP exemplified in the CIRCLE routine. In addition to the elimination of excessive interpretive overhead, the nonlooping approach more nearly approximates human thought processes. Most of us do not think in loops; we should not have to program in loops either.

Listing 4 is the nonlooping version of the CIRCLE routine. If it appears that this is a much more elaborate program than the original, note that most of the statements are comments. The entire function can be rewritten as a "one-liner" as in listing 5. I list this version only to demonstrate the conciseness of the language; I would be horrified if I ever came across it in that form in a production environment.

A point that is all too often overlooked in considering interpretive languages is that each statement must be reinterpreted each time it is executed. This means that in the original version of CIRCLE, for example, statement 7 would have to be interpreted 81 times for the arguments shown (the total number of statements interpreted is, in fact, 330). In CIRCLE3 and CIRCLE4, each statement is interpreted only once. The effect of this reduction in interpretation will become obvious if you study the timing comparisons in table 1.

While I do not have access to a small computer to perform timing comparisons, I did compare processing time for the versions I have mentioned on an IBM Model 3033 using the IBM APL.SV. implementation. To make the timings meaningful, I increased the size of the right argument to 50 by 50 and changed the left argument to 30 20 15 8. (CIRCLE1 is the original CIRCLE routine with my corrections.) The results of the comparisons are shown in table 1.

It is interesting to note that the "one-liner" in CIRCLE4 is actually a tad slower than the CIRCLE3 version. CIRCLE4 would also produce severe space problems in a limited workspace environment.■

Function Name	Processing	Ratio (compared to CIRCLE3)	1
CIRCLE1	1555.4 ms	15.55	1
CIRCLE2	1538.8 ms	15.39	ĺ
CIRCLE3	100.0 ms	1.00	İ
CIRCLE4	101.4 ms	1.01	1
Table 1			

```
Listing 1
    ♥ B+AR CIRCLE A; RD; ROW; COL
     MAR CONTAINS [1]ROW COORD [2]COL COORD [3]RADIUS [4]VALUE ADDED
[1]
127
[3]
      ROWEAR[1]-AR[3]+1
[4]
     NEXTROW: ROW-ROW+1
[5]
      COL+AR[2]-AR[3]+1
[6]
     NEXTCOL: COL+COL+1
      →(AR[3]≤(((ROW-AR[1])*2)+(COL+AR[2])*2)*0,5)/ENDLP
177
[8]
      BEROW; COLJ+BEROW; COLJ+ARE4]
[9]
     ENDLP: → (COL<AR[2]+AR[3])/NEXTCOL
[10]
     → (0, NEXTROW)[1+ROW<AR[1]+AR[3]]
Listing 2
→(AR[3]<(((ROW-AR[1])*2)+(COL-AR[2])*2)*0.5)/ENDLP
Listing 3

▼ B←AR CIRCLE2 A; ROW; COL.

[1]
     MAR CONTAINS [1]ROW COORD [2]COL COORD [3]RADIUS [4]VALUE ADDED
[2]
      BEA
     ASTART WITH ROW AT CENTER COORDINATE MINUS RADIUS
131
[4]
      ROW+"1+-/AR[1 3]
[5]
     NEXTROW:
      →((+/AR[1 3])<ROW+ROW+1)p0
[6]
[7]
     ASTART WITH COLUMN AT CENTER COORDINATE MINUS RADIUS
187
      COL+"1+-/ARE2 31
[9]
     NEXTCOL:
      →((+/ARE2 31)<COL+COL+1)@NEXTROW
1101
      →(AR[3]<(((ROW-AR[1])*2)+(COL-AR[2])*2)*0,5)pNEXTCOL
[11]
[12]
      B[ROW; COL]+B[ROW; COL]+AR[4]
      →NEXTCOL
[13]
Listing 4

▼ Z←A CIRCLE3 B

     ANON-LOOPING SOLUTION TO THE CIRCLE PROBLEM FROM BYTE MAGAZINE
[1]
     ARIGHT 'ARGUMENT --- NUMERIC MATRIX
[2]
[3]
     ALEFT ARGUMENT ---
         E1TROW COORDINATE OF CENTER OF CIRCLE
[4]
         [2]COLUMN COORDINATE OF CENTER OF CIRCLE
[5]
         E33RADIUS OF CIRCLE
[6]
[7]
         C43VALUE TO BE ADDED
[8]
     MEXPLICIT RESULT --- MATRIX FROM RIGHT ARGUMENT, WITH VALUE ADDED AT
191
         COORDINATES WITHIN THE CIRCLE
[10] ABUILD VECTOR OF ROW ADDRESSES WITH SQUARE OF DISTANCES FROM CENTER
[11]
     Z+((1110B)-AE11)*2
[12] HADD COLUMN ADDRESSES WITH SQUARE OF DISTANCES FROM CENTER
[13]
      Z+Z+,+((1T1+pB)-A[2])*2
     ATAKE SQUARE ROOT TO CALCULATE ACTUAL DISTANCES
141
[15]
      Z+Z*0.5
[16] AFIND THOSE WITHIN THE RADIUS SPECIFIED
[17]
     Z+ZSA[3]
[18] MADD THE VALUE TO THE INCOMING ARRAY
[19]
      Z+B+Z×A[4]
Listing 5
```

Z+B+A[4]×A[3]>((((\11^\pB)-A[1])*2)*.+((\111^\pB)-A[2])*2)*0.5

▽ Z←A CIRCLE4 B

December 1981 © BYTE Publications Inc

Software Review

Starfighter

Eric Grammer 95 Old Street Road Peterborough NH 03458

Adventure International recently released Starfighter, an arcade-type game that it describes as the "Penultimate Space War Game." According to my Webster's New Collegiate Dictionary, *penultimate* means "next to the last." Therefore, it was with some wariness that I booted the disk and prepared to blast off. Fortunately, I've played several games since then, so you need not anticipate any *penult* to your life experience—just a good time at the keyboard.

Object of the Game

Starfighter is somewhat similar to Atari's Star Raiders, both in its format and goals. More than a simple "shootem-up" game, Starfighter requires both strategy and skill.

You represent the SGA (Solar Galactic Authority), and your duty is to destroy the spacecraft of your enemy, the PRC (Petro Resource Conglomerate). The PRC has four different fighter craft, and the SGA has three fighter and three nonfighter craft. Three other spacecraft do not belong to either side. You can get into a lot of trouble by shooting a neutral vessel. You must destroy enemy craft only!

The SGA has eight Landbases that offer various services. The most important, Landbase Central, is where you receive your rank review and performance ratings. The other Landbases provide these services: Landbase 1, craft overhaul; Landbases 2 and 7, refueling; Landbase 3, tow tickets (in case you run out of fuel); Landbase 5, hypercharge replenishment; and Landbases 4 and 6, bounty (for the enemy craft you destroy).

Your Craft

Your craft, the SC-78503 Starfighter, can exceed the speed of light. To do so requires an energy source called "hypercharge." (If you enjoy speculative "physics," you'll love the detailed descriptions of hypercharge theory.) Should you run out of hypercharge, you can get a full charge at Landbases 5 or 7.

One of Starfighter's best qualities is its Training Lab. At the beginning of the game, new pilots can either shoot

at any of 12 targets or can practice simulated combat.

The instructions are written as if Starfighter were an authentic military operation. The 32-page manual explains the function of each of your craft's controls in just about any imaginable situation. It also presents six sample games, all of which are fully annotated by author Sparky Starks. Adventure International also includes a handy quick-reference card.

Getting Started

You must choose option B to begin the game. After you leave Landbase Central, you should familiarize yourself with your spacecraft and your "universe." There are only few practical things to do. You can explore each Landbase or you can go to a "gravity source" (ie: a spacecraft).

To do the former, press the number of the desired Landbase. If a number shows up just below your onscreen range indicator, press that number and the D key. That will drive you to the Landbase. If no number shows

At a Glance.

Name

Starfighter

Type

Arcade-style game

Manufacturer

Adventure International POB 3435 Longwood FL 32750 (305) 862-6917

Price

\$29.95 (\$24.95 for cassette version)

Author

Sparky Starks

Formal

51/4-inch floppy disk

Language

Z80 machine language

Computer

TRS-80 Model I with 32 K bytes of memory (Tape version, TRS-80 Model I or III with 32 K bytes of memory)

Documentation

32-page softcover

Audience

Anyone interest in computer arcade games and spacesimulation games up, the Landbase is unavailable to you in your space/time location. To leave a Landbase, press the D key again.

To drive to a source of gravity, press the E key and wait for a number to show up below the range indicator. A number will always show up, but you may need to be patient. Your intelligent scanners insure that the gravity readings are for spacecraft and do not include any Landbases.

Other starting options include: waiting for another craft to drive into your space/time locus, practicing craft maneuvers, or crash-driving (driving in one direction with no destination in mind).

Playing the Game

Because your goal is to destroy enemy fighters, you will want to track and confront other spacecraft. Once you've approached an unknown vessel, you should press the C key to enter Combat mode (in case you've discovered a PRC craft). Next, press a W or B to ready your weapons (W means wave and B means beam, as described in the manual) and press T for tracking and O to unlock your keyboard. To help you distinguish friend from foe, press the I key (for identification). The other combat controls are described in the manual.

If you, run out of hypercharge, press P to summon a tractor craft rescue unit. This rescue craft will come only if you have purchased a tow ticket at Landbase 3 (see the manual for other constraints on the rescue unit's appearance).

Possible Improvements

Several weak points in Starfighter could stand improvement.




Photo 1: Adventure International's Starfighter game in progress.

- •It takes too long for your weapon to ready itself, which means that a PRC Exonerator can fry you before you can defend yourself.
- •It would be nice if you could drive without requiring a zero-velocity condition.
- •It would also be nice if you did not have to clear the keyboard to "arrow" the directions.
- •Much of the display screen is used for a graphic design; it really should be used more constructively.
- •When first starting out, there are no skill levels to choose from.
- •After driving away from a Landbase, the drive process is so extended that it cuts into the game time.

Conclusions

Starfighter is a well-made program, despite its weak points. It is the kind of space adventure that requires strategic thinking to be played successfully. Starfighter offers excitement and excellent use of TRS-80 graphics and sound.

You need to read the documentation, which should answer most of your questions. However, it contains quite a bit of technical information that I found useless.

Starfighter can be played on a TRS-80 Model I or III microcomputer with 32 K bytes (or more) of memory. (A version for the Apple II is also available from Adventure International.)

BUTE

Back Issues For Sale

The following issues are available:

\$1.75 ea.	\$2.50 ea.	\$2.50 ea.	\$3.00 ea.
July 76	Feb. 78	May 79	June 80
Nov. 76	Mar. 78	June 79	July 80
Apr. 77	Apr. 78	July 79	Aug. 80
May 77	May 78	Aug. 79	Dec. 80
June 77	June 78	Sept. 79	Feb. 81
July 77	July 78	Oct. 79	Apr. 81
Aug. 77	Aug. 78	\$3.00 ea.	May 81
\$2.50 ea.	Sept. 78	Nov. 79	June 81
Sept. 77	Oct. 78	Dec. 79	July 81
Oct. 77	Dec. 78	Jan. 80	Aug. 81
Nov. 77	Jan. 79	Mar. 80	Oct. 81
Dec. 77	Feb. 79	Apr. 80	
	Apr. 79	May 80	

The above prices include postage in the US. Please add \$1.00 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries.

Send requests with payment to:

BYTE Magazine

70 Main St, Peterborough NH 03458
Attn: Back Issues

Payments from foreign countries must be made in US funds payable at a US bank.
 Please allow 4 weeks for domestic delivery and 8 weeks for foreign delivery.



META TECHNOLOGIES

26111 Brush Avenue, Euclid Ohio 44132 CALL TOLL FREE 1-800-321-3552 TO ORDER IN OHIO, call (216) 289-7500 (COLLECT)



THINGS TO DO WITH YOUR PERSONAL COMPUTER

333 pages

\$7.95

333 pages, written in simple terms, of "what-to-do" and "how-to-do-it". Suitable not only for microcomputers, but for programmable calculators as well. Includes program listings, formulas, a glossary of computer terms and more! Definitely a

A PARTIAL LIST OF APPLICATIONS

Real Estate Evaluation Astrology Income Tax Speed Reading Personality Test Statistical Analysis Logic Circuit Analysis

Test Your Typing Speed Finances & Investments Biorythm **Energy Efficiency** Antenna Design Letter Writing Recipe Index/Calculator

Carpenter and Mechanic's Helper General Purpose Clock Timer

"OTHER MYSTERIES" **VOLUME III**

by Dennis Kitsz

Call now and place your order for this new book, "THE CUSTOM TRS-80TM & OTHER MYSTERIES", from IJG, Inc. More than 300 pages, with over 60 photographs, of projects for the hardware hobbyist. Includes schematics, PC layouts, software driver code, etc. for such do-it-yourself undertakings as high resolution graphics, reverse video, real-time clock/calender, music synthesis, ROM/RAM additions and

THE CUSTOM TRS-80™ \$29.00 **CALL FOR AVAILABILITY**

MICROPARAPHERNALIA

NEWDOS by APPARAT

NEWDOS/80 by Apparat\$139.95 NEWDOS UPGRADE CALL NEWDOS + with ALL UTILITIES 35-track\$69.95 40-track \$79.95

BOOKS

TRS-80TM DISK

AND OTHER MYSTERIES . . \$19.95 MICROSOFT™ BASIC DECODED \$24.95

EPSON

MX-80, MX-80FT, MX-100

PRINTERS

CALL FOR PRICE

10 FT. RIBBON

CABLE

CONNECTS EPSON PRINTER & TRS-80 MICROCOMPUTER

DISK DRIVE

EXTENDER CABLE

for VISTA, MICROPOLIS, MTI, PERTEC, SHUGART, PERCOM & OTHERS

Single Sided, Soft-Sectored 51/4-inch, (for TRS-80TM) Mini-floppy

DISKETTES

PLAIN JANE™

These are factory fresh, absolutely first quality (no seconds!) mini-floppies. They are complete with envelopes, labels and writeprotect tabs in a shrink-wrapped box.

PLAIN JANETM Diskettes \$19.95

PLAIN JANE™ Gold

Introducing MTC's premium generic diskette. Single-Sided, Soft-Sectored, DOUBLE-DENSITY, 5¹/₄-inch diskettes with reinforcing HUB-RINGS. Individually 100% ERROR-FREE certified. Invest in GOLD!

PLAIN JANETM Gold \$24.95

VERBATIM'S PREMIUM DISKETTES

DATALIFE

Seven data-shielding improvements mean greater durability and longer data life. These individually, 100% error-free certified diskettes feature thicker oxide coating, longer-lasting lubricant, improved liner, superior polishing and more! Meets or exceeds IBM, Shugart, ANSI, ECMA and ISO standards.

VERBATIM DATALIFETM DISKETTES

51/4-inch (box of 10) MD525-01 \$26.95 10 boxes of 10 . . . (each box)\$25.95

8-inch FLOPPIES

Double-Density, FD34-8000 . \$43.95

Let your TRS-80™ Test Itself With THE FLOPPY DOCTOR & MEMORY DIAGNOSTIC

by David Stambaugh

A complete checkup for your MODEL I or MODEL III. THE FLOPPY DOCTOR-Version 3 completely checks every sector of single or double density 35-, 40-, 77-, or 80-track disk drives. Tests motor speed, head positioning, controller functions, status bits and provides complete error logging. THE MEMORY DIAGNOSTIC checks for proper write/read, refresh, executability and exclusivity of all address locations. Includes both diagnostics and dress locations. Includes both diagnostics and complete instruction manual.

SYSTEM DIAGNOSTICS . \$24.95 For MODEL III \$29.95 'RINGS' & **THINGS**

HUB RING KIT for 51/4" disks. \$10.95 HUB RING KIT for 8" disks..... \$12.95 REFILLS (50 Hub Rings) \$ 5.95 CLEANING KIT for 51/4" drives ... \$24.95 51/4-inch diskette case \$3.50 8-inch diskette case \$3.95

51/4-inch File Box for 50 diskettes \$24.95

8-inch File Box for 50 diskettes \$29.95

TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation. DATALIFE is a trademark of VERBATIM. PLAIN JANE, AIDS-I, AIDS-III, CALCS-III, CALCS-IV, MERGE-III are

trademarks of MTC.

1981 by Metatechnologies
Corporation, Inc.

MOST ORDERS SHIPPED WITHIN ONE BUSINESS DAY

Products damaged in transit will be exchanged. PRICES IN EFFECT Dec. 1, 1981 THRU December 31, 1981,


Prices, Specifications. and Offerings subject to change without notice. 8112

WE ACCEPT

- VISA
- MASTER CHARGE CHECKS
- MONEY ORDERS
- C.O.D.
- Add \$3.00 for shipping & handling
- •\$3.00 EXTRA for C.O.D.
- Ohio residents add 51 2 % sales tax.

What's New?

MISCELLANEOUS



More for the TRS-80 Color Computer

The 8 K-byte CMEMORY cartridge for the TRS-80 Color Computer can be divided into any combination of 2 K blocks of RAM (random-access read/write memory) and/or 2716 EPROMs (erasable prorammable read-only memories). The cartridge can be filled with RAM while debugging a program and then replaced by EPROM once debugging is completed. The CMEMORY occupies

the unused address space hexadecimal C000 to E000 normally reserved for plug-in game cartridges. By adding a jumper, the Color Computer can automatically execute a program in EPROM whenever the Reset button is pressed. The CMEMORY cartridge without any memory sells for \$24.95 from Micro-Labs Inc, 902 Pinecrest, Richardson TX 75080.

Circle 550 on inquiry card.

Memory for the STD Bus

The CD0331 is a 64 K-byte dynamic memory card for the STD bus from Computer Dynamics Inc. The CD0331 features include 6 MHz operation with no wait states. A version of the card is available for critical, high-temperature, or industrial requirements. The card is compatible with all Z80-based STD bus systems. It provides memory options of 16 K, 32 K, 48 K, or 64 K bytes and will support speeds of 2.5, 4, or 6 MHz.

Prices range from \$210 for a 2.5 MHz card with sockets only, to \$695 for a complete 6 MHz unit with memory installed. For complete details, contact Computer Dynamics Inc, 105 S Main St, Greer SC 29651, (803) 877-7471.

Circle 551 on inquiry card.

Disk-Duplicating Service

Allenbach Industries' floppy-disk-duplicating service can copy disks formatted for Apple, Atari, TRS-80, North Star, Heath, and other microcomputers. Special word-processing formats, such as Lanier's "No Problem," CPT 8000, and Micom, can also be copied. For more information, contact Allenbach Industries, 4322 Manchester Ave, Olivenhain CA 92024, (800) 854-1515; in California (714) 436-4351. Circle 552 on inquiry card.

5 V DC at 3 A Supply

Deltron has introduced the HVQ series of linear open-frame power supplies. Four single-output regulated models have voltages of 5 to 24 V DC with ratings up to 3 A. All 5 V DC models have built-in fixed crowbar OVP (overvoltage protection). Shielded transformers, socketed semiconductors, dual AC input, and barrier block terminals are among the other features of the HVQ series.

Adjustable OVP is available for 12, 15, and 24 V DC models as an option. Reverse-voltage protection is also available as an option. The 5 V DC models have a suggested price of \$21. For more information, contact Deltron Inc, Wissahickon Ave, POB 1369, North Wales PA 19454, (215) 699-9261.

Circle 553 on inquiry card.

Rectifier Modules

The B48-2 series of single- and three-phase rectifier modules are rated at 50 A (three-phase). They are available in voltages from 200 to 1200 V and with diode-doubler and half- and full-wave circuit configurations.

The B48-2 package is fully isolated, and the insulation will withstand a 4000 V test. To request price information and other details, plus a catalog, contact Gentron Corporation, 6667 N Sidney Pl, Milwaukee WI 53209, (414) 351-1660.

Circle 554 on inquiry card.

Where Do New Products Items Come From?

The information printed in the new products pages of BYTE is obtained from "new product" or "press release" copy sent by the promoters of new products. If in our judgment the information might be of interest to the personal computing experimenters and homebrewers who read BYTE, we print it in some form. We openly solicit releases and photos from manufacturers and suppliers to this marketplace. The information is printed more or less as a first-in first-out queue, subject to occasional priority modifications. While we would not knowingly print untrue or inaccurate data, or data from unreliable companies, our capacity to evaluate the products and companies appearing in the "What's New?" feature is necessarily limited. We therefore cannot be responsible for product quality or company performance.

What's New?

MISCELLANEOUS

Recycled Ribbons

Reloaded multistrike film ribbons are available from Torres Ribbon Services. Cartridges are reloaded for printers such as NEC, Diablo, Qume, and Radio Shack and for word-processing systems including Wang, Lanier, IBM, Savin, and Vydek. All cartridge parts are cleaned or replaced where necessary. Broken ribbons with substantial unused life will be repaired at no charge when submitted as part of an order. Each ribbon costs \$2.50 with the exchange of used cartridges. Details are available from Torres Ribbon Services, 11154-PC S Mt Vernon Ave, Colton CA 92324. (714) 792-0831.

Circle 555 on inquiry card.

Memory and I/O Cards for the AIM-65

Expand your AIM-65's memory and I/O (input/output) performance with the Series 100 boards from Unique Data Systems. The basic board, the Model UDS-100, has two data-rate-selectable asynchronous serial RS-232C channels and 20 programmable parallel I/O lines. Sockets are provided for eight 1 K by 4 static programmable memory circuits and six 2 K by 8 EPROMs (erasable programmable read-only memories). Jumpers allow reconfiguration for higher-density memory devices.

The Series 100 boards interface to the AIM-65 without bus buffering. Each board has an experimenter's area for custom circuitry. The basic assembly costs \$259 or \$296 with battery backup. For more details, contact Unique Data Systems Inc, 15041 Moran St, Westminster CA 92683, (714) 895-3455.

Circle 556 on inquiry card.

PROCAP

PROCAP is a statistics and probability package that gives the TRS-80 Model I or III computational capabilities for analyzing, forecasting, and producing a wide range of professional football statistics. Using PROCAP, you can rapidly predict the outcome of weekly games with probable scores and point spreads. evaluate a team's offensive and defensive strengths, and review divisional standings and team and divisional power ratings. PROCAP will let you review the scores of past games and peek at the upcoming schedule.

PROCAP uses the game scores vou enter each week to determine the outcome of future games and to rank teams according to performance. Ratings are computed by comparing a team's offensive and defensive strengths against those of its opponents. PROCAP costs \$49.95 and is available from the Trinity Group, 829 Malin Rd, Newtown Square PA 19073, (800) 543-3000, operator 400; in Ohio (800) 582-1364, operator 400. Circle 557 on inquiry card.

MX-80/70 Friction-Feed Kit

The Gosub friction-feed kit will allow you to use your letterhead stationery and single-sheet or roll paper with the Epson MX-80/70 printers. The kit uses an opposing roller system for the feed. You load and adjust the paper as you would for a typewriter. Carbon copies present no problem.

The Gosub friction-feed kit comes with a paper-roll rack for 81/2-inch Teletype rolls and costs \$49.95. It's available from Gosub International, Hardware Division, POB 275, Wichita KS 67201.

Circle 558 on inquiry card.

TAB Books Catalog

Learn how to build robots and computers, program in BASIC and FORTRAN, and design and troubleshoot circuits with books from TAB Books Inc., Blue Ridge Summit PA 17214, (717) 794-2191. The company's free catalog lists and describes hundreds of computer-related books.

Circle 559 on inquiry card.

The Latest in Slit-N-Wrap

The P184-7 AC-powered wirewrapping tool features an electronic turns counter. Developed by Vector Electronic Company, the tool permits daisy-chain or point-to-point wrapping in an average of 1 second per post without measuring, cutting, or stripping.

Here's how the P184-7 works: a spool with 300 feet of wire is mounted on top of the tool. The operator selects from three to nine turns by setting a switch, then positions the tool and wraps. As the wire passes through the tool, the insulation is stripped before the wire is bound to the post. The turns are counted, and the operation is stopped at the selected number.

The P184-7's counter can be bypassed when using stripped wire. A 300-foot spool of wire provides 900 post wraps with seven turns and an average lead length of 2 inches. A sleeve notch eliminates the need to hold the wire. The P184-7 tool costs \$198. Replacement bits are \$10.60, and a 300-foot spool of wire costs \$14.95. Available from Vector Electronic Company Inc, 12460 Gladstone Ave, Sylmar CA 91342, (213) 365-9661.

Circle 560 on inquiry card.

It helps make obsolescence obsolete.



The IBM Display writer System.

State of the art.

Today that's come to mean discarding what you have, for whatever is newer.

A rather expensive (not to mention frightening) proposition when you consider the cost of business machines.

That's why IBM designed a text processor that can be updated.

It's the Displaywriter System and it's software driven.

Which means incorporating a new function or a new program can be as simple as getting a new diskette and adding memory.

Instead of a new machine.

The IBM Displaywriter System can stand alone.

Or it can be part of an entire network. So as your office grows, the Displaywriter can grow with it.

You see, at IBM we believe you don't have to buy what's new to get what's best.

Provided you start out with what's best when it's new.

IBN	sted in learning more about the A Displaywriter System. r representative get in touch with me
NAME	TITLE
COMPANY	
ADDRESS	10-16-31-31-31-3
CITY	STATE_ZIP_
BUSINESS PHONE	
	IBW.
Office	Products Division—Dept. 804
	400 Parson's Pond Drive

Call *IBM Direct* 800-631-5582 Ext. 128. In New Jersey 800-352-4960 Ext. 128 In Hawaii/Alaska 800-526-2484 Ext. 128

What's New?

MISCELLANEOUS

Z80B-Based Microcomputer

Zelco S.R.L.'s MCW (microcomputer Winchester) uses a 6 MHz Z80B microprocessor and is set up for a multiprogramming, multiuser environment. In the multiuser configuration, the MCW has a minimum capacity of 112 K bytes of programmable memory with 48 K bytes for each user and 16 K bytes shared. MCW includes Shugart's 8- or 14-inch Winchester hard-disk drives with a minimum storage capacity of 10 megabytes and a maximum of more than 150 megabytes. The controller serves up to four units, three of which are Winchester drives: the other is an 8-inch 1.2-megabyte floppy-disk drive or 10-megabyte cartridge unit. The system includes RS-232C ports.

MCW's disk operating system is based on Zilog's RIO and is compatible with all programs that can run under RIO. The operating system can handle four mass-storage units, each with up to 2 gigabytes of data. Another operatingsystem utility allows the exchange of messages between users without altering normal operations.

The price for a two-user system with 112 K bytes of programmable memory and a Centronicscompatible port is approximately \$10,000. Contact Zelco S.R.L., Via V Monti 21, 20123 Milan, Italy, Telex 335346 ZELCO.

Circle 561 on inquiry card.

North Star Business Software

More than 20 business and utility programs for the North Star computer are listed and described in a free catalog from Omni Software Systems Inc, 146 N Broad St, Griffith IN 46319, (219) 924-3522.

Circle 562 on inquiry card.

Data Acquisition and Control System

ASC's (Applied Systems Corporation's) Data Acquisition and Control System uses either Intel's 8085/8086, Zilog's Z80/Z8000, or Motorola's 6800/68000 microprocessors as central-processing units. The system has a 0.5 µs instruction cycle, multilevel priority interrupts, fast multiply and divide arithmetic, macro-logical operations and interfacing for highspeed A/D (analog-to-digital) conversion, serial data-communications modules, and 8-, 16-, and 32-bit commands. It incorporates full digital computer and analog signal processing capabilities, RAM (random-access memory), PROM (programmable read-only memory), peripheral controllers, and IEEE/S-100, MULTI, and EX-OR bus compatibility for data acquisition and automation installations in production monitoring, process and machine control, automatic testing, or laboratoryanalysis applications.

The system is offered with options for standard 19-inch rackmounting chassis, NEMA (National Electrical Manufacturers Association) industrial cabinets, or miniature portable enclosures. Standard plug-in cards permit in-



stallation of expansion modules for multiple A/D converters, highor low-level multiplexers, diskdrive controllers, digital I/O (input/output) adapters, and more. Among the optional system features are additional I/O capabilities for analog multiplexers for up to 256 inputs, transducer amplifiers for \pm 50 mV to \pm 15 V, highspeed A/D conversion, IEEE-488 interface adapters, high-resolution color graphics, and character or matrix printer adapters.

Prices for the Data Acquisition and Control System start at \$1900. A card-only version is available for approximately \$900. For details, contact ASC, 26401 Harper Ave, St Clair Shores MI 48081, (313) 779-8700.

Circle 563 on inquiry card.

Testing One, Two, Three

Solid State Testing Inc is an independent service that specializes in testing microprocessors, programmable and read-only memories, custom LSI (large-scale integration) chips, and MOS (metaloxide semiconductor) integrated circuits. Solid State will also burnin static and dynamic memory devices. Among the circuits the company tests are the Z8, 6800, Z80A, 8085A, and microprocessor-support circuits. Solid State Testing will test prototype to production quantities.

For additional details, contact Solid State Testing Inc, 56 Middlesex Turnpike, Burlington MA 01803, (617) 272-0972. In New Jersey, contact Solid State Testing at 620 Route 23, Pompton Plains NJ 07444, (201) 839-8220. In Florida, the address is 406 Kirby Ave, Palm Bay FL 32905, (305) 729-0670.

Circle 564 on inquiry card.

NCREDIBL BELIEVE IT!

PRINTERS



150 cps bidirectional-9x9 dot matrix, quietized case, 136 col, vertical form control and many other functions \$1195

We feel this printer offers the best price/performance ratio available RS-232 serial to 19.200 baud x-on, x-off add \$40

			Only
	232 interface. This quality printer is available in many	/	\$2928
nfigu	rations including forms access, quietized case, etc.		

configurations including forms access, quietized case, etc.	\$2920
Teletype 43	from \$995
Teletype AP-200, 340 cps dot matrix (similar to Data Prod. M-200	\$2799
NEC Spinwriter-55 cps, bidirectional, letter quality	
R.O. \$2560 KSR	\$2799
DIABLO 630-40 cps, bidirectional, daisy wheel, plot/graph	\$2449
QUME Sprint 9/45 cps, daisy wheel	\$2228
C. ITOH Starwriter, 25 cps, daisy wheel	\$1575
C. ITOH Starwriter, 45 cps, daisy wheel	\$1849
EPSON MX-80 , 100, 80 cps, 9x9 dot matrix	SCALL
ANADEX 9500/9501, up to 200 cps, high resolution dot	\$1349
OKIDATA Microline 80, 80 cps, 9x7 dot matrix	\$495
Microline 82A., bidirectional, friction/pin feed	\$599
Microline 83A, bidirectional, 120 cps, uses 15" paper	\$875
TI-810, 150 cps, Basic	\$1449
Package-Compressed print, vertical form control	\$1630
MANNESMANN MT 1705 200 cps, 7x7, 132 col	\$1425
TALLY MT 1805 200 cps, + NLQ 40 x 18 matrix	\$1675
ATTITUDE TO 1 C 1 C C C C C C C C C C C C C C C C	

IDS 460G S-100 SPECIALTIES

CENTRONICS 704-9,180 cps, 9x9 dot matrix, 132 col



DEC LA-34

DP/Z-80A, CPU, 64K ram, floppy cont., RS-232 port, S-100 IEEE, 8 slot mads terminal, inc. CP/M 2.2 \$CALL

739 100 cps, nx9 dot matrix, FULL GRAPHICS

Delta has Winchester based networks of up to 16 users available.

Call us for best prices on these high quality 2nd Systems Group generation boards and systems.



H.D. Mainframe, 20 a. P.S., 12 slot MB 2200 \$434 \$359 2065C 64K dynamic RAM/Bank Select \$720 \$580 Z-80 CPU, serial port, ROM monitor 2810A \$310 \$259 Floppy Cont, CP/M 2.2, ROM monitor 2422A \$425 \$345 8000 DT — w/64k, 1.2 MB 8" floppies, 2 serial, 3 par. CPM 2.2 \$CALL FULL 2 YEAR WARRANTY!

WE OFFER GENEROUS DISCOUNTS ON THE COMPUPOLINE OF FAST, QUALITY

8 AND 16 BIT BOARDS

MICROBYTE CARDS + FULL SYSTEMS AVAILABLE

NorthStar* SCALL PMMI MODEM \$359 Similar savings on the full lines of CCS, SSM, NNC, MORROW, DELTA, NORTHSTAR, ITHACA INTERSYSTEMS, GODBOUT, NEC. TELEVIDEO, IMS ZENITH, ADDS, DEC, DATA GEN., ATARI, DYNABYTE, TECMAR, DUAL

8" DISK DRIVE SALE

8" SHUGART SA801R 8" SHUGART SA 851R \$669 2 for \$1289 **QUME DATATRACK 8** \$589, 2 for \$1110 Enclosure, power supply for 28" drives A&T \$299 NNC industrial grade enclosure for 2 drives with P.S \$445 MORROW Discus 2D + CP/M® , MICROSOFT BASIC Discus 2+2+CP/M® , MICROSOFT BASIC \$950 \$1195

HARD DISK SPECIALS List only **CORVUS 10MB** and controller \$5350 \$call 20MB and controller \$6450 Scall

Constellation Network Multiplexer and Mirror Video Tape Disk Backup MORROW 26MB + controller + CP/M 2.2®, M basic \$4495 \$3821 Controller, CDC Hawk Drive (5 fix, 5 rem) \$7995 \$6795 controller, Western Dynex (5 fix, 5 rem) \$5995 \$5099

Winchester 51/4 drives complete with case, cable, software, S-100 controller. Adapter avail. for use with **XCOMP** any Z-80 system. Cartridge drive controllers avail.

	YCOMP	any 2-80 system. Cartriage arive co	ontrollers avail.	List
5MB 10MB	APPLE XEROX ALTOS	OEM discounts available!	Z-89 R.S. MOD. II S-100	\$2898 \$3398

ADES

S33-33MB Drive and Controller \$4468 S66-66 MB Drive and Controller \$5925

PRIAM 8" and 14" Winchester/tape subsystems avail. We carry the full line of ADES disk and tape controllers and subsystems.

FULLY CONFIGURED BUSINESS SYSTEMS

The following are some examples of the fully assembled and tested business and scientific computer systems which we offer. All include 64K bytes RAM, Z-80A 4mh CPU. We offer a full line of quality, tested software.

Delta TVD w/ 1.2 Mb floppy drives, 2 serial, 3 parallel ports	SCALL
Delta S-4500 10 USER, MULTI-PROCESSOR, 40 MB	\$CALL
CCS 2210A w/floppy controller, 1 serial port	\$1849
CCS 300-1A w/1.2MB floppy drives, 2 serial, 2 parallel ports	\$4849
CCS 400-1A w/10MB hard disc, 2 serial, 2 parallel ports	\$6999
NNC 80 w/1MB floppy drives, 2 serial, 3 parallel ports	\$3999
NNC 80W w/.5MB floppy, 8.4MB hard disc, (OASIS optional)	\$6693
ALTOS single and multi-user systems	Scall
MORROW Decision 1, MICROSOFT basic, UNIX	Scall

XEROX. 820 Desktop computer-64K, 2 floppys, (CP/M AVAIL.) \$CALL

We offer multi-user networks by DELTA PRODUCTS, DISCOVERY, TELEVIDEO. MUSYS, IMS, DIGITAL, MICROSYSTEMS

TERMINALS \$CALL AMPEX DIALOGUE 30, 80 TELEVIDEO 910 C (multi-terminal) \$699 \$599 920 C \$1030 \$789 950C \$1195 \$989 **SOROC 10 120** \$995 \$729 HAZELTINE ESPRIT \$745 \$669 **DEC VT-100** \$2050 \$1575

Similar savings for our HAZELTINE and LEAR SIEGLER lines **AMPEX** LOOK HERE!

Call us for ALL your softwear needs Dialogue 80" SYSTEMS HOUSES & EDUCATIONAL INSTITUTIONS, & GOVERNMENT AGENCIES GIVEN SPECIAL CONSIDERATION.



ALL OF OUR PERIPHERALS CAN BE CONFIGURED FOR RADIO SHACK® MODEL II

DEALER and INTERNA INQUIRIES WELCOME

\$CALL

\$700

\$1085

\$892

WASHINGTON COMPUTER SERVICES

an affiliate of

((WASHINGTON)))

est. 1912

CUSTOM COMPUTER ROOM WIRING SINCE 1960 97 Spring Street New York, N.Y. 10012 Hours: 9 AM-5:30 PM (EST) Mon.-Fri.

TO ORDER: CALL OUR TOLL-FREE NUMBER: ★ (800) 221-5416 ★ In N.Y. State and for technical information call 1-(212) 226-2121 For fast delivery, send certified checks, money order or

call to arrange direct bank wire transfers. Personal or company checks require two to three weeks to clear. All prices are mail order only. Prices subject to change without notice; call for latest prices. Prices include 3% cash discount. N.Y. residents add sales tax. Quantex is a trademark of North Atlantic Industries, Inc.

Radio Shack® is a trademark of the Tandy Corp. CP/M® is a trademark of Digital Research

All sales subject to our standard sales (available on request) conditions



What's New?

SYSTEMS

S-100 Gets a 68000 Board


The CPU/68000 processor board is designed for the S-100 bus. It has 32-bit internal architecture, seven prioritized interrupt levels, and up to 16 megabytes of direct addressing using the S-100 standard 24-line address bus. A ROM- (read-only memory) resident monitor is provided onboard. The 8 MHz board runs with all 4 MHz S-100 peripherals.

The CPU/68000 board is included in the Model 68KS system. The 68KS has 32 K bytes of nonvolatile memory, 32 K bytes of EPROM (erasable programmable ROM), and serial input/output ports in a 12-slot cabinet with power supply. The batterybacked memory stores programs even when the power is off.

The Model 68KS system costs \$3685. The CPU/68000 card alone costs \$1195. For additional details on these products, contact Dual Systems Control Corporation, 1825 Eastshore Highway, Berkeley CA 94710, (415) 549-3854. Circle 574 on inquiry card.

Z80 Card for H-8 Microcomputers

The HA-8-6 Z80 card is designed to replace the 8080A microprocessor supplied with the Heath H-8 computer. The card is compatible with all current Heath-disk-based software for the H-8. The HA-8-6 is based on the Z80, so it runs faster than the 8080A. With the HA-8-6, H-8 owners do not need to purchase the extended configuration option before adding the Heath CP/M system or Heath H-47 8-inch floppy-disk drives. The HA-8-6 Z80 card is assembled and tested and costs \$179. Contact Heath Company, Benton Harbor MI 49022, (616) 982-3210. Circle 575 on inquiry card.



Three-Processor Microcomputer

Using a 16-bit 68000 microprocessor for main control, a 68000 for virtual-memory control and number-crunching, and a 6809 to handle I/O (input/output), the MiniFrame is designed for 12 MHz operation with no wait states. MiniFrame can address up to 4 billion bytes and handles demand-paged virtual memory in 16-megabyte increments. The computer works with floppy and/or hard disks and is designed for single- or multi-user operation under UNIX.

A single-user MiniFrame starts

at under \$12,000, which includes 256 K bytes of programmable memory, 2 megabytes of 8-inch floppy-disk storage, six RS-232C ports, four parallel ports, one direct-memory-access port, and the UNIX Version 7 operating system. The UNIX package includes FORTRAN-77, C, BASIC, and textand file-processing utilities. The MiniFrame will also support CBASIC, FORTH, LISP, APL, and most Microsoft languages. Contact MicroDaSys Inc, 68 K Division, 2811 Wilshire Boulevard, Santa Monica CA 90403, (213) 829-6781.

Circle 576 on inquiry card.

Portable Attache

The Attache is a portable microcomputer that weighs 18 pounds and features a Z80A microprocessor, a 5-inch video display, two 180 K-byte floppy-disk drives, a standard keyboard that flips down, and 64 K bytes of programmable memory. A second microprocessor takes care of the disk drives and two serial ports.

Standard software supplied is CP/M, an enhanced WordStar word-processing program, and extended BASIC. The UCSD Pascal system is also available, and any programs written for CP/M or UCSD Pascal can be run on the Attache. Options include graphics, AC or battery operation, and a multifunction board with a general-purpose interface, parallel input/output, and analog input. Contact Otrona Corporation, 2500 Central Ave, Boulder CO 80301, (303) 444-2274.

Circle 577 on inquiry card.

SPECIALS ON INTEGRATED CIRCUITS 6502 7.45 10/6.95 50/6.55 100/6.15 6502A/6512A 8.40 10/7.95 50/7.35 100/6.90 6520 PIA 5.15 10/4.90 50/4.45 100/4 15 6522 VIA 6.45 10/6.10 50/5.75 100/5.45 7.90 100/6.60 6532 10/7.40 50/7.00 2114-L200 25/3 50 375 100/3 25 2114-L300 3.15 25/2.90 100/2.65 2716 EPROM 7.00 5/6.45 10/5 90 2532 FPROM 14 50 6116 Hitachi 2K x 8 CMOS RAM 14.50 4116-200 ns RAM (NEC) 8 fer 19 Zero Insertion Force 24 pin Socket 2.00 6550 RAM (PET 8K) 12.70 S-100 Wire Wrap Socket 2.40

A P Products 15% OFF A P Hobby-Blox 15% OFF





THE STAR MODEM Frem Prentica/Livermore Data Systems RS232 MODEM **SALE \$128** IEEE 488 MODEM \$199 **RS232 CCITT** \$170 **IEEE 488 CCITT** \$270

We carry Apple II+ from Bell & Howell



fullFORTH+ for Apple II A full-featured FORTH with enhancements. Conforms to FORTH Interest Group standards. FORTH for PET by Cargile/Riley \$50

Full FIG model with all 79 Standard extensions. Metacompiler for FORTH for independent object code 30 KMMM PASCAL for PET/CBM \$85

Includes translator for true machine language object code. EARL for PET/CBM 65 Editor, Assembler, Relocator, Linkeditor

SuperGraphics - BASIC Language Extensions 30 Fast Machine Language Graphics routines for PET/CBM.

SM-KIT - Super PET/CBM ROM based Utilities 40 SubSORT for PET/CBM by James Strasma Flexible general purpose machine language sort routine.

PaperMate 60 Command Word Processor (Riley) 40 Full-featured CBM/PET version with tape or disk text files.

FLEX-FILE Data Base/Report Writer/Mail List 6N Versatile PET/CBM data handling system by Michael Riley.

4 Part Music System for PET/CBM Includes Visible Music Monitor and D/A Converter.

Gcommodore



CBM-PET SPECIALS list SALE (995) 775 8023 Printer - 136 col. 150 cos bi-directional 8300 (Diablo 630) Daisy Wheel - 40 cps (2250) 1725 bi-directional 8032 80 x 25 CRT, business keyboard (1495) 1100 Micro Mainframe (1995) 1600 8096 Board (extra 64K RAM for 8032) (500)400 8050 Dual Disk Drive - 1 megabyte (1795)1375 8250 Dual Disk Drive - 2 megabyte (2195)1760 CBM IEEE Modem (395)199 4016 full size graphics keyboard (995) 795 4032 full size graphics keyboard (1295)999 4040 Dual Disk Drive - 330,000 bytes (1295)999 2031 Single Disk Drive - 165,000 bytes (695)560 (795)4022 Tractor Feed Printer 630 C2N External Cassette Deck (75)VIC 20 Color Computer (299)269 VIC 1515 Graphic Printer (395)Used CBM/PET Computers CALL 8024-7 High Speed Printer (1995) 1345 WE WILL MATCH ANY ADVERTISED PRICE

*** EDUCATIONAL DISCOUNTS *** Buy 2 PET/CBM Computers, receive 1 FREE

WordPro 3 Plus - 32K CBM, disk, printer	200
WordPro 4 Plus - 8032, disk, printer	300
OZZ Data Base System for CBM 8032	335
VISICALC for PET, ATARI, or APPLE	155
SM-KIT - Super PET ROM Utilities	40
Programmers Toolkit - PET ROM Utilities	35
PET Spacemaker II ROM Switch	36
2 Meter PET to IEEE or IEEE to IEEE Cable	40
Dust Cover for PET	7
IEEE-Parallel Printer Interface for PET	110
IEEE-RS232 Printer Interface for PET	120
The PET Revealed	17
Library of PET Subroutines	17

RAM/ROM for PET/CBM

4K or 8K bytes of soft ROM with optional Battery Backup. Adds extra RAM which can be write protected like ROM. 4K Version - \$80 8K Version - \$120 Battery Backup - \$30

EPROM Programmer for CBM/PET Branding Iron with software/hardware for 2716 and 2532.

Watanabe Intelligent **Plotter**



WATANABE WX4675 6-pen Plotter 1445

DISK SPECIALS



SCOTCH (3M) 5" 10/2.75 50/2.65 100/2.60 SCOTCH (3M) 8" 10/2.80 50/2.70 100/2.65 Verbatim 8" Double Dens. 10/3.45 50/3.35 100/3.20 Verbatim 5" Datalife 10/2.45 50/2.40 100/2.35 (add 1.00 for Verbatim 5" plastic storage box) BASE 5" soft 10/2.40 20/2.35 100/2.30 Wabash 5" in Plastic Box 10/2.70 50/2.60 100/2.50 Wabash 8" in Plastic Box 10/2.75 50/2.65 100/2.55

WE STOCK MAXELL DISKS

Diskette Storage Pages 10 for 3.95 Disk Library Cases 8" - 2.85 5" - 2.15 8" - 50 for 7.50 5" - 50 for 6.00 Disk Hub Rings

CASSETTES - AGFA PE-611 PREMIUM

High output, low noise, 5 screw housings. 10/.56 50/.50 10/.73 50/.68 100/.66 All other lengths available. Write for price list.

SPECIALS

EPSON MX-80 Printer EPSON MX-80 F/T Printer **EPSON MX-70 Printer EPSON MX-100 Printer** Centronics 739 Printer with dot graphics STARWRITER Daisy Wheel Printer 1445 Zenith ZVM-121 Green Phosphor Monitor 115 Amdek Color Monitor 355

ALL BOOK and SOFTWARE PRICES DISCOUNTED OSBORNE/McGraw-Hill, HAYDEN, SYBEX,etc.

ZENITH DATA SYSTEMS Z19 Video Terminal (VT-52 compatible) 725 ZVM-121 Green Phosphor Monitor 789 with 48K

115 2150 Extra 16K RAM Board 115 Z47 Dual 8" Drive 2775

Synertek Systems

SYM-1 Microcomputer 205 SYM BAS-1 BASIC or RAE 1/2 Assembler 85 KTM-2/80 Synertek Video and Keyboard 349 KTM-3/80 Synertek Tubeless Terminal 385






DOS 2 800 Computer 749 21 400 - 16K 329 Pilot 68 810 Disk Drive Microsoft BASIC 449 68 825 Printer Educ. Series 20% off 629 MISSILE COMMAND 850 Interface 139 32 822 Printer 359 ASTEROIDS 32 STAR RAIDERS Paddle Pair 17 32 Joystick Pair 17 17 Space Invaders 16K RAM 85 Music Composer 45 Assembler/Editor 46 Chess 30 20 Super Breakout 30 TeleLink Write for prices on other Atari items.

REVERSAL (Spracklen) 32K Apple 28.00 Data Manager (Lutus) 24K Apple 40.00 Energy Miser - PET, Apple, Zenith 24.50 Histo-Graph (Boyd) 48K Apple 24.50 Data-Graph (Boyd) 48K Apple 40.00 Apple II User's Guide (Osborne) 12.00 Introduction to Pascal (Sybex) 10.30 Pascal Handbook (Sybex) 12.00 Musical Applications of Micros (Chamberlin) 20.00 Basic FORTRAN (Coan) 7.25

WRITE FOR CATALOG
Add \$1,25 per order for shipping. We pay balance of UPS surface charges on all prepaid orders. Prices listed are on cash discount basis. Regular prices slightly higher. Prices subject to change.

What's New?

PERIPHERALS



8-Megabyte, 5-Inch Floppy-Disk Drive

Amlyn Corporation has designed a family of 5-inch floppydisk drives that use a 5-disk cartridge to provide up to 8 megabytes of storage. The Model 5850 is interface-compatible with Shugart SA-850 drives, and each cartridge appears to the controller and software as an SA-850 drive. The Model A506 is storage-compatible with Seagate Technology ST506 hard-disk drives.

The disk cartridge holds five special 5-inch floppy disks and is designed to allow users to easily change an entire cartridge at a time or individual disks within it. Because of the mechanical selection and insertion of disks, possible operator-handling damage is eliminated.

Both models use an Intel 8051 microprocessor to handle the control functions. Disks recorded at densities of 48, 96, or 100 tpi (tracks per inch) can be read by

these drives. The microprocessor provides control to compensate for disk-dimensional changes. Head positioning is referenced to a single track on each disk. The disks can handle a 9500-bit-perinch recording density. Typical unformatted capacities are 4 megabytes per cartridge with 800 K bytes per disk in singledensity recording and 8 megabytes per cartridge—1600 K bytes per disk and 10.4 K bytes per track-in double-density mode. The capacity using the IBM format is slightly less. The Seagate ST506 format allows double-density capacities of 6.3 megabytes per cartridge. The transfer rate for these capacities is 250 kbps (thousand bits per second) in singledensity and 500 kbps in doubledensity. The average seek time is 70 ms. The Amlyn drives are physically compatible with existing 5-inch drives and cost approximately \$1250. Contact Amlyn Corporation, 1758-H Junction Ave, San Jose CA 95112, (408) 275-8616.

Circle 578 on inquiry card.

Digital-Cassette System

The LG 1 digital minicassette system can be used for backup, data logging, and transmission. It features an RS-232C port or 20 mA current loop and it can store 96 K bytes per tape. The LG 1 contains an operating system, has variable data rates, and automatically checks for errors and performs retries. All I/O (input/output) is buffered.

The LG 1 digital-cassette system is available for \$399 without a case or \$499 with a case. Contact ADPI, 815 Diana Dr, Troy OH 45373, (513) 339-2241. Circle 579 on inquiry card.

26-Megabyte Drive Down in Price

The Discus M26 26-megabyte, 14-inch hard-disk drive costs less than \$173 per megabyte. The price of this S-100-based system has been reduced by \$500 to \$4495. The M26 features a Shugart SA4000 Winchester-style drive with a data-transfer rate of up to 900 k bytes per second. It delivers a full 26 megabytes of formatted storage and can be expanded up to 104 megabytes by daisy-chaining drives. An S-100 controller supervises all data transfers and can generate system interrupts at the completion of each data-exchange command. Database security is maintained by write-protecting each sector.

The M26 runs under CP/M and can be run under North Star and Cromemco disk operating systems. The Discus M26 system consists of the hard-disk drive, cabinet, power supply, all cables, S-100 controller, and CP/M 2.2. For further information, contact Morrow Designs, 5221 Central Ave, Richmond CA 94804, (415) 524-2101.

Circle 580 on inquiry card.

WE WILL NOT BE UNDERSOLD

DISK DRIVES



FOR TRS-80* Model I

CCI-100 51/4", 40 Track (102K) \$299

ADD-ON DRIVES FOR ZENITH Z-89

CCI-189 51/4", 40 Track (102K) \$389 Z-87 Dual 51/4" system \$995

External card edge and power supply included. 90 day warranty/one year on power supply.

 CORVUS
 5 mg
 \$3089
 10 mg
 \$4489
 Mirror
 \$699

 RAW DRIVES
 8" SHUGART 801R
 \$399

 5¼" TANDON
 \$ CALL
 POWER SUPPLIES
 \$ CALL

DISKETTES — Box of 10

51/4" Maxell \$40 **BASF/Verbatim** \$26.95 Maxell \$45 **BASF/Verbatim** \$36.00 PLASTIC FILE BOX-Holds 50 51/4" diskettes \$19.00 PLASTIC LIBRARY CASE 51/4" \$3.00 \$ 4.00 **HEAD CLEANING DISKETTE** \$25.00 FLOPPY SAVER \$10.95 **RINGS \$ 6.95**

16K RAM KITS
200ns for TRS-80,*Apple II, (specify):
2 for \$37

Jumpers \$2.50

COMPUTERS/SYSTEMS

ALTOS	ACS8000 Series		\$CALL
ZENITH	48K, all-in-one computer		\$2149
ATARI	400 \$ 359	800	\$ 789
MATTEL	INTELLIVISION		\$ 259
APPLE PER	RIPHERALS		\$CALL

TERMINALS

BAK DAM

ADDS	View	point			\$CA	ALL
ZENITH	Z-19				\$	725
TELEVIDEO	910	\$ 559	920C \$729	950	\$	929
IBM	3101-	10			\$1	189

S-100 CALIFORNIA COMPUTER SYSTEMS MAINFRAME \$349 Z80 CPU \$ 239

O-HIL HAMI	4303	I LOTT I DIGG CIVIT	1 L 4 003
INTEGRATED SYS	TEM WINTERN	IAL CABLES, TESTED	\$1975
2P + 2S I/O			\$ 269
4 PORT SERIAL I/O	0		\$ 249
4 PORT PARALLE	L I/O		\$ 179
CABLES			SCALL

CASIO CALCULATORS

FX702	\$199.00
FR100	\$ 79.95
FX8100	\$ 49.95
CA90 Plastic	\$ 49.95
CA901 Steel	\$ 69.95
AX210 Calendar	\$ 59.95
	FR100 FX8100 CA90 Plastic CA901 Steel

BUSINESS SOFTWARE

WORDSTAR for Apple II	\$ 329
WORDSTAR for Zenith Z89	\$ 329

PRINTERS



 NEC SPINWRITER

 7710 R.O. Par
 \$2395

 7710 R.O. Par w/tractor
 \$2595

 7720 KSR w/tractor
 \$2795

 7730 R.O. Ser
 \$2395

 7730 R.O. Ser w/tractor
 \$2595

 NEW 3500 Series
 \$CALL

EPSON MX-70 MX-80 MX-80FT MX100 **SCALL** PAPER TIGER **IDS 445** Graphics & 2K buffer \$ 639 IDS 460 Graphics & 2K buffer \$ 799 IDS 560 Graphics \$1049

ACCESSORIES \$CALL
ANADEX DP-8000 \$849 DP-9500/01 \$1389
OKIDATA
Microline 80 Friction & pin feed \$CALL

Microline 82 Friction & pin feed **\$CALL** Microline 83 120 cps, uses up to 15" paper **\$CALL** Call for new Microline series! CENTRONICS 739, new model with graphics \$ 739 C. ITOH Starwriter I 25 cps, parallel interface \$1525 Starwriter I 25 cps, serial interface \$1620 Starwriter II 45 cps, parallel interface \$1950 Starwriter II 45 cps, serial interface \$2075

DATA SOUTH 180 cps
MONITORS

MOIXA

BELL & HOWELL 9" B & W BHD911 \$155 LEEDEX 12" B & W \$129 12" Green Screen \$155 13" Color \$329 SANYO 9" B & W \$149 12" Green Screen \$238 12" B & W \$219 13" Color \$399 13" Color ZENITH \$349 12" Green Screen \$129

TELECOMMUNICATIONS

GP-80M

	1114101416141				
PRENTICE ST	AR MODEM 1-y	ear guarante	ee		\$125
UNIVERSAL D	ATA SYSTEMS	UDS103LP	\$149	UDS103JP	\$215
NOVATION	CAT	\$139	D-CA	T	\$149
	AUTO-CA	T \$199	APPL	E CAT II	\$339
D.C. HAYES	SMART/S	TACK MODI	EM		\$235
	MICRO-M	ODEM II			\$295
CCI Telnet Con	nmunications Pa	ckage			\$135

APPLE ACCESSORIES AND SOFTWARE

ALL PROPERTY		MIND OOI I WAI	1 =
Mfr. by:Microsoft - Mountain	Computers	- Videx - CCS - Personal	Software
VISICALC	\$159.00	VISIDEX	\$159.00
VISITERM	\$119.00	VISIPLOT	\$139.00
Z-80 SOFTCARD	\$259.00	VIDEX BOARD	\$249.00
KEYBOARD ENHANCER	\$110.00	16K CARD	\$159.00
APPLE JOYSTICK	\$ 49.00	SUP-R FAN	\$ 39.00
SUP-R MOD	\$ 25.00	CCS CARDS	\$ CALL
APPLE CARDS	\$ CALL	ASCII EXPRESS	\$ 59.00
SUPERCALC	\$199.00	ALF9 VOICE BOARD	\$149.00
CPS MULTIFUNCTION CA	RD		\$199.00

ENTERTAINMENT

Mfr. by:On Line - Brode	erbund -	Sirius -	California Pa	cific
FLIGHT SIMULATOR	\$29.00	SARGON II	\$29	9.00
WIZARD & PRINCESS	\$28.00	ABM	\$21	1.95
MYSTERY HOUSE	\$24.00	GORGON	\$34	4.95
HI-RES FOOTBALL	\$35.00	MICROPAIN	ITER \$29	9.00
RASTER BLASTER	\$25.95	APPLE PAN	IC \$27	7.95
SPACE EGGS	\$17.95	MATTEL GA	MES \$27	7.00

For fast delivery, send certified checks, money orders or call to arrange direct bank wire transfers. Personal or company checks require two to three weeks to clear. All prices are **mail order only** and are subject to change without notice. **Call for shipping charges.**

DEALER (NATIONAL/INTERNATIONAL) INQUIRIES INVITED

ELODDY DISC CHITDL & 220

Send for FREE Catalogue

The CPU SHOP

TO ORDER CALL TOLL FREE 1-800-343-6522

TWX: 710-348-1796 Massachusetts Residents call 617/242-3361

5 Dexter Row, Dept. B12 Charlestown, Massachusetts 02129 Hours 10AM-6PM (EST) Mon.-Fri. (Sat. till 5) Technical Information call 617/242-3361
Massachusetts Residents add 5% Sales Tax
Tandy Corporation Trademark/® Digital Research
Circle 110 on inquiry card.





\$ 319

\$CALL

What's New?

SOFTW/ARE

Beat the Tax Tribulations

Individual Tax Plan is designed specifically for professional tax practitioners. Automatic computations include federal tax liability (using appropriate tax tables and rate schedules), income averaging, and maximum tax on earned income, with selection of the lowest tax due; add-on minimum and alternative minimum tax; 10-year averaging for lump-sum distributions; charitable-contribution, medical-expense, and capital-loss limitations; and capitalgains deductions. Individual Tax Plan is available for the Apple II with 48 K bytes of memory or for the Western Digital Microengine. Contact Aardvark Software Inc. 783 N Water St, Milwaukee WI 53202, (414) 289-9988. Circle 581 on inquiry card.

Computerized Dictionary

Release 2 of the Computerized Dictionary checks text for spelling errors and runs under the FLEX operating system. Misspelled words are highlighted and can be changed automatically by the system. In the interactive mode, any words not found in the dictionary file are displayed. The operator can ignore the word, replace it, or add it to the dictionary file. Frequently misspelled words can be automatically changed by the system. In the list mode, the text is printed or displayed as it is being processed with misspelled words highlighted. A full page of text, about 425 words, can be edited in 31/2 minutes. Current licensees can receive release 2 for \$25. The package has a one-time charge of \$100 from Davidson Software Systems, POB 21002, Lansing MI 48909, (517) 332-5989. Circle 584 on inquiry card.

Faster Than a Speeding CP/M

Compatible with Digital Research's CP/M operating system, TurboDOS handles program loading six times faster than CP/M and is up to 10 times faster in fileoriented applications. The speedup is accomplished by a buffer manager that performs multilevel buffering of disk I/O (input/output) and by a feature that scans the allocation map of a file, determines the sequentially allocated segments of the file, and loads these segments at the maximum transfer rate of the disk controller. The elimination of warm-start and disk log-on delays is another feature of TurboDOS. Changes of disk side and density formats are automatically handled by the system. Most CP/M programs will operate under TurboDOS without modification provided that the programs do not rely on internal CP/M data structures or use bit maps. CP/M BDOS functions and direct BIOS calls are fully supported. An alternative to the CP/M format increases the storage capacity on each floppy disk to hold 25 to 35% more data.

TurboDOS can be configured as a single- or multi-user system. It will support hard disks in excess of 1000 megabytes without partitioning and allows random access to files up to 67 megabytes. Provisions are made for independent drive operation permitting system start-up from any disk drive. Up to 16 spooler gueues are supported, which allows a single printer to print from many queues or a single queue to feed several printers. Multiple commands are accepted, and multilevel nesting of command files is possible.

TurboDOS is available for IMS S-100 computers, TRS-80 Model IIs, and Info 2000 systems. Depending upon configuration, TurboDOS costs from \$195 to \$700. Contact Data-Rx Inc, 686 Lighthouse Ave, Monterey CA 93940, (408) 375-2775.

Circle 582 on inquiry card.

CP/M Magnetic Cartridge Archive

MCSave is designed to interface the 67-megabyte 3-M HCD-75 magnetic-tape-cartridge drive and controller to any Z80 CP/M, CDOS, or Cromix system. Features provided by MCSave (Magnetic Cartridge Save) are transfer of files from disk to tape, tape to disk, or tape to tape for any multiple tape-drive configuration. Date and time of tape-file creation, ambiguous file names, batch/submit capability, relative file names, and self-test diagnostics are all supported.

MCSave is shipped ready to interface to a Cromemco 8PIO card, but the program can be customized for different hardware systems. It requires 48 K bytes of memory and a 24-line by 80-column video display. MCSave with documentation and one year of free update service is \$295. A complete system, which includes the tape drive and controller, S-100 interface card, tapes, power supply, and MCSave, is \$4995. Contact Microcomputer Consulting Services, 8308 Juniper, Fort Worth TX 76180, (817) 498-6390.

Circle 583 on inquiry card.

PrintersPlus

..computers, peripherals, accessories and supplies!



APPLE ACCESSORIES

Apple II & 48K CALI
Disk II w/controller DOS 3.3 CALI
Disk II Add-On CALI
Microsoft Z80 Softcard 319
16K Ram Card 159
CCS Parallel Card 109
Async Serial Card
Clock/Calendar Card 109
IEEE Card 239
A-D Card
Mountain Comp. Romplus 139
KB Filter ROM 49
CPS Multifunction Card 199
Supertalker
Paymar L/C Adapter - New 49
- Old 39
M&R Super Mod
Superterm 319
Videx Video Term 309
APPLE SOFTWARE

	_	-				-	_		_		
Personal S/W Desktop	F	Pla	ın	I	I					\$	169.
CCA Data Mgmt											. 85.
Visicalc											
Visiplot											159.
Visitrend/Visiplot .											
Visidex											
Visiterm											
Micropro Wordstar											
Super-Sort											159.
Mail-Merge											. 99.
Data Star											
Spell Star											199.
Muse Super Text II											129.
Address Book											
Form Letter Module											
Stoneware-DB Master I											
Microcom-MicroCourier											
Infotory											199.
					_						

RIBBONS

NEC .																	٠.			\$77.00/Doz
Qume																				45.00/Doz
Diablo																				66.00/Doz
																				35.00/6 ea.
Tritel .																				95.00/Doz
																				45.00/Doz.
																				. 13.95/ea.
MPI/Axi	ic)1	Υ	1	1	E	32	3:	Si	2	2	2				-		12		. 10.00 ea.

MAGNETIC MEDIA

Premium Quality At Bargain Prices 5¼" Diskettes, all Formats 100% Certified with hub rings, box of 10

Took certified with hid hings, box	0, 10
Single sided, single density	26.95
Single sided, double density	29.95
Double side, double density	
8" Diskettes, All Formats, 100% Ce	
Single sided, single density	29.95
SSSD Error Free	32.95
Single sided, double density	39.95
Double sided, double density	49.95

Complete Stock of MX-80, MX-80 F/T MX-100 Printers, Graphics Chip Sets Cards and Cables



NEC-8023 A, 100 cps Matrix Printer

Hi-Res dot graphics, proportional spacing, correspondent quality printing, bi-directional tractor and friction feed, 80, 132 col. Greek & Math symbols. Everything you need in a small List \$840



MODEMS

UDS 103 LP, direct	\$169.
103 JLP Auto Answer	. 219.
202 LP 1200 BAUD	. 259.
NOVATION CAT, acoustic	. 159.
D-CAT, direct	. 169.
Auto Cat	. 219.
Apple Cat	. 339.
HAYES S100 Micromodem	\$349.
Apple Micromodem	. 329.
Smart Modem	. 249.

VIDEO MONITORS

Zenith 12" Green	\$139
	\$239
Amdex 12" B/W (Leedex)	
Amdek 13" Color Lo-Res	\$439

VIDEO TERMINALS

Ampex Dialog 80										\$ 995
Ampex Dialog 30										795
Televideo 920C										
Televideo 950										995
_										



PC-8000 Series Microcomputer System.

● 5 user programmable function keys ● 82 Keys with numeric keypad ● 160 x 100 resolution ● 80 character screen

PC-8001A Microcomputer w/32K RAM	1099
PC-8012A I/O Unit w/32K RAM	
Expansion slots	. 699.
PC-8031A Dual Mini-Disk Drive Unit	1099.
PC-8032A Add-On Dual Mini Disk	
Drive Unit	. 949



MPI 88G / 99G MATRIX


High resolution dot addressable graphics for Apple. Enhanced "correspondence quality" printing. Tractor and friction feed. Serial and Parallel Input. 100 cps Bidirectional printing. 80, 96 and 132 column widths!

oo, so and	132 6016	uu	11	и	u	ш	11.	5:					
88 G List	749											\$	589.
99 G List \$	849											\$	660.
Apple Paral	llel I/O Ca	arc	1/	Ca	ab	ole	/1	D	is	k		\$	110.
with Grap	phics Pro	m	(1	Ap	-F	a	k))				\$	145.
IEEE I/O C	ard												\$55.
Single She	et Feeder												\$25.
QT Cover													\$25.



NEC SPINWRITERS

5510/5530 RO w/tractor	\$2,550.
7710/7730 RO w/tractor	
5520 KSR w/tractor	
7720 KSR w/tractor	
3510/3530 RO	\$1,895.
Bi-directional tractor	. \$225.
Pusher tractor	. \$350.



OLYMPIA

Letter quality. Daisy wheel printer/typewriter interfaces to Apple, Atari, NEC, TRS80 and RS232 Serial ports. A truly cost effective letter quality printer that functions as a typewriter.

L3100 KO Computer printer	
List \$1690 (C
ES100 Typewriter only	
Interface Card Only	
(specify serial or parallel)	
I/O Cable (specify serial or parallel)	
Apple Serial Card	
Print Wheels & Ribbons	

TO PLACE YOUR ORDER CALL

TELEPHONE (714) 744-7314

INTRO

PRICING

\$1099.00

TELEX 697120


or write to:

910-105 W. San Marcos Blvd., San Marcos, CA 92069

TERMS OF SALE: Cash, check, money order bank wire transfer recredit card or purchase orders from qualified firms and institutions. Please include telephone number with order and expiration date on credit card orders. California residents add 6% sales tax. Advertised prices are for prepaid orders FOB shipping point. Add 3% for shipping in U.S. Pricing and availability subject to chance without notice. change without notice

POWER SUPPLIES

FOR S-100, FLOPPY DISKS.



KIT 1, 2 & 3 For S-100



R3 For Three 8" or 51/4" Disk Drives



S3 2 in 1 Unit for S-100 and two 8" or 51/4" Disk Drives. It fits most Disk System Mainframes.

S-100 POWER SUPPLY KITS (OPEN FRAME WITH BASE PLATE, 3 HRS. ASSY. TIME)

ITEM	USED FOR	@ + 8 Vdc	@ - 9 Vdc	@ + 16 Vdc	@ - 16 Vdc	@ + 28 Vdc	SIZE W \times D \times H	PRICE
	15 CARDS SOURCE	15A		2.5A	2.5A		12" × 5" × 47/8"	52.95
	SYSTEM SOURCE	25A		3A	3A		12" × 5" × 4%"	59.95
KIT 3	DISK SYSTEM	15A	1A	2A	2A	4A	$14'' \times 6'' \times 4\%''$	67.95

DISK SYSTEM PWR SUPPLY "S3" OPEN FRAME, ASSY. & TESTED. COMPACT SIZE: 10"(W) × 6" (D) × 5" (H) 92.95 REGULATED OUTPUTS FOR DISK DRIVES: +5V @ 4A, -5V @ 1A, +24V @ 4A (OR + 12V @ 4A). SHORTS PROTECT. UNREGULATED OUTPUTS FOR S-100: +8V @ 14A, + 16V @ 3A (OPTION: ADD OVP FOR +5V, ADD \$5.00)

A COMPLETE UNIT FOR DISK SYSTEM WITH THE MAINFRAME CONTAINING 12 SLOTS & TWO 8" or 51/4" DISK DRIVES.

POWER TRANSFORMERS (WITH MOUNTING BRACKETS)

ITEM	PRIMARY	SECONDARY #1	SECONDARY #2	SECONDARY #3	SIZE W \times D \times H	PRICE
T ₁	110/120	2 × 8 Vac, 15A	28 Vac, CT, 2.5A		3¾" × 3½" × 3½"	21.95
T ₂	110/120	2 × 8 Vac, 25A	28 Vac, CT, 3.5A		$3\frac{3}{4}$ " \times $4\frac{3}{8}$ " \times $3\frac{1}{8}$ "	27.95
T ₃	110/120	2 × 8 Vac, 15A	28 Vac, CT, 2.5A	48 Vac, CT, 2A	33/4" × 43/8" × 31/8"	29.95
T ₄	110/120	2 × 8 Vac, 6A	28 Vac, CT, 1.5A	48 Vac, CT, 3A	3¾" × 3½" × 3½"	22.95
T ₅	110/120	2 × 8 Vac, 6A	28 Vac, CT, 2A		3" × 3" × 2½"	14.95

SHIPPING For each power supply \$5.50 in Calif., \$7.50 in other states, \$14.00 in Canada. For each Transformer \$5.00 in all States, \$10.00 in Canada. Calif. Residents add 6% Sales Tax.

V/SA

MAILING ADDRESS: P.O. BOX 4296 TORRANCE, CA 90510 TELEX: 830-5010 ANSWER BACK FOR TELEX SUNYCO TRUC SUNNY INTERNATIONAL (TRANSFORMERS MANUFACTURER) (213) 328-2425 MON-SAT 9-6 SHIPPING ADDRESS: 22129½ S. VERMONT AVE TORRANCE, CA 90502



E

\$100

CALIFORNIA COMPUTER SYSTEMS

0100	
2032 32K STATIC RAM A & T. 450 NSEC\$579.00, 300 NSEC\$585.00, 200 NSEC\$629.00	
2116 16K STATIC RAM A & T.	
450 NSEC\$285.00, 300 NSEC\$289.00, 200 NSEC\$329.00	
2065 64K DYNAMIC RAM A & T\$548.95	
2200 S-100 MAIN FRAM A & T \$379.95	
2422 FLOPPY DISC WITH CP/M 2.2" \$329.95	
2802 6502 PROCESSOR A & T\$282.95	
2810A Z80 CPU A & T\$249.95	
2710A 4 SERIAL 1/0 A & T\$291.95	
2718A 2 SERIAL, 2 PARALLEL A & T	
2720A 4 PARALLEL A & T\$214.95	
PROTO BOARDS WW \$39.95, SOLDERTAIL \$29.95	
APPLE PRODUCTS	
7114A 12K ROM/PROM\$68.50	
7424A CALENDAR/CLOCK\$106.95	
7440A PROGRAMMABLE TIMER\$98.50	
7470A A TO O CONVERTER\$105.95	
7490A GPIB (IE 488) INTERFACE\$265.95	
7710A ASYNC SERIAL\$125.95	
7712A SYNC SERIAL\$153.95	
7720A PARALLEL STANDARD\$98.95	
7720B PARALLEL CENTRONICS\$98.95	
7811B ARITHMETIC PROCESSOR W/DISC \$342.95	
7811C ARITHMETIC PROCESSOR W/ROM \$342.95	
7500A WW BOARD\$22.95	
7510A SOLDERTAH BOARD\$23.95	ì
SOFTWARE	
2610 CP/M™MACRO ASSEMBLER ON DISK\$76.95	
2620 CP/M™ SYMBOLIC INSTRUCTION DEBUGGER \$64.25)

OTHER CCS PRODUCTS ARE AVAILABLE. CALL FOR PRICE.

2630 CP/M™TEXT FORMATER \$64.25

2640 CP/M™BACKGROUND PRINT UTILITY......\$42.95



MICROCOMPUTER PRODUCTS

S100 PRODUCTS	
CBIA 8080 PROCESSOR PCBD\$32.95 KIT\$155.95, A & T\$215.95	
CB-2 280 PROCESSOR BOARD. KIT	
VBIC 64 x 16 VIDEO, PCBD\$32.95 KIT\$153.95, A & T\$199.95	
VB2 64 × 16 VIDEO, PCBD	
VB3 80 CHARACTER VIDEO 4MHZ. KIT\$345.95, A & T\$425.95	
UPGRADE RAMS FOR VB-3\$42.00	
104 2 PARALLEL, 2 SERIAL, PCBD\$32.95 KIT\$155.95, A & T\$194.95	
PB-1 2708, 2716 PROGRAMMER BOARD. KIT	
MB-10 16K STATIC RAM. KIT\$299.95, A & T\$339.95	
APPLE PRODUCTS	
A488 IEEE 488 INTERFACE\$399.95	
AIO SERIAL/PARALLEL INTERFACE. KIT	
KIT	
. KIT (W/O CABLES) \$67.95, A & T (W/O CABLES) \$87.95	

OTHER SSM PRODUCTS ARE AVAILABLE. CALL FOR PRICES.



THURSDAYS, 8:00 TO 9:00 P.M. (415) 728-9121

P.O. BOX 955 • EL GRANADA, CA 94018
PLEASE SEND FOR IC, XISTOR AND COMPUTER PARTS LIST

DEC. SPECIAL SALE ON PREPAID ORDERS

(CHARGE CARDS AND C.O.D. OR P.O. NOT AVAILABLE ON THESE OFFERS)

YMAS SAIF

5% OFF OF CCS and SSM PCBD and Kits. $7\frac{1}{2}\%$ OFF of Wameco PCBD's and Kits.

WMC/inc. WAMECO INC. BOARDS WITH MIKOS PARTS

MEM-3 32K STATIC RAM, PCBD
CPU-2 Z80 PROCESSOR, PCBD
EPM-2 16K/32K EPROM, PCBD
FPB-1 FRONT PANEL, PCBD \$48.50 KIT \$144.95, A & T \$184.95
CPU-1 8080 PROCESSOR, PCBD
QMB-12 13 SLOT MOTHER BOARD, PCBD\$39.95 KIT\$95.95, A & T\$135.95

OTHER WAMECO PRODUCTS ARE AVAILABLE. CALL FOR PRICES.

MIKOS PARTS ASSORTMENTS ARE ALL FACTORY MARKED PARTS. KITS INCLUDE ALL PARTS LISTED AS REQUIRED FOR THE COMPLETE KIT LESS PARTS LISTED. ALL SOCKETS INCLUDED.

LARGE SELECTION OF LS TTL AVAILABLE.


PURCHASE \$50.00 WORTH OF LS TIL AND GET 10% CREDIT TOWARD ADDITIONAL PURCHASES. PREPAID ORDERS ONLY.

VISA or MASTERCHARGE. Send account number, interbank number, expiration date and sign your order. Approx. postage will be added. Check or money order will be sent post paid in U.S. If you are not a regular customer, please use charge, cashier's check or postal money order. Otherwise there will be a two-week delay for checks to clear. Calif. residents add 6% tax. Money back 30-day guarantee. We cannot accept returned IC's that have been soldered to. Prices subject to change without notice: \$10 minimum order. \$1.50 service charge on orders less than \$10.00.

BARE BOARD SALE \$19.95*

LIMITED OFFER

Z80 MICROCOMPUTER



Z-80 MPU, Z-80 PIO, 2716 EPROM 2114 RAM single board computer. Single 5 volt power supply at 300 Ma. Two independent 8 bit I/O ports with handshake lines. RC controlled 2MHz clock.


Complete documentation. I/O lines use 50 pin edge connector data and address lines are not accessible. Mod. for 2532 is included. EPROM is not included. 1K RAM, 2K EPROM, 2 I/O ports.

\$129.95

\$119.95

\$ 19.95

80-280 Assm. 80-280 Kit 80-280 Bare Board 6502 MICROCOMPUTER




6502 MPU, 6522 VIA, 2716 EPROM 2114 RAM single board computer. Single 5 volt power supply at 400 Ma. Two independent 8 bit I/O ports with handshake lines. RC controlled 1 MHz clock.

Complete documentation. I/O lines use 50 pin edge connector data and address lines are not accessible. Mod. for 2532 is included. EPROM is not included. 1K RAM, 2K EPROM, 2 I/O ports.

80-153 Assm. \$110.95 80-153 Kit \$89.95 80-153 Bare Board \$19.95


A-D & D-A CONVERTER



A-D and D-A on one board uses 2 16 pin DIP connectors for data and phono jacks for analog I/O. A-D conversion time $20\mu s$ D-A conversion time $5\mu s$. 8 bits wide Latched data and strobe lines. Single 5 volt 400 Ma. power supply. Designed for speech.

79-287 Assm. **\$79.95** 79-287 Kit **\$59.95** 79-287 Bare Board **\$19.95**

6522 APPLE II INTERFACE



Two 6522 VIAs on a single board for the apple. Four software programmable 8 bit I/O ports connect through 4 16 pin dip sockets. Interrupt jumpers for IRQ and NMI. 4 16 bit timers. Inputs and outputs are TTL compatible.

79-295 Assm. \$69.95 79-295 Kit \$59.95 79-295 Bare Board \$19.95



JOHN BELL ENGINEERING, INC.

ALL PRODUCTS ARE AVAILABLE FROM JOHN BELL ENGINEERING • P.O. BOX 338 • REDWOOD CITY, CA 94064
ADD SALES TAX IN CALIFORNIA • ADD 5% SHIPPING & HANDLING 3% FOR ORDERS OVER \$100
SEND FOR CATALOG (415) 367-1137 10% OUTSIDE U.S.A.

VISA

FLOPPY DISK DRIVES

SPECI	AL!	!!!	!!!!! Q	U	ME DA	TATE	RAK 8
Virtually	the	in	dustry	sta	andard.	High	quality/
reliability. density.	Fu	Ш	feature	d,	double	sided	, double

1-5														\$499
6-9														\$485
10														\$475


TANDON DOUBLE SIDED, DOUBLE DENSITY MINIS

TW100-248 TP1 (500 KB f TES)	\$325
Compatible with Northstar, Cromemco, TRS-80	
TM100-4 96 TPI (1000 KBYTES)	\$425
Compatible with Zenith, Heath, etc.	

SA850	1-5	\$499	Qume Datatrak 5	\$345
	6-9	\$485	SA 400	\$299
	10	\$475		

CONTROLLERS

Tarbell single density kit	\$195
Tarbell single density A & T	\$310
Tarbell double density A & T	\$425
CCS 2422 w/CPM 2.2	\$350
Godbout Disk 1	\$450
145 4 140 4 1 0 1 44	DV 0



MISCELLANEOUS

2 Disk drive enclosure	\$ 9	15
(fits Siemens, Shugart, Qu	me)	
CP-206 power supply	\$11	0
(powers two floppies)		

Mini-Enclosure	with	po	V	V	er	su	ppl	У
1	drive						\$	85
2	drives	S .					\$1	20

Cable Kits	2 drives \$ 3	5
	3 drives \$ 4	0
	4 drives \$ 4	5
Dickattee es	\$39/10 - de \$59/10	

CPU

CCS 2810	\$ 2/5
Godbout Z-80A	\$ 275
Godbout 8085A	\$ 295
MEMORY	,
CCS 2065 64K dynamic	\$ 625
CCS 2116 32K static	\$ 675
Godbout RAM 17 64K	\$ 995
1/0	

CCS 2710 4 SIO										\$	325
Godbout Interfacer	1									\$	225
Godbout Interfacer	2									\$	225

NEW!!!!

Qume Sprint 9 DAISY WHEEL PRINTER . . \$2395

45 CPS, RO. Available in KSR version.

Call for further particulars. Ribbons: \$125/case Bidirectional tractor feed \$225

NEW !!!!

ABM 85 Video Terminal . . \$ 895

- Detachable keyboard
- Televideo 920, ADM 3A compatible
- High resolution green phosphor (23 MHZ)
- Extra multi-bus or S-100 slot for stand-alone capability

Terms of sale: cash or checks, MC/ VISA. Min. order \$25. CA residents add 6% tax. Prices subject to change without notice. All goods subject to prior sale.

Electrolabs =

POB 1608, Palo Alto, CA 94302 (415) 321-5601

TERMINAL

- · Feather Touch Capacitance Keyboard
- 60 Key Standard ASCII
 - PLUS + Hex Keypad
 - PLUS + 8 Special Function Keys
 - PLUS + 20 Screen Editing Keys
- SOROC Type Screen Attribute Set
- · Half Intensity

COMPUTER

- 8 Slot S-100
- · 64K Dynamic Ram
- 4MHZ Z-80
- Serial Printer Port (150-19.2K)
- Double Density Disk Controller
- Programmable Baud Rate
- Programmable Keyboard Set

S-100-8







WITH: 8" SS/DD Drives Only \$2850.00 51/4 " SS/DD Drives Only \$2700.00

CALL FOR QUOTE ON DIFFERENT DRIVE OPTIONS

CP/M2.2 is a TM of Digital Research Inc.

PRINTERS

- C-ITOH Comet I 9 x 7 Dot Matrix ...\$450.00
- C-ITOH Comet II...\$810.00 132 Column Printer 9 x7 Dot Matrix
- C-ITOH Star Writer Call for best price
- EPSON MX 80\$470.00
- EPSON MX 100 ...CALL
- Anadex 9501 \$1,235.00 Graphic Printer

MICRO SALES

11 EDISON DRIVE * NEW LENOX * ILLINOIS 60451 CALL TOLL FREE: 1-800-435-9357 * MONDAY thru SATURDAY (ILLINOIS RESIDENTS CALL: 815-485-4002) * 8:00 a.m. to 6:30 p.m.

TERMS: Prepayment — C.O.D. up to \$100.00 — M/C Visa \$5.00 Processing and Handling added to each order PLUS Shipping Charges.

Please allow personal check to clear before shipment.

TERMINALS

- Televideo 910 \$575.00
- Televideo 912C \$665.00
- Televideo 920C \$740.00
- Televideo 950 \$950.00
- Ampex Dialog 80 \$895.00
- Zenith Z19 \$745.00

DISK DRIVES

- Shugart 801's \$395.00
- Shugart 851's \$585.00
- Qume DT-8's \$540.00
- Shugart 400's \$255.00
- Tandom 51/4 \$255.00
- MPI B-51 \$255.00

California Computer Systems



Only — \$250.00

2422 Dsk Cont

Only - \$319.00 2065C 64K

2032C 32K

Only — \$510.00

2718 2x2

Only - \$620.00 Only — \$305.00

2200A Mainframe

2 SHUGART 801R

Only - \$349.00

2501 Mother Board Only — \$106.00

2116C 16K Static Ram 200ns Only - \$309.00

2520K Extender Board Only - \$52.00

PRODUCTS 3.0

CPU Serial Cable

Only - \$30.00

Z80 CPU

Only - \$250.00

DP Dsk Cont

Only - \$275.00

DP 64K

Only - \$400.00

32K (Kit)

Only - \$250.00

S1 - MOD (KIT) \$199.00



Complete S-100 12 Slot Main Frame. Ample system power with regulated power for drives. Excellent for Subsystem or Hobby use. Four hours to build. (6 conn., incl., less fans)

Z-80A - \$6.95 **Z-80A SUPPORT**

CTC - \$6.55

SIO - \$25.50PIO - \$6.50

DMA - \$15.00

2716-\$6.75

2708-\$3.95

4116-\$2.50

2114-\$2.75 2141-\$4.00

(INTEL)

S-100-CONNECTOR SOLDER TAIL \$2.50


S-100 CARD EXTENDER (Gold Contacts) \$12.50

- CALL FOR FULL
- * LINE OF SOFTWARE *

* SPECIAL * SPECIAL * SPECIAL *

DUAL DRIVE SUBSYSTEM

\$1,045.00



POWER SUPPLY \$245.00 w/no Drives

Tested and Assembled


\$1,295.00 2-QUME DT 8 Power Supply and Cabinet Tested and Assembled

IN STOCK!!!

Zenith

data systems

Quality Affordable Microcomputers



Novation

CAT\$150	00.0
D-CAT \$165	5.00
AUTOCAT\$235	5.00
APPLECAT \$350	0.00
SUPERMIKE \$1	1 50

* CABLES *

- -R3232 made to order
- 50 Pin Ribbon cable w/connectors
- -34 Pin Ribbon cable w/connectors Call for Prices

BASF FLOPPIES

BOX OF 10 ONLY:

51/4" Soft SSDD

- \$26.50

51/4" Soft DSDD - \$26.50

8" Soft SSDD

- \$37.00

8" Soft DSDD

-\$50.00

BYTE December 1981

MSI-8085 Complete System!

A totally integrated system complete & ready to run. Nothing Else to Buy. List \$5937°

Special Introductory Price

\$495000

Qty discounts

Dealers inquiries invited features:

●8085 Based Computer with 64K Memory and 3 Serial RS-232 Ports

•Dual 8" floppy 1 Meg Storage •120 CPS 132 Col. Matrix line printer ●80 x 24 Crt ●CP/M® includes manual

•Microsoft Basic® includes manual Full Accounting Software with sources For full information call:

> 618 277-7990 **MAYBERRY** SYSTEMS, INC.

1710 Boul Avenue-Belleville, IL 62221

Circle 239 on inquiry card.



Circle 152 on inquiry card.



Note: We have a large qty of commercial video equip. for sale (refurbished). Send for complete listing.

Oracle Electronics & Trading Co., Inc.

2257 Mora Drive Mountain View, CA 94040 (415) 961-4920

Circle 318 on inquiry card.

LABELS

15/16"x31/2" 1 up - pin feed white pressure sensitive

PRICE INCLUDES SHIPPING

Packed 5M per box - Min. order 1 box -\$14.95 Check with order - Mass Residents add 5% Sales Tax

CHECK-MATE

.O. Box 103, Randolph, MA 02368 Telephone: 617-963-7694

Circle 56 on inquiry card.

DRV ELECTRONICS

FLOPPY DISK DRIVE SYSTEMS

CANADA'S No. 1 DISK DRIVE CENTRE

Personal Computer Users-TRS80

DRV Electronics Offers

MP1 Drive 51 with power supply & case Percom Doubler II

Percom Data Separato Percom Drive Kits for Model III also available

Full Warranty. Complete repair service. Immediate delivery on all mail orders.



Authorized Percom Dealer and Service Centre

Can \$499

Can \$250

Can \$49.95

ELECTRONICS 15100 - 40TH AVE., SURREY B.C. CANADA V3S 4N7

(604) 576-8535

Circle 133 on inquiry card.

FOR UCSD PASCAL* SYSTEMS

\$125 - DISPEL*** - your spelling woes. An interactive spelling corrector with on-line word look up, and dictionary maintenance.

\$75 - INTELLECT-UL** LISP -Complete LISP interpreter.

\$1000 - PDBASE*** - Entity Relational Data-base. To be released soon. Info. available.

IOTC Inc. 910/Sully/Laramie, WY 82070

*Trademark Regents University of

**Trademark AIIS Inc. *Trademark IOTC Inc.

(307) 721-5818

Circle 201 on inquiry card.

EPSON

DOT MATRIX PRINTERS SUPER DISCOUNTS ON

MX-80F/T LOWER NOW

MX-80

\$499 LOWER!

MX-100

- \$890 STOCK

We also stock direct connect cables for TRS-80, Apple, Atari, Pet or RS 232

CALL TOLL FREE

1-800-344-7493

In CA and for service (209) 667-2888





APPLE, PET, ATARI, TRS 80

• BUSINESS • GAMES EDUCATION

You know there is an alternative to Retail Software Prices. We offer a fast, easy method of buying quality software at excellent discounts. Your software needs are our only

Circle reader service number for our current catalog.

Software Supply Corp.

P.O. Box 24322 Tampa, Fla. 33623 (813) 877-3851

256K RAM

New 256K dynamic RAM card for S-100 bus. Meets IEEE 696 standard. Full parity, either 8/16 path. Includes bit data acknowledge line for use with asynchronous processors, such as the MC68000. Plus many more advanced features. 200nsec standard, 150 nsec optional.

\$3795

OEM pricing available

Empirical Research Group, Inc. PO Box 1176 Milton, WA 98354 206-631-4855



P.O. Box 4430X Santa Clara, CA 95054 Will calls: 2322 Walsh Ave. (408) 988-1640

Same day shipment. First line parts only. Factory tested. Guaranteed money back. Quality IC's and other components at factory prices.

INTEGRATED CIRCUITS

Phone orders only (800) 538-8196

1.00	7400TTL	111	LM305H .8	7 CD4011	35	8T10 1.75	UART/FIFO	DE9S 1.95
1.00	7400N		LM307N .3 LM308N .9	5 CD4012	25	8T13 1.40	AY5-1013 5.50 AY5-1014 7.50	DA15P 2.10
14-14-15	7404N 7409N		LM309K 1.2	5 CD4014 4 CD4015	.95	8T23 1.75 8T24 1.75		Complete Set 9.50
1.40	7414N	.55	LM317K 3.7	5 CD4017	1.05	8126 1.69	1702A 4.50	Auto Clock Kit 17.95
1.25	7422N	29	LM318 1.4 LM320K-5 1.3	5 CD4019	.45	8T97 .99	2708 3.95	
A-4481	7442N	.49	LM320K-15 1.3	5 CD4021	.95		2716 5 Volt 5.95	10 per type .03
1448	7447N	.69	LM320T-8 .9	5 CD4023	.28	RAM	8/2716 5 Volt 46.95 2732 16.50	100 per type 015 1000 per type 012
7.458. 6.9 L. M.338. 9.9 C.	7450N	.19	LM320T-15 .9	5 CD4025	.23	2102-1 85	2758 7.49 8741A 39.95	350 piece pack,
Table Tabl	7475N	.49	LM324N .9	9 CD4027	.65	2102AN-21 1.65	8748-8 55.00	
1,42,42,43,43,43,43,43,43,43,43,43,43,43,43,43,	7489N	1.70	LM340K-5 1.3	5 CD4029	.95	2104A-4 4.95 2107B-4 3.75	N82S23 2.95	4-position 85
2498	7492N	.43	LM340K-12 1.3	5 CD4035	.85	2111-1 2.99	N82S126 5.75	6-position 90
241971	7495N	.55	LM340K-24 1.3	5 CD4042	.75	2114 2.24 2114L 300ns 4.25	N82S131 4.95	8-position 95
741591	74107N	.30	LM340T-8 .8	5 CD4044	.85	4116 200ns 2.95	N82S137 8.75	KEYBOARDS
24159N 25 LM350F 55 CM3690 140 LM350F 54	74123N	.55	LM340T-15 .8	CD4049	.45	MM5262 .40	8223 3.50	Fully assembled 84.50
2419-19 25 May 27 29 Columbs 27 27 27 27 27 27 27 2	74145N	.60	LM340T-24 .8	CD4051	.95	MM5320 9.95	30 pin edge 2.50	Metal Enclosure 39.95
24151N 55 LM380N 1.00 CD4090 35 PF111	74151N 74154N	1.25	LM377 2.2 LM379 5.0	9 CD4066 CD4068	.71	PD411D-3 4.00	86 pin edge 4.00	Red T018 .15
	74161N	.55	LM380N 1.0	CD4069	.35	P5101L 8.95	100 pin edge 3.95 100 pin edge w/w 4.95	
74199N 15: LM741CH 35 CD4076 30 410 100 05 6 114 12 33 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	74163N	.85	LM709H .59	CD4072	.30	82S25 2.90	IC SOCKETS	Cliplite LED Mounting Clips 8/\$1.25
14-13-13-13-13-13-13-13-13-13-13-13-13-13-	74174N 74175N	.85	LM723H/N .45 LM733N .85	CD4073 CD4075	.35	MM57100 4.50	PIN 1UP PIN 1UP	(spec: red, amber, green, yellow clear)
24298M 5.0 M.1309M 1.17 CD4169 7.7 CLOSES 7.	74192N	.79	LM741N .35	CD4078	.30	9368 3.50 410D 10.00	14 .14 24 .30	Complete line of breadboard test equip.
7.4586N 65 LM1304 1.10 CD4490 5.50 LM1511 4.95 WIREWARP LEVEL 3 MIREWARP L	74221N	1.25	LM748N .50	CD4082	.30		18 .20 36 .58	Complete line of AP Products in stock.
TALLSON 25 LM8192 25 CD4519 25 LM8591 145 16 37 28 100 159 170 159 170 159 170 159 170 159 170	74365N	.65	LM1304 1.10	CD4490	5.50	MM5311 4.95	WIRE WRAP LEVEL 3	SPECIAL PRODUCTS
74.550N 12	74367N		LM1307 1.10	CD4508	1.95	MM5314 3.90	14 55 24 93	
74.1580n 25 M3900 2 25 CH450 162 CT070 8 8 95 CM527 15 15 M3915 M3	74LS00N	.25	LM1458 .55 LM1812 8.25	CD4511 CD4515	.94	MM5841 14.45	18 67 40 1.59	TRANSFORMERS 6V 300 ma 3.25
741510N 25 M3996 72 C04528 2 3 5 7 7 7 7 7 7 1 1 7 7 7 1 1 7 7 1 1 1 1	74LS04N	.25	LM2111 1.75	CD4518	1.25	CT7010 8 95		
74.1514M 9 M14.58W 5.5 C04566 2.3 7207 7.5 5 MHz 4.5 2 40 L1 10.0 ma plug 9 1.2 5 1.	74LS08N	.35	LM3900N .59	CD4527	1.02	MM5375AA/N 3.90	1 MHz 4.50	12V CT 250 ma wall plug 3.75
4.43234 99 M.C. 1897 5.50 5	74LS13N	.45	LM3909N .95	CD4553	3.50	7205 16.50	4 MHz 4.25	10V 1.2 amp wall plug 4.85
1412524 25 HESSA 10 JO 747000 25 DISDISSON 375 20 MHz 3.90 JSDISSON 375	74LS20N	.25	NE550N 1.30	CD4583	2.35	7208 15.95	10 MHz 4.25	12V 500 ma wall plug 4.75
741,553N 55 NE56FV 1.50 74C01 35 MMS0104 2.50 37288 H. 4 400 MSPLY LEDS 4.74 1.52 MS0104 2.50 37288 H. 4 400 MS0104 2.50 37288 H. 4 400 MS0104 2.50 3728 H. 4 400 MS0104 2.50 MS0104 2.50 3728 H. 4 400 MS0104 2.50 MS0104 2.5	74LS28N	.35	NE556A .85	CD40192	3.00	DS0026CN 3.75	20 MHz 3.90	10/15 VAC 8/16 VA wall plug 9.75
1415781 50 76105 20 76105 60 7	74LS33N	.55	NE566V 1.50	74004	35	MM53104 2.50	32768 Hz 4.00 1.8432 MHz 4.50	DISPLAY LEDS
741.5581 5 75.08 1.49 74.07.4 85 562.2 9.5 24.578 MHz 4.50 D/C7Q/LI/O77	74LS74N	.45	NE570B 4.75	74C14	.75		3.5795 MHz 1.20	MAN3 CC 125 .25
744,5197H 45 75-949 CM 57 75-96 14-9 74-77 85 880 800 8 95 8 580 80 8 8 44-8 9 01-727.728 CA/CC 550 1-90 74-74,1197 45 75-949 CM 57 75-940 12-94 74-75-94 74,1197 45 75-949 12	74LS90N	.60	78L08 .60	74C30	.35	6504 6.95 6522 9.95	2.097152 MHz 4.50 2.4576 MHz 4.50	DL704 CC 300 1.25
74(3):121 45 75492CN 59 74092 125 8850 1199 3183 MIR 4 409 FNU399 CC 63.357 7.07 143:1314 57 754942CN 89 74092 125 8850 1199 59 14092 125 8850 1199 14092 125 8850 119	74LS95N	.85	75108 1.49	74074	.85	6800 6.95	5.0688 MHz 4.50	DL727/728 CA/CC 500 1.90
744.51284 75 74.61261 75 74.61	74LS112N	.45	75492CN .55	74090	1 25	6820 4.95	5.7143 MHz 4.50	FND359 CC 357 70
74(1515) 75 80388 4.50 74(175 1.19 900) 8.0 10 8.28 MIX 4.50 3 dight bubble 6.0 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 74(1515) 75 870(10 1.19 5) 74(1515) 75 870(10 1.19 5) 74(1515) 74(1515) 75 870(10 1.19 5) 74(1515) 74(1515) 75 870(10 1.19 5) 74(1515) 74(1	74LS132N	.75		74C154	3.25	8080A 3.95	14.31818 MHz 4.25	FND503/510 CC/CA .500 .90
741.51249 7 5 9701.01 22.00 741.221 1 90 280A 9 95 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74LS151N	.75	8038B 4.50	74C175	1.19	8085 8.50 Z80 8.95	18.432 MHz 4.50	3 digit bubble 60
741,51343 55 10730 6.9.5 745056 7.75 8214 3.9.0 APS-9100 17.9.5 MAN9840 CC 2.0 9.99 174,51744 5.9.4 APS-9100 1.0.5 MAN48450 CA 4.0 9.9 174,51744 5.9.4 APS-9100 1.0.5 MAN48450 CA 4.0 9.9 174,5174 APS-9100 1.0.5 MAN48450 CA 4.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9	74LS157N	.75	8701CN 22.00	74C221	1.90	8212 2.25	KEYBOARD ENCODERS	7520 Clairex photocells .39
74.51960 1.00 102.7103 9.50 74.6922 5.00 82.64 2.20 M/s-9-200 14.85 MAN4640 CC - 40 1.20 74.52581 69 74.6922 5.00 82.64 2.20 M/s-9-200 14.85 MAN4640 CC - 40 1.20 74.52581 69 74.6926 6.75 6.95 62.51 6.95 6.9	74LS163N	.95	LD130 9.95	740906	.75	8214 3.90 8216 2.25	AY5-3600 17.95	MAN3640 CC 30 99 MAN4610 CA 40 99
74.5258M 59 74.0225 6.75 82-21 9.30 74.0223 5.50 MAN4740 CC 4.0 1.20 1.74.5367M 69 CMOS 74.0226 6.55 8235 6.50 4.0016.5 7.55 MAN6640 CC 55.6 99 CMOS 74.0226 6.55 8235 6.50 4.0016.5 7.55 MAN6640 CC 55.6 99 CMOS 74.0226 7.65 82.50	74LS190N	1.00		740922	5.00	8228 4.95	AY5-9200 14.95	MAN4640 CC 40 1.20
CASIGN C	74LS258N	.69		740925	6.75	8253 8.95	740923 5.50	MAN4740 CC .40 1.20 MAN6640 CC .56 .99
CA3049 10 CD4002 35 INTERFACE 8239 9.95 0825 2.95 2.95 2.95 2.95 2.95 2.95 2.95 2.		100	CD4000 .25	740927		8257 9.00	D Connectors RS232	MAN6710 CA 60 99
CA3082 1.90 C04008 95 8097 65 1861P 9.50 CA3089 3.40 CD4009 45 8098 65 4116 200ns Dynamic RAM 8/\$16 95	CA3045		CD4002 .35		65	8259 9.95 1802CE plas. 13.95	DB25P 2.95	TELEVIDEO TERMINAL
CA3089 3.40 CD4009 .45 8098 .65 4116 200ns Dynamic RAM 8/\$16 95	CA3081 CA3082	1.80	CD4007 .25 CD4008 .95	8096 8097	.65	1861P 9.50	Cover 1.67	
		3.40	CD4009 .45		.65		4116 200ns D	ynamic RAM 8/\$16.95

ELECTRONIC SYSTEM KITS

Apple Peripheral Kits SERIAL I/O INTERFACE 0 to 30,000 baud D.T.R., Input & output from monitor or basic, o use Apple as intelligent terminal, Bd only (P/N 2) \$14.95, Kit (P/N 2A) \$51.25, Assembled (P/N

2C) \$62.95. PROTOTYPING BOARD (P/N 7907) \$21.95. PARALLEL TRIAC OUTPUT BOARD 8 triacs, each can switch 110V, 6A loads, Bd only (P/N 210) \$19.20, Kit (P/N 210A) \$119.55. OPTO-ISOLATED INPUT BOARD 8 inputs, can

be driven from TTL logic, Bd only (P/N 120) \$15.65, Kit (P/N 120A) \$69.95.

Interface Kits

SERIAL/PARALLEL INTERFACE Bidirectional Baud rates from 110 to 19.2K, sw selectable polarity of input and output strobe, 5 to 8 data bits, 1 or 2 stop bits, parity odd or even or none, all characters contain a start bit, +5 & -12V required.Bd only (P/N 101) \$11.95, Kit (P/N 101A) \$42.89.
RS-232/TTL INTERFACE Bidirectional, re-

quires ±12V, Kit (P/N 232A) \$9.95.
RS-232/20mA INTERFACE Bidirectional, 2 passive opto-isolated circuits, Kit (P/N 7901A)

\$14.95

PROM Eraser

Will erase 25 PROMs in 15 minutes. Ultraviolet, assembled. 25 PROM capacity \$37.50 (with timer \$69.50). 6 PROM capacity OSHA/UL version \$78.50 (with timer \$108.50).

NiCad Battery Fixer/Charger Kit Opens shorted cells that won't hold a charge and then charges them up, all in one kit w/full parts **Z80 Microcomputer**

16 bit 1/0, 2 MHz clock, 2K RAM, ROM Bread-board space. Excellent for control. Bare Board \$28.50. Full Kit \$99.00. Monitor \$20.00. Power Supply Kit \$35.00. Tiny Basic \$30.00

Modem Kit \$60.00

State of the art, orig., answer. No tuning necessary. 103 compatible 300 baud. Inexpensive acoustic coupler plans included. Bd. only \$17.00. Article in June Radio Electronics

60 Hz Crystal Time Base Kit \$4.40 Converts digital clocks from AC line frequency to crystal time base. Outstanding accuracy

Video Modulator Kit Convert TV set into a high quality monitor affecting usage. Comp. kit w/full instruc.

Rockwell AIM 65 Computer

6502 based single board with full ASCII keyboard and 20 column thermal printer. 20 char. alphanumeric display ROM monitor; fully expandable. \$419.00. 4K version \$449.00. 4K Assembler \$35.00, 8K Basic Interpreter \$65.00.

Special small power supply 5V 2A 24V .5A assem. in frame \$59.00. Molded plastic enclosure to fit both AIM 65 and power supply \$52.50. AIM 65 1K in cabinet with power su switch fuse cord assem \$559.00, 4K \$579.00 A65/40-5000 AIM 65/40 w/16K RAM and monito \$1295.00. RAM Board Kit (16K, \$195) (32K \$215). VD640 Video Interface Kit \$119.00. A&T \$149.00. Complete AIM 65 in thin briefcase with power supply \$518.00. Special Package Price: 4K AIM, 8K Basic, power supply, cabinet \$629.00 AIM 65/KIM/SYM/Super Elf 44 pin expansion



RCA Cosmac 1802 Super Elf Computer \$106.95

The Super Elf is a small single board computer that does many big things. It's an excellent computer for training and for learning programming with its machine language and yet it's easily expanded with additional memory, Full Basic, ASCII Keyboards, video character generation, etc.

ROM monitor; State and Mode displays; Single step; Optional address displays; Power Supply; Audio Amplifier and Speaker; Fully socketed for all IC's: Full documentation.

The Super Elf includes a ROM monitor for program loading, editing and execution with SINGLE STEP for program debugging which is not included in others at the same price. With SINGLE STEP you can see the microprocessor chip operating with the unique Quest address and data bus displays before, during and after executing in-structions. Also, CPU mode and instruction cycle are decoded and displayed on 8 LED indicators.

An RCA 1861 video graphics chip allows you to connect to your own TV with an inexpensive video modulator to do graphics and games. There is a speaker system included for writing your own music or using many music programs already written. The speaker amplifier may also be used to drive relays for control purposes

A 24 key HEX keyboard includes 16 HEX keys plus load, reset, run, wait, input, memory protect, monitor select and single step. Large, on board displays provide output and optional high and low address. There is a 44 pin standard connector slot

for PC cards and a 50 pin connector slot for the Quest Super Expansion Board. Power supply and sockets for all IC's are included plus a detailed 127 pg. instruction manual which now includes over 40 pgs. of software info. including a series of lessons to help get you started and a music program and graphics target game. Many schools and universities are using the Super Elf as a course of study. OEM's use it for training and

Remember, other computers only offer Super Elf retirement, out of control of super Europe E Cabinet, painted and silk screened, with room for 5S-100 boards and power supply \$57.00. NiCad Battery Memory Saver Kit \$6.95. All kits and options also completely assembled and tested.

Questdata, a software publication for 1802 computer users is available by subscription for \$12.00 per 12 issues. Single issues \$1.50. Issues 1-12 bound \$16.50.

Moews Video Graphics \$3.50, Games and Music \$3.00, Chip 8 Interpreter \$5.50, Starship 4K cassette \$14.95.

Free 14 page brochure of complete Super Elf system.

Super Expansion Board with Cassette Interface \$89.95

This is truly an astounding value! This board has been designed to allow you to decide how you want it optioned. The Super Expansion Board comes with 4K of low power RAM fully addressable anywhere in 64K with built-in memory protect and a cassette interface. Provisions have been made for all other options on the same board and it fits neatly into the hardwood cabinet alongside the **Super Elf**. The board includes slots for up to 6K of **EPROM** (2708, 2758, 2716 or Tl 2716) and is fully socketed. EPROM can be used for the monitor and Tiny Basic or other nurposes.

A 1K Super ROM Monitor \$19.95 is available as an on board option in 2708 EPROM which has been preprogrammed with a program loader/editor and error checking multi file cassette read/write software, (relocatable cassette file) another exclusive from Quest. It includes register save and readout, block move capability and video graphics driver with blinking cursor. Break points can be used with the register save feature to isolate program bugs quickly, then follow with single step. If you have the Super Expansion Board and Super Monitor the monitor is up and running at the push of a button.

Other on board options include Parallel Input and Output Ports with full handshake. They allow easy connection of an ASCII keyboard to the input port. RS 232 and 20 ma Current Loop for teletype or other device are on board and if you need more memory there are two \$-100 slots for static RAM or video boards. Also a 1K Super Monitor version 2 with video driver for full capability display with Tiny Basic and a video interface board. Parallel I/O Ports \$9.85, RS 232 \$4.50, TTY 20 ma I/F \$1.95, S-100 \$4.50. A 50 pin connector set with ribbon cable is available at \$15.25 for easy connection between the Super Elf and the Super **Expansion Board.**

Power Supply Kit for the complete system (see Multi-volt Power Supply below).

Quest Super Basic V5.0

new enhanced version of Super Basic now available. Quest was the first company worldwide to ship a full size Basic for 1802 Systems. A complete function **Super Basic** by **Ron Cenker** including floating point capability with scientific notation (number range ± 17E³9), 32 bit integer ±2 billion, multi dim arrays, string arrays; string manipulation; cassette I/O; save and load, basic, data and machine language programs; and over 75 statements, functions and operations.

New improved faster version including re-number and essentially unlimited variables. Also, an exclusive user expandable command

Serial and Parallel I/O routines included. Super Basic on Cassette \$55.00.

Super Color S-100 Video Kit \$129.95 Expandable to 256 x 192 high resolution color graphics. 6847 with all display modes computer controlled. Memory mapped. 1K RAM expandable to 6K. S-100 bus 1802, 8080, 8085, Z80, etc. Dealers: Send for excellent pricing/margin

Type-N-Talk by Votrax
Text to speech synthesizer with unlimited vocabulary, built-in text to speech algorithm, 70 to 100 bits per second speech synthesizer, RS232C interface \$369.00.

1802 16K Dynamic RAM Kit \$149.00 Expandable to 64K. Hidden refresh w/clocks up to 4 MHz w/no wait states. Addl. 16K RAM \$25.00. S-100 4-slot expansion Super Monitor VI.I Source Listing \$ 9.95 \$15.00

Multi-volt Computer Power Supply 8v 5 amp, ±18v .5 amp, 5v 1.5 amp, -5v .5 amp, 12v .5 amp, -12v option. ±5v, ±12v are regulated. Basic Kit \$35.95. Kit with chassis and all hardware \$51.95. Add \$5.00 shipping. Kit of hardware \$16.00. Woodgrain case \$10.00. \$1.50 shipping

Elf II Adapter Kit \$24.95

Plugs into Elf II providing Super Elf 44 and 50 pin plus S-100 bus expansion. (With Super Expansion). High and low address displays, state and mode LED's optional \$18.00.

TERMS: \$5.00 min. order U.S. Funds. Calif. residents add 6% tax. \$10.00 min. VISA and MasterCard accepted. \$1.00 insurance optional. Shipping: Add 5%; orders under \$25.00-10%.

\$9.95

FREE: Send for your copy of our NEW 1981 QUEST CATALOG. Include 88¢ stamp.

Convert your TRS-80 into a **DEVELOPMENT SYSTEM**

Z-80 In-Circuit emulation and **EPROM/EEPROM** programming in a single compact

Debug stand-alone systems with program in TRS-80 RAM,



then copy working program into PROM.

Only \$329 including personality module for 2716, 2516, 2758, 2508, 2532, 2816, 2808, 48016.

ORION INSTRUMENTS

172 Otis Ave, Woodside, CA 94062 (415) 851-1172

Circle 323 on inquiry card.

ANALOG 🖚 DIGITAI DIGITAL 👄 ANALOG

CONVERSION MODULES

SOFTWARE GAIN CONTROL

high Securacy — programmable gain instrumentation omplifier – watom board test — \$100 — \$10 15 kbz conversion time — mixable high and low inputs — gain from 1 to 1024 — 12 bit — sample and hold amplifier — 8 channel differential — 16-channel — analog to digital high accuracy — programmable gain instrumentation implifier — auxion board test — \$100 — \$2 to 15 kbz conversion time — mixable high and low unputs — gain from 1 to 1024 — 12-bit — sample and hold amplifier — from 1 to 1024 — 12-bit — sample and hold amplifier — custom board test — \$100 — \$2 to 15 kbz amplifier — custom board test — \$100 — \$2 to 15 kbz amplifier — custom board test — \$100 — \$2 to 15 kbz amplifier — custom board test — \$100 — \$2 to 15 kbz


For additional details about the AD-100-4 and other fine California Data Corporation 100% individually tested, high reliability products, circle the reader service card number below or for faster response write or call us.

CALIFORNIA DATA CORPORATION 3475 Old Conejo Road, Suite C-10 Newbury Park, CA 91320

(805) 498-3651

Circle 51 on inquiry card.

Circle 155 on inquiry card.



products from your DISKONNECTION. Price / 10

\$ 2700 51/4" (soft, 10 or 16 hard)

(single side / density)

(reversible, sgl. density) 40 00

(sgl. side, dbl. density) 35 00

27 °°

(dual side dbl. density) 40 00

MC or VISA, add 100

- Postage and handling included
- · Send check, MO, MC or VISA to.

DISKONNECTION POB. 538 Mpls. Minnesota 55440 /612/871-1677 before noon CST

Circle 130 on inquiry card.

CP/M® Compatible **\$GOLD DISK\$ Z-80 Software**

Z-80 Disassembler

5.

creates assembly language source files

E-Z Text

ppd

unique text file word processor

Bower-Stewart & Associates

POST OFFICE BOX 1389 HAWTHORNE, CALIFORNIA 90250

VISA

213 / 676-5055 Trademark
Digital Research



Circle 47 on inquiry card.

QUARTZ CRYSTALS >

 CULARTZ CRYSTALS

 5.2428-8
 9.3236-8
 2.000-8
 35.2888-8
 42.581-8
 46.8128-8

 5.610-8
 9.9804-8
 2.0498-8
 35.3368-8
 42.581-8
 46.8128-8

 5.714.3
 9.9806-8
 22.184-8
 3.9368-8
 42.958-8
 42.958-8
 42.958-8
 42.958-8
 42.958-8
 42.958-8
 42.958-8
 42.958-8
 42.958-8
 42.958-8
 43.006-8
 43.006-8
 63.006-8
 63.006-8
 33.958-8
 42.958-8
 43.006-8
 63.006-8
 63.006-8
 33.958-8
 42.958-8
 43.006-8
 63.006-8
 63.006-8
 63.006-8
 33.958-8
 42.958-8
 43.006-8
 63.006-8
 63.006-8
 63.958-8
 43.006-8
 43.006-8
 63.006-8
 63.958-8
 43.006-8
 43.006-8
 63.958-8
 43.006-8
 43.006-8
 63.958-8
 43.008-8
 43.006-8
 63.958-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008-8
 43.008 4.000-8 4.1943-8 4.3426-8 4.4803-8 4.6103-8 4.8303-B 4.9152-B 5.000-B 5.0688-B 5.1203-B ALL B - \$1.99 ALL A - \$2.99 10 OR MORE-DEDUCT 5%

ADD \$1.00 SHIPPING CAL RES. ADD 6% SALES TAX FREE OSCILLATOR SCHEMATICS WITH ANY ORDER

QUALITY COMPUTER PARTS P.O. BOX 743 / CHATSWORTH, CA 91311

FULL ELIZA FOR YOUR MICRO!

AT LAST! A FULL IMPLEMENTATION of the original ELIZA program is now available to run on your microcomputer!

program is now available to run on you.

Created at MIT in 1966, ELIZA has become the world's most celebrated artificial intelligence demonstration program, ELIZA is a non-directive psychotherapist who analyzes each statement as you type it in and then responds with her own comment or question — and her remarks are often startlingly appropriate!

Designed to run on a large mainframe, ELIZA has hitherto been unavailable to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so fascinating.

Now, our new microcomputer version possessing the FULL power and range of expression of the original is being offered at the introductory price of only \$25. And if you want to find out how she does it (or teach her to do more) we will include the complete Source Program for only \$20 additional.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say "Okay, let's see what this computer of yours can actually do!"

ELIZA IS AVAILABLE IN THE FOLLOWING DISK FORMATS:

- Standard 8 inch single density for all CP/M based computers \$25 for ELIZA.COM add \$20 for Microsoft BASIC-80 Source
- 5¼ inch CP/M for Apple II equipped with Z-80 SoftCard \$25 for ELIZA.COM add \$20 for Microsoft BASIC-80 Source
- 5½ inch for 48K Apple II with Applesoft ROM and DOS 3.3 \$25 for Protected File add \$20 for Unprotected Source

ARTIFICIAL INTELLIGENCE RESEARCH GROUF



921 NORTH LA JOLLA AVENUE LOS ANGELES, CALIFORNIA 90046 (213) 656-7368 (213) 654-2214 MC, VISA and CHECKS ACCEPTED



Circle 32 on inquiry card.

Z-80 and 8086 FORTH

Z-80° FORTH—a complete program development system. Uses standard CPIM* compatible random access disk files for screen storager Deckage includes: interpreter/complier with virtual memory management, line editor, screen editor, Z-80 Assemblier, complex, stillities, demonstration programs, and 80 page user manual. System requirements: Z-80 microcomputer, 48 kbytes. AMA, CPIM Z-20 MPIM* 1.1.

Z-80 FORTH WITH NAUTILUS SYSTEMS CROSS-COMPILER. Extend/modify the FORTH runtime system, recompile on a host computer for a different target computer, generate headerless code, generate ROMable code with initialized variables. Supports forward referencing to any word or label. Produces load map and list of unresolved symbols. 107 page manual. System requirements as for Z-80 FORTH above. \$200.00

8088 FORTH with line editor, screen editor, assembler, and utilities. Uses standard CP/M compatible random access files for screen storage. Requires 8086 or 8088 microcomputer, 84 kbytes RAM, and CP/M-85 operating system.

MACHINE TEST PROGRAM PACKAGE for Z-80 systems, Includes memory, floppy disk, printer, and terminal tests with all source code. Requires CP/M 2.2. \$50.00

All software distributed on eight-inch soft sectored single density diskettes. Prices include shipping by first class or UPS within USA or Canada. COD charges extra. Purchase orders accepted at our discretion. (CPIM and MPIM are registered trademarks of Digital Research, inc. 280 is a registered trademark of Zilog, inc.)

Laboratory Microsystems 4147 Beethoven Street Los Angeles, CA 90066 (213) 390-9292

Circle 216 on inquiry card.

UV EPROM ERASER



- ERASES ALL UV ERASABLE EPROMS (2708, 2716, 2532, 2564, etc.) QUICK FIFTEEN MINUTE ERASE TIME ERASES OVER FIFTEEN EPROMS AT A TIME LAMP_LIFE. 7700 HOURS TIMER AND SAFETY INTERLOCK SWITCH OPTION ADD \$20.00

THE BEST 6809 SINGLE BOARD COMPUTER AVAILABLE

- SWTPC compate
 Runs TSC Flex
 Full Documenta FOR THE SS-50 AND S-100 BUS

PRICE: \$389.00

ASSEMBLED, TESTED, 48 HOUR BURN-IN, 90 DAY WARRANTY

2114 RAM 300 ns \$2.95 2716 EPROM 550 ns \$4.50
 EPROM PROGRAMMER for 2716, 2732
 \$99.50

 In Circuit Emulator for 68xx, 8085, Z80
 \$99.95

WE ACCEPT VISA, MASTERCARD, C.O.D., CHECKS

PHONE ORDERS (305) 974-0967


LOGICAL DEVICES INC.

ADD: \$3.00 SHIPPING. \$2.00 C.O.D. CHARGES

DIGITAL RESEARCH COMPUTERS

(214) 271-3538

32K S-100 EPROM CARD **NEW!**



USES 2716's

Blank PC Board - \$34

ASSEMBLED & TESTED **ADD \$30**

SPECIAL: 2716 EPROM's (450 NS) Are \$9.95 Ea. With Above Kit.

KIT FEATURES

- 1. Uses +5V only 2716 (2Kx8) EPROM's
- 2. Allows up to 32K of software on line!
- 3. IEEE S-100 Compatible.
- Cromemco extended or Northstar bank
- 6. On board wait state circuitry if needed. 12. Easy and quick to assemble.
- 7. Any or all EPROM locations can be disabled
- 8. Double sided PC board, solder-masked, silk-screened
- 4. Addressable as two independent 16K 9. Gold plated contact fingers.
 - 10. Unselected EPROM's automatically
 - powered down for low power
 - 11. Fully buffered and bypassed.

32K SS-50 RAM

\$29900 KIT

For 2MHZ Add \$10


Blank PC Board \$50

For SWTPC 6800 - 6809 Buss

Support IC's and Caps \$19.95

Complete Socket Set \$21.00

Fully Assembled, Tested, Burned In Add \$30



At Last! An affordable 32K Static RAM with full 6809 Capability.

FFATURES.


- 1. Uses proven low power 2114 Static RAMS.
- 2. Supports SS50C EXTENDED ADDRESSING.
- 3. All parts and sockets included.
- 4. Dip Switch address select as a 32K block.
- 5. Extended addressing can be disabled.
- 6. Works with all existing 6800 SS50 systems.
- 7. Fully bypassed. PC Board is double sided, plated thru, with silk screen.

16K STATIC RAM KIT-S 100 BUSS

PRICE CUT!

\$16995 KIT

FOR 4MHZ ADD \$10



KIT FEATURES:

KIT FEATURES:

- Addressable as four separate 4K Blocks.
 ON BOARD BANK SELECT circuitry. (Croemco Standard!). Allows up to 512K on line!
 Uses 2114 (450NS) 4K Static Rams.
- ON BOARD SELECTABLE WAIT STATES.

 Double sided PC Board, with solder mask and silk screened layout. Gold plated contact fingers 6. All address and data lines fully buffered.
- Kit includes ALL parts and sockets.
- PHANTOM is jumpered to PIN 67.
- 9. LOW POWER: under 1.5 amps TYPICAL from the +8 Volt Buss.
- 10. Blank PC Board can be populated as any multiple of 4K.

BLANK PC BOARD W/DATA-\$33

LOW PROFILE SOCKET SET-\$12 SUPPORT IC'S & CAPS-\$19.95

ASSEMBLED & TESTED-ADD \$35

OUR #1 SELLING RAM BOARD!


16K STATIC RAM SS-50 BUSS

PRICE CUT!

\$159 кіт

FULLY STATIC!

FOR 2MHZ **ADD \$10**



FOR SWTPC 6800 BUSS!

ASSEMBLED AND TESTED - \$35

AY5-1013, ETC.

KIT FEATURES

- Addressable on 16K Boundaries
- Uses 2114 Static Ram
- Fully Bypassed
 Double sided PC Board. Solder mask
 and silk screened layout

40 PIN DIP

5 A'l Parts and Sockets included6 Low Power: Under 1.5 Amps Typical

BLANK PC BOARD-\$35 COMPLETE SOCKET SET-\$12 SUPPORT IC'S AND CAPS-\$19.95

SPECIAL PURCHASE!

UART SALE!

TR1602B - SAME AS TMS6011,

TR1602B

STEREO! NEW! NEW, S-100 SOUND COMPUTER BOARD

At last, an S-100 Board that unleashes the full power of two unbelievable General Instruments AY3-8910 NMOS computer sound IC's. Allows you under total computer control to generate an infinite number of special sound effects for games or any other program. Sounds can be called in BASIC, ASSEMBLY LANGUAGE, etc. COMPLETE KIT! \$8495

(WITH DATA MANUAL)

BLANK PC **BOARD W/DATA**

T FEATURES: TWO GI SOUND COMPUTER IC'S. FOUR PARALLEL I/O PORTS ON BOARD. USES ON BOARD AUDIO AMPS OR YOUR STEREO.

8 FOR \$16

USES ON BOARD AUDIO AMPS OR YOUR STEREO.
ON BOARD PROTO TYPING AREA.
ALL SOCKETS, PARTS AND HARDWARE ARE INCLUDED.
PC BOARD IS SOLDERMASKED, SILK SCREENED, WITH GOLD CONTACTS.
EASY, QUICK, AND FUN TO BUILD. WITH FULL INSTRUCTIONS.
USES PROGRAMMED I/O FOR MAXIMUM SYSTEM FLEXIBILITY.

Both Basic and Assembly Language Programming examples are included

SOFTWARE:

SOFTWARE:

SCL*** is now available! Our Sound Command Language makes writing Sound Effects programs a SNAP! SCL*** also includes routines for Register-Examine-Modify, Memory-Examine-Modify, and Play-Memory. SCL*** is available on CP/M* compatible diskette or 2708 or 2716. Diskette - \$24.95 2708 - \$19.95 2716 - \$29.95. Diskette includes the source. EPROM'S are ORG at E000H. (Diskette is 8 Inch Soft Sectored)

4K STATIC RAM

National Semi. MM5257. Arranged 4K x 1. +5V, 18 PIN DIP. A Lower Power, Plug in Replacement for TMS 4044. 450 NS. Several Boards on the Market Will Accept These Rams. SUPER SURPLUS PURCHASE! PRIME NEW UNITS!

Digital Research Computers P.O. BOX 401565 • GARLAND, TEXAS 75040 • (214) 271-3538

32 FOR \$59.95

\$295 EACH

4 For \$1000

CRT CONTROLLER CHIP SMC #CRT 5037. PROGRAMMABLE FOR 80 x 24, ETC. VERY RARE

G.I. COMPUTER SOUND CHIP

AY3-8910. As featured in July, 1979 BYTE! A fantastically powerful Sound & Music Generator. Perfect for use with any 8 Bit Microprocessor. Contains: 3 Tone Channels. Noise Generator, 3 Channels of Amplitude Control. 16 bit Envelope Period Control, 2-8 Bit Parallel I/O, 3 D to A Converters, plus much more! All in one 40 Pin DIP. Super easy interface to the S-100 or other busses. **\$11.95 PRICE CUT!**

SPECIAL OFFER: \$14.95 each

Add \$3 for 60 page Data Manual

TERMS: Add \$2.00 postage. We pay balance. Orders under \$15 add 75¢ handling. No C.O.D. We accept Visa and MasterCharge. Tex. Res. add 5% Tax. Foreign orders (except Canada) add 20% P & H. Orders over \$50, add 85¢ for insurance

SURPLUS FIND. WITH PIN OUT. \$12.95 EACH.



Circle 347 on inquiry card.

Sloppy software contracts cost money and cause misunderstandings. Consult us before you sign a contract. We offer contract services to both customers and suppliers. Call or write

Robert E. Brown, Esq. (716) 232-5300.

■ Basic ■ Forth ■ Cobol ■ Fortran ■ Others

Middleton, Wilson, Boylan & Gianniny,

Attorneys at Law 900 Midtown Tower, Rochester, NY 14604

Circle 273 on inquiry card.



DISK CONTROLLER

for both 51/4" & 8" drives only \$595 complete

including CP/M™2.2

MAGNOLIA MICROSYSTEMS, INC. 2812 Thorndyke W., Seattle 98199 (206) 285-7266 (800) 426-2841

CP/M is a trademark of Digital Research.

WANTED:

APPLE, PET, TRS-80, CP/M SOFTWARE

Westico is a publisher and distributor of professional software for microcomputers. If you have a new program ready for distribution or want your existing programs to reach a larger market, contact:

Phillip Woellhof, V.P. Mktg. Westico, Inc. 25 Van Zant Street Norwalk, CT 06855 (203) 853-6880

To increase your profits, take advantage of Westico's worldwide promotion and

AC-85 CP/M® SYSTEM

Assm., Tested & Burned In for one week

- One board 8085 Computer
- 2 SA800R* (1.2 megabytes)
- **CBIOS** Diskette
- Installed and wired in a cabinet with P/S and Fan ready to plug-in

- 17½" W x 17" D x 10" H SYSTEM with 2 SA850R (2.4 mbytes)

\$2750.00

CP/M Floppy Disk Operating System \$150 Check or Money Order

autocontrol

11744 Westline Industrial Drive St. Louis, MO 63141 (314) 432-1313

 CP/M is a registered trademark of Digital Research, Inc.

Circle 39 on inquiry card.

CHIPS DALE

THE INFLATION FIGHTERS!

— RAM —

4116 200ns 8/\$13.00 4116 150ns 8/\$16.00 2114L 300ns 8/\$16.95 2114L 200ns 8/\$18.00 4164 200ns \$13.00

-EPROM-

2716 (5V)450ns 8/\$3.90 ea. \$4.15 ea. 2732 (5V)450ns 8/\$10.50 ea. \$10.75 ea. 2532 (5V)450ns 8/\$12.00 ea. \$12.50 ea.

Please allow up to 3 wks. for personal checks to

Add \$2.50 Shipping & Handling C.O.D. \$3.00, Wash, residents add 5.4% Sales Tax

CHIPS & DALE

P.O. Box 31607 Seattle, Wash. Zip 98103 Master Charge

1-206-524-9126

VISA accepted.

A **PROFESSIONAL** MICROCOMPUTER



THE BEST VALUE ON THE MARKET

- 780 4MHZ
- . 64K RAM
- DUAL 8" DRIVES
- 1.2 MB STORAGE
- 2 SERIAL I/O
- 2 PARALLEL I/O OPERATING SYSTEM AND UTILITIES

MICRO BUSINESS ASSOCIATES, INC. 500 SECOND STREET SAN FRANCISCO, CA 94107 415-957-1343

Circle 252 on inquiry card.



GRAPHICS HARDCOPY

ON: **EPSON PRINTERS CENTRONICS 739 IDS 445G TRENDCOM**

Dumps anything on the screen to the printer

To Order Toll Free

1-800-344-7493

In CA. & for Service (209) 667-2888

LACROTRONICS, inc. 1125 N. Golden State Blvd. Turlock, California 95380

Circle 232 on inquiry card.

STATISTICAL **SOFTWARE**

ELF - Stepwise regression, factor analysis, correlation coefficients, crosstabs, simple statistics, t-tests, ANOVA, stepwise discriminant analysis, all BASIC transformations and more. \$200.00
TWG/ARIMA — Box-Jenkins for

seasonal and non-seasonal models, identification, estimation and forecasting. Introductory Price: \$250.00.

Each includes a database manager, numeric software key-pad, and is menu-driven. Each requires an Apple II with Applesoft, 48K, and DOS 3.3.

For further information, write

The Winchendon Group 3907 Lakota Road P.O. Box 10114 Alexandria, VA 22310

*Apple II and Applesoft are trademarks of the Apple Computer Company

You'll like our service. You'll love our price!



- It's the first complete computer system on a board.
- Superboard II uses the ultra powerful 6502 Microprocessor
- 8K Microsoft BASIC-in-ROM

· 4K static RAM on board, expandable to 8K

 Full 53-key keyboard, with upper and lower case. Plus user expand-

Video interface and audio cassette interface.

The Ohio Scientific Superboard II at \$329 — in today's economy — has got to be the best buy by far. It will entertain you with spectacular graphics made possible by its ultra high resolution graphics and super fast BASIC. It will help you in school or industry, as an ultra powerful scientific calculator. Advanced scientific functions and a built-in 'immediate'' mode allow you to solve complex problems without programming.

\$298

311 79

45

45

35

16

8

The Superboard II can be expanded economically, for business uses, or to remotely control your home appliances and security. Even communicate with other computers.

Read what's been written about Superboard II:

"We heartily recommend Superboard II for the beginner who wants to get into microcomputers with a minimum cost. A real computer with full expandability."

-POPULAR ELECTRONICS, MARCH 1979

"The Superboard II is an excellent choice for the personal computer enthusiast on a budget."

-BYTE, MAY 1979

Buy Now. Quantities Limited!

610 Board For use with Superboard II and Challenger 1P. 8K static RAM. Expandable to 24K or 32K system total. Accepts up to two mini-floppy disk drives. Requires + 5V @4.5 amps.

Mini-Floppy Disk Drive Includes Ohio Scientific's PICO DOS software and connector cable. Compatible with 610 expander board. Requires + 12V @ 1.5 amps and + 5V @ 0.7 amps. [Power supply & cabinet not included.]

4KP 4K RAM chip set. PS-005 5V 4.5 amp power supply for Superboard II.

PS-003 12V power supply for mini-floppies.

RF Modulator Battery powered UHF Unit.

C1P Sams C1 P Service manual

C4P Sams C4P Service manual

Ohio Scientific and independent suppliers offer hundreds of programs for the Superboard II, in cassette and mini-floppy form.

OS-65D V3.3 Operating System

Supports a command "KERNEL", Microsoft 9-digit BASIC, a 6502 Assembler Editor and debugger utility.

Available for C1P, C4P and C8P floppy disk computers.

Expanded to a self-teaching operating system. V3.3 comes in a 6 disk set with an easy-to-follow manual which leads the first time uses from the computing of simple manufacture approach.

time user from the operation of simple menuized programs through programming in BASIC and storing data on disk to a complete program development system with advanced capabilities.

BASIC feature expansions including a full feature screen editor, full upper/lower case compatibility with "Normal" typewriter operation, PRINT USING, and screen formatting

Improved graphics support including direct X, Y plotting and the ability to dump medium resolution (64 x 128) graphics directly to the AC-19A low cost printer.

Enhanced utilities including greatly simplified Create, Initialize and Delete functions, new Single Disk Copier, a communications

support utility for the optional modem and Resequencer

 Compatible with OS-65D V3.2 files and programs but has greatly improved disk I/O throughput.

24K Ram Required Only \$79

Freight Policies All orders of \$100 or more are shipped freight prepaid. Orders of less than \$100 please add \$4.00 to cover shipping costs. Ohio residents add Ohio Sales Tax.





Hours: Call Monday thru Friday. 8:00 AM to 5:00 PM Eastern Tir TOLL FREE: 1-800-321-5805

Guaranteed Shipment Cleveland Consumer Computers & Components

guarantees shipment of computer systems within 48 hours upon receipt of your order. Our failure to ship within 48 hours entitles you to \$35 of software, To Order: Or to get our free catalog CALL 1-800-321-5805 TOLL FREE. Charge your order to your VISA or MASTER CHARGE account. Ohio residents call: [216] 464-8047. Or write, including your check or money order, to the address listed below.



CLEVELAND CONSUMER COMPUTERS & COMPONENTS

P.O. Box 46627 Cleveland, Ohio 44146

Order Form:


CLEVELAND CONSUMER COMPUTERS & COMPONENTS P.O. Box 46627 Cleveland, Ohio 44146

- ☐ Superboard II \$329.
- □ 610 Board \$298.
- ☐ Mini-Floppy Disk Drive \$311.
- ☐ RF Modulator \$35.
- □ OS-65D V3.3 (Specify System) \$79.
- C1P Sams Service Manual \$8.

[Attach separate sheet for other items.]

	na mara nama misai sama m	
NAME:		
ADDRESS:		
CITY:	STATE:	ZIP:
Payment by: VISA	MASTER CHARGE	MONEY ORDER
Credit Card Account #		
Expires	Interbank # (Master Char	ge)
TOTAL CHARGED OF Orders of less than \$100, please All prices quoted are U.S., date of	RENCLOSED S add \$4.00 to cover shipping costs. Order publication, standard UPS shipping FOB the	(Ohio Residents add Ohio Sales Tax s will be accepted from U.S. and Canada only efactory.
	PRICES SUBJECT TO CHANGE WITHOU	

RS-232 PROBLEMS?



LET THE RS-232 TESTER HELP YOU SOLVE YOUR COMPUTER INTERFACE PROBLEMS. DESIGNED TO CONNECT IN SERIES WITH ANY RS-232 INTERFACE, IT DISPLAYS THE STATUS OF SEVEN OF THE MOST IMPORTANT LINES: TRANSMIT DATA, RECEIVE DATA, REQUEST TO SEND, CLEAR TO SEND, DATA SET READY, CARRIER DETECT, AND DATA TERMINAL READY. THE RS-232 TESTER REQUIRES NO POWER AND MAY BE LEFT IN THE LINE PERMANENTLY.

\$39.95 POST PAID B & B ELECTRONICS

BOX 475/MENDOTA, IL 61342

Circle 42 on inquiry card.


ISIS ←→ CP/M®

Full bi-directional file transfer capabilities are provided in the ISIS-CP/M utilities package. Written in machine language package. Written in machine language and running under CP/M, these utilities permit the CP/M user to read or write files direct to/from an ISIS Diskette. They will run under any version of CP/M without reads to diskette. gard to diskette density. The complete package is \$250.00 including user's manual. Write for free brochure on other CP/M software

CP M is a registered trademark of Digital Research ISIS is a trademark of Intel Corporation



Circle 388 on inquiry card.





If you have a Z-80 based S-100 system, our memory board should be yours. Our state of the art design uses prime quality 64K DRAM chips and F-series duality 64K DRAM Chips and F-series address logic to implement a full 64 KILOBYTES of high-speed (250 nSEC access) low power (400 mA) memory, all on one half height S-100 board. A fully assembled and tested memory board with complete documentation for only \$299. Unbeatable! \$


Phone Orders:

U.S.A. (313) 455-3202 CANADA (416) 294-5473



521 LEICESTER PLYMOUTH, MI. 48170 **BOX 81, WHITEVALE, ONTARIO LOH 1MO**

Circle 188 on inquiry card.



Circle 331 on inquiry card.





Circle 353 on inquiry card.



MODEM FOR \$224.95!*



The MICROCONNECTION™ can dial and answer the telephone, run printers, decode busses, transcribe transmissions, answer/originate and direct-connect to the telephone system. Lots of terminal and host software too. For more information write or phone:

the microperipheral corporation

2643 A- 151st Pl. N.E. Redmond, WA 98052 (206) 881-7544

RS232 MICROCONNECTIONIM



CABLES

EIA RS-232-C

- Quality Cables
- Immediate Delivery
- Low Prices

*16-25 conductor (M or F) 15.85 & .50/ft.

13-15 "

" 13.90 & .40/ft.

9-12 "

" 12.90 & .30/ft.

5-8 " 1-4 " " 12.10 & .25/ft. " 11.30 & .15/ft.

SPECIFY: Male or female connectors Length of cable Pins to be connected

*Plus Shipping - All orders pre-paid or C.O.D.


Communication Cable Company

(215) 964-9404 319 Louella Ave. Wayne, PA 19087

North Star **BASIC UTILITY SET**


- EDITOR Create & edit a Basic program using 26 commands, including GLOBAL locate & change.
- BPRT Print & cross reference a Basic program.
- BPAK Pack a Basic program.
- RE Rename a disk file.


plus \$1.50 shipping, \$69 Calif. Res. add 6%. Check, VISA, M/C



1269 Rubio Vista Road, Altadena, Calif. 91001 (213) 791-3202

Peripherals





DISC DRIVE SYSTEMS


Both 8" and 51/4" dual disc drive cabinets are available with or without power supplies and disc drives.

"D" SERIES ENCLOSURE

For 8" Rack Mount Drives

The dual 8" enclosure will hold two Shugart 801/851 R drives in a horizontal configuration. The power supply features full regulation, external heat sink and 3 amp continuous rating on both the +24VDC and the +5VDC outputs. The steel blue and grey cabinet has a 4" fan, multi-tap power connector/fuse holder, and a "Blue Ribbon" style 50 pin data connector.


Item	Order	Price
Enclosure only	DC-8	\$ 100.
Enclosure, Power supply, Cables	DE-8	240.
Above with 2 Shugart 800/801 R Drives	DE-8	1100.
Above with CP/M 2.2° and Controller	DT-8	1500.



"S" SERIES ENCLOSURE For 8" Standard Mount Drives

A formica covered wood enclosure for Shugart 800/801 standard (not rackmount) drives is also available. It uses the same power supply as the steel 8" enclosure.

Item	Order	Price
Enclosure only	SC-8	\$ 100.
Enclosure, Power Supply, Cables	SE-8	240.
Above with 2 Shugart 800/801 drives	SS-8	900.
Above with CP/M 2.2° and Controller	ST-8	1300.



"MDX" SERIES ENCLOSURE For 5" Drives

The $51\!4$ " MDX dual drive cabinet will mount two Shugart SA-400's or two Micropolis drives. It includes a 5" fan, & 5VDC @ 3 amp and 12VDC @ 3.4 amp power supplies. The steel cabinet is dual tone blue and grey to match the I-8080 series enclosures.

Item	Order	Price
Enclosure only	MDX-C	\$ 75.
Enclosure, Power Supply, Cables	MDX-PS	195.
Above with 2 Tandon DS,DD Drives	MDX-S	800.

CP/M is a registered trademark of Digital Research



TERMS: (1) PREPAY your order for the merchandise amount only - we pay the UPS freight

(2) COD orders - UPS freight will be added (3) BANKCARD orders - UPS freight will be added.

Note: Items SS-8, DS-8, ST-8, DT-8 are over the 50# UPS limit and must be shipped by air or truck freight COD - Call for details.


Distributed by: **WW COMPONENT SUPPLY INC.** 1771 JUNCTION AVENUE • SAN JOSE, CA 95112 • (408) 295-7171



- FORTH-like direct threaded interpretive system with structured assembly language (8080 mnemonics).
- Application development can utilize all CP/M (tm) capabilities (editor, file system, etc.).
- Includes re-entrant multi-task executive with counting semaphores for TASK/MSG synchronization.
- Supports strings, single and double precision integers.
- Capable of generating ROM-based stand-alone systems for dedicated applications.
- All source code supplied. No royalties on derivative soft-
- Fully documented with 200 page reference manual including glossary and index of all standard words.
- -Training seminar available on request.
- Send check or money order for \$495.00 to receive manual and system (8" single sided single density diskette). Demo system with manual \$75.00. Manual only \$45.00. Alabama residents add 6% sales tax.

US UNITED CONTROLS CORPORATION PO Box 4620 Huntsville, Alabama 35802 (205) 837-6144

Circle 418 on inquiry card.



Color R.F. Modulator Kit: (5V) \$14.95 14 Amp S-100 Power Supply Kit \$29.95

50-60Hz, 100-240 VAC includes R.F.I. filter and aux. 110V winding for fans and/or floppies

SEAGATE 506 5MBy hard disk with S-100 controller, cables & full hardware and software documentation. \$2195

(add \$100.00 for CP/M)

Please include cost of shipping, handling and insurance. We are philosophically against VISA & M.C. (for 5% who wouldn't be?)

Dealin' Electronics

735 Loma Verde, Palo Alto, CA 94303 415-493-5930

Send 36*SASE for our 16 page flyer.

Circle 10 on inquiry card.

PLUG INTO

ACCESS

The Journal of Microcomputer Applications

At last!

A journal for engineering and scientific applications of microcomputers. ACCESS covers: numerical analysis, economics, project planning & management, personal finance & other topics of interest to engineers & scientists. Charter subscriber rate 6 issues for \$16. Sample issue \$3.00. Send check, money or purchase order to order ACCESS, PO Box 12847, Research Triangle Park, NC 27709.



Circle 28 on inquiry card.



Adapt IBM ET50, 60, or 75 to Apple II or III with our Missing Link for word processing quality output.

- Does not affect normal typewriter operation Typewriter still qualified for IBM maintenance con-
- Interface isolates the Apple from the typewriter
- See our full page ad in May 1980 BYTE. Check with your local Apple dealer or to order call: 1-800-845-2712 (In S.C., call

1-800-922-5528) If you need word processing software, we offer ManuScripter in two versions: Beginner \$95, Advanced \$195

*S.C. residents add 4% sales tax



Circle 81 on inquiry card.



At last, an inexpensive and viable alternative to the graphics tablet.

- For Apple II (DOS 3.3) users who presently own or are
- For Apple II (IDOS 3.3) users who presently own or are planning the purchase of an Apple II Joyatick. Our software will enable you to easily interface your Basic or Pascal Programs to the Apple Joyatick. Software will provide your programs with a "tracking" cursor either on High-Resolution Screen-1 or High-
- Resolution Screen-2.
- Coordinate input is activated via Joystick Button-1.
 "Fine" cursor movement is enabled via Joystick Button-2.
 Included is 51/4 Disk, User Manual, Object Code of Joystick Interface Routines and Source Code of Demo

\$24.95 ppd.

(California Residents add 6%)

PLEASE SPECIFY LANGUAGE REQUIRED (BASIC OR PASCAL) Send Check or Money Order (Personal Checks Allow 3 Weeks)

5851 Via Sonora / Yorba Linda, CA 92686 Telephone: (714) 970-1422

Circle 248 on inquiry card.

BASF

Flexy-Disks ®

SAVE 40% Write for our complete list.

- 1/ // Specify soft

Price/10

5 /4 10 or 16 sector
1 side/single density \$26.70
1 side/double density
2 sides/double density 37.10
8" Specify soft or 32 sector
1 side/single density 26.70
1 side/double density

2 sides/double density 41.60 CHECKS - VISA - MC - C.O.D. (313) 777-7780 ADD \$2 SHIPPING

LYBEN COMPUTER SYSTEMS 27204 Harper Ave. St. Clair Shores, MI 48081

Circle 228 on inquiry card.

REAL ESTATE SOFTWARE

for APPLE, TRS-80 + PET

- PROPERTY MANAGEMENT SYSTEM: \$325
 - Tenant History Late Rent Report
 - Ownership Files . Building Reports
 - Vacancy Report
 - Income Report

 - Returned Checks
- Utilities Report • Tax Expense Report • Prints Checks
- Prints Receipts
- PROPERTY LISTINGS/COMPARABLES: \$325 - SCREEN BY - Max/Min Price

 - 22 Items/Listing
 1000 Listing/Disk
 Listing Memo Field
 Max Price/Income
 Max Price/Sq Foot
 Min Cashflow
- REAL ESTATE ANALYSIS MODULES: \$40/Module
 - Home Purchase
 Income Prop Analysis
 Property Sales
 Tax Deferred Exchange
 APR Loan Analysis
 Loan Amortization Home Purchase
 - Property Sales
 Construction Cost/Profit Depreciation Analysis
- WORD PROCESSOR MAGIC WAND: \$285



HP-85's

At Computer Stores Everywhere or Order COD Direct Cal Residents add 6% Sales Tax (213) 372-9419

\$2540.00

Suite F. Dept B 1116-8th Street, Manhattan Beach, CA 90266

special of THE MONTH

\$1450.00 HP-83's HP-9895 Dual 8" Drives HP-8292 Dual 5" Drives \$5300.00 \$1960.00 HP-7225B Plotter Apple II + Computers \$1720.00 LOBO Disc Drives EPSON MX-70 Printers \$ 395.00 \$ 450.00 with Apple 1/0 IDS 445G Printers \$ 699.00 **NEC Spinwriters** with Tractors IDS 460G Printers \$2560.00 \$1099.00 IDS 560G Printers \$1330.00 C ITOH Starwriter 25's \$1300.00 CCS 300 Dual 8" Drive computer with 64K RAM, OASIS, CP/M 2.4MB Disc

memory, 2 serial ports, 1 parallel port and a Televideo Call for price 910 CRT

CDC Lark Subsystems Call for price

PERCENTION OF THE COMPLETE SYSTEMS AND SUPPORT TEAM*

ET SQUARE SHOPPING CENTER, RIDGE RD. & CALUMET AVE., MUNSTER, IN 46321

Circle 241 on inquiry card.

HUNTINGTON COMPUTING

ONE OF THE WORLD'S LARGEST INVENTORIES

GAMES	
Hi-Res Soccer Apple - Olds Wurst of Huntington Computing.	\$29.95 now \$25.39 \$29.95 now \$25.39
Apple - Oids Wurst of Huntington Computing . Gobbler Ultima Autobahn Battle Cruiser Action Gorgon Super Stellar Trek Hellfire Warrior Gamma Goblins Mission Asteroid Wizardry Star Mines Warp Factor Microsoft Adventure Wizard and the Princess Flight Simulator Odyssey Sargon II Space Eggs Hi-Res Cribbage Lords of Karma (cass.) Oh Shoot ABM Computer Conflict Computer Air Combat Temple of Apshai Zork All Nibble Software Robot Wars	\$19.99
Gobbler	S24.95 now \$21.19
Ultima	. \$39.95 now \$33.89
Autobahn	\$29.95 now \$25.39
Battle Cruiser Action	544.95 now \$38.89 539.95 now \$33.89
Gorgon	\$39.95 now \$33.89 \$39.95 now \$33.89
Hellfire Warrior	539.95 now \$33.99
Gamma Goblins	.S29.95 now \$25.39
Mission Asteroid	\$19.95 now \$17.99
Wizardry	\$49.95 now \$42.49 \$29.95 now \$25.39
Star Mines	\$29.95 now \$25.39 \$39.95 now \$33.99
Microsoft Adventure	529.95 now \$33.99 529.95 now \$25.39
Wizard and the Princess	\$32.95 now \$28.99
Flight Simulator	\$34.95 now \$29.49
Odyssey	S29.95 now \$25.39
Sargon II	\$34.95 now \$29.69 \$29.95 now \$25.39
Hi-Res Cribbage	. S24.95 now \$21.19
Lords of Karma (cass.)	
Oh Shoot	now \$19.99
ABM	\$24.95 now \$21.19
Computer Conflict	\$39.95 now \$35.99 \$59.95 now \$52.99
Temple of Anshai	\$39.95 now \$33.89
Zork	\$39.95 now \$33.99
All Nibble Software	15% off list
Robot Wars	\$39.95 now \$33.99
Cranston Manor	534.95 now \$29.69
Computer Acquire	S20.00 now \$16.99
Twala's Last Redoubt	\$29.95 now \$25.39
Snoggle	S24.95 now \$21.19
Alien Rain	\$24.95 now \$21.19
Alien Typhoon	
3-D Skiing	\$24.95 now \$21.19
Creature Venture	\$24.95 now \$21.19
Galaxy Space War I	\$39.95 now \$33.99
Hodge Podge	
Dragon Fire	\$49.95 now \$42.49
Zork All Nibble Software Robot Wars Cranston Manor Dragon's Eye Computer Acquire Twala's Last Redoubt Snoggle Alien Rain Alien Typhoon Raster Blaster 3-D Skiing Creature Venture Galaxy Space War I Hodge Podge Meteoroids in Space Dragon Fire Pool 1.5	\$34.95 now \$29.69
MISCELLANE	ous
Escape from Acturus Basic Mailer Memory Management II Castle Wolfenstein Upper Reaches of Apshai Bridge Tutor PASCAL Animation Tools Hand Holding BASIC UT-100 Fmulator	\$29.95 now \$25.39
Mamon Management II	569.95 now \$39.49
Castle Wolfenstein	\$29.95 now \$25.39
Upper Reaches of Apshai	\$19.95 now \$16.89
Bridge Tutor	\$39.95 now \$35.19
PASCAL Animation Tools	\$65.99
IIT-100 Emulator	\$65.99
Space Quark	\$29.95 now \$25.39
Beneath Apple DOS (book)	\$19.95 now \$16.89
Dinosaurs (cass.)	
Goblins	\$27.50 now \$12.69
Hand Holding BASIC UT-100 Emulator Space Quark Beneath Apple DOS (book) Dinosaurs (cass.) Birth of the Phoenix Goblins Painter Power U.S. Constitution Merger Super Stellar Trek LISA V-Plot (Yuccipa) V-Stat V-Print Brain Surgeon Info Master Waterloo II Eaphysiand 21141	\$39.95 now \$33.89
U.S. Constitution	S29.95 now \$25.39
Merger	\$49.95 now \$42.49
Super Stellar Trek	539.95 now \$33.89
V-Plot (Yuccina)	\$29 95 now \$25.39
V-Stat	
V-Print	S29.95 now \$25.39
Brain Surgeon	\$49.95 now \$42.49
Waterloo II	S49 95 now \$127.49
Fantysland 2U41	
Torpedo Terror	\$24.95 now \$21.19
Speedstar	\$139.95 now \$114.69
Kaves of Karkhan	\$49.95 now \$42.39 \$24.00 now \$20.39
Materioo II Fantysland 2U41 Torpedo Terror Speedstar Kaves of Karkhan Dos Boss	
WORD PROCES	SORS
Apple Writer Magic Window Easy Writer Professional Letter Perfect Super Text Superscribe Apple Pie (All Versions) Executive Secretary Apple Wordstar	.\$100.00 now \$84.99
Easy Writer Professional	.\$250.00 now \$219.00
Letter Perfect	\$150.00 now \$127.49 \$150.00 now \$127.49
Superscribe	S150.00 now \$127.49 S129.95 now \$110.39
Apple Pie (All Versions)	.\$129.95 now \$99.99 .\$250.00 now \$212.49
Executive Secretary	\$250.00 now \$212.49 \$375.00 now \$286.00

Softlights

By Fred Huntington

Welcome to the world of Huntington Computing and the first Softlights column.

To celebrate our first column we are offering Space Eggs and Apple Panic for only \$19.99 each (list S29.95). You must mention this ad to get the special price. Shipping (usually UPS) for software is \$2.00, no matter how large the order. UPS Blue Label is \$3.50. Foreign shipping (except for Canada and Mexico) and hardware shipping are extra.

Huntington Computing started out a yearand-a-half ago as a mom and pop outfit. We now employ close to fifty people. We think we have the largest selection of software for the Apple " in the world.

Check the reader service card for a free catalog of software for the Apple". We also are now carrying a large selection of software for the Atari*, TRS-80* and Pet* but don't have a catalog yet.

We have fast service, the best guarantee in the business and friendly personnel.

Our store hours are 7 a.m. to 9 p.m. (P.S.T.) on weekdays and 10 a.m. to 5:30 p.m. on weekends and holidays (except Christmas). Usually, however, we're here much beyond those hours and can even be reached in the middle of the night occasionally. We do not employ an answering service or an outside ordering service.

We want your business and will do what we can to get it and keep it.

Got a pre-schooler? Our two-year-old loves Hodge Podge by Dynacomp - only \$20.99 (list S22.99). Our vote for favorite arcade-type game is Sneakers. A lot of people, however, tell us they get addicted to Apple Panic.

Business systems? We took a handful to our C.P.A. and he chose the Continental General Ledger for us - \$212.49 (list 5250.00).

Even if you don't see the software you want listed here or in our catalog, chances are we already have it in stock or can get it for you at a discount. We stock more than 1,000 different programs and add new ones every day

COMING SOON! California Toll-Free Number 800-692-4143

STOCK PROC	GRAMS	
Portfolio Master	\$75.00 now	\$63.69
Market Charter	. 5129.95 now	\$110.39
Dowlog for Market Charter	S99 95 now	\$89.99
Investment Decisions	\$99.95 now	\$84.99
Stock Tracker	5190 00 now	\$161.49
Stock Tracker (Auto Ver)	5300.00 now	\$254.99

BUSINESS APPLICATIONS

S200.00 now \$149.00

Invoice Factory (Special)

Regression Trend Analysis	526	95	now	\$22.89
Multiple Regression	529	95	now	\$25.39
Microsoft Fortran				\$165.69
Microsoft Cobol-80				\$637.49
Business Pac 100				\$84.99
Desktop Plan II	.S200	00	now	\$169.99
Visicalc 3.3 Special	.S200	00	now	\$149.00
Visiplot	.5179	95	now	\$152.89
Visitrend/Visiplot	\$259.	95	now	\$220.89
Visidex Special	\$199	95	now	\$139.00
Visiterm	\$149	95	пож	\$127.39
Complete Mailing (Avant-Garde) .	\$59	95	now	\$50.89
DB Master	S229	95	пом	\$194.59
PFS	S95	.00	now	\$80.69
PFS Report	\$95	.00	now	\$80.69
Data Factory	S150	.00	now	\$124.00
Thinker	5495	.00	now	\$420.69
Request				\$191.19
Super Kram				\$148.69
ASCII Express				\$84.99
BPI Accounts Receivable				\$335.69
BPI General Ledger				\$335.69
The Mail Room	529	.95	now	\$25.39
Continental General Ledger	\$250	.00	now	\$212.49
Cont. Accounts Receivable				\$212.49
Cont. Accounts Payable	5250	.00	now	\$212.49
Continental Payroll	5250	.00	now	\$212.49
Broderbund Payroll	5395	.00	now	\$335.69
Informer II				\$42.4
Creative Financing				\$127.49
Real Estate Analyzer	5150	.00	now	\$127.49
Accounting Assistant (cass.)	5/	.95	now	\$6.89
Spell Star	5250	.00	now	\$212.49
Muse Form Letter	5100	.00	now	\$84.99
Property Management System PERSONAL/H	5225	.00	now	\$191.19
PERSUNAL/F	OME	05		\$16.99
Interlude (disk)	519	95	now	\$16.89
Handwriting Analysis	519	05	now	\$25.39
Decision Master	529	95	now	\$38.19
The Correspondent	544	.yo	now	330.19

roperty Management System3223.00 now	3171.17
PERSONAL/HOME	
nterlude (disk)	\$16.99
Handwriting Analysis	\$16.89
Decision Master	\$25.39
The Correspondent	\$38.19
Diet Planning	\$21.19
Win at the Races	\$33.89
Pro Football (SDL)	\$22.89
College Football (SDL)	\$22.89
Grocery List	\$16.89
Financial Management System II \$39.95 now	\$33.89
Creativity Tool Box	\$38.19
Home Money Minder	\$29.69
HARDWARE	

HARDWA	RE	
D.C. Hayes Micromodem	S375.00 now	\$299.00
D.C. Hayes Smart Modem		
MX-80 Printer/Cable/Card	\$755.00 now	\$575.0
MX-80 Replacement Head	S39.00 now	\$34.9
MX-100FT with Graftrax		
MX-80FT with Graftrax		
460G Paper Tiger		
560G Paper Tiger		
Tiger Trax		
Mark IV DOS Boot Switch		
Z-80 Softcard		
Expansion Chassis		
Mt. Comp. Music System		
NEC 12 Green on Black		
Videx 80-col.		
Videx Switchplate		
Andromeda 16K Ram Expansion		\$179.00
Microsoft 16K Ram Expansion		\$179.00
Keyboard Plus		\$99.99
TG Joystick		\$50.89
TG Game Paddles		\$33.89
Paymar LCA Rev. 7		

MISCELLANEOUS	
Memorex Disks 10 for 9	\$24.99
Verbatim Datalife-plain w/hubs 10 for :	\$27.99
Dysans 10 for 1	\$49.99
Flipsort Box	\$29.80
Scotch Disk Cleaner	\$26.99
	\$21.19
Atori /TDC 90 / Pott	

Free **800-3** (Outside California)

HUNTINGTON COMPUTING

Post Office Box 1235 Corcoran, California 93212

Apple - Wordstar Hebrew II Apple - Writer Extended

Order by Phone 800-344-4111 In California (209) 992-5411

Apple is a registered trademark of Apple Computer, Inc. Pet is a registered trademark of Commodore

TRS-80 is a registered trademark of Tandy Corp.
Atan is a registered trademark of Atan Inc.



We take MasterCard or VISA (Include card # and expiration date). California residents add 6% tax. Include \$2.00 for postage. Foreign and hardware extra. Send for free catalog. Prices subject to change

Converse with your Computer ELIZA

Play it Program it

More than just a computerized "psychiatrist," this new expanded implementation of ELIZA, the world-renowned artificial intelligence demonstration program, brings to your micro the full capability of the original — and then some.

ELIZA converses with you in plain English, re-sponding to your comments. Plus, it lets you modify its responses, and add new phrases to its reper-toire. You can even create an entirely new set of conversational gambits on any topic you choose.

ELIZA comes with the original non-directive psy-chiatrist "script" developed at MIT. Documentation includes a copy of the original research paper, just full instructions on how to program ELIZA's re-

ELIZA requires 40K RAM and costs only \$24.95. 8" CP/M disk 5" Heath/Zenith disk

Add \$3 shipping and handling, \$2 for 5" disks, \$5 for overseas. CA residents add sales tax.


The Software Toolworks

14478 Glorietta Rd. Sherman Oaks, CA 91423 (213) 986-4885

Circle reader service number for complete catalog.

Circle 384 on inquiry card.

TRS80 POCKET COMPUTER CASE



CUSTOM DESIGNED. HANDCRAFTED CASES

are made of plywood (for strength). Covered with heavy Vinyl, reinforced on the corners (for wear). The detachable lid has a full size pocket, there is storage for 5 tapes, printer paper, pens etc. (for convenience). Price \$72.50 plus \$4.50 shipping, Penna. residents add 6% sales tax. To CONLEN'S CUSTOM CASES, Box 306 Norristown, PA 19404 or call (215) 279-5334. Visa/Mastercharge ac-

Circle 103 on inquiry card.

VISA PACIFIC **EXCHANGES** 100 Footbill Blvd San Luis Obispo, CA 93401 In Cal call (800) 592-5935 or (805) 543-1037

MEMOREX

FLEXIBLE DISCS

WE WILL NOT BE UNDER-SOLD!! Call Free (800)235-4137 for prices and information. Dealer inquiries invited and C.O.D.'s

Circle 332 on inquiry card.

accepted.

FX-**FORTH**

ppk KIM

\$30

\$30

A Complete Structured Language With:

- COMPILER/INTERPRETER
- ☐ OPERATING SYSTEM
 ☐ 6502 ASSEMBLER (With Macros)
- ☐ FIG SCREEN EDITOR

FLEX-FORTH is a full-featured F.I.G. standard FORTH with virtual memory files.

APPLE II 48K (Disk) \$30 KIM 16K (Cassette) \$30

CBM 8032 \$30 Price includes user manual

Source listing with either, add \$20.

Shipped Free.

GEOTEC 1920 N.W. Milford Way Seattle, Wa 98177

Apple is a frademark of Apple Computer Co KIM is a trademark of MOS Technology CBM is a trademark of Commodore Business Machines

Circle 173 on inquiry card.

Dot Matrix Printer Interfaces with Apple II Featuring an Apple II@-compatible parallel interface, Addmaster Corporation has produced a new dot matrix printer, Model 170. The interface includes a Centronics-type handshake and DB-25 interface connector, Baudot, and day—and time clock. The Model 170 provides 18 or 21 characters per line, 6 lines per inch print density, on standard 2½" adding machine tape. Designed to use with personal computers, Model 170 will produce hard and carbonless copies of programs, data or results. Write Addmaster Corporation, 416 Junipero Serra Dr., San Gabriel, CA 91776 or call 213/285-1121.

Circle 7 on inquiry card.

LISTS OVER 5000 PROGRAMS SPECIFICALLY WRITTEN FOR MICROS

No other directory, at any price, contains such a wealth of information. Relevant, easy-to-use, and comprehensive, it is essential material for every microcomputer user

Please send me ____ copies of the IMSD [\$32.95] Name Phone

☐ Check enclosed. OR, all major cards accepted.

state which. Acc No. Expiry Date

IMPRINT SOFTWARE 120, WEST OLIVE, FORT COLLINS CO 80521, TEL 303 482 5574



Circle 192 on inquiry card.

CONVERT ANY TV TO A HIGH QUALITY MONITOR



Kit permits Dual Mode operation on B&W or Color sets

• Hi-resolution • Up to 80
characters per line • Wide bandwidth

Video • Safe-Easy installation

• Direct

A full line of low cost Monitors and Receiver/Moni-

Send for complete Audio/Video equipment catalog.

V.A.M.P. Inc. Box 411, Los Angeles, CA 90028 (213) 466-5533

AUDEX-1 the EAR & MOUTH for AIM-65



- Recognition and Response in One Unit
- Built-in Amplifier and Speaker
 Dynamic Microphone Included

- Dynamic Microphone included
 You can make your own vocabulary
 Good-Speech Quality
 Up to 98% Recognition Accuracy
 Easy-to-follow Users Manual
 In a 34" x 54" x 14" Box
 Assembled and Fully Tested

\$169.00 ea. plus shipping and handling charge: U.S. \$3.50 Overseas, 10%

NJ Residents, add 5% sales tax.

- VISA, Mastercharge Welcome -

AUDEC CORPORATION (Dept. L1) 728 Larch Avenue Teaneck, NJ 07666 (201) 692-1729

Circle 38 on inquiry card.

HEAVY DUTY POWER LINE FILTERS

for personal and mini-computers



New 110 & 220 VAC power line filters handle up to 15 Amps...5-section filter networks provide better than 50 dB attenuation from 500 kHz to 300 MHz...eliminate interference and spikes from virtually all sources.

Net Price \$59.00

J.W. Miller Division **Bell Industries** 19070 Reyes Avenue Compton, CA 90221 (213) 537-5200

Circle 458 on inquiry card.



RIGHT ANGLE HEADERS

SOLDLITIAL		*****	11/01	
Size	e Part No.	Price	Part No.	Price
10	IDH10SRB	\$1.20	IDH10WRB	\$2.60
20	IDH20SRB	1.90	IDH20WRB	4.15
26	IDH26SRB	2.75	IDH26WRB	5.35
34	IDH34SRB	3.75	IDH34WRB	6.25
40	IDH40SRB	3.75	IDH40WRB	7.35
50	IDH50SRB	4.75	IDH50WRB	9.20

.1" Spacing, Mounts on PC Board & Mates with IDS Socket below. Ejector Bars - 4/1.00.



25 PIN "D" CONNECTORS

Solder Style	Part No.	Price
Male	DB25P	\$2.95
Female	DB25S	3.95
Cover	DB25C	1.50
IDC Style		
Male	IDB25P	6.25
Female	IDB25S	6.60
Cover	IDB25C	1.60

Solder Style solders onto cable, IDC Style crimps onto cable with vise. 9, 15, 37 and 50 pin available also.

WIRE WRAP WIRE

		Wrap Wire	
Length	100/Bag	500/Bag	1K/Bag
2.5"	\$1.38	\$3.94	\$6.81
3.0"	1.43	4.25	7.46
3.5"	1.51	4.57	8.11
4.0"	1.56	4.88	8.73
4.5"	1.63	5.21	9.39
5.0"	1.69	5.54	10.04
5.5"	1.74	5.92	10.69
6.0"	1.82	6.23	11.34
6.5"	2.11	7.08	12.99
7.0"	2.19	7.44	13.68
7.5"	2.29	7.78	14.40
8.0"	2.35	8.12	15.10
8.5"	2.40	8.46	15.80
9.0"	2.46	8.92	16.51
9.5"	2.53	9.15	17.22
10.0"	2.63	9.58	17.91
All lend	ths are over	erall, including	1" strip

on each end. Choose from colors; Red,

Blue, Black, Yellow, White, Green,

Orange, and Violet.

IDC CONNECTORS



EDGE CARD CONNECTORS

Size	Part No.	Price
10	IDE10B	\$3.95
20	IDE20B	4.35
26	IDE26B	5.00
34	IDE34B	6.05
40	IDE40B	6.90
50	IDE50B	7.50

.1" Spacing. Crimps onto cable with ordinary vise & mates with standard .062" Card Edge.




CABLE PLUGS

Part No.	Price
IDP14B	\$1.45
IDP16B	1.65
IDP24B	2.50
IDP40B	4.15
	IDP14B IDP16B IDP24B

.1" Spacing. Crimps onto cable with ordinary vise & plugs into standard IC Socket

WIRE WRAP SUPPLIES



Size	Part No.	Each	Tube
08	ICN083WBSG	.44	52x .39 = \$20.28
14	ICN143WBSG	.53	30x .46 = \$13.80
16	ICN163WBSG	.58	26x .50 = \$13.00
18	ICN183WBSG	.78	23x .68 = \$15.64
20	ICN203WBSG	1.00	21x .85 = \$17.85
22	ICN224WBSG	1.07	19x .92 = \$17.48
24	ICN246WBSG	1.09	17x1.09 = \$15.98
28	ICN286WBSG	1.43	15x1.23 = \$18.45
40	ICN406WBSG	1.85	10x1.60 = \$16.00

Selective Plating provides gold in contact where it counts. 3-level wrap. Save by buying sockets by the tube. All gold available at 1/2¢/pin extra charge.

* No Discount

RIBBON CABLE

		olid Color	Color C		l
	5	olia Color	Color C	oaea	ś
Size	10 ft.	100 ft.	10 ft.	100 ft.	۹
10	2.90	17.00	4.00	30.00	
14	3.40	23.80	5.00	42.00	
16	3.70	27.20	5.60	48.00	
20	4.40	34.00	7.00	60.00	
24	5.00	40.80	8.00	72.00	
26	5.40	44.20	8.60	78.00	
34	6.80	57.80	11.00	102.00	
40	7.80	68.00	13.00	120.00	
50	9.50	85.00	16.00	150.00	



SOCKETS

Size	Part No.	Price
10	IDS10B	\$1.88
20	IDS20B	2.75
26	IDS26B	3.50
34	IDS34B	4.50
40	IDS40B	5.40
50	IDS50B	6.50

.1" Spacing. Crimps onto cable with ordinary vise & mounts to header sold above.

WIRE KITS

	Kit No. 1	- \$9.95	
250	3"	100	41/2"
200	31/2"	100	5"
100	4"	100	6"
	Kit No. 2	- \$24.95	
250	21/2"	250	5"
500	3"	100	51/2"
500	31/2"	100	6"
500	4"	100	61/2"
250	41/2"	100	7"
	Kit No. 3	- \$34.95	
250	21/2"	500	41/2"
500	3"	500	5"
500	31/2"	500	51/2"
500	4"	500	6"
	Kit No. 4	- \$59.95	
500	21/2"	1000	41/2"
1000	3"	1000	5"
1000	31/2"	1000	51/2"
1000	4"	1000	6"

ORDERING INFORMATION
Prepaid orders over \$50 shipped prepaid via UPS. All others add \$3.00 for handling. VISA, MC, COD's and open account orders will be charged freight. \$15 minimum order. \$100 minimum open account order.

Order

\$15 - 99 100 - 199 200 - 499 500 - 999 1000 up

DISCOUNT SCHEDULE

Amount Net less 10% less 15% less 20%

less 25%

Discount and the name of this magazine must be mentioned at time of order to get discount. Discount applies on all items except as noted, "No Discount."

Verbatim[®]

Floppy Discs

SAVE 40% Write for our complete list.

5 1/4 " Specify soft, 10 or 16 sector	Price/10
	407.00
MD525 1 side/dbl dens	
MD550 2 sides/dbl dens	44.20
MD577 1 side/77 track	32.50
MD557 2 sides/77 track	44.20

8" Critically Certified Soft sector FD34-9000 1 side/sgl dens......33.80 FD34-8000 1 side/dbl dens 39.00 FD34-4001 2 side/dbl dens 46.20

CHECKS - VISA - MC - C.O.D. (313) 777-7780 ADD \$2 SHIPPING

LYBEN COMPUTER SYSTEMS 27204 Harper Ave. St. Clair Shores, MI 48081

1802

fig-FORTH

high-level compiler language

10 - 20X faster than BASIC

ELF II / SuperELF / Other

macro-assembler

on cassette/requires 16k+RAM

P.O. Box 8403

Austin, Texas 78712

512-477-2207

floating-point

580

add \$35


w/editor, strings

plus tiny pascal

Circle 229 on inquiry card.

WITH YOUR TRS-80* Use ESP the Educated Slave Processor Plots vectors, dots, X and Y axes, and ASCII characters Buffers commands to optimum speed of recorder Price is \$250. Manual sold separately for \$10. Or Use MICRO-PEN Software + ESP capabilities except buffering + Runs in TRS-80° computer + Requires user-supplied D/A and pen control interfaces Price is \$79 on diskette + Schematic and parts information provided for electrical interface

HATCH A PLOT



Circle 158 on inquiry card.



Length	Qty 10	Qty 50
C-10	\$ 7.50	\$32.50
C-20	9.00	39.00
C-60	13.50	57.00
C-90	17.50	77.50

5-screw shell, boxes, labels, product warranty, UPS shipping included. Please no P.O. box.

MICROSETTE CO. 475 Ellis St., Mt. View,

Circle 266 on inquiry card.


Length	Qty 10	Qty 50
C-10	\$ 7.50	\$32.50
C-20	9.00	39.00
C-60	13.50	57.00
C-90	17.50	77.50

CA Customers add taxes.

CA 94043 (415) 968-1604

Circle 169 on inquiry card.


VISA








Circle 115 on inquiry card.



Circle 379 on inquiry card.





Model III 16K \$839

Model III 48K 2 disc & RS232C \$2100

Color Computer 4K \$310 w/16K Ext. Basic

\$459

BUY DIRECT. These are just a few of our great offers which include Printers, Modems, Computers, Peripherals, Disc Drives, Software and call TOLL FREE 1-800-343-8124

We have the lowest possible fully warranteed prices

computer Write for your plus 245A Great Road Littleton, MA 01460 617 • 486 • 3193

and a full complement free catalog. of Radio Shack Software.

Circle 212 on inquiry card.

Circle 410 on inquiry card.

Circle 89 on inquiry card.

COMPUSCOUNTS WARNER TOLL-FREE TOLL-F

NEC Microcomputer



PC-8001A 32K ComputerCAI	LL
PC-8012A I/O Unit w/32K RAM	
PC-8013A Dual Mini-Disk Drive Unit	
PC-8001 Multi Cardware (FDI/O & 32K) CAI	LL
CP/M 2.2 Operating System for NEC	
WordStar configured for NEC29	99
SuperCalc configured for NEC	
NEC Wordprocessor & Accounting Software CAl	
Many more software packages and languages:	
(Pascal, Fortran, Cobol, etc) are available configured f	or
the NEC 8001A Computer.	
Please call or write for a product price list.	



ATARI 800 16K

Atarl 400 w/16K		22		.349
410 Program Recorder				65
810 Disk Drive	B	0	98	.449
825 80 col. 7x8 Dot matrix impact printer				.699
822 40 col. Quiet Thermal Printer				
850 Interface Module				
Atari 16K Ram Module				69
Axion Ramcram 32K Module				.189

Video Monitors

55
79
99
L
L
L
35
L
59
35
19
19
3



ZENITH 12" GREEN


\$149

VIC20 \$259

Personal Computer

Color ' Sound ' Graphics Call or write for more info. Disk drives available soon!





APPLE II PLUS

16K NOW \$1025 48K NOW \$1089 64K* NOW \$1199

*48K Apple with 16K RamBoard



APPLE DISK DRIVES

w/controller and DOS 3.3 \$499

Apple Cards and Hardware


Language System w / Pascal	1 & BASICS 379
Silentupe Printer w/Interfa	
Haves Micromodem II	
Novation Apple-Cat	
Videx Videoterm 80 column	card269
Videx Keyboard Enhancer .	
Z-80 Softcard by Microsoft .	
16 K RamCard by Microsoft	
CPS Multi-function card	

Software for the Apple

VisiCalc version 3.3						. 159	ì
VisiFile (NEW data base manager)		9				. 199	ã
VisiTrend/VisiPlot					•	.219)
DB Master							
WordStar (Apple 80 col. version) .							
Dow Jones Portfolio Evaluator							
Apple Post							
Apple Writer							
Dow Jones News & Quotes Report							
Apple Plot							
Tax Preparer							
Real Estate Analyzer	20	727	98	8			13

16K RAMBOARD by ConComp for Apple II Computers

FOR ONLY \$12995



AVAILABLE NOW

5-100

California Computer Systems

rioppy Disk Controller	2307
64K Dynamic Ram Board, 200ns	\$499
Z-80 CPU board w/monitor ROM	\$269
16K Static memory board, 200ns	369
32K Static memory board, 200ns	599
S-100 12 Slot Mainframe	475
4-Port Serial Interface	299
2-Port Serial/2-Port Parallel Interface	299
4-Port Parallel Interface	229

Printers

Silentype
w/Apple II interface
\$349
Epson
MX-80 or
MX-80 FT
CALL



Anadex 9501 w/2K Buffer	. 1349
C. Itoh Starwriter 25 CPS dalsywheel	.1449
C. Itoh Starwriter 45 CPS daisywheel	.1649
Epson MX-70	.CALL
Epson MX-80 & MX-80 F/T	.CALL
Epson MX-100	CALL
NEC 8023 Impact Dot Matrix	695
NEC Spinwriters (Latest models)	.CALL
Paper Tiger IDS-445G w/graphics	699
Paper Tiger IDS-460G w/graphics	949
Paper Tiger IDS-560G w/graphics	.1249
Silentype Printer w/Apple Interface	349
Qume Sprint Dalsywheels (Latest models)	CALL

ORDER TOLL FREE **800-854-6654**

In California and outside continental U.S. (714) 698-8088
Telex 695-000 Beta CCMO

Send Orders To:

Ordering information: Phone orders using VISA, MASTERCARD, AMERICAN EXPRESS, DINER'S CLUB, CARTE BLANCHE, bank wire transfer, cashier's or certified check, money order, or personal check (allow ten days to clear). Unless prepaid with cash, please add 5% for shipping, handling and insurance. (minimum 5.00). California residents add 6% sales tax. We accept CObs. DEM's, Institutions and corporations please send for a written quotation. All equipment is subject to price change and availability without notice. All equipment is new and complete with manufacturer's warranty (usually 90 days). Showroom prices may differ from mail order prices.

COMPUMER Mail Order

8314 Parkway Drive La Mesa, Calif. 92041

6809 Small C Compiler

- Generates assembly language source output
- Requires only 16K memory
- Library functions in source code
- Generates position independent code
- Supports most C functions
- Generates ROMmable code
- Floating point

specify 5 or 8 inch diskette SSB or FLEX

PRICE \$120


TERMS: Check or Money Order. California residents add 6%. C.O.D. orders add \$3.50 shipping & handling.

(714) 755-4373


DUGGER'S GROWING TO SYSTEMS

POST OFFICE BOX 305 SOLANA BEACH, CA 92075

Circle 137 on inquiry card.



Circle 440 on inquiry card.



C LEXI

-THE COMPLITER WORD GAME-

N S R I A A E H R S T I E T E M

LEXI made 63 words from these letters. How well can you do against LEXI? Needs 48K CP/M, 24x80 screen, 8" disk \$35 ppd.

add 6% tax in CA

Design Integrity

5922 abernathy drive los angeles, california 90045

Circle 121 on inquiry card.

FLOPPY DISKS

NEW Shugart SA 400 \$	230
NEW Shugart SA 450	325
NEW Shugart SA 801 R	415
NEW Shugart SA 851 R	634
Dual Drive Enclosure (8")	
Wired, power supply, remote AC	
control, rack mount slides	649
Enclosure/2 SA 801 + signal cable	1450
Enclosure/2 SA 851 + signal cable	1900
Enclosure, desk top, bare, unwired	75
DISKETTES	

Soft sectored, 10 holes or 16 holes.
Single Side - Single Density 29.70
Single Side - Double Density 36.10
Double Side - Double Density 43.90

9½ x 11 Blank 3700 Sheets 27.22 8½ x 11 Bar 3700 Sheets 24.72

15

METAVAN, INC.

1805 East Dyer Road, Suite 307 Santa Ana, CA 92705

[714] 540-2427

Circle 246 on inquiry card.

SCR SUPER-BUYS

\$10.00 MIN. ORDER HANDLING/SHIPPING. . . \$5.00 UPS ANYWHERE IN CONTINENTAL U.S.

① UHF-VHF CONVERSION KIT. Complete with PC board; all required components; jumper wire; cabinet with speaker; and comprehensive brochure incl. schematic, board layout, mounting and hook-up diagrams, parts list, and assembly and set-up instructions. All parts are industrial prime quality.

NEW ZENITH ZVM-121 HIGH-LEGIBILITY
CRT MONITOR. Features 12'' green phosphor CRT, with 15 MHz Bandwidth, 40 or 80 character widths are operator switch-selectable. Fully compatible with 80-column

Apple cards, etc.

3 CROMEMCO COMPUTER CARDS "ACROSS-THE-BOARD." For better prices, quickest deliveries, and the most comprehensive follow-up support services — your best source is SCR, everytime!

SCR (714) 527-2554 • (213) 596-7553 ELECTRONICS INC. 9533 Valley View Street, Cypress, CA 90630

Pay by CHECK, M.O., VISA, M/C, C.O.D.

For Free Buyers Guide Circle Number Shown Below

ZEN GOES Z80

FAST SCREEN EDITING

OPEN PROGRAMS WITH SOURCE FILES

ZEN7# gives you very fast screen editing without line numbers. A built in monitor and inclusion of source files leave you in complete control. Re-assemble or save with any new configuration or additions.

Load, append, save and justify with 4-way cursor ease. Use as a very quick to learn word processor for records, correspondence, lists or source files of the .BAS .ASM .TXT .HEX etc. types. Addressable cursor is not required.

* * * * * *

ZEN1 in 8080 uses NSSsar DOS and edit conventions. It contains a full monitor, assembler and some NSSasic utilities. Specify SD or DD and DOS location 100 or 2000.

ZEN2 in 8080 uses CP/H 1.4 up format. Page numbering, two title lines and printer escape codes are supported. Monitor is built in. Specify 8" SD IBM format or NS 5". Source code available by modem for other formats.

ZEN3 in Z80 uses CP/H 2.2 up format. In addition to ZEN2 capabilities, files can be saved and loaded with optional code words to give absolute security to your files.

ENM in 280 contains relocatable .22m modules that can be linked by ZBN3 including the 280 assembler. Any number of disc files can be assembled to disc with global labels. Relocatable format, and Zilog or Intel mmemonics are optional. Requires ZBN3, 280 CPU and CP/M 2.2 or higher.

Disc and Manual \$75 CA residents add 6% Manual alone \$15 Add \$3 for c.o.d. per order

residents add 6% Add \$3 for c.o.d. per order

ZENRAD CONTROLS COMPANY PHONE 805/965-4996 1575 A.P.S. SANTA BARBARA CA 93103

Circle 443 on inquiry card.

WHIZKIT TM

\$39.95 (DISKETTE)

- CONVERTS UNITS
- CHECKS DIMENSIONS
- NO CONVERSION ERRORS
- NO gc HEADACHES
- · SI UNITS
- ENGLISH & METRIC UNITS
- CGS, MKS SYSTEMS
- ENGINEERING UNITS
- SCIENTIFIC UNITS

P.V. SYSTEMS P.O. BOX 21577 SAN JOSE, CA 95151

(408) 255-8660

Circle 355 on inquiry card.

STARDATE: 01981 From the GALAXY...

CHRISTMAS

CLEARANCE

COST	
2950.	
3195.	
3250.	
474.	
450.	
565.	
799.	
820.	
2195.	
2695.	
150.	
75.	
199.	
249.	
	2950. 3195. 3250. 474. 450. 565. 799. 820. 2195. 2695. 150. 75. 199.

CALL for price ALTOS, VOLKER CRAIG Terminals, SOFTWARE (Peach Tree, North Star & Intecolor) For FASTER SERVICE send Money Order, Cashiers Check, Bank Wire Transfer. For VISA & MC add 4%. Personal Checks accepted (allow 10 days to clear). California Res. ADD 6% sales tax.

CALL (408) 279-2220 or mail to: GALAXY ENTERPRISES, PO Box 551, San Jose, CA

Why use their flexible discs:

Athana, BASF, Control Data, Dysan, IBM, Maxell, Nashua, Scotch, Shugart, Syncom, 3M, Verbatim or Wabash

when you could be using

MEMORE

for as low as \$1.94 each?

Find the flexible disc you're now using on our cross reference list... then write down the equivalent Memorex part number you should be ordering.

Product Family	Product Description	Part Number (3201-)	CE quant. 100 price perdisc(\$)	Athana	BASF	Dysan	IBM	Maxell	Nashua	Scotch 3M	Shugart	Syncom	Verbatim	Wabash	Contro
	IBM Compatible (128 B/S, 26 Sectors)	3060	1.99	473071	53428	800506	2305830	FD1-128	FD-1	740-0	S/A 100	15002	FD34-9000	F111111X	42160
Flexible Disc 1s	IBM Compatible (128 B/S, 26 Sectors) w/ W.P.N	3062	2.04	-	-	-	-	144	-	740-0	-	-	FD34-9000	-	-
Single-Headed Drives	IBM Compatible (128 B/S, 26 Sectors) w/ W.P.N. & Hub Ring	3064	2.39	-	-	-	-	-	-	-	-	-	FD34-9000	-	-
Single-Density Media	IBM Compatible (128 B/S, 26 Sectors) REVERSIBLE	1729	3.19	473072	54431	-	-	-	FD-2	740/2-0	-	15150	FF34-9000	F171111X	-
	IBM System 6 Compatible	3066	2.04	473077	54561	800509	1669959	-	1-1	740-0 0S6		15003	FD60-9000	F116111X	-
	IBM Compatible (256 B/S, 15 Sectors)	3109	1.99	473073	-	800584	2305845	-		740-3600	-	15005	FD36-9000	F112111X	-
	IBM Compatible (512 B/S, 8 Sectors)	3110	1.99	473074	-	800585	1669954	-	-	-	-	15004	FD60-9000	F113111X	-
	Shugart Compatible, 32 Hard Sector	3015	1.99	470901	53802	101/1	-	FH1-32	FD-132	740-32	S/A-101	15025	FD32-9000	-	4213
	Wang Compatible, 32 Hard Sector w/Hub Ring	3087	2.49	-	54491	-	-	-	-	740-32RH	-	-	-	F37A411X	-
	CPT 8000 Compatible	3045	2.69	-	-	-	-	-		-	-	15226	-	-	-
Flexible Disc 1d	IBM Compatible (128 B/S, 26 Sectors)	3090	2.69	474071	54568	3740/10	-	FD1-128/M210	0 FD-1D	741-0	-	-	FD34-8000	F131111X	4230
Single Headed Drives	Soft Sector (128 B/S, 26 Sectors) REVERSIBLE	3093	3.69	-	-	-	-	1 -	-	-	-	-	-	-	-
Double-Density Media	Shugart Compatible, 32 Hard Sector	3091	2.69	470801	54596	101/1D	-	FH1-32D		741-32	S/A-103	15075	FD32-8000	F33A411X	4233
	Wang Compatible, 32 Hard Sector w/Hub Ring	3088	3.09	-		-	-	-		-	-	-	-	-	-
Flexible Disc 2s	Soft Sector (128 B/S, 26 Sectors)	3113	3.09	-	54428	800814	1766870	-	-	-	S/A-150	15153	FD10-4026	F121111X	-
Double-Headed Drives Single-Density Media	Soft Sector (256 B/S, 15 Sectors)	3106	3.09	473477	54226	800815	2736700	FD2-256D	-	742-0	-	15154	FD10-4015	F122111X	4246
Flexible Disc 2d															
Pouble-Headed Drives	Soft Sector (Unformatted) Soft Sector (128 B/S, 26 Sectors)	3102	3.09	473485	=	DY150	-	FD2-XDM	FD-2D	743-0	-	15103	DD34-4001	-	4250
		3115	3.09	-	-	-	-	-	-	-	S/A-150	-	-	-	-
Double-Density Media	Soft Sector (256 B/S, 26 Sectors)	3103	3.09	473471	54325	800817	1766872	FD2-256D	-	743-0/256	-	15101	DD34-4026	F144111X	4256
	Soft Sector (512 B/S, 15 Sectors)	3114	3.09	473472	54479	800818	1669044	-	77	743-0/512	-	15100	DD34-4015	F145111X	4258
	Soft Sector (1024 B/S, 8 Sectors)	3104	3.09	473473	54485	800819	1669045	-	-	743-0/1024	-	15102	DD34-4008	F147111X	4256
	32 Hard Sector	3105	3.09	470851	-	101/2D	-	FH2-32D	-	743-32	S/A-151	15125	DD32-4000	F34A411X	4253
	Burroughs B-80 Compatible, 32 Hard Sector	3092	3.09	-	-	-	-	-	-	-	-	-	-	F34A611X	-
	Soft Sector (1024 B/S, B Sectors) w/ Hub Ring	3116	3.49	-	-	-	-	-	-	-	-	-	-	-	-
	Shugart Compatible, 32 Hard Sector	3181	3.39	-	~	-	-	-	-	-	-	-	DD32-4000	-	-
Flexible Disc FD Memorex 651 or Equiv	FD VI (Vinyl Jacket)	30712003	2.69	470651		FDIV			FD-165	511-0	_	15026	FD65-1000	F61A111X	
Drive Compatible		00111000	2.00	470001		1011			F0-163	311.0		10020	FD65-1000	FOIAITIA	
Mini Flexible Disc 1s	Soft Sector (Unformatted)	3401	1.94	475001	54256	104/1	- 12	MD1	MD 1	744-0	S/A-104	15300	MD525-01	M11A211X	44100
5% Single-Headed Drives	10 Hard Sector	3403	1.94	475010	54257	107/1	-		MD 110	744-10	S/A-107	15325	MD525-10	M41A211X	44110
Single-Density Media	16 Hard Sector	3405	1.94	475016	54258	105/1	-	MH1	MD 116	744-16	S/A-105	15326	MD525-16	M51A211X	44116
Dingle Deliany media	Soft Sector (Unformatted) w/Hub Ring	3431	2.14	-	-	-	-	-	-	-	-	-	MD525-01	-	-
	10 Hard Sector, w/Hub Ring	3433	2.14	-	-	-	-	-	-	-	-	-	MD525-10	-	-
	16 Hard Sector, w/Hub Ring	3435	2.14	*	-	-	-			- 1	-	-	MD525-16	-	-
Mini Flexible Disc 1d	Soft Sector (Unformatted)	3417	2.14	-	54646	104/1D	4	-	-	-	-	-	MD525-01	-	-
5%" Single-Headed	10 Hard Sector	3418	2.14	-	54649	107/1D	-	-	-	-	-	-	MD525-10	-	-
Drives Double-Density Media	16 Hard Sector	3419	2.14	-	54652	105/1D	-	-	-	-	-	(-)	MD525-16	-	-
Dodne Density Media	Soft Sector (Unformatted) w/Hub Ring	3481	2.34	=	-	-	-	-	-	-	-	-	MD525-01	-	-
	10 Hard Sector w/Hub Ring	3483	2.34	~	-	-	-	-	-	-	-	-	MD525-10	-	-
	16 Hard Sector w/Hub Ring	3485	2.34	-	-	-	-	-	-	-	-	-	MD525-16	-	-
Mini Flexible Disc 2d	Soft Sector (Unformatted)	3421	2.59	4	54624	104/2D	-	-	-	-	S/A-154	-	MD550-01	-	-
5% Double-Headed Drives	10 Hard Sector	3423	2.59	-	54627	107/2D	-	-	-	-	S/A-157	-	MD550-10	-	-
Double Density Media	16 Hard Sector	3425	2.59	~	54630	105/2D	-	-	-	-	S/A-155	-	MD550-16		-
	Soft Sector (Unformatted) w/Hub Ring	3491	2.79	-	. =:	-	-	-	-	-	-	-	MD550-01		-
	10 Hard Sector w/Hub Ring	3493	2.79	-	-	-	-	-	-	-	-	-	MD550-10	-	-
	16 Hard Sector w/Hub Ring	3495	2.79	-	-	-	-	-	-	-	-	-	MD550-16	-	-

Memorex Flexible Discs...The Ultimate in Memory Excellence

Memorex means quality products that you can depend on Memorex means quality products that you can depend on. Quality control at Memorex means starting with the best materials available. Continual surveillance throughout the entire manufacturing process. The benefit of Memorex's years of experience in magnetic media production, resulting, for instance, in proprietary coating formulations. The most sophis-ticated testing procedures you'll find anywhere in the business.

100 Percent Error Free

100 Percent Error Free Each and every Memorex Flexible Disc is certified to be 100 percent error free. Each track of each flexible disc is tested, individually, to Memorex's stringent standards of excellence. They test signal amplitude, resolution, low-pass modulation, overwrite, missing pulse error and extra pulse error. They are torque-tested, and competitively tested on drives available from almost every major drive manufacturer in the industry including drives that Memorex manufacturers. Rigid quality audits are built into every step of the manufacturing process and stringent testing result in a standard of excellence that assures you, our customer, of a quality product designed for increased data reliability and consistent top performance.

Customer-Oriented Packaging
Memorex's commitment to excellence does not stop with a
quality product. They are proud of their flexible discs and they
package them with pride. Both their packaging and their
labeling have been designed with your ease of identification
and use in mind. The desk-top box containing ten discs is
convenient for Wilson and storace. Both box labels and lacket and use in mind. The desk-top box containing ten discs is convenient for filing and storage. Both box labels and jacket labels provide full information on compatibility, density, sec-toring, and record length. Envelopes with multi-language care and handling instructions and color-coded removable labels are included. A write-protect feature is available to provide data security.

Full One Year Warranty — Your Assurance of Quality
Memorex Flexible Discs will be replaced by Memorex if they
are found to be defective in materials or workmanship within one year of the date of purchase. Other than replacement, Memorex will not be responsible for any damages or losses (including consequential damages) caused by the use of Memorex Flexible Discs.

Quantity Discounts Available
Memorex Flexible Discs are packed 10 discs to a carton and
10 cartons to a case. Please order only in increments of 100
units for quantity 100 pricing. We are also willing to accommodate your smaller orders. Quantities less than 100 units are
available in increments of 10 units at a 10% surcharge.
Quantity discounts are also available. Order 500 or more
discs at the same time and deduct 1%; 1,000 or more saves
you 2%; 2,000 or more saves you 3%; 5,000 or more saves you
4%; 10,000 or more saves you 5%; 25,000 or more saves you
4%; 10,000 or more saves you 7% and 100,000 or more discs
earns you an 8% discount off our super low quantity 100 price.
Almost all Memorex Flexible Discs are immediately available
from CE. Our warehouse facilities are equipped to help us get
you the quality product you need, when you need it. If you need
further assistance to find the flexible disc that's right for you,
call the Memorex compatibility hottine. Dial 800-572-3525 extension 0997.

Buy with Confidence

Buy with Confidence

Buy with Confidence
To get the fastest delivery from CE of your Memorex Flexible Discs, send or phone your order directly to our Computer Products Division. Be sure to calculate your price using the CE prices in this ad. Michigan residents please add 4% sales tax. Written purchase orders are accepted from approved government agencies and most well rated firms at a 10% surcharge for net 10 billing. All sales are insul. Prices, terms and specifications are subject to change without notice. Cell remains a specifications are subject to change without notice. Cell remains and specifications are subject to change without notice. Cell instructed differently, Minimum order \$50.00. International orders are invited with a \$20.00 surcharge for special handling in addition to shipping charges. All shipments are F.O.B. Ann Arbor, Michigan. No COD's please. Noncertified and foreign checks require bank clearance.

Mail orders to: Communications Electronics, Box 1002, Ann Arbor, Michigan 48106 U.S.A. Add \$8.00 per case or partial-case of 100 8-inch discs or \$6.00 per case of 100 5/s-inch min-discs for U.P.S. ground shipping and handling in the continental U.S.A. If you have a Master Card or Visa card, you may call anytime and place a credit card order. Order toll-free in the United States. Call anytime 800-521-4414. If you are outside the U.S. or in Michigan, dal 313-984-4444. Belate in inquiries invited. All order lines at Communications Electronics are staffed 24 hours.

Copyright °1981 Communications Electronics"









Order Toll-Free! (800) 521-4414 In Michigan (313) 994-4444



For Data Reliability—Memorex Flexible Discs



Computer Products Division

854 Phoenix 🗆 Box 1002 🗆 Ann Arbor, Michigan 48106 U.S.A Call TOLL-FREE (800) 521-4414 or outside U.S.A. (313) 994-4444 JOE COMPUTER PRESENTS WORD GRINDER

80,000 **WORDS!**

Word grinder is a data base of over 80,000 english words in alphabetical Order with spaces delimiting each ORDER WITH SPACES DELIMITING EACH WORD. THE TRS-80† AND APPLE VERSIONS INCLUDE A BASIC EDITOR FOR DISPLAYING OR EDITING THE DATA FILES USING RANDOM ACCESS. WORD GRINDER IS AVAILABLE FOR TRS-80 MODEL I, II, OR III, APPLE, CP/M, RT-11/HT-11 OR ANSI TAPES PRODUCED ON A PDP-11. PRICES START AT S89.95 FOR MODEL I, III OR APPLE. \$124.95 FOR MODEL II, CP/M, RT-11 OR ANSI TAPES. MAKE CHECKS PAYABLE TO:

JOE COMPUTER — PHONE ORDERS AND

JOE COMPUTER — PHONE ORDERS AND INFORMATION: (213) 992-0514 SEND TO: JOE COMPUTER, 22713 VENTURA BLVD., JOE COMPUTER -SUITE F, WOODLAND HILLS, CA. 91364

CALIF. RESIDENTS ADD 6/SALES TAX. †TRS-80 IS A TRADEMARK OF TANDY CORP.

Circle 210 on inquiry card.



Circle 461 on inquiry card.

Editor Assembler

Graphics & Sounds

Callable from Basic

CASSETTE . \$40

Upgradable to Disk

DISK \$80

MEMORY

UPGRADES

No Soldering

16K\$35

32K \$85

K & H SOFTWARE SYSTEMS 9315 Valley Hill Road

River Hills, WI 53217

*TANDY CORP TRADEMARK

SUPER E-Z80 KIT 64K-Z80A-CP/M™ Compatible **Micro-Computer**

Features: Z80A CPU-CTC and PIO • 64K Dynamic Ram • 4K Monitor EProm • 54 Key Keyboard (Detachable) • 3 Fully Buffered S-100 Spaces • Intergrated Circuit Sockets • RS232-C Asynch. Modem Control (Programmable Baud Rate) • Composite Video • CP/M™ Operating System Compatible • Epson or Centronics Printer Compatible Parallel Port • 8272 Floppy Controller Device - 3740 and 3741 Comp. - 8" & 5\%" Drives - up to 4 Drives • Z80 Programming Card • As-sembly Instructions • Monitor Listing • Block Diagram.

PRICE: \$1195.00 TERMS: Certified check or

money order (Texas Res. Add Sales Tax)

HIT-80 INC.

18601 LBJ Fwy. • Mesquite, Texas 75150 • 800-527-1593 A Subsidiary of Patrick Computer Systems, Inc. Manufacturer of the ic436 integrated business computer

TM Trademark of Digital Research

Circle 456 on inquiry card.


THE COMPUTER COPY STAND.

☐ For all detachable keyboards and Apple II □ Easy on the eye (and back). ☐ Keeps paper work in front of operator and in line with screen. □ Perfect for word processing, data entry, and programming. □ Non-magnetic Lineguide,™ tilt adjustable.



Pkay Corporation P.O. Box 11463 • Costa Mesa, CA 92627

714/548-2081



108.00 15.00 135.00 CASSETTE DUPLICATION

Find the glittering Orb, and get out alive—that is your quest. But the Orb lies somewhere in the un-known depths of a multi-level dungeon, and a

to the fabulous Orb.

and your playing skill.

lenging enjoyment.

Circle 18 on inquiry card.

LENGTH

horde of monsters bar your way. Each trip you make into the dungeon, if you survive, gains you

experience and magic—making you stronger, allowing you to go deeper, bringing you closer

ORBQUEST is a simulation game that presents you with ever-changing situations, and the ability of your character to survive de-tepends upon its intrinsic and acquired abilities,

ORBQUEST has been extensively playtested, and will offer you many hours of chal-

ORBQUEST requires 56K CP/M and a 24 x

80 cursor-addressable terminal. Now avail-

able on the following CP/M media: 8" single

density, 5" NorthStar, 5" Xerox, 5" Osborne.

ALTERNATE WORLD SIMULATIONS

P.O. Box 941, Milpitas, California 95035 CALIFORNIA RESIDENTS ADD 6% SALES TAX CP/M IS A REGISTERED TRADEMARK OF DIGITAL RESEARCH

COMPUTER

CASSETTES

10 PACK | 100 PACK

63.00

77.00

Software Duplication for TRS-80, Apple & Atari. Hayes Smart-Modem at \$249.00. Televideo Computers-call. For info call (305) 423-0338.

ACTS AUDIO, INC.

70 Illiana Ave Orlando FL 32806

Circle 5 on inquiry card.



Space War

Adventure ...

And More

PROTOTYPING

BOARD

Plugs Into

Expansion Bus

BOOKS

And Manuals

The RS-232 Monitor/Controller will help get ya up again. It simply connects in series with any RS-232 interface and allows you to Monitor and Control The RS232 control and data lines. Operates on 9 volt transistor batteries or without batteries when monitoring. Complete instructions included along with helpful interfacing tips.

Price/Terms \$59.95/money order, check, C.O.D., Master Charge or Visa. Alabama Residents add 6% sales tax, shipping included in price.

KIRBY engineering associates

P.O. Box 509 Pelham, AL 35124 (205) 663-6146

Leaders in computer interfacing



Circle 462 on inquiry card.

Circle 146 on inquiry card.

Circle 465 or, inquiry card.

The Best Boards Prices Slashed


Single User System

parallel I/O port, double-density disk controller, CP/M 2.2 disk and manuals, system monitor, control and diagnostic software.

-All boards are assembled and tested-

ExpandoRAM III

64K to 256K expandable RAM board




SD Systems has duplicated the famous reliability of their ExpandoRAM I and II boards in the new ExpandoRAM III, a board capable of containing 256K of high speed RAM. Utilizing the new 64K x 1 dymanic RAM chips, you can configure a memory of 64K, 128K, 192K, or 256K, all on one S-100 board. Memory address decoding is done by a programmed bipolar ROM so that the memory map may be dip-switch configured to work with either COSMOS/MPM-type systems or with OASIS-type systems.

Extensive application notes concerning how to operate the ExpandoRAM III with Cromemco, Intersystems, and other popular 4 MHz Z-80 systems are contained in the manual.

MEM-65064A	64K A & T	\$495.00
MEM-65128A	128K A & T	\$639.95
MEM-65192A	192K A & T	\$769.95
MEM-65256A	256K A & T	\$879.95

Versafloppy II

Double density controller with CP/M 2.2



• S-100 bus compatible • IBM 3740 compatible soft sectored format . Controls single and doublesided drives, single or double density, 51/4" and 8" drives in any combination of four simultaneously


· Drive select and side select circuitry · Analog phase-locked loop data seperator . Vectored interrupt operation optional • CP/M 2.2 disk and manual set included Control/diagnostic software PROM included

The Versafloppy II is faster, more stable and more tolerant of bit shift and "jitter" than most controllers. CP/M 2.2 and all necessary control and diagnostic software are included.

IOD-1160A A & T with CP/M 2.2 .. \$370.00

SBC-200

2 or 4 MHz single board computer




 S-100 bus compatible
 Powerful 4MHz Z-80A CPU • Synchronous/asynchronous serial I/O port with RS-232 interface and software programmable baud rates up to 9600 baud . Parallel input and parallel output port . Four channel counter/timer • Four maskable, vectored interrupt inputs and a non-maskable interrupt . 1K of on-board RAM • Up to 32K of on-board ROM • System monitor PROM included

The SBC-200 is an excellent CPU board to base a microcomputer system around. With on-board RAM, ROM, and I/O, the SBC-200 allows you to build a powerful three-board system that has the same features found in most five-board microcomputers. The SBC-200 is compatible with both single-user and multi-user systems.

CPU-30200A A & T with monitor . \$299.95

ExpandoRAM II

16K to 64K expandable RAM board



• S-100 bus compatible • Up to 4MHz operation • Expandable from 16K to 64K • Uses 16 x 1 4116 memory chips . Page mode operation allows up to 8 memory boards on the bus . Phantom output disable . Invisible on-board refresh

The ExpandoRAM II is compatible with most S-100 CPUs. When other SD System' series II boards are combined with the ExpandoRAM II, microcomputer system with they create a exceptional capabilities and features.

MEM-16630A 16K A & T MEM-32631A 32K A & T MEM-48632A 48K A & T \$365.00 MEM-64633A 64K A & T

COSMOS

Multi-user operating system

• Multi-user disk operating system • Allows up to 8 users to run independent jobs concurrently • Each user has a seperate file directory

COMOS supports all the file structures of CP/M 2.2, and is compatible at the applications program level with CP/M 2.2, so that most programs written to run under CP/M 2.2 or SDOS will also run under COSMOS.

SFC-55009039F COSMOS on 8" disk \$395.00 Circle 205 on inquiry card.

Multi-User System SBC-200, 256K ExpandoRAM III, Versafloppy II, MPC-4


COSMOS Multi-User Operating System, C BASIC II

Two Z-80A CPUs (4 MHz), 256K RAM, 5 serial I/O ports with independently programmable baud rates and vectored interrupts, parallel input port, parallel output port, 8 counter/timer channels, real time clock, single and double sided/single or double density disk controller for 51/4" and 8" drives, up to 36K of on-board ROM, CP/M 2.2 compatible COSMOS interrupt driven multi-user disk operating system, allows up to 8 users to run independent jobs concurrently, C BASIC II, control and diagnostic software in PROM

-All boards are assembled and tested-

MPC-4

Intelligent communications interface



• Four buffered serial I/O ports • On-board Z-80A processor • Four CTC channels Independently programmable baud rates Vectored interrupt capability . Up to 4K of onboard PROM . Up to 2K of on-board RAM . Onboard firmware

This is not just another four-port serial I/O board! The on-board processor and firmware provide sufficient intelligence to allow the MPC-4 to handle time consuming I/O tasks, rather than loading down your CPU. To increase overall efficiency, each serial channel has an 80 character input buffer and a 128 character output buffer. The on-board firmware can be modified to make the board SDLC or BISYNC compatible. In combination with SD's COSMOS operating system (which is included with the MPC-4), this board makes a perfect building block for a multiuser system.

IOI-1504A A & T with COSMOS .. \$495.00

Place Orders Toll Free

Continental U.S. 800-421-5500

Inside California 800-262-1710

For Technical Inquires or Customer Service call: 213-973-7707

Computer Products

4901 W. Rosecrans, Hawthorne, Ca 90250

TERMS of SALE: Cash, checks, credit cards, or Purchase Orders from qualified firms and institutions. Minimum Order \$15.00. California residents add 6% Minimum shipping & handling charge \$3.00. Pricing & availibility subject to change

Computer Products

Printers

BETTER THAN EPSON! - Okidata

Microline 82A 80/132 column, 120 CPS, 9 x 9 dot matrix, friction feed, pin feed, adjustable tractor feed (removable), handles 4 part forms up to 9.5" wide, rear & bottom feed, paper tear bar, 100% duty cycle/200,000,000 character print head, bi-directional/logic seeking, both serial & parallel interfaces included, front panel switch & program control of 10 different form lengths, uses inexpensive spool type ribbons, double width & condensed characters, true lower case descenders & graphics

PRM-43082	with	FREE	tractor	 \$539.95

Microline 83A 132/232 column, 120 CPS, handles forms up to 15" wide, plus all the features of the 82A. PRM-43083 with FREE tractor \$749.95

PRA-27081A Apple card	\$39.95
PRA-27082A Apple cable	\$19.95
PRA-27087A TRS-80 cable	
PRA-43080 Extra ribbons pkg. of 2.	\$9.95

INEXPENSIVE PRINTERS - Epson

MX-70 80 column, 80 CPS, 5 x 7 dot matrix, adjustable tractor feed, & graphics **PRM-27070** List \$459 \$399.95

MX-80 80 column, 80 CPS, bi-directional/logic seeking

printing, 9 x 9 dot matrix, adjustable tractor feed, & 64 graphics characters

PRM-27080 List \$645 \$469.95

MX-80FT	same as	MX-80 with	friction fe	ed added.
PRM-2708	32 List	\$745		\$559.95

MX-100 132 column, correspondence quality, graphics, up to 15" paper, friction feed & adjustable tractor feed, 9 x 9 dot matrix, 80 CPS.

PRM-27100	List \$945 \$759.95
PRA-27084	Serial interface \$69.95
PRA-27088	Serial intf & 2K buffer \$144.95
PRA-27081	Apple card \$74.95
PRA-27082	Apple cable \$22.95
PRA-27086	IEEE 488 card \$52.95
PRA-27087	TRS-80 cable \$32.95
PRA-27085	Graftrax II \$95.00
PRA-27083	Extra ribbon \$14.95

NEC 7700 & 3500

NEC Spinwriter w/Intelligent Controller

Standard serial, Centronics parallel, and current loop interfaces • Selectable baud rates 50 to 19,200
• Automatic bidirectional printing • Logic

seeking • 650 character buffer with optional 16K buffer • 55 characters per second print speed • Comes with vertical forms tractor, ribbon, thimble and cable • Diablo compatible software • Available with or without optional front panel

PRD-55511	1K no front panel	\$2795.00
PRD-55512	16K no front panel	\$2895.00
PRD-55515	1K w/front panel	\$2995.00
PRD-55516	16K w/front panel	\$3095.00

Intersell NEC 3500Q

New from NEC - the 3500 series Spinwriters. Incorporates all the features and reliability of the 5500 and 7700 series Spinwriters into an inexpensive 30 CPS letter quality printer with an optional bi-directional tractor assembly.

PRD-55351	3500Q 1K	\$1995.00
PRD-55352	3500Q 16K	\$2095.00
PRA-55100	Deluxe tractor option .	. \$300.00

Accessories for Apple

16K MEMORY UPGRADE

Add 16K of RAM to your TRS-80, Apple, or Exidy in just minutes. We've sold thousands of these 16K RAM upgrades which include the appropriate memory chips (as specified by the manufacturer), all necessary jumper blocks, fool-proof instructions, and our I year guarantee.

blocks, fool-proof i	nstructions, and our I year guarantee.
MEX-16100K	TRS-80 kit \$25.00
MEX-16101K	Apple kit \$25.00
MEX-16102K	Exidy kit \$25.00

16K RAM CARD - for Apple II

Expand your Apple to 64K, I year warranty

MEX-16500A Save \$70.00 !!! \$129.95

Z-80* CARD for APPLE

Two computers in one, Z-80 & 6502, more than doubles the power & potential of your Apple, includes Z-80* CPU card, CP/M 2.2, & BASIC-80

CPX-30800A A & T \$299.95

8" DISK CONTROLLER

New from Vista Computer, single or double sided, single or double density, compatible with DOS 3.2/3.3, Pascal, & CPM 2.2, Shugart & Qume compatible

IOD-2700A A & T \$499.95

2 MEGABYTES for Apple II

Complete package includes: Two 8" double-density disk drives, Vista double-density 8" disk controller, cabinet, power supply, & cables, DOS 3.2/3.3, CP/M 2.2, & Pascal compatible

1 MegaByte Package (Kit)		
1 MegaByte Package (A &	T)	\$1695.00
2 MegaByte Package (Kit)		\$1795.00
2 MegaByte Package (A &	T)	\$19.95

CPS MULTICARD - Mtn. Computer

Three cards in one! Real time clock/calendar, serial interface, & parallel interface - all on one card.

IOX-2300A A & T \$199.95

AIO, ASIO, APIO - S.S.M.

 Parallel & serial interface for your Apple (see Byte pg 11)

 IOI-2050K
 Par & Ser kit
 \$139.95

 IOI-2050A
 Par & Ser A & T
 \$169.95

 IOI-2052K
 Serial kit
 \$89.95

 IOI-2052A
 Parallel kit
 \$69.95

 IOI-2054K
 Parallel kit
 \$89.95

 IOI-2054A
 Parallel A & T
 \$89.95

A488 - S.S.M.

IEEE 488 controller, uses simple basic commands, includes firmware and cable, 1 year guarantee, (see April Byte pg 11)

IOX-7488A A & T \$399.95

Modems

CAT MODEMS - Novation

CAT 300 baud, acoustic, answer/orginate IOM-5200A List \$189.95 \$149.95

D-CAT 300 baud direct connect, answer/orginate IOM-5201A List \$199.95 \$169.95

AUTO-CAT Auto answer/orginate, direct connect IOM-5230A List \$299.95 \$239.95

Apple-CAT - Novation

Software selectable 1200 or 300 baud, direct connect, autoanswer auto-dial, auxiliary 3-wire RS232C serial port for

IOM-5232A Save \$50.00!!! \$325.00

SMARTMODEM - Hayes

Sophisticated direct-connect auto-answer/auto-dial modem, touch-tone or pulse dialing, RS-232C interface, programmable IOM-5400A Smartmodem\$269.95

Single Board Computer



AIM-65 - Rockwell

 SFK-74600008E
 8K BASIC ROM
 \$64.95

 SFK-64600004E
 4K assembler ROM
 \$43.95

 PSX-030A
 Power supply
 \$64.95

 ENX-000002
 Enclosure
 \$54.95

Z-80 STARTER KIT - SD Systems

 Complete
 Z-80
 microcomputer
 with
 RAM,
 ROM,
 I/O,

 keyboard, display, kludge area, manual,
 & workbook

 CPS-30100K
 KIT
 \$299.95

 CPS-30100A
 A & T
 \$469.95

SYM-1 - Synertek Systems

Single board computer with 1K of RAM, 4K of ROM, key-pad, LED display, 20ma & cassette interface on board.

CPK-50020A A & T \$249.95

Video Monitors

HI-RES 12" GREEN - Zenith

15 MHz bandwidth, 700 lines/inch, P31 green phosphor, switchable 40 or 80 columns, small, light-weight & portable. VDM-201201 List price \$150.00 \$118.95

Leedex / Amdek

Reasonably priced video monitors

 VDM-801210
 Video 100 12" B&W
 \$139.95

 VDM-801230
 Video 100-80 12" B& W
 \$179.95

 VDM-801250
 12" Green Phospor
 \$169.95

 VDC-801310
 13" Color I
 \$379.95

12" COLOR MONITOR - NEC

Hi-res monitor with audio & sculptured case
VDC-651212 Color Monitor \$479.95

12" GREEN SCREEN - NEC

20 MHz, P31 phosphor video monitor with audio, exceptionally high resolution - A fantastic monitor at a very reasonable price

VDM-651200 Special Sale Price \$199.95

Video Terminals

AMBER SCREEN - Volker Craig

Detachable keyboard, amber on black display, 7 x 9 dot matrix, 10 program function keys, 14 key numeric pad, 12" non-glare screen, 50 to 19,200 baud, direct cursor control, auxiliary bi-directional serial port

VDT-351200 List \$795.00 \$645.00

VIEWPIONT - ADDS

TELEVIDEO 950

VDT-901250 List \$1195.00 \$995.00

DIALOGUE 80 - Ampex

VDT-230080 List \$1195.00 \$895.00

Computer Products

S-100 CPU Boards

THE BIG Z* - Jade

2 or 4 MHz switchable Z-80* CPU with serial I/O, accomodates 2708, 2716, or 2732 EPROM, baud rates from

75 to 9600		
CPU-30201K	Kit	\$139.95
CPU-30201A	A & T	\$189.95
CPU-30200B	Bare board	\$35.00

2810 Z-80* CPU - Cal Comp Sys

2/4 MHz Z-80A* CPU with RS-232C serial I/O port and onboard MOSS 2.2 monitor PROM, front panel compatible. CPU-30400A A & T \$269.95

CB-2 Z-80 CPU - S.S.M.

2 or 4 MHz Z-80 CPU board with provision for up to 8K of ROM or 4K of RAM on board, extended addressing, IEEE S-100, front panel compatible.

CPU-30300K	Kit	\$239.95
CPU-30300A	$A \& T \dots \dots \dots$	\$299.95

S-100 PROM Boards

PROM-100 - SD Systems

2708, 2716, 2732 EPROM programmer w/software MEM-99520K Kit \$189.95 MEM-99520A A & T \$249.95

PB-1 - S.S.M.

2708, 2716 EPROM board with built-in programmer

 MEM-99510K
 Kit
 \$154.95

 MEM-99510A
 A & T
 \$219.95

EPROM BOARD - Jade

16K or 32K uses 2708's or 2716's, 1K boundary MEM-16230K Kit \$79.95 MEM-16230A A & T \$119.95

S-100 Video Boards

VB-3 - S.S.M.

80 characters x 24 lines expandable to 80 x 48 for a full page of text, upper & lower case, 256 user defined symbols, 160 x 192 graphics matrix, memory mapped, has key board

IOV-1095K	4 MHz kit	\$349.95
IOV-1095A	4 MHz A & T	\$439.95
IOV-1096K	80 x 48 upgrade	\$39.95

VDB-8024 - SD Systems

80 x 24 I/O mapped video board with keyboard I/O, and on-board Z-80A*.

IOV-1020A A & T	\$459.95
-----------------	----------

VIDEO BOARD - S.S.M.

64 characters x 16 lines, 128 x 48 matrix for graphics, full upper/lower case ASCII character set, numbers, symbols, and greek letters, normal/reverse/blinking video, S-100.

 IOV-1051K
 Kit
 \$149.95

 IOV-1051A
 A & T
 \$219.95

 IOV-1051B Bare board \$34.95

S-100 Motherboards

ISO-BUS - Jade

Stient, simple, and on sale - a better mother board	
6 Slot (5¼" x 8%")	MAINEDAME C.LC
MBS-061B Bare board \$19.95	MAINFRAME - Cal Comp Sys
MBS-061K Kit \$39.95	12 slot S-100 mainframe with 20 amp power supply
MBS-061A A & T \$49.95	ENC-112105 Kit \$329.95
12 Slot (9¾" x 8¾")	ENC-112106 A & T \$399.95
MBS-121B Bare board \$29.95	
MBS-121K Kit \$69.95	DISK MAINFRAME - N.P.C.
MBS-121A A & T \$89.95	Holds 2 8" drives and a 12 slot S-100 system. Attractive
18 Slot (14½" x 85%")	metal cabinet with 12 slot motherboard & card cage, power
MBS-181B Bare board \$49.95	supply, dual fans, lighted switch, and other professional
MBS-181K Kit \$99.95	features
MBS-181A A & T \$139.95	ENS-112325 with 25 amp p.s \$699.95

S-100 RAM Boards

MEMORY BANK - Jade

 $4\,MHz, S-100, bank\, selectable, expandable\, from\, 16K\, to\, 64K$

MEM-99730B	Bare Board \$49.95
MEM-99730K	Kit no RAM \$199.95
MEM-32731K	32K Kit \$239.95
MEM-64733K	64K Kit \$279.95
Assembled & To	ested add \$50.00

64K RAM - Calif Computer Sys

4 MHz bank port / bank byte selectable, extended addressing, 16K bank selectable, PHANTOM line allows memory overlay, 8080 / Z-80 / front panel compatible. MEM-64565A A & T \$575.00

64K STATIC RAM - Mem Merchant

64K static S-100 RAM card, 4-16K banks, up to 8MHz MEM-64400A A & T \$789.95

32K STATIC RAM - Jade

2 or 4 MHz expandable static RAM board uses 2114L's MEM-16151K 16K 4 MHz kit \$169.95 MEM-32151K 32K 4 MHz kit \$299.95 Assembled & tested add \$50.00

16K STATIC RAM - Mem Merchant

4 MHz 16K static RAM board, IEEE S-100, bank selectable, Phantom capability, addressable in 4K blocks, "disable-able" in 1K segments, extended addressing, low power

MEM-16171A A & T \$164.95

S-100 Disk Controllers

DOUBLE-D - Jade

Double density controller with the inside track, on-board Z-80A*, printer port, IEEE S-100, can function on an interrupt driven buss

IOD-1200K	Kit	\$299.95
IOD-1200A	A & T	\$375.00
IOD-1200B	Bare board	. \$59.95

DOUBLE DENSITY - Cal Comp Sys

5½" and 8" disk controller, single or double density, with on-board boot loader ROM, and free CP/M 2.2* and

IOD-1300A A & T \$374.95

S-100 I/O Boards

S.P.I.C. - Jade

Our new I/O card with 2 SIO's, 4 CTC's, and 1 PIO IOI-1045K 2 CTC's, 1 SIO, 1 PIO .. \$179.95 IOI-1045A A & T \$239.95 IOI-1046K 4 CTC's, 2 SIO's, 1 PIO \$219.95 IOI-1046A A & T \$299.95 IOI-1045B Bare board w/ manual ... \$49.95

I/O-4 - S.S.M.

2 serial I/O ports plus 2 parallel I/O ports

 IOI-1010K
 Kit
 \$179.95

 IOI-1010A
 A & T
 \$249.95

 IOI-1010B
 Bare board
 \$35.00

S-100 Mainframes

MAINFRAME - Cal Comp Sys

DISK MAINFRAME - N.P.C.

Disk Drives



Handsome metal cabinet with proportionally balanced air flow system . Rugged dual drive power supply . Power cable kit . Power switch, line cord, fuse holder, cooling fan • Never-Mar rubber feet . All necessary hardware to mount 2-8" disk drives, power supply, and fan • Does not include signal cable

Dual 8" Subassembly Cabinet

END-000420	Bare cabinet	\$59.95
END-000421	Cabinet kit	\$225.00
END-000431	$A \& T \dots \dots \dots$	\$359.95

8" Disk Drive Subsystems

Single Sided, Double Density

END-000423 Kit w/2 FD100-8Ds . \$924.95 END-000424 A & T w/2 FD100-8Ds \$1124.95 END-000433 Kit w/2 SA-801Rs ... \$999.95 END-000434 A & T w/2 SA-801Rs \$1195.00

8" Disk Drive Subsystems

Double Sided, Double Density

END-000426 Kit w/2 DT-8s \$1224.95 END-000427 A & T w/2 DT-8s ... \$1424.95 END-000436 Kit w/2 SA-851Rs .. \$1495.00 END-000437 A & T w/2 SA-851Rs \$1695.00

QUME DT-8

8" Double-Sided, Double-Density Disk Drive

1 Drive ... \$524.95 each 2 Drives . \$499.95 each

10 Drives \$479.95 each Jade Part Number MSF-750080

Shugart 801R 8" Single-Sided, Double-Density Disk Drive

1 Drive ... \$394.95 each 2 Drives . \$389.95 each

Jade Part Number MSF-10801R

SIEMENS 8"

8" Single-Sided, Double-Density Disk Drive

1 Drive ... \$384.95 each 2 Drives . \$349.95 each

\$324.95 each 10 Drives

Jade Part Number MSF-201120

MPI B-51

51/4" Single-Sided, Double-Density Disk Drive

1 Drive ... \$234.95 each 2 Drives . \$224.95 each

\$219.95 each 10 Drives Jade Part Number MSM-155100

END-000213 Case & power supply \$74.95

Circle 206 on inquiry card.

CALIFORNIA

Post Office Box 3097 B • Torrance, California 90503



FREE PLASTIC LIBRARY CASE INCLUDED WITH THE PURCHASE OF EVERY BOX OF DISKETTES

Private labeled for California Digital by one of the most respected producers of magnetic media. Each diskert is certified double density at 40 tracks. To insure extended media life each dis-kette is manufactured with a reinforced hub-hole. And of course, a plastic library case is included with every box of diskettes. MMD-CDS(01)(10) Please specify computer or required sectors.

Ten boxes \$22.75

One hundred boxes \$21.50

MINIDISKETTES	Box	10 boxes		Box	10 boxes
Memorex 3401	\$27.00	\$25.00	Scotch 744(0)(10)(16)	\$31.00	\$29.00
Verbatim 525(01)(10)	29.00	27.00	Dysan	45.00	43.00

Dysan box 10 bx MRX box 10 bx. 3740/1 \$49. \$47. 3060 \$-5. \$-3. 3740/1d 75. 73. 3090 37. 35. na. na. 3115 49. 45 EIGHT INCH Scotch box 10 bx.
Single side/single den. 740-0 \$35. \$33.
Single side/double den. 741-0 45. 43.
Single side/32 sector 740-32 35. 33.
Double side/ double D. 743-0 65. 59.

SCOTCH brand head cleaning kit. \$24.95 MMA-CK(5)(8) please specify 51/4 8' Prices available on request for: tape, cartridges, diskpacks, volumn diskettes.



26 Megabyte Hard Disk Drive

GEORGE MORROW'S **Thinker Toys**

vo Stage Noise Filter

Surge Suppressor Line Voltage Meter



20



The new BSR timer runs your appliances while your away fristing System X-10 devices.

BSR Timer eight channel Master control console Ultrasonic Controller

The new Zenith ZVM-121 features a P31 green phosphor tube along with 15 MHz bandwidth. Switch selectable for 40/80 character screen. Fully compatable with 80 column Apple cards. VDM-Z131 20 lbs.

10+109 100+199

MEMORY

64K DYNAMIC \$11.95

4164 100-\$9.75

16K DYNAMIC

\$2.10

4116 100-\$1.85

211.02 450ns.

2114L3 300ns

4044-4 450ns 4044-2 250ns 5257-3 300ns

2708 450ns 2713 5V.

2713 tri-volt 2732 Intel

2532 TI

250ns 450ns

21L02 21L4L4

2167 200ns.

2716 EPROM \$4.95

100.\$4.50 1K.\$4.00

STATIC

EPROM

ea.

1.19

1.49

4.25

4.95

21.50

direct connect

2 EPROI

32+

1.05

1.45

3.75

4.50 4.95 4.25

4.50 9.00

100+

.99

1.39

2.75

4.25

4.00

8 25

8.00

1K+

2.50 2.75 4.00

7 50

Your Choice



Quiet Buss

IMSAL

18 Slot CAL-M18

								-		
,	•						•	•		· S.V.
HIME		Ш		Ш	Ш	Ш	Ш	Ш		
						alifor			"	
	Hi h	ave be	een ta	ken t	o pro	No sh duce t	his n	other	.	I &
	II p	reven	ts noi	se an	d cro	sstalk	. m	anufa	c-	
		IIII	IIIIII	mm	III III	III III	y gra			10
				Ш			JL.	I JI J	III.	باللا
	2.46	20.00				200,000				

ITCHES





GOLD EDGE CONNECTO	ms	
S-100 .125" centers	each	10+
Imsai solder .250" row	\$2.95	\$2.50
Imsai wire wrap (TI)	3.95	3.50
Sulling Hi-Rel 250"	4.50	4.00
Sullins Hi-Rel. W/W	5.35	4.90
Sullins / Altair . 140"	4.95	4.50
.156" Centers (standard)		
22/44 Kim Evelet	2.50	2.15
36/72 Digital Group S/T	5.95	5.50
36/72 Digital Group W/W	6.60	6.15
43/86 Motorola 6800 S/T		6.15
43/86 Moto, 6800 W/W	7.00	6.85

INTEGRATED CIRCUIT SOCKETS
Low Profile Wire Wrap ATED CIRCUI Low Profile each 100+ \$.10 \$.09 .10 .09 .12 .11 .15 .13 .26 .24 .42 .40

\$1.40 \$1.40 2.00 1.35 \$1.60 2.25 1.50 DA15P male 2.35 DA15S female 3.25 DA hood 2/P 1.60 DB 25P male 2.50 DB 25S female 3.35 DB hood 2/P 1.35 DC37P male 4.20 DC37S female 6.00 DC hood 2/P 2.25

RIBBON CABLE CONNECTORS 17/34 5" disk 4.85 4.15 3.9 20/40 TRS-80 5.65 5.05 4.7 25/50 8" disk 5.90 5.15 4.9

Shugart Associates



Sugart 801/R with CP 209 power supply, muffin exhaust fan, complete in dual enclosure with all the necessary harnessing cables. Documentation included. 38 pounds. MSD-1801
Same as above but with two Shugart 801R disk drives.
59 pounds. MSD-2801
Disk drive cable. 5 feet 50 conductor with edge card connector at both ends. WCA-550S 255.00
Export Disk drives. 220V, 50MHz add \$50.00 per disk drive. \$795

SHUGART 801R

Shugart 851R Double Sided ... 1525 Qume DT8 Double Sided ... 495



\$1195

NEW from Shugart Technology

Megabyte

Hard Disk Drive Packaged in the same physical size as the industry standard 5 1/4" minifloppy disk drive. The micro-Winchester stores thirty times as much data (6.38 megabytes unformatted), accesses data twice as fast (170 milliseconds) and transfers data twenty times faster (5.0 megabits per second.)

The ST506 is factory sealed to protect the media from environmental contaminates. Requires only DC voltage. Dual California Digital 5 1/4" enclosure. \$1500 \$1500 ST506 drive and power supply.

Shugart Associates SA400 removable media disk drive for above package. add:

Regulated **Power Supply** 5 VOLT 5AMP



All merchandise sold by California Digital is premium grade. Shipping: First five pounds \$2.00; each additional add \$.40 Foreign orders 10% shipping. Excess will be refunded. California residents add 6% sales tax. COD's discouraged. Open accounts extended to state supported educational institutions and companies with a "Strong Dun & Bradstreet." Warehouse: 15608 Inglewood Blvd. Visitors by appointment.



Universal Data Systems 193LP is switch selectable bytween answer and origenous between the control of the switch selectable bytween answer and origen modes. Fully field 103 compatable. Directly connects to the new modular phone pack. 1005; powered from the telephone fine. No need to locate modem in ximity to A.C. power recepticle. MOU-103LP 2 pounds.

ion "D" Cat connects to most of the new "Bell" modular handsets. Ideal fole line office telephones. Requires external A.C. power. MOD-DCAT 2

Universal Data Auto Answer 103LPJ '219 Novation Auto Cat RS232 \$239

> TOLL FREE ORDER LINE (800) 421-5041 **TECHNICAL & CALIFORNIA** (213)679-9001 TWX 910325-6212

CALIFORNIA

Post Office Box 3097 B • Torrance, California 90503



BRUCE SEALS Designer of the Static • 64

Those of us who remember back to 1974 when S-100 was in its infancy and assembling from kit your own Atair Computer will recall that the only working add on memory was the 8K static board manufactured by Seals Electronics out of Knoxville Tennessee.

Tennessee.

Ed Roberts and William Gates are credited for the design of the Altair computer, but Bruce Seals had the only working memory board.

computer, but three seals had recomputer, but three seals had been been by the time but, Seals' company was
dissolved in 1979, Seals Electronics and sold over 47,000 of their 8K
memory board.
Since the liquidation of Seals Electronics. Bruce has been hiding from
the revenuers and running monashine
the revenuers and running monashine
the revenuers and running monashine
tensive negotiations California Digtial has convinced Mr. Seals to come
out of hiding and design the next generation of static memory boards.
Is destined to become the next milestone in S-100 memory products.
In the next several months we expect
to release a full line of computer
products designed by Bruce Seals.

3101

Display

Terminal

California Digital

Utilizing the new "2167" ram chip, the Static 64 is the most current technology available in S-100 memory.

24 bit extended addressing, 8 or 15 bit data paths along with 16 bit request and acknowledge make this unique board completely compatable with the IEEE 696 buss standard.

606 buss standard.

The Static 64 has been engineered to allow each 16K segment of memory to be bank selectable supporting multiuser systems. Other selectable features allow the board to fully integrate with all current bank selecting schemes including Cromes and Alpha-Micro. Designed for DMA operations at clock frequencies in excess of 10 MHz.

10 MHz.

The Static 64 is manufactured to meet current military circuit board specifications. IC sockets utilizing ultra-reliable machine screw contents are used to increase the total integrity of the product. Each board before leaving our facility is subjected to extensive high temperature burn-in and test procedures.

Unconditional one-wear warranty with 24 hour renair or

burn-in and test procedures.
Unconditional <u>one-year</u> warranty with 24 hour repair or replacement on all boards purchased from California Digital. CEM and dealer pricing upon request CAL6400.



EPSON MX80 \$475

Epson MX80FT friction/tr \$595.00
Epson MX100 132 column 425.00
Centrax 80 option 79.00
Apple I/O & cable (8131) 129.00
Serial interface (8141) 145.00
Serial interface (8141) 35.00
EEE 488 interface (8161) 65.00
Replacement Ribad 45.00
Replacement Ribad 35.00
Replacement



NEC PC-8023A \$635

Dot-matrix, bi-directional, logic-seeking, friction or tractor feed, impact printer. Complete graphics, upper and lower case ASCII, Greek, mathematics along with the ability to print dot graphic screen images directly onto paper.

Proportional spacing and 132 column compressed print make this low cost machine the best value in to-days printer market.

PRINTRONIX



IBM Direct Price \$1395

California Digital

AMPEX DIALOGUE 80 CRT TERMINAL



\$995

w from the Ampex Corporation. The Dialogue 80 features removable keyboard playable two pages (four optional) dual program keys, half intensity protected ids and status line. Transmits data either block, line or character mode. cellent value. VDT-D80 shipping 47 lbs.

P-300 \$4500 P-600 56150

PRINTERS

269 279 139 41
61 89 109 145 179 52 69 79

SYSTEMS



APPLE | \$1150



\$2450

PACKARD

Superbrain64Q SYSSB64Q Superbrain64D SYSSB64D Northstar 64Q SYSN64Q Northstar 64D SYSN64Q NEC/PC8000 SYSPC8000 Apple II Plus SYSAP Hew/Pack 85 SYSHP85 Hew/Pack 83 SYSHP83 Altos ACS8000 SYSACS8000 Osborne 1 SYSOB1 Commodore SYSC8093 Commodore SYSC8096

VIDEO TERMINALS

ADDS Viewpoint	VDT-RVP	595
ADDS Regent 25 numeric cluster	VDT-R25	850
ADDS Regent 30 25th status line	VDT-R30	950
ADDS Regent 40 limited graphics	VDT-R40	1195
ADDS Regent 30 Block mode	VDT-R60	1495
Ampex Dialouge 80 two page, detatch	VDT-D80	995
Digital Equipment VT-100	VDT-V100	1595
Digital Equipment VT-132	VDT-V132	1895
Direct VP-800A emulator	VDT-P800	call
Hazeltine 1410	VDT-H1410	
Hazeltine 1420	VDT-H1420	
Hazeltine 1500	VDT-H1500	
Hazeltine 1510	VDT-H1510	
Hazeltine 1520	VDT-H1520	
Hewlett Packard 2621 A	VDT-HP21A	1
Hewlett Packard 2621P	VDT-HP21F)
IBM 3101-10 character mode green	VDT-3101	1195
IBM 3101-20 block mode	VDT-31012	1395
Lear Seigler 3A upper case only	VDT-L3A	850
Lear Seigler ADM5	VDT-L5	945
Lear Seigler ADM31	VDT-L31	1385
Lear Seigler ADM42	VDT-L42	1995
Visual 200	VDT-V200	995
Televideo 910C (new)	VDT-T910	595
Televideo 912C	VDT-T912	665
Televideo 920C	VDT-T920	745
Televideo 950C detatchable keybd.	VDT-T950	985
Zenith Z-19	VDT-Z-19	735

MONITORS VIDEO



BMC KG12C 18MH2 P-31 grn phosphor Leedex/Amdek 12''100 Leedex 100 green Leedex 103-80 169 197 Hitachi color 13" Zenith color 13" NEC green phosphor Panasonic color 10" Sanyo 9" BW Sanyo 12" green phos. Sanyo 15" BW Sanyo 13" color 219 149

ACCESSORIES FOR THE APPLE



CALIFORNIA COMPUTER SYSTEMS
-Arithmetic Processor 7811 B/C \$319
-Asynchronous serial interface 7710 129
-Centronics Interface card 7728 95
-12K PROM Module 7114 95
-Parallel interface 7720A 97
-Programable Timer 7740A 99
-Analog/Digital converter 7470A 99

MICROSOFT PRODUCTS
Apple to Z-80 CPU card
D. C. HAYES PRODUCTS
Micromodem for Apple
COMPUTER STOP PRODUCTS
Double Vision / 80 Column Video INTERACTIVE STRUCTURES 16 Channel A/D card AIO/2

S-100 BOARDS



	Debuild V.	10234
CPU BOARDS		
Calif. Computer 2	810A Z-80	
DMA. 4MHz	BDC- C2810	8250
Godbout Z-80 24 b	it. 4MHz	
	BDC-GZ80	239
Godbout 8085/8088	dual 16 bit	
processor	BDC-G88	375
Measurement Syst	ents Z-80	
4 serial 2 paral	lel real time	
clock, 8 vector	BDC-MZ80	395
SD Systems SBC-2		
with serial & p	arallel	700
I/O ports Teletek FDC-1 s	BDC-SBC2	385
Teletek FDC-1 s	ingle board	
CPU & floppy d		
plus I/O	BDC-FDC1	695
MAINFRAMES		
Calif. Computer 2	200 A 12 slot	٨
power supply	ENM-C2200	349
TEI 12 slot table	ENM-T12	
TEI 22 slot table		
Godbout mainfrm.	ENM-GMF	
MEMORY BOARDS	3	
Calif. Computer 2	065A 64K	
dyamic memory	BDM-C2065	\$429
Calif. Computer 2	016 16K	
static memory	BDM-C2016	259

| Static nemory BDAI-C2016 | 259 | Calif. Computer 2093 23K | Static nemory BDAI-C2022 | 585 | Codbout Ran 17 64K static nemory 16 bit BDAI-G17 | 1025 | Systems Exoandorant | 16K dynamic BDAI-EX15 | 295 | 64K dynamic BDAI-EX64 | 375 | 64K dynamic BDAI-EX64 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 | 376 |

EPROM BOARDS Digital Research 32K, 2715 proms extra BDM-DP32, 89 SD Systems Prom-100 programmer BDM-P100 250



PLOPPY DISK CONTROLLER
Calif. Computer 2422A with
2, 2 CPM BDF - C2422
Godbout 'Disk One' features the
NEC 765 controller. DIM
Authoritation BDF - CDM
single & doSwitch and the controller.
Single Authoritation Disk Jockey II
Morrow Design Disk Jockey II
Morrow Design Disk Jockey II
double density BDF - DJ2 195 345

INTERFACE BOARDS IMTREACE BOARDS
Calif. Computer 2718 I/O
2 serial/2 par/1 BDT-C2718
Morrow Designs Switchboard
2 serial/4 par/1 BDT-MSB
Morrow Designs Multiboard
3 serial/3P, +++ BDT-MMB
Codbout Interfacer Che
2 serial/2 par/1 BDS-GE1
Codbout Interfacer Che
2 foodbout Interfacer Che 219 275 199 odbout Interfacer Two 1 serial/3 par 1 BDS-GB2

SPECIALITY BOARDS
QT Computer real time clock/
calendar BIS-qCK
Artee Elee. Wire wrap prototype board BIS-AW
Artee Elee. General Purpose
proto board BIS-AW
Codhoat Spectrum color
board BIS-AM
DC, C. Haves S-100 Micromodern BIS-HM
Mallton Products extender boar
Mallton Products extender boar 135 25 295 modem BDS-HMI
Mullen Products extender boar
A logic probe kt BDS-MTBI
Mullen Products Opto-contro
board kit BDS-MCC 350 49

Rotron Muffin Fan

\$1477 \$12.00 @ 1000 10.50 @ 1000

115 VAC. 7 Watts WR2A1 Factory fresh Muffin fans NOT pull-outs. EMF-4M





All merchandise sold by California Digital is premium grade. All merchander sold by Cattorina Digital is premium grade. Shipping: First five pounds \$2.00; each additional add \$.40 Foreign orders 10% shipping. Excess will be refunded. California residents add 6% sales tax. COD's discouraged. Open accounts extended to state supported educational institutions and companies with a "Strong Dun & Bradstreet."

Warehouse: 15608 Inglewood Blvd. Visitors by appointment. Circle 52 on inquiry card.

TOLL FREE ORDER LINE (800) 421-5041 **TECHNICAL & CALIFORNIA** (213)679-9001 TWX 910325-6212

7400 SN74123N SN74125N SN74126N SN7412811 SN74132N SN74136N SN74139N .59 .39 .44 .59 .69 .75 .79 2.95 2.95 2.95 1.20 1.09 .67 .67 .67 .119 .78 SN7401N SN7402N SN7403N SN7404N SN7405N SN7406N SN74139N SN74141N SN74142N SN74143N SN74145N SN74145N SN74145N SN74151N SN74151N SN74151N SN74152N SN74154N SN74154N SN74154N SN74154N SN74154N SN74154N SN74156N SN74156N SN74164N SN74164N SN74164N SN74164N SN74164N SN74164N SN7407N SN7407N SN7408N SN7409N SN7410N SN7411N SN7412N SN7413N SN7414N SN7417N SN7417N SN7420N SN7421N SN7422N SN7423N SN7425N SN7426N SN7427N SN7429N .69 1.65 .88 .89 .87 .87 .87 1.20 1.95 SN7430N SN7430N SN7432N SN7437N SN7438N SN74439N SN7440N SN7441N SN7442N SN74164N SN74165N SN74166N SN74167N SN74170N SN74172N SN74173N SN74174N SN74175N SN74176N 1.699 4.759 8.895 8.755 7.755 1.765 1.765 1.755 1.151 SN7444N SN7445N SN7445N SN7446N SN7447N SN7448N SN7450N SN7451N SN7453N SN74177N SN74179N SN74179N SN74180N SN74181N SN74182N SN74184N SN74185N SN74186N SN74188N SN7454N SN7454N SN7459N SN7460N SN7470N SN7472N SN7473N SN7474N SN7475N SN7476N SN7479N SN7480N SN74190N SN74191N \$M74192M \$M74192M \$M74194M \$M74194M \$M74195M \$M74195M \$M74195M \$M74197M \$M74273M \$M7 SN7483N SN7485N SN7486N SN7489N SN7490N SN7491N SN7492N SN7493N SN7493N SN7494N SN7495N SN7496N SN7497N SN74100N SN74107N SN74109N SN74116N SN74122N

CMOS CD4000 .35 CD4098 CD4001 .35 CD4099 CD4002 .35 CD4099 .35 CD4099 .35 CD4099 .35 CD4099 .35 MC14408 12 CD4006 1.05 MC14409 1.25 MC14410 1.25 CD4001 .45 MC14415 CD4010 .45 MC14415 CD4010 .45 MC14419 .25 CD4011 .35 CD4015 .35 CD4015 .35 CD4015 .36 CD4016 .37 CD4017 .38 CD4056 CD4018 .89 CD4510 CD4018 .89 CD4511
CD4001 3.5 CD4099 CD4006 1.05 MC14408 12 CD4006 1.05 MC14408 12 CD4007 25 MC14410 12 CD4008 1.39 MC14412 12 CD4009 .45 MC14415 12 CD4010 .45 MC14415 12 CD4011 .35 CD4501 CD4012 .25 CD4502 CD4013 .45 CD4502 CD4013 .45 CD4505 CD4015 1.15 CD4505 CD4016 .59 CD4507 CD4017 1.19 CD4508 CD4017 1.19 CD4508 CD4017 1.19 CD4508 CD4017 1.19 CD4508 CD4010 .89 CD4510
CD4019 .45 CD4511 CD4020 CD4020 .1.00 CD4512 CD4020 .1.00 CD4512 CD4021 .1.00 CD4512 CD4021 .1.00 CD4516 CD4022 .1.5 CD4566 CD4023 .2.9 CD4566 CD4024 .75 CD4025 .25 CD4526 CD4025 .25 CD4556 CD4025 .25 CD4026 .20 CD4027 .20 .20 CD4027 .20 .20 CD4027 .20
CD4089 2.95 74C923 5 CD4093 .99 MM80C95 1 CD4094 2.95 MM80C97 1

7	41	SOO	133
74LS00N	.26	74LS164N	1.19
74LS01N	.28	74LS165N	.89
74LS02N 74LS03N	.28	74LS166N 74LS168N	1.15
74LS04N	.35	74LS169N	1.15
74LS05N	.28	74LS170N 74LS173N	1.99
74LS08N 74LS09N	.28	74LS174N	.89
74LS10N	.28	74LS175N	.89
74LS11N 74LS12N	.39	74LS181N 74LS190N	1.15
74LS13N	.47	74LS191N	1.15
74LS14N 74LS15N	.95	74LS192N 74LS193N	.98
74LS20N	.26	74LS194N	1.15
74LS21N 74LS22N	.33	74LS195N 74LS196N	.95
74LS26N	.33	74LS197N	.89
74LS27N 74LS28N	.33	74LS221N 74LS240N	1.15
74LS30N 74LS32N	.26	74LS241N	1.69
74LS32N 74LS33N	.33	74LS242N 74LS243N	1.69
74LS37N	.45	74LS244N	1.49
74LS38N	.39	74LS245N 74LS247N	2.20
74LS40N 74LS42N	.79	74LS248N	1.10
74LS47N	.79	74LS249N	1.19
74LS48N 74LS51N	.95	74LS251N 74LS253N	1.40
74LS54N	.29	74LS257N	.85
74LS55N 74LS73N	.29	74LS258N 74LS259N	.98
74LS74N	.42	74LS260N	.65
74LS75N 74LS76N	.59	74LS261N 74LS266N	2.49
74LS78N	.45	74LS273N	1.75
74LS83AN 74LS85N	.79 1.19	74LS275N 74LS279N	4.40
74LS86N	.45	74LS283N	.99
74LS90N 74LS92N	.57 .75	74LS290N 74LS293N	.99
74LS93N	.75	74LS295N	1.10
74LS95N 74LS96N	.88	74LS298N 74LS324N	1.19
74LS107N	.45	74LS347N	1.95
74LS109N 74LS112N	.45	74LS348N 74LS352N	1.95
74LS113N	.43	74LS353N	1.19
74LS114N 74LS122N	.43	74LS363N 74LS365N	1.49
74LS123N	1.19	74LS366N	.69
74LS124N 74LS125N	1.35	74LS367N 74LS368N	.69
74LS126N	.52	74LS373N	1.89
74LS132N 74LS136N	.79	74LS374N 74LS375N	1.89
74LS138N	.85	74LS377N	1.95
74LS139N 74LS145N	.85 1.25	74LS385N 74LS386N	1.95
74LS148N	1.49	74LS390N	1.95
74LS151N 74LS153N	.79 .79	74LS390N 74LS393N 74LS395N	1.95
74LS154N	1.70	74LS399N	2.35
74LS155N 74LS156N	1.19	74LS424N 74LS668N	2.95 1.75
74LS157N	.85	74LS670N	2.29
74LS158N	.75 1.05	81LS95N 81LS96N	1.69 1.69
74LS161N	1.15	81LS97N	1.69
74LS162N 74LS163N	1.05	81LS98N	1.69
74L3103N	1 .05	EAD	
	1		

78M06 5.95 MC1358 1.75 78M06 1.49 LM144N 1.90 78M.G. 1.49 LM145N 1.90 78M.G. 1.49 LM145CNN .49 LM105H 99 MC1488N .99 LM108AH 2.95 MC1488N .99 LM108AH 2.95 MC1488N .99 LM300H .79 LM189N .99 LM300H .99 LM1850N .95 LM305H .99 LM1850N .95 LM305H .98 LM1850N .95 LM307CN/H .29 LM2111N 1.75 LM306CN1 .29 LM2111N 1.75 LM301CNH .29 LM2111N 1.75 LM301CNH .29 LM2111N 1.75 LM310CNH .29 LM290N .99 LM309K 1.49 LM290N .99 LM309K 1.49 LM290N .99 LM309K 1.49 LM290N .99 LM309K 1.49 LM290N .99 LM300K .149 LM20N .170 CA300		IN	EAR	
78M.G. 1.49 LM1414N 1.90 78M.G. 1.49 LM165CNN 4.9 LM10BAH .99 MC1489N .99 LM300H .79 LM1499N .99 LM300H .79 LM1498N .99 LM300H .79 LM1498N .99 LM3016NH .35 LM156N .50 LM304H .98 LM1850N .95 LM305H .32 LM1850N .95 LM306N .32 LM1850N .95 LM306N .32 LM1850N .95 LM306N .32 LM1850N .95 LM306N .32 LM1820N .20 LM306N .32 LM1820N .20 LM306N .34 LM2001N .20 LM306N .34 LM2001N .20 LM307T .170 CA3021T .99 LM317T .170 CA3021T .99 LM317H .125 CA3018T .19 LM318N .149 CA3018T .19 LM318N .149 CA3018T .29 LM319N .149 CA3018T .29 LM319N .149 CA3018T .29 LM319N .149 CA3018T .29 LM319N .125 LM3018T .29 LM319N .149 CA3018T .29 LM318N .176 CA3081 .29 LM320N .35 CA3081 .39 L	78H05	5.95	MC1358	1.75
LM105H 99 MC1489N 99 LM300H 79 LM169N 99 LM300H 79 LM169N 99 LM304H 98 LM3016NH 35 LM155N 1.50 LM304H 98 189 LM165N 1.55 LM306H 3.25 LM1889N 3.10 LM306H 3.25 LM1889N 3.10 LM306CNH 29 LM307KNH 29 LM291N 2.50 LM307KNH 1.29 LM291N 2.50 LM307KNH 1.29 LM291N 2.50 LM307KNH 1.29 LM291N 2.50 LM307KNH 1.29 LM307KNH 1.29 LM291N 1.25 LM318H 1.25 CA3035T 2.75 LM307KNH 1.29 LM317H 1.25 CA3035T 2.75 LM307KNH 1.29 LM320T 2.75 LM307KNH 1.29 LM327K 1.25 CA3068N 1.29 LM320T 2.75 LM340T 2.75 CA3080N 1.29 LM320T 2.75 LM340T 2.75 CA3080N 1.29 LM320T 2.75 CA3080N 1.29 LM340KNH 1.25 CA3080N 1.29 LM340KNH 1.25 CA3080N 1.25 LM340T 1.25 CA3080N 1.25 LM340T 1.25 CA3080N 1.29 LM340KNH 1.25 CA3080N 1.29 LM360N 1.25 CA3080N 1.25				
LM10BAH 2.95 MC1489N .99 LM301CNJH .35 LM1556N 1.50 LM305H .99 LM1656N 1.50 LM305H .99 LM1656N .95 LM305H .99 LM189N 3.10 LM307CNJH .29 LM2111N 1.75 LM30BCNJH .99 LM200N .99 LM309K 1.49 LM200N .99 LM309K 1.49 LM201N 2.50 LM31DCNJH .89 LM201N 2.50 LM31DCNJH .89 LM201N 2.50 LM31DCNJH .125 LM201N 2.50 LM31DCNJH .125 LM201N 2.50 LM31DCNJH .126 CA30.31 2.19 LM31BNJH 1.27 CA30.21 2.75 LM31DNJH .127 CA30.21 2.75 LM31DNJH .128 CA30.35 2.75 LM31DNJH .129 CA30.35 1.72 LM320N .128 LM305N 1.29 LM31BNJH .129 CA30.35 1.29 LM31BNJH .129 CA30.35 1.29 LM31BNJH .129 CA30.35 1.29 LM31BNJH .129 CA30.35 1.29 LM31BNJH .120 CA30.35 1.29 LM31BNJH .120 CA30.35 1.29 LM320N .27 CA30.35 1.29 LM320N .27 CA30.35 1.29 LM320N .27 CA30.35 1.29 LM340N .27 CA30.35 1.39 LM350N .39 CA30.35 1.39 LM350				
LM301CNJH .35		2.95		
LM304H 996 LM1820N 95 LM306H 3.25 LM1889N 3.10 LM3076NIH 299 LM1889N 3.10 LM3076NIH 391 LM2900N 99 LM309K 1.49 LM2901N 2.50 LM3010CN 1.25 LM2917N 2.95 LM310CN 1.25 LM2917N 2.95 LM311DCNH 89 CA3018T 1.99 LM311DCNH 89 CA3018T 1.99 LM311BCNH 1.25 CA3018T 2.95 LM311BCNH 1.25 CA3018T 2.95 LM311BCNH 1.25 CA3018T 2.95 LM318CNH 1.25 CA3038T 2.95 LM320T.XX 1.35 CA3038T 2.95 LM320T.XX 1.35 CA3038T 2.95 LM320T.XX 1.35 CA3038T 1.29 LM320T.XX 1.35 CA3038T 1.29 LM320T.XX 1.35 CA3038T 1.29 LM320T.XX 1.35 CA308SN 1.29 LM320T.XX 1.25 LM305SN 1.49 LM320N 2.95 CA306SN 1.29 LM320R 4.95 CA306SN 1.29 LM320R 1.95 CA306SN 1.29 LM320T.XX 1.25 LM305SN 1.49 LM320N 1.95 CA306SN 1.90 LM320N 1.95 CA306SN 1.91 LM340R.XX 1.75 CA308SN 1.55 LM34H 1.55 CA308SN 1.55 LM34N 1.96 CA309SN 1.90 LM350N 1.96 CA309SN 1.90 LM36SON 1.26 CA309SN 1.90 LM36SON 1.26 CA309SN 1.90 LM36SON 1.26 CA309SN 1.90 LM36SON 1.96 CA309SN 1.90 LM36SON 1.96 CA309SN 1.90 LM370N 1.96 CA3140N 2.90 LM370N 1.96 CA309SN 1.90 LM36SON 1.96 CA309SN 1.90 LM36SON 1.96 CA309SN 1.90 LM36SON 1.96 CA309SN 1.90 LM36SON 1.97 CA3416N 2.49 LM38BCN 1.25 CA309SN 1.90 LM36SON 1.96 CA309SN 1.90 LM36SON 1.97 CA3416N 2.49 LM38BN 1.79 CA3416N 2.49 LM38BN 1.75 CA3416N 2.49 LM38BN 1.75 CA3416N 2.49 LM38BN 1.75 CA3416N 2.49 LM36BN 1.25 CA308SN 1.55 LM36H 2.75 LM36H		.79		
LM305H .89 LM1850N .95 LM306T .325 LM320ON .99 LM309R .149 LM200N .99 LM309R .149 LM200N .99 LM309R .149 LM200N .99 LM309R .149 LM200N .250 LM31DCNH .88 CA3013T .199 LM31DCNH .185 CA3013T .199 LM31BR .175 CA3023T .219 LM31BR .175 CA3023T .299 LM31BNH .125 CA3035T .129 LM31BNH .126 CA3035T .275 LM32DF.XX .138 CA3035T .275 LM32DF.XX .138 CA3035T .129 LM32DF.XX .138 CA303BT .129 LM32DF.XX .138 CA303BN .169 LM32BR .95 CA308DN .19 LM32BR .95 CA308DN .19 LM32BR .195 CA308BN .190 LM34DF.XX .125 CA30BSN .169 LM34DF.XX .125 CA30BSN .155 LM34DF.XX .125 CA30BSN .150 LM35DF.XX .125 CA30BSN .150 LM34DF.XX .125 CA30BSN .150	I M304H		LM1830N	95
LM306H 3.25 LM1889N 3.10 LM307CN 1.29 LM2901N 2.50 LM3010CN 1.25 LM2901N 2.50 LM3010CN 1.25 LM2917N 2.95 LM31DCN 1.25 LM2917N 2.95 LM311DCN 1.25 LM2917N 2.95 LM311ZH 1.75 CA3018T 1.99 LM312H 1.75 CA3018T 1.99 LM317H 1.70 CA3023T 2.99 LM317H 1.25 CA3035T 1.29 LM318CN 1.1 2.5 CA3035T 1.29 LM320K-XX 1.35 CA3039T 1.29 LM320H-XX 1.35 CA3039T 1.29 LM320H-XX 1.35 CA3035N 3.19 LM320H-XX 1.25 LM3055N 1.49 LM320H-XX 1.25 LM3055N 1.49 LM320H-XX 1.25 CA3085N 1.89 LM320H-XX 1.25 CA3080N 1.89 LM340H-XX 1.25 CA3080N 1.89 LM350N 1.49 CA3130T 1.29 LM371N 1.40 CA3130T 1.30 LM372N 1.40 CA3140T 1.19 LM378N 1.50 CA3140N 1.95 LM378N 1.50 CA3140N 1.95 LM381N 1.40 CA3130T 1.30 LM371N 1.40 CA3130T 1.30 LM372N 1.55 CA3146N 2.49 LM381N 1.55 CA3146N 1.95 LM381N 1.55 CA3140N 1.95 LM383N 1.55 LM3990N 1.59 LM380N 1.59 CA3140N 1.59 LM380N 1.50 CA3140N 1.59 LM380N 1.50 CA3140N 1.59 LM381N 1.50 CA314				95
LM390CNJH-98 LM390CNJH-98 LM390CNJH-98 LM390CNJH-98 LM390CNJH-98 LM390CNJH-98 LM390TN 1.25 LM311DCNJH-189 LM312TT 1.75 LGA3013T 2.19 LM312TT 1.75 LGA3013T 2.19 LM312TT 1.75 LGA3013T 3.49 LM312TT 1.75 LGA302T 2.75 LM311DCNJH-149 LM312RNJH-1.25 LGA303ST 2.75 LM320T-XX* 1.39 LM320T-XX* 1.35 LM320T-XX* 1.25 LM320R-XX* 1				
LM390K J-149 LM2901N 2-50 LM310CN 1-25 LM2917N 2-50 LM3110CN 1-25 LM2917N 2-95 LM311Z-H 1-75 CA3018T 1-99 LM312H 1-76 CA3018T 1-99 LM317H 1-70 CA3023T 2-99 LM317H 1-170 CA3023T 2-99 LM317H 1-125 CA3039T 1-29 LM318H 1-125 CA3039T 1-29 LM320K-XX 1-35 CA3039T 1-29 LM320K-XX 1-35 CA3039T 1-29 LM320H-XX 1-139 CA306SN 3-19 LM320H-XX 1-139 CA306SN 3-19 LM320H-XX 1-155 CA306SN 3-19 LM320H-XX 1-155 CA306SN 3-19 LM320H-XX 1-155 CA306SN 1-19 LM330K 3-95 CA306SN 1-19 LM330K 3-95 CA306SN 1-19 LM340H-XX 1-155 CA306SN 1-19 LM340H-XX 1-155 CA306SN 1-150 LM350N 1-150 CA306SN 1-				
LM310CN 1.25 LM2917N 2.95 LM312H 1.75 CA3018T 1.99 LM312H 1.75 CA3018T 1.99 LM317H 1.70 CA3021T 2.99 LM318CNJH 1.49 CA3023T 2.99 LM319NJH 1.25 CA3039T 1.29 LM320K-XX 1.35 CA3039T 1.29 LM320K-XX 1.35 CA3039T 1.29 LM320H-XX 1.25 LM3053N 1.49 LM320H-XX 1.25 LM3053N 1.49 LM320H-XX 1.25 LM3053N 1.49 LM323K 4.95 CA3060N 3.19 LM324M .95 CA3060N 3.19 LM328K 6.95 LM306SN 1.49 LM338K 6.95 LM306SN 1.49 LM338K 6.95 LM306SN 1.49 LM338K 6.95 LM306SN 1.49 LM338K 1.95 CA3080N 1.29 LM340H-XX 1.25 CA3083N 1.55 LM340H-XX 1.25 CA3083N 1.50 LM340H-XX 1.25 CA3083N 1.50 LM340N 1.20 CA3089N 2.99 LM340N 1.20 CA3089N 2.99 LM340N 1.20 CA3089N 1.99 LM340N 1.20 CA3089N 1.99 LM350N 1.20 CA3089N 1.99 LM350N 1.25 CA3146N 2.99 LM350N 1.25 CA3146N 2.49 LM350N 1.25 CA3146N 3.95 LM381N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM380N 1.50 CA3080N 3.90 RES1VIT 3.75 CA3146N 3.95 LM380N 1.50 CA3080N 3.90 RES55V 9. LM390ON 1.99 LM380N 1.50 CA3080N 3.95 LM380N 1.40 LM360N 3.95 LM380N 1.40 LM360N 3.95 LM380N 1.50 CA3146N 3.95 LM380N 1.50 CA3080N 3.99 RES55V 9. LM390ON 1.99 LM380N 1.50 CA3080N 3.95 LM380N 1.40 LM360N 3.95 LM380N 1.40 LM360N 3.95 LM380N 1.40 LM360N 3.95 LM380N 1.55 LM390ON 3.99 RES55V 9. LM390ON 3.99 RES55V 9. LM390ON 3.99 RES55V 9. LM390ON 3.99 RES55V 9. LM390ON 3.90 RES55V 9. LM390ON 3.95 LM380N 1.50 CM360N 3.39 RES31VIT 3.75 LM390ON 3.95 RES55V 9. LM390ON 3.95 RES55V 9. LM390ON 3.95 LM390N 1.55 CM364N 3.95 LM370N 1.25 CM364N 3.95 LM370N 1.25 CM360N 3.39 LM390N 1.50 CM364N 3.95 LM370N 1.50 CM364N 3.95 LM380N 1.5		.98		.99
LM31DCNH 89				
LM312H 1,75 CA3018T 1,99 LM317H 1,70 CA3021T 2,99 LM318CN/H 1,49 CA3023T 2,99 LM319N/H 1,25 CA3039T 1,29 LM320K-XX* 1,35 CA3039T 1,29 LM320K-XX* 1,35 CA3039T 1,29 LM320H-XX* 1,35 CA3039T 1,29 LM320H-XX* 1,25 LM3053N 1,49 LM323K 4,95 CA306SN 3,19 LM324M ,95 CA306SN 3,19 LM323K 4,95 CA306SN 3,19 LM323K 5,95 CA306SN 1,49 LM337K 3,95 CA306SN 1,49 LM338K 6,95 LM306SN 1,49 LM339N 1,55 CA308BN 1,89 LM340H-XX* 1,25 CA308BN 1,89 LM340H-XX* 1,25 CA308BN 1,55 LM340H-XX* 1,25 CA308BN 1,55 LM340H-XX* 1,25 CA308BN 1,50 LM350N 1,49 CA3130T 1,90 LM350N 1,49 CA3130T 1,90 LM360N 1,25 CA3146N 1,25 LM371N 1,25 CA3190N 1,95 LM381N 1,25 CA3190N 1,95 LM387N 1,40 CA3130T 1,90 LM368N 1,15 CA3190N 1,95 LM368N 1,15 CA3190N 1,90 RE555V 39 LM390N 1,59 RE555N 1,15 CA3190N 1,90 RE5		1.25		2.95
LM3177 1,70 CA3021T 3,49 LM318NJH 1,49 CA3023T 2,99 LM319NJH 1,25 CA3035T 2,75 LM320T-XX* 1,35 CA3035T 2,25 LM320T-XX* 1,35 CA3046N 1,29 LM320T-XX* 1,35 CA3046N 1,29 LM320T-XX* 1,35 CA3046N 3,19 LM320T-XX* 1,35 CA3058N 3,19 LM3217 1,55 CA3058N 3,19 LM3217 1,55 CA3058N 3,19 LM3217 1,55 CA3058N 1,19 LM3217 1,55 CA3068N 1,19 LM3217 1,55 CA3068N 1,19 LM3217 1,55 CA3081N 1,29 LM340T-XX* 1,75 CA3081N 1,29 LM340T-XX* 1,75 CA3081N 1,29 LM340T-XX* 1,25 CA3081N 1,55 LM340T-XX* 1,25 CA3041N 1,29 LM350CN 1,35 CA3140T 1,19 LM360CN 1,35 CA3140T 1,19 LM360CN 1,35 CA3140T 1,19 LM360CN 1,35 CA3140N 1,59 LM380T 1,25 CA3140N 1,59 LM380T 1,25 CA3081N 3,39 LM340N 1,35 CA3140N 3,35 LM340N 1,35 CA3140N 3,35 LM380N 1,35 CA3140N 3,35 LM380N 1,35 CA3080N 3,39 LM350N 1,35 CA3080N 3,39 LM360N 1,35 CA3080N 9,38 LM3760N 1,35 CA3080N		.89		2.19
LM318(O.)H 1.49 (CA3023T 2.99 LM320K-XX* 1.35 (CA3039T 1.25 LM320K-XX* 1.35 (CA3039T 1.29 LM320H-XX* 1.25 (CA3039T 1.29 LM320H-XX* 1.25 (CA3039T 1.29 LM320H-XX* 1.25 (CA3039T 1.29 LM320H-XX* 1.25 (CA3039T 1.49 LM324M .95 (CA3060N 3.19 LM324M .95 (CA3060N 3.19 LM323K .95 (CA3060N 1.49 LM337K .95 (CA3060T 1.29 LM340K-XX* 1.75 (CA3081T 1.69 LM340H-XX* 1.25 (CA3081T 1.69 LM340H-XX* 1.25 (CA3081M 1.69 LM347PN 2.90 (CA3060M 1.99 LM350K 1.29 (CA3060M 1.99 LM350K 1.29 (CA3060M 1.99 LM350K 1.29 (CA3060M 1.99 LM350K 1.29 (CA3060M 1.99 LM350K 1.25 (CA3140M 1.29 LM377N 1.25 (CA3140T 1.39 LM378N 1.25 (CA3140T 1.39 LM378N 1.25 (CA3140T 1.39 LM378N 1.25 (CA3140T 1.39 LM387N 1.40 (CA3060M 3.95 LM380N 1.50 (CA3140T 1.39 LM368N 1.50 (CA3140T 1.39 LM368N 1.50 (CA3140T 1.39 LM378N 1.40 (CA3060M 3.95 LM389N 1.50 (CA3140N 5.99 LM389N 1.50 (CA3140N 5.99 LM389N 1.50 (CA3140N 5.99 LM389N 1.50 (CA3140N 5.99 LM389N 1.50 (CA3140N 1.99 LM389N 1.50 (1.99
LM319N/H 1.25	LM3171			
LM320K-XX* 1.35				
LM320T-XX* 1.39				1.29
LM320H-XX* 1.25 LM3053N 1.49 LM3053N 1.49 LM326M 4.95 CA306SN 3.19 LM328M 5.95 CA306SN 3.19 LM332R 5.95 CA306EN 4.95 LM333R 6.95 LM306SN 1.49 LM333R 6.95 LM306SN 1.49 LM333R 6.95 LM306SN 1.49 LM333R 6.95 CA306BN 1.49 LM340H-XX* 1.75 CA308HN 1.69 LM340H-XX* 1.25 CA308SN 1.55 LM340H 1.25 CA308SN 1.55 LM357R 1.25 CA3140H 1.90 LM357R 1.25 CA3140H 1.90 LM357R 1.25 CA3140H 1.90 LM357R 1.25 CA3140H 1.90 LM357R 1.25 CA3190N 1.95 LM387R 1.25 CA3190N 1.95 LM387R 1.49 LM357R 1.25 CA3190N 1.95 LM387R 1.49 LM36RN 1.25 CA3190N 1.95 LM387R 1.40 SG3524N 3.95 LM387R 1.40 LM36RN 1.25 LM36RN 1.95 LM389N 1.55 LM387R 1.40 LM36RN 1.95 CA3190N 1.95 LM387R 1.40 LM36RN 1.95 LM389N 1.55 LM387R 1.40 LM36RN 1.95 CA3190N 1.95 LM389N 1.55 LM389N 1.55 LM389N 1.55 LM389N 1.55 LM389N 1.55 LM389N 1.95 CA3190N 1.95 LM3710H 1.95 CA3190N 1.95		1.39	CA3046N	1.29
LM323K 4.95 CA3059N 3.19 LM327K 5.95 CA3060N 3.19 LM337K 5.95 CA3060N 3.19 LM337K 5.95 CA3060N 3.19 LM338K 6.95 LM3065N 4.95 LM338K 6.95 LM3065N 1.49 LM340K.XX 1.75 CA3081N 1.69 LM340K.XX 1.75 CA3081N 1.69 LM340K.XX 1.25 CA3081N 1.69 LM340K.XX 1.25 CA3081N 1.69 LM340K.XX 1.25 CA3081N 1.69 LM340K.XX 1.25 CA3081N 1.69 LM350K 5.60 CA3081N 1.69 LM358CN 9.80 CA3097N 1.99 LM358CN 9.80 CA3097N 1.99 LM358CN 1.95 CA3140T 1.19 LM360K 1.25 CA3140T 1.19 LM376N 1.25 CA3140N 1.95 LM381N 1.79 CA3140N 1.59 LM381N 1.79 CA3140N 1.59 LM381N 1.79 CA3410N 1.59 LM380K 1.25 CA3190N 1.95 LM381N 1.79 CA3410N 1.59 LM380K 1.25 LM3910N 1.59 LM391N 1.75 CA3410N 1.95 LM391N 1.95 CA3410N 1.95		1.25		1.49
LM337K 5.95 CA3062N 4.95 LM339N 9.5 CA3060T 1.29 LM339N 9.5 CA3080T 1.29 LM340K.XX 1.75 CA3081 1.69 LM340T.XX 1.25 CA3081 1.69 LM340T.XX 1.25 CA3088N 1.55 LM344H 1.95 CA3088N 8.0 LM340K 1.25 CA3088N 8.0 LM340K 1.25 CA3088N 8.0 LM340K 1.25 CA3088N 1.99 LM350K 5.00 CA3098N 3.49 LM340K 1.25 CA3088N 1.99 LM350K 1.26 CA3098N 3.49 LM360K 1.26 CA3098N 1.49 LM377N 2.75 CA3140T 1.19 LM372N 1.95 CA3140T 1.19 LM378N 1.95 CA3140T 1.19 LM378N 1.25 CA3140T 1.19 LM380K 1.25 CA3140N 2.49 LM380K 1.25 CA3140N 2.95 LM381N 1.79 CA3410N 1.59 LM380N 1.25 CA3140N 3.95 LM380N 1.25 CA3190N 1.95 LM390N 1.95 CA3410N 2.95 LM390N 1.95 CA310N 3.95 LM390N 3.9		4.95		
LM339K 6.95 LM3065N 1.49 LM339K 9.5 CA3080T 1.29 LM340K-XX* 1.75 CA3081N 1.69 LM340H-XX* 1.25 CA3082N 1.69 LM340H-XX* 1.25 CA3082N 1.55 LM340H-XX* 1.25 CA3088N 1.55 LM340H 1.95 CA3069K 1.90 LM348N 1.20 CA3069K 2.99 LM350K 5.60 CA3069K 3.90 LM358CN 9.8 CA3097N 1.99 LM350K 1.96 CA3100T 1.30 LM372N 1.95 CA3140T 1.19 LM360N 1.49 CA3130T 1.30 LM372N 1.55 CA3140T 1.19 LM378N 1.75 CA3140N 1.95 LM381N 1.75 CA3140N 1.95 LM381N 1.75 CA3140N 1.95 LM381N 1.75 CA3140N 1.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 LM3680N 3.95 LM389N 1.55 LM3990N 5.9 NE5550V 9.9 LM3990N 7.59 NE5550V 9.9 LM3990N 7.59 NE5550V 9.9 LM3990N 3.95 NE5551VT 3.75 LM3990N 7.59 NE5550V 9.9 LM3990N 3.95 NE5561T 1.995 LM39914N 3.75 NE566HV 1.75 LM39914N 3.75 NE566HV 1.75 LM39914N 3.75 NE566HV 1.75 LM39916N 3.95 NE551VH 3.75 RC4131N 2.95 NE566HV 1.75 LM39916N 3.95 NE566HV 1.75 LM39916N 3.75 NE567VH 1.50 RC4131N 2.95 NE566HV 3.9 RC4151N 3.00 LM710NH 7.5 RC4136N 1.00 LM710NH 7.5 RC4136N 1.00 LM710NH 7.5 RC4136N 3.90 LM710NH 7.5 RC4				3.19
LM339N 95 CA3080T 1.29 LM340T-XX 1.75 CA3081N 1.69 LM340T-XX 1.25 CA3082N 1.69 LM340T-XX 1.25 CA3082N 1.69 LM340H 1.95 CA3088N 1.69 LM350K 5.60 CA3098N 2.99 LM350K 98 CA3098N 3.49 LM350K 98 CA3098N 3.49 LM350K 98 CA3098N 1.99 LM350K 1.49 CA3130T 1.30 LM372N 1.95 CA3140T 1.91 LM376N 3.75 CA3140T 1.91 LM376N 1.25 CA3140T 1.91 LM377N 1.25 CA3140T 1.91 LM381N 1.26 CA3190N 1.95 LM387N 1.26 CA3190N 1.95 LM387N 1.40 LM360N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 LM360N 3.95 LM389N 1.55 CA3190N 1.59 LM380N 1.55 CA3190N 3.95 LM380N 1.65 CA3190N 3.95 LM380N 1.65 CA3190N 3.95 LM380N 1.75 CA3190N 3.95 LM390N				
LM340K-XX* 1.75 CA3081N 1.69 LM340H-XX* 1.25 CA3082N 1.69 LM340H-XX* 1.25 CA3088N 1.55 LM340H-XX* 1.25 CA3088N 1.55 LM348N 1.20 CA3086N 2.99 LM350K 560 CA3096N 3.99 LM350S 0.98 CA3097N 1.99 LM350K 1.49 CA3130T 1.30 LM372N 1.95 CA3140T 1.19 LM360C 1.49 CA3140T 1.19 LM372N 1.55 CA3140T 1.19 LM372N 1.55 CA3140N 2.49 LM373N 1.75 CA3160T 1.19 LM380C 1.1 1.25 CA3160T 1.19 LM380T 1.19 CA3140N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 LM3900N 3.99 NE555V 3.9 LM3900N 3.99 NE555V 3.9 LM3905N 1.75 NE565N 1.15 CM3905N 3.95 NE555V 3.9 LM3901N 3.95 NE555V 3.9 LM3901N 3.95 NE555V 3.9 LM3901N 3.95 NE555V 3.9 LM3901N 3.95 NE556V 3.9 LM3901N 3.95 NE566V 3.9 LM3901N 3.9 LM340V 3.9			LM3065N	1.49
LM3401-XX* 1.25 CA3082N 1.59 LM3401-XX* 1.25 CA3088N 1.59 LM340H 1.95 CA3088N 8.0 LM340H 1.95 CA3088N 8.0 LM340N 1.90 CA3098N 3.49 LM350N 1.90 CA3098N 3.49 LM350N 1.90 CA3098N 3.49 LM360N 1.90 CA3098N 1.90 LM372N 2.75 CA3140T 1.19 LM377N 2.75 CA3140N 2.49 LM377N 1.25 CA3140N 2.49 LM378N 1.95 CA3140N 2.95 LM381N 1.79 CA3140N 2.95 LM381N 1.79 CA3410N 1.59 LM380N 1.25 CA3190N 1.95 LM380N 1.25 CA3190N 1.95 LM380N 1.95 CA3410N 3.95 LM390N 1.95 CA3410N 3.95 LM390N 1.95 CA3600N 3.95 LM390N 3.95 LM390		1.75	CA30801	1.29
LM340H 1.25	I M340T-XX	1.75	CA3081N	1.69
LM344H 1.95 CA3086N .80 LM346N 1.20 CA3088N 2.99 LM350K 5.60 CA3098N 2.99 LM350K 9.80 CA3098N 2.99 LM350K 9.80 CA3098N 3.49 LM350K 9.80 CA3098N 3.49 LM360N 1.49 CA3130T 1.30 LM372N 1.95 CA3140T 1.91 LM377N 1.25 CA3140T 1.91 LM387N 1.26 CA3190N 1.95 LM387N 1.40 CA3130T 1.91 LM388N 1.25 MG3423N 1.49 LM388N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 LM360N 3.95 LM387N 1.40 LM360N 3.95 LM387N 1.40 LM390N 3.95 LM387N 1.40 CA3190N 3.95 LM387N 1.40 CA3190N 3.95 LM387N 1.40 CA3190N 3.95 LM387N 1.40 CA3190N 3.95 LM390N 1.95 CA3090N 3.93 NE531VT 3.75 LM3990N 3.95 NE555V 39 LM3990N 3.95 NE556V 39 LM3990N 3.95 NE556V 39 LM3990N 3.95 NE556V 39 LM3990N 3.95 NE566HV 1.25 CM3914N 3.95 LM371N 1.25 CM3914N 3.95 LM371N 1.25 CM3914N 3.95 LM372N 1.55 CM3914N 3.95 LM372N 1.55 CM3914N 3.95 LM373N 1.55 SM75450N 5.95 LM723N 1.55 SM75450N 5.91 LM721N 1.98 SM75454N 4.91 LM747N 1.99 SM7545N 4.91 LM747N 1.99 SM7549N 8.91 LM7410N 1.90 SM7549N 8.91 LM36130 1.90 SM7549N 8.91 LM36130 1.90 SM7549N 8.91 LM36130 1.90 SM7549N 8.91 LM36130 1.90 SM7549N 8.91		1 25		1.05
LM348N 1.20 CA3089N 2.99 LM359CN .98 CA309FN 1.99 LM358CN .98 CA309FN 1.99 LM350CN .149 CA3130T 1.30 LM372N 1.95 CA3140T 1.19 LM376N 3.75 CA3146N 2.49 LM377N 2.75 CA3160T 1.19 LM380CN .125 CA3140N 1.95 LM381N 1.79 CA3410N 1.59 LM381N 1.79 CA3410N .59 LM381N 1.79 CA3410N 3.95 LM381N 1.79 CA3410N 3.95 LM381N 1.79 CA3410N 3.95 LM381N 1.79 CA3410N 3.95 LM380N 1.25 GA323N 1.49 LM387N 1.25 CA323N 1.49 LM387N 1.25 CA323N 1.49 LM387N 1.25 LM3915N 3.95 NE555V 3.9 LM3905N 1.91 NE556N 9.8 LM3909N 9.8 NE556V 3.9 LM3909N 9.8 NE556V 3.9 LM3909N 3.95 NE556V 3.9 LM3200N 3.95 NE566V 3.9 LM3200N 3.95 NE566V 3.9 LM3200N 3.95 NE566V 3.9 LM320V 3.9 LM320V 3.9 LM320V 3.9 CM320V 3.9 LM320V 3.9 CM320V 3.9 LM320V 3.9 LM320V 3.9 LM320V 3.9 SN75454N 3.9 LM3210V 3.9 SN75454N 3.9 LM3210V 3.9 SN7549V 3.9				
LM350K 5.60 CA3098N 3.49 LM350N 1.49 CA3130T 1.30 LM372N 1.49 CA3130T 1.30 LM372N 1.55 CA3140T 1.19 LM376N 3.75 CA3146N 2.49 LM371N 1.25 CA3190N 1.95 LM381N 1.79 CA3140N 1.95 LM381N 1.40 LM368N 1.25 MG243N 1.49 LM388N 1.45 MG362N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 SG3524N 3.95 LM387N 1.40 LM390N 3.95 LM387N 1.40 LM390N 3.95 LM387N 1.40 LM390N 3.95 LM397N 1.55 CA3190N 3.95 LM397N 1.55 CA3190N 3.95 RE555V 39 LM3905N 1.99 RE556N 98 LM3990N 3.98 RE556V 39 LM3995N 1.75 RE666NV 1.75 LM3915N 3.95 RE666NV 3.95 RC415NN 3.95 RE670NV 1.75 LM3915N 3.95 RE670NV 1.75 LM3915N 3.95 RE670NV 1.75 LM3915N 3.95 RE780NV 1.75 LM3940N 3.95 RE780NV 1.75 LM3915N 3.95 RE780NV 1.				
LM360N		5.60	CA3096N	
LM372N 1.95 CA3140T 1.19 LM372N 3.75 CA3146N 2.49 LM377N 2.75 CA3160T 1.19 LM380CNIN 1.25 CA3190N 1.95 LM381N 1.79 CA3410N 5.9 LM381N 1.79 CA3410N 5.9 LM381N 1.79 CA3410N 5.9 LM381N 1.79 CA3410N 5.9 LM382N 1.25 MC342N 1.49 LM382N 1.25 MC3480N 3.95 LM3830N 1.25 MC3480N 3.95 NE531VIT 3.75 LM3890N 3.99 NE555V 39 LM3995N 1.99 NE555N 39 LM3995N 1.99 NE556N 39 LM3995N 3.95 NE566H 1.25 LM3915N 3.95 NE566H 1.25 LM3915N 3.95 NE566H 1.25 LM3915N 3.95 NE567VIH 1.50 RC4131N 2.95 NE568H 3.95 LM3916N 3.75 NE567VIH 1.50 RC4131N 3.70 LM772DH 99 RC4151N 3.70 LM772DH 99 RC4151N 3.70 LM773NH 3.9 LM2745N 3.95 LM710NH .75 RC4195T 5.40 LM710NH .75 SN7545N .39 LM741CN-14 19 SN7545N .49 LM741NH .99 SN7549N .89 LM310N .190 SN7549N .89 LM310N .190 SN7549N .89			CA3097N	1.99
LM376N 3.75			CA3130T	
LM377N 2.75 CA3160T 1.19 LM380CNIN 1.25 CA3190N 1.95 LM381N 1.79 CA3410N 5.91 LM381N 1.75 CA3410N 5.91 LM381N 1.75 MG3423N 1.49 LM386N 1.25 MG3460N 3.95 LM390N 1.35 CA3500N 3.95 LM390N 1.35 CA3500N 3.98 LM390N 1.35 CA3500N 3.99 CA3500N 3.99 LM3909N 3.90 CA3500N 3.90 LM3909N 3.90 CA3500N 3.90 LM3909N 3.90 CA3500N				1.19
LM380CNN				1.10
LM381N 1,79 CA3410N 59 LM388N 1,195 MG3423N 1,49 LM386N 1,25 MG3460N 3,95 LM380N 1,25 MG3460N 3,95 LM390N 1,100 CA3800N 3,95 LM390N 1,195 CA3800N 3,99 NEGSEN 3,98 LM390SN 5,99 NEGSEN 3,98 LM390SN 3,99 NEGSEN 3,98 LM390SN 3,98 LM3710N 1,98 LM3710N 1,98 LM3710N 1,98 LM3710N 1,98 LM3710N 1,98 LM3740N 1,99 LM3740N 1,9				
LM383T 1.95 MC3423N 1.49 LM386N 1.25 MC3460N 3.95 LM387N 1.40 SG3524N 3.95 LM397N 1.40 SG3524N 3.95 LM390N 1.95 CA360ON 3.39 NE531VT 3.75 LM3990N 5.9 NE555V 39 LM3990N 5.9 NE556N 98 LM3999N 98 NE566HV 1.25 LM3995N 3.95 NE566N 1.75 LM3995N 3.95 NE566N 3.95 N			CA3410N	59
LM387N		1.95		
LM390N 1.95	LM386N	1.25	MC3460N	3.95
NE531VIT 3,75	LM387N			3.95
NE5555V 39		1.95		
NESSEN 98		3.75		
NES61T 1995 LM3914N 3.75 NE565NH 1.25 LM3915N 3.95 NE566HV 1.75 LM3916N 3.75 NE567VH 1.75 LM3916N 3.75 NE567VH 1.50 RC4131N 2.95 NE592N 2.75 RC4136N 1.10 LM702NH 2.9 RC4194TK 4.95 LM710NH 3.9 LUN2001 1.25 LM715N 1.95 LUN2003 1.50 LM723NIH 6.5 SN75450N 5.9 LM733NIH 1.95 LW2031 1.50 LM723NIH 1.95 LW75451N 3.9 LM741CN-14 1.9 SN7545N 4.9 LM741CN-14 1.9 SN7545N 4.9 LM741CN-14 1.9 SN7545N 4.9 LM741NIH 3.9 SN7549N 8.9 LM741NIH 3.9 SN7549N 8.9 LM741ON 2.95 SN7549N 8.9 LM741ON 2.95 SN7549N 8.9 LM761ON 2.95 SN7549N 8.9 LM761ON 2.95 SN7549N 8.9 LM731ON 1.90 SN7549N 8.9 LM310N 1.90 SN7549N 8.9 LM310N 1.95 LM40KN 4.9 LM340N 2.95 SN7549N 8.9 LM310N 1.90 SN7549N 8.9 LM310N 1.95 LM40KN 4.9 LM340N 3.9 SN7549N 8.9 LM310N 1.95 LM40KN 4.9 LM340N 2.95 SN7549N 8.9 LM310N 1.95 LM40KN 4.9 LM340N 2.95 SN7549N 8.9 LM310N 1.95 LM40KN 4.9 LM340N 2.95 SN7549N 8.9 LM310N 1.95 LM40KN 4.9 LM340N				
NE566H/H 1.25				
NE566H/V 1.75				
NE567VIH 1.50 RC4131N 2.95 RC54136N 1.10 RC54136N 1.10 RC54136N 1.10 RC54136N 1.10 RC54151N 3.70 RC54151N	NE566H/V			3.75
LM702H 99 RC4151M 3.70 LM700N/H 29 RC4151M 3.70 LM710N/H .75 RC4195TK 5.40 LM711N/H .39 LUR2001 1.25 LM715N 1.95 ULN2003 1.50 LM723N/H .85 SN75451M .35 LW723N/H .85 SN75451M .35 LW730N/H .33 SN75453M .49 LM741CN-14 .75 SN75454M .49 LM741CN-14 .75 SN75491M .89 LM741N/H .39 SN75493M .89 LM7310N 1.90 SN75493M .89 LM7310N 1.90 SN75494M .89 LM7310N 1.90 SN75494M .89 LM1310N 1.90 SN75494M .89 LM1310N 1.90 SN75494M .89		1.50		2.95
LM708NIH 29 * RC4194TK 4.95 LM710NIH 75 RC4195TK 5.40 LM711NIH 39 LUN2001 1.25 LM723NIH 65 SN75450N 5.9 LM733NIH 98 SN75451N 3.3 LM739N 1.15 SN75450N 49 LM741CN:14 19 SN75454N 49 LM741CN:14 19 SN75454N 49 LM741CN:14 19 SN75454N 49 LM747NIH 39 SN75450N 89 LM7310N 1.90 SN7549N 89 LM7310N 1.90 SN7549N 89 LM7310N 1.90 SN7549N 89 LM1310N 1.90 SN7549N 89 LM1310N 1.90 SN7549N 89 LM1310N 1.90 SN7549N 89		2.75	RC4136N	1.10
LM710N/H .75 RC4196TK 5.40 LM711N/H .39 LLM2001 1.25 LM715N 1.95 LLN2003 1.50 LM723N/H .65 SN75450N .59 LM733N/H .98 SN75451N .35 LM733N/H .39 SN75451N .49 LM741CN-14 .19 SN7545N .49 LM741CN-14 .19 SN7549N .89 LM741N/H .29 SN7549N .89 LM7410N 1.90 SN7549N .89 LM7410N 1.90 SN7549N .89 LM7410N 1.90 SN7549N .89 LM7310N 1.90 SN7549N .89 LM7310N 1.90 SN7549N .89 LM7310N 1.90 SN7549N .89 LM310N 1.90 SN7549N .89 MC1330 1.95 TM46CN 4.20 SN7549N .99 MC1330 1.95 TM46CN 4.20 SN754		.99		3.70
LM711N/H .39 ULN2001 1.25 LM723N/H .65 SN75450N .59 LM723N/H .98 SN75451N .35 LM739N 1.15 SN75451N .35 LM739N 1.15 SN75452N .49 LM741CN/H .33 SN75453N .49 LM741CN/H .39 SN75454N .49 LM741W/H .75 SN75491N .89 LM74W/H .39 SN75491N .89 LM740N/H .39 SN75493N .89 LM740N/H .39 SN75493N .89 LM7310N 1.90 SN75493N .89 LM1310N 1.95 TL49CN 4.20 MC1330 1.95 TL49CN 4.20 MC1340 1.95 TL49CN 4.20 MC1440 1.95 TL49CN 4.2		.29		
LM715N 1.95 ULN2003 1.50 LM723NIH .95 SN75450N .59 LM733NIH .98 SN75451N .35 LM734NIH .15 SN75452N .49 LM741CNIH .33 SN7545N .49 LM744TNIH .75 SN7549N .89 LM744NIH .39 SN7549N .89 LM740NIH .39 SN7549N .89 LM760CN .255 SN7549N .89 LM1310N 1.90 SN7549N .89 LM1310N 1.90 SN7549N .89 LM1310N 1.95 TL46CN 4.20		39		1.25
LM723NIH .65 SN75450N .59 LM733NI .98 SN75451N .35 LM739N .1.15 SN75452N .49 LM741CN.14 .19 SN75453N .49 LM741CN.14 .19 SN75454N .49 LM747HNIH .39 SN75491N .89 LM740NIH .39 SN75490N .89 LM7310N .190 SN75490N .89 LM1310N .195 SN75490N .89 LM1310N .195 SN75490N .89 LM1310N .195 SN75490N .89				
LM733NIH 98 SN75451N 35 LM739N 1.15 SN75452N 49 LM741CN:H 33 SN75453N 49 LM741CN:H 19 SN75454N 49 LM747N:H .75 SN75451N .89 LM74N:H .75 SN75491N .89 LM7610N 1.90 SN75494N .89 LM1310N 1.90 SN75494N .89 MC1330 1.95 TL494CN 4.20		.65		.59
LM741CN/H .33 SN75453N .49 LM741CN/H .19 SN75454N .89 LM747N/H .75 SN75491N .89 LM746N/H .39 SN75492N .89 LM7310N 1.90 SN75493N .89 LM310N 1.90 SN75494 .89 LM310N 1.90 SN75494 .89 LM310N 1.95 LM310N 4.20		.98	SN75451N	.35
LM741CN-14 .19 SN75454N .49 LM747N/H .75 SN75491N .89 LM748N/H .39 SN75492N .89 LM760CN 2.95 SN75493N .89 LM1310N 1.90 SN75494N .89 MC1330 1.95 TL494CN 4.20		1.15	SN75452N	.49
LM747N/H .75 SN75491N .89 LM748N/H .39 SN75492N .89 LM760CN 2.95 SN75493N .89 LM131ON 1.90 SN75494N .89 MC1330 1.95 TL494CN 4.20		.33		
LM748N/H .39 SN75492N .89 LM760CN 2.95 SN75493N .89 LM1310N 1.90 SN75494N .89 MC1330 1.95 TL494CN 4.20		.19		
LM760CN 2.95 SN75493N .89 LM1310N 1.90 SN75494N .89 MC1330 1.95 TL494CN 4.20		./5		
LM131ON 1.90 SN75494N .89 MC1330 1.95 TL494CN 4.20		2 95		
MC1330 1.95 TL494CN 4.20				
				1.65

16K UPGRADE ONLY 24.95

PUTER

HEWLETT PACKARD \$2695.00

San Carrier Control of the Control o
7225 Graphics Plotter
16K Memory Module 265.00
5 1/4" Dual Master Flex. Disk Drive, 2100.00
5 1/4" Single Master Flex. Disc Drive 1295.00
Personality Module 700.00
ROM Drawer
Plotter/Printer ROM 130.00
Input/Output ROM 260.00
Matrix ROM 130.00
Serial Interface (RS-232C) 350.00
HP-83 \$1895.00

HP-41: Powerful, Yet Easy to Use

HP-41-CV

The HP-41 communicates withryou in words as well as numbers.

You can customize the HP-41 to your own design.

Programming is fast and easy.

Continuous Memory saves everything.

Optional Peripherals allow you to expand capabilities.

HP-41CV
175.00
HP-41CV
175.00
HP-Card Reader
1HP-Optical Wand
HP-Out MP-Optical Wand
HP-Out MP-Out M

MINIMOVER-5 Microbot ROBOTIC ARM

Completely Assembled W/Application Manual

Automation or Robotic Assembly Education in Robotic Priciples Artificial Inteligence Experiments Computer Art and Games

\$169500

Armbasic Software for TRS-80 w/Applications Manual . . . Applications/Reference Manual \$1695

California Computer Systems 2200

SUPER S-100 BUY!

- 12 Slot Mainframe 64 Dynamic RAM CP/MTM 2.2
- Z-80 CPU 4 MHz w/Serial IO Double Density Disk Controller
- Interface to Vista V-1000 Chassis SPECIAL PACKAGE PRICE 1899.00

FOR COMPLETE SYSTEM with (2) Shugart Double Density
Floppys mounted. add 1495.00 Floopys mounted.



Proto Boards

Novation AUTO-CATTM Automatic Answer


Direct Connect 0-300 Band List 27995

ACP 24595 CAT™

List 19800 Answer Originate ACP 16900

D-CAT™ direct Connect (0-300 Band.

ACP 18900







Z-80 Softcard 16K Ram Card Maxi-System

16K Ham Card
Disk II W/controller
Apple II W/48K
Call for more pricing!

Total Value \$271900 your price \$222900 save! For Pascal System add \$42500

Copple II hardware clearance up to 25% off

VISTA COMPUTER	-		1
Datasaver™Uninterruptable P.S 395.00	New	CCS Parallel Card 7720A	
Vocalyzer TM Voice Card	New	Apple Computer	100
Vision 80™80x24 Card	New	Apple Hi-Speed Serial I/O	
Vision 40™40 col. enhancement	New	Centronics Printer I/O 179.95	
A 800 Quad Denisty 8" Controller 595.00	New	Applesoft II Firmware	
Microsoft Z-80 Softcard		Apple Clock 244 95	1
Microsoft 16K Rameard 169 00		Apple Graphics Tablet 599.95	
SSM AIO Serial/Parallel IO		Apple Prototype Card 21 95	
CCS Asynchronous 7710 A Serial		Apple Disk II w/ cont. 3.3	
Apple Joystick "GESU" 54.95		Apple Disk II 459 95	
Mountain Computer		Pascal Language Card	
Romplus +			
Rom Writer		Communications Card 189.00	4
Introl/X-10			
Introl/X-10 Remote Cont. Sys 249.00		Calif. Prod Visicalc Keyboard	
Super Talker		M & R Apple Fan 49 95	New
Music System		M & R Sup R' Mod	35577
CPS Multifunction	New	Corvus 5Mb Hard Disk 3699.00	New
Expansion Chassis	New	Corvus 5Mb Hard Disk	****
DC Haves Micromodem II	New	Corvus 20Mb Hard Disk Call	New
DC Hayes Smart Modem	New	Corvus Contellation Call	
Thunderclock	New	Corvus Mirror Call	cere
X-10 I/O Option*	New	ACP 16K Upgrade Kit 24 95	
Pascal For Above* 29.00	New	Scott Voice Recognition VET-2 895.00	New

apple /// Triple Play!

Apple III nalysis Pkg. 12" Green 420000

Apple III 5100°

Apple III 5500°

Buy a System and

New are

We only offer Apple CPM software which has been evaluated by our software staff.

Mew Cabbia ?	יווטפ	W
	169.00	,
Visicalc Worksheets	149.00	-
w/Trend Analysis	239.00	
DBMS Visicalc Compatible Visiterm—Communicate	219.00	
w/other Systems	209.00	
BPI Accounts Receivable BPI Inventory	299.00 299.00	
Stockfile Inventory System Infotory Inventory System	349.00 289.00	
Stoneware DB Master	189.00	
ACS BASIC AC	COUNTI	٧Ģ
	Visicalc—Now Better Than Ever Visiplot—Graph your Visicalc Worksheets Visitrend Visiplot — Visiplot w/Trend Analysis Visidex — The Ultimate DBMS Visicalc Compatible Visiterm—Communicate w/other Systems BPI General Ledger BPI Accounts Receivable BPI Inventory Stockfile Inventory System Infotory Inventory System Microcom Microcourier Microcom Microcourier Microcom Microcourier Microcom Microcourier Microcom Microcourier Microcom Wisiples Stoneware DB Master Stoneware DB Master Stoneware Ultility Pkg. (For above	Visicalc—Now Better Than Ever 169.00 Visiplat—Graph your Visicalc Worksheets 149.00 Visitale Worksheets 239.00 Visidex—The Ultimate DBMS Visicalc Compatible Visiterm—Communicate whother Systems 299.00 BPI General Ledger 299.00 BPI Accounts Receivable 299.00 BPI Inventory System 349.00 Infotory Inventory System 349.00 Infotory Inventory System 349.00 Infotory Inventory System 289.00 Microcom Micrococurier 229.00

WORDSTAR-The Benchmark of Wordprocessing software requires Z-80 & 80x24 349.00 VTS-80 CP/M-Wordprocessor has no screen menus uses new keycaps (supplied) to display Key functions 319.00 New

MAIL-MERGE-A Wordstar Enhance ment Pkg. allows form-letter gene tion & chained printing SPELLGUARD-Will proofread Wordstar & VTS-80 Text files against an expandable 20,000 word dictionary 169,00

SUPER SORT-Will sort, merge, & perform record selection on your CP/M Data Files 169.00 FORTRA 80-By Microsoft 195.00 COBOL 80 By Microsoft 749.00

ACS BASIC ACCOUNTING SYSTEM, Total accounting system includes G/L, A/R, A/P, PAYROLL 699.00 New

Breakthru in Apple II® Mass Storage!

Vista A800 Quad Density DMA 8" Disk Controller 4.5 M8 NEW

Model A800.... only\$59500 Special Complete Subsystem Offer

V1000 w/two Qume Datatrack 8 • Cable, ready to run

A800 Apple II 8" Disk Controller

Total Value \$293900

your price\$249500



八ATARI 800 & 400

Personal Computer System ATARI 800 \$79900 ATARI 400 \$37500

ATARI 800 Includes: Computer Console, BASIC Lang. Cartridge, BASIC Language Programming Manual 800 Operator's Manual w/Notebook, 16K RAM Module, Power Supply, TV Switch Box.

Periphenis 810 Disc Drive 820 Printer (40 0 825 Printer (80 0 8K RAM 16K RAM 850 Interface 1800 Program Recorder
Software – ROM Cartridges
Education System Master C
Atan BASIC
Assembler Debug

P.O. Box 17329 Irvine, Calif. 92713 Direct Order Lines: (714) 558-8813 (800) 854-8230 or (800) 854-8241

DRIVER'S LICENSE # OR MAJOR CREDIT CARD # IS REQUIRED ON ALL CHECKS. MONEY ORDER OR CASHIER CHECK WILL FACILITATE THE SHIPMENT OF YOUR PURCHASE.

STORE #1: 1310 *B* E. Edinger, Santa Ana, CA 92705 Showrooms, Retail, War STORE #2: 542 Trimble Road, San Jose, CA 95131 • (408) 946-7010 **Retail prices may vary.

RETAIL STORES OPEN MON-SAT

MC1330 MC1350

Circle 8 on inquiry card.

MPUTFD

FIRST TO OFFER PRIME PRODUCTS TO THE HOBBYIST AT FAIR PRICES! 1. Proven Quality Factory tested products only.

2. Guaranteed Satisfaction **Call For Special School Discounts**





V-1000 Vista 'V-DRIVE"

BATATRAN 8 THE LAST WORD IN 8" FLOPPY-DISK ENCLOSURES

THE VISTA V-1000 FLOPPY DISK DRIVE SUBSYSTEM

DISCOUNT PRICES

CABINET		\$	395
CABINET	with (2) single sided drives (Including power supply & cable)	\$1	495
CABINET	with (2) double sided drives (including power supply & cable)	\$1	995
NAME OF TAXABLE PARTY.	Name and Address of the Owner, where the Party of the Par	770	

FOR TRS 80® MODEL I, PMC 80 ZENITH H89, S-100, etc. ONLY 31000 ea. MODEL V-801. 80 TRACKS, SS

ONLY 425⁰⁰ ea. 2 DRIVE CARLE 29 95



S-100 WW \$2.99 each

FIRST QUALITY AT SURPLUS PRICE

2708 EPROMS

PRIME-450 Ns.



4K STATIC RAM SELL-OFF

A MILZY IALF

Zilog 6104-4

Same as TMS 4044 but designed specifically for Z-80 based systems. This is full-spec 4K x 1 RAM, 450 Ns.

While supply lasts \$1.49 each.

SPECIAL PURCHASE \$59.95 Limited Supply \$59.95 16K Altair RAM Boards. Fully Populated as is.

A STATE OF THE PARTY OF THE PAR	FLOPPY DISK DRIVES
The The	QUME* Datatrack 8
	Double Sided
	Double Density
	ACP LOW PRICE \$569.95
Tandom TM100	-1 5%" Disk Drive249.95
MPI B51-514", 4	0 tracks
Shugart SA400	5¼" 35 tracks
	1R 8"
Siemens Shuga	rt Compatible Model FDD-120-8D 429.00
PERSCI Model	277 Dual
	ual
	NS 82 290.00
	Track Density Single Side, 80 Tracks 375.00
	Track Density Double Side, 160 Track 475.00

٢	MITTOE BOODIO	mack building boader died; 100 ma	
ĺ	6800 M	ICROMODULE™ PRICE	LIST
	MODEL NO.	DESCRIPTION	PRICE
	9600A	Single Board Microcomputer	\$495.00
	9609	Advanced Single Bd. Comp. (680	9) 595.00
	9601	16 Slot Mother Board	175.00
	9602	Card Cage	75.00
	9603	8 Slot Mother Board	100.00
	9604	Power Supply	275.00
	9605	DC Input Power Supply	325.00
	9610	Utility Proto Board	39.00
	9611	Arith, Proc/Memory Module	495.00
	9612	Buffered Utility Proto Board	49.00
	9616	32K EPROM/RAM Module	250.00
	9617	EPROM Programming Head	250.00
	9620	16 Channel Parallel I/O Module	295.00
	9622	Serial-Parallel I/O Module	325.00
	9627	16K Static RAM Module 470ns	395.00
	9629	32K Static RAM 450ns	695.00

Serial-Parallel I/O Module 16K Static RAM 450ns 32K Static RAM 450ns 32K Static RAM 200ns Card Extender Multiple Programmable Timer 8 Channel Duplex Serial I/O Mod intelligent Tape Controller 32/32 I/O Module Contact Closure Module

TRS-80/APPLE \$24.95 MEMORY EXPANSION KITS 4116's, 16K (200 8 pcs for \$24.95 Specify Computer Call For Volume Pricing RAM

CENTRONICS PRINTER

Model 737 Centronics complete printer
 The 737 has everything. Check and compare the features.
 New low price \$835.00

32K STATIC RAM BOARD 2 or 4 MHz Expandable uses 2114L's S-100

9-100 16K 4 MHz Kit . . . 159.95 16K 4 MHz A&T . 217.95 32K MHz Kit . . . 289.95 32K 4 MHz A&T . . 339.00 Bare Board 39.95 Bare Bd. wiall parts less mem 99.95

NEW! from Zilog Z-8 CPU comes with i Tiny Basie & debug program on the LC.

w/data

BIPOLAR CPU SALE Signetics 8 × 300 8 bit CPU While stock lasts 14.95 ea.

UV "Enrom" Eraser Model UVs-11E S69.95 v 45 years Model S-52T... \$325.00

NON-LINEAR SYSTEMS, INC. TOUCH TEST 20

DIGITAL MULTIMETER \$31995



BECKMAN DIGITAL MULTIMETERS

PAS	TECH 300 Digital Multimeter					110
4	TECH 310 Digital Multimeter				.3	140
	TECH 330 Digital Multimeter				.3	189
	VC-201 Vinvl Carrying Case.			$\tilde{\mathbf{x}}$		\$10
-1	DC-202 Deluxe Carrying Case					\$24
M)						
1	RP-221 RP Probe					\$35
120	Ct-231 AC Current Clamp					\$42
-	DI -241 Delxue Test Lead Kit					\$10
	TL-242 Square Test Leads					. \$6
		든	=	7		

INTERSYSTEMS
The Preferred S-100 Box
The new Series II CPU Board features a 4
MHz Z-80A CPU and full-feature front panel. 20-slot actively terminated mother-board, with 25 amp power supply (50/60 Hz operation, incl. 68 cfm fan).

DPS-1, List \$1795

ACP Price \$1499



with Z-80A CPU 4 MHz, 64K RAM, I/O Board, 20 slots, front panel, double density disk controller board. Full 1-year warranty.

List \$3795 ACP Price \$2995



PC-8000 Series Microcomputer System.

1	-	NE	W
į	1511	INT	R0
	Z-80A CPU 4 MHz 5 user programmable function keys	PRIC	ING
	82 Keys with numeric keypad 160x100 resolution 80 character screen	\$109	9.00
	PC-8001A Microcomputer w/32KRAM PC-8012A I/O Unit w/32K RAM,	\$1295.00	1099.00
	Expansion slots PC-8031A Dual Mini-Disk Drive Unit	795.00	699.00
	PC-8032A Add-On Dual Mini-Disk		
	Drive Unit	1095.00	949.00
	Tractor/Friction Feed	860.00	769.00
	PC-8094A Cable for PC-8023A Printer	49.95	44.95
	Green Monitor		239.00
	Color Monitor w/RGB Input	1195.00	1049.00
	JC-1202DH(A) Color Monitor	19.95	17.95
	Basic Language Learning Guide		19.95
	PC-8001A Microcomputer Reference Mar	nual	19.95
	PC-8012A I/O Unit User's Manual	******	14.95
	PC-8031A Dual Disk User's Manual		14.95

STATIC RAMS MICROPROCESSORS SALE 2102 2189 2650 . . . CD 1802 2114L-450ns 4044 250 ns 4044 450ns EMM4200A EMM4402 AMD9140/41 AMD9130/31 1101 8080A-4MH SALE 8085 10.95 6800B 2.0 MHz 6802P 8035 416/41 Set of 4115.8 8039..... INS 8073N

ADVANO AM9511 Arit	CED SUPPORT	5261 5262 5270 5280	1.95 1.95 4.95 4.95	64K RAMS \$19.9	6	4666
9513 Univ. T AM9517 DM	rocessor		S	OCKET		_
	and the second second second				Wir	e
Z-80 SL	IPPORT CHIPS	# Pins	Lo-P	o Solderta	il	Ξ
Z80-PIO Z80A-PIO Z80-CTC	2.5 MHz 8.75 4.0 MHz 12.95 2.5 MHz 8.75	14 16 18		15 19 20 24		

ZERO INSERTION FORCE

8080/8085 SUPPORT BOBO/BOBS SU 8156/8155 I/O with Eprom. 8202 Dyn Ram Cont... 8202 Dyn Ram Cont... 8202 Dyn Ram Cont... 8212 8 bit I/O... 8212 8 bit I/O... 8212 8 bit I/O... 8212 8 bit I/O... 8214 Clock (Gen... 8224 Clock (Gen... 8224 Clock (Gen... 8224 Clock (Gen... 8224 I/O... 8226 Bit I/O... 8226 Bit I/O... 8230 Byn Cont... 8243 I/O... 8250 Asyn. Comm... 8251 Prog. I/O... 8251 Prog. I/O... 8259 Prog. I/O... 8259 Prog. I/O... 8259 Prog. I/O... 8259 Prog. I/O... 8279 For Controller... 8279 Crit Controller... 8279 Ergn. Keyboard...

6800 SUPPORT CI	HIPS
6810 128 x 8 Ram	4.75
6820	
6821	6.50
6828 Priority Int.	
6834-1 512 x 8 Eprom	16.95
6845/HD46505 CRT Cont.	29.95
6847 Color CRT	
6850 ACIA	
6852 Serial Adapter	
6860 Modem	10.95
6862 Modulator	
6871A 1.0MHz OSC	25.95
6875	6.95
6880 Bus Driver	2.19
MC68488	19.95

WATER THE CONTRACTOR OF THE CO
6502 SUPPORT CHIPS
6520 PIA
6522 Mult
6530-002.003.004.005 21.95
6532
6551

BIPOLAR PROMS

O t D
Custom Programming
Custom Programming 82523/6330/5600/7451884.
82S115 (512x8)TS
82S123/5610/74S288 (32x8)TS 4.3
82S126/5603/74S387 (256x4)OC 4.2
82S129/5823/74S287 (256x4)TS . 4.3
82S130/5604/74S570 (512x4)OC 6.5
82S131/74S571 (512x4)TS 6.9
82S137/74S573 (1024x4)TS 12 9
82S141/3624/74S474 (512x8)TS 12.9
82S147/74S472 (512x8)TS 12.9
74S471/6309 (256x8)TS 7.9

MOS		F)	1	F	1	(3)	ľ	V	١	5	S	
2764 (8Kx8)TS														89).
2732 (4Kx8)TS														16	
2716/2516;5V (
TMS2716, ± 5\														17	
2758, 5 V, (450														. 7	
2708 (450Ns)														. 5	
2708 (650Ns)		,												. 5	
1702A	٠,												٠	. 5	
MM5203AQ			×							4				14	
MMS2040														C	

CHARACTER GE	N.
2513-001 (5V) Upper	. 9.50
2513-005 (5V) Lower	10.95
2513-ADM3 (5V) Lower	14.95
MCM66710 Ascii Shifted	12.95
MCM66740 Math Symbol	13.45
MCM66750 Alpha Control	13.45

memodiae impile e.	10.45
UARTS/BAU	D RATE
TR1602B (5V. 12V)	3.95
AY51013 (5V, 12V)	4.95
AY51014A/1612 (5-1	4V) 6.95
AY51015A/1863 (5V	6 95
IM6402	7.95
IM6403	8.95
2350 USRT	9.95
1671B Astros	24.95
SALE TR1472B	9.95
MC14411	11.95
4702	14.95

KEYBOARD ENCODERS

Y51015A/1863 (5V)	6 95	57
M6402	7.95	57
M6403	8.95	57
350 USRT	9.95	3/
671B Astros	24.95	55
ALE TR1472B	9.95	55
C14411	11.95	55
702	14 95	33
/D1941	9.95	FD
OM 5016	16.95	FD
IS 8250	15.95	FD

VOLUME DEALER PRICING AVAILABLE WE ALSO STOCK DYSAN-CALL

100 99 1 15 3 55 2 65 2 55 3.25 5 50 3.95 6 90	17 17 17 17 17 17 17 16 21
4.75 7 95 6 25 9 25 10 25 1 25 8 25	F 00 0
7.25	

9	95 8.9	
DYNAMIC I	RAMS	
16 16K (16 Pin) 8 416's 200 Ns K (16 Pin)		2.49 24.95 2.49 4.95
K x 1 (22 Pin) K x 1 (16 Pin) K x 1 (16 Pin) K x 1 (16 Pin)UPD 4		4 95 3 95
195 195 64K 495 RAMS 495 810 05	1103 4008L 6605	.95 4.95

SOCKETS									
	W	Wire Wrap 3 Leve							
# Pins	Lo-Pro Soldertail	Tin	Gold						
8	15	32	45						
14	19	36	59						
16	20	38	62						
18	24	59	84						
20	29	69	.99						
22	24	79	1.10						
24	38	85	1.20						
28	43	1.10	1.49						
36	58	1.25	1.69						
40	60	1.40	1.89						

	LE	DR	EADOUTS	
Part No.		Color	Description	Price
DL704		Red	Comm Cathode	99
DL707		Red	Comm Anode	99
FN0357	357		Comm Cathode	99
FN0501	500		Comm Cathode (+1)	99
FND503 (500)		Red	Comm Cathode	99
FN0507 (510)		Red	Comm. Anode	99
FND508		Red	Comm Anode (+1)	99
FN0530	500	Green	Comm Cathode	149
FN0550	500	Orange		145
FN0803 (800)	800	Red	Comm Cathode	1.75
FNC807 (810)		Red	Comm Anode	1.75
HP5082-7340	500	Red	4 x 7 Hexidecimal	25 95
HP5082-7300	600	Red	4 x 7 Sql Digt RHD	18 95
HP5082-7731	300	Red	Comm Anode	75
TIL305	- 0	Red	Array 5 x 7	795
TIL308-	270	Red	Numerical Display	10.95
TIL309		Red	Numerical Display	999
TIL311	270	Red	4 x 7 Hexidecimal	10.95
MANZA	320	Red	Array	5.95
MANTOA	270	Red	Alpha Numenc	8.95
XAN3061		Red	Comm Anode Right DP	1.25
XAN3062	300	Red	Comm Anode Left DP	1.25
XAN3063	300	Red	Overflow CA Lett DP	125
XAN3064	300	Red	Comm Cathode Right DP	1.25
XAN3051	300	Green	Comm Anode Right DP	199
XAN3052	300	Green	Comm Anade Left DP	199
XAN3053	300	Green	Overflow CA, Left DP	199
XAN3054	300	Green	Comm Cathode Right DP	199
XAN3081	300	Yellow	Comm Anode Right DP	2.10

MILDOUY 200	TOTAL COL	in outside right or	2.0
IC SPI	ECIAL	PURCHA	SE
82S09 64x9 R			8.95
DP8304 Octa			2.95
DAC86EX D/A			6.95
MC1650 HI S			7.95
MC6852 SSD	Α		3.49
MC10145 16x		am	
MK3850/F8 C		_	4.95
MK3853 Stat	ic Mem I/	78M06 79M06 74157 74161 74C74	4.95
SN75136	.46	78M06	.49
MC10210	.89	79M06	.49
LM339	.79	74157	.49
LM710CN	.29	74161	.49
LM711CN	.29	74074	.39
		opWatch	
Cours Doord	Country Co	7208	10.00
		D Converter	
		rence	
ICL 8211 VOI	age Hele	it IC	201.00
LM 1850N G	ound Fau	fier	3/1.00
		t Conv	
LM 2917N FT	ed to voi	IM	24.06
		A	
MEM 4063 M	ortel Sm	oke Detector	706
27508 32 v 8	Prom (IM	5600)	2 96
		Driver	
NCM 14505	64 bit Sta	tic Ram	6.04
MOC 1003 /4	N28) Ont	o Coupler	3/1.00
		o ooupier	
		DBST	
UA 3045 Iran	S. Array		1.25
IN 1402A UA		hift Reg	1.90
MK 1007 Dyr	, mem. s	піп нед	3.95
5318 IV Ch. I	Disp. Circi	uit	4.50

300 Yellow Comm Anade, Left DP 300 Yellow Overflow CA, Left DP 300 Yellow Comm Cathore Bott DP

8080A B Bit CPU 8700 CJ 8 Bit A/D MM5280/VPD 411/C2 107/TMS 4060/ 4Kx1 Dynamic 22 Pin RAM 6604/VPD 414/4027/2660/MK 4096/ 4Kx1 Dynamic 16 Pin 4KX1 Dynamic 16 Pin 7520/25 50 1488/1489 2/1 99 LM323K 4.95 MC1372 8.95 MM5298-4A/B 2.95 LM 377 1.25 LM380 1.25 LM 387 LM 4558 RC 4136 RC 4131 COM 5027 COM 5037

1.95

VERBATIM DISKETTES 100% CERTIFIED ERROR-FREE! 35 TRACKS, DOUBLE DENSITY, SINGLE-SIDED 5%

40 & 77 TRACK DOUBLE DEMSITY - SINGLE SIDED 5%" W/HUB REINFORCEMENT RING 40 TRACKS, DOUBLE SIDED, DOUBLE DENSITY 514 | 10 Hole Hard, BASE | 100% CERTIFIED DISKETTES | 1800-01 | Soft, Single Density, 3 20 Hard Single Density, 1850-01 | Soft, Double Densi

FLOPPY DISK I/O

2143 Clock Gen	18.95
	18.95
1797 DD, DS Floppy	
1793 DD, DS Floppy	
1791-02 Dual Floppy	
1791-01 Dual Floppy	36.95
1781 Dual Floppy	29.95
1771-01 8" & Minifloppy	24.95

FLOPPY CHIP SET Includes: 1797 1691 2143 79.95/set

A/D CONVERTERS

8700 8 bit Binary	. 13.50	
3701 10 bit Binary:	22.00	
3703 8 bit TS	. 13.50	
9400 Volt to Freq. Conv	7.25	
8750 312 Digit BCD	13.95	
1408L6 6 bit		
	5.95	
DACOI D to A	5.95	
DAC08	9.95	
DAC 100	9.95	

TV CHIPS/SOUND

AY38500-1 6 Games B/W	4.95
AY38515 Color Converter	2.95
AY38603-1 Roadrace Game	. 8.95
AY38606-1 Wipeout Game	9.50
AY38607-1 Shooting Gallery	8.95
AY38910 Sound Generator	12.95
SN76477 TI Sound Generator	3.95
MM5320/21 TV Synch Gen	9.95
MM5369 Prescaler	3.95
LM1889 RF Modulator	3.95
MM57100 NSC Color TV	6.95
MM57104 Clock Gen	3.75
M&R Modulator	29.95

WAVEFORM GEN.

SHIFT REGISTERS

2504V	1.49	MM500H	50
2507V	1.49	MM5056	N 2.95
2517V	1.49	MM5060	N. 2.95
2524V	1.49	2510A	1.95
2525	1.49	2847	4.95
2527	1.49	3341	4.95
2528		3351	17.95
2529	1.49	3357	6.95
2533	1.49	9403	24.95
3347	5.95	9408	9.95

2529	1.49	3357	6.95
2533	1.49	9403	24.95
3347	5.95	9408	. 9.95
CTS	IPS	WITCH	ES
CTS206-2	1.75	CTS206-7	1.75
CTS206-4	1 75	CTS206-8	1.95

CTS206-5 1.75 CTS206-9 1 CTS206-6 1.75 CTS206-10 1 CONNECTORS (GOLD)

DB25P (RS232)	3.25
DB25S Female	3.75
Hood	1.25
Set w/Hood, Sale	\$7.50
22/44 W/W, S/T, KIM	2.95
43/86 W/W, S/T, MOT	6.50
50/100 S-100 Connector w/w	.4.95
50/100 S-100 Cannector s/t.	3.95

NAKED PC

S-100 Sound Board	\$34.95						
8080A CPU	.34.95						
32K Static RAM (2114)	. 39.95						
8K Eprom (2708)	24.95						
2708/2716 Eprom	. 34.95						
ACP Proto Bd.							
Vector 8800 Proto	. 22.20						
Vector 8803 11 slot MB							
ACP Extender w/Conn							
13 Slot MotherBoard (WMC							
9 Slot MotherBoard (WMC)							
8 Slot Mother (Expandable)	34.95						
Floppy PCB (8" SHUGART)	39.95						
S100 (AY5-8910) Sound Bo	_34.95						
Apple Sound Bd	24.95						

PRINTERS

EPSON MX-80\$495.00

MX-100																	895	.00
MX-70								,									425	.00
Centron																	799	
Vista V	30	C	W.	2	5	C	C) 5	3	į	Ų.	ı		٠	ũ	1	495	.00
V-	30	C	W.	4	5	C	c	35		ĵ.		0	0	0	į	1	795	00
Malibu	16	5													ı		995.	
Anadex	9	50	X)/	9	5		1					è		ď	1	450.	00
Base III	80	0	1	M	S	T											549.	00

TERMINALS TELEVIDEO

\$99
\$599
1025
\$699
\$899
49.00

SANYO MONITORS

NEC Green 259.00 AMDEK/LEEDEX Video 100149.00 AMDEK/LEEDEX 13" Color 399.00 AMKEK/LEEDEX 12" Green 179.00

TERMS: Use check, M/C, AMEX, CB, or COD. COD re 25% deposit. Charge Orders 25% deposit. Charge Orders please include expiration date. Foreign pay U.S. Funds. Order by phone, mail or TWX. MINIMUM \$10.00. Please include macroscients. TWX. MINIMUM \$10.00. Please in clude magazine issue and phone no SHIPPING: U.S.A. add \$2.00 for first close 10.5 for additional lbs. For air add 70¢ for additional lbs. FOREIGN. Add 10% shipping and handling. CQD \$3.18 desured to the shipping and handling to the shipping and handling the shipping and shipping the shipping and the shipping

RETAIL STORES OPEN MON-SAT STORE #1: 1310 'B' E. Edinger, Santa Ana, CA 92705 Showrooms, Retail, Warehouse STORE #2: 542 W. Trimble Road, San Jose, CA 95131 • (408) 946-7010 **Retail prices may vary.

P.O. Box 17329 Irvine, Calif. 92713 Direct Order Lines: (714) 558-8813 (800) 854-8230 or (800) 854-8241

FOR INTERNATIONAL ORDERS: 1310 E. Edinger (714) 953-0604 Santa Ana, CA 92705 TWX: 910-595-1565

			THE STEEL	
5N7400N .20	7400 SN7472N .29	SN74156N .79	As Sear on "Good Morning America" Replaces the Telephone Ringer Bell with a Selection of 30 Familiar Tunes	Part No. Function Price 70451PI CMOS Precision Timer 14,95
SN7401N .20 SN7402N .25 SN7403N .25	SN7473N .35 SN7474N .35 SN7475N .49	SN74157N .69 SN74160N .89 SN74161N .89		7045EV/Kit* Stopwatch Chip, XTL 24,95 7106CPL 3½ Digit A/D (LCD Drive) 16.95 7106EV/Kit* IC, Circuit Board, Display 34,95
SN7404N .25 SN7405N .29 SN7406N .35	SN7476N .35 SN7479N 5.00 SN7480N .50 SN7482N .99	SN74162N .89 SN74163N .89 SN74164N .89 SN74165N .89	Telephone PT030 Wall Jack	7107CPL 3½ Digit A/D (LED Drive) 15,95 7107EV/Kit* IC, Circuit Board, Display 29,95 7116CPL 3½ Digit A/D LCD Dis. HLD. 18,95 7117CPL 3½ Digit A/D LED Dis. HLD. 17,95
SN7408N .29 SN7409N .29 SN7410N .25	5N7483N .69 5N7485N .89 5N7486N .35	SN74166N 1.25 SN74167N 2.79 SN74170N 1.95	• Rule Brittania • Close Encounters • Close Encount	7201IDR Low Battery Volt Indicator 2.25 7205IPG CMOS LED Stopwatch/Timer 12.95 7205EV/Kit* Stopwatch Chip, XTL 19.95
SN7412N .35 SN7413N .40	SN7489N 1.75 SN7490N .49 SN7491N .59 SN7492N .45	SN74172N 4.95 SN74173N 1.39 SN74174N .99 SN74175N .89	Colonel Bogey Wedding March Westminister Chimes Mexican Hat Dance Twinkle, Twinkle Little Star Soldiers Chorus Wedding March Slar Spangled Banner Star Spangled	7206CJPE
SN7416N .29 SN7417N .29	SN7493N .45 SN7494N .69 SN7495N .69	SN74176N .79 SN74177N .79 SN74179N 1.49	Deutschlandlied	7208 P Seven Decade Counter 17.95 7209 PA Clock Generator 3.95 7215 PG 4 Func. CMOS Stopwatch CKT 13.95
SN7422N .45 SN7423N .29	SN7496N .69 SN7497N 3.00 SN74100N 1.49 SN74104N .89	SN74180N .79 SN74181N 2.25 SN74182N .79 SN74184N 2.49	Replaces monotonous telephone ringer bell. Easily connects to any standard telephone. Can be used alongside regular phone or replace a remote ringer elsewhere in building or outside. FCG approved. Can be used on any telephone system — worldwide. Use a different tune to identify extension phones. Microprocessor controlled. Adjustable volume control and variable tune speed control. Operates on two 8-volt batteries or AC Adapter (not included). PT030 Phone Tunes\$49.95	7215EV/Kit* 4 Func. Stopwatch Chip, XTL 19.95 7216AIJI 8-Digit Univ. Counter C.A. 32.00 7216CIJI 8-Digit Freq. Counter C.A. 26.95 7216DIPI 8-Digit Freq. Counter C.C. 21.95
SN7426N .29 SN7427N .25 SN7428N .49	SN74105N .89 SN74107N .35 SN74109N .39	SN74185N 2.49 SN74190N 1.25 SN74191N 1.25	AD30 AC Adapter \$8.95	72171JI 4-Digit LED Up/Down Counter 12.95 7218C1JI 8-Digit Univ. LED Drive 10.95 7224IPL LCD 4½ Digit Up Counter DRI 11.25
SN7432N .29 SN7437N .25	SN74116N 1.95 SN74121N .39 SN74122N .55 SN74123N .59	SN74192N .89 SN74193N .89 SN74194N .89 SN74195N .69	DISCRETE LEDS .200(T1 ³ / ₄) Red/Green XC556R .200" green 45/1 XC209R .125" red 5/51 Diffused Bi-Color LED .200(T1 ³ / ₄) Red/Green .200(T1 ³ / ₄) Re	7226AIJL 8-Digit Univ. Counter 31.95 7226AEV/Kit* 5 Function Counter Chip, XTL 74.95 7240IJE CMOS Bin Prog. Timer/Counter 4.95 7242IJA CMOS Divide-by-256 RC Timer 2.05 7242IJA 72
SN7440N .20 SN7441N .89	SN74125N .49 SN74126N .49 SN74132N .75 SN74136N .75	SN74196N .89 SN74197N .89 SN74198N 1.49 SN74199N 1.49	XC556Y .200" yellow 4/\$1 XC209G .125" green 4/\$1 Part No. 1-99 100+ XC556C .200" clear 4/\$1 XC209Y .125" yellow 4/\$1 XC5491 .79 .69 XC22R .200" red 5/\$1 XC526R .185" red 5/\$1	7250 JE CMOS BCD Prog. Timer/Counter 6.00 7250 JE CMOS BCD Prog. Timer/Counter 5.25 7555 PA CMOS 555 Timer (8 pln) 1.45 7556 PD CMOS 556 Timer (14 pln) 2.20
SN7443N 1.10 SN7444N 1.10 SN7445N .89	SN74141N .99 SN74142N 3.25 SN74143N 3.49	SN74221N 1.25 SN74251N .99 SN74276N 1.95	XC22G .200" green 4/\$1 XC526G .185" green 4/\$1 XC524 .200" yellow 4/\$1 XC526Y .185" yellow 4/\$1 XC526Y .185" yellow 4/\$1 XC526Y .185" yellow 4/\$1 RL-2 . \$.39 es. or 3/\$1.00 C.A. = Common Andee	7611BCPA CMOS Op Amp Comparator 5MV 2.25 7612BCPA CMOS Op Amp Ext. Cmvr. 5MV 2.95 7621BCPA CMOS Dual Op Amp Comp. 5MV 3.95 7631CCPE CMOS Tri Op Amp Comp. 10MV 5.35
SN7447N .69 SN7448N .79 SN7450N .20	SN74144N 3.49 SN74145N .79 SN74147N 1.95 SN74148N 1.29	SN74279N .79 SN74283N 1.49 SN74284N 3.95 SN74285N 3.95	D.D. — Double Digit Type Polarity MAN I C.A.—red .270 2.95 DLGS07: C.A.—green 500 125	7641CCPD CMOS Quad Op Amp Comp. 10MV 7.50 7642CCPD CMOS Quad Op Amp Comp. 10MV 7.50 7660CPA Voltage Converter 2.95
SN7451N .20 SN7453N .20 SN7454N .20	SN74150N 1.25 SN74151N .69 SN74152N .69 SN74153N .79	SN74365N .69 SN74366N .69 SN74367N .69 SN74368N .69	MAN 2 5x7 D.M.—red 330 4.95 DL704 C.C.—red 3300 1.25 MAN 3 C.C.—red 125 .25 DL707 C.A.—red 300 1.25 MAN 52 C.A.—green 300 .99 DL728 C.C.—red 500 1.49	8038CCPD Waveform Generator 4.95 8048CCPE Monolithic Logarithmic Amp 21.60 8048CCQ Suppm Band—GAP Volt Ref. Dlode 2.50 821ICPA Volt Ref/indicator 2.95 8212CPA Volt Ref/indicator 2.95
SN7460N .20 SN7470N .29	SN74154N 1.25 SN74155N .79	SN74390N 1.49 SN74393N 1.49	MAN 71 C.A.—red .300 .75 DL747 C.A.—red .600 1.49	74C00 .39 74C 74C221 1.95
74LS00 .29 74LS01 .29 74LS02 .29 74LS03 .29 74LS04 .35	74LS92 .75 74LS93 .75 74LS95 .99	74LS192 1.15 74LS193 1.15 74LS194 1.15 74LS195 1.15 74LS197 1.19	MAN 82 C.A.—yellow .300 .49 DLO850 C.C.—orange .800 1.49 MAN 84 C.C.—yellow .300 .99 DL33B C.C.—red .110 .35 MAN 3620 C.A.—orange .300 .49 FND353 C.C. ±1 .35 .99 MAN 3630 C.A.—orange ±1 .300 .99 FND353 C.C. ±1 .35 .99	74C08 .39 74C151 2.95 74C373 2.49
74LS05 .35 74LS08 .35 74LS09 .35 74LS10 .35	74LS96 1.15	74LS221 1.19	MAN 3640 C.A.—orange .300 .99 FND500 C.C. (FND503) .500 .99 MAN 4610 C.A.—orange .400 .99 FND507 C.A. (FND510) .500 .99 MAN 6610 C.A.—orange—DD .560 .99 HDSP-3401 C.A.—red .800 1.59	74C14 .75 .4C157 .3-95 .74C591 .6.67 74C20 .39 .74C160 .1.69 .74C591 .6.67 74C30 .39 .74C161 .1.60 .74C911 .10.95 74C30 .19 .74C162 .1.49 .74C912 .10.95 74C42 .1.95 .74C162 .1.49 .74C912 .10.95 74C74 .79 .74C173 .1.39 .74C922 .5.49
74LS11 .39 74LS12 .35 74LS13 .59 74LS14 .99 74LS15 .35	74L595 .99 74L5107 .45 74L5109 .45 74L5113 .49 74L5121 .89 74L5122 .89 74L5123 1.25 74L5124 .59 74L5124 .59	74LS247 1.19	MAN 6640 C.C.—orange—DD .560 .99 HDSP-3406 C.C. red ±1 .800 1.50 MAN 6650 C.C.—orange ± 1 .560 .99 5082-7761 C.A., R.H.D.—red .430 1.25 MAN 6660 C.A.—orange .560 .99 5082-7760 C.C., R.H.D.—red .430 1.25	74C3939 74C161 1.60 74C311 10.95 14C162 1.169 74C311 10.95 14C163 1.169 74C311 10.95 14C163 1.169 74C311 10.95 14C173 1.39 74C311 10.95 14C173 1.39 74C317 10.95 14C18 1.159 74C173 1.39 74C322 5.49 14C68 1.55 74C174 1.39 74C325 5.75 14C68 1.55 74C174 1.39 74C326 7.50 14C69 1.29 74C131 1.69 80C95 7.50 14C69 1.29 74C131 1.69 80C95 7.79 74C93 1.29 74C319 1.59 80C97 .79
74LS20 .35 74LS20 .35 74LS21 .35 74LS22 .35 74LS26 .35 74LS27 .35 74LS28 .35	74LS125 .59 74LS126 .59 74LS132 .99 74LS133 .89	74 L 5245 2.95 74 L 5247 1.19 74 L 5248 1.19 74 L 5249 1.19 74 L 5251 .99 74 L 5253 .99	MAN 6710 C.A.—red—DD .560 .99 5082-7300 4x7Numeric (RHD).600 22.00 MAN 6740 C.C.—red—DD .560 .99 5082-7302 4x7Numeric (LHD).600 22.00 MAN 6750 C.C.—red ± 1 .560 .99 5082-7340 4x7Hxdcl. (0-9/A-F).500 22.50 DL.O300 (-C.C.—orange .300 .125 4V8 Photo Xsistor Opto-Isol .69	LH0002CN 6.85 LINEAR LM702H .79
	74LS107 .45 74LS108 .49 74LS118 .49 74LS118 .89 74LS1123 .89 74LS123 .99 74LS124 .89 74LS125 .99 74LS126 .89 74LS126 .89 74LS127 .89 74LS138 .89 74LS138 .89 74LS139 .89 74LS159 .89 74LS159 .89	74L5248 1.19 74L5249 1.19 74L5253 74L5253 74L5253 74L5254 74L5254 74L5250 74L5260 74L5260 74L5260 74L5260 74L5261 74L5261 74L5263 74L5	DLG500 C.C.—green 590 1.25 LIT-1 Photo Xsistor Opto-isol .69 DLG500 C.C.—green 590 1.25 MOC3010 Optically Isol.Triac Driver 1.25 COMPUTER GRADE CAPACITORS	LM10CLH 4.75 LM340T-5 1.25 LM709N .29 LH0070-OH 4.95 LM340T-12 1.25 LM710N .79 TL071CP .79 LM340T-15 1.25 LM711N .79
74 L S 32 . 35 74 L S 33 . 59 74 L S 37 . 45 74 L S 38 . 39 74 L S 40 . 35 74 L S 42 . 89	74LS154 1.75 74LS155 .89 74LS156 .89 74LS157 .89 74LS157 .89 74LS158 .89	74LS273 1.95 74LS273 1.95 74LS279 .89 74LS283 .89 74LS290 .99 74LS293 .99	MFD WVDC PRICE MFD WVDC PRICE MFD WVDC PRICE	TL072CP 1.39 LM341P-5 .75 LM723N .69 TL074CN 2.49 LM341P-12 .75 LM733N 1.00 LH0082CD 35.80 LM341P-15 .75 LM739N 1.19 TL082CP 1.19 LM342P-5 .69 LM741CN .35
74LS42 .89 74LS47 .89 74LS48 1.15 74LS49 1.15	74LS160 1.15 74LS161 1.15 74LS162 1.15	74LS293 .99 74LS298 1.25 74LS352 1.29 74LS353 1.29 74LS365 .69	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TL084CN 2.19 LM342P-12 .69 MC1741SCG 3.00 LH0094CD 36.80 LM342P-15 .69 LM747N .79 LM348N 1.25 LM748N .59
74 L S51 .35 74 L S54 .35 74 L S55 .35 74 L S73 .45 74 L S74 .45 74 L S75 .59	74LS163 1.15 74LS164 1.15 74LS165 1.15 74LS168 1.19	74LS366 .69 74LS367 .69 74LS368 .69 74LS373 1.95	1,550 50 2,255 11,000 60 5,55 443,000 10 5,55 2,000 10 2,55 13,500 15 2,55 50,500 10 2,55 50 12,500 10 2,55 50 12,500 10 2,55 50 12,500 10 2,55 50 12,500 10 2,55 50 12,500 10 2,55 50 12,500 10 2,55 50 12,500 10 2,55 50 12,500 10 2,55 50 12,500 10 2,55 50 10 2,55	LM302H 1.95 LF351N .60 LM1310N 1.95 LM304H 1.95 LF353N 1.00 LM1458CN .59
74LS76 .45 74LS78 .49	74LS168 1.19 74LS169 1.19 74LS170 1.95 74LS173 .99 74LS174 .99	74LS393 2.49	OVER 200 OTHER VALUES AVAILABLE — CALL OR WRITE FOR YOUR REQUIREMENT	LM309H .99 LF35SN 1.10 LM1488N 1.25 LM307CN .45 LF35SN 1.10 LM1489N 1.25 LM308CN 1.00 LM358N 1.00 LM1496N 1.25 LM309H 1.95 LM358N 1.79 LM1566V 1.75 LM309K 1.25 LM370N 4.49 LM15800V 2.95
74LS85 1.25 74LS86 .49 74LS90 .69	74LS175 .99 74LS181 2.95 74LS190 1.25 74LS191 1.25	74LS399 2.49 74LS670 2.49 81LS95 1.95 81LS97 1.95	LOW PROFILE (TIN) SOCKETS 1-24 25-49 50-100 1-24 25-49 50-100	LM310CN 1.75 LM373N 3.25 LM1871N 5.49 LM311/CN .90 LM377N 2.95 LM1872N 5.49 LM312H 2.49 LM380N 1.25 LM1877N-9 3.25
74S00 .45 74S02 .45 74S03 .45 74S04 .55	74S 74S124 3.95 74S133 .55	74S243 3.25 74S244 3.25 74S251 1.45 74S253 1.45	8 pin LP .17 .16 .15 H pin ST .27 .25 .24 H pin LP .20 .19 .18 16 pin ST .30 .27 .25 .24 16 pin LP .22 .2 .2 .24 .20 18 pin ST .35 .32 .30	LM317MP 1.15 LM38IN 1.95 LM1889N 3.20 LM317T 1.75 LM382N 1.79 LM1896N 1.75 LM317K 3.95 LM384N 1.95 LM2002T 1.49 LM318CN 1.95 LM368N-3 1.29 LM2877P 2.05
74S05 .55 74S08 .50 74S09 .50	74S134 .69 74S135 1.19 74S136 1.75	74S257 1.35 74S258 1.35 74S260 .79	20 pin LP .34 .32 .30 .28 pin ST .49 .45 .42 .29 pin LP .37 .36 .35 .28 pin ST .99 .90 .81 .24 pin ST .19 .126 .115	LM339N 1.45 LM2876P 2.25 LM320K-5 1.35 LM389N 1.35 LM2896P-1 2.25 LM320K-12 1.35 LM392N .69 LM3189N 2.95
74S10 .45 74S11 .45 74S15 .45 74S20 .45	74S138 1.35 74S139 1.35 74S140 .79 74S151 1.35	74S280 2.95 74S287 3.25 74S288 2.75 74S373 3.49	65 pin Lp .46 .44 .20 40 pin ST 1.59 1.45 1.30 65 pin Lp .63 .59 .59 40 pin Lp .63 .62 .61 WIRE WRAP SOCKETS (GOLD) LEVEL #3	LM320T-5 1.25 LM399H 5.00 LM3905CN 1.25 LM320T-12 1.25 TL494CN 4.49 LM3909N 1.15 LM320T-15 1.25 TL496CP 1.75 LM3914N 3.95
74522 .45 74530 .45 74532 .55	74S153 1.35 74S157 1.35 74S158 1.35 74S160 2.95	745374 3.49 745387 2.95 745471 10.95	SOLDERTAIL (GOLD) 1-24 25-49 50-100 STANDARD 8 pin ww .59 .54 .49	LM323K 5.95 NE510A 6.00 LM3915N 3.95 LM324N 99 NE529A 4.95 LM3916N 3.95 LM329DZ 65 NE531H 3.95 RC4136N 1.25 LM331N 3.95 NE536H 6.00 RC4151NB 3.95
74S40 .50 74S51 .45 74S64 .50	74S174 1.59 74S175 1.59 74S188 2.95	74S472 10,95 74S473 10,95 74S474 12,95 74S475 12,95	111111	LM334Z 1.30 NE540H 6.00 RC4194TK 6.95 LM335Z 1.40 NE544N 4.95 RC4195TK 5.49 LM336Z 1.75 NE550A 1.30 LM4570A 3.25
74S65 .50 74S74 .75 74S86 .79 74S112 .79	74S194 1.95 74S195 1.95 74S196 1.95 74S240 2.95	74S570 5.95 74S571 5.95 74S572 9.95 74S573 9.95	16 pin SG	LM337MP 1.15 LM556N .99 LM13080N 1.29 LM338K 6,95 NE564N 3.95 LM13600N 1.49 LM339N .99 LM565N 1.25 75138N 1.95
74S113 .79 74S114 .79	74S241 2.95 74S242 3.25	74S940 3.15 74S941 3.15 CA3089N 3.75	36 pin SG 1.65 1.40 1.26 36 pin WW 2.19 1.99 1.79 40 pin SG 1.75 1.59 1.45 40 pin WW 2.29 2.09 1.89	LM340K-5 1.35 LM566CN 1.95 75450N .89 LM340K-12 1.35 LM567V 1.25 75451CN .39 LM340K-15 1.35 NE570N 4.95 75492 .89
CA3013H 2.15 CA3023H 3.25 CA3035H 2.49 CA3039H 1.35	CA3060N 3.25 CA3080H 1.25 CA3081N 2.00	CA3096N 3.95 CA3130H 1.39 CA3140H 1.25	1/4 WATT RESISTOR ASSORTMENTS - 5% ASST. 1 5ea. 27 Ohm 12 Ohm 15 Ohm 18 Ohm 22 Ohm 50 pcs. \$1.95	CAPACITOR CORNER 50 VOLT CERAMIC DISC CAPACITORS
CA3046N 1.30 CA3059N 3.25	CA3082N 2.00 CA3083N 1.60 CA3086N .85	CA3401N .59 CA3600N 3.50	68 Ohm 82 Ohm 100 Ohm 120 Ohm 150 Ohm ASST. 2 5ea. 180 Ohm 220 Ohm 270 Ohm 330 Ohm 390 Ohm 50 pcs. \$1.95	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
CD4001 .39 CD4002 .39 CD4006 1.19	CD-CMOS CD4041 1.49	CD 4098 2.49 CD4506 .75 CD4507 .99 CD4508 3.95	470 Ohm 560 Ohm 680 Ohm 800 Ohm 1K ASST. 3 5ea. 1.2K 1.5K 1.8K 2.2K 2.7K 50pcs. \$1.95	100 VOLT MYLAR FILM CAPACITORS
C D4007 .25 C D4009 .49 C D4010 .49 C D4011 .39	CD4042 .99 CD4043 .89 CD4044 .89 CD4046 1.79	CD4510 1.39 CD4511 1.29 CD4512 1.49 CD4514 3.95	ASST. 4 5ea. 8.2K 10K 12K 15K 18K 50pcs. \$1.95 22K 27K 33K 39K 47K ASST. 5 5ea. 56K 66K 82K 100K 120K 50pcs. \$1.95	001mt 12 10 07 .022mf 13 11 .08 0022mf 12 10 07 .047mf 21 17 13 0047mf 12 10 07 .047mf 21 17 13 .0047mf 12 10 07 .1mf 27 23 17 .01mf 12 10 .07 .22mf 33 .27 .22 +20% DIPPED TANYALUMS (Solid) CAPACITORS
CD4012 .25 CD4013 .49 CD4014 1.39 CD4015 1.19	C D4047 2.50 C D4048 1.35 C D4049 .49 C D4050 .69	CD4515 2.95 CD4516 1.49 CD4518 1.79	150K 180K 220K 270K 330K 330K 330K 470K 560K 680K 820K 50pcs. \$1.95 1.95	
C D4016 .59 C D4017 1.19 C D4018 .99	C D4051 1.19 C D4052 1.19 C D4053 1.19	CD4520 1.29 CD4526 1.79 CD4528 1.79	ASST. 7 5ea. 2.7M 3.3M 3.9M 4.7M 5.6M 50pcs. \$1.95 ASST. 8R Includes Resistor Assts. 1-7 (350 pcs.) \$10.95 ea.	15/36V 39 34 52 12/36V 31 34 54 54 12/36V 39 34 29 61/36V 63 35 45 45 12/36V 39 34 29 61/36V 63 35 55 45 12/36V 39 34 29 12/36V 39 134 58 12/36V 39 134 59 12/36V 39 55 MINI. AUMINUM ELECTROLYTIC CAPACITORS
C D4019 .49 C D4020 1.19 C D4021 1.39 C D4022 1.19	C D4056 2.95 C D4059 9.95 C D4060 1.49 C D4066 .79	CD4529 1.95 CD4543 2.79 CD4562 11.95 CD4566 2.79	\$10.00 Min. Order — U.S. Funds Only Calif. Residents Add 6% Sales Tax Postage—Add 5% plus \$1.50 Insurance FREE 1982 JAMECO CATALOG	Axial 1-99 100-499 500+ Radial 1-99 100-499 500+
CD4023 .29 CD4024 .79 CD4025 .23 CD4026 2.95	C D4068 .39 C D4069 .45 C D4070 .55 C D4071 .49	C D4583 2.49 C D4584 .75 C D4723 1.95 C D4724 1.95	PHONE ORDERS	47/50V 16 14 10 47/25V 15 13 12 12 10.050V 19 16 12 47/25V 15 13 12 12 10.050V 19 16 12 47/50V 15 13 12 47/50V 15 13 12 12 12 12 12 12 12 12 12 12 12 12 12
CD4027 .69 CD4028 .89 CD4029 1.49	C D4072 .49 C D4073 .39 C D4075 .39	MC14409 17.95 MC14410 18.95 MC14411 15.95	ELECTRONICS WELCOME (415) 592-8097	22/25V 19 .16 .12 4.7/25V 16 .14 .13 .22/25V 24 .20 .18 4.7/25V 15 .15 .14 .13 .22/25V 25 .21 .19 .10/16V 15 .13 .12 .47/25V 25 .21 .19 .10/16V 15 .13 .12 .47/50V .29 .25 .23 .10/25V .16 .14 .13 .10/25V .26 .24 .22 .10/50V .17 .15 .14 .13 .10/25V .28 .24 .22 .10/50V .17 .15 .14 .13 .10/50V .25 .21 .19
CD4030 .49 CD4034 3.49 CD4035 .99 CD4040 1.49	C D4076 1.39 C D4078 .55 C D4081 .39 C D4082 .39	MC14412 15,95 MC14419 7,95 MC14433 15,95 MC14538 2,49	MAIL ORDER ELECTRONICS — WORLDWIDE 1355 SHOREWAY ROAD, BELMONT, CA 94002	220/50V .49 .45 .41 100/25V .25 .23 .21 470/25V .54 .49 .45 100/50V .37 .34 .31
	C D4093 .99	MC14541 1.95	12/81 PRICES SUBJECT TO CHANGE	1000/16V .79 .69 .61 220/16V .25 .21 .19 2200/16V .89 .79 .69 470/25V .35 .31 .27

National Semiconductor Clock Modules



12VDC AUTOMOTIVE/ INSTRUMENT CLOCK

- APPLICATIONS:

APPLICATIONS:

Indah autoclocks
After-market auto/
RV clocks
Aiteraft-marine elks.

12VDC oper, instru.
Portable/battery
powered instrumnts.
Features: Bright 0.3" green display. Internal crystal timebase. 2.6.5 sec./day accur. Auto. display brightness control
logic. Display color filterable to blue, blue-green, green &
vellow. Complete—just add switches and lens.

MA1003 Module (3.05"Lx1.75"Hx.98"D) . \$16.95

CLOCK MODULES

MA1023 .7" Red Digital LED Clock Module	8.95
MA1026 .7" Dig. LED Alarm Clock/Thermometer	18.95
MA5036 .3" Red Digital LED Clock/Timer	6.95
MA1002 .5" Red Digital LED Clock & Xformer	9.95
MA1010 ,8" Red Digital LED Clock	7.95
MA1032 CBA .5" Digital LCD Clock	17.95
MA1043 .7" Green Digital LED Clock	8.95
TRANSFORMERS	

TRANSFORMERS
102-P20 Xformer for MA1023, 1043 & 5036 Mods.
102-P22 Xformer for MA1026 Clock Modules
102-P24 Xformer for MA1010 Clock Modules

Sun Power Your Electronics! SOLAR CELL PANEL KIT



- Output: 10VDC, to 100mA in Series 5VDC, to 200mA in Parallel
- Panel may be easily connected for Series or Parallel out
- Over 11 square inches of active cell surface Voltage line tap @ 0.5V increments
 Provision for charging batteries
- Overall panel size:
 4¾"L x 4½"H x ½"D

JE305 Solar Cell Panel Kit contains 20 each solar cells. On the loard are power line taps which allow the user to select voltages onlage at a time lyrom 0.5VDC to 10VDC. The applications of each nore voltage or in parallel for more current. The premium grade cells provide the current necessary for the operation of most por-transistor radios, small battery powered cassette tape players nilmited experimental solar projects.

EPROM Erasing Lamp



UVS-11E......\$79.95

JOYSTICKS





ALLIGATOR CLIP TEST LEADS



vy-duty leads, color coded. Insulated alligator clip on each end. 15" i. Two each black, red, blue, white and yellow.

#ALCP (10 per pack)\$2.95/pkg.

JE215 Adjustable Dual Power Supply

General Description: The JE215 is a Dual Power Supply with independent adjustable positive and negative output voltages. A separate adjustment for each of the supplies provides the user unlimited applications for IC current voltage requirements. The supply can also be used as a general all-purpose variable power supply.

- i a general all-purpose variable power
 FEATURES:
 Adjustable regulated power supplies,
 pos. and neg. 1.2VDC to 16VDC.
 SOURCE OF SOURA,
 12VDC @ 500mA, and
 15VDC @ 500mA, and
 15VDC @ 175mA.
 Two, 3-terminal adj. IC regulators
 with thermal overload protection.
 Heat sink regulator cooling
 ELED "on" indicator
 Printed Board Construction
 120VAC lipur
 120VAC Lipur

JE215 Adj. Dual Power Supply Kit (as shown) . . \$24.95 (Picture not shown but similar in construction to above)
JE200 Reg. Power Supply Kit (5VDC, 1 amp) . . . \$14.95
JE205 Adapter Brd. (to JE200) ±5.±9 & ±12V . \$12.95
JE210 Var. Pwr. Sply. Kit, 5-15VDC, to 1.5amp . \$19.95

MICROPROCESSOR COMPONENTS

8080A	/8080A SUPPORT DEVICES -	_	DATA A	CQUISITION (CONTINUED)-	-
	CPU	4.95	ADC0809CCN	8-Bit A/D Converter (8-Ch. Multi.)	5.25
DP8212	8-Bit Input/Output	3.25	ADC0817CCN	8-Bit A/D Converter (16-Ch. Multi.)	10.95
DP8214	Priority Interrupt Control	5.95	DACI000LCN	10-Bit D/A Conv. Micro. Comp. (0.05%)	13.95
DP8216	Bi-Directional Bus Driver	3.49	DAC1008LCN	10-Bit D/A Conv. Micro. Comp. (0.20%)	8.95
DP8224	Clock Generator/Driver	3.95	DACI020LCN	10-Bit D/A Converter (0.05% Lin.)	8.49
DP8226	Bus Driver	3.49	DAC1022LCN	10-Bit D/A Converter (0.20% Lin.)	5.95
DP8228	System Controller/Bus Driver	4.95	DAC1222LCN	12-Bit D/A Converter (0.20% Lin.)	9.95
DP8238	System Controller	5.95	CD4051N	8-Channel Multiplexer	1.19
INS8243	I/O Expander for 48 Series	9.95	AY-5-1013	30K BAUD UART	6.95
INS8250	Asynchronous Comm. Element	16.95		——RAM'S ————	200
DP8251	Prog. Comm. I/O (USART)	6.95	1101	256×1 Static	1.49
DP8253	Prog. Interval Timer	8.95	1103	1024×1 Dynamic	.99
DP8255	Prog. Peripheral I/O (PPI)	5.95	2101 (8101)	256×4 Static	3.95
DP8257	Prog. DMA Control	9.95	2102	1024×1 Static	1.75
DP8259	Prog. Interrupt Control	9.95	211.02	1024×1 Static	1.95
DP8275	Prog. CRT Controller	39.95	2111 (8111)	256x4 Static	3.95
DP8279	Prog. Keyboard/Display Interface	9.95	2112	256x4 Static MOS	4.95
DP8303	System Timing Element	6.95	2114	1024×4 Static 450ns	3.25
DP8304	8-Bit Bi-Directional Receiver	3.95	21141	1024x4 Static 450ns Low Power	3,49
DP8307	8-Bit Bi-Directional Receiver	3.95	2114-2	1024×4 Static 200ns	3.95
DP8308	8-Bit Bi-Directional Receiver	3.95	21141-2	1024x4 Static 200ns Low Power	4.95
DP8310	Octal Latched Peripheral Driver	5.25	745200	256x1 Static	6.95
DP8311	Octal Latched Peripheral Driver	5.25		16K Dynamic 250ns (MM5290N-4)	2.95
Drusii.	Octar Estened Feriphers Differ	0.20	4164N-3	64K Dynamic 200ns	19.95
6800	0/6800 SUPPORT DEVICES —	_	MM2147J	4096×1 Fast 70ns	7,95
MC6800	MPU	7.95	5101	256×4 Static	7.95
MC6802CP	MPU with Clock and RAM	14.95	MM5261	1024x1 Dynamic Fully Decoded	.99
MC6810API	128×8 Static RAM	4.95	MM5262	2Kx1 Dynamic	.49
MC6821	Peripheral Inter, Adapt (MC6820)	7.49	MM5280/2107	4096x1 Dynamic	4,95
MC6828	Priority Interrupt Controller	17.95	MM5290N-2 (4116)	16K Dynamic 150ns (UPD416C-3)	3,95
MC6830L8	1024x8-Bit ROM (MC68A30-8)	14.95	MM5298J-3A	8K Dyn. 200ns (lower 1/2 of MM5290J)	1.95
MC6850	Asynchronous Comm. Adapter	6.95	HM6116-4	16K (2Kx8) Static 200ns	14.95
MC6852	Synchronous Serial Data Adapter	6.95	82525	64 Bit RAM (16x40C)	3,49
MC6860	0-600bps Digital MODEM	10.95	UPD414/MK4027	4K Dynamic 16-pin	4.95
MC6862	2400bps Modulator	12.95	TMS4044-45NL	4K Static	9.95
MC6880A	Quad 3-State Bus. Trans. (MC8T26)	2.25	TMS4045	1024×4 Static	9.95
M	ICROPROCESSOR CHIPS-	_	-	-PROMS/EPROMS-	- 1000
Z80 (780C)	CPU (MK3880N) (2MHz)	11.95	1702A	2K UV Erasable PROM	5.95
Z80A (780-1)	CPU (MK3880N-4) (4MHz)	13.95	2708	8K EPROM	4.95
CDP1802	CPU	19.95	TMS2716	16K EPROM (-5V, +5V, +12V)	9.95
2650	MPU	16.95	27161ntel(2516)T1	16K EPROM (Single +5V)	8.95
	CPU-4-Bit Slice (Com. Temp. Grade)	19.95	2732Intel TI	32K EPROM	17.95
MCS6502 ·	MPU w/Clock (65K Bytes Memory)	11.95	2758	8K EPROM (450ns) (Single +5V)	7.49
INS8035N-6	MPU-8-Bit (6MHz)	7.95	2764Q	64K EPROM (Hitachi HN462764)	49.95
INS8039N-6	CPU-Sol, Chip 8-Bit (128 bytes RAM)	9.95	5203	2048 PROM	14.95
INS8040N-6	CPU (256 Bytes RAM)	24.95	82523(745188)	32x8 PROM (Open Collector)	3.95
IN58070N	CPU-64 Bytes RAM	24.95	825115	40% Bipolar PROM	14.95
INS8073N	CPU w/Basic Micro Interpreter	29.95	825123(745288)	32x8 Tri-State Bipolar PROM	3.95
P8085	CPU W/Basic Micro Interpreter	9.95	825185	8K PROM	16.95
TMS9900JL	MPU-16-Bit	39.95	- Over 30 Mo	re PROMS Listed in Our Catalog -	

INS8073N	CPU w/Basic Micro Interpreter	23.72	023123(1432
P8085	CPU	9.95	825185
TMS9900JL	MPU-16-Bit	39.95	- Over
	-SHIFT REGISTERS	_	2513(2140)
MM500H	Dual 25-Bit Dynamic	.50	2513(2140)
MM503H	Dual 50-Bit Dynamic	.50	2013(3021)
MM506H	Dual 100-Bit Static	.50	
MM510H	Dual 64-Bit Accumulator	.50	MCM66710F
MM1402N	256-Bit Dynamic	2.95	MCM66740F
MM5013N	1024-Bit Dynamic/Accumulator	1.95	MCM66750F
MM5016H	500/512-Bit Dynamic	1.95	
MM5034N	Octal 80-Bit	9,95	M-Z80
MM5035N	Octal 80-Bit	9.95	M-CDP1802
2504 V (1404 A)	1024-Bit Dynamic	1.95	M-2650
2518N	Hex 32-Bit Static	3.95	-
2522 V	Dual 132-Bit Static	2.95	DS0025CN
2524V	512-Bit Dynamic	.99	DS0026CN
355V	1024-Bit Dynamic	2.95	INS1771N-1

2532N	Quad 80-Bit Static	
3341PC	Fifo (Dual 80)	
_	-DATA ACQUISITION-	
AF100-1CN	Universal Active Filter 2.5%	
AF121-1CJ	Touch Tone Low Band Filter	
AF122-1CJ	Touch Tone High Band Filter	
LM308CH	Super Gain Op Amp	
LM334Z	Constant Current Source	
LM335Z	Temperature Transducer	
LF356N	JFET Input Op Amp	
1 PROBELL	Cample & Light Complifiers	

COP407NN
19.95
19.95
1.15
AV-5-9100
1.10
AV-5-9200
AV-5-217
AV-5-920
AV-5-9 History Sample & Hold Ampliters
Missen
Temp. Comp. Prec. Ref. (5ppm/C*)
DC0804LCN 8-Bit A/D Converter (1 LSB)
AC0806LCN 8-Bit D/A Converter (0.78% Lin.)

SPECIAL FUNCTION

Dual MOS Clock Driver (SMZ)

Dual MOS Clock Driver (SMZ)

Floopy Disc Controller

Communication Chilp

Microprocessor Real Time Clock

Microprocessor Real Time Clock

Microprocessor With 64-Digit RAM

6.55

Microcontroller with 54-Digit RAM

6.55

Microcontroller with 54-Digit RAM

1.25-Sey.VAC Fluor. Driver (28-pin pkg.)

1.25-Sey.VAC Fluor. Driver (28-pin pkg.)

1.25-Sey.VAC Fluor. Driver (28-pin pkg.) COP402MN 32-5eg. VAC Fluor. Driver (20-pin pi -TELEPHONE/KEYBOARD CHIPS 0 Push Button Telephone Dialer 0 Repertory Dialer 0 CMOS Clock Generator CMOS Clock Generator Keyboard Encoder (88 keys) Keyboard Encoder (16 keys) Keyboard Encoder (16 keys) Keyboard Encoder (20 keys) Push Button Pulis Dialer %/144-Key Serial Keyboard Encoder

-ROM'S ROM'S
Character Generator (Upper Case)
Character Generator (Lower Case)
-NMOS READ ONLY MEMORIES
-109 128:49x7 ASCII Shifted wyGreek
-128:49x7 Math Symbol & Pictures
-109 128:49x7 Alpha, Control Char, Gen.
-MICROPROCESSOR MANUALS

SPECIAL FUNCTION

RADIO CONTROL CIRCUITS
Ideal to use for. Toys, hobby crafts, robots, trains, burglar alarms, IR data link, re
projector control, consumer remote data links, energy-saving remotely switch

projector control, consumer remains systems.

Systems.

LNISTIN R.C. Encoder/Transmitter Chip
A complete 6-channel do, encoder and R.F. Itansmitter, low power, at freq. of 27MHz or 49MHz, a fled strength
of 10,000uV meter at 3 meters. 9V operation on chip RF oscillator/transmitter, on chip 4.6V reg. Up to 80MHz

currer free, operation.
LMM972M R.C., Receiver/Decoder Chip
A compilet R.F. receiver/decoder, used at either 27, 49 or 72MHz. Il provides 4 independent ch.
w/LM1972 (2 and 20, 2 dig.) operates from 4-1.5 vc. eits. Crystal controlled
SRX1504 48.435MHz Crystal (LM1972N)
SRX1505 48.90MHz Crystal (LM1971N) \$4.95 \$4.95

JE608 PROGRAMMER 2704/2708 EPROM PROGRAMMER

GENERAL APPLICATIONS:

To program EPROMS 2704 and 2708.

To compare EPROMBy 107 content differences

To compare EPROMBy 107 content differences

To compare EPROMBy 107 content differences

To store program in RAMS for alterations

Register displays the content of the RAMs from the EPROM Chip. Development of microprocessor systems by Register displays the content of the RAMs from the EPROM Chip. Development of microprocessor systems by Register displays the content of the RAMs from the EPROM Chip. Development of microprocessor systems by Register displays the content of the RAMs from the EPROM Chip. Development of microprocessor systems by Register displays the content of the RAMs from the EPROM Chip. Development of microprocessor systems by Register displays the content of the RAMs from the EPROM Chip. Development of microprocessor systems by Register displays the Chip. Development of microprocessor systems by Register displays the Chip. Development of microprocessor systems by Register displays the Register and Rams from the EPROM Chip. Development of microprocessor systems by Programmer bare and state of the RAMs with a power supplies and a LED rest socket Panel board assembly. The Test Socket Panel board assembly with the Headedmink Keyboard so that rewriting the entire program on be entered directly into the memory circults with the Headedmink Keyboard so that rewriting the entire program on be entered directly into the memory circults with the Headedmink Keyboard so that rewriting the entire program can be entered directly into the memory circults with the Headedmink Keyboard so that rewriting the entire program can be entered directly into the memory circults with the Headedmink Keyboard so that rew

JE608K Kit . JE608A Assembled and Tested \$499.95

JE608-16K ADAPTER BOARD

GENERAL DESCRIPTION:

The JE608-16K Adapter Board allows the JE608 Programmer to be modified for the additional programming or the 2716 and 2725 EPROMS.

The JE608-16K Adapter Board allows the JE608 Programmer to be modified for the additional programming or the 2716 and 2755 EPROMS. The adapter provide or adding an address switch for the 2716 in 16K JE700M clause or the stating by ARAM capacity in the JE608 Programmer.

JE608-16K Mod. Assembled JE608 w/Adapter Board Kit.

JE608-16K Mod. Assembled JE608 to factory for adapter installation ...\$99.95 of the JE608-16K Mod. Assembled JE608 w/Adapter Board Kit.

\$10.00 Min. Order — U.S. Funds Only Calif. Residents Add 6% Sales Tax Postage—Add 5% plus \$1.50 Insurance

Spec Sheets - 25∉ Send 86∉ Postage for your FREE 1982 JAMECO CATALOG





ORDERS WELCOME (415) 592-8097

MAIL ORDER ELECTRONICS - WORLDWIDE 1355 SHOREWAY ROAD, BELMONT, CA 94002 PRICES SUBJECT TO CHANGE

BOOKS

	DOUNG
	National Semiconductor — Intersil — Intel
30001	National CMOS Data Book\$5.95 (640 pages) 74C, CD4000, and A/D Converters
30002	National Interface Data Book
30003	National Linear Data Book
30004	National Series 80 - Board Level Computer (224 pages) \$4.95
30005	National TTL Logic Data Book
30006	Buy above (3) 30001,3,5 as a set\$19.95/lot
30009 010400	Intersil Data Book (1074 pages) \$6.95 Intel Component Data Catalog \$10.00 Full data sheets for Intel's products incl. memory devices, microproc. peripherals & indust./mil. products (1328 pages)
205610	Intel Peripheral Design Handbook

AC and DC Wall Transformers



nes, power supplies or y other type of AC or application

		SECRETARIA PARA	
Part No.	Input	Output	Price
AC 250	117V/60Hz	12 VAC 250mA	\$3.95
AC 500	117V/60Hz	12 VAC 500mA	\$4.95
AC1000	117V/60Hz	12 VAC 1 amp	\$5.95
AC1700	117V/60Hz	9 VAC 1.7 amp	\$3,95
DV 9200	117V/60Hz	9 VDC 200mA	\$3.25
DC 900	120V/60Hz	9 VDC 500mA	\$3.95

CONNECTORS



	THE RESERVE THE PROPERTY OF THE PARTY OF THE
DB25P	D-Subminiature Plug \$2.95
DB25S	D-Subminiature Socket \$3.50
D20418-2	Screw Lock Hdwr, (2) DB25S/P 2/\$.99
DB51226	Cover for DB25P/S \$1.75
22/44SE	P.C. Edge (22/44 Pin) \$2.95
UG88/U	BNC Plug \$1.79
UG89/U	BNC Jack \$3.79
UG175/U	UHF Adapter \$.49
SO239	UHF Panel Recp \$1.29
PL258	UHF Adapter \$1.60
PL259	UHF Plug \$1.60
UG260/U	BNC Plug \$1.79
UG1094/U	BNC Bulkhead Recp \$1.29

TRS-80 16K Conversion Kit

Expand your 4K TRS-80 System to 16K.
Kit comes complete with:
**8 es. MM5290 (UPD416/4116) 16K Dyn. Rams (*NS)
**Documentation for Conversion
TRS-16K2 **150NS \$29.95
TRS-16K3 *200NS \$24.95
TRS-16K4 *250NS \$19.95

JE610 ASCII **Encoded Keyboard Kit**



The JE610 ASCII Keyboard Kit can be interfaced into most any computer system. The kit comes complete with an industrial grade keyboard switch assembly (62-keys), IC's, sockets, connector, electronic components of the system of

JE610/DTE-AK (After assembled as pictured above) ...\$124.95 JE610 Kit & Components (no case)....\$ 79.95 K62 62-Key Keyboard (Keyboard only) ...\$ 34.95 DTE-AK (case only - 34"Hx11"Wx84"D)\$ 49.95

JE212 — Negative 12VDC Adapter Board Kit
For JE610 ASCII KEYBOARD KIT
Provides -12VDC from incoming 5VDC . . . \$9.9

JE600 Hexadecimal Encoder Kit


FULL 8-BIT LATCHED OUTPUT 19-KEY KEYBOARD



JE600 Kit 19-Key Hexadec. Keyboard, ...\$59.95

K19 19-Key Keyboard (Keyboard only) \$14.95 DTE-HK (case only -342"Hx844"Wx834"D) \$44.95

S-100 CPU



	CPU-Z - GODBOUT	
2/4	MHZ Z80 CPU 24 Bit Address	ing
GBT 160U	UnKit	\$225.00
GBT 160A	A&T	\$199.00
GBT 160C	CSC 3-6 MHZ	\$375.00
DITAT	PROCESSOR SOSS-SOSS - GOD	ROUT

DUAL 1	PROCESSOR 8085-8088 - GOD	BOUT
5 MHZ Pro	vides true 16 Bit Power with a	standard
8 bit S-100	bus	
GBT 1612U	UnKit 5 MHZ	\$295.00
GBT 1612A	A&T 6 MHZ	\$399.00
GBT 1612C	CSC8 MHZ	\$498.00

GBT 1612A	A&16 MHZ	\$399.00
GBT 1612C	CSC 8 MHZ	\$498.00
	BOARD WITH 8085 ONLY	
GBT 161U	UnKit 5 MHZ	\$235.00
GBT161A	A&T 6 MHZ	\$305.00
GBT 161C	CSC 8 MHZ	\$399.00
SOLID S	TATE DISK DRIVE, 3500%	FASTER!
Not Really	But the Next Best Thing Fo	r Godbout

8085/88 Users. Call For Details on M-Drive. See Page 340 of November BYTE GBT MD 128K

ERI MD 529K			\$0,000.00
	280 CPU-CA.		
2/4 MHZ Z80A CPI	UwithRS232C Serial	I/O Port complet	e with Monitor
PROM for 2422 Dis	kController		

\$280.00

	CB2 200 CPU - 5.5.1	VI.
2/4 MHZ V	vill accept 2716, or 2	2732, or RAM
RUN/S	TOP and single step	switches
SSMCB2K	Kit	\$260.00
SSMCB2A	A&T	

CCS 2810

SSMCB2K	Kit	\$260.00
SSMCB2A	A&T	\$310.00
SSMZ80M	SSMZ80 Monitor	\$89.00
	CBIA 8080 CPU - S.S.M.	

808	BO CPU, 1K RAM, Holds 1 2708 1 8 Bit parallel input port.	3,
SSMCB1 A	Kit	\$183.00
SSMCB1 A	A&T	\$225.00
SSM8080M	SM 8080 Monitor	\$59.00

S-100 I/O BOARDS

SYSTEM SUPPORT 1 - GODBOUT

Serial port (software prog baud), 4K EPROM OR RAM provision, 15 levels of interrupt, real time clock, optional math processor

	optional matri	processor	
PART NO.	DESCRIPTION	LIST PRICE	OUR PRICE
GBT162U	Unkit		\$295.00
GBT162A	Assembled & 7	ested \$39.00	\$360.00
GBT162C	CSC	\$495.00	\$460.00
GBT8231	Math Chip		\$195.00
GBT8232	Math Chip		\$195.00
GBT162AM1	A&T with 8231	Math Chip	\$555.00
GBT162CM1	CSC with 8231	Math Chip	\$655.00
GBT162AM2	A&T with 8232	Math Chip	\$555.00
GBT162CM2	CSC with 8232	Math Chip	\$655.00

MPX	CHANNEL	BOARD - GOD	BOUT
I/O Multip	olexer, usir	ig 8085a-2 cpu	on board
GBT166A	Assemble	d & Tested \$495.00	\$450.00
CRTICAC	CSC	\$505.00	\$550 OO

GBT166A	Assembled & Tested \$495	
GBT166C	CSC\$595	1000
ab11000		
	INTERFACER I - GODBO	JUT
	Tue Carial I/O	

	I wo Serial I/O	
GBT133A	A&T\$249.00	\$219.00
GBT133C	CSC\$324.00	\$298.00
	THE PARTY OF THE P	

I	NTERFAC	ER II - GODBOUT	
Three	parallel,	one serial I/O bo	pard
GBT150A	A&T	\$249.00	\$219.00
GBT150A	CSC	\$324.00	\$289.00

RRIIOUA	A& 1	\$249.00	\$219.00
GBT150A	CSC	\$324.00	\$289.00
	INTERFACER II	I - GODBOUT	
Eight	channel multi-u	ise serial I/O b	oard

Eight	channel multi-use serial I/O	board
GBT1748A	Assembled & Tested\$69.00	\$629.00
GBT1748C	CSC 200 hr. Burn In	
	Test\$849.00	\$629.00

INTERFACER 3 WITH 5 SERIAL PORTS GBT1745A Assembled & Tested \$599.00 \$559.00 GBT1745C CSC 200 hr. Burn In \$699.00 Test \$629.00

MULTI I/O - MORROW DESIGNS


Three Serial, Two parallel A&T.....\$329.00 MDSMR3200

SWITCHBOARD-MORROW DESIGNS Two serial I/O, four parallel I/O, one status port, one strobe port MDSSR2411 \$259.00 \$239.00

I/04 - SSM Two serial I/O, two parallel I/O SSMIO4K KIt \$210.00 SSMIO4A A&T

S-100 10 MHZ STATIC RAM

NEW LOW PRICES!



32K STATIC RAM - GODBOUT

RAM 20 10 MHZ, 4Kbyte block disable, bank or 24 bit addressings available 8, 16, 24 or 32K DESCRIPTION LIST PRICE PART NO. OUR PRICE GBT164AA8 8K A&T \$210.00 \$190.00 GBT164AC8 8K CSC \$280.00 GRT164AA16 16KA&T \$285.00 \$280 00 GBT164AC16 16K CSC \$355.00 \$325.00 GBT164AA24 24K A&T 24K CSC GRT164AC24 \$425.00 \$385.00 GBT164AA32 32K A&T \$385.00 \$425.00 **GBT164AA32** 32KA&T \$425.00 32K CSC GBT164AC32 \$495.00 \$450.00


64K STATIC RAM - GODBOUT

RAM 17, 10 MHZ, 2 Watt, DMA Compatable 24 Bit Addressing

GBT175A48	48K A&T	\$650.00	\$619.00
GBT175C48	48K CSC 20	Ohr. \$750.00	\$710.00
GBT175A64	64K A&T	\$795.00	\$755.00
\$GBT1175C64	64KCSC20	Ohr. \$895.00	\$850.00
NEW! 32K >	16 BIT STA	ATIC RAM - C	TUOBOUT
RAM 16	10 MHZ, 3	2K x 16 or 6	4K x 8
IEEE/696	16 BIT 2 Wa	tt, 24 Bit Ac	dressina
GBT180A	64K A&T		\$850.00
GBT180C	64K CSC	\$995.00	\$945.00

NEW! 128K STATIC RAM - GODBOUT

RAM 21 10MHZ 128K x 8 or 64K x 16 IEEE/696 8 or 16 Bit 1.2 Amps 24 Bit Addressing 128K A&T \$1695.00 128K CSC \$1895.00 GRT167A \$1610.00 **GBT167C** \$1795.00



S-100 ROM

\$179.00

PBI PROM PROGRAMMER - SSM

Programs 2708 or 2716's, operates as a 4K/8K EPROM BOARD AS WELL.

Kit

SSMPBIA	Assembled & Teste	0 \$265.00	\$220.00
	ECONOROM 2708 -	GODBOUT	r
16K x 8	Seprom Board using	2708, Po	wer on
	jump to any 25	6 byte	
GBT125U	Unkit		\$ 85.00
GBT125A	Assembled & Tested	\$135.00	\$120.00
GBT125C	CSC	\$195.00	\$175.00

S-100 VIDEO BOARDS SPECTRUM - GODBOUT

Colo	or Graphics board w	vith Paralle	el I/O
GBT144U	Unkit		\$299.00
GBT144A	Assembled &Tested	\$399.00	\$349.00
GBT144C	CSC	\$449.00	\$399.00
GBT2D	Sublogic Universal		
	Graphics Interpreter	Software	\$35.00
	TED 2 C C :		************

80 x 25 or 50 character video display Memory Manned Parallel Keyhoard nort

SSMVB3K24		Kit	yboara port	\$425.00
SSMVB3A24	80x24	A&T	\$499.00	\$440.00
SSMVB3UP	80x50	Line Upgrade	Kit	\$ 39.00
		UPC CCN		

I/O Mapped Video Board, with Parallel Keyboard port

SSMVB2K	Kit	\$199.00
SSMVB2A	Assembled & Tested \$269.00	\$229.00
	VRIC - S S M	

Memory Mapped Video Board 64x16 character display or 64x16 graphics display \$199.00 Assembled & Tested \$269.00

S-100 DISK CONTROLLERS



DISK 1 - GODBOUT

FAST DMA, Soft Sector, Controls 8" or 51/4", single or double density OUR BEST! LIST PRICE OUR PRICE

GBT171A	Assembled & Tested \$495.00	\$450.00
GBT171C	CSC\$595.00	\$555.00
GBTCPM80*	CP/M 2.2 for Z80/8085 with manuals & BIOS 8" S/D disk	\$300.00
GBTOAS8S	Oasis 8 bit single user 8"S/D disk	\$500.00
GBT0AS8M	Oasis 8 bit multi-user, 8" S/D	\$850.00

2422A - CA. COMP. SYST.

I/O Mapped, controls 8" or 51/4" single or double density A&T with CPM 2.2 8" S.D. CCS2422A \$475.00 \$375.00

DISK JOCKEY 2D - MORROW I/O Mapped, controls 8", single or

double density, serial I/O A&T with CP/M 2.2 \$399.00 MDSDJ2208 \$375.00

S-100 DISK SUBSYSTEMS

DISCUS SINGLE SIDED MORROW

8" DBL Density drives with cabinet, power supply controller, with CP/M 2.2 and Microsoft Basic \$950.00 Single Drive System. 1095.00 MDSF1228 Dual Drive System \$1875.00 \$1675.00

DISCUS DOUBLE SIDED - MORROW

8" DBL Density/sided drives with cabinet Power supply controller, with CP/M 2.2 and Microsoft Basic MDSF2218 Single Drive System 1395.00 Dual Drive System \$2495.00 \$2200.00



S-100 HARD DISK - MORROW

8" 10 & 20MB .14" - 26MB formatted hard disk complete with cainet, P.S., Controller, CPM 2.2 and Microsoft Basic

		LIST PRICE	OUR PRICE
MDSM10S	10 MB	\$3695.00	\$3200.00
MDSM20S	20 MB	\$4795.00	\$3995.00
MDSM26S	26 MB	\$4495.00	\$3895.00

S-100 SOFTWARE

PRIORITY 1 is pleased to offer the finest in industry standard software. All software is supplied on 8" Single Density IBM 3740 CP/m compatible disketts. All software is sold. "AS IS" and is non-returnable. If you have questions about the software for your application, order the man CCS803 CP/M Version 2.2 Microcompouter CCS2301 MAC-CP/M Macro Assembler.... CCS2401 SID-CP/M Symbolic Instruction Debugger ...
CC\$2501 TEX-CP/M Text Formatter ...
CC\$2501 DESPOOL-CP/M Background

CCS1301	AHAM-DORIAN AC General Ledger	\$820.00	\$750.00
\$CCS1301M	Manual		\$ 50.00
CCS1501	Accounts Receivable	\$820.00	\$750.00
CCS151M	Manual	*****	\$50.00
CCS1401	Accounts Payable Manual	\$820.00	\$750.00
CCS1401M CCS1701	Inventory II	\$820.00	\$750.00
CCS1701 M	Manual	4020.00	\$ 50.00
CCS1601	Payroll II	\$555.00	\$495.00
CCS1601 M	Manual		\$ 50.00
CC\$20001	Job Costing	\$820.00	\$750.00
CC\$2001 M	Manual	*****	\$ 50.00
CCS2701 CCS2701 M	Order Entry/Invoice Manual	\$820.00	\$ 50.00
	MEDICAL PRACTIC PATI	ENT BILLING	00.00
CC\$1801	15 Programs	\$820.00	\$750.00
CCS1801 M	Manual		\$ 50.00
	ENTAL PRACTICE PATI		
CCS1901	14 Programs	\$820.00	\$750.00
CCS1901M	Manual		\$ 50.00

CC\$1101 FMS-80 by Systems Plus \$995.00 CC\$1101M Manual

DISCOUNT COUPON

PRIORITY ONE ELECTRONICS

S-100 MAINFRAMES



S-100 MAINFRAMES - TEI

110V 60HZ CVT Mainframes, the best money can buy! 12 Slot +8V 17A +16V @ 2A 22 Slot ±8v @ 30A ±16V @ 4A

TEI has announced a tentative		
8% Price Increase, Jan. 1. HURRY!	OUR	PRICE

8% Price Increase, Jan. 1. F		URRY! LIST PRICE	OUR 1-9	PRICE 10-24	
TEIMCS 112	12 Slot Desk	\$685.00		\$570.00	
TEIMCS 122	22 Slot Desk	\$825.00	\$760.00	\$705.00	
TEIRM 12	12Slot Rackmnt	\$725.00	\$720.00	\$619.00	
TEIRM 22	22 Slot Rackmnt	\$875.00	\$850.00	\$750.00	
	eight: On 12 Slot N				

S-100 FRAMES 2 - 5" **DISK CUTOUTS - TEI**

±8V @ 17±16V @ 2A +12V @ 1.2A, Internal Cables 1-9 10-24

TEITF12	12 Slot desk	\$675.00	\$625.00	\$580.00		
TEIRD12	12 Slot Rackmnt	\$795.00	\$715.00	\$665.00		
Shipping	hipping Weight: On 12 SlotDesk 40 lbs.					
	On 12 Slot Backm	ount 45 L	bs.			

DUAL 8" DISK DRIVE CHASSIS - TEI

For Shugart 800/801R or 850/851R withinternal power cables provided +24V @ 1.5A +5V @ 1.0A - 5V @ .25A

			1-9	10-24
TEIDFDO	Desk Top	\$535	\$485	\$455
TEIRFDO	Rack Mount	\$720	\$670	\$630
RDPDFD0S1	DFDO with 1 Sh	ugart 801	9	\$970.00
PDPRFD0S1	RFDO with 2 Sh	ugart 8011	Rs	\$1375.00
PDPRFD0S1	RFDO with 1 Sh	ugart 8011	7	\$1095.00
PDPRFD082	RFDO with 2 Sh	ugart 8011	7s	\$1495.00
PRI50PGCE2	Internal Data Ca		plug	\$34.95

Due to UPS shipping regulations, disk drives will be shipped separately from the cabinet. Don't forget to include shipping for each drive. (Shipping Wt. 16 lbs., each)

S-100 MAINFRAME - GODBOUT

11OV 60HZ CVT Mainframe uses famous 20 slot GODBOUT Motherboard. 55 lbs.


GBTENC2ORM 20 Slot Rack Mount \$895.00 GBTENC2ODK 20 Slot Desk Top \$825.00 \$760.00

GODBOUT Mainframe, Less Motherboard & Power Supply - Kit. 23 lbs

GBTBOX DESK Desk Top Main Frame \$289.00 **GBTBOX** Rack Rack Mount Main Frame

S-100 MAINFRAME - CCS 12-slot motherboard with removable termination card. CC\$2200-01 Office Cream 35 lbs \$575.00 \$535.00 CC\$2200-02 Blue 35 lbs \$575.00 \$535.00

S-100 MOTHERBOARDS



MOTHEDROADD . GODROUT

GBT15

GBT15

OTCMB18A

	Active termination,	6-12-20 slot	
53A	A&T 6 slot, 2 lbs	\$140.00	\$126.00
53C	CSC 6 slot, 2 lbs.	\$190.00	\$175.00
54A	A&T 12 slot, 2 lbs.	\$175.00	\$155.00
54C	CSC 12 slot, 2 lbs.	\$240.00	\$220.00
55A	A&T 20 slot, 4 lbs.	\$265.00	\$235.00
55C	CSC 20 slot, 4 lbs.	\$340.00	\$310.00

	MOTHERBOARDS - QT	
OTCMB6BB	6 Slot Bare Board	\$ 25.00
OTCMB6K	6 Slot Kit	\$ 40.00
OTCMB6A	6 Slot A&T	\$ 50.00
OTCM88BB	8 Slot Bare Board	\$ 27.00
OTCMB8K	8 Slot Kit	\$ 55.00
GTCMB8A	8 Slot A&T	\$ 70.00
OTCMB12BB	12 Slot Bare Board	\$ 30.00
4.0		

OTCMB12K 12 SlotKit OTCMB12A OTCMB18BB 12 Slot A&T 18 Slot Bare Board \$ 90.00 \$100.00

\$140.00

18 Slot A&T

FLOPPY DISC DRIVES

Tandon TM-800 Thinline is exactly half the size of conventional 8"



Exactly one-half the height of any other model. Propietary, high-resolution, read-write heads patented by Tandon. D.C. only operation - no A.C. required. Industry standard interface

Three millisecond track-to-track access time 9 lbs.
TNDTM8481 Single Sided \$495.00 2 or more \$470.00
TNDTM8482 Double Sided \$625.00 2 or more \$600.00
TNDTM8M Manual not included with drive \$10.00
SUID - CHICADT

OUR - SHOGARI
Single sided doubledensity most popular 8" drive
SHUBOIR \$495.00 ea. or 2 or more (16 lbs) \$470.00
SHUSA80IRM Manual for 80IR drives \$10.00
DT-8 - QUME

Data track 8 double sided, double density 8"

\$625.00 ea or 2 or more (16 lbs).... \$600.00

OMF-DTR

QMEDT8M	Manual for DTI\$10.00
	51/4" DRIVES - TANDON
TNDTM1001	Single Sided, 250KB (5 lbs) \$310.00
	Double Sided, 500KB \$370.00
TNDTM1003	Single Sided, 500KB \$375.00
TNDTM1004	Double Sided, 1000KB \$495.00
TNDTM5M	. Manual, not included with drive \$10.00

DISK CABINETS



V-100 - VISTA VISV100 Disk Drive Cabinet (35 lbs) \$495.00 \$449.00 BUY THE CABINET AND SHUGART


801Rs OR QUME DT-8s AND SAVE with ONE drive \$ 900.00 PDBV100S1 With Shugart 801R

PDBV100Q1		with TWO drives	\$1045.00
	PDBV100S2	With Shugart 801R	\$1300.00
	PDBV100Q2	With Qume DT-8	\$1600.00
	Due to UPS	shipping regulations,	disk drives will be
		aratelyfrom the cabinet. g for each drive.	Don't forget to in-

SINGLE 8" - Q.T.

Single 8" cabinet with power supply QTC-DDC8. . (2 lbs) DUAL 8" - Q.T.

Dual 8" cabinet with power supply QTCDDC88. . (25 lbs) \$349.00 5" CABINETS - VISTA





5¼" MINIFLOPPY - VISTA

Totally compatible with several microcomputers including TRS-80Northstar, Exidy, Texas Instruments, Heath/Zenith

PART NO.	CAPACITY	DRIV	TRAC	SIDE	PRICE	PRICE
VISVBO	10SK	1	40	1	395.00	360.00
VISV800	204K	1	40	2	595.00	540.00
VISV801	204K	1	80	1	595.00	540.00
VISV8000	408K	1	80	2	775.00	695.00
VISV802	204K/408K	2	40	1	775.00	695.00
VISV8002	408K/816K	2	40	2	1095.00	995.00
VISV8012	408K/816K	2	80	1	1095.00	995.00
VISV8002	816K/16M	2	80	2	1495.00	1350.00

APPLE PERIPHERALS



DOUBLE DENSITY 8" DISK CONTROLLER - VISTA

ONE

Controller and disk patch When purchased simultan-\$595.00 \$559.00 NISARON eously with one of the "PDB" Vista and TWI disk specials to the left

APPLE II 51/4" DISK ADD-ONS - VISTA

40 track, 163K Bytes	\$395.00	\$375.00
80 track, 326K Bytes	\$595.00	\$560.00
160 track, 652K Bytes	\$895.00	\$840.00
	80 track, 326K Bytes	80 track, 326K Bytes \$595.00

ATO ASTO APTO - S S M

Para	allel and Serial Interfaces	for the App	le II
SSMAIOK	1 Ser, 2 Par, Kit	\$160.00	\$150.00
SMAIOA	1 Ser, 2 Par, A&T	\$195.00	\$169.95
SMASIOA	1 Serial, A&T	\$139.95	\$119.95
SSMAPIOA	2 Parallel, A&T	\$109.00	\$ 95.00

A488 - SSM

IEEE-4880 Interface using Motorola 68488 SSMA488A ART \$475.00 \$399.00



CCS ADDI E DDODUCTO

CCS7114A CCS742401

CC\$747001 CCS749001 CCS771001

CCS771002

CCS771201

CCS772001 CCS772801

CC\$7520A

CC3 WELTE LEGITORIS	
12KROM/PROM	\$89.95
Calendar/Clock	\$105.00
Programmable Timer	\$103.00
Analog to Digital Converter	\$99.95
GPIB IEEE-488 Interface	\$270.00
Asynchronous Serial Interface	\$139.00
Async. Communications Interface	\$139.00
Synchronous Serial Interface	\$159.95
Parallel Interface	\$107.95
Centronics Parallel Interface	\$107.95
Extender Board	\$30.00



MODEMS - NOVATION APPLECAT

300/1200 Baud/Direct Connect, Serial I/O NOVAPLCAT \$389.00 \$359.00 AUTO-CAT

300 Baud, Auto Answer, Direct Connect

NOVAUTOCAT\$249.00 \$239.00 D-CAT

300 Baud Direct Connect NOVDCAT\$199.00 \$189.00 CAT

300 Baud, Acoustic, Bell 103 NOVCAT.....\$198.00 \$175.00



9161B DEERING AVE. CHATSWORTH, CA 91311

ORDER TOLL FREE (800) 423-5922, CA, AK, HI, CALL (213) 709-5464

Terms. U.S. VISA, MC, BAAC, Check, Money Order, U.S. Funds Only. CA residents add 6% Sales Tax. MINIMUM PREPAID ORDERS 15.00. Include MINIMUM SHIPPING & HANDLING of \$2.50 for the first 3 lbs. plus 25¢ for each additional pound. Orders over 50 lbs. sent freight collect. Just in case, please include your phone no. Prices subject to change without notice. We will do our best to maintain prices thru December, 1981. Sale Prices Valid only if **YOU** mention publication and month. Credit Card orders will be charged appropriate freight. Circle 352 on inquiry card.





PRIORITY ONE ELECTRONICS

ONE

CompuPro from BODBOUT



"LITTLE 8" Z80 SYSTEM STARTER SET

CPU Z; A 4MHz Z80A-based 8-bit workhorse CPU board that includes all the standard features plus many of the convenience options. Meets all IEEE 696/S-100 specifications, including timing.

DISK 1 DMA High Performance Disk Controller; disk controllers don't have to be your system's bottleneck! The DISK 1 is lightning fast thanks to properly implemented DMA (with arbitration) and data transfer that is independent of CPU speed.

RAM 20 32K High Speed Static RAM. This board has it all. Operates at speeds up to 10MHz, ultra-low power consumption, IEEE 696/S-100 extended addressing protocol, bank select and flawless DMA

CP/M 2.2; The de facto standard of 8-bit operating systems ready to load and go!

ANOTHER PRIORITY 1 EXCLUSIVE!

We went to GODBOUT and made a special buy on the nucleous of the best S-100 Z80A* systems ever

LOOK AT WHAT TOO GET.	
1 GBT160A 2/4 MHz Z80 CPU	\$295.00
1 GBT164A32 32K 10MHz Static Ram	\$425.00
1 GBT171A DMA Disk Controllers	\$495.00
1 GBTCPM80 CP/M 2.2	\$175.00
IT ALL ADDS UP TO	\$1390.00

TOTAL PACKAGE PRICE Reg. Sale \$1095.00

Combined With 10% Discount Coupon, You Pay Only

YOU SAVE \$404.50 ORDER PART NO. PDBGBTSG (Include \$5.00 Shipping)

Don't forget you can save an additional 10% on Mainframes, I/O, Terminals, and Printers when purchased simultaneously with system using discount coupon.

TAKE A DEEP BREATH! SIT DOWN!

We made a special buy on a quantity of REMEX 4000 Double Density, Double Sided 8" disk drives. The REMEX drives are high speed - 3ms!! Just what you need to take full advantage of yourlightning fast DMA disk what you need to take full advantage or youngmining and the controller from Godbout. We supply two of these high speed drives, a OTCDDC88 Dual Drive Cabinet with power supply, data cable, and documentation to make an incredibly powerful and versatile Z80 system. IT ALL ADDS UP TO \$3025.00

PACKAGE SALE PRICE \$2350.00

Combinedwith 10% **Discount Coupon** You Pay Only

\$2115.00

YOU SAVE \$910.00
ORDER PART NO. PDBGBTSN (Shipped Via Motor Freight Collect)

SUPERSIXTEEN SYSTEM LOOK WHAT \$3145.50° WILL BUY! WHY WAIT ANY LONGER?

HERE IS WHAT EACH PACKAGE INCLUDES:
GBT1612A 6 MHz 8085/8088 Dual Processor Board GBT171A High Speed DMA Disk Controller GBT162A System Support 1 Multi Function Board

GBT133A Interfacer | Dual Serial I/O 128K 10MHz Low Power Static Ram

CP/M 2.2 De facto Standard 8 Bit Operating System CP/M 86 16 Bit Operating System Ready to Load & Go Cables andDocumentation Three interfacer cables, one disk I/O cable, complete documentation for all hardware, and manuals for both CP/M operating

Compu Pro's famous **1 Year** limited warranty Now the best part of all. If urchased separately these quality components would list for \$4,344.00. But Super Sixteen's low package price is \$3495.00, an excellent deal

*Combined With 10% Discount Coupon You Pay Only:

\$3145.50 You Save \$1198.50!


ORDER PART NO. PDBGBTSJ (Sh. Wt. 15 lbs.) Super Sixteen is also available qualified under the

Certified System Component high reliability program with 2 year warranty, 200 hour burn-in and 8MHz processors. That brings the package price to \$4095.00.

Comined With 10% Discount Coupon You Pay Only:

\$3685.50 You Save \$1258.50 ORDER PART NO. PDBGBTSK (Sh. Wt. 15 IDS.)

THE EXPANDABLE 1™



THE UNIVERSAL IEEE-S100 DYNAMIC MEMORY CARD

THE EXPANDABLE 1 TM 64K Dynamic Ram board provides your S-100 system with 64K of reliable, high-speed dynamic RAM. Compatible with most of the major S-100 systems on the market, including those with front panels, it supports DMA operations and requires no Wait states with current microprocessors.

- User expandable from 16 to 64 K
 2 or 4 MHz operation
- North Star compatible Cromemco Compatible

- Designed to IEEE proposed S-100 bus standards Supports IMSAI-type front panels Operates with either an 8080 or Z-80 based S-100 system, providing processor-transparent refreshes with both
- Bank-select system allows system memory expansion and is compatible with Cromemco products Bank select port's address is jumper selectable
- Any 16K block can be made bank-independent
- All 64K can be made bank-enabled on power-on and
- Configuration as a 16K, 32K, or 48K board without the removal of RAMs Fully buffered address and data lines

- Fail-safe refresh circuitry for extended Wait states Board configuration with reliable, easy-to-configure Berg jumpe
- Supports DMA
- Jumper-selectable Phantom input
- Uses Popular 4116 RAMS Assembled & tested
- All ICs in sockets
- Power supply: Unregulated +8, +16, and -16 volts Maximum power draw: 400 mA at +8 volts 175 mA at +16 volts

5 mA at - 16 volts

Dissipation: less than 8 watts Temperature: 0 to 70 degrees Celsius Humidity: 0 to 90% noncondensing

- PC Board
- FR-4 glass epoxy
- Solder mask on both sides Gold-plated connector fingers
- Silk screen component outlines, reference numbers, and part designations

PRIEXP116	16K	Assembled &	Tested	 \$299.00
PRIEXP132	32K	Assembled &	Tested	 \$339.00
PRIEXP148	48K	Assembled &	Tested	 \$379.00
PRIEXP164	64K	Assembled &	Tested	\$409.00


CROLINE PRINTERS

WITH FRICTION AND TRACTOR FEED BI-DIRECTIONAL - 120 CPS • Parallel and Serial I/O

80 CPL @10 CPI for 82A

- BI-DIRECTIONAL 120 CPS
 9 x 9 Matrix (Alphanumeric)
 6 x 9 or 12 Matrix for Graphics
 5, 8.3, 10, 16 Characters Per Inch
 6 or 8 Lines Per Inch
 9 CPI explored (CPI les P2A)
 6 CPI of CPI les P2A
- 132 CPL @ 10 CPI for 83A

 - 3" to 14" Top of Form (Switch Selectable)
 10 Different Character Sets



OKIDAT82AT OKIDAT83AT

Description 80CPL@10CPI 132CPL@10CPI

List Price \$799.00 \$1195.00

\$575.00 \$775.00

LIST PRICE: \$2495.00

SPECIAL PRICE \$1595.00



Electronics Corporation

10 x 9 DOT MATRIX WITH TRUE DECENDERS ALPHANUMERICS/GRAPHICS PRINTER

We were able to acquire this most popular printer when Malibu replaced this model with a new version. These printers, still in the factory sealed containers are available at tremendous savings on a first-come, firstserved basis.

SPECIFICATIONS: 165 CPS • 132 char per line • Graphics res 60 HX 72V ● Adj. tractor feed 3" to 16" width ● 10 character per inch or 5 expanded lines per inch 2, 3, 4, 5, 6, 8, 10 for alpha numerics 12 for graphics . paper load front or bottom . complete self test mode . self-contained intelligent controller card handles both serial and parallel interfaces . audible signaling . out of paper detection . bidirectional w/logic seeking.

MALIBU165 MALIBU1652 Shipped Freight Collect

Serial/Parallel Interface Parallel only Interface

\$1450.00

MICROPΩLIS[™] MCP1053M2

EVERSIONS.

- 315K Per Drive 630K Total
- \$100 Controller (8080, 8085, Z80 Compatable) Handles Up to 4 Drives
- Comes With MDOS. Basic. Assembler, and Text Editor

OUR PRICE:

\$1534.00

\$995.00

See page 10 of ENGINEERING SELECTION GUIDE

in November BYTE for details ORDER TOLL FREE (800) 423-5922



DISCOUNT COUPO

From Our December BYTE ad

☐ \$100 - \$149.99 Deduct \$10.00

☐ \$150 - \$199.99 Deduct \$15.00 \$200 - \$299.99 Deduct \$20.00

□ \$300 - \$399.99 Deduct \$30.00

□ \$400 - \$499.99 Deduct \$40.00 S500 & UP Deduct \$ 10% Sorry, Discount Coupon Not Valid on Shipping Charges, Phone or Foreign order

SAVE UP TO 10% valid on prepaid U.S. MAIL ORDERS RECEIVED BEFORE DECEMBER 31, 1981

OR PRESENT THIS COUPON AT OUR RETAIL STORE BEFORE DECEMBER 31, 1981

Coupon valid only when attached to tace of order. BY8112

PRIORITY ONE ELECTRONICS


BUY WITH CONFIDENCE From the Nation's Largest



Single and dual trace, 15 thru 100 MHz. All high sensitivity Hitachi oscilloscopes are built to demanding Hitachi quality standards and are backed by a 2-year warranty. They're able to measure signals as low as 1mV/division (with X5 vertical magnitier). It's a specification you won't find on any other 15 or 30 MHz scopes, Plus: Z-axis modulation, trace rotation, front panel X-Y operation for all scopemodels, and X10 sweep magnification. And, 30 thru 100 MHz oscilloscopes offer internal signal delay lines. For ease of operation, functionally related controls are grouped into three blocks on the color coded front panel. Now here's the clincher: For what you'd expect to pay more, you actually pay less. clincher: For what you'd expect to pay more, you actually pay less. Check our scopes before you decide. All scopes complete with probes.

HITV302B

List \$995.00




Our Price:\$859.00

TV sync-separator circuit High-sensitivity 1mV/div (5MHz) (SMHz)
Sweep-time magnifier
(10 times)
2-axis input (intensity
modulation)
Signal delay line
Complete with 2 probes
CHI. CH2. DUAL, ADD.
DIFF. Vertical
Deflection Modes
XY operation
Trace Rotation

30 MHz **DUAL TRACE** OSCILLOSCOPE

Hitachi... The measure of quality.
HITV152B DUAL TRACE 15MHZ (no delay)
LIST \$735.00 OUR PRICE \$629.00



HIT-V352 35MHz DUAL TRACE WITH DELAY LIST PRICE: \$1 150.00 OUR PRICE: \$998.00

COUR PRICE: \$998.00

Economically priced dual trace oscilloscope Square CRT with internal graticule (illuminated scale) High-accuracy voltage axis & time axis set at #3% (certified at 10° to 35° C) High-sensitivity 1mV/div.
Low drift 2 Year Warranty

50 MHz & 100 MHz **DUAL TRACE WITH** CALIBRATED TIME DELAY

HIT V550B 50MHz with 3rd TRACE TRIGGER VIEW LIST \$1745.00 SALE CALL

HIT V1050 100MHz with 3rd & 4th TRACE TRIGGER VIEW LIST \$2390.00 SALE CALL

HIT-V202

20MHz DUAL TRACE LIST PRICE: \$850 OUR PRICE: \$765

Dynamic range 8 div. TV sync separator circuit Built-in signal delay line (V-352) X-Y operation

Sweep-time magnifier


(10 times) Trace rotation system

Fine adjusting, click-positioning



ZIP-400DIE

TIG-16LP pkg of 100 ...
TIG-16LP pkg. of 1000 ...
OEMS Stock up at this LOW PRICE \$16.00 \$120.00



\$10.25

NEW LOW MEMORY PRICES 4116AC20 8/\$20.00 2016P3 8/\$100.00 2114N3L 8/\$28.00 5257N3L 8/\$50.00 2732 8/\$120.00 2716 8/\$50.00 8/\$20.00 **Handheld DMMs For Every** Application and Budget -use Rotary Switches Large 0.6" LCD displays dc Voltage ac Voltage dc Curren ac Current Resistance Diode Test 31/2 or 41/2 Digit Accuracy Overload Protection 000 Externally Accessible Battery & Fuse Rugged 0.1" ABS Plastic Case

Shock-Mounted PC Board 130 \pm 0.5% DCV accuracy, 10M Ω input \$124.00 KTH130 impedence auto polarity and current measurement through 10A KTH131 Same as KTH130 except 0.25% acc- \$139.00 uracy and enhanced bandwith on top

ACV ranges KTH128 See/hear display includes both over/ \$139.00 under threshold indicator arrows, audible tone that operates on all ranges & functions, and adjustable thresh

hold KTH135 4½ digit. 0.05% accuracy Thermocouple (TC) based themometer \$235.00 KTH870 \$199.00 KTH1304 Soft Carrying Case & Stand (handhelds)
KTH1306 Deluxe Carrying Case (handhelds) 10.00 \$ 25.00

LCD & LED Bench DMMs 3½ Digit, LCD Display 4½ Digit, LCD Display KTH169 \$189.00 \$269.00

KTH179-20A 41/2 Digit, LED Display, TRMS KTH1793 IEEE-488 Interface (Model 179-20A) \$325.00 See pp. 42-43 of our Engineering Selection Guide in the November BYTE for a complete list of specifications and accessories

PROTECT YOUR INVESTMENT PROTECT YOUR DATA WITH

Four independently isolated outlets. Built-in 15A circuit breaker, pilot light, switch, and 6 foot cord

GOFIBAR46 SH. WT. 4 lbs IBAR8-6

LIST PRICE OUR PRICE

8 outlets, grouped to form 4 independently isolated sets of two. Built in 15A circuit breaker, on/off switch, pilot light.

GOFIBAR86 SH. WT. 5 lbs

LIST PRICE \$84.95

OUR PRICE \$54.95



cent lighting with precision magnifier lens. Tough thermoplastic shade Easy lens removal. New wire clip design permits easy installation and removal of flourescent tube. Comes with plastic shield to protect tube from soiling and damage. Colors: Gray, Black and Chocolate Brown Comes with one 22 watt T-9 Circline fluorescent tube, 3 diopter lens. 10 lbs

PRENTICE THE STAR MODEM from PRENTICE FEATURE FITS GTE HANDSETS! 1 YEAR WARRANTY

ONE

EXCLUSIVE ACOUSTIC CHAMBERS:

The exclusive triple seal of Prentice's new flat mounted cups locks the handset into the acoustic chamber yielding superior acoustic isolation and mechanical cushioning. Designed to adapt to most common handsets used throughout the world.

The self test feature on the STAR allows the user to verify total operation of the acoustic modem by using the terminal in the full duplex mode. No need for remote assistance in diagnosing terminal or modem problems SPECIFICATIONS:

- Data Rate: 0 to 300 baud.
- Compatibility: Bell 103 and 113; CCITT
- Frequency Stability: ±0.3 percent. Crystal controlled. Receiver Sensitivity: -50 dBm ON. -53 dBm OFF.
- Modulation: Frequency shift keyed (FSK).
- Carrier Detect Delay: 1.2 seconds ON; 120 msec OFF.
- EIA Terminal Interface: Compatible with RS 232 specifications.
- Teletype Interface: 20 milliampere current loop.
- International (CCITT) frequencies available.
- Switches: Orginate/Off/Answer: Full Duplex/Test/-Half Duplex Indicators: Transmit Data, Receive Data, Carrier Ready, Test.
- Power: Supplied by 24 VAC/150 MA UL/CSA listed wallmount
- transformer. Input 115 VAC. 2.5 watts. **Dimensions:** 10" x 4" x 2".
- Weight: 1.74 lbs. (3 lbs. shipping weight including AC adaptor.)
- Warranty: ONE year on parts and labor, excluding the AC adaptor

DESCRIPTION	LIST PRICE	OUR PRICE
RS232, TTL, 200 Ma		
Current Loop	\$199.00	\$149.00
CCITT European		******
Standard	\$229.00	\$209.00
	RS232, TTL, 200 Ma Current Loop CCITT European	RS232, TTL, 200 Ma Current Loop \$199.00 CCITT European

CABLES		
PART NO.	DESCRIPTION	PRICE
CNDRS2328F	RS232 8 Cond 8 Ft.	\$19.95
IDCCABLE12	RS232 25 Cond 3 ft.	\$14.95

erbatim.



PART NO.	SECTORING	APPLICATION	SIDE	s:	BOX OF 10
VRBMD52501	Soft Sector	TRS-80 Apple/40 Cert.	Třack	1	\$32.00
VRBMD52510	Hard 10 Sector	North Star/40 Track	Cert	1	\$32.00
VRBMD52516	Hard 16 Sector	Micropolis/40 Track	Cert	1	\$32.00
VRBM055701	Soft Sector	77 Track Cert/100 T	PI	2	\$56.00
VRBMD55710	Hard 10 Sector	77 Track Cert/100 T	PI	2	\$56.00
VRBM055716	Hard 16 Sector	77 Track Cert/100 1	PI	2	\$56.00
VRBMD57701	Soft Sector	77 Track Cert/100 1	PI	1	\$48.00
VRBM057710	Hard 10 Sector	77 Track Cert/100 T	PI	1	\$48.00
VRBMD57716	Hard 16 Sector	77 Track Cert/100 T	PI	1	\$48.00
VRBMD Series of	comes with reinf	forced hub ring mou	inted.		**********

ALL VERRATIM 51/4" DISKETTES ARE DOUBLE DENSITY CERTIFIED

8" DISKETTES

VRBFD32	Hard Sector	Shugart 801R	1	\$37.00
VRBFD34 VRBFD32-2	Soft Sector	IBM 3740	1	\$37.00
VRBFD32-2	Hard Sector	Flippy	1	\$66.00
VRBFD34-2	Soft Sector	Flippy	1	\$66.00
The abo	ve Verbatim 8"	Diskettes have all t	he Data	lite

VRB328	Hard Sector	Dbl Density	1	\$57.00
VRB348	Soft Sector	Dbl Density	1	\$57.00
VRB324	Hard Sector	Dbl Density	2	\$67.00
VRB344	Soft Sector	Dbl Density	2	\$67.00

with reinforced hub rings mounted

PRIORITY ONE ELECTRONICS

9161B DEERING AVE., CHATSWORTH, CA 91311





ORDER TOLL FREE (800) 4235922 CA, AK, HI CALL (213) 709546

Terms U.S.VISA MC. BAAC.Check Money Order U.S. Punds Only. CA residents add 6% Sales Tax. MINIMUM PREPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING of \$2.50 for the first 3 lbs. plus 25c for each additional pound Orders over 50 lbs. sent freight collect. Just in case, please include your phone no. Prices subject to change without notice. We will do our best to maintain prices thru December. 1981. SOCKET and CONNECTOR prices based on GOLD, not exceeding \$700.00 pero. Sales Prices Valid only if **YOU** mention publication and month. Credit Card orderw will be charged appropriate freight.

Circle 351 on inquiry card.

16K Memory

4116-200ns

8/15.95

ALL MERCHANDISE 100% GUARANTEED!

LS	S	ERIE	S
74LS00 74LS01 74LS02 74LS03 74LS04 74LS05	.25 .25 .25 .25 .25	74LS164 74LS165 74LS166 74LS168 74LS169 74LS170	.95 .95 2.40 1.75 1.75
74LS08 74LS10 74LS11 74LS12 74LS13 74LS14	.35 .25 .35 .35 .45	74LS173 74LS174 74LS175 74LS181 74LS189 74LS190	.80 .95 .95 2.15 9.95 1.00
74LS15 74LS20 74LS21 74LS22 74LS26 74LS27	.35 .25 .35 .25 .35	74LS191 74LS192 74LS193 74LS194 74LS195 74LS196	1.00 .85 .95 1.00 .95 .85
74LS28 74LS30 74LS32 74LS33 74LS37 74LS38	.35 .25 .35 .55 .55	74LS197 74LS221 74LS240 74LS241 74LS242 74LS243	.85 1.20 .99 .99 1.85 1.85
74LS40 74LS42 74LS47 74LS48 74LS49 74LS51	.35 .55 .75 .75	74LS244 74LS245 74LS247 74LS248 74LS249	.99 1.90 .76 1.25
74LS54 74LS55 74LS63 74LS73 74LS74	.25 .35 .35 1.25 .40 .45	74LS251 74LS253 74LS257 74LS258 74LS259 74LS260	1.30 .85 .85 .85 2.85 .65
74LS75 74LS76 74LS78 74LS83 74LS85 74LS86	.50 .40 .50 .75 1.15 .40	74LS266 74LS273 74LS275 74LS279 74LS280 74LS283	.55 1.65 3.35 .55 1.98 1.00
74LS90 74LS91 74LS92 74LS93 74LS95 74LS96	.65 .89 .70 .65 .85	74LS290 74LS293 74LS295 74LS298 74LS324 74LS352	1.25 1.85 1.05 1.20 1.75 1.55
74LS95 74LS96 74LS107 74LS109 74LS112 74LS113 74LS114 74LS122	.40 .45 .45 .50	74LS353 74LS363 74LS364 74LS365 74LS366 74LS367	1.55 1.35 1.95 .95
74LS123 74LS124 74LS125 74LS126 74LS132 74LS136	.95 2.99 .95 .85 .75	74LS368 74LS373 74LS374 74LS377 74LS378 74LS379	.70 .70 .99 1.75 1.45 1.18
74LS137 74LS138 74LS139 74LS145 74LS147 74LS148	.99 .75 .75 1.20 2.49 1.35	74LS385 74LS386 74LS390 74LS393 74LS395 74LS399	1.90 .65 1.90 1.90 1.65 1.70
74LS151 74LS153 74LS154 74LS155 74LS156	.75 .75 2.35 1.15	74LS447 74LS490 74LS668 74LS669 74LS670	1.95 1.69 1.89 2.20
74LS157 74LS158 74LS160 74LS161	.75 .75 .90 .95	74LS674 74LS682 74LS683 74LS684 74LS685	9.65 3.20 2.30 2.40 2.40

6800

00	UU
6800	5.70
6802	10.95
6809	24.95
6809E	29.95
6810	4.60
6820	4.95
6821	4.95
6828	9.95
6834	16.95
6840	14.95
6843	42.95
6844	44.95
6845	29.95
6847	15.95
6850	4.75
6852	5.75
6860	10.95
6862	11.95
6871	25.95
6875	6.95
6880	2.95
68B00	10.95
68B21	12.95
68B50	12.95

Z80 Z80-CPU Z80A-CPU Z80-P10

82	00
8202 8202 8205 8214 8214 8214 8224 8228 8237 8238 8239 8243 8250 8251 8253 8255 8255-5 8255-5 8255-5 8255-8	45.00 3.50 1.85 3.85 2.50 1.80 2.50 1.99 4.95 4.95 4.45 14.95 5.00 5.25 6.90 39.95
8279	10.50
8279-5	10.50
8282	6.65
8283	6.65
8284	5.70
8286	6.65
8287	6.50
8288	25.00
8289	49.95

6502

6502	6.95
6502-A	12.95
6504	6.95
6505	8.95
6520	4.35
6522	9.95
6532	14.95
6551	11.85

CALL US FOR VOLUME QUOTES

JDR MICRODEVICES, INC IS PROUD TO ANNOUNCE THE OPENING OF OUR **NEW RETAIL SHOWROOM**

BAY AREA RESIDENTS STOP BY 1224 BASCOM AVE.

TRANSISTORS

PN2222	10/1.00	100/8.99
2N3904	10/1.00	100/8.99
2N3906	10/1.00	100/8.99
2N3055	.79	10/6.99
IN4148		25/1.00
IN4004		10/1.00

MISC.

.99	AY5-1013 TR1602	3.95 4.95
		4.95
00		
.99	IM6402	7.95
.99	1771	24.95
.99	1791	36.95
.99	1793	49.95
.99	UPD765	39.95
2.95	8272	39.95
9.95	74C923	5.95
	.99 .99 .99 .99 2.95	.99 1791 .99 1793 .99 UPD765 2.95 8272

We Will Beat Any Competitors Prices.

MPU'S

200-110	0.00	
Z80A-P10	6.00	
Z80-CTC	5.95	
Z80A-CTC	8.65	
Z80-DART	15.25	
Z80A-DART	18.75	
Z80-DMA	17.50	
Z80A-DMA	27.50	
Z80SI0/0	23.95	
Z80A-SI0/0	28.95	
Z80-SI0/1	23.95	
Z80A-SI0/1	15.00	
Z80-SI0/2	23.95	
Z80A-SI0/2	28.95	
Z80-S10/09	17.95	
Z80A-SI0/9	22.95	
Z80B-CPU	18.95	
Z80B-CTC	17.95	
700D DIO	17.05	

8.95 6.00

3035	16.95
3039	19.95
A080A	3.95
3085	12.95
8085A-2	16.95
8086	99.95
8088	39.95
3155	11.95
3156	11.95
3185	29.95
3185-2	39.95
3741	39.95
3748	29.95
3755	44.95

T.V. CIRCUITS

011100	
MC1330	1.89
MC1350	1.29
MC1358	1.79
LM380	1.29
LM386	1.50
LM565	.99
LM741	.29
LM1310	2.90
LM1800	2.99
LM1889	2.49

8pcs

100pcs

CALL JDR BEFORE YOU BUY!

800-538-5000 800-662-6233

LINEAR

.75 .90 .95 .95

74LS157

74LS158 74LS160

74LS161 74LS162 74LS163

T=TO-220

	-114		
LM301V	.34	LM741V	.29
LM308V	.98	LM747	.79
LM309K	1.49	LM748V	.59
LM311	.64	LM1310	2.90
LM317T	1.95	MC1330V	1.89
LM317K	3.95	MC1350V	1.29
LM318	1.49	MC1358	1.79
LM323K	4.95	LM1414	1.59
LM324	.59	LM1458V	.69
LM337K	3.95	LM1488	.99
LM339	.99	LM1489	.99
LM377	2.29	LM1800	2.99
LM380	1.29	LM1889	2.49
LM386V	1.50	LM3900	.59
LM555V	.39	LM3909V	.98
LM556	.69	LM3914	3.95
LM565	.99	LM3915	3.95
LM566V	1.49	LM3916	3.95
LM567V	1.29	75451V	.39
LM723	.49	75452V	.39
LM733	.98	75453V	.39

.54	LIVITATO	.23		211
.98	LM747	.79		
.49	LM748V	.59	4.0	211
.64	LM1310	2.90		211
.95	MC1330V	1.89		211
.95	MC1350V	1.29		
49	MC1358	1.79		211
95	LM1414	1.59		TM
.59	LM1458V	.69		TM
.95	LM1488	.99		
.99	LM1489	.99	100	TM
.29	LM1800	2.99		HM
.29	LM1889	2.49		
.50	LM3900	.59		
.39	LM3909V	.98		
.69	LM3914	3.95		
.99	LM3915	3.95		402
.49	LM3916	3.95		411
.29	75451V	.39		411
.49	75452V	.39		
.98	75453V	.39		411
.50	75453V	.39		411
v=	8 PIN K=	TO-3		416

EPROMS

1702	256 x 8	(1ns)	4.95	4.50
2708	1024 x 8	(450 ns)	2.99	2.75
2758	1024 x 8	(5V) (450 ns)	9.95	8.95
TMS2516	2048 x 8	(5V) (450 ns)	7.95	6.95
2716	2048 x 8	(5V) (450 ns)	5.50	4.95
2716-1	2048 x 8	(5V)(350ns)	9.00	8.50
TMS2716	2048 x 8	(450 ns)	9.95	8.95
TMS2532	4096 x 8	(5V) (450 ns)	19.95	17.95
2732	4096 x 8	(5V) (450 ns) (2	00ns) CA	LL
2764	8192 x 8	(5V) (450 ns)	CA	LL

STATIC RAMS

	0.7	THE TIME		Toopes
2101	256 x 4	(450 ns)	1.95	1.85
2102-1	1024 x 1	(450 ns)	.89	.85
21L02-1	1024 x 1	(LP) (450 ns)	1.29	1.15
2111	256 x 4	(450 ns)	2.99	2.49
2112	256 x 4	(450 ns)	2.99	2.79
2114	1024 x 4	(LP) (450 ns)	8/17.95	2.10
2114L-2	1024 x 4	(LP) (200 ns)	8/19.95	2.35
2114L-3	1024 x 4	(LP) (300 ns)	8/18.95	2.25
2114L-4	1024 x 4	(LP) (450 ns)	8/18.95	2.25
TMS4044-4	4096 x 1	(450 ns)	3.49	3.25
TMS4044-3	4096 x 1	(300 ns)	3.99	3.75
TMM2016	2048 x 8	(200 ns) (1	150 ns)	CALL
HM6116	2048 x 8	(200 ns) (1	50 ns)(120 n	s) CALL

DVNAMIC RAMS

	DINA	MIC HAMS		тоорсв
4027	4096 x 1	(250 ns)	2.50	2.00
4116-120	16,384 x 1	(120 ns)	8/29.95	CALL
4116-150	16,384 x 1	(150 ns)	8/18.95	1.95
4116-200	16,384 x 1	(200 ns)	8/15,95	1.80
4116-300	16,384 x 1	(300 ns)	8/14.95	1.75
4164	64,536 x 1	(200 ns)		ALL
	LP = LO	OW POWER		

DIP SWITCHES

4 position	.85
5 position	.90
6 position	.90
7 position	.98
8 position	.99

CONNECTORS

COMMEDIA	0110
RS232 MALE	3.25
RS232 FEMALE	3.75
RS232 HOOD	1.25
S-100 ST	3.95
S-100 WW	4.95

LEDS

Jumbo Red	10/1	.00
Jumbo Green		.00
Jumbo Yellow		
5082-7760 .43		
MAN74.3'CC		.99
MAN72.3'CA		.99

VOLTAGE REG'S

7805T 7808T 7812T 7815T 7824T	.79 .99 .79 .99	7905T 7912T 7915T 7924T	.89 .89 1.19 1.19
7805K 7812K 7815K	1.39 1.39 1.39	7905K 7912K 79L05	1.49 1.49 .79
78L05 78L12 78L15	.69 .69	79L12 79L15 LM317K	.79 .79 3.95
LM309K LM317T	1.49	LM323K LM337K	4.95

T=TO-220 K=TO-3 L=TO-92

IC SOCKETS

	1-100	100pcs
8 pin ST 14 pin ST 16 pin ST 18 pin ST 20 pin ST 22 pin ST 24 pin ST 28 pin ST 40 pin ST	.17 .20 .29 .30	.12 .13 .18 .27 .27
ST = SO 8 pin WW 14 pin WW 16 pin WW 18 pin WW 20 pin WW 22 pin WW 24 pin WW	.59 .69 .69 .99 1.09 1.39	.49 .52 .58 .90

28 pin WW 1.69 1.49 40 pin WW 1.99 1.80 WW = WIREWRAP

master charge VISA°

JDR MICRODEVICES, INC. 1224 So. Bascom Ave. Location

San Jose, CA 95128 800-538-5000-800-662-6233 (Calif.) 408 / 247-4852 • TELEX 171-110

TERMS: For shipping include \$2,00 for UPS Ground, \$3.00 for UPS Blue Label Air. \$10.00 minimum order. Bay Area Residents add $6\frac{1}{2}$ % sales tax. California Residents add 6% sales tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list.

2716 EPROMS 450NS (5V)

ALL MERCHANDISE 100% GUARANTEED!

CMOS							
74C00	.35	74C374	2.75	4019	.45	4098	2.49
							1.95
							8.95
							8.95
							9.95
							12.95
							2.95
							.95
							.65
							1.95
							.95
							.95
							.95
							1.25
							2.25
							1.55
							1.25
							1.25
							1.25
							1.25
							1.25
							1.95
							1.25
							.95
							1.95
							1.95
							1.95
							2.70
							.95
							.95
							1.95
							1.95
							.95
							.95
							12.95
							1.50
							.95
							.85
							.95
							.95
74C373	2.75	4018	.95	4093	.95	80C98	1.20
	74C00 74C02 74C08 74C08 74C14 74C30 74C32 74C32 74C42 74C48 74C76 74C85 74C86 74C86 74C90 74C95 74C151 74C151 74C162 74C163 74C173 74C193 74C193 74C193 74C193 74C193 74C193 74C193 74C193 74C193 74C193	74C02 3.5 74C04 3.5 74C08 3.5 74C10 3.5 74C10 3.5 74C10 3.5 74C20 3.5 74C30 3.5 74C32 5.5 74C42 1.75 74C42 1.75 74C74 85 74C78 8.9 74C88 9.5 74C86 9.5 74C86 9.5 74C89 1.75 74C90 1.75 74C91 1.75 74C161 2.00 74C162 2.00 74C163 2.00 74C164 2.00 74C165 2.	74C02 .35 74C901 74C08 .35 74C902 74C08 .35 74C903 74C10 .35 74C906 74C14 .150 74C907 74C30 .35 74C907 74C32 .50 74C990 74C32 .50 74C990 74C42 1.75 74C911 74C74 .85 74C912 74C76 .80 74C912 74C86 .80 74C915 74C88 .195 74C920 74C80 .95 74C921 74C80 .95 74C921 74C80 .95 74C921 74C80 .95 74C921 74C80 .175 74C922 74C93 1.75 74C923 74C91 1.00 74C927 74C150 5.75 74C928 74C151 3.25 74C930 74C162 2.00 4001 74C163	74C00	74C02 .35 74C901 .80 4020 74C04 .35 74C902 .85 4021 74C08 .35 74C903 .85 4022 74C10 .35 74C906 .95 4023 74C14 1.50 74C907 1.00 4025 74C30 .35 74C907 1.00 4025 74C32 .50 74C990 2.75 4027 74C32 .50 74C991 1.00 4028 74C48 2.10 74C911 1.00 4029 74C74 .85 74C912 10.00 4030 74C74 .85 74C912 10.00 4030 74C73 .85 74C915 2.00 4030 74C74 .85 74C915 2.00 4030 74C78 .80 74C915 2.00 4030 74C85 .195 74C918 2.75 4041 74C86 .95 74C921	74C00 .35 74C374 2.75 4019 .45 74C02 .35 74C901 .80 4020 .95 74C04 .35 74C902 .85 4021 .95 74C08 .35 74C903 .85 4022 1.15 74C10 .35 74C903 .85 4022 3.35 74C14 1.50 74C905 10.95 4023 .35 74C14 1.50 74C907 1.00 4025 .35 74C30 .35 74C907 1.00 4025 .35 74C30 .35 74C907 1.00 4025 .35 74C30 .35 74C909 2.75 4027 .65 74C32 .50 74C909 2.75 4027 .65 74C32 .50 74C909 2.75 4027 .65 74C42 1.75 74C910 9.95 4028 .80 74C44 2.10 74C910 9.95 4028 .80 74C74 .85 74C912 10.00 4029 .95 74C73 .65 74C912 10.00 4029 .95 74C76 .80 74C915 2.00 4036 .85 74C83 1.95 74C915 2.00 4035 .85 74C83 1.95 74C915 2.00 4035 .85 74C84 .95 74C921 17.95 4041 1.25 74C88 1.95 74C912 11.95 4041 1.25 74C88 1.95 74C921 15.95 4042 .95 74C90 1.75 74C925 5.95 4043 .85 74C90 1.75 74C925 5.95 4044 .85 74C90 1.75 74C925 5.95 4044 .85 74C90 1.75 74C925 6.75 4046 .95 74C107 1.00 74C927 7.95 4047 .95 74C107 1.00 74C927 7.95 4041 .95 74C1107 1.00 74C927 7.95 4049 .55 74C151 2.25 74C928 7.95 4050 .55 74C151 2.25 74C928 7.95 4050 .55 74C151 2.25 74C928 7.95 4050 .55 74C161 2.00 4001 .35 4066 .75 74C161 2.00 4000 .95 4070 .30 74C173 2.00 4010 .45 4073 .30 74C174 2.25 4011 .35 4076 .30 74C175 2.25 4011 .35 4076 .30 74C192 2.25 4013 .45 4078 .30 74C201 5.75 4016 .45 4078 .30 74C201 5.75 4016 .45 4085 .95	74C00

CMOS

74S00 SERIES

74500	.44	74574	.69	74S163	3.75	74S258	1.49	
74S02	.48	74S85	2.39	74S168	4.65	74S260	1.83	
74503	.48	74\$86	1.44	74S169	5.44	74S274	19.95	
74S04	.79	74S112	1.59	74S174	1.09	74S275	19.95	
74S05	.79	74S113	1.98	74S175	1.09	74S280	2.90	
74S08	.48	74S114	1.50	74S181	4.47	745287	4.75	
74S09	.98	74S124	2.77	74S182	2.95	74S288	4.45	
74510	.69	74S132	1.24	74S188	3.95	74S289	6.98	
74511	.88	74S133	.98	74S189	14.95	74S301	6.95	
74S15	.70	74S134	.69	74S194	2.95	74S373	3.45	
74520	.68	74S135	1.48	74S195	1.89	74S374	3.45	
74S22	.98	74S138	1.08	74S196	4.90	74S381	7.95	
74S30	.48	74S139	1.25	74S197	4.25	74S387	5.75	
74532	.98	74S140	1.45	74S201	14.95	745412	2.98	
74537	1.87	74S151	1.19	74S225	8.95	74S471	9.95	
74S38	1.68	74S153	1.19	74S240	3.98	74S472	16.85	
74540	.44	74S157	1.19	74S241	3.75	74S474	17.85	
74S51	.78	74S158	1.45	74S251	1.90	74S482	15.60	
74S64	.79	74S161	2.85	74S253	7.45	74S570	7.80	
74S65	1.25	74S162	3.70	74S257	1.39	74S571	7.80	

	PF	ROMS			
74S188	(82S23)	OC	32 x 8	3.95	
74S287	(82S129)	TS	256 x 4	4.75	
74S288	(82S123)	TS	32 x 8	4.45	
74S387	(82S126)	OC	256 x 4	5.75	
74S471		TS	256 x 8	9.95	
74S472	(82S147)	TS	512 x 8	16.85	
74S474	(82S141)	TS	512 x 8	17.85	
74S570	(82\$130)	OC	512 x 4	7.80	
74S571	(82S131)	TS	512 x 4	7.80	

7400 SERIES

7400 7401	.19	74128	.55
7402	.19	74132 74136	.45 .50
7403	.19	74141	.65
7404 7405	.19	74142 74143	2.95 2.95
7406	.22	74144	2.95
7407 7408	.22	74145 74147	.60 1.75
7409	.19	74148	1.20
7410	.24 .19 .19	74150	1.35
7411 7412		74151 74152	.65 .65
7413	.30	74153	.55
7414 7416	.55	74154	1 40
7417	.25 .25	74155 74156	.75
7420 7421	.19	74157	.55
7421	.35 .29	74159 74160	1.65
7423	.29	74161	.70
7425 7426	.29	74162 74163	.85 .85
7427	.29	74164 74165	85
7428	.45 .19	74165	.85
7430 7432	.19	74166 74167	1.00 1.95
7433	.45	74170	1.65
7433 7437 7438	.29	74172	5.95 .75
7440	.19	74173 74174 74175	.89
7442 7443	.49	74175 74176	.89
7444	.69	74177	.89 .75
7445	.69	74178 74179	1.15
7446 7447	.59 .69	74179 74180	1.75
7448	.69	74181	2.25
7450	.19	74182 74184	.75 2.25 .75 2.00
7451 7453	.23	74185	2.00
7454 7460	.23	74186 74190	18.50
7464	39	74190	1.15 1.15
7465	.39 .35 .29	74192	79
7470 7472	.35	74193 74194	.79 .85 .85
7473 7474	.34	74195	.85
7474 7475	.35	74196 74197	.79 .75 1.35 1.35 1.35 1.35 1.25
7476	.35	74198 74199	1.35
7480 7481	.59 1.10	74199	1.35
7482	.95	74221 74246	1.35
7483	.50 .50	74247	1.25 1.85
7484 7485	.65	74248 74249	1 95
7486 7489	.35 4.95	74251 74259	.75 2.25
7490	.35	74265	1.35
7491 7492	.40	74273 74276	1.35 1.95 1.25 .75 2.00
7493	.50 .49	74276	75
7494	.65	74283	2.00
7495 7496	.55	74284 74285	3.75 3.75
7497	.70 2.75	74290	.95
74100 74107	1.00	74293 74298	75
74107	.45	74351	.85 2.25
74107 74109 74110 74111 74116	.45	74365 74366 74367	.65 .65
74111 74116	.55 1.55	74366	.65
74120 74121	1.20	74368	.65 .65
74121	.29 .45	74376	2.20
74122 74123	.55	74376 74390 74393	1.75
74125 74126	.45 .45	74425	2.20 1.75 1.35 3.15 .85
4126	.45	74426 74490	.85 2.55

8/4.95 ea.

CALL US FOR VOLUME QUOTES

December Specials

EPROMS

2708	(450 ns)	2.99	8/2.75
2716	(450 ns)(5V)	5.50	8/4.95
2716-1	(350 ns)(5V)	9.00	8/8.50

MPU's

Z80A	CPU	6.00
Z80A	PIO	6.00
Z80A	SIO/1	15.00
6821		4.25
6850		3 75

VOLTAGE REG'S

7805T	.65	7905T	.89
7812T	.65	7912T	.89

LS SPECIALS

LS240	.99	LS245	1.90
LS241	.99	LS373	.99
LS244	.99	LS374	1.75

Please State "December Specials" When Ordering

APPLE OWNERS EXPAND YOUR 48K COMPUTER TO 64K APPLE RAM

- PLUG IN SLOT #
 GOLD PLATED CONTACTS
 INCLUDES 5 JUMPER OPTIONS
 INCLUDES 5 FAM-ROM OPTIONS
 ENJOY THE BEST OF BOTH WORLDS
 16K RAM (RANDOM ACCESS MEMORY)
 THIS IS SOPHISTICATED FIRMWARE
 EXPANDS YOUR 46K APPLE TO 64K
 OF PROGRAMMABLE MEMORY
 ELIMINATES THE NEED FOR APPLESOFT* OR INTEGER BASIC ROM
 CARD
 ALLOW YOU TO RUN APPLE'S NEW FORTRAN PACKAGE, ALSO
 PASCAL AND PILOT
 KEYBOARD CONTROL SELECTION OF RAM OR MOTHER BOARD
 ROM LANGUAGE
 INCLUDES INSTALLATION INSTRUCTIONS AND APPLICATIONS

- NOTES INSTALLATION INSTRUCTIONS AND APPLICATIONS NOTES
- THE SOFTWARE DEVELOPED BY VARIOUS VENDORS FOR YOUR (64K) SHOULD NOW WORK AS THEY ADVERTISED THE MOST VERSATILE RAM EXPANSION ON THE MARKET TODAY

UNIQUE 1 YEAR WARRANTEE! \$168.00

APPLE FAN

"COOL-IT"

- TAN COLOR
 SAVE DOWN TIME
 LONG LIFE MOTOR
 LOW NOISE IS A MUST
 SAVE REPAIR CHARGES
 INCREASES RELIABILITY
 CLIPS ON—NO HOLES OR SCREWS
- MINIMUM QUIETNESS IS DUE TO THE DRAW EFFECT OF AIR THROUGH YOUR COMPUTER AND A SPECIAL FAN AND MOTOR
- THOSE EXTRA PLUG-IN CARDS CAN CAUSE EXTRA HEAT
- HOW TO HOOK IT UP

- Clip it on your APPLE
 Unplug you' 120V cable (you won't need it)
 Plug short 120V cable from Super Fan II to the back of your computer
 Plug the supply cable from Super Fan II to your 120V power source
 Turn on the rocker switch and a built-in red ready light comes on
 You are all set "COOL IT"

UNIQUE 1 YEAR WARRANTEE! \$69.00

APPLE IS A TRADEMARK OF APPLE COMPUTER INC.



Location

JDR MICRODEVICES, INC. 1224 So. Bascom Ave. San Jose, CA 95128

800-538-5000 • 800-662-6233 (Calif.) 408 / 247-4852 • TELEX 171-110

TERMS—For shipping include \$2.00 for UPS Ground, \$3.00 for UPS Blue Labet Air. \$10.00 minimum order. Bay Area Residents add 6½% sales tax. California Residents add 6% sales tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list.

535

We've got it! The best disks can buy · ·

If your data is important use quality MAXELL disks.

> Buy our year-end special ('til December 31, 1981).

All MAXELL certified for single or double density.

100	
18	

		Order Number	
MD1	51/4" 0 sector, single-sided For TRS-80, Superbrain, Apple	MAX55021H	
MH1	51/4" 16 sectors, single-sided For Micropolis Systems	MAX55621H	\$29.95
MH1-10	51/4" 10 sectors, single-sided For North Star, Zenith, Osborne	2 5 MAX 55 121H	
MD2D	0 sector, double-sided For Superbrain, Cromemco	MAX55022H	A440
MD2-10	10 sectors, double-sided For North Star	MAX55122H	\$44.95
FD1	8" single sided	MAX58021H	\$41.95
FD2	8" double sided	MAX58022H	\$54.95

The Mini-Disks with

maximum quality.

Mini Micro Mart, Inc.

943 W.Genesee St. Syracuse, N.Y. 13204 (315)422-4467

Ve Have It!

SUPERBRAIN

by Intertec



Self-contained computer with dual disks and
two RS232C ports. Complete with CP/M 2.2. 64K Double Density, List \$3495 \$2869
64K Quad Density, List \$3995 3395

VIDEO TERMINALS

INTERTECEMULATOR.	
List \$895	19
INTERTEC INTERTUBE III,	
List \$895	19
ZENITH Z-19, List \$995 79	99
001100101201	29
SOROC IQ 130, List \$699 59	95
00110010100, 210101000	19
SOROC IQ 135G, List \$1195 79	99
SOROC IQ 140, List \$1495 114	
I II ILLE LITTLE LOT I III I LOT I L	95
111111111111111111111111111111111111111	19
1120, 210, 4020	19
1000, 2.00 0 1220	79
1510, List \$1395	
1520, List \$1650	
122211220 010, 200, 400	95
0,2,2,0,000	39
0200, 2.0. 0.000	39
950C, List \$1195 98	39
MONITORS	
7ENITH-7VM-121 12"	

Green Phos., List \$159 \$ 12 AMDEK 100, 12", List \$179	
AMDEK 100 12" List \$179 15	39
AIVIDER 100, 12 , LIST \$ 175	
100G, 12",	
Green Phosphor, List \$199 14	19
Color, 13", List \$499 35	59
BMC, 12",	
Green Phosphor, List \$280 16	39
PRINTERS	
ANADEV DD 0500 List \$1650 \$124	1

ANADEX DP-9500, List \$1650 \$13	49
DP-9501, List \$1650	49
PAPER TIGER IDS-445, List \$795 60	69
IDS-445G, List \$894	49
IDS-460, List \$995 8	39
IDS-460G, List \$1094 89	94
IDS-560, List \$1295 109	99
IDS-560G, List \$1394	39
NEC SPINWRITERS CALL FOR PRICE	Œ
CENTRONICS 730-1,	
D ULLI ATOF NEW OW	20

THEO OF HAVITHIE THO ONLE I OTT	
CENTRONICS 730-1,	
Parallel, List \$795 NEW LOW	599
730-3, RS232C, List \$845	649
739-1 w/Graphics,	
Parallel, List \$995	749
739-3B w/Graphics, RS232C,	
List \$1045	839
779 w/tractor, List \$1350	799
704-11, Parallel, List \$1870	1695
704-9, RS232C, List \$1795	1595
TI 810 Basic, RS232C, List \$1645	1349
810 Basic, RS232C &	
Parallel, List \$1695	1394
010 11 11 00011	

810 w/full ASCII, vertical forms control,

List \$120

 Tractor feed option, List \$65
 59

 Microline 82A, List \$649
 519

 Microline 83A, List \$995
 849

NORTH STAR HORIZON CALL FOR PRICES

NORTH STAR ADVANTAGE

CALL FOR PRICES

FLOPPY DISK SYSTEMS

NORTH STAR MDS-A-D.	
List \$899	759
MDS-A-Q, List \$1099	929
MORROW DESIGNS	
Discus 2D,	
single drive, DD, List \$1095	898*
Dual Discus 2D,	
dual drive, DD, List \$1875	1549*
Discus 2 + 2,	
double sided, DD, List \$1495	
Dual Discus 2 + 2 , List \$2575	2139*
*Includes CP/M 2.2 and Microsoft Basic	

HARD DISKS

MORROW DESIGNS M10.	
	\$3095
M26, 26MBytes, List \$4495	3795
CORVUS 5 Megabyte	10 11
Hard Disk, List \$3750	3185
10 Megabyte Hard Disk,	
List \$5350	4545
20 Megabyte Hard Disk,	
List \$6450	5499
INTERTEC 10 Megabyte Hard Disk,	
List \$4995	3295
PROM PROGRAMMERS	3
SSM PB1 Kit, List \$179	\$152
OOM DI MI, LIST WITO	4102

Programmer A&T, List \$311 FLOPPY DISK CONTROLLER **BOARDS**

SSM PB1, A&T, List \$265

SD SYSTEMS, PROM 100 Programmer Kit, List \$236 SD SYSTEMS, PROM 100

CROMEMCO 16FDC, DD Disk	
Controller, List \$595	499
NORTH STAR, DD Disk	
	. 479
Controller, List \$565	
MORROW DESIGNS Disk Jockey 2D,	
A&T , List \$399	. 329
SD SYSTEMS Versafloppy I,	
Kit, List \$284	. 239
SD SYSTEMS Versafloppy I,	
A&T, List \$379	319
CD CVCTEMC Vorcefloppy II	010
SD SYSTEMS Versafloppy II,	040
Kit, List \$413	. 349
SD SYSTEMS Versafloppy II,	
A&T , List \$507	. 429
DELTA, DD Disk Controller,	
A&T, List \$385	. 345
CONDUCTOR, DD, A&T, List \$325	
INTERSYSTEMS, FDC-2.	
	. 439
A&T, List \$495	
TARBELL, SD, Kit, List \$225	
TARBELL, DD, A&T, List \$495	. 444
ESCON CONVERSION FO	OR

IBM SELECTRIC

Complete with microprocessor controller and power supply. Factory built. User installs solenoid assembly or it can be done at ESCON factory for \$100.

Parallel (TRS-80, Sorcerer, etc.) List \$575 RS232 Serial, List \$599 TRS-80 Cable

CALIFORNIA COMPUTER SYSTEMS

Z80 CPU Board , List \$350 \$	269
Disk Controller 2422, w/CP/M,	
List \$475	359
16K Static, A&T, List \$399.95	259
32K Static, A&T, List \$789	599
64K Dynamic RAM, List \$750	499
and the second s	

CPU BOARDS

(assembled unless noted)

NORTH STAR Z80A (ZPB-A/A),	
List \$325	269
List \$325	
List \$395	335
List \$395	
List \$495	382
INTERSYSTEMS 4MHz (MPU-80),	
List \$395	349
SSM CB1 8080, A&T, List \$252	214
CB2, Z-80, A&T, List \$344	289
CB2, Z-80, Kit, List \$260	219
DELTA Z-80 with I/O, List \$364	289
SD SYSTEMS, SBC-100,	
A&T, List \$413	349
SBC-100, Kit, List \$341	289
SBC-200, A&T, List \$471	399
SBC-200, Kit, List \$373	317
MEMORY BOARDS	
NORTH STAR 16K Dynamic RAM	
Board, List \$499\$	299
CROMEMCO 16KZ, List \$495	419
CROMEMCO 64KZ, List \$1195	995
MEMORY MERCHANT	
16K Static, 4MHz	159
MEMORY MERCHANT	
CAIC CA-A:- ANALI-	000

64K Static, 4MHz 69 MEASUREMENT SYSTEMS & CONTROLS

MENOGREMENT OF OFERIOR CONTING	
(one year warranty)	
DM6400 64K Board w/64K.	
List \$795	599
	333
DM4800 48K Board w/48K,	
List \$695	549
DM3200 32K Board w/32K,	
List \$595	499
DMB6400 64K Board	
w/64K RAM, List \$995	799
	199
DMB4800 48K Board	
w/48K RAM, List \$895	749
INTERSYSTEMS,	
64K Dynamic, List \$995	849
CALIFORNIA COMPUTER	0.10
OALII OI INIA OOMIFUTEN	

16K Static, A&T, List \$399.95 VIDEO BOARDS

I/O Mapped SD SYSTEMS, VDB-8024, Kit, List \$437 VDB-8024, A&T, List \$556 SSM VB2 I/O, Kit, List \$199 VB2 I/O, A&T, List \$269 MEMORY MAPPED VB1C, 16x64, Kit, List \$179 VB1C, 16x64, A&T, List \$242 VB3, 80 Char. 4MHz, Kit, List \$425 152 206

NEW CROMEMCO 16FDC DOUBLE DENSITY DISK CONTROLLER

VB3, 80 Char. 4MHz, A&T, List \$499

List \$595 OUR PRICE \$499

F.O.B. shipping point. All prices subject to change and all offers subject to withdrawal without notice. Advertised prices are for prepaid order. Credit card and C.O.D. 2%

WRITE FOR FREE CATALOG



Micro Mart,Inc.

359

943 W.Genesee St. Syracuse, N.Y. 13204 (315)422-4467 TWX 710-541-0431



Computers, Disk Systems

data systems



Z-89GA	
List \$2595, Less Disk \$2	149
A-87 Two Drive	
Minifloppy System List \$1195\$	989
Z-47DA\$3	3695
8" Two Megabyte Disk System	
List \$3695	3059

INTERSYSTEMS

formerly ITHACA AUDIO

The new Series II CPU Board features a 4 MHz Z-80A CPU and a full-feature front panel. 20slot actively terminated motherboard, with 25 amp power supply (50/60 Hz operation, incl. 68 cfm fan). DPS-1, List \$2195 CALL FOR PRICE



COMPLETE SYSTEM with InterSystem 64K RAM, I/O Board and double density disk controller board. List \$3795

CALL FOR PRICE



SYSTEM ZERO/D

A complete 64K Computer with Double Density Disk Controller List \$2995


OUR PRICE\$2545

Companion Disk drive for above -Quad Density - Total of 780 Kilobytes of storage on the two drives. List \$1295

OUR PRICE \$1099

Only \$3644 for a complete 64K Disk System

SUPERBRAIN



64K Double or Quad Density units available. Uses two Z-80 CPU's. Commercial-type terminal with 12" monitor. Dual double density minifloppies. Over 350 kilobytes of storage (twice that with quad density drives). Two serial RS232 ports, I/O ports standard. Comes with CP/MTM 2.2 operating system. MiniMicroMart can supply a wide range of CP/M development and application software.

w/64K Double Density, List \$3495 . . \$2869 w/64K Quad Density, List \$3995. \$3395

DYNABYTE DB 8/1



DB 8/1-64 - 64K RAM SYSTEM WITH Z80 CPU and 2 serial and 1 parallel I/O, List \$3395.: **OUR PRICE \$2695**



HEWLETT PACKARD HP-41CV\$259

> **HP-41C** \$189

HP-125...\$3149



F.O.B. shipping point. All prices subject to change and all offers subject to withdrawal without notice. Advertised prices are for prepaid orders. Credit card and C.O.D. 2% higher. C.O.D. may require deposit.

MORROW THINKER TOYS® DISCUS M26TM

26 megabytes of formatted storage List \$4495

15w \$ 3795




THINKER TOYS® DISK SYSTEMS

Now includes CP/M® 2.2

Discus 2D, List \$1095	\$898
Discus 2D, dual-drive, List \$1875	\$1549
Discus 2 + 2, A&T, List \$1495	\$1239
Dual Discus 2 + 2, A&T, List \$2575	

All Morrow floppy disks include CP/M* 2.2 and Microsoft Basic 80



List \$3695

DISCUS M-10 10 Megabyte Wirchester

OUR PRICE

\$3095

NEW! CROMIX FROM CROMEMCO

A New UNIX Like Disk Operating System,

With true multi-user, multi-tasking capabilities

List \$295 OUR PRICE \$249

NEW! DOUBLE DENSITY CONTROLLER BOARD

FROM CROMEMCO

With built-in diagnostics 16 FDC Controller List \$595

OUR PRICE \$499

- WRITE FOR FREE CATALOG -

943 W.Genesee St. Syracuse, N.Y. 13204 (315) 422-4467 TWX 710-541-0431

i Micro Mart,

Circle 277 on inquiry card.

Terminals and Printers





Intertec INTERTUBE III

List \$995 ONLY \$749

12" display, 24 x 80 format, 18-key numeric keypad, 128 upper/lower case ASCII characters. Reverse video, blinking, complete cursor addressing and control. Special user-defined control function keys, protected and unprotected fields. Line insert/delete and character insert/delete editing, eleven special line drawing symbols.

TELEVIDEO TVI-912C



Upper and lower case, 15 baud rates: 75 to 19,000 baud, dual intensity, 24 x 80 character display, 12 x 10 resolution. Numeric pad. Programmable reversible video, auxiliary port, self-test mode, protect mode, block mode, tabbing, addressable cursor. Microprocessor controlled, programmable underline, line and character insert/delete. "C" version features typewriter-style keyboard. List \$925

920C (with 11 function keys. 6 edit keys and 2 transmission mode keys, List \$995 \$789

950C, List \$1195.....\$989

HAZELTINE 1500



1410 w/numeric keypad, List \$900 CAL 1420 w/lower case and numeric pad CAL	
1510, List \$1395	.L

SOROC



	-TM
printer 1) List \$1350	799
779-2, w/tractor (same as TRS80 Line	
739-3, List \$1045	839
739-1, List \$995	
NEW 737, parallel, friction, tractor	
704-11, parallel, friction, tractor	
704-9 RS-232 180cps	. \$1595
CENTRONICS	
IQ 140, List \$1495 SPECIAL	61140
IQ 135G	
IQ 135	749

IQ 130, List 699

NEC SPINWRITER™



Terminal/Keyboard as well as RO Printer Only models available. **CALL FOR PRICES!**

PAPER TIGER®






IDS 445 PAPER TIGER \$698
IDS 445G PAPER TIGER
Buffer w/graphics option, incl. buffer \$789
NEW IDS 460/560
QUALITY PRINTING AT MATRIX
SPEED — LOGIC SEEKING
PROPORTIONAL SPACING
w/auto test justification

IDS PAPERTIGER 460, List \$995 \$849	5
IDS PAPERTIGER 460G, List \$1094 \$929	9
IDS 560G, List \$1394 \$1139	Э
TRS-80 cable	3

TI-810



TI 810 Basic, List \$1645\$1349 810 serial & Centronics-style parallel
interface, List \$1745\$1429
TI-820w/lower case List \$1995 \$1645
TI-820w/full ASCII, forms control,
compressed print List \$2150 . \$1795
TI-745 Complete printing terminal with acoustic coupler, List \$1695 \$1399

ANADEX DP9500/DP9501 PRINTERS

DP-9500,	List	\$1650								\$1349
DP-9501,	List	\$1650								\$1349

OKIDATA Microline 80 List \$599 ONLY \$499 Tractor Feed Option \$109 Serial interface \$99

EpsonMX-80	FT List	\$745	\$599
EpsonMX-80	List\$645.		\$499

Above prices reflect a 2% cash discount (order prepaid prior to shipment). Add 2% to prices for credit card orders, C.O.D.'s, etc. Prices are f.o.b. shipping point. Prices are subject to change and offers subject to withdrawal without notice. WRITE FOR FREE CATALOG.

. 599

MiniMicroMart, Inc.

943 W.Genesee St. Syracuse, N.Y. 13204 (315) 422-4467

VISA

4K STATIC RAM 8/\$20.00

2114 LOW POWER 200 NS

74LS00

74LS00	.25	74LS123	.90	74LS259	2.80
74LS01	.25	74LS124	2.95	74LS260	.60
74LS02	.25	74LS125	.90	74LS261	2.45
74LS03	.25	74LS126	.80	74LS266	.50
74LS04	.25	74LS132	.75	74LS273	1.60
74LS05	.25	74LS136	.50	74LS275	3.30
74LS08	.30	74LS138	.75	74LS279	.50
74LS09	.25	74LS139	.75	74LS280	1.95
74LS10	.25	74LS145	1.10	74LS283	.95
74LS11	.30	74LS147	2.25	74LS290	1.20
74LS12	.30	74LS148	1.25	74LS293	1.80
74LS13	.40	74LS151	.75	74LS295	1.00
74LS14	.75	74LS153	.75	74LS298	.95
74LS15	.30	74LS155	.90	74LS299	2.50
74LS20	.25	74LS156	.90	74LS323	3.95
74LS21	.30	74LS157	.75	74LS324	1.75
74LS22	.25	74LS158	.75	74LS347	1.95
74LS26	.30	74LS160	.90	74LS348	1.95
74LS27	.35	74LS161	.90	74LS352	1.50
74LS28	.35	74LS162	.90	74LS353	1.50
	.25				
74LS30	.25	74LS163	.90	74LS363	1.35
74LS32	.35	74LS164	.90	74LS365	.90
74LS35	.55	74LS165	.90	74LS366	.90
74LS37	.50	74LS166	2.00	74LS367	.65
74LS38	.35	74LS168	1.70	74LS368	.65
74LS40	.25	74LS169	1.70	74LS373	1.15
74LS42	.50	74LS170	1.70	74LS374	1.75
74LS47	.75	74LS173	.75	74LS375	.65
74LS48	.75	74LS174	.90	74LS377	1.40
74LS49	.75	74LS175	.90	74LS385	1.85
74LS51				74LS386	
	.25	74LS181	2.10		.60
74LS54	.35	74LS189	9.95	74LS390	1.85
74LS55	.35	74LS190	.95	74LS393	1.85
74LS63	1.20	74LS191	.95	74LS395	1.60
74LS73	.35	74LS192	.80	74LS399	1.65
74LS74	.40	74LS193	.90		2.95
				74LS424	
74LS75	.50	74LS194	.95	74LS447	.35
74LS76	.40	74LS195	.90	74LS490	1.90
74LS78	.50	74LS196	.80	74LS630	75.00
74LS83	.75	74LS197	.80	74LS640	3.00
74LS85	1.10	74LS221	1.15	74LS641	3.00
74LS86	.40	74LS240	1.15	74LS642	3.00
74LS90	.60	74LS241	1.15	74LS645	3.00
74LS91	.80	74LS242	1.85	74LS668	1.65
74LS92	.65	74LS243	1.85	74LS669	1.85
74LS93	.60	74LS244	1.00	74LS670	2.15
74LS95	.80	74LS245	1.95	74LS674	9.60
74LS96	.80	74LS247	.75	74LS682	3.15
74LS107	.40	74LS248	1.20	74LS683	2.25
74LS109	.40	74LS249	.95	74LS684	2.35
74LS112	.40	74LS251	1.25	74LS685	2.35
74LS113	.40	74LS253	.80	74LS688	2.35
74LS114	.50	74LS257	.80	74LS689	2.35
74LS122	.45	74LS258	.80		

74500

74500 74502 74503 74504 74505 74508 74509 74510 74511 74515 74512 74530 74522 74537 74538 74540 74574 74586 745114 74512 745133 74514 74515 745135 745135 745135 745135 745135 745135 745135 745155 745155	.40 .45 .45 .75 .75 .45 .65 .65 .65 .65 .65 .65 .40 .75 .1.20 .23 .1.40 .27 .1.45 .27 .27 .27 .27 .27 .27 .27 .27 .27 .27	74S163 74S168 74S169 74S174 74S175 74S181 74S181 74S189 74S194 74S196 74S196 74S196 74S251 74S225 74S225 74S225 74S226 74S227 74S226 74S227 74S228 74S280 74S280 74S280 74S280 74S283 74S283 74S280 74S283 74S287 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S287 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S288 74S287 74	3.70 4.60 5.40 5.40 5.40 1.05 4.45 2.90 3.90 14.90 14.90 8.90 3.70 1.35 1.40 1.35 1.80 19.90 2.85 4.40 19.90 2.85 4.90 1.85 4.90 1.85 1.80 1.80 1.80 1.80 1.80 1.80 1.80 1.80
			15.50 7.75 7.75

74C00 CMOS

74C00 74C00 74C04 74C08 74C14 74C14 74C30 74C32 74C42 74C48 74C74 74C76 74C83 74C86 74C80 74C80 74C90 74C91 74C157 74C160 74C157 74C160 74C161	35 35 35 35 35 35 35 35 35 35 35 35 35 3	74C195 74C240 74C240 74C240 74C247 74C373 74C374 74C302 74C303 74C307 74C305 74C306 74C306 74C306 74C306 74C307 74C301 74C301 74C311 74C311 74C312 74C312 74C312 74C312 74C312 74C312 74C313 74C322 74C332 74C326 80C36 88C30 88C30	2.20 2.20 2.20 2.20 2.70 8.0 8.0 9.9 2.00 2.70 9.90 9.90 1.90 2.70 1.90 5.90 1.90 5.90 7.90 7.90 7.90 7.90 7.90 7.90 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5

800-426-2668 206-643-0792

4000CMOS

			~IAI		
4000 4001 4006 4007 4008 4009 4010 4011 4013 4014 4016 4017 4018 4018 4018 4018 4020 4021 4022 4023 4024 4025 4025 4028 4028 4029 4030 4030 4031 4032 4033 4033 4033 4033	**************************************	4040 4041 4042 4043 4044 4044 4047 4048 4051 4052 4053 4055 4056 4059 4068 4068 4069 4070 4071 4072 4073 4076 4070 4071 4075 4076 4076 4077 4077 4078 4078 4078 4078 4078 4078	\$5.55.55.55.55.55.55.55.55.55.55.55.55.5	4501 4502 4503 4503 4505 4506 4507 4508 4510 4511 4512 4514 4515 4518 4518 4518 4519 4520 4526 4527 4528 4539 4539 4539 4539 4555 4556 4558 4558 4558 4558 4558 4558	.50 .85 .85 .85 .1.25 .95 .225 .1.25
				4581 4582 4584 4585 4702	1.95 1.95 .95 .95

LINEAR

7805CT	.85	LM301V	.75	LM567V	1.25
		LM308V	.75	LM723	.50
7812CT	.85	LM309K	1.50	LM733	.95
7815CT	.95	LM311V	.60	LM741V	.30
		LM317T	1.90	LM747	.75
7805KT	1.40	LM317K	3.75	LM748V	.60
7812KT	1.40	LM318N	1.50	LM1414	1.50
7815KT	1.40	LM323K	3.75	LM1458V	.65
78L05	.65	LM324N	.60	DS1488N	1.00
78L12	.65	LM337K	3.95	DS1489D	1.00
7905CT	.95	LM339	.75	LM1889	2.45
7912CT	.95	LM377	2.25	LM3900	.60
7915CT	1.15	LM380	1.25	LM3909	.90
		LM386V	1.25	LM3914	3.75
7905K	1.50			LM3915	3.75
7912K	1.50	LM555V	.40	LM3916	3.75
79L05	.75	LM556	.70	DS75451	.40
79L12	.75	LM565	.95	DS75452	.40
79L15	.75	LM566V	1.50	DS75453	.40

HANLEY ENGINEERING CORP 13400 Northrup Way #20 Bellevue, WA. 98005 1-800-426-2668 1-206-643-0792

Include 3.00 for Ups Ground Include 4.00 for Ups Blue Include 4.00 for 1st Class Mail Washington State add 5.4% Sales Tax

16K Memory 8/\$16.00

4116 200NS

8200

8155 8185 8202 8205 8205 8214 8214 8216 8224 8228 8228 8228 8238 8255A - 5 8257 - 5 8257 - 5 8257 - 5 8277 8277 - 5 8277 - 5 8278 - 7 8278 - 7 8278 - 7 8288 8289 8289 8289 8289 8755A	11.25 29.95 45.90 3.85 1.80 1.80 4.90 4.90 4.90 4.90 6.00 5.45 9.82 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.0

Z80

ZBO ZBOA ZBOB ZBOB ZBOB ZBOB ZBOB PIO ZBOB PIO ZBOB CTC ZBOB CTC ZBOB CTC ZBOB SIO / 0 ZBOA SIO / 1 ZBOA SIO / 1 ZBOA SIO / 1 ZBO SIO / 2 ZBOA SIO /	6.70 7.25 19.00 6.00 7.10 15.50 6.00 7.10 15.50 22.50 18.50 22.50 18.50 22.50 18.50 22.50

6800

3242 3480 6800 6802 6809 6810 6821 6840 6843 6845 6847 6850 6852	8.00 9.00 5.75 11.00 25.00 3.50 3.50 9.00 41.00 22.00 12.25 3.50 3.50
6852 6875 6880	7.00 1.80
6882 6885 6888 6889	4.70 1.80 1.80 1.80
68488	12.50

6502

6502 6502A	7.90 10.00
6504 6504A	8.45 9.30
6512	9.30
6512A	10.00
6520 6521	4.40
6521A	6.15 6.70
6522	8.75
6522A 6532	11.70 11.25
6532A	12.40
6545 -	
6545A 6551	-1 28.95 11.95
6551A	12.95

HANLEY FIRST

CPU

•	_
8080A	3.95
8085A	8.95
8085A - 2	11.95
8086	99.95
8088	39.95
9748	30.00

CALL

800-426-2668 206-643-0792

AUGAT LOW PROFILE SOCKETS

These Are High Reliability Industry Standard Sockets

8PIN	208-AG29D	.10
14PIN	214-AG29D	.16
16PIN	216-AG29D	.18
18PIN	218-AG29D	.20
20PIN	220-AG29D	.22
22PIN	222-AG29D	.24
24PIN	224-AG29D	.26
28PIN	228-AG29D	.28
40PIN	240-AG29D	.42

4K x 1 STATIC RAM

MOTOROLA MCM6641-20	
4044-200NS EQUIV.	
\$4.50	

SOLID STATE SCIENTIFIC

256 x 4 CMOS RAM 450NS SCM5101E-1 \$3.75

HITACHI

4164

64 x 1 200 NS \$15.00

2K x 8 CMOS RAM 150NS Pin Compatible with 2716 HM6116P-3 \$13.00

EPROMS

2708	AMD	3 Supply	45ONS	3.50
2716	Hitachi	+5	45ONS	7.00
2716	National	+5	45ONS	7.00
2716	Intel	+5	45ONS	7.00
2716-1	Intel	+5	35ONS	9.50
2716	T.I.	3 Supply	45ONS	7.50
2716	Motorola	3 Supply	45ONS	7.50
2732	NEC	+5	45ONS	16.00
2732	Mitsubish	+5	45ONS	16.00
2732	Intel	+5	45ONS	17.00
2732A	Intel	+5	25ONS	17.00
2732A - 3	Intel	+5	30ONS	16.00
2732A - 2	Intel	+5	200NS	20.00
2532	Hitachi	+5	45ONS	18.00





Prices subject to change without notice We reserve the right to substitute manufactures

HANLEY ENGINEERING CORP

13400 Northrup Way #20 Bellevue, WA. 98005 1-800-426-2668 1-206-643-0792

Include 3.00 for Ups Ground Include 4.00 for Ups Blue Include 4.00 for 1st Class Mail Washington State add 5.4% Sales Tax

Unclassified Ads

WANTED: Have five systems in market timing (stock and commodity]. Will exchange with you on your systems. Peter Peters, POB 407, Flushing NY 11363.

FOR SALE: TRS-80 disk system. \$1400. Model I, Level II, keyboard, MPI drive, LNN Research expansion interface with 32 K, and Heath H-14 printer. All items in good working order. Murray Foster, c/o Ritam Corp, POB 921, Fairfield IA 52556, (515) 472-8262 days, 472-9417 evenings.

FOR SALE: Vadic modems VA-3403P/VA-3405C. Vadic modems are asynchronous and can run 300, 600, or 1200 bps, based on switch settings. We have boards, as well as a remote chassis for sale. The boards can be used in the Vadic cabinet VA-1601. Armand Marricco, Yale University, ADS, 155 Whitney Ave, New Haven CT 06511, (203) 432-4230.

FOR SALE: Pascal Microengine, Western Digital desk-top computer with 16-bit microprocessor and 32 K words (64 K bytes) of programmable memory. Recently updated to accommodate memory expansion to 128 K bytes. Floppy-disk controller, two RS-232C asynchronous/synchronous parts, and the latest issue of HO software (UCSD Pascal). \$2800. W McKinney, 2506 Don Juan Dr, Rancho Cordova CA 95670, (916) 453-2500

FOR SALE: 8-inch DSDD drives. Two add-on, double-sided, double-density (1.2 megabyte) disk drives, with separate enclosures and power supplies. QUME DT-8 in CDC cabinet; \$750. Morrow 2+2; \$795. Both for \$1495, UPS freight paid. Both new and in use. You need cable, controller, and system support software. CP/M sysgen assistance available to purchaser. Also, Hayes Micromodem 100; \$295. Dave Crane, POB 402614, Dallas TX 75240, (214) 931-2669, 931-8272.

FOR SALE: Logix teammate game computer with manual. Has a 2-digit display and a 4 by 4 lamp array. Has four special function keys, ten numbers, and five letters. There are no pieces missing and it is in excellent working order. Send check or money order for \$40. Maurice Yanney, 508 Margin Rd,

FOR SALE: 8 K Commodore PET 2001. Stacks of documentation and mail-order offers. Light pen. Over fifteen cassettes with 100 programs, including Microchess 2.0, Battleship, and many others (mostly games). Also have assembler and machine-language monitor. Everything in excellent condition. Will sell all for \$500 or best offer. Will also consider a trade. Lee Grey, 250 Bruton Way, Atlanta GA 30342, (404) 257-9106.

WANTED: Fifteen-year-old needs start in computers. Will buy and/or pay shipping for surplus, used or damaged computers, and related equipment that would be otherwise discarded. I will accept collect calls. Jason Bender, 23855 SE 162nd, Issaquah WA 98027, (206) 392-2698.

WANTED: PC-100C printer. Also, the first four issues of BYTE from September through December 1975. Please give price, including shipping. Ken Hamel, Rte 5 Box 162, Watertown WI 53094.

FOR SALE: Heath H-8 computer, H-9 video terminal, H-17-1 floppy disk, various hand tools (Pana Vise vacuum base, vertical vise head, circuit board holder), and soldering iron (25 W). H-8 includes two WH-16K programmable memories and WH-8-5 serial/cassette interface. All documentation is included, plus other books. \$1100. Good condition. SSG Percy Davis, Jr, 622 Bishop Rd Apt M16, Lawton OK 73501, (405) 357-3309.

HELP: Operator of CPT8000 word processor who knows nothing about computers would like to hear from anyone who can tell me how to play games or do other interesting or useful things on it. Also, interested in purchasing any software I can use on it. Adam Starchild, POB 1608, Tarpon Springs FL 33589.

FOR SALE: Complete Heathkit H-8 based 32 K system. Includes: H-9 terminal, H-17 dual disk drives (204.8 K), H-8-5 serial I/O card, H-8-4 parallel I/O card, H-8-7 interface card, and com-I/O Card, H-8-4 parailel I/O Card, H-8-7 Interface Card, and complete system software, including BASIC, ASM, EDIT, and DBUG. Full documentation provided. \$1800 or best offer. J Trivisonno, John Carroll University, Cleveland OH 44118, [216] 491-4301. FOR SALE: Altair 8808 with 51 K. Dutronics Z80, Thinker Toys Discus 2-D with two drives, ADM3A video display, Heath H-14 printer, CP/M 2.2, and Meca dual-digital tape. \$6000. Stan Stewart, 5208 S Lewis #2013, Tulsa OK 74105, [918] 743-4344 home, 744-0331 office.

FOR SALE: Centronics Model 779 dot-matrix printer. Apple interface card and all cables included. Nearly new, excellent condition. \$500 or best offer. Dennis Simms, 5232 N Lowell Blvd, Denver CO 80221, (303) 458-1833.

WANTED: Student experimenter needs any of the following items: resistors, transistors, capacitors, ICs, diodes, books, magazines, condensers, amplifiers, old computer parts, wire-wrapped sockets, LEDs, toggle switches, dip switches, small motors, nuts, bolts, wire, crystals, keyboards, knobs, small color TV, push-button switches, small wheels, springs, PC boards, victor pins, small speakers, TV circuits, heat sinks, small fans, wire-wrapped connectors, potentiometers, sockets, and small ball bearings. Please write. Judy Stapleton, POB 536, Pine Lake GA 30072.

WANTED: Has anyone implemented MP/M on North Star Horizons (DD)? Advice, comments, and possible sources urgently required by nonprofit publicly owned college without access to Intel MDS. Assistance gratefully acknowledged. Stuart Bell, Plymouth CFE, Kings Rd, Plymouth, Devon, United Kingdom.

WANTED: Software interface between CP/M and Processor Technology CUTER cassette interface for backing up CP/Mcompatible program on cassette tape. Faber Tan, 3630 El Camino Real, Palo Alto CA 94306, (415) 493-6500.

FOR SALE: Datasouth DS120 terminal controller—converts DECwriter II (LA35/LA36) to high-speed printer. See Datasouth ad in BYTE (April 1981, page 126) for description. Like-new condition. Asking \$450 (it costs \$750 when new); manual included. GSI, 245 Nassau St, Princeton NJ 08540, [609] 924-1155

FOR SALE: Four SwTPC 4 K memory boards; \$40 each or \$150 for all four postpaid. PR-40 printer; \$200 postpaid. S Brown, 35 Kettle Pond Rd, Amherst MA 01002, [413] 253-3183.

FOR SALE: Apple II with 48 K, Autostart read-only memory, Applesoft card, Programmer's Aid read-only memory, 3.3 disk, Apple parallel card, and Dan Paymar LCA. All for \$1875 or separately for 75% of list. Centronics P1 printer; \$195. Unused Memorex diskettes; \$2.50 each. Computer books, magazines, and software; 25 to 75% (including VisiCalc, S-C assembler, Sargon II, Adventure, Star Cruiser, and more—original only, no copies). Send SASE for list. W Bollinger, 8210 Gannon, St Louis MO 63132, (314) 991-0357.

WANTED: I'm interested in getting together with other people involved in optical computing. (I don't mean the use of fiber-optic communication, but true optical processors, memories, modulators, etc.) If you work or play in these areas, please write. James A Lisowski, 902 Willow Ln, S Milwaukee

FOR SALE: Typagraph computer terminal with 110/300 bps, full uppercase/lowercase capability, numeric keypad, pin feed with adjustable tractors to full 132 columns, forms control, modem included for remote connect via telephone, and RS-232 for direct connect. \$995 or best offer. Ron McCarty, 4031 Station Rd. Erie PA 16510, (814) 898-2847

FOR SALE: Apple II Plus with 48 K programmable memory, the Apple II BASIC Programming Manual, and the Applesoft BASIC Programming Reference Manual. Price negotiable. Daniel L Martin, 9801 Portside Dr., Seminole FL 33542, (813)

FOR SALE: Antique computer system. Friden 5610 Computyper (serial number 1365), Friden 2205-1-A Flexowriter, Friden 2315 tape punch, and Friden 2314 SelectaData. The entire system weighs approximately 800 lbs. The Computyper and Flexowriter are built into a desk unit. Excellent condition, everything works perfectly. Best offer. Steven Chabotte, 21 Garfield Ave, New London CT 06320.

FOR SALE: Comprint 912-GP printer. 9 by 12 dot-matrix characters, uppercase/lowercase with descenders. Quiet, fast electrostatic printing at 170 lpm on 81/2-inch paper rolls. No ribbons to purchase, paper costs less than three cents a page. Including manual, about 400 feet of paper, and cable for plug-in operation with TRS-80 expansion interface or Apple parallel printer interface card. \$225 plus shipping. Delmer D Hinrichs, 2116 SE 377th Ave, Washougal WA 98671, (206) 835-2983.

FOR SALE: Several new and unused Penril 212A modems. These are 300 or 1200 bps modems and I will sell them for \$500 each. Mike Hayes, POB 29000, San Antonio TX 78229,

FOR SALE: Complete set of BYTE from first issue through the December 1980 issue. All in excellent condition. Best offer. Robert Greengrove, 162 Grant Ave, Nutley NJ 07110, (201)

FOR SALE: For Apple II owners: DS-65 digisector card plus advanced video television camera. Applications in computer portraits, home security, and robotics. All software and documentation included. New; \$500. Prices negotiable. Scott Anderson, (206) 454-6053.

FOR SALE: DEC PDP-11/05 minicomputer with 8 K words of core memory. Has 9-slot chassis with power supply and full front panel. No interfaces or documentation. Works OK. \$1000/offer. John Warobiew, 1168 B Redman St, Orlando FL

WANTED: Minifloppy system for Processor Technology SOL-20 computer (Hercules). I need the S-100 floppy-controller board and one drive, working or broken. I also need the schematics, manual, and any software you can give up. Send description and price. Geoffrey Placious, 13340 Bondy Way, Gaithersburg MD 20760.

FOR SALE: Five SwTPC 4 K memory boards, two with write protect added. \$60 each. Mark Dean. 2575 Three Bar Ln, Norco CA 91760.

FOR SALE: Texas Instruments TI-99/4 computer console with 72 K memory capacity and all original documentation. Unit is one month old. Will sell for \$650 or best offer. Also, ten 5-inch diskettes for \$2.50 each plus postage. Bill Efron, 1369 Murray St, St Paul MN 55116.

FOR SALE: 48 K Apple II with integer and floating-point BASIC. One Apple disk drive and controller. Base II printer and 9600 bps interface. Black-and-white television. Assorted software on disk. All manuals, etc. May buy as set for \$1500 or best offer. May buy pieces at best offer. Must sell. David A Schultz, Concordia College, Moorhead MN 56560.

UNCLASSIFIED POLICY: Readers who are soliciting or giving advice, or who have equipment to buy, sell or swap should send in a clearly typed notice to that effect. To be considered for publication, an advertisement must be clearly noncommercial, typed double spaced on plain white paper, contain 75 words or less, and include complete name and address information.

These notices are free of charge and will be printed one time only on a space available basis. Notices can be accepted from individuals or bona fide computer users clubs only. We can engage in no correspondence on these and your confirmation of placement is appearance in an issue of BYTE.

Please note that it may take three or four months for an ad to appear in the magazine.

Reader Service

Inquiry No.

170 FUTRA CO. 219

Page No.

Inqu	uiry No.	Page No.
450 1 2 3 218 4 4 4 5 5 7 7 8 8 9 9 11 11 12 2 2 116 16 117 18 119 19 2 2 11 16 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ATIM STREE A B DIGITAI AB COMPU- ABM PRODI ACCESS 51: ACKERMAN ACTION CO ACTS AUDIGI ADDMASTE ADV.COMP. ADV.MICRO ALF PRODI ALLE ELECTI ALLENBACI ALLENBACI ALLENBACI ALLERATE ALTOS COM ALTERNATE ALTOS COM ALTERNATE ALTOS COM ALTERNATE ALTOS COM ALTERNATE ALTOS COM ANORONA ANDEX 20: ANDERSON APPARATI IN APPLIED AN ANDERSON APPARATI IN APPLIED AN ARBA 182 ARTIFICIAL ASAP COMFA ASHTONTAC ATION INTIC CAUTOMATE ASAP COMFA ASHTONTAC BASIC BOO BELL INDUS BUT BASIC BOO BELL INDUS BUT BASIC BOO BELL INDUS BUT BASIC BOO BUT BASIC BOO BUT BASIC BOO BUT BASIC BOO BUT	T PHOTO 473 L DESIGN 136, 137 TERS 495 UCTS 350 2 I DIGITAL SYS 256 MPUTER 129 O INC 520 MPUTER 129 IGITAL COMP. 238 ICTS, INC 128 RONIC CORP 94 H IND. 139 E STORAGE 195 E STORAGE 291 E STORAGE 280, 281 MP. SYS. 89 WORD STIMULT. 520 MP.SYS. 82, 83 RP. 191 ARE COMP. 140, 141 COMP. & ENG. 243 6, 207 JACOBSON 437 NC 27 NC 361 MPUTER INC 12, 13 DNS GROUP 512 NALYTICS 346 INT'L RESRCH 506 P.PROD.INC 300, 301 P.PROD.INC 303 JNS GROUP 512 NALYTICS 346 INT'L RESRCH 506 INT'L RESRCH 506 P.PROD.INC 303 JNS GROUP 512 NALYTICS 346 INT'L RESRCH 506 I
468 49 50 51 52 53 54 55 447 56 57 50 60 61	BYTE WATT: BYTEK COM CITOH ELEC CALIF DATA CALIF. DIGIT CALIF. GOM CALIF. SOFT CDR 294 CHATSWOR CHECK-MAT CHECK-MAT CHECK-STO CHIPS & DA CHRISLIN IN	S 248 P.SYS. 138 P.SYS. 138 CTR.INC. 251 CORP 506 TAL 524, 525 P.SYS. 155 O COMP. 449 WARE 353 TH DATA 196 'E 504 GO 34 LE 508 IDUSTRIES 337 NINCS 242
62 63 64 65 66 429 67 68 234 70 71 72 73 74 75	CLEV.COMS CMC,INT'L. CMC,INT'L. COAST COM CODEWORK COLONIAL I COMPEC IN COMEST 112 COMMODOF COMMUNICA COMPUNICA COMP	149 308 463 P.&OFFICE SPL. 409 S, THE 457 DATA SERV. 323 C. 127 2 RE COMPUTER 199 461 ATION CABLE 510 ITIONS ELECTR. 519 OF AMER. 375 TS EXPRESS 417

-	Andrew Control			
Inq	uiry No.	Pa	ge No.	
82 83 44 108 85 6 87 88 89 90 99 99 45 11 10 20 12 20 12 20 10 10 10 10 10 10 10 10 10 10 10 10 10	DISCOUNT DISKONNE DJ&"AI"SY DMA 335	RAGEAGE RAGEAG	15	RE 435 412 5.324 93 107 285 411 6.66 5.514 7 271 7.58 6.60 6.63 6.63 6.63 6.63 6.63 6.63 6.63

170 FUHACO. 219 171 GR ELECTRONICS 455 172 GALAXY ENTERPRISES 518 173 GEOTEC 514 174 GIMIX INC 282 175 GRAFFCOM SYS. 57 177 H&E COMPUTRONICS 291 176 H&E COMPUTRONICS 291 177 HAE COMPUTRONICS 291 178 HANLEY ENGNRING 540, 541 179 HAPPY HANDS 254 180 HAYDEN BOOK CO INC 405 181 HAYES MICROCOMP.PROD. 14 182 HAYES MICROCOMP.PROD. 15 183 HAYES MICROCOMP.PROD. 25 184 HEATH COMPANY 232, 233 185 HOUSTON INSTRUMENTS 223 186 HOUSTON INSTRUMENTS 223 187 HUNTINGTON COMPUTING 51: 188 I-V ASSOCIATES 510 189 I.B.C. 332 190 IBM 20, 21 191 IBM 491 192 IMPRINT SOFTWARE 514 193 IINFERNATIONAL 79 191 INTELLIGENT SYS. CORP 177 191 INTERPACTIVE MICROWRE 427 101 INTERPRET CO 343 101 C 504 101 INTERPRET CO 343 101 INTE
--

To get further information on the products advertising in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add an 18-cent stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. The index is provided as an additional service by the publisher, who assumes no liability for errors or omissions. *Correspond directly with company.

Inquiry No.	Page No.
256 MICRO DE 109 MICRO FO 257 MICRO HO	USE 209
258 MICRO MA * MICRO MF 349 MICRO MIN	NAGEMENT SYS. 423 G SYS. 417
* MICRO PEI 259 MICRO PRI 260 MICRO WC 262 MICROACE	RIPHERAL CORP. 510 D INT'L. 313 PRKS, THE 176
263 MICROBYT 264 MICROCOM	E/EXT.PROCSS. 64 MP.TECH.INC. 213
266 MICROSET	TE INC 516
268 MICROSOF 269 MICROSTU 270 MICROTAX	T (CPD) 25 T (CPD) 279 T (NC. 81
271 MICROTEC	H EXPORTS 445 INC. 295 CA MICRO MART 133
273 MIDDLETO 274 MIKOS 500	N,WILSON 508
275 MILLER MIC 276 MINI COMP 281 MINI MICR	CROCOMP.SERV. 272 P.SUPPLIERS 419 O MART 267
282 MINI MICRO 283 MINI MICRO 466 MINI MICRO	O MART 267 O MART 319 O MART 453 O MART 536 O MART 536 O MART 537 O MART 538 O MART 539
467 MINI MICRO 277 MINI MICRO 279 MINI MICRO	O MART 319 O MART 453 O MART 536 O MART 537 O MART 538 O MART 539 PRODUCTS 307
285 MORGAN F 287 MORROW I	PRODUCTS 307 DESIGNS 151
286 MORROW I 288 MOUNTAIN 289 MOUNTAIN	O MART 539 PRODUCTS 307 DESIGNS 151 DESIGNS 200, 201 I COMPUTER 19 SOFTWARE 18 VIEW PRESS 345
290 MOUNTAIN 291 MSD 421 292 MSD 449	VIEW PRESS 345
	SYSTEMS 216, 217
295 MULTI BUS 296 NATIONAL 297 NATIONAL	N.COMP.INC. 336 DATA PROD. 340 DATA PROD. 455
298 NCL DATA 299 NEBS 421 448 NEC HOME	SYSTEMS 216, 217 IA N.COMP.INC. 336 DATA PROD. 340 DATA PROD. 455 INC. 415 ELECTRONICS 239
300 NEECO 311 301 NET PROFI	T COMP. 413
302 NORTH AM 303 NORTH AM	ER TECH 32 ER TECH 194
304 NORTH STA 305 NORTHEAS 306 NORTHWES	T COMP. 413 S 210, 212, 417 ER TECH 32 ER TECH 194 AR COMPUTERS 167 ST COMPUTER 441 ST INSTR.SYS. 224 245
306 NORTHWES 307 NORTHWES 308 NOVATION	ST INSTR.SYS. 224 245 21 S. EL ECTR DIV. 321
309 OASIS SYS	TEMS 170
312 OLYMPIC S 313 OMEGA SA	NTIFIC INSTR. CIV ORP. 401 ALES 407 LES 364, 365 ET 425
OLE CHANGE	140
316 OMNITEC D 317 OPTIMAL T 318 ORACLE EL	JUNCES 299 JATA 411 ECHNOLOGY 413 ECTR. 504 ICRO 188, 189 ICRO 339 ICRO 397 ICRO 397 ICRO 397
319 ORANGE M 320 ORANGE M 321 ORANGE M	ICRO 188, 189 ICRO 339
322 OREGON S	OFTWARE 203
324 ORTHOCOL	TRUMENTS 506 DE GROUP 228 COMPUTERS 33
326 OSBORNE/N 327 OSM COMP	UCGRAW-HILL 72, 73
328 OXFORD DI 329 PACIFIC CO 333 PACIFIC EX	SOC. 276, 277 VERSIFIED 421 DMP BRK. 468
330 PACIFIC EX 331 PACIFIC EX	OMP BRK. 468 CHANGES 294 CHANGES 298 CHANGES 510
332 PACIFIC EX 334 PACIFIC SC 335 PAGE DIGIT	CHANGES 510 CHANGES 514 PFTWARE 99 AL 515 COMP.EQUIP. 499
337 PAN AMERI	CAN ELEC INC. 220 ETTER 407
PERCOM DA 343 PERSONAL 344 PHASE ONE	ATA 7, 14, 15 COMPUTERS 329
345 PICKLES & 346 PKAY CORF	MS INC. 22 E SOFTWARE 23 E SOFTWARE 230 ATA 7, 14, 15 COMPUTERS 329 E SYS.INC. 309 TROUT 146 5. 520 OMPUTING 257 E INC. 147
347 POLY PAKS POPULAR O 348 POWER ON	COMPUTING 257 E INC. 147
* PRIORITY C 352 PRIORITY C 351 PRIORITY C	NE 306, 449 NE 530, 531 NE 532, 533
353 PROGRAMA	MERS SFTW EX. 510

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry	No.	Page No.	Inqu	uiry No.	Page No.
355 PURCHAS 355 PV SYSTE 356 QUALITY 357 QUALITY 358 QUASAR I 360 QUEST EL 361 RACET CC 363 RADIO SH 364 RADIO SH 365 RCE ELEC 568 RENAISS 367 ROBOTIC: 368 S C DIGIT 369 S&M SYS 370 S-100 INC 371 S.P.C.TEC 372 SANDHU 373 SANTA CI 374 SCION CC 375 SCITRON 376 SCR ELEC 377 SCOTTSD 376 SCR ELEC	COMP.PARTS 506 SOFTWARE 159 DATA PROD.INC. 171 LECTR. 505 DMPUTES 355 DMPUTES 355 MPUTES 355 MPUTES 355 ICK 49 ICK FRNC.#7079 445 TTR. 435 SOFTWARE CO. 512 NNCE TECHN. 328 S AGE 431 AL 326 TEMS 431 88 H.INC. 439 MACHINE DESN. 395 MACHINE DESN. 395 RICK FROM STERMS 186 REST 186 REST 187 REST	457 SINGER (379 SLUDER (379 SLUDER (381 SMOKE S 381 SMOKE S 382 SOFTWAI 383 SOFTWAI 384 SOFTWAI 385 SORCIM (386 SORRENT 387 SOUTHEE 389 SPECTRU 390 SSM MIC 391 STANDAR 392 STANDAR 393 STATCOM 394 STATIC M 395 STELLAR 396 STRAWBI 397 SUBLOGI * SUPERBY * SUPERBY * SUPERBY	516 IGNAL BRDCSTG 103 IGNAL BRDCSTG 103 IGNAL BRDCSTG 103 IGNAL BRDCSTG 103 RE SUPPLY CORP 504 RE TOOL WORKS 514 ATE SALES 322 265 IO VALLEY ASSOC 297 IN COMP.SYS. 204 IN COMP.SYS. 510 M SOFTWARE 379 RO COMP PROD 11 RO & POORS 237 D MICROSYS.INC. 252 I CORP. 35 I CORP. 35 SYSTEMS 180 ERRY TREE COMP. 139 C 65 ERRY TREE COMP. 139 C 65 IT 250 TE 250 TE 250 TE 250 TE 250 TE 250 TS SYSTEY CO 441	401 SYS 402 SYS 403 SYS 404 SYS 405 SYS 406 SYS 407 SZS 407 SZS 408 TEC 409 TEC 410 TEL 411 TEL 413 TER 414 TEL 415 TKS 416 UNII 417 U.S. 418 UNII	TEMS GRITTEMS GRITTEMS GRITTEMS GRITTEMS GRITTEMS GRITTEMS GRITTEMS SUISTEMS MICRO SUISTEMS GROBOTIC TED CONTED CONTENTED CONTENTEMS COMP	TWARE 274 OUP,THE 29 OUP,THE 29 OUP,THE 29 OUP,THE 31 US INC. 367 PPORT INC. 459 IE SYSTEMS 510 ECTR. 429 SYS CONS 193 403 STEMS 516 NC 152, 153 NC 225 NIC 325 ID 387 SYS. 457 IRE 197 35 TTES 154 ORP. 128 ELEC. 56 SALES 502, 503	420 421 422 423 424 425 426 427 428 431 432 434 435 436 437 438 439 440 441 442 443 444 444	V.A.M.P. II VAN NOST VECTOR E VECTOR E VECTOR E VECTOR E VECTOR E VECTOR OF	FRAND REINHOLD 415 ELEC. 448 BRAPHICS 91 I CORP 161 MPUTER CO 71 ORMATION 227 (222 35 6 409 TON COMP.SERV. 493 O DISTANCE 312 I DIGITAL 425 MICRO SYSTEMS 69 INC. 261, 508 IE 75 STEMS 92, 93 IE COMP.SYS. 259 DON GRP,THE 508 ORP. 518 ONNENT SUPPLY 511 31 ONTROLS 518 SOFTWARE 518

BOMB


BYTE's Ongoing Monitor Box


Article # Page		Article	Author(s)		
1	24	Robotwar	Feigel		
2 3	36	The Coinless Arcade	Williams		
3	42	Build a Touch Tone Decoder for Remote			
		Control	Ciarcia		
4	74	BYTE's Arcade: Olympic Decathlon	Kater		
5	80	Missile Defense vs ABM	Moskowitz		
5 6 7	90	Gorgon	Callamaras		
	100	Commbat: A Tele-Game for Two	Stewart		
8	108	alphaSyntauri Music Synthesizer	Levine,		
			Mauchly		
9	134	Color Computer from A to D, Make Your			
		Color Computer "See" and "Feel" Better	Barden		
10	163	Battle of the Asteroids	Williams		
11	166	The Atari Tutorial, Part 4: Display-List			
		Interrupts	Crawford		
12	190	How to Build a Maze	Matuszek		
13	198	Toward a Structured 6809 Assembly			
		Language, Part 2: Implementing a			
		Structured Assembler	Walker		
14	229	MIKBUG and the TRS-80, Part 1: A Cross-			
		Assembler for the Motorola 6800	Labenski		
15	258	What Makes Computer Games Fun?	Malone		
16	304	Pascal-80	Archer		
17	320	Computer Scrabble	Roehrig		
18	352	Generating Programs Automatically	Jacobs		
19	486	Starfighter	Grammer		
20	452	Online Information Retrieval: Promise and			
		Problems	Roberts		
21	474	Handi-Writer, A Video Note Pad for the			
		Physically Handicapped	Batie		

September BOMB Speaks Up

Steve Ciarcia's article, "Build an Unlimited-Vocabulary Speech Synthesizer," has captured first place in the September BOMB. Steve will receive the \$100 prize. Second place goes to senior editor Gregg Williams for his article "Tree Searching, Part 1: Basic Techniques." Gregg is a staff editor and not entitled to the prize money. Third place goes to David Thompson for his review, "The Big Board: A Z80 System in Kit Form."

REVIEW BEN





... SEEMS THE ONLY THING EXPANDABLE ABOUT MY COMPUTER IS THE LINE OF EMPLOYEES WAITING TO USE IT."

All too often, a small business will make a major investment in a computer system only to find out, a year or so later, that they have outgrown it. The computer can't keep up with the need for more work stations, for more job functions, for more multi-user operations, and your initial investment is jeopardized.

If you're a first time computer buyer, you should know that system expandability is a big advantage of Ohio Scientific computer systems.

A business can start with a modestly priced floppy disk based computer to handle many office functions. Later, as your business needs grow, you can easily and economically expand upward to our series of hard disk based computers, adding more users for accounts receivable, general ledger, payroll, inventory, word processing and much more.

Don't catch yourself second guessing the computer you buy. We're convinced that the more you compare, the better we look.

Ohio Scientific computer systems are sold by more than 400 dealers nationwide. For the one near you, call 1-800-321-6850 toll free.



OHIO SCIENTIFIC

a **MACCII** Company 1333 SOUTH CHILLICOTHE ROAD AURORA, OH 44202 • [216] 831-5600

The expandable small business computer

Circle 310 on inquiry card.